

## Series 41 3544202000

### A signal

### 41 PORT, 12 V, BLACK, SIDE-MOUNT

<u>Navigation lights for direct mounting.</u> This series is available for all markets worldwide.





Plastic















Technical data	
Maximum ambient temperature (°C)	4 5
IP classification	5 6
Dimensions	
Height (mm)	105
Net weight (kg)	0,3
Width (mm)	9 2
Gross weight (kg)	0,408
Depth (mm)	8 2
Body	

Colour of body	Black
Body material	Polycarbonate
- · ·	
Optic	
Angle of visibility (°)	112.5 (Port/Starboard)
Visibility (nm)	2

Material of diffuser

Electrical data	
Maximum voltage +10% (V)	1 2
Minimum Voltage -10% (V)	1 2

Light data	
Number of lamps	1
Lamp power (W)	2 5
Lamp base	BAY 15d
Light source	Bulb

Termination	
Optic	Red lens
Ready for mounting	side-mount

Remarks	
Remarks	For ships $< 50 \text{ m} / < 164 \text{ ft}.$



## Series 41 3544202000

## Asignal

### 41 PORT, 12 V, BLACK, SIDE-MOUNT

Navigation lights for direct mounting. This series is available for all markets worldwide.





















# Drawings









### Series 41 3544202000

## Asignal

#### 41 PORT, 12 V, BLACK, SIDE-MOUNT

Navigation lights for direct mounting. This series is available for all markets worldwide.



















## Drawings

