



ACCESSORY RESOURCE GUIDE

Transducers

Transom Mount Transducers.....	2-4
In-Hull Transducers.....	4-5
Angled Puck Transducers.....	5
Trolling Motor Transducers.....	5-7
Portable Transducers.....	7
Bronze Thru Hull Transducers.....	7-8
Plastic Thru Hull Transducers.....	8-10
Ice Transducers.....	10
Dual Beam Trolling Motor Transducer Kit.....	10-11
Transom Mounting Hardware & Adapters.....	11-12
Kayak Transducer Mounting Kit.....	12

Mounts, Hardware, Sensors







Portable Mounting Hardware.....	12
Quick Disconnect Mounts.....	12
In-Dash Mounts.....	13-14
Mounting Hardware.....	14-16
Temperature and Speed Sensors.....	16-17






Cables






Extension Cables.....	17
Power Cables.....	18
Adapter Cables.....	18-19
Video Cables.....	19-20
Ethernet Cables.....	20-21


Other Accessories and Systems


360 Imaging.....	22-23
Sonar Modules.....	23
Advanced Fishing Systems.....	23-25
AIS.....	26
Switches.....	27
Unit Covers.....	27-29
Portable Configurations.....	29
Fishin' Buddy Accessories.....	30
Ice Flasher Accessories.....	30-31
Autopilot and Accessories.....	31-32
Radar.....	33
Index.....	34-37

TRANSOM MOUNT TRANSDUCERS	Item Number	Description	Compatible Units
 <p>XM 9 20 MSI T</p>	710262-1	MEGA SI, MEGA DI, DualBeam PLUS, 20/60/86/55 degrees, 200/83/455/800 kHz and 1.2 MHz, temperature built-in	<ul style="list-style-type: none"> • HELIX 9 CHIRP MEGA SI GPS G2N • HELIX 10 CHIRP MEGA SI GPS G2N • HELIX 12 CHIRP MEGA SI GPS G2N
 <p>XM 14 20 MSI T</p>	710265-1	MEGA SI, MEGA DI, DualBeam PLUS, 20/60/86/55 degrees, 200/83/455/800 kHz and 1.2 MHz, temperature built-in	<ul style="list-style-type: none"> • SOLIX 12 CHIRP MEGA SI GPS • SOLIX 15 CHIRP MEGA SI GPS
 <p>XM 14 74 MSI T</p>	710268-1	Transom Mount MEGA SI Transducer (200/50)	<ul style="list-style-type: none"> • ONIX Series* • SOLIX Series <p>*Only 455/800 kHz frequencies available for SI and DI</p>
 <p>XNT 9 20 T</p>	710198-1	Transom Mount Single/Dual Beam 20/60 Degree 200/83kHz Temperature Sensor	<ul style="list-style-type: none"> • All Matrix except Matrix 47 3D • All PiranhaMAX except 180, 165, 175, 176i, 195c, 196ci, 197c, 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All 100 and 300 Series except DI • All 500 Series except DI models • All 600 Series except DI models • All 700 Series except DI models • All 800 Series except DI models • All 800 Series except DI models • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI models
 <p>XNT 9 20</p>	710214-1	Transom Mount Single/Dual Beam 20/60 Degree 200/83 kHz No Temperature Sensor	<ul style="list-style-type: none"> • All Matrix except Matrix 47 3D • All PiranhaMAX except 180, 165, 175, 176i, 195c, 196ci, 197c, 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All 100 and 300 Series™ except DI • All 500 Series except DI models • All 600 Series except DI models • All 700 Series except DI models • All 800 Series except DI models • All 800 Series except DI models • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI
 <p>XNT 9 28 T</p>	710236-1	Dual Beam, 28/16 Degree, 200/455kHz, Temp	<ul style="list-style-type: none"> • PiranhaMAX 196ci, 195c, 176i, 175, 165, 197C & PiranhaMAX 4


 <p>XNT 9 DB 74 T</p>	710237-1	Dual Beam, 20/74 Degree, 200/50 kHz with built in temp for use with XD model products	<ul style="list-style-type: none"> • 1159ci HD XD Combo • 859ci HD XD Combo • 678c HD XD • 688ci HD XD Combo • 959ci HD XD Combo • HELIX 5 XD GPS
 <p>XNT 14 20 T</p>	710247-1	Dual Beam transducer 20/60 degree, 200/83 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • ONIX10ci COMBO • ONIX 10ci COMBO NT • ONIX8ci COMBO • ONIX 8ci COMBO NT • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
 <p>XNT 14 74 T</p>	710253-1	Dual Beam, 20/74 Degrees, 200/50 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • ONIX10ci COMBO • ONIX 10ci COMBO NT • ONIX8ci COMBO • ONIX 8ci COMBO NT • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
 <p>XNT 14 DI T</p>	710259-1	Dual Beam, Down Imaging, 83/200/455/800 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • ONIX10ci COMBO • ONIX 10ci COMBO NT • ONIX8ci COMBO • ONIX 8ci COMBO NT • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
 <p>XT 14 20 HDSI T</p>	710238-1	HD SI, HD DI, Dual Beam, 20/60/90/180 degrees, 200/83/455/800 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • ONIX 10ci SI Combo • ONIX 10ci SI Combo NT • ONIX 8ci SI Combo • ONIX 8ci SI Combo NT <p>*Must also have the Sonar Module</p>
 <p>XT 14 74 HDSI T</p>	710239-1	HD SI, HD DI, Dual Beam, 20/60/90/180 degrees, 200/50/455/800 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • ONIX 10ci SI Combo • ONIX 10ci SI Combo NT • ONIX 8ci SI Combo • ONIX 8ci SI Combo NT <p>*Must also have the Sonar Module</p>

 XHS 9 HDSI 180 T	710201-1	Transom Mount Dual/HD Side Imaging 20/74/84 Degree 200/83/455/800 kHz Temperature Sensor	<ul style="list-style-type: none"> • 898c SI, 997c SI, 998c SI, 1197c SI, 1198c SI • 898c HD SI, 899ci HD SI, 998c HD SI, 999ci HD SI, 1199ci SI • HELIX 9 SI GPS • HELIX 10 SI GPS • HELIX 12 CHIRP SI GPS
 XNT 9 SI 180 T	710200-1	Transom Mount Compact Dual/Side Imaging 20/74/84 Degree 83/200/455/800 kHz Temperature Sensor	<ul style="list-style-type: none"> • 398C SI, 598ci HD SI, 698ci HD SI, 798ci SI, 798ci HD SI, 899CI HD SI • HELIX 5 SI GPS • HELIX 5 CHIRP SI GPS G2 • HELIX 7 SI GPS • HELIX 7 CHIRP SI GPS G2 • HELIX 7 CHIRP SI GPS G2N • HELIX 9 SI GPS
 XNT 9 DI T	710226-1	Transom Mount Down Imaging 83/200/455 kHz Temperature Sensor	<ul style="list-style-type: none"> • 1159ci HD DI, 959ci HD DI, 859ci HD DI, 571 HD DI, 561 DI, 386ci DI, 346c DI, 688ci DI, 678 DI, 1158c DI, 958c HD DI, 958c DI, 858c HD DI, 858c DI, 798ci SI and 798ci HD SI and 899ci HD SI • PiranhaMAX 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All HELIX DI models
IN-HULL TRANSDUCERS	Item Number	Description	Compatible Units
 XP 9 20	710164-1	In-Hull Mount Single or Dual Beam 20/60 Degree 200/83 kHz No Temperature Sensor	<ul style="list-style-type: none"> • Matrix 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 • All PiranhaMAX except 240, 165, 175, 176i, 195c, 196ci, 197c, 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All 100 and 300 Series except DI • All 500 Series except DI • All 600 Series except DI • All 700 Series except DI • All 800 Series except DI • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI • HDR650
 XP 9 20 T	710147-1	In-Hull Mount Single or Dual Beam 20°/60° 200/83 kHz Temp. Sensor Pigtail	<ul style="list-style-type: none"> • Matrix 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 • All PiranhaMAX except 240, 165, 175, 176i, 195c, 196ci, 197c, 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All 100 and 300 Series except DI • All 500 Series except DI • All 600 Series except DI • All 700 Series except DI • All 800 Series except DI • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI • HDR650


 <p>XP 14 20 T</p>	710248-1	In-Hull transducer Dual Beam, 20/60 degrees, 200/83 kHz, temp pigtail. For use in single layer fiberglass hull boats	<ul style="list-style-type: none"> • ION* Series • All ONIX Series • All SOLIX 12 SERIES • All SOLIX 15 SERIES <p>*Must also have the Sonar Module</p>
---	----------	--	--

 <p>XP 14 20</p>	710249-1	In-Hull transducer Dual Beam, 20/60 degrees, 200/83 kHz. For use in single layer fiberglass hull boats	<ul style="list-style-type: none"> • ION* Series • All ONIX Series • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
---	----------	--	--






ANGLED PUCK TRANSDUCERS	Item Number	Description	Compatible Units
-------------------------	-------------	-------------	------------------






 <p>XAP 9 20</p>	710165-1	Single/Dual Beam 20/60 Degree 200/83kHz No Temp	<ul style="list-style-type: none"> • Matrix 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 • All PiranhaMAX except 240, 180, 165, 175, 176i, 195c, 196ci, 197c • PiranhaMAX 4 • HDR 650 • All 100 and 300 Series except DI • All 500 Series except DI models • All 600 Series except DI models • All 700 Series except DI models • All 800 Series except DI models • All 900 Series except DI, 3D models • All 1100 Series except DI models • All HELIX Series except DI
---	----------	--	--

TROLLING MOTOR TRANSDUCERS	Item Number	Description	Compatible Units
----------------------------	-------------	-------------	------------------






 <p>XTM 9 20 MSI T</p>	710263-1	Includes 1.2 Mhz/800 kHz/455 kHz MEGA SI and MEGA DI Rugged composite design	<ul style="list-style-type: none"> • HELIX 9 CHIRP MEGA SI GPS G2N • HELIX 10 CHIRP MEGA SI GPS G2N • HELIX 12 CHIRP MEGA SI GPS G2N
---	----------	---	---







 <p>XTM 9 DI 25 T</p>	710234-1	Down Imaging™ / DualBeam Plus™ 75/45/ 25/16 Degree 200/455 kHz 455/800 kHz (DI) 15' Cable Temp	<ul style="list-style-type: none"> • 1159ci hd di, 959ci hd di, 859ci HD DI, 571 HD DI, 561 DI, 386ci DI, 346c DI, 688ci DI, 678 DI, 1158c DI, 958c HD DI, 958c DI, 858c HD DI, 858c DI, PMAX 4 DI and PMAX 197C DI • All HELIX DI models
 <p>XTM 9 WIDE DI 20 T</p>	710235-1	Down Imaging™ / DualBeam Plus™ 75/45/ 25/16 Degree 200/455 kHz 455/800 kHz (DI) 15' Cable Temp	<ul style="list-style-type: none"> • 1159ci HD DI, 959ci HD DI, 859ci HD DI, 1158c DI, 958c HD DI, 958c DI, 858c HD DI, 858c DI • HELIX 9 DI GPS • HELIX 10 DI GPS • HELIX 12 CHIRP DI GPS • HELIX 9 CHIRP DI GPS G2N • HELIX 10 CHIRP DI GPS G2N • HELIX 12 CHIRP DI GPS G2N
 <p>XTM 9 HDSI 180 T</p>	710205-1	Dual/HD Side Imaging 20/74/180 Degree 83/200/455/800kHz Temp	<ul style="list-style-type: none"> • 1199ci HD SI, 999ci HD SI, 899ci HD SI, 1198c HD SI, 998c HD SI, 998c SI, 898c HD SI, 898c SI • HELIX 9 SI GPS • HELIX 10 SI GPS • HELIX 12 CHIRP SI GPS
 <p>XTM 9 SI 180 T</p>	710204-1	Dual/Compact Side Imaging 20/60/70 Degree 83/200/455/800kHz Temp	<ul style="list-style-type: none"> • 398ci SI, 698ci HD SI, 598c SI, 899ci HD SI, 798ci HD SI • HELIX 9 SI GPS • HELIX 7 SI GPS • HELIX 7 CHIRP SI GPS G2 • HELIX 7 CHIRP SI GPS G2N • HELIX 5 SI GPS • HELIX 5 CHIRP SI GPS G2
 <p>XTM 9 20 T</p>	710160-1	Single/Dual Beam 20/60 Degree 200/83kHz Temp	<ul style="list-style-type: none"> • All Matrix except Matrix 47 3D • All PiranhaMAX except 180, 165, 175, 176i, 195c, 196ci, 197c, 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All 100 and 300 Series except DI • All 500 Series except DI models • All 600 Series except DI models • All 700 Series except DI models • All 800 Series except DI models • All 800 Series except DI models • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI
 <p>XTM 9 28 T</p>	710246-1	Mounts on most trolling motors Includes built-in Temp Dual Beam, 28/16 Degree, 200/455kHz, Temp	<ul style="list-style-type: none"> • PiranhaMAX 196ci, 195c, 176i, 175, 165 197c & PiranhaMAX 4

 <p>XTM 14 20 T</p>	710250-1	Dual Beam, 20/60 degrees, 200/83 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • All ONIX Series • All SOLIX 12 Series • All SOLIX 15 Series *Must also have the Sonar Module
 <p>XTM 14 DI T</p>	710260-1	Dual Beam, Down Imaging, 200/83/455/800 kHz, temp included	<ul style="list-style-type: none"> • ION* Series • All ONIX Series • All SOLIX 12 Series • All SOLIX 15 Series *Must also have the Sonar Module
 <p>XTM 14 20 HDSI T</p>	710240-1	Dual Beam, Down Imaging, HD Side Imaging, 200/83/455/800 kHz, temp included	<ul style="list-style-type: none"> • ONIX SI Series • SOLIX 12 SI Series • SOLIX 15 SI Series Does not support MEGA (1.2 MHz)
PORTABLE TRANSDUCERS	Item Number	Description	Compatible Units
 <p>XPT 9 20 T</p>	710161-1	Single/Dual Beam 20/60 Degree 200/83kHz Temp	<ul style="list-style-type: none"> • Matrix 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 • All PiranhaMAX except 240, 180, 165, 175, 176i, 195c, 196ci, 197c, 197c, PiranhaMAX 4 • All 100 and 300 Series except DI • All 500 Series except DI • All 600 Series except DI models • All 700 Series except DI models • All 800 Series except DI • All 900 Series except DI and 3D • All 1100 Series except DI • All HELIX Series except DI • HDR 650
BRONZE THRU HULL TRANSDUCERS	Item Number	Description	Compatible Units
 <p>XTH 9 20</p>	710166-1	Single/Dual Beam 20/60 Degree 200/83kHz Transducer: 5.25" L x 2.75" W x 1.20" D Shaft: 0.860" diameter	<ul style="list-style-type: none"> • All 100 and 300 Series except DI • All 500 Series except DI • All 600 Series except DI • All 700 Series except DI • All 800 Series except DI • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI • HDR 650

 <p>XTH 14 20</p>	710251-1	Dual Beam, 20/60 degrees, 200/83 kHz bronze thru hull transducer	<ul style="list-style-type: none"> • ION* and ONIX Series • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
 <p>XB SSI</p>	710224-1	Bronze Side Imaging transducer pair 83/200/455/800 kHz 20,60, (2)86, (2) 55 Degrees	<ul style="list-style-type: none"> • ION* Series • ONIX SI Series • SOLIX 12 SI** • SOLIX 15 SI** <p>*Must also have the Sonar Module **Does not support 1.2 MHz</p>
PLASTIC THRU HULL TRANSDUCERS	Item Number	Description	Compatible Units
 <p>XPTH 9 20 MSI T</p>	710264-1	MEGA Side Imaging Plastic Thru Hull Transducer Includes 1.2 Mhz/800 kHz/455 kHz Side and Down Imaging	<ul style="list-style-type: none"> • HELIX 9 CHIRP MEGA SI GPS G2N • HELIX 10 CHIRP MEGA SI GPS G2N • HELIX 12 CHIRP MEGA SI GPS G2N
 <p>XTH 9 20 P</p>	710167-1	Single/Dual Beam 20/60 Degree, 200/83kHz Transducer: 3.9" L x 2.5" W x 1.16" D Shaft: 1.0" diameter	<ul style="list-style-type: none"> • Matrix 10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97, • All PiranhaMAX except 240, 180, 165, 175, 176i, 195c, 196ci, 197c, 197c DI, PiranhaMAX 4, PiranhaMAX 4 DI • All 300 Series except DI • All 500 Series except DI • All 600 Series except DI • All 700 Series except DI • All 800 Series except DI • All 900 Series except DI, 3D models • All 1100 Series except DI • All HELIX Series except DI
 <p>XPTH 9 HDSI 180 T</p>	710210-1	Dual/HD Side Imaging 83/200/455/800 kHz 20/74/180 Degree Temp	<ul style="list-style-type: none"> • 899ci HD SI, 999ci HD SI, 1199ci HD SI, 398ci SI, 798ci SI, 798ci HD SI, 797ci SI, 898c SI, 898c HD SI, 998c SI, 998c HD SI, 1198c SI • HELIX 5 SI GPS • HELIX 7 SI GPS • HELIX 9 SI GPS • HELIX 10 SI GPS • HELIX 12 CHIRP SI GPS • HELIX 5 CHIRP SI GPS G2 • HELIX 7 CHIRP SI GPS G2 • HELIX 7 CHIRP SI GPS G2N

 <p>XTH 9 DB 74 P</p>	710185-1	Dual Beam, 20/74 degrees. 200/50kHz, temp included. 6.7" L x 3" W x 1.4" D (below boat hull). Shaft: 1" diameter. Cable Length: 30 Feet.	<ul style="list-style-type: none"> • 678c HD XD, 688ci HD XD Combo, 859ci HD Combo, 859ci HD DI, 859ci HD XD Combo, 899ci HD SI Combo, 931c, 931C DF, 959ci HD Combo, 959ci HD DI, 959ci HD XD Combo, 999ci HD SI, 1159ci HD Combo, 1159ci HD DI, 1159ci HD XD Combo, 1199ci HD, • HELIX 5 XD GPS • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series
 <p>XPTH 9 DI T</p>	710243-1	Down Imaging® / DualBeam PLUS™, 75 deg / 45 deg, 455/800 kHz (DI) and 25 deg/16 deg, 200/455 kHz, with built-in temperature, 30' cable	<ul style="list-style-type: none"> • 345c DI, 385ci DI, 386ci DI, 571 HD DI, 561 DI, 570 DI, 858ci HD DI, 858 DI, 958ci HD DI, 958ci DI, 1158ci DI, 1159ci DI, 959ci HD DI, 859ci HD DI • HELIX 5 DI • HELIX 5 DI GPS • HELIX 7 DI • HELIX 7 DI GPS • HELIX 9 DI GPS • HELIX 10 DI GPS • HELIX 12 CHIRP DI GPS • HELIX 5 DI G2 • HELIX 5 CHIRP DI GPS G2 • HELIX 7 CHIRP DI G2 • HELIX 7 CHIRP DI GPS G2 • HELIX 7 CHIR DI GPS G2N • HELIX 9 CHIRP DI GPS G2N • HELIX 10 CHIRP DI GPS G2N • HELIX 12 CHIRP DI GPS G2N
 <p>XPTH 14 20 T</p>	710252-1	Plastic thru hull transducer Dual Beam, 20/60 degree, 200/83 kHz, temp included.	<ul style="list-style-type: none"> • ION Series* • ONIX10ci Combo • ONIX8ci Combo • ONIX 10ci Combo NT • ONIX 8ci Combo NT • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
 <p>XPTH 14 74 T</p>	710258-1	Dual Beam, 20/74 degrees, 200/50 kHz, temp included plastic thru hull	<ul style="list-style-type: none"> • ION Series* • ONIX10ci Combo • ONIX8ci Combo • ONIX 10ci Combo NT • ONIX 8ci Combo NT • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>
 <p>XPTH 14 74 DI T</p>	710261-1	Dual Beam/ Down Imaging, 50/200/455/800 kHz, temp included.	<ul style="list-style-type: none"> • ION* Series • All ONIX Series • All SOLIX 12 Series • All SOLIX 15 Series <p>*Must also have the Sonar Module</p>

<div style="border: 1px solid black; padding: 5px; text-align: center; width: fit-content; margin: 0 auto;"> <p>IMAGE COMING SOON</p> </div> <p style="text-align: center;">XPTH 14 20 MSI T</p>	710267-1	Plastic thru hull MEGA SI transducer	<ul style="list-style-type: none"> • ONIX Series* • SOLIX Series <p>*Only 455/800 kHz frequencies available for SI and DI</p>
 <p style="text-align: center;">XPTH 14 20 HDSI T</p>	710241-1	Plastic thru hull transducer HD Side Imaging, DualBeam, 20/60/180 degrees, 200/83/455/800 kHz, temp included.	<ul style="list-style-type: none"> • ION* Series • ONIX SI Series • SOLIX 12 SI** • SOLIX 15 SI** <p>*Must also have the Sonar Module **Does not support MEGA (1.2 MHz)</p>
 <p style="text-align: center;">XPTH 14 74 HDSI T</p>	710242-1	HD Side Imaging, Dual Beam, 20/74/180 degrees, 200/50/455/800 kHz, temp included plastic thru hull transducer	<ul style="list-style-type: none"> • ION* Series • ONIX SI Series • SOLIX 12 SI** • SOLIX 15 SI** <p>*Must also have the Sonar Module **Does not support MEGA (1.2 MHz)</p>
ICE TRANSDUCERS	Item Number	Description	Compatible Units
 <p style="text-align: center;">XI 9 20</p>	710211-1	Single/Dual Beam, 20/60 Degree, 200/83 kHz. 8' cable.	<ul style="list-style-type: none"> • All 100 and 300 Series™ except DI • All 500 Series™ except DI • All 600 Series -except DI • All 700 Series™ except DI • All 800 Series™ except DI • All 900 Series™ except DI, 3D models • All 1100 Series™ except DI • ICE 385ci Combo • All HELIX Series except DI
 <p style="text-align: center;">XI 9 19</p>	710215-1	Single/Dual Beam. 9/19 Degree. 455/240kHz. 8' Cable.	<ul style="list-style-type: none"> • ICE 35 • ICE 45 • ICE 55
DUAL BEAM TROLLING MOTOR TRANSDUCER KIT	Item Number	Description	Compatible Units
 <p style="text-align: center;">AD MTM</p>	740159-1	Rugged Composite Design Conforms to the trolling motor for low profile fit	<ul style="list-style-type: none"> • XM 9 20 MSI T • XM 14 20 MSI T • HELIX 9 CHIRP MEGA SI GPS G2N • HELIX 10 CHIRP MEGA SI GPS G2N • HELIX 12 CHIRP MEGA SI GPS G2N • SOLIX 12 SI • SOLIX 15 SI

 <p>AD STM 7</p>	740006-3	Metal for Large Housing Transducers	<ul style="list-style-type: none"> • SHS 7W • XT WS • XHS 9 HDSI 180 T
 <p>AD XTM 9</p>	740087-1	Trolling Motor Adapter for New XNT Transducer	<ul style="list-style-type: none"> • XNT 9 20, XNT 9 20 T, XNT 9 SI 180 T, XNT 9 DI T, XNT 9 28 T, XNT 14 20 T, XNT 14 DI T, XNT 9 QB 90 T
 <p>AD TM 14</p>	740141-1	Trolling motor adapter for SOLIX/ONIX transducers	<ul style="list-style-type: none"> • XNT 14 20 T • XNT 14 74 T • XNT 14 DI T
TRANSOM MOUNTING HARDWARE & ADAPTERS	Item Number	Description	Compatible Units
 <p>MHX XM</p>	740160-1	Metal Mounting Bracket Durable and rugged metal construction Allows adjustment of transducer angle Easy to install	<ul style="list-style-type: none"> • XM 9 20 MSI T • XM 14 20 MSI T
 <p>MHX MXNT</p>	740162-1	Durable and rugged metal construction Impact-Release Mounting Bracket	<ul style="list-style-type: none"> • XNT 9 DI T, XNT 9 28 T, XNT 14 20 T, XNT 14 74 T, XNT 9 20 T, MHX 14 DI T
 <p>MHX HS</p>	740011-1	HDWE - High Speed 200 KHZ Metal & Plastic	<ul style="list-style-type: none"> • SHS 7W, XT WS, XHS 9 DB, 74 T, XHS 9 SI 160 T, XHS 9 HDSI 180T, XT 14 20 HDSI T , XT 14 74 HDSI T

 <p>MHX XNT</p>	740093-1	HDWE - XNT with kick-up	<ul style="list-style-type: none"> • XNT 9 DI T, XNT 9 28 T, XNT 14 20 T, XNT 14 74 T, XNT 14 DI T, XNT 9 20 T, XNT 9 20 				
<table border="1"> <thead> <tr> <th data-bbox="90 338 553 472">KAYAK TRANSDUCER MOUNTING KIT</th> <th data-bbox="553 338 776 472">Item Number</th> <th data-bbox="776 338 1073 472">Description</th> <th data-bbox="1073 338 1529 472">Compatible Units</th> </tr> </thead> </table>				KAYAK TRANSDUCER MOUNTING KIT	Item Number	Description	Compatible Units
KAYAK TRANSDUCER MOUNTING KIT	Item Number	Description	Compatible Units				
 <p>MHX XMK</p>	740103-1	HDWE - Kayak Transducer Installation Kit	<ul style="list-style-type: none"> • XNT 9 28 T, XNT 14 20 T, XNT 14 74 T, XNT 9 20 T, XNT 9 20 * Temperature will react slower when transducer is mounted inside hull 				
 <p>MHX XMK DI</p>	740125-1	HDWE - Kayak Mounting Hardware	<ul style="list-style-type: none"> • XNT 9 DI T, XIH 9 DI T, XNT 14 DI T * Temperature will react slower when transducer is mounted inside hull 				
<table border="1"> <thead> <tr> <th data-bbox="90 961 553 1066">PORTABLE MOUNTING HARDWARE</th> <th data-bbox="553 961 776 1066">Item Number</th> <th data-bbox="776 961 1073 1066">Description</th> <th data-bbox="1073 961 1529 1066">Compatible Units</th> </tr> </thead> </table>				PORTABLE MOUNTING HARDWARE	Item Number	Description	Compatible Units
PORTABLE MOUNTING HARDWARE	Item Number	Description	Compatible Units				
 <p>MHX XNPT</p>	740090-1	HDWE - New XNT Transducer	<ul style="list-style-type: none"> • XNT 9 DI T, XNT 9 28 T, XNT 14 20 T, XNT 14 74 T, XNT 14 DI T, XNT 9 20 T, XNT 9 20 				
<table border="1"> <thead> <tr> <th data-bbox="90 1312 553 1417">QUICK DISCONNECT MOUNTS</th> <th data-bbox="553 1312 776 1417">Item Number</th> <th data-bbox="776 1312 1073 1417">Description</th> <th data-bbox="1073 1312 1529 1417">Compatible Units</th> </tr> </thead> </table>				QUICK DISCONNECT MOUNTS	Item Number	Description	Compatible Units
QUICK DISCONNECT MOUNTS	Item Number	Description	Compatible Units				
 <p>MS M</p>	740077-1	Quick Disconnect Mount System - Matrix/700/500/300 Series™	<ul style="list-style-type: none"> • All 100 Series • All Matrix units except Matrix 97 • All 300 Series • All 500 Series • All 700 Series except HD Series 				
 <p>MS 700E</p>	740119-1	Quick Disconnect Mount System- 700 HD Series	<ul style="list-style-type: none"> • All 600 HD Series • All 700 HD Series 				

IN-DASH MOUNTS	Item Number	Description	Compatible Units
 <p data-bbox="261 352 402 384">IDMK PM4</p>	740156-1	<p data-bbox="784 205 1065 268">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 300 1065 384">In-Dash Installation • Rugged and Durable Adhesive Backing</p>	<ul data-bbox="1081 268 1287 331" style="list-style-type: none"> • PiranhaMAX 4 • PiranhaMAX 4 DI
 <p data-bbox="269 552 381 583">IDMK S12</p>	740166-1	<p data-bbox="784 405 1065 468">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 499 1065 583">In-Dash Installation • Rugged and Durable Adhesive Backing</p>	<ul data-bbox="1081 468 1222 531" style="list-style-type: none"> • SOLIX 12 • SOLIX 12 SI
 <p data-bbox="269 751 381 783">IDMK S15</p>	740167-1	<p data-bbox="784 604 1065 667">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 699 1065 783">In-Dash Installation • Rugged and Durable Adhesive Backing</p>	<ul data-bbox="1081 667 1222 730" style="list-style-type: none"> • SOLIX 15 • SOLIX 15 SI
 <p data-bbox="269 951 381 982">IDMK H5</p>	740142-1	<p data-bbox="784 804 1065 867">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 898 1065 982">In-Dash Installation • Rugged and Durable Adhesive Backing</p>	<ul data-bbox="1081 888 1295 919" style="list-style-type: none"> • All HELIX 5 Series
 <p data-bbox="269 1161 381 1192">IDMK H7</p>	740145-1	<p data-bbox="784 1014 1065 1077">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 1108 1065 1192">In-Dash Installation • Rugged and Durable</p>	<ul data-bbox="1081 1087 1295 1119" style="list-style-type: none"> • All HELIX 7 Series
 <p data-bbox="253 1371 401 1402">IDMK H910R</p>	740155-1	<p data-bbox="784 1224 1065 1287">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 1318 1065 1402">In-Dash Installation • Rugged and Durable</p>	<ul data-bbox="1081 1266 1304 1329" style="list-style-type: none"> • All HELIX 9 Series • All HELIX 10 Series
 <p data-bbox="269 1591 381 1623">IDMK H12</p>	740152-1	<p data-bbox="784 1434 1065 1497">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 1528 1065 1612">In-Dash Installation • Rugged and Durable</p>	<ul data-bbox="1081 1497 1304 1528" style="list-style-type: none"> • All HELIX 12 Series
 <p data-bbox="253 1791 401 1822">IDMK ONIX 8</p>	740147-1	<p data-bbox="784 1633 1065 1696">In-Dash Mounting Kit • Allows Quick and Easy</p> <p data-bbox="784 1728 1065 1812">In-Dash Installation • Rugged and Durable Adhesive Backing</p>	<ul data-bbox="1081 1707 1287 1738" style="list-style-type: none"> • All ONIX 8 Series






 <p>IDMK ONIX 10</p>	740148-1	<p>In-Dash Mounting Kit</p> <ul style="list-style-type: none"> • Allows Quick and Easy In-Dash Installation • Rugged and Durable Adhesive Backing 	<ul style="list-style-type: none"> • All ONIX 10 Series
 <p>IDMK300</p>	740086-1	IDMK300 300 Series™ In-Dash Mounting Kit	<ul style="list-style-type: none"> • All 100 Series • All 300 Series
 <p>IDMK700</p>	740084-1	700 Series In-Dash Mounting Kit	<ul style="list-style-type: none"> • All 500 and 500 HD Series • All 700 Series except 787c2i and 785c2i Chartplotter
 <p>IDMK900</p>	740094-1	900 Series™ In-Dash Mounting Kit	<ul style="list-style-type: none"> • All 800 Series • All 900 Series
 <p>IDMK1100</p>	740098-1	1100 Series™ In Dash Mounting Kit	<ul style="list-style-type: none"> • All 1100 Series
 <p>IDMK PM2</p>	740133-1	PiranhaMAX™ Series In-Dash Mounting Kit	<ul style="list-style-type: none"> • PiranhaMax 165, 175, 176i, 195c, 196ci
MOUNTING HARDWARE	Item Number	Description	Compatible Units
 <p>GM S12</p>	740164-1	<p>Replacement Mounting Bracket Kit</p> <ul style="list-style-type: none"> • Includes Attachment Screws and Knobs 	<ul style="list-style-type: none"> • SOLIX 12 • SOLIX 12 SI

 <p>GM S15</p>	740165-1	Replacement Mounting Bracket Kit • Includes Attachment Screws and Knobs	<ul style="list-style-type: none"> • SOLIX 15 • SOLIX 15 SI
 <p>GM H5</p>	740143-1	Replacement Mounting Bracket Kit • Includes Attachment Screws and Knobs	<ul style="list-style-type: none"> • All HELIX 5 Series
 <p>GM H7</p>	740146-1	Replacement Mounting Bracket Kit • Includes Attachment Screws and Knobs	<ul style="list-style-type: none"> • All HELIX 7 Series
 <p>GM H910</p>	740149-1	Replacement Mounting Bracket Kit • Includes Attachment Screws and Knobs	<ul style="list-style-type: none"> • All HELIX 9 Series • All HELIX 10 Series
 <p>GM H12</p>	740151-1	Replacement Mounting Bracket Kit • Includes Attachment Screws and Knobs	<ul style="list-style-type: none"> • All HELIX 12 Series
 <p>MKH 2</p>	740082-1	Mounting Knobs - 900 Series™	<ul style="list-style-type: none"> • All 800 Series • All 900 Series • Ice 35 • Ice 45 • Ice 55
 <p>MKH 3</p>	740100-1	Mounting Knobs - 1100 Series™	<ul style="list-style-type: none"> • All 1100 Series
 <p>GM 2</p>	740083-1	Gimbal Mount - 900 Series™	<ul style="list-style-type: none"> • All 800 Series • All 900 Series

 <p>GM 3</p>	740099-1	Gimbal Mount - 900 Series™	<ul style="list-style-type: none"> • All 1100 Series
 <p>MS PM2</p>	740131-1	Swivel and tilt mount	<ul style="list-style-type: none"> • PiranhaMax 165, 165 PT, 175 PT, 175, 176i PT, 176i, 195c, 196ci PT, 196ci
 <p>GM 8</p>	740134-1	Gimbal Mount - ONIX 8	<ul style="list-style-type: none"> • All ONIX 8 Series
 <p>GM 10</p>	740135-1	Gimbal Mount - ONIX 10	<ul style="list-style-type: none"> • All ONIX 10 Series
 <p>SC BK 1</p>	740114-1	Gimbal mount for SC110 autopilot	<ul style="list-style-type: none"> • SC110
TEMPERATURE AND SPEED SENSORS	Item Number	Description	Compatible Units
 <p>TS W</p>	730000-1	Transom Mount Speed/Temp	<ul style="list-style-type: none"> • ONIX 10 - TS W+ PC 12 ST • ONIX 8 -TS W+ PC 12 ST • SOLIX 12 TS W+ PC 12ST • SOLIX 15 TS W + PC 12 ST • 700 HD - TS W + AS TY • 600 Series TS W + AS TY • 500 Series, 800 Series, 900 Series, 1100 Series, • ALL HELIX Series

 <p>SW</p>	730021-1	Transom Mount Speed	<ul style="list-style-type: none"> • ONIX 10 - SW+ PC 12 ST • ONIX 8 - SW+ PC 12 ST • 500 Series, 800 Series, 900 Series, 1100 Series, • SOLIX 12 + PC12 ST • SOLIX 15 + PC12 ST
EXTENSION CABLES	Item Number	Description	Compatible Units
 <p>EC M10</p>	720096-1	Transducer extension cable 10 Feet, 7 Pin	<ul style="list-style-type: none"> • All Units except the following: SOLIX, ION , ONIX, and Fishin' Buddy • Compatible Transducers: XNT 9 20 T, XNT 9 20, XNT 9 28 T, XNT 9 28, XP 9 20 T, XP 9 20, XAP 9 20, XTM 9 20 T, XTM 9 20, XHS 9 HDSI 180 T, XNT 9 180 T, XNT 9 QB 90 T, XNT 9 DB 74 T, XTM 9 QB 90 T, XM 9 20 MSI T, XTM 9 20 MSI T, XPTH 9 20 MSI T
 <p>EC M30</p>	720096-2	Transducer extension cable 30 Feet, 7 Pin	<ul style="list-style-type: none"> • All Units except the following: SOLIX, ION , ONIX, and Fishin' Buddy • Compatible Transducers: XNT 9 20 T, XNT 9 20, XNT 9 28 T, XNT 9 28, XP 9 20 T, XP 9 20, XAP 9 20, XTM 9 20 T, XTM 9 20, XHS 9 HDSI 180 T, XNT 9 180 T, XNT 9 QB 90 T, XNT 9 DB 74 T, XTM 9 QB 90 T, XM 9 20 MSI T, XTM 9 20 MSI T, XPTH 9 20 MSI T
 <p>EC 14W10</p>	720081-1	10' Extension Cable for Transducers	<ul style="list-style-type: none"> • ION Series, ONIX Series, SOLIX Series • Compatible Transducers: XPTH 14 74 HDSI T, XPTH 14 74 T, XT 14 20 HDSI T, XT 14 74 HDSI T, XTH 14 20, XTM 14 20 HDSI T, XTM 14 20 T, XTM 14 DI T, XB SSI, XTM 9 20 MSI T, XPTH 14 20 MSI T, XPTH 9 20 MSI T
 <p>EC 14W30</p>	720081-2	30' Extension Cable for Transducers	<ul style="list-style-type: none"> • ION Series, ONIX Series, SOLIX Series • Compatible Transducers: XPTH 14 74 HDSI T, XPTH 14 74 T, XT 14 20 HDSI T, XT 14 74 HDSI T, XTH 14 20, XTM 14 20 HDSI T, XTM 14 20 T, XTM 14 DI T, XB SSI, XTM 9 20 MSI T, XPTH 14 20 MSI T, XPTH 9 20 MSI T

POWER CABLES	Item Number	Description	Compatible Units
 <p>PC 10</p>	720002-1	Power Cable - 6 feet	<ul style="list-style-type: none"> • All Humminbird models produced after 1988 except the following: 700 HD Series, 800 Series, 900 Series, 1100 Series, HELIX 9, 10 & 12 Series, ONIX Series, ION Series, SOLIX Series
 <p>PC 11</p>	720057-1	Power cable w/choke- 6 feet	<ul style="list-style-type: none"> • All 700 HD Series • All 800 Series • All 900 Series • All 1100 Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • SOLIX Series • All Side Imaging and Down Imaging units except ION and ONIX Series
 <p>AD ICE 1</p>	760021-1	12V Cigarette Lighter Adapter Cable	<ul style="list-style-type: none"> • ICE 35, ICE 45, ICE 55
 <p>PC 12</p>	720085-1	6 feet power cable	<ul style="list-style-type: none"> • All ONIX Series • All SOLIX Series
 <p>PC 12 ST</p>	720086-1	6 feet power cable with speed and temp adapter cable for support of optional temp and speed gauge	<ul style="list-style-type: none"> • All ONIX Series • All SOLIX Series • TS W, TG W, SW
 <p>PC 2</p>	720065-1	6 feet power cable	<ul style="list-style-type: none"> • AS 360SSI
ADAPTER CABLES	Item Number	Description	Compatible Units
 <p>MSIDB Y</p>	720094-1	Y Cable - Splits Side Imaging® and Down Beam. Allows another transducer to be used for down beams	<ul style="list-style-type: none"> • All Side Imaging and Down Imaging units in the following Series: 300/500/700/800/900/1100/HELIX

 <p>MSILR Y</p>	720095-1	Side Imaging Splitter Cable. Y Cable - Separates Side Imaging into Left and Right Beams - for Side Imaging products only. Allows the use of two side imaging transducers with one unit without the need for a transducer switch.	<ul style="list-style-type: none"> • All Side Imaging units in the following Series: 300, 500, 700, 800, 900, 1100, HELIX Series
 <p>SM SIDB Y</p>	720100-1	Y Cable - Splits Side Imaging® and Down Beam. Allows another transducer to be used for down beams	<ul style="list-style-type: none"> • ION 10 • ION 12 • ONIX10ci SI Combo • ONIX8ci SI Combo • ONIX 10ci SI Combo NT • ONIX 8ci SI Combo NT • SOLIX 12 SI • SOLIX 15 SI • XM 14 20 MSI T • XM 14 74 MSI T • XT 14 20 HDSI T • XT 14 74 HDSI T • XT 14 20 T, XT 14 74 T, XP 14 20, XP 14 20 T
 <p>SM SILR Y</p>	720099-1	Side Imaging Splitter Cable. Y Cable - Separates Side Imaging into Left and Right Beams - for Side Imaging products only. Allows the use of two side imaging transducers with one unit without the need for a transducer switch.	<ul style="list-style-type: none"> • ION 10 • ION 12 • ONIX 10ci SI Combo • ONIX 8ci SI Combo • ONIX 10ci SI Combo NT • ONIX 8ci SI Combo NT • SOLIX 12 SI • SOLIX 15 SI • XM 14 20 MSI T • XM 14 74 MSI T • XT 14 20 HDSI T • XT 14 74 HDSI T
 <p>AD 1429</p>	760030-1	Transducer adapter cable - converts 9 pin on transducer to 14 pin on unit	<ul style="list-style-type: none"> • All ONIX Series • SM1000, 2000, 3000
VIDEO CABLES	Item Number	Description	Compatible Units
 <p>VC 1</p>	720054-1	Video Cable - Provides video output from head unit. 6 foot length with RCA connectors.	<p>Not compatible with 800ci, 900ci, or 1100ci Series</p> <p>Compatible with:</p> <ul style="list-style-type: none"> • 858c, 858c HD, 858c DI, 858c HD DI, 898c SI, 898c HD SI • 958, 998, 959ci HD, 959ci HD DI, 999ci HD SI • 1157c, 1158c, 1158c DI, 1197c SI, 1198c SI



AD VIDEO

720084-1

HDMI cable with waterproof connector at head unit for ION/ONIX products

- ION 10
- ION 12
- ONIX Series

ETHERNET CABLES

Item Number

Description

Compatible Units



AS EC 2E

720073-1

Ethernet Cable – 2 ft Female-Female:

*May require use of AS EC QDE depending on Compatible unit.

See AS EC QDE for details

- SOLIX, ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198

The below models also require the AS EC QDE:

- 1199ci HD SI, 1159ci HD DI, 1159ci HD
- 999ci HD, 959ci HD DI, 959ci HD
- 899ci HD, 859ci HD DI, 859ci HD
- 798ci HD, 788ci HD DI, 788ci HD
- All HELIX 9 Series
- All HELIX 10 Series
- All HELIX 12 Series



AS EC 10E

720073-2

Ethernet Cable – 10 ft Female-Female:

*May require use of AS EC QDE depending on Compatible unit.

See AS EC QDE for details

- SOLIX, ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198

The below models also require the AS EC QDE:

- 1199ci HD SI, 1159ci HD DI, 1159ci HD
- 999ci HD, 959ci HD DI, 959ci HD
- 899ci HD, 859ci HD DI, 859ci HD
- 798ci HD, 788ci HD DI, 788ci HD
- All HELIX 9 Series
- All HELIX 10 Series
- All HELIX 12 Series



AS EC 15E

720073-5

Ethernet Cable - 15 ft Female-Female:

*May require use of AS EC QDE depending on Compatible unit.

See AS EC QDE for details

- SOLIX, ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198

The below models also require the AS EC QDE:

- 1199ci HD SI, 1159ci HD DI, 1159ci HD
- 999ci HD, 959ci HD DI, 959ci HD
- 899ci HD, 859ci HD DI, 859ci HD
- 798ci HD, 788ci HD DI, 788ci HD
- All HELIX 9 Series
- All HELIX 10 Series
- All HELIX 12 Series



AS EC 20E

720073-3

Ethernet Cable – 20 ft Female-Female:

*May require use of AS EC QDE depending on Compatible unit.

See AS EC QDE for details







- SOLIX, ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198

The below models also require the AS EC QDE:




- 1199ci HD SI, 1159ci HD DI, 1159ci HD
- 999ci HD, 959ci HD DI, 959ci HD
- 899ci HD, 859ci HD DI, 859ci HD
- 798ci HD, 788ci HD DI, 788ci HD
- All HELIX 9 Series
- All HELIX 10 Series
- All HELIX 12 Series






 <p>AS EC 30E</p>	<p>720073-4</p>	<p>Ethernet Cable - 30 ft Female-Female:</p> <p>*May require use of AS EC QDE depending on Compatible unit.</p> <p>See AS EC QDE for details</p>	<ul style="list-style-type: none"> • SOLIX, ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198 <p>The below models also require the AS EC QDE:</p> <ul style="list-style-type: none"> • 1199ci HD SI, 1159ci HD DI, 1159ci HD • 999ci HD, 959ci HD DI, 959ci HD • 899ci HD, 859ci HD DI, 859ci HD • 798ci HD, 788ci HD DI, 788ci HD • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series
 <p>AS ECX 30E</p>	<p>760025-1</p>	<p>Ethernet Extension Cable Female-Male:</p> <p>The Ethernet Extension Cable is a 30' cable that allows you to extend the length of your ethernet cables.</p>	<p>Requires at least one -</p> <ul style="list-style-type: none"> • AS EC 2E, AS EC10E, AS EC15E, AS EC20E, AS EC30E • SOLIX, ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198 <p>The below models also requires the AS EC QDE:</p> <ul style="list-style-type: none"> • 1199ci HD SI, 1159ci HD DI, 1159ci HD • 999ci HD, 959ci HD DI, 959ci HD • 899ci HD, 859ci HD DI, 859ci HD • 798ci HD, 788ci HD DI, 788ci HD • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series
 <p>AS EC QDE</p>	<p>720074-1</p>	<p>Ethernet Adapter Cable (Adapts 8 pin cable to 5 pin unit)</p>	<ul style="list-style-type: none"> • 778c HD, 788ci HD Combo, 798ci HD SI Combo • All 800ci, 900ci, 1100ci HD Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series
 <p>AS EC CHART</p>	<p>760032-1</p>	<p>Cable used with the AutoChart product to allow select Humminbird units to connect to a PC or Laptop for mobile map creation. Additional purchase required.</p>	<ul style="list-style-type: none"> • ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198 <p>Also Requires AS ECQDE:</p> <ul style="list-style-type: none"> • 1199ci HD SI, 1159ci HD DI, 1159ci HD • 999ci HD, 959ci HD DI, 959ci HD • 899ci HD, 859ci HD DI, 859ci HD • 798ci HD, 788ci HD DI, 788ci HD • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All SOLIX Series

360 IMAGING	Item Number	Description	Compatible Units
 <p data-bbox="256 905 391 932">AS 360SSI</p>	408310-1	<p data-bbox="784 264 1065 894">With a single sweep, 360 Imaging has the ability to cover a 300-foot diameter circle (70,685 square feet). Maximum depth is 150 feet. This optional accessory DOES NOT replace your standard Side Imaging transducer, it enhances your product. You must use standard transducer in order to have a digital depth reading. This product includes the AS GPS HS (GPS Receiver with Heading Sensor, standard 360Imaging transom mount bracket and a 20' Ethernet Cable.</p>	<ul data-bbox="1081 222 1471 695" style="list-style-type: none"> • 798ci HD SI • 899 SI, 898c HD SI, 898c SI • 859ci HD, 859ci HD DI, 859ci HD XD • 959ci HD, 959ci HD DI, 959ci HD XD • 1199 SI, 1198c SI, 999 SI, 998c HD SI, 998c SI • 1159ci HD, 1159ci HD DI, 1159ci HD XD, • All ONIX Series • HELIX 7 G2N Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All SOLIX Series
 <p data-bbox="199 1367 456 1394">AS 360 TM ULTRES</p>	409250-1	<p data-bbox="784 993 1065 1371">The bow mount 360 Imaging is designed to work exclusively with Minn Kota® Maxxum® and Minn Kota® Fortrex® trolling motors with foot controls only. It attaches directly to the shaft of the trolling motor with a quick release bracket and stows and deploys quickly and easily.</p>	<ul data-bbox="1081 951 1511 1413" style="list-style-type: none"> • 798ci HD SI • 899 SI, 898c HD SI, 898c SI, 859ci HD, 859ci HD DI, 859ci HD XD • 999 SI, 998c HD SI, 998c SI, 959ci HD XD • 1159ci HD, 1159ci HD DI, 1159ci HD XD, 1199 SI, 1198c SI 959ci HD, 959ci HD DI, • All ONIX Series • HELIX 7 G2N Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All SOLIX Series
 <p data-bbox="199 1969 456 1997">AS 360 TM ULTRES</p>	409350-1	<ul data-bbox="784 1497 1065 1938" style="list-style-type: none"> • 8 foot Power Cable and Ethernet Cable Attached • 20 foot Ethernet Cable • 3 foot Power Cable Adapter for Quick Disconnect • Easy-to-Remove Mounting Bracket • GPS Receiver with Heading Sensor • Bow Assembly Length: 39 in • Weight: 7 lbs 	<p data-bbox="1081 1465 1503 1581">Designed for use with the MINN KOTA® ULTRES Trolling Motor, plus any of the following Humminbird models:</p> <ul data-bbox="1081 1623 1487 1938" style="list-style-type: none"> • 899ci HD SI, 859ci HD DI, 859ci HD • 999ci HD SI, 959ci HD DI, 959ci HD • 1199ci HD SI, 1159ci HD DI, 1159ci HD • ONIX 10 SI, ONIX 10, ONIX 10 CP, ONIX 8 SI, ONIX 8, ONIX 8 CP • HELIX 7 G2N Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All SOLIX Series

 PORT 360 BKT	740140-1	Portable mounting bracket for 360 Imaging	<ul style="list-style-type: none"> AS 360SSI
 SPC 360	780027-1	Cover for 360 Imaging pod	<ul style="list-style-type: none"> AS 360SSI
SONAR MODULES	Item Number	Description	Compatible Units
 SM3000	408040-1	MFD Black Box Ethernet Sonar Sonar module-Speed & temp, Ethernet, 2D digital sonar, DI, SI, Chirp	<ul style="list-style-type: none"> ION and ONIX Series XD M260 1K, XD R99 2K, XD B260 1K, XD B164 1K, XD SSW50, XD SSW200, XD 600P All SOLIX Series
ADVANCED FISHING SYSTEMS	Item Number	Description	Compatible Units
 AS ETH NMEA2K	408390-1	Waterproof black box, connects via Ethernet Connects to established NMEA 2000® network. Intuitive user interface features data boxes and pre-programmed instrument views	<ul style="list-style-type: none"> All 700 HD Series except 798ci HD SI All 800 Series 958c, 958c HD, 959ci HD, 998c, 998c HD, 999ci HD Series of products All 1100 Series <p>Also Requires AS ECQDE:</p> <ul style="list-style-type: none"> 1199ci HD SI, 1159ci HD DI, 1159ci HD 999ci HD, 959ci HD DI, 959ci HD 899ci HD, 859ci HD DI, 859ci HD 798ci HD, 788ci HD DI, 788ci HD
 AS PC3	700051-1	USB PC Connection Kit. Access software updates to enhance performance. Download entirely new features and capabilities. Store waypoints, routes and other navigational data in your PC	All 300, 500, 600, 700, HELIX 5 and HELIX 7 series without card readers
 AS HHGPS	700030-1	Handheld GPS Connection Kit includes: NMEA connection cable, Y cable and detailed instructions. This kit requires the handheld GPS manufacturers NMEA data cable to complete the connection to your handheld GPS.	<ul style="list-style-type: none"> 581i Combo All 700 Series All 800 Series All 900 Series All 1100 Series

 <p>AS ETH 5PXG</p>	<p>408450-1</p>	<p>5-Port Ethernet Switch This waterproof switch allows you to quickly and easily connect up to five Ethernet items. Use it to link multiple Humminbird head units, share transducers, add an NMEA 2000 network or step up to the Humminbird Radar. With so many options and even more to come, the possibilities are endless. The purchase of Ethernet cables is required depending on the number of devices you plan to add to this switch.</p>	<ul style="list-style-type: none"> • 858c, 858c HD, 858c DI, 858c HD DI, 898c SI, 898c HD SI • 958c, 958c HD, 958c DI, 958c HD DI, 998c SI, 998c HD SI • 1157c, 1158c, 1158c DI, 1197c SI, 1198c SI <p>The below models also require the AS EC QDE:</p> <ul style="list-style-type: none"> • 778c HD, 788ci HD, 788ci HD DI, 798ci HD SI • 859ci HD, 859ci HD DI, 899ci HD SI • 959ci HD, 959ci HD DI, 999ci HD SI • 1159ci HD, 1159ci HD DI, 1199ci HD SI • HELIX 7 CHIRP GPS G2N, HELIX 7 CHIRP DI GPS G2N, HELIX 7 CHIRP SI GPS G2N • All HELIX 9, All HELIX 10, and All HELIX 12 models. • All SOLIX, ONIX, and ION products
 <p>AS TY</p>	<p>720075-1</p>	<p>This Y cable is required for optional temp sensor to connect to Select Humminbird Series product.</p>	<ul style="list-style-type: none"> • All 600 Series • 700 HD Series • All 800ci, 900ci, 1100ci Series • All HELIX 5, HELIX 7, HELIX 9, HELIX 10, HELIX 12 CHIRP Series
 <p>AS GRP</p>	<p>408920-1</p>	<p>Precision GPS/WAAS receiver provides fast position fixes accurate within 2.5 meters. Provides more accurate position fixes than the industry standard GPS. The receiver's dimensions are: 3.25" diameter, 1.5" high and comes with 20' cable and has a 1"-14 thread count stem mountable with an optional antenna stem (antenna stem not included). Software must be 6.300 or higher for the Humminbird system to be compatible with the AS GRP GPS receiver. This GPS receiver WILL NOT work with Interlink</p>	<ul style="list-style-type: none"> • All 800 Series • All 900 Series • All 1100 Series • All ONIX Series* • All HELIX 7 G2N Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All SOLIX Series* <p>*PLUS AS GPS NMEA</p>

 <p>AS GPS HS</p>	<p>408400-1</p>	<p>Precision GPS/WAAS receiver provides fast position fixes accurate within 2.5 meters. Provides more accurate position fixes than the industry standard GPS. The receiver's dimensions are: 3.25" diameter, 1.5" high and comes with 20' cable and has a 1"-14 thread count stem mountable with an optional antenna stem (antenna stem not included).</p>	<ul style="list-style-type: none"> • 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo • 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo • 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo • All ONIX Series* • AS 360SSI • AS 360 TM • All HELIX 7 G2N Series • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All SOLIX Series* <p>*PLUS AS GPS NMEA</p>
 <p>AS GPS NMEA</p>	<p>720080-1</p>	<p>ONIX Splitter Cable to connect with optional external GPS receiver AS GRP or AS GPS HS for 1 additional NMEA 0183 communication</p>	<ul style="list-style-type: none"> • All ONIX Series • All SOLIX Series
 <p>AS DUAL NMEA</p>	<p>720079-1</p>	<p>Splitter cable to connect with optional external GPS receiver AS GRP or AS GPS HS for 2 additional NMEA 0183 communications</p>	<ul style="list-style-type: none"> • All ONIX Series • All SOLIX Series
 <p>RC 2</p>	<p>410180-1</p>	<p>Wireless remote for compatible Humminbird fishfinders. Mark waypoints, adjust zoom levels, sensitivity, custom views and more.</p>	<ul style="list-style-type: none"> • All HELIX G2N Series • All SOLIX Series
 <p>AS RC1</p>	<p>409480-1</p>	<p>Bluetooth Remote Control w/ connection dongle</p>	<ul style="list-style-type: none"> • 798ci HD, 788ci HD DI, 788ci HD, 778c HD • 899ci HD, 859ci HD DI, 859ci HD, 898c HD, 898c, 858c HD DI, 858c DI, 858c HD, 858c • 998c HD, 998c, 958c HD DI, 958c DI, 958c HD, 958c • 1199ci HD, 1159ci HD DI, 1159ci HD, 1198c, 1158c DI and 1158c • HELIX 9 SONAR GPS, HELIX 9 DI GPS, HELIX 9 SI GPS • HELIX 10 SONAR GPS, HELIX 10 DI GPS, HELIX 10 SI GPS • HELIX 12 CHIRP GPS, HELIX 12 CHIRP DI GPS, HELIX 12 CHIRP SI GPS • All ONIX Series








AIS	Item Number	Description	Compatible Units
 <p>RX AIS</p>	409290-1	Dual Channel AIS Receiver Receives transmissions from class A transceivers, class B transceivers, AtoNs and AIS base stations. This product does not transmit any information	Includes Dual Channel AIS receiver, USB configuration cable and power/data cable with mounting hardware
 <p>TX AIS</p>	409310-1	Class B AIS Transceiver	Includes Class B transceiver, power/data cable, gps antenna and cable, USB configuration cable with mounting hardware.
 <p>AIS 100</p>	409320-1	Class A AIS/Inland AIS Transceiver	Includes Transceiver, gimbal mount and panel mount bracket, junction box, data cable, GPS antenna, power cable and mounting hardware
 <p>SAR TX1</p>	409300-1	Search & Rescue AIS Transmitter Emergency Transmitter intended for use on vessels and life rafts.	This is a stand alone product Includes Lanyard, Telescopic mounting pole, AIS SART, Kit bag and mounting bracket and hardware
 <p>ASP 1</p>	409280-1	VHF Splitter for AIS For use with an AIS Class B transceiver.	Includes power/FM cable, AIS antenna splitter, 2 accessory cables and mounting hardware








SWITCHES	Item Number	Description	Compatible Units
 <p>TS3</p>	720012-1	Transducer Switch - Allows one unit to use two transducers	<ul style="list-style-type: none"> • All Matrix except 47 3D • All PiranhaMAX • All 100 Series • All 300 Series • All 500 Series • All 600 Series • All 700 Series • All 800 Series • All 900 Series except 947c & 967c 3D • All 1100 Series • All HELIX 9 Series (except MEGA SI) • All HELIX 10 Series (except MEGA SI) • All HELIX 12 Series (except MEGA SI)
UNIT COVERS	Item Number	Description	Compatible Units
 <p>UCPM 4</p>	780033-1	Protective Cover <ul style="list-style-type: none"> • Protects Lens During Storage 	<ul style="list-style-type: none"> • PiranhaMAX 4 • PiranhaMAX 4 DI • Fishin Buddy MAX • Fishin Buddy MAX DI
 <p>UC S12</p>	780034-1	Protective Cover <ul style="list-style-type: none"> • Protects Lens During Storage 	<ul style="list-style-type: none"> • All SOLIX 12 Series
<div style="border: 1px solid black; padding: 5px; text-align: center;"> <p>IMAGE COMING SOON</p> </div> <p>UC S15</p>	780035-1	Protective Cover <ul style="list-style-type: none"> • Protects Lens During Storage 	<ul style="list-style-type: none"> • All SOLIX 15 Series
 <p>UC H5</p>	780028-1	Protective Cover <ul style="list-style-type: none"> • Protects Lens During Storage • Durable, Easy-On Neoprene Design • Easily rolled or folded for storage in small compartments 	<ul style="list-style-type: none"> • All HELIX 5 Series
 <p>UC H7</p>	780029-1	Protective Cover <ul style="list-style-type: none"> • Protects Lens During Storage • Durable, Easy-On Neoprene Design • Easily rolled or folded for storage in small compartments 	<ul style="list-style-type: none"> • All HELIX 7 Series


 <p>UC H910</p>	780030-1	Protective Cover • Protects Lens During Storage • Durable, Easy-On Neoprene Design	<ul style="list-style-type: none"> • All HELIX 9 Series • All HELIX 10 Series
 <p>UC H12</p>	780031-1	Protective Cover • Protects Lens During Storage • Durable, Easy-On Neoprene Design	<ul style="list-style-type: none"> • All HELIX 12 Series
 <p>UC M</p>	780007-1	Unit Cover - Matrix & 500 Series™	<ul style="list-style-type: none"> • All Matrix (except Matrix 97) • 515, 525, 535, 565, 575, 580, 585c, 595c
 <p>UC 3</p>	780010-1	Unit Cover - 700 Series™	<ul style="list-style-type: none"> • 550, 560, 570, 581i, 586c, 587ci, 596c, 597ci • All 600 Series • All 700 Series
 <p>UC 4A</p>	780011-1	Unit Cover - 300 & 100 Series™	<ul style="list-style-type: none"> • All 100 Series • All 300 Series **does not fit PiranhaMAX™ and Fishin' Buddy® units.
 <p>UC 5</p>	780012-1	Unit Cover -800 & 900 Series™	<ul style="list-style-type: none"> • All 800 Series • All 900 Series
 <p>UC 7</p>	780016-1	Unit Cover - Piranha/ PiranhaMAX™	<ul style="list-style-type: none"> • All Piranha Series • All PiranhaMAX Series

 <p>MC W</p>	740036-1	Unit Cover - Matrix & 500 Series	<ul style="list-style-type: none"> • All Matrix (except Matrix 97) • All 100 Series • All 300 Series • All 500 Series • All 600 Series • All 700 Series, 700 HD Series
 <p>UC8</p>	780022-1	Unit Cover - ONIX 8	<ul style="list-style-type: none"> • All ONIX 8 Series
 <p>UC10</p>	780023-1	Unit Cover - ONIX 10	<ul style="list-style-type: none"> • All ONIX 10 Series
 <p>CV110</p>	780026-1	Unit Cover for SC110	<ul style="list-style-type: none"> • SC110
PORTABLE CONFIGURATIONS	Item Number	Description	Compatible Units
 <p>PTC U2</p>	740157-1	Soft Portable Case (includes gel-cell battery and charger)	<ul style="list-style-type: none"> • All 100 Series • All 300 Series • All 500 Series • All 600 Series • All 700 Series • HELIX 5 Series • HELIX 7 Series
 <p>PTC UNB2</p>	740157-1NB	Soft Portable Case without battery (unit not included)	<ul style="list-style-type: none"> • All 100 Series • All 300 Series • All 500 Series • All 600 Series • All 700 Series • HELIX 5 Series • HELIX 7 Series
 <p>GCBK</p>	770028-1	Portable 7Ah Battery and Charger	<ul style="list-style-type: none"> • PTC U, PTC UNB

FISHIN' BUDDY ACCESSORIES	Item Number	Description	Compatible Units
 <p data-bbox="289 487 360 520">BCC2</p>	780032-1	Fishin' Buddy Carry Case	<ul data-bbox="1084 340 1458 403" style="list-style-type: none"> • Fishin' Buddy 110, 120, 130, 140c, MAX, MAX DI
 <p data-bbox="289 760 360 793">BMB2</p>	740153-1	Fishin' Buddy Mounting Bracket	<ul data-bbox="1084 634 1458 697" style="list-style-type: none"> • Fishin' Buddy 110, 120, 130, 140c, MAX, MAX DI
 <p data-bbox="289 1129 360 1163">BFT2</p>	740154-1	Fishin' Buddy Float Tube Strap Strap length is 36 inches.	<ul data-bbox="1084 949 1458 1012" style="list-style-type: none"> • Fishin' Buddy 110, 120, 130, 140c, MAX, MAX DI
ICE FLASHER ACCESSORIES	Item Number	Description	Compatible Units
 <p data-bbox="235 1726 414 1759">ICE PTC UNB2</p>	740158-1NB	<ul data-bbox="787 1339 1063 1747" style="list-style-type: none"> • NEW! Soft-side portable bag with carry handle. • Transducer, battery, and charger storage compartments.* • Hardware and HELIX 5 and 7 Gimbal mounts included to convert your existing control head to portable use. • XI 9 20 transducer and float included. <p data-bbox="787 1780 1063 1843">*Battery and charger not included.</p>	<ul data-bbox="1084 1348 1393 1822" style="list-style-type: none"> • HELIX 5 SONAR • HELIX 5 SONAR GPS • HELIX 5 SONAR G2 • HELIX 5 CHIRP GPS G2 • HELIX 5 CHIRP DI GPS G2 • HELIX 5 CHIRP SI GPS G2 • HELIX 7 SONAR • HELIX 7 SONAR GPS • HELIX 7 SONAR G2 • HELIX 7 CHIRP GPS G2 • HELIX 7 CHIRP DI GPS G2 • HELIX 7 CHIRP SI GPS G2 • HELIX 7 CHIRP GPS G2N • HELIX 7 CHIRP DI GPS G2N • HELIX 7 CHIRP SI GPS G2N

 <p>MHX ICE</p>	740105-1	Mounting Hardware - Transducer and Unit	<ul style="list-style-type: none"> • ICE 35, ICE 45, ICE 55
 <p>CC ICE</p>	780015-1	Carry Case	<ul style="list-style-type: none"> • ICE 35, ICE 45, ICE 55
 <p>AD ICE 1</p>	760021-1	12V Cigarette Lighter Adapter Cable	<ul style="list-style-type: none"> • ICE 35, ICE 45, ICE 55
AUTOPILOT AND ACCESSORIES	Item Number	Description	Compatible Units
 <p>SC 110 AP Kit</p>	700052-1	Kit includes Autopilot 3.5" color TFT display, Course Computer with Fluxgate Compass, Rudder Reedback Unit and Rate Gyro with 30m cable. Rotary knob and push button controls.	All Autopilot products are stand alone. They do not need a HB product to work
 <p>SC 110 AP Kit w/o FB</p>	700053-1	Kit includes Autopilot 3.5" color TFT display, Course Computer with Fluxgate Compass and Rate Gyro, and 30m cable. Rotary knob and push button controls.	All Autopilot products are stand alone. They do not need a HB product to work
 <p>SC 110 Display Only</p>	409100-1	3.5" color TFT display with rotary knob and push button controls.	<ul style="list-style-type: none"> • SC 110 AP Kit w/o FB
 <p>SCP 110 Course Computer</p>	408180-1	High speed, highly reliable SCP 110 course computer. It optimizes rudder movement by working with the GPS speed, Fluxgate Compass and Rate Gyro	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only

 <p>FB 30</p>	408150-1	This brushless RFU features a unique, linear variable transformer - proving decades of reliable performance	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only
 <p>FXC 110</p>	408210-1	This reliable electronic compass maintains your course based on magnetic heading reference. Automatic Self-Compensation, Ensures Relevant Magnetic Reference, Durable Construction	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only
 <p>TC 110</p>	408080-1	Easily perform jog steering maneuvers that require fast action. Release the joystick and Autopilot resumes steering.	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only
 <p>HHRP 11-12</p>	408340-1	Built with the finest components, Humminbird® pumps feature a full range of flow rates, pressure ratings and oil tank capacities. 1.0 cubic in per second, 12 VDC	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only
 <p>HHRP 17-12</p>	408350-1	Built with the finest components, Humminbird & reg pumps feature a full range of flow rates, pressure ratings and oil tank capacities. 1.6 cubic in per second, 12 VDC	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only
 <p>SCP Cable 30</p>	720077-1	30 meter cable for the FB 30 and FXC 110 (included in Autopilot Kit SKU)	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only • FB 30 • FXC 110
 <p>SC BK1</p>	740137-1	Autopilot gimbal mounting metal bracket. Includes knobs and washers	<ul style="list-style-type: none"> • SC 110 AP Kit • SC 110 AP Kit w/o FB • SC 110 Display Only

RADAR	Item Number	Description	Compatible Units
 <p data-bbox="448 548 548 579">HB2124</p>	<p data-bbox="618 447 716 478">750013-1</p>	<p data-bbox="784 222 1065 695">Humminbird CHIRP Radar features CHIRP pulse compression. It delivers superior RADAR imaging on both long and extremely short ranges. This translates to better situational awareness in low-visibility conditions and helps identify birds and floating obstacles for clues to where gamefish are located. Track weather and vessels with amazing definition.</p>	<ul data-bbox="1084 321 1390 600" style="list-style-type: none"> • HELIX 7 CHIRP GPS G2N • HELIX 7 CHIRP DI GPS G2N • HELIX 7 CHIRP SI GPS G2N • All HELIX 9 Series • All HELIX 10 Series • All HELIX 12 Series • All ION Series • All ONIX Series • All SOLIX Series
 <p data-bbox="464 1100 548 1131">RH 44</p>	<p data-bbox="618 999 716 1031">750011-1</p>	<p data-bbox="784 961 1008 1056">47" 4kW Open Array Radar with Ethernet Connection</p>	<ul data-bbox="1084 716 1511 1308" style="list-style-type: none"> • 898c SI, 858c DI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo • 998c SI, 958c DI, 958c, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo • 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo • HELIX 7 CHIRP GPS G2N, HELIX 7 CHIRP DI GPS G2N, HELIX 7 CHIRP SI GPS G2N • All HELIX 9, HELIX 10 and HELIX 12 models. • All ION Series • All ONIX Series • All SOLIX Series
 <p data-bbox="464 1730 548 1761">RH 45</p>	<p data-bbox="618 1612 716 1644">750012-1</p>	<p data-bbox="784 1575 1008 1669">59" 4kW Open Array Radar with Ethernet Connection</p>	<ul data-bbox="1084 1331 1511 1923" style="list-style-type: none"> • 898c SI, 858c DI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo • 998c SI, 958c DI, 958c, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo • 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo • HELIX 7 CHIRP GPS G2N, HELIX 7 CHIRP DI GPS G2N, HELIX 7 CHIRP SI GPS G2N • All HELIX 9, HELIX 10 and HELIX 12 models. • All ION Series • All ONIX Series • All SOLIX Series

INDEX

Item Number	Name	Short Description	Page Number
408040-1	SM3000	Sonar Modules	23
408080-1	TC 110	Autopilot & Accessories	32
408150-1	FB 30	Autopilot & Accessories	32
408180-1	SCP 110	Autopilot & Accessories	31
408210-1	FXC 110	Autopilot & Accessories	32
408310-1	AS 360SSI	360 Imaging	22
408340-1	HHRP 11-12	Autopilot & Accessories	32
408350-1	HHRP 17-12	Autopilot & Accessories	32
408390-1	AS ETH NMEA2K	Advanced Fishing Systems	23
408400-1	AS GPS HS	Advanced Fishing Systems	25
408450-1	AS ETH 5PXG	Advanced Fishing Systems	24
408920-1	AS GRP	Advanced Fishing Systems	24
409100-1	SC 110	Autopilot & Accessories	31
409250-1	AS 360 TM	360 Imaging	22
409280-1	ASP 1	AIS	26
409290-1	RX AIS	AIS	26
409300-1	SAR TX1	AIS	26
409310-1	TX AIS	AIS	26
409320-1	AIS 100	AIS	26
409350-1	AS 360 TM ULTREX	360 Imaging	22
409480-1	AS RC1	Advanced Fishing Systems	25
410180-1	RC 2	Advanced Fishing Systems	25
700030-1	AS HHGPS	Advanced Fishing Systems	23
700051-1	AS PC3	Advanced Fishing Systems	23
700052-1	SC 110 AUTOPILOT KIT	Autopilot & Accessories	31
700053-1	SC 110 KIT W/O FB	Autopilot & Accessories	31
710147-1	XP 9 20 T	In-Hull Transducers	4
710160-1	XTM 9 20 T	Trolling Motor Transducers	6
710161-1	XPT 9 20 T	Portable Transducers	7
710164-1	XP 9 20	In-Hull Transducers	4
710165-1	XAP 9 20	Angled Puck Transducers	5
710166-1	XTH 9 20	Bronze Thru Hull Transducers	7
710167-1	XTH 9 20 P	Plastic Thru Hull Transducers	8
710185-1	XTH 9 DB 74 P	Plastic Thru Hull Transducers	9
710198-1	XNT 9 20 T	Transom Mount Transducers	2
710200-1	XNT 9 SI 180 T	Transom Mount Transducers	4
710201-1	XHS 9 HDSI 180 T	Transom Mount Transducers	4
710204-1	XTM 9 SI 180 T	Trolling Motor Transducers	6
710205-1	XTM 9 HDSI 180 T	Trolling Motor Transducers	6
710210-1	XPTH 9 HDSI 180 T	Plastic Thru Hull Transducers	8
710211-1	XI 9 20	ICE Transducers	10

Item Number	Name	Short Description	Page Number
710214-1	XNT 9 20	Transom Mount Transducers	2
710215-1	XI 9 19	ICE Transducers	10
710224-1	XB SSI	Bronze Thru Hull Transducers	8
710226-1	XNT 9 DI T	Transom Mount Transducers	4
710234-1	XTM 9 DI 25 T	Trolling Motor Transducers	6
710235-1	XTM 9 WIDE DI 20 T	Trolling Motor Transducers	6
710236-1	XNT 9 28 T	Transom Mount Transducers	2
710237-1	XNT 9DB 74 T	Transom Mount Transducers	3
710238-1	XT 14 20 HDSI T	Transom Mount Transducers	3
710239-1	XT 14 74 HDSI T	Transom Mount Transducers	3
710240-1	XTM 14 20 HDSI T	Trolling Motor Transducers	7
710241-1	XPTH 14 20 HDSI T	Plastic Thru Hull Transducers	10
710242-1	XPTH 14 74 HDSI T	Plastic Thru Hull Transducers	10
710243-1	XPTH 9 DI T	Plastic Thru Hull Transducers	9
710246-1	XTM 9 28 T	Trolling Motor Transducers	6
710247-1	XNT 14 20 T	Transom Mount Transducers	3
710248-1	XP 14 20 T	In-Hull Transducers	5
710249-1	XP 14 20	In-Hull Transducers	5
710250-1	XTM 14 20 T	Trolling Motor Transducers	7
710251-1	XTH 14 20	Bronze Thru Hull Transducer	8
710252-1	XPTH 14 20 T	Plastic Thru Hull Transducers	9
710253-1	XNT 14 74 T	Transom Mount Transducers	3
710258-1	XPTH 14 74 T	Plastic Thru Hull Transducers	9
710259-1	XNT 14 DI T	Transom Mount Transducers	3
710260-1	XTM 14 DI T	Trolling Motor Transducers	7
710261-1	XPTH 14 74 DI T	Plastic Thru Hull Transducers	9
710262-1	XM 9 20 MSI T	Transom Mount Transducers	2
710263-1	XTM 9 20 MSI T	Trolling Motor Transducers	5
710264-1	XPTH 9 20 MSI T	Plastic Thru Hull Transducers	8
710265-1	XM 14 20 MSI T	Transom Mount Transducers	2
710267-1	XPTH 14 20 MSI T	Plastic Thru Hull Transducers	10
710268-1	XM 14 74 MSI T	Transom Mount Transducers	2
720002-1	PC 10	Power Cables	18
720012-1	TS3	Switches	27
720054-1	VC 1	Video Cables	19
720057-1	PC 11	Power Cables	18
720065-1	PC 2	Power Cables	18
720073-1	AS EC 2E	Ethernet Cables	20
720073-2	AS EC 10E	Ethernet Cables	20
720073-3	AS EC 20E	Ethernet Cables	20
720073-4	AS EC 30E	Ethernet Cables	21
720073-5	AS EC 15E	Ethernet Cables	20
720074-1	AS EC QDE	Ethernet Cables	21
720075-1	AS T Y	Advanced Fishing Systems	24
720077-1	SCP CABLE 30	Autopilot & Accessories	32

Item Number	Name	Short Description	Page Number
720079-1	AS DUAL NMEA	Advanced Fishing Systems	25
720080-1	AS GPS NMEA	Advanced Fishing Systems	25
720081-1	EC 14W10	Extension Cable	17
720081-2	EC 14W30	Extension Cable	17
720084-1	AD VIDEO	Video Cables	20
720085-1	PC 12	Power Cables	18
720086-1	PC 12 ST	Power Cables	18
720094-1	MSIDB Y	Adapter Cables	18
720095-1	MSILR Y	Adapter Cables	19
720096-1	EC M10	Extension Cables	17
720096-2	EC M30	Extension Cables	17
720099-1	SM SILRY	Adapter Cables	19
720100-1	SM SIDBY	Adapter Cables	19
730000-1	TS W	Temperature and Speed Sensors	16
730021-1	SW	Temperature and Speed Sensors	17
740006-3	AD STM 7	Dual Beam Trolling Motor Transducer Kit	11
740011-1	MHX HS	Transom Mounting Hardware & Adapters	11
740036-1	MC W	Unit Covers	29
740077-1	MS M	Quick Disconnect Mounts	12
740082-1	MKH 2	Mounting Hardware	15
740083-1	GM 2	Mounting Hardware	15
740084-1	IDMK300	In-Dash Mounts	14
740086-1	IDMK M	In-Dash Mounts	14
740087-1	AD XTM 9	Dual Beam Trolling Motor Transducer Kit	11
740090-1	MHX XNPT	Portable Mounting Hardware	12
740093-1	MHX XNT	Transom Mounting Hardware & Adapters	12
740094-1	IDMK700E	In-Dash Mounts	14
740098-1	IDMK1100	In-Dash Mounts	14
740099-1	GM 3	Mounting Hardware	16
740100-1	MKH 3	Mounting Hardware	15
740103-1	MHX XMK	Kayak Transducer Mounting Kit	12
740105-1	MHX ICE	Ice Flasher Accessories	31
740114-1	SC BK 1	Mounting Hardware	16
740119-1	MS 700E	Quick Disconnect Mounts	12
740125-1	MHX XMK DI	Kayak Transducer Mounting Kit	12
740131-1	MS PM2	Mounting Hardware	16
740133-1	IDMK PM2	In-Dash Mounts	14
740134-1	GM 8	Mounting Hardware	16
740135-1	GM 10	Mounting Hardware	16
740137-1	SC BK1	Autopilot & Accessories	32
740140-1	PORT 360 BRKT	Advanced Fishing Systems	23
740141-1	AD TM 14	Dual Beam Trolling Motor Transducer Kit	11
740142-1	IDMK H5	In-Dash Mounts	13
740145-1	IDMK H7	In-Dash Mounts	13
740143-1	GM H5	Mounting Hardware	15

Item Number	Name	Short Description	Page Number
740146-1	GM H7	Mounting Hardware	15
740147-1	IDMK ONIX 8	In-Dash Mounts	13
740148-1	IDMK ONIX 10	In-Dash Mounts	14
740149-1	GM H910	Mounting Hardware	15
740151-1	GM H12	Mounting Hardware	15
740152-1	IDMK H12	In-Dash Mounts	13
740153-1	BMB 2	Fishin' Buddy Accessories	30
740154-1	BFT 2	Fishin' Buddy Accessories	30
740155-1	IDMK H910R	In-Dash Mounts	13
740156-1	IDMK PM4	In-Dash Mounts	13
740157-1	PTC U2	Portable Configurations	29
740157-1NB	PTC UNB2	Portable Configurations	29
740158-1NB	ICE PTC UNB2	Ice Flasher Accessories	30
740159-1	AD MTM	Dual Beam Trolling Motor Transducer Kit	10
740160-1	MHX XM	Transom Mounting Hardware and Adapters	11
740162-1	MHX MXNT	Transom Mounting Hardware and Adapters	11
740164-1	GM S12	Mounting Hardware	14
740165-1	GM S15	Mounting Hardware	15
740166-1	IDMK S12	In-Dash Mounts	13
740167-1	IDMK S15	In-Dash Mounts	13
750011-1	RH44	Radar	33
750012-1	RH45	Radar	33
750013-1	HB2124	Radar	33
760021-1	AD ICE 1	Power Cables	18
760025-1	AS ECX 30E	Ethernet Cables	21
760030-1	AD 1429	Adapter Cables	19
760032-1	AS EC CHART	Ethernet Cables	21
770028-1	GCBK	Portable Configurations	29
780007-1	UC M	Unit Covers	28
780010-1	UC 3	Unit Covers	28
780011-1	UC 4A	Unit Covers	28
780012-1	UC 5	Unit Covers	28
780015-1	CC ICE	Ice Flasher Accessories	31
780016-1	UC 7	Unit Covers	28
780022-1	UC8	Unit Covers	29
780023-1	UC10	Unit Covers	29
780026-1	CV110	Unit Covers	29
780027-1	SPC 360	Advanced Fishing Systems	23
780028-1	UC H5	Unit Covers	27
780029-1	UC H7	Unit Covers	27
780030-1	UC H910	Unit Covers	28
780031-1	UC H12	Unit Covers	28
780032-1	BCC2	Fishin' Buddy Accessories	30
780033-1	UCPM 4	Unit Covers	27
780034-1	UC S12	Unit Covers	27
780035-1	UC S15	Unit Covers	27