
















**Jammy  
Incorporated**

# 2020 Product Catalog

LED Clearance/Marker Lamps	2-6
LED Stop/Turn/Tail Lamps	7-9
LED ID Bar Lights	10
Strobe Lights	11
LED Combination Lamps	12-13
Retail Lighting Kits	13-14
Agricultural Lighting	15-16
Auxiliary and White Lighting	17-18
Clearance/Marker Lamps	19-22
Stop/Turn/Tail Lamps	23
Combination Lamps	24
ID Bar Lights	25
License Lamps	26-28
Replacement Parts & Bulbs	29
Reflectivity/Conspicuity	30-31
Work Lamps	32-34
Boating & Specialty Lights	35
Mounting Grommets and Brackets	36-38
Plugs, Wiring and Electronics	39-40
Breakaway Systems	41-43
Trailer Accessories and Hardware	44-45
Hitch Balls and Locks	46
Trailer Door Parts	47-48
Trailer Assembly Components	49-52
Pinchless® Seat Hinges	53
Index	54-59

# LED Clearance/Marker Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS
	<p><b>5 Series</b> Single Diode LED CL/MK, Aux, Baitwell Light. Mounts into 5/8" hole, with plastic nut All lenses are clear except blue model J-5-B.</p>	J-5-AC J-5-RC J-5-GC J-5-C J-5-B		Plastic Nut Male bullet connectors	16" Leads Male bullet connectors	200	1
 <p><b>180° ANGLE</b> <b>PC</b> DOT/SAE</p>	<p><b>51 Series</b> 3/4 Omni-Directional LED Clearance / Marker Light. PC Rated domed lens meets DOT regulations in any 360° position. Sealed with specially formulated Flex-Seal polyurethane to withstand the harshest environments. Grommets included. All 51 Series lighting works with all 3/4" lighting accessories and grommets: J-54-BZC Chrome Trim Ring J-54-GM Standard Grommet J-54-GMS Sealing Grommet Available in Patent Pending Self-Grounding 1-Wire Versions: J-51-AE (Amber) and J-51-RE (Red)</p>	J-51-C J-51-R J-51-A J-51-RC J-51-AC J-51-BC J-51-RMS J-51-AMS		J-54-GM Grommet	9" Leads	200	1
	<p>PC Rated MK Light w/ 48" Leads w/ .180" Male Bullets.</p>	J-51-AM48			48"	100	1
	<p>LED ID Light Array. 3-Light Harness w/ .180" Male Bullets.</p>	J-51-ID			60"	100	1
 <p><b>90° ANGLE</b> <b>P2</b> DOT/SAE</p>	<p><b>53 Series</b> Single Diode LED Light with grommet for 3/4" hole. P2 Rated CL/MK. Bare Wire, blunt cut ends.</p>	J-53-A J-53-R J-53-C		J-54-GM Grommet	7" Leads	200	1
 <p><b>180° ANGLE</b> <b>PC</b> DOT/SAE</p>	<p><b>54 Series</b> Single Diode LED Light with grommet for 3/4" hole. P2 Rated CL/MK. Termination: 0.157 male bullets. With wire protecting sleeve. Available with 24" leads: J-54-A24 &amp; J-54-R24.</p>	J-54-A J-54-R J-54-AC J-54-RC		J-54-GM Grommet	7" Leads	200	1
	<p><b>55 Series</b> Single Diode LED Light with grommet for 3/4" hole. PC Rated CL/MK. Termination: 0.157 male bullets.</p> <p><b>Clear Lens</b> on these models: J-55-AC (Amber), J-55-RC (Red), J-55-GC (Green), J-55-BC (Blue), J-55-C (Clear).</p>	J-55-A J-55-R J-55-AC J-55-RC J-55-GC J-55-BC J-55-C		J-54-GM Grommet	16" Leads	200	1
	<p><b>56 Series</b> Single Diode LED Light with grommet for 3/4" hole designed to be more economical with shorter un-jacketed lead wires and no termination. 56 Series Wiring: 6" un-jacketed leads with blunt cut ends.</p>	J-56-A J-56-R		Grommet	6" Leads	200	1

# LED Clearance/Marker Lamps



LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description
1	200			●●	J-151-A	<b>151 Series</b> 2" Round Sealed Single Diode LED light. P2 Rated
				●●	J-151-R	
4	200	PL-2	Grommet	●●	J-15-A	<b>15 Series</b> 2" Round Sealed LED light
				●●	J-15-R	
	○●			J-15-AC	2" Round Sealed LED light with clear lens and colored diodes.	
	○●			J-15-RC		
100	●●	J-15-AK	<b>2" Round Sealed LED lamp Kit - w / grommet &amp; harness.</b>			
	●●	J-15-RK				
4	100		Screw	○●	J-15-AKC	<b>2" Round Sealed LED lamp with clear lens and colored diodes kit - includes grommet &amp; harness.</b>
				○●	J-15-RKC	
4	100		Screw	●●	J-15-FFA	2" Round Sealed LED light - Flush Flange mount Red Hard Wired Model: J-15-FFRH
				●●	J-15-FFR	
4	200		Grommet	●●	J-15-ASP	J-15 Series 2" Round Sealed LED light with AMP Connector
				●●	J-15-RSP	
4	200	7" Leads	3M® Tape	●●	J-15-SA	2" Round Sealed LED light - 3M® tape backing.
				●●	J-15-SR	
4	200		J-20-GM	●●	J-16-A	<b>16 Series</b> 2" Round Sealed PC Rated LED Light.
				●●	J-16-R	
1	200	PL-2	Grommet	●●	J-21-A	<b>21 Series</b> 2-1/2" Round Single-Diode LED lamp with Class A reflex lens.
				●●	J-21-R	
4	200		Grommet	●●	J-25-A	<b>25 Series</b> 2-1/2" Round Sealed LED light
				●●	J-25-R	
	100			○●	J-25-AC	2-1/2" Round Sealed LED light with clear lens and colored diodes.
				○●	J-25-RC	
100	●●	J-25-AK	<b>2-1/2" Round Sealed LED light kit w / grommet &amp; harness</b>			
	●●	J-25-RK				
4	100		Screw	○●	J-25-AKC	2-1/2" Round Sealed LED lamp with clear lens and colored diodes kit - includes grommet & harness.
				○●	J-25-RKC	
4	100		Screw	●●	J-25-FFA	2-1/2" Round Sealed LED light - Flush Flange mount.
				●●	J-25-FFR	
4	100		Grommet	●●	J-26-A	<b>26 Series</b> 2-1/2" Round Sealed LED light with Reflex Lens Grommet Kit Models: J-26-AGK, J-26-RGK
				●●	J-26-R	
7	100	6-1/2" Lead	Stud	●●	J-2065-A	<b>2065 Series</b> 2-1/2" Round Sealed LED light. Stud Mount PC Rated Self-Grounding with reflex lens. Not Pictured.
				●●	J-2065-R	




## LED Clearance/Marker Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS
	<b>625 Series</b> LED marker lamp with snap off Reflex Lens. (4" W x 2" H)	J-625-A	● ●	2 Screw	6" Lead	200	3
		J-625-R	● ●			200	
	<b>225 Series</b> LED marker lamp with snap off Reflex Lens. 1-wire Self-Grounding (4" W x 1-3/8" H)	J-225-A	● ●	2 Screw	6" Lead	200	2
		J-225-R	● ●			200	
	<b>224 Series</b> LED marker lamp with snap off Reflex Lens. 2-wire or Self-Grounding (4" W x 1-3/8" H)	J-224-A	● ●	2 Screw	6" Lead	200	2
		J-224-R	● ●			200	
	<b>425 Series</b> LED marker lamp with Sealed Reflex Lens. (3-7/8" W x 1-7/8" H)	J-425-AW	● ●	2 Screw	PL-2	200	2
		J-425-RW	● ●			200	
	<b>1025 Series</b> LED stud mount, Self-Grounding, PC rated marker lamp with reflex lens. Colored Base (2.83" W x 2.07" H - 72mm x 53mm)	J-1025-AA	● ●	Single Stud	6" Lead	200	7
		J-1025-RR	● ●			200	
	LED stud mount, Self-Grounding, P2 rated marker lamp with reflex lens. Black Base	J-1025-A2	● ●	2 Screw	6" Lead	200	2
		J-1025-R2	● ●			200	
	Ear-Mount LED Marker Light	J-1025-EMA	● ●	2 Screw	6" Lead	200	2
	<b>325 Series</b> LED Bulls-Eye marker lamp with snap off lens. (4" W x 2" H)	J-325-A	● ●	2 Screw	6 1/2" Lead	100	6
		J-325-R	● ●			100	
	LED Bulls-Eye Aux or Dome lamp. (4" W x 2" H)	J-325-C	○ ○			100	
	<b>485 Series</b> LED marker lamp with Reflex lens. Self-Grounding. (6-1/8" W x 2-1/8" H)	J-485-A	● ●	2 Screw	6" Lead	100	2
		J-485-R	● ●			100	
	<b>725 Series</b> Surface Mount CL/MK Light with Reflex Lens (4" x 1-1/2")	J-725-A	● ●	2 Screw	6" Lead	100	2
		J-725-R	● ●			100	
	<b>1055 Series</b> 2" Sealed Beehive LED light.	J-1055-A	● ●	Grommet	PL-2	200	4
		J-1055-R	● ●			200	

# LED Clearance/Marker Lamps

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description
3	100	19" Lead	Stick-On		J-315-A	<b>315 Series</b> Teardrop LED Marker Lamp with chrome base. 3M® Adhesive Backing. (3-1/8" x 1-1/2")
	100				J-315-R	
2	100	5 1/2" Lead	2 Screw		J-515-A	<b>515 Series</b> 2-1/2" Oval LED Marker Lamps. P2 rated. 2-Wire, includes gasket.
	100				J-515-R	
2	100	5 1/2" Lead	J-505-GM Grommet		J-515-AC	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, includes gasket. J-505-GM Grommet Sold Separately.
	100				J-515-RC	
	100				J-515-CC	
2	200	5 1/2" Lead	Grommet or 2-Screw		J-510-A	<b>510 Series</b> 2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, includes gasket. J-505-GM Grommet Sold Separately.
	200				J-510-R	
2	200	5 1/2" Lead	2-Screw		J-510-AC	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, Self-Grounding, includes gasket. All lamps supplied with black foam gasket and 5-1/2" lead wire. Dimensions: 2.59" Long x 1.1" Wide x 1.83" High (without gasket)
	200				J-510-RC	
2	200	5 1/2" Hot Lead	Surface Mount		J-510-AS	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, Self-Grounding, includes gasket. All lamps supplied with black foam gasket and 5-1/2" lead wire. Dimensions: 2.59" Long x 1.1" Wide x 1.83" High (without gasket)
	200				J-510-RS	
2	200	5 1/2" Hot Lead	Surface Mount		J-510-ACS	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, Self-Grounding, includes gasket. All lamps supplied with black foam gasket and 5-1/2" lead wire. Dimensions: 2.59" Long x 1.1" Wide x 1.83" High (without gasket)
	200				J-510-RCS	
2	150	8" Lead	2-4 Screw		J-510-AR24	Oval LED Fender Light with Bracket, Right and Left Side Clear Lens
	100				J-510-FMR	
	100				J-510-FML	
1	200	7" Hot Lead	2-Screw Surface Mount		J-511-AS	<b>511 Series</b> 2-1/2" Oval LED Marine Clearance Marker Lamp. Single diode, P2 Rated, single lens waterproof design with flex-seal potting. Dimensions: 2.55 Long x 1.06" Wide x 0.77" High Self-Grounding
	200				J-511-RS	
	200				J-511-ACS	
	200				J-511-RCS	
	200				J-511-A	
1	100	14" Hot Lead	1/4" Stud		J-585-SA	<b>585 Series</b> LED Stud-Mount Marine Marker Lamp. Stainless Hardware
					J-585-SR	



## LED Clearance/Marker Lamps




	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS
	<b>5735 Series</b> Sealed LED Marker Light. 2-1/2" x 1-1/4" Bracket options on <a href="#">page 38</a> .	J-5735-A	● ●	Brackets or Grommets	PL-2	200	2
		J-5735-R	● ●				
		J-5735-C	○ ○				
	Sealed LED Marker Light. 2-1/2" x 1-1/4" Stud mount, self-grounding with hollow stainless stud.	J-5735-SA	● ●	Stud	15" Hot Lead	100	2
		J-5735-SR	● ●				
	<b>5765 Series</b> Sealed LED Marker Light. 3-3/4" x 1-1/4" Bracket options on <a href="#">page 38</a> .	J-5765-A	● ●	J-576 Bracket	1-157" Male Bullets	200	3
		J-5765-R	● ●				
		J-5765-AC	● ○				
		J-5765-RC	● ○				
	Sealed LED Fender Light combo. 3-3/4" x 1-1/4"  Sealed LED Fender Light combo with clear lens (not pictured)	J-5765-AR	● ●	J-576-FM Bracket	8" Leads	200	4
		J-5765-ARC	● ○				
	Sealed LED Fender Light combo with Fender Bracket.	J-5765-AR-FM	● ●	J-576-FM Bracket	8" Leads	200	4
		J-5765-ARC-FM	● ○				
	<b>5505 Series</b> LED Steel Guarded marker lamp with removable lens. (4-1/2" W x 2-1/4" H) Self-Grounding.	J-5505-A	● ●	2 Screws	6" Leads	100	3
		J-5505-R	● ●				
	<b>5265 Series</b> LED Beehive marker lamp. Self-Grounding with steel bracket.	J-5265-A	● ●	2 Screws	7" Leads	200	4
		J-5265-R	● ●				
	<b>52 Series</b> Mini LED Fender Light Assembly, <b>Left</b> Side 6-5/8" Long x 1-3/4" Wide x 1 High  Mini LED Fender Light Assembly, <b>Right</b> Side	J-52-FML	● ●	3 Screws	10" Leads	100	2
		J-52-FMR	● ●				
	<b>522 Series</b> Oval LED Fender Light with Bracket, Right and Left Side Clear Lens  <span style="color: red;">Light Only No Bracket 24" Lead</span>	J-522-FML	● ○	2 Screws	10" Leads	100	2
		J-522-FMR	● ○				
		J-522-AR24	● ○				
	<b>64 Series</b> 6" Oval LED Mid-Ship Marker and Side Turn Light.  6" Oval LED Mid-Ship Flange (surface) Mount	J-64-A	● ●	Grommet	PL-3	50	8
		J-64-AK	● ●				
		J-64-FA	● ●	4 Screw	9" Lead	50	

# LED Stop/Turn/Tail & Backup Lamps

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description	
6	50	PL-3	Grommet		J-656-A	Sealed 6" Oval LED 6-Diode Stop/Tail/Turn Lamp only. Grommet Mount with universal grommet J-60-GM.	
					J-656-R		
					J-656-RK		
					J-656-RC		
		9" Lead	Grommet		J-656-FR	Flange (surface) Mount Versions.	
					J-656-FRC		
7	50	PL-3	Grommet		J-67-A	6" Oval 7-Diode Stop Tail Turn LED Lamp. Light only. Amber and Clear are AUX only.	
					J-67-R		
					J-67-C		
7	50	PL-3	Grommet		J-67-AK	6" Oval 7-Diode Stop Tail Turn LED Lamp. Light Kit. Includes grommet & harness.	
					J-67-RK		
					J-67-CK		
7	50	9" Lead	4 Screw		J-67-FR	Sealed 6" Oval LED 7 Red Diodes Stop/Tail/Turn Flange (surface) Mount.	
					J-67-FRC		
2	50	PL-3 or AMP	Grommet		J-652-FR	Single Light Source 6" Oval LED Stop, Turn, and Tail Light. Universal retrofit to all 6" oval grommets and accessories. PL-3 plug standard. AMP connector available by special order.	
					J-652-RK		
					J-652-R		
10	50	PL-3	Grommet		J-66-A	Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Lamp only. Clear Lens Models: J-66-AC, J-66-RC	
					J-66-R		
					J-66-C		
10	50	PL-3	Grommet		J-66-AK	Sealed 6" Oval LED 10-Diode Kit. Includes: Grommet & Harness. Clear Lens Models: J-66-ACK, J-66-RCK	
					J-66-RK		
					J-66-CK		
10	50	9" Lead	4 Screw		J-66-FA	Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Flange (surface) Mount. Clear Lens Models: J-66-FAC, J-66-FRC	
					J-66-FR		
					J-66-FC		
10	50	PL-3, AMP or Unterminated	Grommet		J-68-RS5	6" Oval LED Stop, Turn, and Tail Light with Integrated Backup Light. Full lens illumination with 8 Red LED's. Two bright backup (reverse) LED's are fully DOT compliant. All models are hard wired. Available now with industry standard PL-3 connectors, AMP connectors or un-terminated leads.	
					J-68-RP5		
					J-68-RH4		
			Flange		J-68-FRH4		
					J-68-FRH5		

\* Contact us for Availability of Multi-Volt (12/24) Versions of all 6" Oval LED Lights

## LED Stop/Turn/Tail &amp; Backup Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS	
	<b>31 Series</b> Rectangular, Sealed Stop/Turn/Tail & Backup Light LED Single Light Source (3-1/4" H x 5" W)	J-31-A J-31-R J-31-C	● ● ● ● ○ ○	Grommet	PL-3	50	2	
	<b>KIT</b> Sealed LED rectangular lamp kit includes grommet & harness. <b>Grommet Kit Models:</b> J-35-AGK, RGK, CGK	J-31-AK J-31-RK J-31-CK	● ● ● ● ○ ○	Grommet		50	2	
	<b>35 Series</b> Sealed LED rectangular Stop/Tail/Turn lamp only. Clear Lamp Certified As Single Lamp Backup. (3-1/4" H x 5" W) Available In 24 Volt Versions	J-35-A J-35-R J-35-C	● ● ● ● ○ ○	Grommet		PL-3	50	15
	<b>KIT</b> Sealed LED rectangular lamp kit includes grommet & harness. <b>Grommet Kit Models:</b> J-35-AGK, RGK, CGK	J-35-AK J-35-RK J-35-CK	● ● ● ● ○ ○	Grommet	50		24	
	<b>44 Series</b> Sealed 4" round LED Stop/Tail/Turn lamp only Hard Wired Model: J-44-RH	J-44-A J-44-R	● ● ● ●	Grommet	PL-3		50	7
	Sealed 4" round LED Kit Includes grommet & harness.	J-44-AK J-44-RK	● ● ● ●	Grommet		50	7	
		<b>4412 Series</b> Sealed 4" round LED Stop/Tail/Turn & Backup lamp only. <b>Clear Lens Models:</b> J-4412-AC, J-4412-RC <b>24 Volt Models:</b> J-4412-A24, J-4412-R24, J-4412-G24	J-4412-A J-4412-R J-4412-C J-4412-G24	● ● ● ● ○ ○ ● ●	Grommet	PL-3	50	12
		Sealed 4" round LED Kit. Includes grommet & harness. <b>Clear Lens Models:</b> J-4412-ACK, J-4412-RCK	J-4412-AK J-4412-RK J-4412-CK	● ● ● ● ○ ○	Grommet		50	12
		<b>4412F Series</b> Flat 4" round LED Stop/Tail/Turn lamp only. 5" leads with male Bullet Terminals Available with or without Reflex Ring	J-4412-FRX J-4412-FRB J-4412-FRC J-4412-FAX	● ● ● ● ● ● ● ●	3 Screws		.157 Male Bullets	50
		<b>7525 Series</b> LED 4" Round Pedestal Mount Stop Lamp with Single Stud and Clamp, Self-Grounding.	J-7525-R	● ●	Single Stud	9" Hot Lead	50	12
		<b>37 Series</b> 15-Diode 3"x 5" Slim LED S/T/T Surface Mount Lamp	J-37-A J-37-R	● ● ● ●	4 Screws	4" Lead	50	15

\* Contact us for Availability of Multi-Volt (12/24) Versions of all LED Lights



# LED Stop/Turn/Tail & Backup Lamps

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description	
12	50	8" Lead	2 Screws thru Lens	● ●	J-275-A	<b>275 Series</b> LED Surface Mount AG Stop Tail Turn & Warning Lamp. 6.7" x 3.15" x .95". Mounts on 5.75" Centers	
10				● ●	J-275-R		
27	10	6" Lead	4 Screw	● ●	J-85-A	<b>85 Series</b> Sealed 7" Round LED Bus/Transit Tail Light	
27				● ●	J-85-R		
27	10	6" Lead	4 Screw	○ ○	J-85-C	Sealed 7" Round LED Bus/Transit Back Up Light	
11	50	15" Lead (3 Wires)	2 Screw	● ●	J-535-A3	<b>535 Series</b> Amber LED Marker and Turn Indicator Light Bar (15-1/2"L, 1-5/8"W, 3/4"H)	
11	50		2 Screw	● ●	J-535-R		Red LED Stop/Tail/Turn Light Bar (15-1/2"L, 1-5/8"W, 3/4"H)
			2 Screw	○ ●	J-535-RC		
11	50		2 Screw	○ ○	J-535-C		Clear (White) LED Reverse/Back Up Light Bar (15-1/2"L, 1-5/8"W, 3/4"H)
N/A	50	N/A	2 Screw	N/A	J-535-BZC	Chrome Base for 535 Series Light Bars.	
24	20	6" Lead	4 Screw	● ●	J-241-A	<b>240 Series</b> Single panel LED light. (5-1/4" H x 7-3/4" W) Clear Backup Model: J-241-C	
				● ●	J-241-R		
				○ ○	J-241-C		
48	10	Packard Plug	Stud or top mount	● ●	J-242-AR	Double Panel LED light, Rear Mount.	
				● ●	J-242-M	Double Panel LED light, Top Mount	
72	6	Packard Plug	Stud Mount	● ●	J-243-ARC	Triple Panel LED light, Amber/Red/Clear Combo.	
28	6	15" Leads	2 Screw Mount	● ●	J-536-R	<b>536 Series</b> 36" Stop/Tail/Turn LED Lightbar. Requires 5/8" Hole for wires. Contact Us for additional color options.	
				○ ○	J-536-C		
N/A	50	N/A	2 Screw	N/A	J-536-BZC	Chrome Base for 536 Series Light Bars (not pictured).	



# LED ID Bar Lights

10

## Description

## Part #

## Diode Lens

## Mount

## Wiring

## Qty

## LEDS

### VID Series



14" LED ID Bar with 7 Degree Bend, Submersible. Marine Grade Tinned Wire

J-VID



2 Screw

56" Hot Lead

50

### 5695 Series



LED Light Bar with Black Plastic Base. Uses Three J-5735-R (16-5/8"L, 1-5/8"W, 1-1/2"D)

J-5695-R




2 Screw

60" Lead

50

6

### 5354 Series



LED Style-Side ID Light Bar with AUX 3rd Brake / Turn Red Diodes (15-1/2" L, 1-5/8" W, 3/4" H)

J-5354-R



2 Screw

15" Lead 4 Wires

50

11

J-5354-RC



### 5353 Series



LED Style-side ID Light Bar (15-1/2" L, 1-5/8" W, 3/4" H) Clear Lens Models: J-5353-RC/AC

(ID and 3rd Brake)

J-5353-R3



2 Screw

2 Wires 15" Lead (3 Wires)

50

3

(Front ID)

J-5353-A2



### 555 Series



LED ID Bar with Black plastic base. Uses Three J-515-R Lights. (14-7/8" L, 1-7/16" H, 1-1/2" D)

J-555-R



2 Screw

12" Lead

50

6

J-555-RC



LED ID Bar with Black plastic base. Uses Three J-515-A Lights. (14-7/8" L, 1-7/16" H, 1-1/2" D)

J-555-A



2 Screw

12" Lead

50

6

J-555-AC



### 551 Series



LED ID Bar Light. Three affixed to Red, Black or Gray Base with Stainless Hardware. Submersible. Available with standard 12" leads with ring terminal for self-grounding. (14-7/8" L, 1-7/16" H, 1-1/2" D)

(Red Base)

J-551-RRS



2 Screw

12" Lead

50

6

(Black Base)

J-551-RBS



(Gray Base)

J-551-RCG



15"

### 5735 Series



LED ID Bar with Black metal base.  
LED ID Bar with White metal base.  
LED ID Bar with Polished Stainless metal base.

J-5735-3BR



2 Screw

12" Lead Self-grounding

50

3

J-5735-3WR



J-5735-3SR



### 5085 Series



LED Beehive ID Bar Light, Self-Grounding. Black Powder Coat Base

J-5085-R













2 Screw

12" Lead Self-grounding







50

12

# LED Strobe Lights

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description
25	50	9" Lead	Grommet or Flange		J-6625-A	<b>6625 Series</b> Amber 6" Oval LED Class 1 Strobe SAE J595
					J-6625-R	Red 6" Oval LED Class 1 Strobe SAE J595
					J-6625-RCA	Combo 6" Oval LED S/T/T & Class 2 Strobes SAE J595
					J-6625-FA	Amber Flange Mount 6" Oval LED Class 1 Strobe SAE J595
					J-6625-FR	Red Flange Mount 6" Oval LED Class 1 Strobe SAE J595
					J-6625-FRCA	Combo Flange Mount 6" Oval LED S/T/T & Class 2 Strobes SAE J595
8	10	9" Lead	4 Screw		J-84-A	<b>84 Series</b> 7" School Bus Warning Lamps. Fail Safe Auto Flash Function and Optional Strobe Mode.
					J-84-R	
15	50		Grommet		J-36-A	<b>36 Series</b> Amber 3x5 LED Strobe Light, SAE J595 Class 1 Strobe, Double and Quad Flash Modes
					J-36-AK	<b>Light Kit with Light, Harness and Grommet</b>
8	10		Grommet		J-36-AK	<b>4422 Series</b> 4" Round Amber Strobe Light, SAE J595 Class 2









LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description
8	50	9" Lead	2 x 1/4" Studs on 2" Center		J-75 <b>Curb Side</b>	<b>77 Series</b> Under 80" Trailers Submersible LED 7-Function Combination Lamp. Lead Wires are Tinned. 4-1/2" x 6"
12	50				J-75-L <b>Street Side</b>	Submersible LED 6-Function Combination Lamp
13	50	8" Lead	2 x 1/4" Studs on 2" Center		J-71 <b>Curb Side</b>	<b>71 Series</b> Over 80" LED 7-Function Submersible LED Combination Marine Lamp. Lead Wires are Tinned. Dimensions: 6-1/4" L x 3-3/4" W x 1-7/8" D.
17	50				J-71-L <b>Street Side</b>	LED 8-Function Combination Lamp.
18	50	8" Lead	2 x 1/4" Studs on 2" Center		J-72 <b>Curb Side</b>	<b>72 Series</b> Over 80" Submersible LED 7-Function Combination Lamp. Lead Wires are Tinned. (6-1/8"L, 3-5/8"W, 2-1/4"D)
23	50				J-72-L <b>Street Side</b>	LED 8-Function Combination Lamp.




# LED Combination Lamps

	Description	Part #	Lens Diode	Mount	Wiring Qty	LEDS
	<b>24247 Series</b> Under 80" Submersible LED 6-Function Combination Lamp. 4-1/2" x 6"	Curb Side J-24247	● ●	2" x 1/4" Studs on 2" Center	14" Lead 24	9
	Submersible LED 7-Function Combination Lamp	Street Side J-24247-L	● ●		14" Lead 24	13
	<b>24245 Series</b> Under 80" Submersible LED 6-Function Combination Lamp with Gasketed Lenses 4-1/2" x 5-1/2"	Curb Side J-24245	● ●	2" x 1/4" Studs on 2" Center	14" Hot Lead 24	14
	LED 7-Function Combination Lamp.	Street Side J-24245-L	● ●		14" Hot Lead 24	18
	<b>20245 Series</b> Under 80" LED 6-Function Combination Lamp (Not Submersible) 4-1/2" x 5-1/2"	Curb Side J-20245	● ●	2" x 1/4" Studs on 2" Center	Push Connector 24	14
	LED 7-Function Combination Lamp	Street Side J-20245-L	● ●		Push Connector 24	18
	<b>20445 Series</b> Over 80" Trailers Submersible LED 7-Function Combination Lamp. 4-1/2" x 6"	Curb Side J-20445	● ●	2" x 1/4" Studs on 2" Center	14" Lead 24	16
	Submersible LED 8-Function Combination Lamp	Street Side J-20445-L	● ●		14" Lead 24	20
	<b>2078 Series</b> 7-Function Slim LED Combination Lamp. Designed for salt water marine environments 5.60W" x 4.58H" x 1.97"D	Curb Side J-2078	● ●	2" x 1/4" Studs on 2" Center	14" Lead 24	18
	8-Function Slim LED Combination Lamp.	Street Side J-2078-L	● ●		14" Lead 24	22
	<b>75 Series</b> 8" x 2-3/4" Submersible Over 80" LED 7-Function Combination lamp.	Curb Side J-75	● ●	2" x 1/4" Studs on 2" Center	14" Lead 50	13
	LED Over 80" 8-Function Combination Lamp.	Street Side J-75-L	● ●		14" Lead 50	17
	<b>20447 Series</b> Over 80" Submersible LED 7-Function Combination Lamp. 3-1/4" x 6"	Curb Side J-20447	● ●	2" x 1/4" Studs on 2" Center	14" Lead 24	9
	Submersible LED 8-Function Combination Lamp	Street Side J-20447-L	● ●		14" Lead 24	13


# Retail Lighting Kits

Qty	Marker Lamps	Marine Wiring	Tail Lamp	Part #	Description	
10	No	No	Push Connector	J-20245-NC	<p><b>20245 Series</b> LED Under 80" Standard Clamshell Kit. Includes: J-20245, J-20245-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	
10	No	Yes		J-24245-NC	<p><b>24245 Series</b> LED Under 80" Submersible Clamshell Kit. Includes: J-24245, J-24245-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	
10	No	Yes		J-24247-NC	<p><b>24247 Series</b> LED Under 80" Standard Clamshell Kit. Includes: J-24247 J-24247-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	
10	No	Yes	14" Leads	J-77-KC	<p><b>77 Series</b> LED Under 80" Marine Clamshell Kit. Includes: J-77, J-77-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	
10	Yes	Yes		J-2078-KCD	<p><b>2078 Series</b> LED Over 80" Delux Clamshell Kit. Includes: J-2078, J-2078-L, (2) J-5735-SA, J-5024-WH, J-2023-BRK &amp; Hardware</p>	
10	Yes	Yes		J-20447-NCD	<p><b>20447 Series</b> LED Under 80" Standard Clamshell Kit. Includes: J-20447 J-20447-L, (2) J-5735-SA, J-5024-WH, J-2023-BRK &amp; Hardware</p>	

# Retail Lighting Kits

	Description	Part #	Tail Lamp Wiring	Marine Lamps	Marker Lamps	Qty
	<p><b>71 Series</b> LED Over 80" Submersible Clamshell Kit. Includes: J-71, J-71-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-71-KC	8" Leads	Yes	No	10
	<p><b>72 Series</b> LED Over 80" Submersible Clamshell Kit. Includes: J-72, J-72-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-72-KC	8" Leads	Yes	No	10
	<p><b>73 Series</b> Over 80" Submersible Clamshell Kit. Includes: J-73, J-73-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-73-KC	8" Leads	Yes	No	10
	<p><b>75 Series</b> LED Over 80" Submersible Clamshell Kit. Includes: J-75, J-75-L, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-75-KC	8" Leads	Yes	No	10
	<p><b>2024 Series</b> Under 80" Deluxe Clamshell Kit. Includes: J-2024, J-2024-L, (2) J-1024-A, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-2024-NCD	Push Connector	No	Yes	10
	<p><b>2044 Series</b> Over 80" Deluxe Clamshell Kit. Includes: J-2044, J-2044-L, (2) J-573-SA, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-2044-NCD	14" Leads	Yes	Yes	10
	<p><b>20445 Series</b> LED Over 80" Deluxe Clamshell Kit. Includes: J-20445, J-20445-L, (2) J-5735-SA, J-5024-WH, J-2023-BRK &amp; Hardware</p>	J-20445-NCD	14" Leads	Yes	Yes	10

# Agriculture Lighting

LEDS	Qty	Wiring	Mount	Lens(s)	Part #	Description
<p>All Agriculture lights are standard with Weather Pack Connectors. Deutsch, Molded and specialty connector options are available.</p>						
<p style="text-align: right;"><b>AC2 KIT</b></p> <p><b>LED 4-Wire AG Lighting Kit.</b> Includes: J-AC2-L4, J-AC2-R4, J-AGM-WH, (2) J-AGW-WH, J-AEM-48. Optional Magnet Kit: J-AMK (Page 16)</p>						
	1	4-Wire Pack	<b>KIT</b>	N/A	J-AC2-WH4K	 <p style="text-align: right;"><b>Contact Us for Custom Ag Lighting Kits</b></p>
30	24	12" Lead	4 Screw	●	J-AC1-AA	<b>AC1 Series</b> LED Ag Single Lamp, 2 Wire Connector, Double side, weather pack connectors standard.
15				●	J-AC1-RB	LED Ag Single Lamp, 2 Wire Connector, Single side, Weather pack connectors standard.
45	12	3 Wire	4 Screw	● ●	J-AC2-L3	<b>AC2 Series</b> LED Ag Combo Double <b>Left Side</b> Lamp With 3-Way Weather Pack Connector
				● ●	J-AC2-R3	LED Ag Combo Double <b>Right Side</b> Lamp with With 3-Way Weather Pack Connector
		4 Wire	● ●	J-AC2-L4	LED Ag Combo Double <b>Left Side</b> Lamp. Amber/Red lens configuration with 4 wire connector for Brake Function.	
			● ●	J-AC2-R4	LED Ag Combo Double <b>Right Side</b> Lamp. Red/Amber Lens configuration with 4 wire connector for Brake Function.	
24	24	18" Lead	Single Stud	● ●	J-755-AA	<b>755 Series</b> LED Dual Face Pedestal Lamp. 4" Round Warning Light.
				● ●	J-755-AR	LED Dual Face Pedestal Lamp. 4" Round Stop/Turn/Tail & Warning Model.
12				●	J-755-RB	LED Single Face Pedestal Lamp. 4" Round Stop/Turn/Tail Model

# Agricultural Lighting

16

## Description

## Part #

## Color

## Mount

## Wiring

## Qty



### AB Series

Ag Single Lamp, 2 Wire Connector, Double side, weather pack connectors standard.

J-AB1-AA



4 Screw

2" Lead

24

Ag Single Lamp, 2 Wire Connector, Single side, weather pack connectors standard.

J-AB1-RB



Ag Combo Double Left Side Lamp with 3 wire connector, Weather Pack or Tri-Plug

J-AB2-L3



4 Screw

2" Lead

12

Ag Combo Double Right Side Lamp with 3 wire connector, Weather Pack or Tri-Plug

J-AB2-R3



Ag Combo Double Left Side Lamp. Amber/Red lens configuration with 4 wire connector for Brake Function.

J-AB2-L4



4 Screw

2" Lead

12

Ag Combo Double Right Side Lamp. Red/Amber lens configuration with 4 wire connector for Brake Function.

J-AB2-R4



### PGR Series

2" x 9" Ag Reflex Strip

J-PGR-9S



2" x 9"

9" Individual Strips

100

### PGY Series

2" x 9" Ag Reflex Strip

J-PGY-9S



### AMK Series

2 Piece 70 lb. Magnet **Kit** for Ag Lights with Boot and Screws

J-AMK2

2 Screw

N/A

20

### AEM Series

Ag Enhance Flasher Module for Incandescent and LED Agricultural Lights. 4 or 5-Wire Input. Custom Wire Termination Available. 2x 4-Way Output with W/P Connectors.

J-AEM-58 (5 wire)

J-AEM-48 (4 wire)

24

6-Wire Output, No Wire Termination (Not Pictured)

J-AEM-46

48

### AGM Series

Main Harness with 7-Way Ag Plug to 4-way weather pack connector.

J-AGM-WH8

J-AGM-WH16

J-AGM-WH21

8'

16'

21'

15

10

10

### AGW Series

Rear Harness for Ag lighting system. Mates with AGM or AEM Seires parts. Available for 3 and 4 wire Ag Light systems.s

J-AGW-WH8

J-AGW-WH20

J-AGW-WH2

3' Extension for 4-Wire Harnesses

J-AGX-WH3

8'

20'

2'

3'

30

30

50

50

### 7007 Series

7-Way Plug (ATA/Ag/Round Pin) with Spring Hanger

J-7007-WH






N/A

50








# Incandescent Auxiliary & White Lighting

Qty	Bulb(s)	Wiring	Amp Draw	Lens	Part #	Description
50	2 921 Bulbs	6" Lead	4.40 Amps	○	J-92	<b>92 Series</b> Double Dome/Interior Light 12" x 4-1/4" Dual lamp with switch 
50	921 Bulb	6" Lead	2.20 Amps	○	J-91	<b>91 Series</b> Single Dome Interior Lamp 7" x 4-1/4" with Switch 
100	1156 Bulb	6" Lead	2.20 Amps	○	J-96-WNC	<b>96 Series</b> Euro Style Oval Porch Light. Available with (S)witch or (N)o Switch, (W)hite or (B)lack base, (A)mber or (C)lear Lens. Examples: J-96-WSC and J-96-WNA 6-1/4" x 3-7/16" 
				○	J-96-BSA	
100	1156 Bulb	6" Lead	2.20 Amps	○	J-97-WSC	<b>97 Series</b> Rectangular Porch Light. 6-1/2" x 3-5/8" Available with (S)witch or (N)o Switch, (W)hite or (B)lack base, (A)mber or (C)lear Lens. 6" x 3-1/2" 
				●	J-97-BNA	
24	1156 Bulb	6" Lead	2.20 Amps	○	J-80-WC	<b>80 Series</b> 7-1/4" Scare light. White Base  7-1/4" Scare light. Stainless Base
				○	J-80-SC	

# LED Auxiliary & White Lighting

Qty	LEDs	Wiring	Amp Draw	Diode Lens	Part #	Description
50	14	6" Lead	300 mA	○ ○	J-916	<b>916 Series</b> High Output LED Single RV Interior Dome Light 350 Lumens, Warm White, Wide Angle, 7" x 4-1/4" 
50	28	6" Lead	600 mA	○ ○	J-926	<b>926 Series</b> High Output LED Double RV Interior Dome Light 700 Lumens, Warm White, Wide Angle, 12" x 4-1/4" 
50	12	6" Lead	250 mA	○ ○	J-914	<b>914 Series</b> High Output LED Single RV Interior Dome Light 450 Lumens, Warm White, Wide Angle, 7" x 4-1/4" 

# LED Auxiliary & White Lighting

## Description

## Part #

Diode Lens  
Amp Draw  
Wiring  
LEDS  
Qty



### 965 Series

Euro Style Oval Porch Light.  
Clear Lense with with Switch anad Black Base  
Amber Lense Model has NO swith  
Examples: J-96-WSC and J-96-WNA 6-1/4" x 3-7/16"

J-965-BSC  
J-965-BNA

○ ○  
● ●

400  
mA

6"  
Lead

18 24



### 312 Series

2.95" Diameter Sealed High Output  
Utility/Dome with Chrome Trim Ring.  
Mounts on 2.30" Centers.

Interior J-313-CC  
Interior/Exterior J-312-CC

○ ○  
○ ○

270  
mA

6"  
Lead

14 50



### 455 Series


Compact LED Dome Light with Switch.  
207 Lumens, Cool White, Wide Angle, 14 Diodes

J-455-SC

○ ○  
300  
mA

6"  
Lead

14 50



### 241 Series

Slim LED Dome Light, No Switch, 24 Diodes

J-241-C


○ ○  
550  
mA

6"  
Lead

24 20

## Scene Lighting

Source Lumens



### 13000 Series Scene Lights

24" Flat LED Scene Light Silver Flat

J-13824-F

110 Volt AC

7500

24" Flat LED Scene Light Silver Flat

J-13724-F

12 Volt DC

7500

24" Angled LED Scene Light Black 20° Angled Down

J-13724-AB

12 Volt DC

7000

12" Flat LED Scene Light Silver Flat

J-13712-F

12 Volt DC

3800

24" Angled LED Scene Light Silver 20° Angled Down

J-13724-A

12 Volt DC

7000

12" Angled LED Scene Light Silver 20° Angled Down

J-13712-A









12 Volt DC

3200

Flat



# Clearance / Marker Lamps

Qty	Wiring	Mount	Lens	Part #	Description	
200	6" Hot Wire	2 Screw	● ●	J-500-A J-500-R	<b>500 Series</b> 1-1/2" W, 3-1/4" L, 1" H Self-Grounding Clearance / Marker Lamp	
200	6" Hot & ground wire	2 Screw	●	J-500-GA	1-1/2" W, 3-1/4" L, 1" H, with ground wire Clearance / Marker Lamp	
200			●	J-500-GR		
200	6" Hot Wire	2 Screw	●	J-526-A	<b>526 Series</b> Bee Hive light with attached mounting bracket 2-5/8" diameter Clearance / Marker Lamp Now Available in LED, Models: J-5265-A, J-5265-R	
200			●	J-526-R		
100	5" Hot Wire	2 Screw	●	J-550-A	<b>550 Series</b> Self-Grounding Steel armored guard Marker Light 4-1/2" L x 2-1/4" H x 1-3/8" D	
100			●	J-550-R		
100	12" Pigtail	2 Screw	●	J-PB201-A	<b>PB201 Series</b> Reflex lens with S/S bezel 6" L, 1-3/4" H, 1/2" D	
100			●	J-PB201-R		
200	6" Hot Wire	1 Stud	●	J-1024-A	<b>1024 Series</b> Stud Mount Self-Grounding Marker Lamp with reflex lens 2-3/4" L, 2-1/8" H, 3/4" D	
200			●	J-1024-R		
200	Push connectors	2 Screw	●	J-1024-APC	Model 1024 w/Push Connector Wiring	
200	6" Pigtail	1 Stud	●	J-1024-AA	Same as J-1024-A with all amber housing PC Rated Now Available in LED, Models: J-1025-A, J-1025-R	
200	6" Pigtail	1 Stud	●	J-1024-EMA	Ear Mount Self-Grounding Marker Lamp with Reflex lens 3-7/8" L, 2-5/8" H, 1" D	
200			●	J-1024-EMR		
200	7" Lead	2 Screws	●	J-301-A	<b>301 Series</b> CL/MK Lamp with Reflex Lens and Twist-Lock Plug. 4" L x 1-5/8" H	
200			●	J-301-R		

# Clearance/Marker Lamps



### 576 Series

Two bulb, sealed, 3-3/4" L, 1-1/4" H, 7/8" D  
(Reference # 2, 3 for mounting brackets)

J-576-A



Bracket

2 - Male Plug-in (no wires)

400

J-576-R



400

Combo two bulb sealed, (1/2 amber, 1/2 red)  
3-3/4" L, 1-1/4" H, 7/8" D  
(Reference # 2, 3, 7 for mounting brackets)

J-576-AR



Bracket

400



### 573 Series

Sealed light, 2-1/2" L, 1-1/4" H, 7/8" D

J-573-A



Mount with 573 Series bracket

PL-2 (no wires)

200

J-573-R



200

J-573-C



200

**Light Kit including J-573 Lamp, Chrome Bracket**  
(J-573-BRK-B) and Wire Harness (J-10-WH).

J-573-AK



2 Screw

7" Pigtail

100

J-573-RK



100



Sealed light, Stud Mounted, Self-Grounding  
2-1/2" L, 1-1/4" H, 7/8" D

J-573-SMA



Single Stud

20" Hot Lead

400

J-573-SMR



400



### 272 Series

Fender mount assembly with removable lenses.  
Base: 4-7/8" x 3-1/8" + 3-1/2" Wire Guard

(Left Fender)

J-272-L



3 Screw Mount

5" Leads

25

(Right Fender)

J-272-R



25



### 572 Series

Fender mount kit for over 80" trailers.  
Self-Grounding, includes durable ABS housing with wire guard, J-573-R mounted to the rear and J-573-A to the front.  
Base: 3" x 4-3/4" + 4" wire guard.

(Left Fender)

J-572-L



5 Screw

15" Pigtail

50

(Right Fender)

J-572-R



50



### 576 Series

Fender Mount Bracket for over 80" trailers.  
(Includes bracket and J-576-AR Lamp.)  
Base: 4" x 1" + 4" Wire Guard

J-576-AR-FM



4 Screw

8" Pigtail

200



### 326 Series

Self-Grounding Marker Lamp with snap off reflex lens and plug-in hot and ground connections. 4 3/4" x 1 7/16" x 1 1/4"

Black Base

J-326-BA



2 Screw Internal

Plug-in

200

J-326-BR



White Base









J-326-WA



J-326-WR



# Clearance / Marker Lamps

Qty	Wiring	Mount	Lens	Part #	Description			
200	7" Lead	2 Screw	●	J-426-BA	Marker Lamp with twist lock plug and foam gasket. Fits 5/8" cut out. 3 7/8" x 1 7/8"			
			●	J-426-BR			Black Base	426 Series
			●	J-426-WA			White Base	
			●	J-426-WR				
200	7" Lead	2 Screw Internal	●	J-323-A	Two-Bulb snap off bulls-eye lens marker lamp Self-Grounding 4" x 2". LED Models: J-325-A, J-325-R, J-325-C			
			●	J-323-R			323 Series	
			○	J-323-C				
200	6" Lead	2 Screw Internal	●	J-726-A	4" x 1-1/2" marker light with removable reflex lens 2 Mounting Holes 6" Hot Lead.			
			●	J-726-R			726 Series	
200	6" Lead	2 Screw Internal	●	J-126-AW	4" x 2" oval marker light with removable reflex lens and white base. Self-Grounding			
			●	J-126-RW			126 Series	
			●	J-122-A			4" x 2" oval marker light with removable reflex lens and white base. Self-Grounding with 2 Bulbs.	
			●	J-122-R				122 Series
100	6" Lead	2 Screw	●	J-480-A	6 1/8" W x 2 1/8" H Marker light			
			●	J-480-R			480 Series	
200	6" Lead	2 Screw Internal	●	J-226-A	4" x 1 3/8" self-grounding marker lamp with snap off reflex lens. 2 wire version: J-227-A, J-227-R			
			●	J-226-R			226 Series	
100			●	J-222-A	Two-Bulb 4"x 1-3/8" self-grounding marker lamp with snap off reflex lens. 2 wire version: J-223-A, J-223-R			
			●	J-222-R			222 Series	
200	Twist Lock with 7" Lead	2 Screw Internal	●	J-626-A	4" x 2" marker lamp with twist lock plug, snap off reflex lens. Black base models: J-626-AB, J-626-RB			
			●	J-626-R			626 Series	

# Clearance/Marker Lamps

	Description	Part #	Lens	Mount	Wiring	Qty
	<b>10 Series</b> 2" round sealed lamp only.	J-10-A	●	Grommet	PL-2	200
		J-10-R	●			
	<b>2" round sealed lamp Kit</b> with grommet & harness.	J-10-AK	●	Grommet	PL-2 For J-10-WH Kits Include Harness	100
		J-10-RK	●			
	Flange Mounted 2" sealed lamp.	J-10-FFA	●	Screw		100
		J-10-FFR	●			
	<b>20 Series</b> 2-1/2" round/sealed/reflex lamp only.	J-20-A	●	Grommet		200
		J-20-R	●			
	<b>2-1/2" round/sealed/reflex lamp Kit</b> with grommet & harness.	J-20-AK	●	Grommet	PL-2 For J-10-WH Kits Include Harness	100
		J-20-RK	●			
	Flange Mounted 2-1/2" sealed w/ reflex lamp.	J-20-FFA	●	Screw		100
		J-20-FFR	●			
	<b>105 Series</b> 2" round Bee Hive sealed light (Reference # J-10-GM for mounting grommet)	J-105-A	●	Grommet		200
		J-105-R	●			
	<b>205 Series</b> 2-1/2" round/sealed w/ reflex lamp. Black Base, Stud Mount, Self-Grounding	J-205-A	●	1 Stud	5" Pigtail	200
		J-205-R	●			
	<b>206 Series</b> 2-1/2" round light with REMOVABLE reflex lens. Black Base, Stud Mount, Self-Grounding	J-206-A	●	1 Stud	5" Pigtail	200
		J-206-R	●			

# Stop/Tail/Turn & Backup Lamps

Qty	Wiring	Mount	Lens	Part #	Description	
50	PL-3	Grommet	●	J-40-A	4" Round, Sealed Stop, Stop/Tail/Turn & Backup Lamps. (Lamp Only)	
			●	J-40-R		
			○	J-40-C		
	PL-3 (with wires)	Grommet	●	J-40-AK	4" Round, Sealed Stop/Tail/Turn & Backup Lamp Kit. (with grommet & harness)	
			●	J-40-RK		
			○	J-40-CK		
50	PL-3 (with wires)	Grommet	●	J-42-R	4" Round, Sealed Stop, Tail & Turn Lamp w/ REFLEX	
			●	J-42-RK	4" Round, Sealed Stop, Tail & Turn Lamp w/ REFLEX Kit (with grommet & harness)	
50	9" Leads	3 Screws	●	J-750-A	4" Round Flange Mount Self-Grounding Lamp with Plastic Housing. 5 1/2" diameter x 2" deep	
			●	J-750-R		
			○	J-750-C		
48	9" Leads	Stud	●	J-752-R	Stop, Turn, Tail - 4-3/8" dia., 3/8" dia x 1" L stud (Black powder coated body)	
48	PL-3	Grommet	●	J-60-A	6" Oval, Sealed Stop/Tail/Turn & Backup Lamps. (Lamp Only)	
			●	J-60-R		
			○	J-60-C		
50	PL-3 (with wires)	Grommet	●	J-60-AK	6" Oval, Sealed Stop/Tail/Turn & Backup Lamps Kit. (with grommet & harness)	
			●	J-60-RK		
			○	J-60-CK		
50	PL-3 (with wires)	Grommet	●	J-63-A	6" Oval Mid-Ship Marker lamp. (Lamp only)	
			●	J-63-AK	6" Oval Mid-Ship Marker Lamp Kit. (with grommet & harness)	
50	PL-3	Grommet	●	J-30-A	Sealed Rectangular Stop/Tail/Turn & Backup Lamps. (lamp only) (5" H x 3-1/4" W)	
			●	J-30-R		
			○	J-30-C		
	PL-3 (with wires)	Grommet	●	J-30-AK	Sealed Rectangular Stop/Tail/Turn lamp Kit. (with grommet & harness) (5" H x 3-1/4" W)	
			●	J-30-RK		
			○	J-30-CK		

# Combination Tail Lamps

	Description	Part #	Lens	Mount	Wiring	Qty
	2014 Series Stud mount Stop/Tail/Turn lamp for under 80" (4" diameter)	Curb Side J-2014	●	2 Stubs	2 6" Pigtaills	100
		Street Side J-2014-L	●			
	2023 Series Combination tail light for trailers under 80" with Stainless Hardware, No Wires. 4-1/2" x 5-1/2"	Curb Side J-2023	●	2 Stubs	4 Female Press-ins	48
		Street Side J-2023-L	●			
	2024 Series Combination tail light for trailers under 80" with 7" Hot Lead Wires 4-1/2" x 5-1/2"	Curb Side J-2024	●	2 Stubs	7" Leads	48
		Street Side J-2024-L	●			
	2034 Series Combination tail light for trailers over 80" 4-1/2" x 6"	Curb Side J-2034	●	2 Stubs	4 Female Press-ins	48
		Street Side J-2034-L	●			
	2044 Series Over 80" Submersible Combination tail light (Gaskets on both rear & side lens) 4-1/2" x 6"	Curb Side J-2044	●	2 Stubs	15" Leads	48
		Street Side J-2044-L	●			
	73 Series Over 80" Low-profile Submersible combination lamp. (3" x 8")	Curb Side J-73	●	2 Stubs	12" Leads	50
		Street Side J-73-L	●			
	90 Series RV Style S/T/T Lamp w/ Snap-off lens. (8 5/8" x 4 5/8") White Base (Pictured)	Curb Side J-90	●	Screw On	6" Leads	50
		Street Side J-90-L	●			
	90 Series RV Style S/T/T Lamp w/ Snap-off lens. (8 5/8" x 4 5/8") Black Base (Not Pictured)	Curb Side J-90-B	●	Screw On	6" Leads	50
		Street Side J-90-LB	●			
	90 Series RV Style S/T/T Lamp w/ Reverse Light. (8 5/8" x 4 5/8") White Base	Curb Side J-90-R	●	Screw On	6" Leads	50
		Street Side J-90-RL	●			
	70 Series Low profile Submersible combination lamp. (6-1/8" L x 3-5/8" W x 2-1/4" D) over 80"	Curb Side J-70	●	2 Stubs	8" with Plug 6" Ground	48
		Street Side J-70-L	●			












# ID Bar Lights

Qty	Wiring	Mount	Lens	Part #	Description
50	12" Pigtail	2 Screw	●	J-500-3BA	<b>500 Series</b> Light bar- black metal base (15-1/2" L, 1-1/4" H, 1-1/4" D)
			●	J-500-3BR	
50	12" Pigtail	2 Screw	●	J-500-3WA	Light bar- white metal base (15-1/2" L, 1-1/4" H, 1-1/4" D)
			●	J-500-3WR	
50	12" Pigtail	2 Screw	●	J-508-R	<b>508 Series</b> Light bar- blackmetal base - with Bee Hive lights (13-3/4" L, 8-1/2" centers) Black Metal Base
50	12" Pigtail Self-Grounding	2 Screw	●	J-573-3BR	<b>573 Series</b> Red Tri-Bar using three sealed J-573-R lights. (15-1/2" L, 1-1/4" H, 1-1/4" D) Black Metal Base
			●	J-573-3WR	White Metal Base
			●	J-573-3SR	Stainless Metal Base
50	12" Pigtail	2 Screw	●	J-569-A	<b>569 Series</b> Light bar with black plastic base. Uses J-573 sealed lights. Complete w/ 60" pigtail. 16-5/8" L x 1-1/2" H x 1-1/2" D
			●	J-569-R	

# LED License Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDs
	<b>605 Series</b> Sealed LED license light. Black body with clear light 3-3/4" L, 2-1/8" H, 3" D	<b>Self-Grounding</b> J-605	○ ○	2 Screw	7" Pigtail	100	2
	<b>EC2-LED</b> Push-in LED License light for 1-1/4" Holes. Classic Style, Self grounding.	J-EC2L	○ ○	Push-in	2-7" Pigtail	400	2
	<b>EC5-LED Series</b> LED license light. Plastic Housing 1-1/4 x 2-1/2	<b>Chrome</b> J-EC5 <b>Black</b> J-EC5B	○ ○ ○ ○		6" Lead	100	2
	<b>89 Series</b> Black Plastic Body with Twist Lock Plug LED License Light 4" x 1-9/16" x 2 5/8"	J-89	○ ○	2 Screw	7" Lead	100	2
	<b>995 Series</b> LED 4-Diode License Lamp. Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D (Riveted to black steel license plate bracket)	<b>Self-Grounding</b> J-995-BRK <b>2-Wire</b> J-995-BRK2	○ ○ ○ ○	2 Screw	7" Pigtail	100	4
	LED 4-Diode License Lamp. Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D	<b>Self-Grounding</b> J-995 <b>2-Wire</b> J-995-G2	○ ○ ○ ○	2 Screw	7" Pigtail	200	4
	<b>LFB Series</b> Black Plastic License Plate Bracket with LED Light	J-LFB-LED	○ ○	4 Screw	7" Leads	50	6

# License Lamps


Bulb	Qty	Wiring	Mount	Lens	Part #	Description	
67	200	7" Pigtail	2 Screw	○	J-EC7	Luster Zinc Plating/screw mount <b>Self-Grounding</b>	
				○	J-EC7L <b>LED Version</b>		
67	200	7" Pigtail	1 Bolt	○	J-EC9	Luster Zinc Plating single 1/4" hole - bolt mount <b>Self-Grounding</b>	
				○	J-EC9L <b>LED Version</b>		
194	400	2-7" Pigtail	Push-in	○	J-EC2C	<b>EC Series</b> Model EC-2 with Twist Lock Plug. (Twist Lock with Metal Cap)	
67	400	19" Pigtail	Push-in	○	J-EC2A <b>Bulk</b>	Brass, Chrome Plated, 1-1/2" dia, 1-7/8" D (requires 1-1/4" diameter hole) <b>All Part#s Self-Ground</b>	
				○	J-EC2B <b>Retail</b>		
				○	J-EC75 <b>2-Wire</b>		
194	100	6" Lead	2 Screw	○	J-EC4 <b>Chrome</b>	Chrome Plated surface mount 1-1/4" x 2-1/2" Black Base surface mount 1-1/4" x 2-1/2"	
				○	J-EC4B <b>Black</b>		
67	200	1 5" Pigtail	2 Screw	○	J-86 <b>Self-Grounding</b>	<b>86 Series</b> 1/2 dome, Stainless with side ears for screw mounting 3-1/4" L, 2-1/4" H	
194	100	6" Lead	2 Screw	○	J-88	<b>88 Series</b> Black Plastic Body Surface Mount with Twist Lock Plug 4" x 1-9/16" x 2 5/8"	
194	200	7" Pigtail	2 Screw	○	J-99 <b>Self-Grounding</b>	<b>99 Series</b> Grey plastic body with clear lens 1-7/8" L, 2-1/4" H, 1-1/2" D	
194	200	7" Pigtail	2 Screw	○	J-99-B <b>Self-Grounding</b>	Black plastic body with clear lens 1-7/8" L, 2-1/4" H, 1-1/2" D Self-Grounding	
194	100	7" Pigtail	2 Screw	○	J-99-BRK	Grey plastic body with clear lens 1-7/8" L, 2-1/4" H, 1-1/2" D (Riveted to black painted steel license plate bracket)	

# License Lamps


	Description	Part #	Lens	Mount	Wiring	Qty	Bulb
	<b>95-EC2C</b> Plastic, Chrome Plated, 1-1/2" dia, 1-7/8" D (Twist Lock with Plastic Cap) requires 1-1/4" diameter hole 2-Wire	J-95-EC2C	○	Push-in	19" Pigtail	400	194
	<b>D-EC6</b> Stainless Steel Surface Mount License Lamp with Replaceable Bulb. Includes Mounting Screws.	D-EC6	○	2 Screw	6" Lead	250	194
	<b>600 Series</b> Sealed license light. Black body with clear light. 3-3/4" L, 2-1/8" H, 3" D	J-600	○	2 Screw	5" Pigtail	100	194
	<b>94 Series</b> Chome Hooded Snap In License Lamp with Twist Lock Harness.	SJ-94-C	○	1-1/4" hole	26" Pigtail	100	194
	<b>99 Series</b> License Lamp Housing for Late Model Ford. Cap Only, For Use wih Twist Lock Plug.	L-99-JF	○	Snap In	None	200	N/A
	<b>Toyota Lamp Housing</b> License Lamp Housing for Late Model Toyota Trucks. Cap Only, For Use wih Twist Lock Plug.	Toyota Lamp Housing	○	Popcorn	None	200	N/A
	<b>762 Series</b> Sealed license light. Black body with clear light. 1-5/8" L, 1" H, 1-3/8" D	J-762	○	2 Screw	7" Leads	500	194
	<b>H-1 Series</b> 3" x 1-1/8" Flush Mount License lamp. Mounts on 2-1/2" centers. Includes gasket.	H-1	○	2 Screw	7" Leads	200	194
	<b>LFB Series</b> Black Plastic License Plate Bracket with Light	J-LFB-L	○	4 Screw	7" Leads	50	3 194

## Replacement Bulbs

Part #	Description	Volts	Amps	Base	Hours
J-57	Automotive, Instrument	14.0	.24	BA95	500
J-67	Automotive, License	13.5	.59	BA15S	5,000
J-194	Automotive, Instrument, Heavy Duty	14.0	.27	Wedge	2,500
J-1141	Automotive S-8 size and shape, Single Contact Bayonet Base.	12.8	18.4	BA15S	885
J-1156	Automotive, Backup	12.8	2.10	BA15S	1,200
J-1157	Automotive Stop/Turn/Tail/Park	12.8	2.10	BAY15D	1,200
J-1893	T3-1/4 Mini Bayonet Base	14.0	.33	BA95	7,500
J-1895	G4-1/2 Mini Bayonet Base	14.0	.27	BA95	2,000




57




67




194



1141




1156



1157



1893



1895






## Marker Light Replacement Lenses

Series	Part #	Series	Part #
2065 & 206	● J-206-15-A ● J-206-15-R	500	● J-500-15-A ● J-500-15-R
625	● J-625-15-A ● J-625-15-R	326	● J-326-15-A ● J-326-15-R
225 & 224	● J-225-15-A ● J-225-15-R	122 & 126	● J-126-15-A ● J-126-15-R
1025 & 1024	● J-1024-15-A ● J-1024-15-R	222 & 226	● J-226-15-A ● J-226-15-R
325 & 323	● J-323-15-A ● J-323-15-A ○ J-323-15-C	626	● J-626-15-A ● J-626-15-R
5505 & 550	● J-550-15-A ● J-550-15-R	5265 & 526	● J-526-15-A ● J-526-15-R





















## Replacement Lenses





Series	Part #	Series	Part #
2024/34/44	● J-2024-15-R <a href="#">Front Lens</a>	J-91/D-21 & 92	○ D-91-15-C
2034/44/445	● J-2034-15-SR <a href="#">Side Lens</a>	D-91/92	○ D-91-15-C
20245/20445	● J-20245-15-R <a href="#">Front Lens</a>	J-96	○ J-96-15-C ● J-96-15-A
2014	● J-2014-15-R	J-97	○ J-97-15-C ● J-97-15-A
AB1/AB2	● J-AB1-15-R ● J-AB1-15-A ● J-AB1-15-B	AC1/AC2	● J-AC1-15-A ● J-AC1-15-R ● J-AB1-15-B
750/752	● J-750-15-R ○ J-750-15-C	J-90 & J-90-L	● J-90-15-R ● ○ J-90L-15-R <small>Curb Side or Street Side</small>

# Reflectors/Conspicuity

Reflectors/Conspicuity	Description	Part #	Color	Mount	Qty Pack/Cin
	<b>006 Series</b> 2" x 2.75" 10 Year Prismatic Tape Class A Reflector	J-006-A J-006-R	 	Tape	100 or 1000
	<b>REF Series</b> 2-1/4" Stud Mount Reflector with Chrome Trim	J-2-REF-SA J-2-REF-SR	 	Stud Mount	200
	<b>002 Series</b> 3-1/4" x 1-3/16" Reflector with 3M® adhesive tape	J-002-A J-002-R	 	Tape	400
	<b>003 Series</b> 1-7/8" x 4-3/8" Oval Reflector with 3M® adhesive Tape	J-003-A J-003-R	 	Tape/Screw	200
	<b>214 Series</b> 2-1/4" Round Reflector with 3M® adhesive tape	J-214-A J-214-R	 	Tape	200
	<b>40 Series</b> Red Reflex Trim Ring for 4" Flange Brackets (J-40-F)	J-40-X		3 Screw	50
	<b>TRK Series</b> Warning Triangle Set, Includes Carry Case and 3 Fold-Out Reflective Warning Triangles	J-TRK	 	N/A	3 per set/ 4 sets per carton
	<b>ALS Series</b> 48" Aluminum Strip with Pre Adhered 6" x 6" 10-Year Prismatic Grade Reflex Tape	J-ALS-6Y		Rivet	56

# Reflectors/Conspicuity

Qty	Cut	Pattern	Color	Part #	Description	
10	Continuous	7" / 11"		J-TFT-7Y	<b>TFT Series</b> Metalized 10 Year Conspicuity Tape Standard 150' x 2" Wide Rolls in Continuous or Kiss Cut, with 11" Red x 7" White or 6" Red x 6" White Pattern.	
		6" / 6"		J-TFT-6Y		
	Kiss Cut	7" / 11"		J-TFT-7K		Kiss Cut Every 18"
		6" / 6"		J-TFT-6K		Kiss Cut Every 12"
		6" / 6"		J-TFT-66K	Kiss Cut Every 6"	
20		7" / 11"		J-TFT-71Y	1" Wide Rolls	
		7" / 11"		J-TFT-712Y	1-1/2" Wide Rolls	
10	Continuous	Solid		J-TFW-12Y	Solid Silver 150' Roll Metalized 10 Year Conspicuity Tape	
10	Continuous	7" / 11"		J-PGT-7Y	<b>PGT Series</b> Prismatic 10 Year Conspicuity Tape Standard 150' x 2" Wide Rolls in Continuous or Kiss Cut, With 11" Red x 7" White or 6" Red x 6" White Pattern.	
		6" / 6"		J-PGT-6Y		Kiss Cut Every 12"
	Kiss Cut	7" / 11"		J-PGT-7K		Kiss Cut Every 18"
		6" / 6"		J-PGT-6K		Kiss Cut Every 12"
10	Continuous	Solid		J-PGY-12Y	<b>PGY Series</b> School Bus Yellow Tape 150' x 2" Roll 10 Year Prismatic Conspicuity Tape	
10	Continuous	Solid		J-PGW-12Y	<b>PGW Series</b> Solid White 150' x 2" Roll 10 Year Prismatic Conspicuity Tape	
150	Strips	6x6		J-PGT-6S	<b>PGT Strip Series</b> Pre Cut Reflex Strip 10 Year Prismatic Grade Tape	
100		11x7		J-PGT-7S		18" (11x7)
150	Strips	6x6		J-TFT-6S	<b>TFT Strip Series</b> Pre Cut Reflex Strip 10 Year Metalized Grade Tape	
100		11x7		J-TFT-7S		18" (11x7)
8	Strips	6x6		J-TFT-68	<b>Retail Packaged</b> Pre Cut Reflex Strips	
4		11x7		J-TFT-74		18" (11x7)



# LED Work Lamps

## Description

## Part #

Effective  
Lumens

Amps@  
12 V

Beam

Qty

### 14605 Series

Compact Heavy Duty LED Work Lamp.  
6 pcs 3-Watt. LED Diodes. Aluminum Housing  
w/ PC Lens. 4.25" W x 4" H x 3" D. 12-24 volt

J-14605

900

1.0 A

Narrow  
Flood

20

### 14210 Series

Oval Miniature LED Worklamp. 2x 10-Watt LED Diodes.  
3.15 W x 3.82"H x 2.44"D Housing (Includes Bracket Height).  
IP-68. 12-48 volt system

J-14210-F

1,350

1.25 A

Flood/Spot

20

### 14110 Series

SOL Series One. 10 watt mini LED Worklamp.  
2.2"L x 2.2"W x 2.5"D Housing w/ 1.2"H  
Bracket. IP-67. 10-32 volt system

J-14110

550

750 mA

Euro/Spot/Flood

20

### 14675 Series

LED Worklamp, Rect. 6x 3-Watt Diodes  
with On/Off Switch

J-14675-F

J-14675-FW

1000

1.4 A

Flood

8

### 14233 Series

No-Fastener LED Worklamp 6x3-Watt Diodes, Flood Beam  
Includes Mounting Bezel (J-14232-BZB) 12 volt system

J-14233-F

1100

1.4 A

Flood

20

### 14603 Series

LED Worklamp, Round 6x 3-Watt Diodes,  
Alum Base, IP67 10-32 volt system

J-14603-F

J-14603-S

1050

1.4 A

Flood Spot

20

### 14630/14660 Series

Oval LED Worklamp with 10x 3-Watt Diodes  
(J-14630) OR 6x10-Watt Diodes (J-14660),  
Deutsch Connector. Available in Spot or Flood  
Beam. IP-68. 10-30 volts

J-14630-F  
or S

J-14660-F  
or S

1500

2.2 A

2800

4.2 A

Spot or Flood

8



# Halogen Work Lamps

Qty	Wiring	Mount	Beam Pattern	Part #	Description
<p>All Halogen Work Lamps use 55 watt halogen bulbs with H3 bulb mounting, high heat nylon bodies and tempered glass lenses.</p>					
20	6" Cable Leads	Bolt on	Medium Flood	J-14600	<p><b>14600 Series</b></p> <p>55 Watt Halogen Work Lamp with pivoting mounting bracket. Lens: 3" H x 3" W body: 4" H x 4.25" W x 4"D White Carton Packaged</p>
20	6" Cable Leads	Bolt on	Full Flood	J-14670	<p><b>14670 Series</b></p> <p>55 Watt Halogen Work Lamp with rubber washer mounting. Lens: 4.5 H" x 4.5" W body: 5.5" H x 5.5"W x 4.25" D. White Carton Packaged</p>
20	6" Cable Leads	Bolt on	Flood	J-14850	<p><b>14850 Series</b></p> <p>55 Watt Halogen Work Lamp with bolt on bracket Lens: 3.25"H x 5.75"W body: 4.25"H x 7.25"W. White Carton Packaged</p>
20	8.5" Cable Leads	Bolt on	Trapezoidal	J-14570	<p><b>14570 Series</b></p> <p>55 Watt Halogen Work Lamp with bolt on bracket Lens: 3" H x 5.25" W body: 6" W x 3.75 H x 3.5" D. Model: J-14570-S with On/Off Switch</p>
20	6" Cable Leads	Bolt on	Trapezoidal	J-14470	<p><b>14470 Series</b></p> <p>55 Watt Halogen Work Lamp with bolt on bracket Lens: 3" H x 5.25" W body: 6" W x 3.75 H x 3.5" D.</p>
20	6" Wire Leads	Bolt on	Trapezoidal	J-14300	<p><b>14300 Series</b></p> <p><b>35 Watt Sealed Beam</b> Work Lamp. PAR 36 Bulb. Stud Mount Bracket. Hot &amp; Ground Leads. Clam Shell Packaged. Model: J-14300-S with On/Off Switch</p>
20	6" Cable Leads	Screw/Bolt	Flood/Flood	J-14659	<p><b>14659 Series</b></p> <p>55 Watt Halogen Dual Bulb Work Lamp with pivot/swivel mounting bracket. Lens: 3.5" H x 5.25" W body: 4.5"H x 6.25"W x 4.5"D. White Carton Packaged</p>
				J-14659B	<p><b>D Handle Version</b></p>



# HID Work Lamps

## Description

## Part #

Lumens

Amps@  
12 V

Beam

Qty



### 500 Series

35 Watt Compact Xenon HID Worklamp,  
Body: 4.25" W x 4" H x 5" D  
Lens: 3" W x 3" H;  
12 Volt Only Model: PL-512

12-24 volt

PL-500

3,200

3.2 A

Flood

10

12 volt

PL-512



### 700 Series

35 Watt Full Size Xenon HID Worklamp,  
Body: 5.5" W x 5.5" H x 6" D  
Lens: 4.5" W x 4.5" H  
12 Volt Only Model: PL-712

12-24 volt

PL-700

3,200

3.2 A

Trapezoidal

8

12 volt

PL-712

50 Watt Full Size Xenon HID Worklamp,  
Body: 5.5" W x 5.5" H x 6" D  
Lens: 4.5" W x 4.5" H

12 volt only

PL-745

4,000

3.7 A

Trapezoidal

8



### 732 Series

70 Watt (2x35 Watt) Dual Beam  
Xenon HID Lamp,  
Body: 6-3/8"x 4-3/8"x 5-3/8"  
Lens: 5-1/4"x 3-3/8" Glass.

12-24 volt

PL-732

6,400

6.1 A

Flood/Flood

6



### 845 Series

50 Watt Compact Heavy Duty  
Xenon HID Lamp. Body: 4"x 4"x 6"  
Lens: 3"x 3"

12 volt only

PL-845

4,000

3.7 A

Flood

10

PL-845-S

4,000

3.7 A

Spot

### 600 Series

35 Watt Oval Xenon HID Lamp,  
Lens Dimensions: 4-3/4" x 2-7/8" Oval

12 volt only

PL-612-F

3,200

3.2 A

Flood

PL-645-S

4,000

3.7 A

8

50 Watt Models: PL-645-F & PL-645-S

PL-612-F

3,200

3.2 A

Flood

PL-645-S
















4,000

3.7 A

Spot



# Boating & Specialty Lights

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description
24	50	9" Pigtail	2 Stud	 J-EA3	J-EA3	<b>EA Series</b> Euro / Australia LED Combination Lamp
				 J-EA2		
Bulb	200	2 - 7" Pigtails	3 Screw		J-1005-C	<b>1005 Series</b> Baitwell light, requires 1-1/2" mounting hole, 6 cp, requires 2-1/2" surface mounting area
Bulb	200		2 Screw		J-1901-A	<b>1901 Series</b> Flush Mount Deck light with stainless steel bezel, 3" diameter, flush mount
					J-1901-C	
6	100	6" Lead	2 Screw		J-BLB-G	<b>Bow Light Series</b> LED Bow Side Lights. Port (Red) and starboard (Green) lights feature gasket sealed design and simple 2 screw mounting. USCG 2 Nautical Mile Visibility Rated. For use on vessels under 20 Meters in length with Black plastic housing.
					J-BLB-R	
6	100	6" Lead	2 Screw		J-BLC-G	LED Bow Side Lights. Port (Red) and starboard (Green) lights with Chrome plastic housing.
					J-BLC-R	
6	100	6" Lead	2 Screw		J-BLW-G	LED Bow Side Lights. Port (Red) and starboard (Green) lights with White plastic housing.
					J-BLW-R	
50	100	2 - 7" pigtails	4 Screw		J-422-SC	<b>422 Series</b> Compact, surface mount, Lexan lens, Clear-w/switch
					J-422-A	Compact, surface mount, Lexan lens, Amber
					J-422-R	Compact, surface mount, Lexan lens, Red
50		3 - 7" pigtails	4 Screw		J-423-R	Compact (Non DOT) Stop Tail Turn Lamp



# Mounting Grommets and Brackets

	Description	Part #	Qty
<b>Grommets</b>			
	<b>54 Series</b> Black Grommet for all 3/4" Round Lights	Standard J-54-GM	200
		Sealing J-54-GMS	
	<b>10 Series</b> Black rubber grommet for all 2" Round Lights	J-10-GM	200
	Model J-11-GM required to meet PC rating for some light models	J-11-GM	
	<b>20 Series</b> Black rubber grommet for all 2-1/2" Round Lights recess mounting	J-20-GM	
	Black rubber grommet for all 2-1/2" Round Lights flush mounting	J-20-DGM	200
	Black Hybrid Grommet for 2-1/2" Round Lights	J-21-GM	
	<b>40 Series</b> Black rubber grommet or J-40, J-44, J-4412 and J-4422 Series lamps for flush mounting fits all 4" Round Lights	J-40-GM	100
	<b>30 Series</b> Black rubber grommet for J-30, J-31, J-35 and J-36 Series lamps for flush mounting fits all 3" x 5" Lights	J-30-GM	100
	<b>60 Series</b> Black rubber grommet for J-60, J-63, J-64, J-652, J-656, J-66, J-67 and J-68 Series lamps fits all 6" Oval Lights	J-60-GM	100
	<b>505 Series</b> Black rubber grommet for J-515, J-510 and J-511 Series lamps fits all 2-1/2" x 1" Oval Lights	J-505-GM	200
	<b>573 Series</b> Black rubber grommet for J-573 and J-5735 Series lamps 2-1/2" x 1-1/4"	J-573-GMN	100
	Black rubber grommet for J-573 and J-5735 Series lamps 2-1/2" x 1-1/4"	J-573-GM	250

# Mounting Grommets and Brackets

**Qty**    **Part #**    **Description**

## Trim Rings and Brackets

50	J-54-BZC	<b>54 Series</b> Chrome Plastic Trim Ring for 3/4" Lights (Fits 51/53/54/55/56 Series)
	J-505-BZB	<b>500 Series</b> Black Plastic Trim Ring for J-515 & J-510 Series Lights
200	J-505-BZC	<b>Chrome</b> Plastic Trim Ring for J-515 & J-510 Series Lights
	J-511-BZC	<b>Chrome</b> Plastic Trim Base for J-511 Series Lights
	J-65-BZB	<b>65 Series</b> Black Plastic Trim Ring for J-656-F, J-66-F, J-67-F and J-64-F Series Lights
100	J-65-BZC	Chrome Plastic Trim Ring for J-656-F, J-66-F, J-67-F and J-64-F Series Lights
	J-40-FC	<b>40 Series</b> Chrome Plastic Flange for all 4" round lights
50	J-40-FB	Black Plastic Flange for all 4" round lights
	J-40-X	Red Reflex Ring mounts on-top of the J-40-F
	J-10-BRK	<b>10 Series</b> Black Powder Coated Bracket for all 2" Oval Grommet Mount Lights.
100	J-20-BRK	<b>20 Series</b> Black Powder Coated Bracket for all 2-1/2" Oval Grommet Mount Lights.
	J-40-BRK	<b>40 Series</b> Black Powder Coated Bracket for all 4" Oval Grommet Mount Lights.
50	J-60-BRK	<b>60 Series</b> Black Powder Coated Bracket for all 6" Oval Grommet Mount Lights.
	J-LFB-N	<b>LFB Series</b> Black Plastic License Plate Bracket
50	J-LFB-L	Black Plastic License Plate Bracket with Light
100	J-2024-9B	<b>2024 Series</b> Zinc Coated Steel License Plate Bracket
50	T-65-BRK	<b>65 Series</b> Oval Black Powder Coated Bracket for all 6" oval grommet mounted lights
200	J-2023-BRK	<b>2023 Series</b> Grey Plastic License Plate Bracket (flexible)
100	J-99-BBO	<b>99 Series</b> Black Steel License Bracket



# Mounting Grommets and Brackets

	Description	Part #	Finish	Mount	Wiring	Qty
	<b>576 Series</b> 2 wire female plug for 576 series lights.	J-576-P2	●	N/A	9" Pigtail	400
	<b>154 Series</b> Stainless steel armored guard for 576 series parts.	J-154-AG	●	2 Screw	N/A	100
	<b>576 Series</b> Plastic Bracket only for 576 series lamps. Use with J-576-P2	J-576-BRK	●	2 Screw	N/A	400
	<b>576 Series</b> Fender Bracket only for 576 series lamps.	J-576-FM	●	4 Screw	13" Pigtail	200
	<b>573 Series</b> Guarded Mounting bracket for J-573 lamps	J-573-AGC	●	2 Screw	N/A	200
	Mounting bracket for J-573 lights (used with J-10-WH harness/plug)	J-573-BRK-B	●	2 Screw	N/A	400
		J-573-BRK-C	●			
	Self-Grounding mounting bracket for J-573 lights (used with J-573-WH harness/plug)	J-573-BRKG-B	●	2 Screw	N/A	400
		J-573-BRKG-C	●			
	<b>576 Series</b> Plastic mounting bracket for J-576 lights, with 7" hot wire Self-Grounding	J-576-BRK-B1	●	2 Screw	7" Pigtail	400
J-576-BRK-C1		●				
Plastic mounting bracket for J-576 lights, with 7" hot wire & ground wire	J-576-BRK-B2	●	2 Screw	7" Pigtail	400	
	J-576-BRK-C2	●				

# Plugs, Wiring and Electrical


Qty	Length	Part #	Description
1000	12"	J-573-WH	<b>573 Series</b> #8 Male hot wire harness 12" length.
200	9"	J-576-P2	<b>576 Series</b> 9" wire harness w/ 2 female contacts for J-576 series lights
800	6"	J-10-WH	<b>10 Series</b> 2-wire harness with 2 contact PL-2 male plug
500	30"	J-10-WH-30	
400	9"	J-60-WH	<b>90° Angle Plug</b>
		J-60-WHS	<b>Straight</b>
			<b>60 Series</b> 9", 3-wire harness with 3 contact PL-3 male plug
48	10'	J-407-WH	<b>400 Series</b> 7-plug harness system for rear of truck body
400	9"	J-60-ADP	<b>60 AMP Series</b> 3-Way AMP Superseal to Female PL-3 Adapter
		J-65-WH9	3-Way AMP Pigtail with Ground Ring Terminal
6000	N/A	J-801-WCB	<b>Blue with one closed barrel</b>
		J-801-WCW	<b>White with two open barrels</b>
			<b>801 Series</b> Wire connectors for 14-18 gauge wire
1	1/4" Spade	J-13872	<b>USB Port</b> USB Socket for 12 Volt panel mount applications. Provides 2 USB A female receptacles with 1.0 A and 2.1 A output. Includes weatherproof cap.

# Plugs, Wiring and Electrical

Description	Part #	Length	Qty	
	<b>5000 Series</b>	J-5007-WH	N/A	100
7-Way Round - Flat Pin RV Style Plug only				
	7-Way Round Flat Pin to 4-Way Flat Trailer Adapter	J-5747-WH	N/A	100
	7-Way Round Socket for RV Flat Pin Plugs	J-5707-WH	N/A	100
	<b>JB Series</b> 7-Way Junction Box with hardware 6-3/4" x 3-1/2" Model	J-JB	N/A	50
	Colored Terminals	J-JBC		
	<b>4100 Series</b> 4-Way Flat Trailer Wire Harness Male/Female Loop	J-4112-WH	12"	100
		J-4148-WH	48"	50
		J-4160-WH	60"	50
	2-Way Molded Male/Female .180" Plug	J-4026-WH	12"	200
	4-Way Flat 12" Harness (White, Brown, Yellow, Green)	J-4014-WH	12"	100
	4-Way Flat 35' Wishbone Harness with One 42" Ground Wire	J-5524-42	35'	24
	<b>4-Way 6000 Series</b>			
	4-Way Flat 17' Wishbone Harness with 2 Full Length Ground Wires	J-6724-WH	17'	
	4-Way Flat 30' Wishbone Harness with 2 Full Length Ground Wires	J-6324-WH	30'	24
	4-Way Flat 35' Wishbone Harness with 2 Full Length Ground Wires	J-6524-WH	35'	



Qty	Length	Part #	Description
<b>5000 Series 7-Way Round Cords</b>			
24	6'	J-5067-WH	7-Way cords with round sealed RV style connector. Features sealed molded connector with double flat pin self-cleaning contacts. Heavy duty black multiconductor cable rated to -10° C Wire gages: 2-10 / 1-12 / 4-14.  Black and white = 10 gauge Blue = 12 gauge Brown, Red, Green, Yellow = 14 gauge
12	8'	J-5087-WH	
24	9'	J-5097-WH	
12	10'	J-5107-WH	
12	11'	J-5117-WH	
10	15'	J-5157-WH	
10	24'	J-5257-WH	
<b>7-Way Arctic Series</b>			
24	6'	J-7067-WH	7-Way cords with Arctic Blue -40° Rating. Features sealed molded RV style connector with double flat pin self-cleaning contacts. Heavy duty arctic blue multi-conductor cable specially formulated for -40° to 105° C temperature extremes. Wire gauges: 2-10 / 1-12 / 4-14.
24	8'	J-7087-WH	
12	12'	J-7127-WH	
<b>4-Way 4000 Series</b>			
50	12"	J-4024-1-WH	12" leads 4-way flat trailer side connector 48" leads 4-way flat wishbone trailer side connector 25' trailer harness with 4-way flat connector & 4' vehicle harness 20' trailer harness with 4-way flat connector & 4' vehicle harness
50	48"	J-4024-24-WH	
48	25' +4	J-4024-WH	
48	20' +4	J-4224-WH	
<b>4-Way 5000 Series</b>			
24	15'	J-5124-WH	4-Way Flat Wire Harnesses. Each model features a standard un-shrouded 4-Way Flat connector, GTP wire, .180" terminal pins and a brass ground ring terminal. 5-Wire wishbone configuration includes includes brown wires, one green, one yellow and a 30" white ground wire.
24	20'	J-5224-WH	
24	25'	J-5024-WH	
24	30'	J-5324-WH	
24	35'	J-5524-WH	
24	40'	J-54024-WH	
<b>5-Way 5000 Series</b>			
24	25'	J-5025-WH	5-Way Flat Wishbone Wire Harnesses with Single Ground Wire. Each model features a standard un-shrouded 5-Way Flat connector, GTP wire, .180" terminal pins and a brass ground ring terminal. 6-Wire wishbone configuration includes two brown wires, one green, one yellow, one blue, brake wir and one 30" white ground wire.
24	30'	J-5325-WH	
24	35'	J-5525-WH	
12	40'	J-54025-WH	
12	45'	J-54525-WH	
<b>5-Way 6000 Series</b>			
12	25'	J-6025-WH	5-Way Flat Wishbone Wire Harnesses with Single Ground Wire. Each model features a standard un-shrouded 5-Way Flat connector, GTP wire, .180" terminal pins and a brass ground ring terminal. 6-Wire wishbone configuration includes two brown wires, one green, one yellow, one blue, brake wir and two full length white ground wires.
12	30'	J-6325-WH	
12	35'	J-6525-WH	
12	45'	J-64525-WH	



# Breakaway Systems



## CRTK Series

Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and 12volt/5 Ah Battery.

J-CRTK

Qty	Switch	Charger	Box Wiring	Mount	Description	Part #
10	●	●	15" (+) & (-)	Bolt on	CRTK Series	J-CRTK
8	●	●	15" Leads	Bolt on	BRTK Series	J-BRTK
8	●	●	15" Leads	Bolt on	BREK Series	J-BREK
400			N/A	N/A	TAP Series	J-TAP
100			15" Leads	N/A	BWH Series	J-BWH
100			17" Leads	N/A	BCH Series	J-BCH
50			48" Leads	Screw	ELEC Series	J-ELEC



## BRTK Series

Full Set Up Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and Battery.

J-BRTK



## BREK Series

Full Set Up Clam Shell Break Away System with LED Test Button. Includes Battery Box, J-ELEC Breakaway Switch, and Battery.

J-BREK

## TAP Series

Self Tapping Bolt for Clam Shell/ Bolt On Kits

J-TAP

## BWH Series

Pre Terminated Hot & Ground Wire for Break Away Systems

J-BWH



## BCH Series

Battery Charger for 12V breakaway system Charges and maintains all 12 volt Batteries. Battery Lead and Termination for easy connection.

J-BCH



## ELEC Series

Breakaway Switch with 48" lanyard.

J-ELEC

# Breakaway Systems

Qty	Charger	Switch	Box Wiring	Mount	Part #	Description
8	●	●	Not Wired	Bolt or Weld	J-BBK	<b>BBK Series</b> Trailer Breakaway System with battery, black powder coated mounting plate, removable plastic battery box, and breakaway switch.
	●	●			J-BBC	REWORD Available with Prewired Battery Charger
8	●	●	15" Leads	Bolt or Weld	J-BBKL	<b>BBKL Series</b> Top Load Box with LED Test Button wired with Switch, Battery & Built-In Charger Includes Metal Bracket for Bolt or Weld applications
8	●	●	Not Wired	Tension Bolt	J-TMK	<b>TMK Series</b> Breakaway System (Jack Mount) with switch + Battery
8	●	●	15" (+) & (-)	4 screw	J-FJK	<b>FJK Series</b> Flange Mount Breakaway System. Includes Plastic Battery Box, J-ELEC Breakaway Switch, and 12volt/5 Ah Battery.
8	●	●	15" Leads	4 screw	J-FJKL	<b>FJL Series</b> Flange Mount Breakaway System. Includes Plastic Battery Box, J-ELEC Breakaway Switch, 12volt/5 Ah Battery and LED Test Light.



# Trailer Accessories and Hardware

## Description

## Part #

## Qty

### Grab Handle Series



Aluminum Grab Handle - Regular holes Center to Center 11"

J-19314

100

### Door Pull Series



9 1/4" Black Plastic Door Handle

J-19101-B

100

9 1/4" Grey Plastic Door Handle

J-19101-G

100

9 1/4" White Plastic Door Handle

J-19101-W

100

### Tipperlatch Series



Spring loaded non pinching steel latch for tilt bed Zinc Plated

J-TPZ

Zinc Plated Handle and Raw U-Plate Finish

J-TPG

20

Spring loaded non pinching steel latch for tilt bed Raw Finish

J-TPR

### 11241 Series



1/2" Diameter Pull Pin with Clip

J-11241

50

### 11210 Series



1/2" Hitch Pin with Clip

J-11210

50

### 11220 Series



5/8" Hitch Pin ONLY

J-11220

50

### 11230 Series



5/8" Hitch Pin Clip ONLY

J-11230

200

### 11252 Series




3/4" Jack Pin with 12" Steel Lanyard and Safety Clip

J-11252

50

### QL Series



3/8" Quick Link

J-QL

200

### 11775 Series



Spring Latch with 1/2" Pin Diameter Pin Galvanized Finish and SS Spring

J-11775

50

### 13001 Series

4" Steel C-Clamp Copper Spindle and **Corrosion Resistant** Coating

J-13001








36

# Trailer Accessories and Hardware

Qty	Part #	Description
		<b>Doorstop Series</b>
100	J-D1	2" Straight Steel Doorstop w/ rubber cap
100	J-D2	3" Short Bent Steel Doorstop w/ rubber cap
100	J-D3	4" Long Bent Steel Doorstop w/ rubber cap
		<b>Rubber Bumper Series</b>
200	J-B1	2-1/2" Round Rubber Bumper
200	J-B15	1-1/2" Round Rubber Bumper w/ washer
500	J-B2	1" Round Rubber Bumper
		<b>Tube Cap Series</b>
400	J-P1	2-1/2" Round Plastic Tube Cap
400	J-P2	1-1/2" Square Plastic Tube Cap
200	J-P3	3-7/8" Round Plastic Coupler Cap
		<b>Door Catch Series</b>
100	J-19102-B	Black 9" 3 Piece Black or Grey Plastic Door Catch
100	J-19102-G	Gray 9" 3 Piece Black or Grey Plastic Door Catch
100	J-19062-B	Black 6" 3 Piece Black or Grey Plastic Door Catch
100	J-19062-G	Gray 6" 3 Piece Black or Grey Plastic Door Catch
		<b>D-Ring Series</b>
24	J-6000-TDZ	6,000 lb D-Ring floor tie down - Zinc Finish with Round or Square Holes. (4-1/2" x 4-7/8")
24	J-6000-TDR	6,000 lb D-Ring floor tie down - Raw Finish (4-1/2" x 4-7/8")



# Trailer Door Parts

Description		Part #	Count	Weight	
<b>TDRH Series</b>					
	1" x 10" Weld On Ramp Door Hinge with Grease Fitting, RAW Finish	TDRH03	25	51	
<b>TBH Series</b>					
	4-1/2" Weld On Ramp Door Butterfly Hinge with Grease Fitting, RAW Finish	TBH02	40	48	
<b>TDL Series</b>					
	Cargo Trailer Door Locking Latch with Strike Plate and 4 Matching Keys	TDL01-C	Chrome	20	51
		TDL01-W	White		
		TDL01-B	Black		
<b>Bar Lock Series - All Bar Locks Include Hasp</b>					
	24" Reverse 180° Hinge, Offset, Round Holes	TBR124OR	250	1070	
	24" Standard 270° Hinge, 30mm Offset, Square Holes	TBS124OS	250	1318	
	24" Standard 270° Hinge, No-Offset, Square Holes	TBS124NS	250	1108	
	36" Reverse 180° Hinge, No-Offset, Round Holes	TBR136NR	250	1442	
	36" Standard 270° Hinge, 20mm Offset, Round Holes	TBL36OR	250	1594	
	36" Zinc Finish. Bulk Pack	TBL36B	250	1600	
	36" Zinc Finish. Retail Pack	TBL36R	5	37	
	45" Zinc Finish. Retail Pack	TBL45R	5	49	
	45" Zinc Finish. Bulk Pack	TBL45B	200	1750	
	55" Black Finish. Bulk Pack	TBL55BK	150	2000	
	55" Zinc Finish. Retail Pack	TBL55R	4	58	
	Hasp for Bar Locks	THSP	50	30	
<b>TALH5</b>					
	Five Leaf Aluminium Door Hinge Raw (R) and Black (B)	TALH5R	25	52	
		TALH5B	25	52	
<b>16 Series Hinges</b>					
	Cargo Trailer Door Strap Hinge, 16" length, 1/2" Offset, Zinc Plated. 270°	T16	25	52	
	270° Strap Hinge, 16" Length with Offset and Close Bend	D16	25	54	

# Cargo Control (Hitch Balls, Locks, etc.)

## Trailer Hitch Balls

Qty	Finish	GTW LBS	Shank LTH.	Shank Dia	Ball Dia	Part #	Qty	Finish	GTW LBS	Shank LTH.	Shank Dia	Ball Dia	Part #
25	CHR	5000	2-1/8"	1"	2"	J-12100	12	heat treated	30000	2-3/4"	1-1/4"	2-5/16"	J-12577
25	CHR	5000	2-1/2"	1"	2"	J-12101	12	heat treated	30000	2-3/4" 1" Riser	1-1/4"	2-5/16"	J-12578
25	CHR	5000	3"	1"	2"	J-12103	12	heat treated	30000	2-3/4" 2" Riser	1-1/4"	2-5/16"	J-12579
25	CHR	6000	3-3/8"	1"	2"	J-12104	6	heat treated	30000	Goose	Neck	2-5/16"	J-12580
12	CHR	7500	2-1/4"	1-1/4"	2"	J-12105	6	OIL	20000	3-1/2"	2"	2-5/16"	J-12581
16	CHR	8000	2-1/2"	1-1/4"	2"	J-12106	16	OIL	7500	2-3/4"	1"	2-5/16"	J-12586
25	CHR	7500	2-1/8"	1"	2"	J-12107	12	OIL	10000	2-3/4"	1-1/4"	2-5/16"	J-12587
25	OIL	5000	2-1/2"	1"	2"	J-12189	100	CHR	Sway Control		5/8"	1-1/4"	J-17523
25	CHR	3500	2-1/2"	3/4"	2"	J-12301	25	CHR	5000	2-1/8"	1"	1-7/8"	J-17801
25	CHR	3500	2-1/8"	3/4"	2"	J-12340	25	CHR	5000	2-1/2"	1"	1-7/8"	J-17813
25	OIL	3500	2-1/2"	3/4"	2"	J-12380	25	CHR	3500	2-1/8"	3/4"	1-7/8"	J-17834
12	CHR	7500	2-3/4"	1"	2-5/16"	J-12516	25	CHR	3500	2-1/2"	3/4"	1-7/8"	J-17838
16	CHR	7500	2-1/8"	1-1/4"	2-5/16"	J-12517	25	OIL	5000	2-1/2"	1"	1-7/8"	J-17881
12	CHR	10000	2-3/4" 1" Riser	1-1/4"	2-5/16"	J-12518	25	OIL	5000	2-1/2"	3/4"	1-7/8"	J-17884
12	CHR	10000	2-3/4" 2" Riser	1-1/4"	2-5/16"	J-12519							
16	CHR	10000	2-3/4"	1-1/4"	2-5/16"	J-12527							



Part #	Description	Spare Tire Locks
100	<b>19200 Series</b> Weatherlock with Brass Tumbler in Plastic Case and 2 Keys	
50	Weatherlock with Brass Tumbler in Plastic Case, 48" Plastic Coated Cable and 2 Keys	

# Trailer Assembly Components

	Description	Part #	Count	Weight
	<b>Bolster Brackets</b>	T38	40	37
	Bolster Bracket - 8" Hot Dipped Galvanized - 11 Gauge 2.50" width, 2 each 2.75" slots & swivel attachment hole for 1/2" dia. bolts	T38BP1000	1000	950
	Bolster Bracket - 10" Hot Dipped Galvanized - 11 Gauge 2.50" width, 2 each 3.75" slots & swivel attachment hole for 1/2" dia. bolts	T310	30	35
	<b>492 Series</b> Double U-Bolt Bolster Bracket - Hot Dip Galvanized, 7 gauge Swivel Hole & 4 each 3" long Slots accept 1/2" bolts. 9-3/4" long x 4" width	T492	15	40
	Same - except Aluminum - NEW	T412A	15	14
	<b>683 Series</b> Adjustable Keel Roller Bracket Hot Dipped Galvanized 11-1/2" length, 1" offset bend Mounting holes for 3/8" dia. bolts	T683	40	35
		<b>652 Series</b> Y-Guide Bracket - 7 Gauge Hot Dipped Galvanized Secures 2" square tube vertically Mounting holes for 1/2" dia. bolts	T652G	28
Y-Guide Bracket - Aluminum Secures 2" square tube vertically Mounting holes for 1/2" dia. bolts		T652A	40	56
	Y-Guide Bracket or Guide On Post. 7 Gauge - Hot Dipped Galvanized. Secures 1-1/2" square tubing vertically or horizontally. Mounting holes for 1/2" dia. bolts. 2 hexagon bolt holes for adjustment.	T672	20	40



# Trailer Assembly Components

Weight	Count	Part #	Description
50	100	T2	<b>T Series</b> Weld on Spring Hanger, Raw Steel 1.88" inside legs, 1/2" dia. Bolt Holes .225" thickness, 1.50" wide, 2.38" high,
1035	2000	T2BP2000	
61	155	T7	Spring Shackle Hot Dipped Galvanized, 2.63" hole centers, .250" thickness 1/2" dia. U-bolt holes, 1.49" width , 4.14" long
1245	3100	T7BP3100	
60	140	T9	Axle Tie Plate - 3 hole - Hot Dipped Galvanized center hole .625", 2 outside holes accept 1/2" dia. U-bolts. Outside holes center to center = 3-1/16" .250" thickness, 1.49" width, 4.60" long
56	50	T11	Axle Tie Plate - 5 hole - Hot Dipped Galvanized center hole .66" .250" thick, 4 outside holes accept 1/2" dia. U-bolts. 3.9" width, 4.19" long
42	50	T10	Same except center hole .69"and 3.19" width, 3.80" long
59	125	T19	Axle Tie Plate - 3 hole - Hot Dipped Galvanized center hole .625" .250" thick, 2 outside holes accept 1/2" dia. U-bolts. Outside holes center to center = 3-9/16" 1.49" width, 5.06" long.
40	125	T203	Swivel Bracket - Hot Dipped Galvanized - 11 Gauge 3 Top Flange holes accept 3/8" dia. bolt. Swivel hole accepts 1/2" dia. Bolt
662	2000	T203BP2000	
28	125	T203AS	Slotted Swivel Bracket - Aluminum .250 thick, 2 ea. 3/8" top flange holes and 2 ea. Slots - 1" long X 3/8" wide. Part is 3.5" width x 2.28" high
34	125	T205AS	Same - except one 9/16" slot width. To assemble Bolster Bracket.
29	125	T203A	Swivel Bracket - Aluminum .250 thickness, 3 Top Flange holes accept 3/8" dia. bolt. Swivel hole accepts 1/2" dia. bolt. 3.5" width x 2" high
52	100	T303A	This Part # is 4.5" wide x 3.17" high



# Trailer Assembly Components

	Description	Part #	Count	Weight
	<p><b>Pontoon Brackets</b> Pontoon Bracket - Hot Dipped Galvanized, 11 Gauge, 7-1/2" long slot accepts 1/2" dia bolt. Overall length 16"</p>	TPB1H	30	58
	<p>Pontoon Bracket - Hot Dipped Galvanized, 11 Gauge, 7-1/2" long slot accepts 1/2" dia bolt. Overall length 9"</p>	TPB2H	40	57
	<p><b>PFS Series</b> Weld On Pontoon Frame Supports, RAW Finish, Left and Right Sides. Dimensions: 6" x 2" with 1-7/8" Fin. Hole Pattern: TWO 1/2" x 1" Slots Spaced 3-7/16" Apart.</p>	TPFSL	50	34
	<p><b>Pontoon Guide Bracket Series</b> Pontoon Guide Hot Dipped Galvanized 1-1/2" square, 14 gauge, 18" high 2 each 9/16" dia. mounting holes 3" between holes</p>	T0018	20	48
	<p><b>Guide-On Bracket Series</b> Guide-On Post Hot Dipped Galvanized, 14 gauge 1-1/2" square, 48" high x 24" long leg from bend (Sold by each - not pairs) <b>CUSTOM GUIDE-ON POSTS - QUOTED UPON REQUEST</b></p>	T4824	200	1890
	<p><b>Winch Seat</b> Winch seat for mounting up to a 3" x 3" winch stand. Designed to accept D-L 2000 - 3200 lb. winches and Fulton F2, 2300 and 3200 lb. winches. Arms accept a 4 inch wide bow roller.</p>	TWS04	50	796
<p><b>CUSTOM WINCH SEATS AND BOW STANDS QUOTED UPON REQUEST</b></p>				

# Trailer Assembly Components

Weight	Count	Part #	Description
<b>Vertical Bunk Brackets</b>			
			Vertical Bunk Brackets - Hot Dipped Galvanized. 250" thick mounting holes for 1/2" dia. bolts
53	20	T564	5" X 6"
51	15	T584	5" X 8"
62	15	T5104	5" X 10"
1125	225	T5104BP225	5" X 10" - Bulk Pack
73	15	T5124	5" X 12"
<b>Vertical Bunk Brackets - Aluminum</b>			
			Vertical Bunk Brackets - Aluminum mounting holes for 1/2" dia. bolts
45	40	T563A	5" x 6" .30" thick
54	40	T583A	5" x 8" .30" thick
1801	1000	T583A40	5" x 8" .40" thick - Bulk Pack
37	20	T5103A	5" x 10" .30" thick
34	15	T5103AHD	5" x 10" .40" thick
<b>Vertical Bunk Bracket</b>			
			.250" thick - Hot Dipped Galvanized mounting holes for 1/2" dia. bolts
46	15	T585R	5" x 7" - 85 degree bend
54	25	T585S	5" x 5" - 85 degree bend
46	15	T595R	5" x 7" - 95 degree bend
57	25	T595S	5" x 5" - 95 degree bend
<b>Spring Pad - Hot Dipped Galvanized</b>			
			For mounting 1.5" axle tube. 2.52" length, 1.73: width
39	125	T3	
<b>Spring Seat - Hot Dipped Galvanized</b>			
			For mounting 2" axle tube. 3" length, 1.73: width
380	1000	T4BP1000	
<b>753 Series</b>			
			Dimpled Step Pad - 11 Gauge Raw Steel. 7" x 3.5" x 1.5". Two 7/16" x 1-7/16" slots. Right Side
37	40	T753R	
37	40	T753L	Left Side



# Pinchless® Seat Hinges

	Description	Part #	Color Guide
	<p><b>1551 Series Large Hinges</b>            8" x 12" Open Dimensions with Standard Recline and Closed Corner.            Stocked in All Colors</p>	J-1551-Y J-1551-SW J-1551-BL J-1551-S J-1551-CT J-1551-MS J-1551-P	Swan White (SW)
	<p><b>1550 Series Small Hinges</b>            8" x 9.75" Open Dimensions with Standard Recline and Closed Corner.            Stocked in Black and Silver</p>	J-1550-BL  J-1550-S	Yolk/Cream White (Y)
	<p><b>1551 Series Large Classic Hinges</b>            8" x 12" Open Dimensions with Standard Recline and Open Corner.            Stocked only in Pewter</p>	J-1551-P  J-1551-CB	Flat Black (BL)
	<p><b>1550 Series Small Classic Hinges</b>            8" x 9.75" Open Dimensions with Standard Recline and Open Corner.            Stocked only in Pewter</p>	J-1550-P  J-1550-CB	Silver (S)
	<p><b>1515 Series 15° Reclined Large Hinges</b>            8" x 12" Open Dimensions with Additional 15° Recline Angle and Closed Corner.            Stocked only in Black</p>	J-1515-BL	Coffee Tan (CT)
	<p><b>1556 Series Hybrid Jump Seat Hinges</b>            8" x 12" Open Dimensions with High Pivot Point and Flush Back Design.            Stocked only in black</p>	TJ-1556-BL	Moonstone (MS)
	<p><b>1555 Series High Back Jump Seat Hinges</b>            8" x 14" Open Dimensions with Low Pivot Point and Flush Back Design.            Stocked only in Silver</p>	TW-1555-S	Pewter (P)

All hinges produced with Powder Coated 5052 Aluminum and Stainless Steel Rivets. Pinchless® design constructed to meet ABYC H31 Impact Testing Standard. **All Hinges Packed 20 Pair Per Carton.**



D-16	46	J-12105	47	J-14603-S	32
D-EC6	28	J-12106	47	J-14605	32
H-1	28	J-12107	47	J-14610	NOT IN CATALOG
J-002-A	30	J-12150	47	J-14630-F	32
J-002-R	30	J-12189	47	J-14630-S	32
J-003-A	30	J-122-A	21	J-14655	DISCONTINUED
J-003-R	30	J-122-R	21	J-14659	33
J-006-A	30	J-12301	47	J-14659B	33
J-006-R	30	J-12340	47	J-14660-F	32
J-1005-C	35	J-12380	47	J-14660-S	32
J-1024-15-A	29	J-12516	47	J-14670	33
J-1024-15-R	29	J-12517	47	J-14850	33
J-1024-A	19	J-12518	47	J-14935	DISCONTINUED
J-1024-AA	19	J-12519	47	J-151-A	3
J-1024-APC	19	J-12527	47	J-151-R	3
J-1024-EMA	19	J-12576	47	J-154-AG	39
J-1024-EMR	19	J-12577	47	J-1550-BL	52
J-1025-A2	4	J-12578	47	J-1550-CT	52
J-1025-AA	4	J-12579	47	J-1550-MS	52
J-1025-EMA	4	J-12580	47	J-1550-P	52
J-1025-R2	4	J-12581	47	J-1550-S	52
J-1025-RR	4	J-12586	47	J-1550-SW	52
J-1055-A	4	J-12587	47	J-1550-Y	52
J-1055-R	4	J-126-15-A	29	J-1551-BL	52
J-105-A	22	J-126-15-R	29	J-1551-CT	52
J-105-R	22	J-126-AW	21	J-1551-MS	52
J-10-A	22	J-126-RW	21	J-1551-P	52
J-10-AK	22	J-13001	44	J-1551-S	52
J-10-BRK	37	J-13712-A	18	J-1551-SW	52
J-10-C	NOT IN CATALOG	J-13712-AB	NOT IN CATALOG	J-1551-Y	52
J-10-FFA	22	J-13712-F	18	J-1553-LT	NOT IN CATALOG
J-10-FFR	22	J-13724-A	18	J-1553-RT	NOT IN CATALOG
J-10-GM	36	J-13724-AB	18	J-1554-RT/LT	NOT IN CATALOG
J-10-R	22	J-13724-F	18	J-15-A	3
J-10-RK	22	J-13824-F	18	J-15-AC	3
J-10-WH	39	J-14110	32	J-15-AK	3
J-11210	44/50	J-14110-F	32	J-15-AKC	3
J-11220	44	J-14210-F	32	J-15-ASP	3
J-11230	44	J-14210-S	32	J-15-FFA	3
J-11241	44	J-14233-F	32	J-15-FFR	3
J-11252	44	J-14300	33	J-15-FFRH	3
J-11775	44	J-14300-S	33	J-15-R	3
J-11-AK	NOT IN CATALOG	J-14410-F	NOT IN CATALOG	J-15-RC	3
J-11-GM	36	J-14410-S	NOT IN CATALOG	J-15-RK	3
J-11-RK	NOT IN CATALOG	J-14570	33	J-15-RKC	3
J-12100	47	J-14570S	33	J-15-RSP	3
J-12101	47	J-14675-F	32	J-15-SA	3
J-12103	47	J-14600	33	J-15-SR	3
J-12104	47	J-14603-F	32	J-16-A	3

# Index

J-16-AK	3	J-2044-L	24	J-24247	12
J-16-R	3	J-205-15-A	29	J-24247-L	12
J-16-RK	3	J-205-15-R	29	J-24247-NC	13
J-17801	47	J-205-A	22	J-242-AR	9
J-17813	47	J-205-R	22	J-242-M	9
J-17834	47	J-2065-A	3	J-243-ARC	9
J-17838	47	J-2065-R	3	J-25-A	3
J-17881	47	J-206-A	22	J-25-AC	3
J-17884	47	J-206-R	22	J-25-AK	3
J-18200	47	J-2078	12	J-25-AKC	3
J-1901-A	35	J-2078-KCD	13	J-25-FFA	3
J-1901-C	35	J-2078-L	12	J-25-FFR	3
J-19062-B	45	J-20-A	22	J-25-R	3
J-19062-G	45	J-20-AK	22	J-25-RC	3
J-19101-B	44	J-20-BRK	37	J-25-RK	3
J-19101-G	44	J-20-DGM	36	J-25-RKC	3
J-19101-W	44	J-20-FFA	22	J-26-A	3
J-19102-B	45	J-20-FFR	22	J-26-AGK	3
J-19102-G	45	J-20-GM	36	J-26-AK	NOT IN CATALOG
J-19200	47	J-20-R	22	J-26-R	3
J-19202	47	J-20-RK	22	J-26-RGK	3
J-19314	44	J-214-A	30	J-26-RK	NOT IN CATALOG
J-2014	24	J-214-R	30	J-272-L	20
J-2014-15-R	29	J-21-A	3	J-272-R	20
J-2014-L	24	J-21-GM	36	J-275-A	9
J-2023	24	J-21-R	3	J-275-R	9
J-2023-BRK	37	J-222-A	21	J-2-REF-SA	30
J-2023-L	24	J-222-R	21	J-2-REF-SR	30
J-2024	24	J-223-A	21	J-301-AW	19
J-2024-15-R	29	J-223-R	21	J-301-RW	19
J-20245	12	J-224-A	4	J-30-A	23
J-20245-15-R	29	J-224-R	4	J-30-AK	23
J-20245-L	12	J-225-15-A	29	J-30-C	23
J-20245-NC	13	J-225-15-R	29	J-30-CK	23
J-2024-9B	37	J-225-A	4	J-30-GM	36
J-2024-KCD	14	J-225-R	4	J-30-R	23
J-2024-L	24	J-226-15-A	29	J-30-RK	23
J-2034	24	J-226-15-R	29	J-312-CC	18
J-2034-15-SR	29	J-226-A	21	J-313-CC	18
J-2034-KCD	DISCONTINUED	J-226-R	21	J-314-R	DISCONTINUED
J-2034-L	24	J-227-A	21	J-315-A	5
J-2044	24	J-227-R	21	J-315-R	5
J-20445	12	J-241-A	9	J-31-A	8
J-20445-L	12	J-241-C	9/18	J-31-AK	8
J-20445-NCD	14	J-241-C	9/18	J-31-C	8
J-20447	12	J-241-R	9	J-31-CK	8
J-20447-L	12	J-24245	12	J-31-R	8
J-20447-NCD	13	J-24245-L	12	J-31-RK	8
J-2044-KCD	14	J-24245-NC	13	J-322-L	NOT IN CATALOG



J-322-R _____	NOT IN CATALOG	J-4112-WH _____	40	J-500-3BR _____	25
J-323-15-A _____	29	J-4148-WH _____	40	J-500-3WA _____	25
J-323-15-C _____	29	J-4160-WH _____	40	J-500-3WR _____	25
J-323-15-R _____	29	J-4224-WH _____	41	J-5007-WH _____	40
J-323-A _____	21	J-422-A _____	35	J-500-A _____	19
J-323-C _____	21	J-422-C _____	NOT IN CATALOG	J-500-GA _____	19
J-323-R _____	21	J-422-R _____	35	J-500-GR _____	19
J-325-A _____	4	J-422-SC _____	35	J-500-R _____	19
J-325-C _____	4	J-423-R _____	35	J-5024-WH _____	41
J-325-R _____	4	J-425-AW _____	4	J-5025-WH _____	41
J-326-15-A _____	29	J-425-RW _____	4	J-505-BZ-B _____	37
J-326-15-R _____	29	J-426-BA _____	21	J-505-BZ-C _____	37
J-326-BA _____	20	J-426-BR _____	21	J-505-GM _____	36
J-326-BR _____	20	J-426-WA _____	21	J-5067-WH _____	41
J-326-WA _____	20	J-426-WR _____	21	J-5085-R _____	10
J-326-WR _____	20	J-42-R _____	23	J-5086-WH _____	NOT IN CATALOG
J-35-A _____	8	J-42-RK _____	23	J-5087-WH _____	41
J-35-A12/24 _____	NOT IN CATALOG	J-44010 _____	NOT IN CATALOG	J-508-R _____	25
J-35-AGK _____	8	J-44030 _____	NOT IN CATALOG	J-5097-WH _____	41
J-35-AK _____	8	J-4412-A _____	8	J-5107-WH _____	41
J-35-C _____	8	J-4412-A12/24 _____	8	J-510-A _____	5
J-35-CGK _____	8	J-4412-AC _____	8	J-510-AC _____	5
J-35-CK _____	8	J-4412-AK _____	8	J-510-ACS _____	5
J-35-R _____	8	J-4412-C _____	8	J-510-AR24 _____	5
J-35-R12/24 _____	NOT IN CATALOG	J-4412-C12/24 _____	8	J-510-AS _____	5
J-35-RGK _____	8	J-4412-CK _____	8	J-510-FML _____	5
J-35-RK _____	8	J-4412-FAX _____	8	J-510-FMR _____	5
J-36-A _____	11	J-4412-FRB _____	8	J-510-R _____	5
J-36-AK _____	11	J-4412-FRC _____	8	J-510-RC _____	5
J-37-A _____	8	J-4412-FRX _____	8	J-510-RCS _____	5
J-37-R _____	8	J-4412-G24 _____	8	J-510-RS _____	5
J-4024-1-WH _____	41	J-4412-R _____	8	J-5117-WH _____	41
J-4014-WH _____	40	J-4412-R12/24 _____	8	J-511-A _____	5
J-4024-24-WH _____	41	J-4412-RC _____	8	J-511-ACS _____	5
J-4024-WH _____	41	J-4412-RK _____	8	J-511-AS _____	5
J-4026-WH _____	40	J-4422-A _____	11	J-511-R _____	5
J-404-WH _____	NOT IN CATALOG	J-44-A _____	8	J-511-RCS _____	5
J-407-WH _____	39	J-44-AK _____	8	J-511-RS _____	5
J-40-A _____	23	J-44-R _____	8	J-5124-WH _____	41
J-40-AK _____	23	J-44-RH _____	8	J-5127-WH _____	NOT IN CATALOG
J-40-BRK _____	37	J-44-RK _____	8	J-5157-WH _____	41
J-40-C _____	23	J-455-SC _____	18	J-515-A _____	5
J-40-CK _____	23	J-480-A _____	21	J-515-AC _____	5
J-40-FB _____	37	J-480-R _____	21	J-515-CC _____	5
J-40-FC _____	37	J-485-A _____	4	J-515-R _____	5
J-40-GM _____	36	J-485-R _____	4	J-515-RC _____	5
J-40-R _____	23	J-500-15-A _____	29	J-51-A _____	2
J-40-RK _____	23	J-500-15-R _____	29	J-51-A3 _____	NOT IN CATALOG
J-40-X _____	30/37	J-500-3BA _____	25	J-51-AC _____	2

# Index

J-51-ACS	NOT IN CATALOG
J-51-AE	2
J-51-AM48	2
J-51-AMS	2
J-51-BC	2
J-51-C	2
J-51-ID	2
J-51-R	2
J-51-R3	NOT IN CATALOG
J-51-RC	2
J-51-RCS	NOT IN CATALOG
J-51-RE	2
J-51-RMS	2
J-5214-WH	NOT IN CATALOG
J-5224-WH	41
J-522-FML	41
J-522-FMR	29
J-5257-WH	29
J-526-15-A	29
J-526-15-R	29
J-5265-A	6
J-5265-R	6
J-526-A	19
J-526-R	19
J-52-FML	6
J-52-FMR	6
J-5324-WH	41
J-5325-WH	41
J-5353-A2	10
J-5353-AC	10
J-5353-R3	10
J-5353-RC	10
J-5354-R	10
J-5354-RC	10
J-535-A3	9
J-535-AC	NOT IN CATALOG
J-535-BZC	9
J-535-C	9
J-535-R	9
J-535-RC	9
J-536	9
J-53-A	2
J-53-A24	2
J-53-AC	NOT IN CATALOG
J-53-C	2
J-53-R	2
J-53-R24	2
J-53-RC	NOT IN CATALOG
J-54025-WH	41

J-541	NOT IN CATALOG
J-54525-WH	41
J-54-A	2
J-54-A24	2
J-54-AC	2
J-54-BZC	37
J-54-GM	2/36
J-54-GMS	36
J-54-R	2
J-54-R24	2
J-54-RC	2
J-550-15-A	29
J-550-15-R	29
J-5505-A	6
J-5505-R	6
J-550-A	19
J-550-R	19
J-551-RBS	10
J-551-RCG	NOT IN CATALOG
J-551-RRS	10
J-5524-WH	41
J-5525-WH	41
J-555-A	10
J-555-AC	10
J-555-R	10
J-555-RC	10
J-55-A	2
J-55-AC	2
J-55-BC	2
J-55-C	2
J-55-GC	2
J-55-R	2
J-55-RC	2
J-5695-R	10
J-569-A	25
J-569-R	25
J-569-WH	NOT IN CATALOG
J-56-A	2
J-56-R	2
J-5725-L	NOT IN CATALOG
J-5725-R	NOT IN CATALOG
J-572-L	20
J-572-R	20
J-573-3BR	25
J-573-3SR	25
J-573-3WR	25
J-5735-3BR	10
J-5735-3SR	10
J-5735-3WR	10

J-5735-A	6
J-5735-AK	NOT IN CATALOG
J-5735-C	6
J-5735-R	6
J-5735-SA	6
J-5735-SR	6
J-573-A	20
J-573-AGC	38
J-573-AK	20
J-573-BRK-B	38
J-573-BRK-C	38
J-573-BRK-GB	38
J-573-BRK-GC	38
J-573-C	20
J-573-GM	36
J-573-GMN	36
J-573-R	6
J-573-RK	20
J-573-SMA	20
J-573-SMR	20
J-573-WH	39
J-5765-A	6
J-5765-AC	6
J-5765-AR	6
J-5765-ARC	6
J-5765-ARC-FM	6
J-5765-AR-FM	6
J-5765-R	6
J-5765-RC	6
J-576-A	20
J-576-AR	20
J-576-AR-FM	20
J-576-BRK	39
J-576-BRK-B1	39
J-576-BRK-B2	39
J-576-BRK-C1	39
J-576-BRK-C2	39
J-576-FM	39
J-576-P2	38/39
J-576-R	20
J-585-SA	5
J-585-SR	5
J-5-AC	2
J-5-B	2
J-5-C	2
J-5-GC	2
J-5-RC	2
J-600	28
J-6000-TDR	45





J-6000-TDZ	45	J-6625-RCA	11	J-726-R	21
J-6025-WH	41	J-66-A	7	J-72-KC	14
J-605	26	J-66-A12/24	NOT IN CATALOG	J-72-L	11
J-60-A	23	J-66-AC	7	J-73	24
J-60-ADP	39	J-66-ACK	7	J-73-KC	14
J-60-AK	23	J-66-AK	7	J-73-L	24
J-60-BRK	37	J-66-C	7	J-75	12
J-60-C	23	J-66-C12/24	NOT IN CATALOG	J-750-15-C	29
J-60-CK	23	J-66-CK	7	J-750-15-R	29
J-60-GM	36	J-66-FA	7	J-750-A	23
J-60-R	23	J-66-FAC	7	J-750-C	23
J-60-RK	23	J-66-FC	7	J-750-R	23
J-60-WH	39	J-66-FR	7	J-7525-R	8
J-625-15-A	29	J-66-FRC	7	J-752-R	23
J-625-15-R	29	J-66-R	7	J-755-AA	15
J-625-A	4	J-66-R12/24	NOT IN CATALOG	J-755-AR	15
J-625-R	4	J-66-RC	7	J-755-RB	15
J-626-15-A	29	J-66-RCK	7	J-75-KC	14
J-626-15-R	29	J-66-RH	7	J-75-L	12
J-626-A	21	J-66-RK	7	J-762	28
J-626-AB	21	J-67-A	7	J-77	11
J-626-GM	NOT IN CATALOG	J-67-AH	NOT IN CATALOG	J-77-KC	13
J-626-R	21	J-67-AK	7	J-77-L	11
J-626-RB	21	J-67-C	7	J-801-WCB	39
J-6325-WH	41	J-67-CK	7	J-801-WCW	39
J-63-A	23	J-67-FR	7	J-80-SC	17
J-63-AK	23	J-67-FRC	7	J-80-WC	17
J-64525-WH	41	J-67-R	7	J-84-A	1
J-64-A	6	J-67-RH	7	J-84-R	1
J-64-AK	6	J-67-RK	7	J-855-1-C	NOT IN CATALOG
J-64-FA	6	J-68-FRH4	7	J-855-C	NOT IN CATALOG
J-6525-WH	41	J-68-FRH5	7	J-856-1-C	NOT IN CATALOG
J-652-FR	7	J-68-RH4	7	J-856-C	NOT IN CATALOG
J-652-R	7	J-68-RP5	7	J-85-A	9
J-652-RK	7	J-68-RS5	7	J-85-C	9
J-656-A	7	J-70	24	J-85-R	9
J-656-C	7	J-7007-WH	16	J-86	27
J-656-FR	7	J-7067-WH	41	J-88	27
J-656-FRC	7	J-7087-WH	41	J-89	26
J-656-R	7	J-70-KC	NOT IN CATALOG	J-90	24
J-656-RC	7	J-70-L	24	J-90-15-R	29
J-656-RK	7	J-71	11	J-90-B	24
J-65-BZB	37	J-7127-WH	41	J-90-L	24
J-65-BZC	37	J-71-KC	14	J-90L-15-R	29
J-6625-A	11	J-71-L	11	J-90-LB	24
J-6625-FA	11	J-72	11	J-90-R	24
J-6625-FR	11	J-725-A	4	J-90-RL	24
J-6625-FRCA	11	J-725-R	4	J-91	17
J-6625-R	11	J-726-A	21	J-914	17

# Index

J-916	17
J-92	17
J-926	17
J-95-EC2B	NOT IN CATALOG
J-95-EC2C	28
J-96-15-A	29
J-96-15-C	29
J-965-BNA	18
J-965-BSC	18
J-96-BSA	17
J-96-WNC	17
J-97-15-A	29
J-97-15-C	29
J-97-BNA	17
J-97-WSC	17
J-99	27
J-995	26
J-995-BRK	26
J-995-BRK2	26
J-995-G2	26
J-99-B	27
J-99-BBO	37
J-99-BRK	27
J-99-BRK2	NOT IN CATALOG
J-AB1-15-A	29
J-AB1-15-B	29
J-AB1-15-R	29
J-AB1-AA	16
J-AB1-RB	16
J-AB2-L3	16
J-AB2-L4	16
J-AB2-R3	16
J-AB2-R4	16
J-AC1-15-A	29
J-AC1-15-B	29
J-AC1-15-R	29
J-AC1-AA	15
J-AC1-AA2D	NOT IN CATALOG
J-AC1-AA2F	NOT IN CATALOG
J-AC1-AA3	NOT IN CATALOG
J-AC1-AA3F	NOT IN CATALOG
J-AC1-RB	15
J-AC1-RB2F	NOT IN CATALOG
J-AC1-RB3F	NOT IN CATALOG
J-AC1-RB3F	NOT IN CATALOG
J-AC2-L3	15
J-AC2-L4	15
J-AC2-L4D	NOT IN CATALOG
J-AC2-R3	15

J-AC2-R4	15
J-AC2-R4D	NOT IN CATALOG
J-AC2-WH4K	15
J-AEM-46	16
J-AEM-48	16
J-AEM-58	NOT IN CATALOG
J-AG2-WH	NOT IN CATALOG
J-AG3-WH	NOT IN CATALOG
J-AG4-WH	NOT IN CATALOG
J-AGM-WH16	16
J-AGM-WH16	16
J-AGM-WH21	16
J-AGM-WH8	16
J-AGW-WH2	16
J-AGW-WH20	16
J-AGW-WH8	16
J-AGX-WH3	16
J-ALS-6Y	30
J-AMK	16
J-B1	45
J-B15	45
J-B2	45
J-BBK	43
J-BBKL	43
J-BCH	42
J-BLB-G	35
J-BLB-R	35
J-BLC-G	35
J-BLC-R	35
J-BLW-G	35
J-BLW-R	35
J-BREK	42
J-BRTK	42
J-BWH	42
J-CRTK	42
J-D1	45
J-D2	45
J-D3	45
J-EA2	35
J-EA3	35
J-EC2A	27
J-EC2C	27
J-EC2L	26
J-EC4	27
J-EC4B	27
J-EC5	26
J-EC5B	26
J-EC6	NOT IN CATALOG
J-EC7	27

J-EC75	27
J-EC9	27
J-ELEC	42
J-FFT-6K	NOT IN CATALOG
J-FFT-6Y	NOT IN CATALOG
J-FFT-71Y	NOT IN CATALOG
J-FFT-7K	NOT IN CATALOG
J-FFT-7Y	NOT IN CATALOG
J-FJK	43
J-FJKL	43
J-JB	40
J-JBC	40
J-LFB-L	28/37
J-LFB-LED	26
J-LFB-N	37
J-P1	45
J-P2	45
J-P3	45
J-PB201-A	19
J-PB201-R	19
J-PGR-9S	16
J-PGT-61Y	NOT IN CATALOG
J-PGT-6K	31
J-PGT-6Y	31
J-PGT-7K	31
J-PGT-7S	31
J-PGT-7Y	31
J-PGW-12Y	31
J-PGY-12Y	31
J-PGY-9S	16
J-QL	44
J-RFR-12Y	NOT IN CATALOG
J-SBK	NOT IN CATALOG
J-TAP	42
J-TFT-68	31
J-TFT-6Y	31
J-TFT-74	31
J-TFT-7Y	31
J-TMK	43
J-TPG	44
J-TPR	44
J-TPZ	44
J-TRK	30
J-VID	10
L-99-JF	28
PL-500	34
PL-512	34
PL-612-F	34
PL-612-S	34



PL-645-F	34	T586A	NOT IN CATALOG	TALH5B	46
PL-645-S	34	T595R	51	J-BBC	43
PL-700	34	T595S	51	J-TFT-7K	31
PL-712	34	T6024	NOT IN CATALOG	J-TFT-6K	31
PL-732	34	T652A	48	J-TFT-66K	31
PL-745	34	T652G	48	J-TFT-71Y	31
PL-845	34	T-65-BRK	37	J-TFT-712Y	31
SJ-94-C	28	T672	48	J-TFW-12Y	31
SJ-EC-75	NOT IN CATALOG	T683	37	J-PGT-6S	31
T0018	50	T7	49	J-PGT-7S	31
T10	49	T753L	51	J-TFT-6S	31
T11	49	T753R	51	J-TFT-7S	31
T16	46	T7BP3100	49	D-EC6	28
T16S	DISCONTINUED	T9	49	J-EC-7L	27
T19	49	TBH02	46	J-EC-9L	27
T2	49	TBL36B	46	J-EC2B	27
T203	49	TBL36R	46	J-14470	33
T203A	49	TBL45B	46	PL-845-S	34
T203AS	49	TBL45R	46	J-14675-FW	32
T203BP2000	49	TBL55BK	46	J-57475-WH	40
T205AS	49	TBL55R	46	J-5707-WH	40
T2224	NOT IN CATALOG	TDL01	NOT IN CATALOG	J-5524-42-WH	40
T2BP2000	49	TDL01B	46	J-6524-WH	40
T3	51	TDL01C	46	J-54024-WH	41
T303A	49	TDL01G	NOT IN CATALOG	J-65-WH9	39
T310	48	TDL01P	NOT IN CATALOG	J-60-WHS	39
T310BP700	48	TDL01R	NOT IN CATALOG	J-10-WH30	39
T312	48	TDL01W	46	D-91-15-C	29
T312BP500	48	TDL01Y	NOT IN CATALOG	J-AB1-15-R	29
T3303	NOT IN CATALOG	THSP	46	J-AB1-15-A	29
T38	48	TOYOTA	28	J-AB1-15-B	29
T38BP1000	48	TPB1H	50	J-57	29
T4	NOT IN CATALOG	TPB1HBP600	50	J-67	29
T412A	48	TPB1R	NOT IN CATALOG	J-194	29
T4824	50	TPB2H	50	J-1141	29
T492	48	TPFSL	50	J-1156	29
T4BP1000	51	TPFSR	50	J-1157	29
T5103A	51	TSJ	50	J-1893	29
T5103AHD	51	U-TRK	NOT IN CATALOG	J-1895	29
T5104	51	X-35-B	NOT IN CATALOG		
T5104BP225	51	X-45-B	NOT IN CATALOG		
T5124	51	ZR-1-WH	NOT IN CATALOG		
T563A	51	TDRH03	46		
T564	51	TBR124OR	46		
T583A	51	TBS124OS	46		
T583A40	51	TBS124NS	46		
T584	51	TBR136NR	46		
T585R	51	TBL36OR	46		
T585S	51	TALH5R	46		