

SOLAS and MED Approved Life Rings

Hard Shell SOLAS and MED Series

Features Include:

Manufactured to U.S.C.G., SOLAS and MED standards Rock-Hard polyethylene shell for added durability

Molded-In Rope Holes for easy rope replacement. 3/8" Polypropylene UV resistant rope Retroreflective Tape included



HARD SHELL SOLAS SERIES LIFE RING SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.	SOLAS APPROVAL NO.	MED APPROVED
SW HSO-30	30"	ORANGE	6	46 lbs.	160.050/155/0	160.150/11/0	Yes
SW HSOH-30*	30"	ORANGE	6	60 lbs.	160.050/175/0	160.150/19/0	Yes
HSO-30	30"	ORANGE	6	46 lbs.	160.050/155/0	160.150/11/0	
HSOH-30*	30"	ORANGE	6	60 lbs.	160.050/175/0	160.150/19/0	

^{*4}kg. for use with quick release devices with self-activated lights and smoke signals

IB SOLAS Series

Features Include:

Manufactured to U.S.C.G. and SOLAS standards

Nylon reinforced vinyl cover with rigid urethane foam construction

Molded-In Rope Holes for easy rope replacement. 3/8" Polypropylene UV resistant rope Retroreflective Tape included

IB SOLAS SERIES LIFE RING SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.	SOLAS APPROVAL NO.
JBSO-30	30"	ORANGE	6	36 lbs.	160.050/135/0	160.150/6/0
IBSOH-30*	30"	ORANGE	6	57 lbs.	160.050/136/0	160.150/7/0

^{*4}kg. for use with quick release devices with self-activated lights and smoke signals

U.S.C.G. Approved Life Rings

Hard Shell Series

Features Include:

Manufactured to U.S.C.G. standards.

Rock-Hard polyethylene shell for added durability

Molded-In Rope Holes for easy rope replacement. 3/8" Polypropylene UV resistant rope Retroreflective Tape available, when ordering add "T" to model number





MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.
HS-20 W	20"	WHITE	6	26 lbs.	160.050/171/0
HS-20 O	20"	ORANGE	6	26 lbs.	160.050/170/0
HS-24 W	24"	WHITE	6	29 lbs.	160.050/173/0
HS-24 O	24"	ORANGE	6	29 lbs.	160.050/172/0
HS-30 W	30"	WHITE	6	46 lbs.	160.050/174/0
HS-30 O	30"	ORANGE	6	46 lbs.	160.050/154/0

Features Include:

U.V. coated

4 Sets each letters & numbers All letters & numbers 2" Easy to peel & apply

LETTERING KIT SPECIFICATIONS

Letter Your Own (Lettering Kit)

MODEL WEIGHT LETTER & PACK COLOR PER CASE NUMBER NUMBER SIZE PER CASE Resists Fuel, scratching and fading BLACK 6 lbs.



U.S.C.G. Approved Life Rings (cont.)

G and GX Series

G STYLE (WITH WEBBING STRAPS) SPECIFICATIONS



		,		,		
	MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.
	G-19*	19"	WHITE	6	14 lbs.	160.064/185/0
	GW-20	20"	WHITE	6	18 lbs.	160.050/48/2
1	GO-20	20"	ORANGE	6	18 lbs.	160.050/105/1
)	GW-24	24"	WHITE	6	21 lbs.	160.050/50/2
	GO-24	24"	ORANGE	6	21 lbs.	160.050/106/1
	GW-30	30"	WHITE	6	33 lbs.	160.050/107/1
	GO-30	30"	ORANGE	6	33 lbs.	160.050/107/1
			* For recrea	ational use, v	white only	



Features Include:

Solid closed cell foam throughout
Soft and resilient to the touch
Resists rot and mildew
Double UV inhibitor, to prevent deterioration
Resists weather and temperature extremes
Retroreflective Tape available, when ordering
add "T" to model number

"GX" STYLE (WITH ROPE MOLDED INTO CORE) SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.
GW-X-20	20"	WHITE	6	18 lbs.	160.050/61/2
GO-X-20	20"	ORANGE	6	18 lbs.	160.050/102/1
GW-X-24	24"	WHITE	6	21 lbs.	160.050/60/2
GO-X-24	24"	ORANGE	6	21 lbs.	160.050/103/1
GW-X-30	30"	WHITE	6	33 lbs.	160.050/104/1
GO-X-30	30"	ORANGE	6	33 lbs.	160.050/104/1

JB and JBX Series



JB STYLE (WITH WEBBING STRAPS) SPECIFICATIONS

•	·		· ·		
MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.
JB-19*	19"	WHITE	6	14 lbs.	160.064/3192/0
JBW-20	20"	WHITE	6	18 lbs.	160.050/145/0
JBO-20	20"	ORANGE	6	18 lbs.	160.050/142/0
JBW-24	24"	WHITE	6	21 lbs.	160.050/147/0
JBO-24	24"	ORANGE	6	21 lbs.	160.050/140/0
JBW-30	30"	WHITE	6	33 lbs.	160.050/149/0
JBO-30	30"	ORANGE	6	33 lbs.	160.050/138/0

* For recreational use, white only

Features Include:

Nylon reinforced vinyl cover with rigid urethane foam construction

Resists rot and mildew

Resists weather and temperature extremes

Retroreflective Tape available, when ordering add "T" to model number

JBX STYLE (WITHOUT WEBBING STRAPS) SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE	USCG APPROVAL NO.
JBW-X-20	20"	WHITE	6	18 lbs.	160.050/146/0
JBO-X-20	20"	ORANGE	6	18 lbs.	160.050/143/0
JBW-X-24	24"	WHITE	6	21 lbs.	160.050/148/0
JBO-X-24	24"	ORANGE	6	21 lbs.	160.050/141/0
JBW-X-30	30"	WHITE	6	33 lbs.	160.050/150/0
JBO-X-30	30"	ORANGE	6	33 lbs.	160.050/139/0



CANADIAN Approved Lifebuoys

Hard Shell SOLAS Series

Features Include:

Manufactured to Transport Canada <u>and</u> SOLAS Standards Rock-Hard polyethylene shell for added durability Molded-In rope holes for easy rope replacement 3/8"(9.5mm) Polypropylene UV resistant rope

Retroreflective tape included

SOLAS

CANADIAN HARD SHELL LIFEBUOY SPECIFICATIONS

MODEL NUMBER	DESCRIPTION	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE
C-HSO-30	2.5 kg	30" (762 mm)	ORANGE	6	46 lbs. (21kg.)
C-HSOH-30*	4 kg	30" (762 mm)	ORANGE	6	60 lbs. (27kg.)

^{* 4}kg. for use with quick release devices with self-activated lights and smoke signals

Hard Shell Small Vessel Series

CANADIAN HARD SHELL LIFEBUOY SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE
C-HS-24 O	24" (610 mm)	ORANGE	6	29 lbs. (13kg.)
C-HS-24 W	24" (610 mm)	WHITE	6	29 lbs. (13kg.)
C-HS-24 Y	24" (610 mm)	YELLOW	6	29 lbs. (13kg.)



Features Include:

Manufactured to Transport Canada Standards
Rock-Hard polyethylene shell for added durability
Molded-In rope holes for easy rope replacement
3/8"(9.5mm) Polypropylene UV resistant rope

Life Ring Cabinets/Safety Stations

Life Ring Cabinets

Features Include:

Sturdy polyethylene case and backing Now available in White, Orange and Yellow cases Polycarbonate Non-Breakable window Stainless and aluminum hardware



Life Ring Safety Station

Features Include:

Same as life ring cabinets **Does** include life ring



LIFE RING CABINET/SAFETY STATION SPECIFICATIONS

MODEL NUMBER	DESCRIPTION	BUOY DIAMETER	PACK PER CASE	WEIGHT PER CASE
5030	CABINET	20"	1	13 lbs.
5030 A	SAFETY STATION	20"	1	16 lbs.
5050	CABINET	24"	1	15 lbs.
5050 A	SAFETY STATION	24"	1	20 lbs.
5070	CABINET	30"	1	23 lbs.
5070 A	SAFETY STATION	30"	1	30 lbs.

Swimming Pool and Decorative Life Rings

P-Series

Features Include:

Marine Enamel Coated Polystyrene

Water-proof

Non-absorbent closed cell Non-slip webbing straps Polypropylene grab lines



P-SERIES LIFE RING SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE
P-17	17"	WHITE	6	5 lbs.
P-20	20"	WHITE	6	6 lbs.
P-21	21"	WHITE	6	8 lbs.
P-25	25"	WHITE	6	10 lbs.
P-30	30"	WHITE	6	16 lbs.

Add the following number for COLOR choice when ordering P-Series Buoys: #352 - White body with blue bands #241 - White body with white bands. All models packed 6 per carton.

C-Series, Canvas Covered

C-SERIES LIFE RING SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE
C-17	17"	NATURAL	6	7 lbs.
C-20	20"	NATURAL	6	8 lbs.
C-21	21"	NATURAL	6	10 lbs.
C-25	25"	NATURAL	6	13 lbs.
C-30	30"	NATURAL	6	20 lbs.
l cell core				1

Features Include:

Canvas Covered

Non-absorbent closed cell core

Old nautical style

Smoothly tailored, heavy duty canvas machine stitched inside and out

ST-Series



ST-SERIES LIFE RING SPECIFICATIONS

MODEL NUMBER	OUTSIDE DIAMETER	COLOR	PACK PER CASE	WEIGHT PER CASE
ST-17	17"	WHITE	6	7 lbs.
ST-20	20"	WHITE	6	8 lbs.
ST-21	21"	WHITE	6	10 lbs.
ST-25	25"	WHITE	6	13 lbs.
ST-30	30"	WHITE	6	20 lbs.

IDEAL FOR PROMOTIONAL PROGRAMS!

Features Include:

Soft and resilient

Wide range of colored webbing available Limited custom buoy body colors available

Life Ring Racks

The Roughneck Series





THE ROUGHNECK SERIES SPECIFICATIONS

MODEL NUMBER	BUOY DIAMETER	PACK PER CASE	WEIGHT PER CASE
1123-20	20"	1	4 lbs.
1123-24	24"	2	10 lbs.
1123-30	30"	2	14 lbs.


Features Include:

Heavy duty welded stainless steel

Maintenance free

See below for stanchion line installation u-bolts

Pre-drilled holes for stanchion and life line mount as well as on cabin wall



Stainless Steel U-Bolts For Stanchion Line Mounting

4 Stainless steel U-Bolts and nuts for stanchion line assembly per pack For use with Roughneck series life ring racks

STAINLESS STEEL U-BOLT SPECIFICATIONS


MODEL	PACK	WEIGHT	
NUMBER	PER CASE	PER CASE	
1123-X	10	2 lbs.	






Features Include: Stainless steel construction

Readily mounts to safety rail, stanchion or cabin wall



Wall or Rail Mount #804

Ring Buoy Hangers



Model #1122

Bracket With Throw Line

RING BUOY HANGER SPECIFICATIONS

MODEL NUMBER	PACK PER CASE	WEIGHT PER CASE
804	12	8 lbs.
1122	6	8 lbs.

Marine Life Ring Mount


Model# 800-30,60

MARINE LIFE RING MOUNT SPECIFICATIONS

MODEL	PACK	WEIGHT	
NUMBER	PER CASE	PER CASE	
803	12	4 lbs.	

Features Include:

EASILY accessible Fits all life ring sizes 2 Anodized aluminum brackets **Economical**



Display Packaged #803

Features Include:

Anodized aluminum, fits all sizes Includes 30' or 60' Yellow UV resistant polypropylene throw line with foot anchor Other rope lengths available on request



MODEL NUMBER	THROW ROPE LENGTH	PACK PER CASE	WEIGHT PER CASE
800-30	30'	6	7 lbs.
800-60	60'	6	7 lbs.



Model# 800-30,60 Display Packaged



Life Preservers

Type I U.S.C.G. Life Preservers



TYPE I U.S.C.G. LIFE PRESERVER SPECIFICATIONS

MODEL NUMBER	DIMENSIONS	COLOR	PACK PER CASE	WEIGHT PER CASE	U.S.C.G. APPROVAL NO.
601	Adult 24"x12"x3"	ORANGE	6	9 lbs.	160.055/115/0
603	Child 17½"x10"x2½"	ORANGE	6	7 lbs.	160.055/116/0



Features Include:

100% closed cell construction
Stainless steel hardware
Slide through belt ready at all times
Completely reversible
To order retroreflective tape add "T"

Type IV U.S.C.G. Buoyant Boat Cushion

Features Include:

Soft unicellular construction

Vinyl coating resists most chemicals and fuels

Mildew Resistant

Available in white / orange / blue



TYPE IV U.S.C.G. BUOYANT BOAT CUSHION SPECIFICATIONS

MODEL NUMBER	DIMENSIONS	COLOR	PACK PER CASE	WEIGHT PER CASE	U.S.C.G. APPROVAL NO.
101-W	15½"x15½"x2½"	WHITE	6	14 lbs.	160.064/1228/1
101-O	$15\frac{1}{2}$ "x $15\frac{1}{2}$ "x $2\frac{1}{2}$ "	ORANGE	6	14 lbs.	160.064/1228/1
101-B	15½"x15½"x2½"	BLUE	6	14 lbs.	160.064/1228/1

S.O.S. Flag

S.O.S. Flag

Features Include:

Heavy Plastic with resealable storage bag with "SOS" label for quick identification **Complies** with U.S.C.G. requirements





S.O.S. FLAG SPECIFICATIONS

MODEL	PACK	WEIGHT	
NUMBER	PER CASE	PER CASE	
1851	6	2 lbs.	



Automatic Safety Light

Man Overboard Light & Rack



Meets SOLAS 74/83 requirements

When the light is thrown overboard the light automatically commences to flash

Requires 4 alkaline D cell batteries - batteries not included

Also available Model #1821 stainless steel mounting rack



MAN OVERBOARD LIGHT & RACK SPECIFICATIONS

1	MODEL NUMBER	PACK PER CASE	WEIGHT PER CASE	U.S.C.G. APPROVAL NO.
	1820	6	13 lbs.	160.010/12/2
	1821	6	6 lbs.	



PFD Light

Features Include:

Most reliable and least expensive

Requires one "D" cell battery, change every three years

Complete with stainless steel clasp

"D" Ring straps available, specify #452

PFD LIGHT SPECIFICATIONS

MODEL	PACK	WEIGHT	U.S.C.G.
NUMBER	PER CASE	PER CASE	APPROVAL NO.
450	24	4 lba	160 012/7/0




Day Mark Signals

Features Include:

Heavy-Duty vinyl coated nylon fabric with galvanized framing
Fully collapsible when stored
Black Only

DAY MARK SIGNAL SPECIFICATIONS

MODEL NUMBER	DESCRIPTION	PACK PER CASE	WEIGHT PER CASE
1900	Ball Shape, 24" Dia.	6	10 lbs.
1901	Cone Shape, 24"x 24"	6	9 lbs.
1902	Double Cone Shape, 24"x 48"	6	10 lbs.
1903	Cylinder Shape, 24"x 48"	6	10 lbs.




Life Floats & Buoyant Apparatus

Life Floats & Buoyant Apparatus



Features Include:

Tough resilient vinyl surface Lightweight yet easily exceeds the most severe U.S.C.G. test No exposed metal hardware-all double webbing beckets secured inside the float body Solid closed-cell plastic throughout Retroreflective tape included GRS-glass reinforced surface has a fiberglass skin which produces a tougher yet slightly resilient surface Model 500 Repair Kit available for small repairs - 6 per carton





400 SERIES BUOYANT APPARATUS – RECTANGULAI



U.S.C.G. LIFE FLOATS & BUOYANT APPARATUS SPECIFICATIONS

	MODEL STANDARD	MODEL GRS	PERSON CAPACITY	APP. LENGTH	APP. WIDTH	SEC. DIAMETER	SHIP WEIGHT	U.S.C.G. APPROVAL NO
LIFE FLOATS	1206	1206-GRS	6	50-12"	36-12"	8-12"	23 lbs.	160.027/79/2
	1208	1208-GRS	8	51"	37"	9"	25 lbs.	160.027/75/2
	1210	1210-GRS	10	63"	37"	9"	30 lbs.	160.027/76/2
	1212	1212-GRS	12	78"	37"	9"	38 lbs.	160.027/80/2
	1215	1215-GRS	15	64"	48"	12-12"	58 lbs.	160.027/77/2
	1222	1222-GRS	22	100"	48"	12-12"	88 lbs.	160.027/78/2
BUOYANT APPARATUS	1612	1612-GRS	12	48"	48"	9"	35 lbs.	160.010/70/2
BOX TYPE	1618	1618-GRS	18	62"	48"	9"	45 lbs.	160.010/71/2
	1620	1620-GRS	20	84"	48"	9"	55 lbs.	160.010/72/2
BUOYANT APPARATUS	1410	1410-GRS	10	51"	37"	9"	23 lbs.	160.010/73/2
RECTANGULAR	1412	1412-GRS	12	63"	37"	9"	28 lbs.	160.010/74/2
	1418	1418-GRS	18	64"	48"	12-12"	56 lbs.	160.010/75/2
	1422	1422-GRS	22	100"	48"	12-12"	86 lbs.	160.010/76/2
BUOYANT APPARATUS	1308	1308-GRS	8	51"	37"	9"	23 lbs.	160.010/77/2
RECTANGULAR WITH NET	1310	1310-GRS	10	63"	37"	9"	28 lbs.	160.010/78/2
PLATFORM	1315	1315-GRS	15	64"	48"	12-12"	56 lbs.	160.010/79/2
	1322	1322-GRS	22	100"	48"	12-12"	86 lbs.	160.010/80/2

Float-Free Link, Painter Cage

Model 501, Available in 6-10 man, 11-20 man and 21 or more link size. 100ft. 5/16" polypropylene (1600 lb. test) and wire link

Model 504, Fits any stack of four rafts or any stack which equals 21 persons. 7/16" polypropylene (3000 lb. test) and wire link

FLOAT-FREE LINK, PAINTER CAGE SPECIFICATIONS

MODEL NUMBER	PACK PER CASE	WEIGHT PER CASE		
501*	12	38 lbs.		
504	6	38 lbs.		

* INDICATE LINK SIZE





Horseshoe Buoys

Premium Horseshoe With Built-In Sea Anchor



PREMIUM HORSESHOE BUOY SPECIFICATIONS

MODEL NUMBER	COLOR	PACK PER CASE	WEIGHT PER CASE	U.S.C.G. APPROVAL NO.
1020	WHITE	6	18 lbs.	160.064/076/0
1040	WHITE	6	17 lbs.	160.064/228/0

Features Include:

Strong vinyl coated nylon cover Heavy duty zipper Stainless steel hardware Resistant to rot and mildew

Standard Horseshoe Buoy



STANDARD HORSESHOE BUOY SPECIFICATIONS

MODEL NUMBER	COLOR	PACK PER CASE	WEIGHT PER CASE	U.S.C.G. APPROVAL NO.
920	YELLOW	6	18 lbs.	160.064/076/0
940	YELLOW	6	17 lbs.	160.064/228/0


Horseshoe Buoy Racks

Features Include:

1/4" welded stainless steel construction Designed to keep buoy in place yet ready in an instant











Model #1121



Letter Your Own (Lettering Kit)



4 Sets each letters & numbers All letters & numbers 2" Easy to peel & apply Resists Fuel, scratching and fading U.V. coated

LETTERING KIT SPECIFICATIONS

MODEL NUMBER	LETTER & NUMBER SIZE	COLOR	PACK PER CASE	WEIGHT PER CASE
91	2"	BLACK	12	6 lbs.

Man Overboard Poles / Mounts

The Straddler

Features Include:

High-density polyethylene

Straddler float with retroreflective bands

Tough fiberglass pole, nylon flag

Secure mounting and fast release with model #1124-X or #1124-Y

30' line included

Economy Model

Features Include:

Vinyl-coated tough PVC pipe construction

Urethane foam filled

Retroreflective tape band

Tough fiberglass pole, nylon flag

30' line included

MAN OVERBOARD POLE SPECIFICATIONS

MODEL NUMBER	LENGTH	TYPE	PACK	SHIPPING WEIGHT
924	14'	STRADDLER	1	12 lbs.
924-10	10'	STRADDLER	1	10 lbs.
950	11-1/2'	ECONOMY	1	10 lbs.



#905

MAN OVERBOARD POLE MOUNT SPECIFICATIONS

MODEL NUMBER	MAN OVERBOARD POLE	PACK	SHIPPING WEIGHT
1124-X	STRADDLER 5/32" to 1/4" dia. Backstay	6	7 lbs.
1124-Y	STRADDLER 5/16" TO 3/8" DIA. BACKSTAY	6	7 lbs.
905	950	6	16 lbs.



Model #950

Features Include:

#1714

Tough fiberglass pole Hard polypropylene shell, foam filled Galvanized steel hardware and eye

MODEL NUMBER	LENGTH	PACK	SHIPPING WEIGHT
1714	4'	2	6 lbs.
1716	6'	2	6 lbs.
1718	8'	2	6 lbs.











Trip Line & Anchor Marker Buoy

Wherever anchors are used this buoy is required gear. As the anchor is dropped, the tripline Anchor Buoy with it's 100ft. line goes with it One end of the buoy line is attached to the trip shackle of the anchor; the buoy rises to the surface, unwinding as it rises. At the surface it is tied off in the cleat that is built into the buoy-marking the anchor spot and ready to trip the anchor when

The buoy is manufactured of the toughest resilient foam available, bright orange in color complete with 100 ft. of black weather-resistant line of 800 lbs. breaking




Features polypropylene rope through solid foam float. with assorted band colors. Hot-dipped galvanized thimble.

Model #924 14' Straddler

PICK UP BUOYS

Model #1203, 6 per carton, Shipping wt. 3 lbs.



Model #924-10 10' Straddler

Regulatory Buoys, Channel

Regulatory Buoys and Channel Markers

All Models

Features Include:

Shell: High density polyethylene

Internal Foam: 2-3 lb. density polyurethane foamed to

waterline (foam filled, upon request)
Internal Ballast: Reinforced concrete

Labels: stock labels included in buoy price - no extra charge

Designed to float with 35-40 lbs. of chain or equivalent

weight

Special labels: Call for quotation

Reg. Buoy Model #427-R River Buoy Model #427-River Buoy SLOV NO WAKE CHANNEL MARKERS Red Model #427-N Red Model #427-N WAKE

Accessories

Reflective Tape: Various colors (orange, red, green, silver) and widths available upon request #9000-X Jim-Buoy lights available for all models

Pick-up eye

Radar reflectors

Model #10 Replacement labels available

External ballast




REGULATORY BUOY AND CHANNEL MARKER SPECIFICATIONS

MODEL	427-R	427 River Buoy	427	427-N	425-R	425	426	
Molded-in color	White	White	Green	Red	White	Green	Red	
Overall height	45"	45"	45"	45"	59"	59"	59"	
Can diameter	10"	10"	10"	10"	12"	12"	12"	
Base diameter	21"	21"	21"	19"	13"	13"	13"	
Height above waterline (foam line)	40"	40"	40"	40"	41"	41"	41"	
Weight	38 lbs.	38 lbs.	38 lbs.	38 lbs.	25 lbs.	25 lbs.	25 lbs.	
Galvanized steel eye-bolt	1/2"	1/2"	1/2"	1/2"	5/8"	5/8"	5/8"	
Chain required to float upright	Yes	Yes	Yes	Yes	Yes	Yes	Yes	

JIM-BUOY®


Vinyl Daymarks

For all Iim Buov Regulatory Buovs



I C. titt ju	in Dudy Ites	mmory Bm	,,,			
REGULATOR	REGULATORY BUOYS, MODELS #410, #410X, #425R, #427R, #428R, #3000					MARKERS
CONTROLLED AREA	EXCLUSION AREA	DANGER- HAZARD			#425 CAN	#426 NUN
0	*	\Diamond				
SLOW 5 MPH NO WAKE IDLE SPEED SLOW NO WAKE	KEEP OUT NO BOATS NO SWIMMING SWIM AREA SKI AREA DAM	REEF DANGER ROCKS STUMP HAZARD SHOALS	ROCKS OR UNDERWATER OBSTRUCTION	RESTRICTED TRAVEL	UPSTREAM GREEN ON LEFT	UPSTREAM RED ON RIGHT
OVER 200 ADDITIO	FISHING NO FISHING NO SKIING NAL SYMBOLS AVAILA	DANGER DAM AHEAD BLE – NO CHARGE				

JIM-BUOY®



Markers and River Buoys

Regulatory Buoys and Channel Markers

All Models

Features Include:

Shell: High density polyethylene

Internal Foam: 2-3 lb. density polyurethane foamed to

waterline (foam filled, upon request) Internal Ballast: Reinforced concrete

Labels: 200 stock labels included in buoy price - no extra charge Designed to float with 35-40 lbs. of chain or equivalent weight

(models 410, 410-X, fully ballasted) Special labels: Call for quotation

Accessories

Reflective Tape: Various colors (orange, red, green, silver) and widths available upon request #9000-X Jim-Buoy lights available for all models

Pick-up eye Radar reflector

Model #10 Replacement labels available External ballast for models 3000 and 428-R



REGULATORY BUOY SPECIFICATIONS

MODEL	410	410-X	428-R	3000
Molded-in color	White	White	White	White
Overall height	61-1/2"	71-1/2"	62-1/2"	37"
Can diameter	9"	9"	15"	12-1/2"
Base diameter	9"	9"	19"	24"
Height above waterline (foam line)	37"	44"	41"	30"
Weight	50 lbs.	58 lbs.	65 lbs.	40 lbs.
Galvanized steel eye-bolt	1/2"	1/2"	5/8"	1/2"
Chain required to float upright	No	No	Yes	Yes




WARNING!

Always use equal metals at contact point to prevent electrolysis & excess abrasion

<u>Inspect</u> contact points regularly

JIM-BUOY®

#410 A 1/10" ROCK HARD SHELL B FOAM LINE



Sombrero Buoys

Sombrero Buoys

Features Include:

Shell: High density polyethylene

Internal Foam: 2-3 lb. density polyurethane foamed to

waterline (foam filled, upon request)
Internal Ballast: Reinforced concrete

Labels: standard labels included in buoy price - no extra charge

Designed to float with 35-40 lbs. of chain or equivalent weight

Special labels: Call for quotation

No. 2020-Riser 9" x 60" Above Water Line 66"

Accessories

Reflective Tape: Various colors (orange, red, green, silver) and widths available upon request #9000-X Jim-Buoy lights available for all models

Pick-up eye Radar reflectors

Model #10 Replacement labels available

External ballast

2" Wide aluminum band











No. 2021-Riser 10" x 39" Above Water Line 45"



No. 2022-Riser 10" x 39" Above Water Line 45"



SOMBRERO BUOY SPECIFICATIONS

MODEL NUMBER	COLOR	BASE DIAMETER	RISER DIAMETER	HEIGHT ABOVE WATER	WEIGHT	GALVANIZED STEEL EYE
2018	RED	30"	12"	30"	50 lbs.	1/2"
2019	GREEN	30"	12"	30"	56 lbs.	1/2"
2020	WHITE	30"	9"	66"	98 lbs.	1/2"
2021	GREEN	30"	10"	45"	78 lbs.	1/2"
2022	WHITE	30"	10"	45"	78 lbs.	1/2"



Red Nun No. 2023-Riser 10" x 39" Above Water Line 45"



No. 2024-Riser 12" x 41" Above Water Line 47"



No. 2025-Riser 12" x 41" Above Water Line 47"



Red Nun No. 2026-Riser 12" x 41" Above Water Line 47"



No. 2028-Riser 15" x 50" Above Water Line 56"



SOMBRERO BUOY SPECIFICATIONS

SOMBRERO DOOT SI ECH ICHTIONS							
MODEL NUMBER	COLOR	BASE DIAMETER	RISER DIAMETER	HEIGHT ABOVE WATER	WEIGHT	GALVANIZED STEEL EYE	
2023	RED	30"	10"	45"	78 lbs.	1/2"	
2024	WHITE	30"	12"	47"	65 lbs.	5/8"	
2025	GREEN	30"	12"	47"	65 lbs.	5/8"	
2026	RED	30"	12"	47"	65 lbs.	5/8"	
2028	WHITE	30"	15"	56"	105 lbs.	5/8"	

Buoy Accessories

- Mooring Anchors (concrete)

Complete with hot-dipped galvanized eye and available in the following weights: Model #4100 - 45 - 45 lbs. Model #4100 -- 180 -- 180 lbs. Model #4100 -90 --90 lbs. Model #4100 - 300 - 300 lbs.

JIM-BUOY® DO-IT-YOURSELF SYSTEM #10 DAYMARKS Now Available for user application-Now Available for user: It's easy to apply and features the same long-lasting, self-adhesive vinyl that is furnished on all Jim Buoy. Regulatory Buoys. Order standard wording and symbols or inquire

-Do-It-Yourself Daymarks

Marker, Buoy and **Utility Lights**



Solar Powered Marker and Buoy Light

Features Include:

1 Mile visibility Solar powered and solar controlled

3 mode switch

steady on slow flash (15 per min.) fast flash (60 per min.)

Weather proof Shock resistant

Colors available white, green, red or amber



Display Packaged

MODEL NUMBER DESCRIPTION



WEIGHT

PER CASE

Marker and Buoy Light

ANCHORING SYSTEM for **CHANNEL MARKERS** and REGULATORY BUOYS

JIM-BUOY®

Designed for use where minimum drift an**choring is required**—The new Jim Buoy Tide master Anchoring System will help to stabilize and maintain position for all Jim Buoy Channel Markers and Regulatory Buoys with minimum drift to either side during tidal movement and current flow.

How it works: The unique design, (see sketch) incorporates a stainless steel cable (1), that is attached to the buoy anchor (2), and then passes through the stainless steel bracket/ pulley assembly hooked to the base of the buoy (3). The other end of the cable is fastened to a 40 lb. counterweight (4). During actual use, the counterweight shifts up and down in response to tidal movements and current flow and the buoy's position remains relatively unaffected. Please call for complete details and pricing information.

Counterweight shifts up and down to maintain buoy position during tidal changes.



Model #300 — Includes complete stainless steel suspension system with bronze pulleys and attachment arm with 3 heavy-duty nylon thimbles to prevent electrolysis at all connections and a 40 lb. counterweight. Also included and charged by the foot is the 1/8" diam. #316 alloy, stainless steel cable. The length of cable required is determined by the depth of the water at the highest tide plus 4 feet. Cal-June, inc. will but and swage loops on both ends of the cable for easy attachment at no charge.



Buoy and Utility Lights 9000-X and 9000-XSB Features Include:

1 Mile visibility 9000-X 40 milliseconds per flash, 30 flashes per minute 9000-XSB steady burn-no flash All available white, green, amber or red LED Uses 3 D-cell batteries, solar controlled Available to mount on all channel and regulatory buoys



BUOY LIGHT AND ACCESSORIES SPECIFICATIONS

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT	PER CASE
9000-X	HIGH INTENSITY 9000 LIGHT, WHITE, RED, GREEN, AMBER	5 lbs.	6
ACCESSOI	RIES AVAILABLE		
9000-1	STAINLESS STEEL MOUNTING RACK	1lbs.	1
9000-2	THEFT DETERRENT CABLE AND ACCESSORIES	1 lbs.	1
9000-3	FLOAT FOR #9000 LIGHT	1 lbs.	1
9000-4	4 FT. EXTENDED SHAFT, BALLASTED W/FLOAT	5 lbs.	1
9000-6	6 FT. EXTENDED SHAFT, BALLASTED W/FLOAT	6 lbs.	1
9000-12	12 FT. EXTENDED SHAFT, BALLASTED W/FLOAT	12 lbs.	1
9000-FLG	FLANGE ADAPTER FOR REGULATORY BUOY		45

Mooring Buoys

Swivel and Eye Style Mooring Buoys



Features Include:

Hot dipped galvanized swivel & eye; also available in stainless steel

Interior rod bent to prevent pull-thru in stormy conditions Hard Polyethylene shell - 2lb. high-density foam filled Standard color white

Also available in orange, specify O and yellow, specify Y


PREMIUM MARK V SELECTION CHART

MODEL NUMBER	DIAMETER	SWIVEL & EYE	BUOYANCY (+ OR -5 lbs.)	PACK	SHIPPING WEIGHT
4400	12"	1/2"	22 lbs.	4	26 lbs.
4401	15"	1/2"	46 lbs.	4	42 lbs.
4402	18"	1/2"	90 lbs.	1	14 lbs.
4403	24"	5/8"	209 lbs.	1	27 lbs.
4404	30"	5/8"	400 lbs.	1	47 lbs.

-Tube Style Mooring Buoys

PREMIUM MARK V SELECTION CHART-TUBE STYLE

MODEL NUMBER	DIAMETER	TUBE SIZE	BUOYANCY (+ OR -5 lbs.)	PACK	SHIPPING WEIGHT
4402-T-2"	18"	2"	87 lbs.	1	13 lbs.
4402-T-2½"	18"	21/2"	86 lbs.	1	13 lbs.
4402-T-3"	18"	3"	85 lbs.	1	13 lbs.
4403-T-2"	24"	2"	196 lbs.	1	24 lbs.
4403-T-2½"	24"	21/2"	195 lbs.	1	24 lbs.
4403-T-3"	24"	3"	194 lbs.	1	24 lbs.
4404-T-2"	30"	2"	396 lbs.	1	47 lbs.
4404-T-2½"	30"	2½"	395 lbs.	1	47 lbs.
4404-T-3"	30"	3"	394 lbs.	1	47 lbs.



Features Include:

2", 2 1/2 " and 3" PVC tube, other tube sizes available please contact factory

Hard Shell - 2lb. High-density foam filled

Standard color white

Also available in orange, specify O and yellow, specify Y Also available with extended tubes, specify EXT



Drum Mooring Buoy



Features Include:

Heavy-duty construction
High density polyethylene
Maximum Stability- flat top and bottom
Galvanized swivel and eye, stainless available on request
3" Tube will accommodate model 4000 mooring system

DRUM BUOY SELECTION CHART

MODEL NUMBER	DIAMETER	SWIVEL & EYE	BUOYANCY (+ OR -5 lbs.)	PACK	SHIPPING WEIGHT
4304	30"	5/8"	240 lbs.	1	33 lbs.
4304-T	30"	3" tube	230 lbs.	1	30 lbs.

Mooring Buoys and Accessories

JIM-BUOY_®

Features Include:

Shell: high density polyethylene

Keeps mooring/pendant line dry

Protects boat from contact with mooring hardware

Stable in water - won't roll over causing mooring line to get wet


Stackable when not in use - with mooring line and

hardware when moorings are pulled out during winter months

Lifting grips to aid in handling

Blue reflective tape





"NEW" Winter Spar Buoy

Features Include:

Replaces mooring buoys during winter months

Heavy duty polyethlene resists wear from ice and harsh conditions

Tapered to keep free in icy conditions

Hot-Dipped 5/8" galvanized eye

Blue reflective tape

Available in White, Orange and Yellow

WINTER SPAR BUOY SPECIFICATIONS

MODEL NUMBER	DIMENSIONS DIA. x HEIGHT	HARDWARE	PACK	SHIPPING WEIGHT
510	6" x 36"	5/8" Eye	1	6 lbs.
511	6" x 60"	5/8" Eye	1	17 lbs.

Moor-Pro Buoy Protector

Features Include:

Protects mooring buoy from shackle wear

Rounded edges keep pendant line from fraying

Available for all 2", 2 1/2" and 3" tube size mooring buoys slides easily into place

Can be permanently installed or allowed to spin to keep anchor/pendant line from twisting



Moor-Pro Reinforcing Tube Collar

MOOR-PRO BUOY PROTECTOR SELECTION CHART

Model #511

0

MODEL NUMBER	FOR USE WITH	PACK	SHIPPING WEIGHT
4001	2" TUBE	6	3 lbs.
4002	2 1/2" TUBE	6	3 lbs.
4003	3" TUBE	6	3 lbs.

#1 Mooring System

#4000 Star Plate and Ring Assembly

Features Include:

Hot dipped galvanized star plate, 6" ring and shackle Requires minimum 3" tube

Ring kept in constant upright position by chain weight tension Rugged 1/4'x 6" diameter concave star plate protects top of mooring buoy from wear

STAR PLATE AND RING ASSEMBLY SELECTION CHART

MODEL	PACK	SHIPPING
NUMBER	PER CASE	WEIGHT
4000	1	5 lbs.



Model #510

"NEW" Pendant Buoy



Mooring Buoys

Deluxe Series -

Features Include:


High Density polystyrene foam assures lasting durability All Hardware is hot-dipped galvanized medium carbon steel Eyebolts are molded into buoy to prevent "pull through"

Rubber bumpers give added protection in contact

All buoys are coated with an exterior coating that resists extreme weathering, most chemicals and fuels



DELUXE SERIES SELECTION CHART



MODEL			SWIVEL			SHIPPING
NUMBER	DIAMETER	HEIGHT	& EYE	BUOYANCY	PACK	WEIGHT
420*	10"	16"	3/8"	25 lbs.	6	14 lbs.
421*	12"	12"	1/2"	30 lbs.	6	30 lbs.
422*	12"	24"	1/2"	62 lbs.	6	42 lbs.
423*	12"	36"	1/2"	126 lbs.	3	38 lbs.
424*	22"	44"	5/8"	414 lbs.	1	18 lbs.
424-T	22"	44"	2" Tube	414 lbs.	1	18 lbs.
424-P	22"	44"	5/8"	414 lbs.	1	18 lbs.

^{*}Furnished with eye and swivel combination.





Barrier Floats



Features Include:

No Eye on top to keep boats from tying up Available in 18" and 24" models
Hot-Dipped galvanized hardware
Specify bottom eye or swivel
Available in White, Orange and Yellow

Model 424-P

BARRIER FLOAT SELECTION CHART

			,		
MODEL NUMBER	DIAMETER	HARDWARE	BUOYANCY + or - 5lbs.	PACK	SHIPPING WEIGHT
4402-E	18"	1/2" Eye	90 lbs.	1	14 lbs.
4402-S	18"	1/2" Swivel	90 lbs.	1	14 lbs.
4403-E	24"	5/8" Eye	209 lbs.	1	27 lbs.
4403-S	24"	5/8" Swivel	209 lbs.	1	27 lbs.

Miscellaneous Buoys



Tough high-density polyethylene body Rugged galvanized steel ballast with eye

PVC pipe light holder (JIM-BUOY 9000-X light priced separately) adds visibility

DREDGE BUOY SPECIFICATIONS



MODEL NUMBER	DIMENSIONS DIA. x HEIGHT	BALLAST	LIGHT HOLDER	PACK	SHIPPING WEIGHT
506	18" x 24"	22"	22"	1	25 lbs.

Fat Buoys

Features Include:

Sturdy high-density polyethylene body Urethane foam filled Hot-dipped 1/2" galvanized hardware Used when low visibility required

FAT BUOY SPECIFICATIONS


MODEL NUMBER	DIMENSIONS DIA. x HEIGHT	COLOR	PACK	SHIPPING WEIGHT
4408	12" x23"	WHITE	1	16 lbs.
4409	12" x23"	GREEN	1	16 lbs.
4410	12" x23"	RED	1	16 lbs.



Dredge Buoy

Swim Area Marker Buoy





Features Include:

Solid high-density polystyrene foam body Coated with White marine enamel Orange vinyl band and "SWIM AREA" label included 1/2" galvanized steel eyebolt molded-in Rope Hole 3/4" PVC pipe at waterline

SWIM AREA MARKER BUOY SPECIFICATIONS

MODEL NUMBER	DIMENSIONS DIA. x HEIGHT	PACK	SHIPPING WEIGHT
423-O	12" x 36"	3*	38 lbs.
	* Single pack	available	

Spar Buoy

JIM-BUOY®

DREDGE

Features Include:

Hard high-density polyethylene shell Urethane foam filled 1/2" galvanized steel eye Low price when many are needed

Orange vinyl bands included

SPAR BUOY SPECIFICATIONS

MODEL DIMENSIONS NUMBER DIA. x HEIGHT		PACK	SHIPPING WEIGHT	
505	6-1/2" x 31"	1*	6 lbs.	

Features Include: Sign Rope Buoys

Marine vinyl coated closed-cell foam Heavy galvanized wire Available in White or Orange

SIGN ROPE BUOY SPECIFICATIONS

MODEL NUMBER	DIMENSIONS	PACK	SHIPPING WEIGHT
1500	11" x 16" x 1" THICK	12	5 lbs.
1505	7-1/4"DIA. x 3" THICK	12	7 lbs.





Industrial Rope Floats

Industrial Floats-



INDUSTRIAL ROPE FLOAT SELECTION CHART

MODEL NUMBER	SIZE	STD. ROPE-HOLE	BUOYANCY	PACK	SHIPPING WEIGHT	STD. COLOR
4400-RF	12" dia.	1-1/4"*	22 lbs.	4	21 lbs.	WHITE
4401-RF	15" dia.	1-1/4"*	42 lbs.	4	36 lbs.	WHITE
4402-RF	18" dia.	2"*	90 lbs.	1	13 lbs.	WHITE
4403-RF	24" dia.	2"*	209 lbs.	1	28 lbs.	WHITE
4404-RF	30" dia.	2"*	400 lbs.	1	40 lbs.	WHITE
429-RF	18 dia. x30"	2"*	240 lbs.	1	30 lbs.	ORANGE
4418-RF	12 dia. x18"	1-1/4"*	Approx. 60 lbs.	1	10 lbs.	ORANGE

^{*} Call for other rope hole sizes

Features Include:


Hard shell high-density polyethylene construction, urethane foam filled All models available in White, Orange and Yellow, specify color

Rope Floats

Hard Shell Rope Floats

HARD SHELL ROPE FLOAT SELECTION CHART

MODEL NUMBER	LENGTH	DIAMETER	BUOYANCY	ROPE SIZE	SHIPPING WEIGHT	PER PACK
1100-Y	9-1/4"	7"	10-11 lbs.	1-3/8"	44 lbs.	21
1100-O	9-1/4"	7"	10-11 lbs.	1-3/8"	44 lbs.	21






Features Include:

Hard shell high-density polyethylene construction, urethane foam filled Available in Yellow and Orange, specify Y or O

Economy Rope Floats

Features Include:

Polystyrene Float
2 Color high visibility



#1504

ECONOMY ROPE FLOAT SELECTION CHART



SHIPPING MODEL NUMBER LENGTH DIAMETER BUOYANCY ROPE SIZE WEIGHT PER PACK COLOR 1504 5" 2 lbs. 1/2" 3 lbs. RED & WHITE 2.4 1506 7-1/2-8 lbs. 1-1/2" 14 lbs. 27 WHITE

#1506



Rope Floats

- Lok-On Rope Floats



Features Include:

Tough outer shell with solid foam filled core See below for rope-loks to prevent slippage on ropes Choice of colors

LOK-ON ROPE FLOAT SPECIFICATIONS:

Model No.	Size	Rope Size	Pack	Ship. wt.
1501	3" dia. x 5" lgth.	3/8"-1/2"	24	7 lbs.
1502	5" dia. x 9" lgth.	5/8", 3/4", 7/8"	24	16 lbs.
1503	8" dia. x 14" lgth.	5/8", 3/4", 7/8"	12	33 lbs.

MULTIPLE COLORS AVAILABLE IN ALL FLOAT SIZES—When ordering please indicate choice of colors desired.

B-Blue & White with Red Center Band.

Y-Yellow & White with Red Center Band.

R-Red & White with Blue Center Band.

Rope-Loks & Accessories



Features Include:

Rugged polycarbonate plastic to "bite" into rope 1501, 1502 floats 1 per unit recommended 1503 floats 2 per unit recommended Cannot be used with cable

ROPE LOKS

MODEL NUMBER	ROPE SIZE	SHIPPING WEIGHT	PER PACK
1501-RL	3/8" to 1/2" Dia.	1 lbs.	24
1502-RL	3/8" to 7/8" Dia.	1 lbs.	24
1503-RL	5/8" to 7/8" Dia.	1 lbs.	24

3/8" Rope Available





ROPE TERMINALS

MODEL NUMBER	ROPE SIZE.	SHIPPING WEIGHT	PER PACK		
1510	5/8"to 7/8" DIA	4 lbs.	12 pair		

Features Include:

Heavy-duty tamper proof design Stainless steel construction Fits 5/8", 3/4" and 7/8" diameter rope Cannot be used with cable

Heavy Duty Industrial Floats & Buoys



INDUSTRIAL FLOAT & BUOY SELECTION CHART

Rectangular in shape to permit conversion to split-hose floats, see below

Available in Orange or White

MODEL NUMBER	SIZE	ROPE HOLE	BUOYANCY	PACK	SHIPPING WEIGHT
4418	12"x 18"	Specify	60 lbs.	1	10 lbs.
429	18"x 30"	Specify	240 lbs.	1	30 lbs.
449	24"x 36"	Specify	300 lbs.	1	42 lbs.
445	24"x 45"	Specify	380 lbs.	1	60 lbs.
548	30"x 48"	Specify	750 lbs.	1	92 lbs.

Jumbo Hose Floats



All of the above buoys are acceptable as Hose Floats— Cut in two to allow attachment without end entry. They may be fitted to any size hose.



Giant Marine Fenders

Giant Marine Fenders









GIANT MARINE FENDERS SELECTION CHART

MODEL NUMBER	DIA.	LENGTH	THRU-HOLE SIZE AND MATERIAL	STAND-OFF DISTANCE	COLORS AVAILABLE	SHIP WEIGHT
212*	12"	34"	1-1/4" PVC	6"	BLACK	40 lbs.
214*	14"	44"	1-1/4" PVC	8"	BLACK	45 lbs.
218*	18"	50"	1-1/4" PVC	12"	BLACK	50 lbs.
224*	24"	53"	1-1/4" PVC	14"	BLACK	70 lbs.

^{*}Available with two galvanized swivels

Dock Bumpers, Corner Bumpers & Roller Bumpers

Roller Bumpers

ROLLER BUMPER SPECIFICATIONS

MODEL NUMBER	DESCRIPTION	DIMENSIONS DIA. x HEIGHT	PACK PER CASE	WEIGHT
5000-C	CORNER MOUNT	12" x 6"	1	16 lbs.
5000-S	STRAIGHT MOUNT	12" x 6"	1	16 lbs.
5006-C	CORNER MOUNT	6" x 3"	6	14 lbs.
5006-S	STRAIGHT MOUNT	6" x 3"	6	12 lbs.
5016-C	CORNER MOUNT	16" x 6"	1	22 lbs.
5016-S	STRAIGHT MOUNT	16" x 6"	1	22 lbs.

Features Include:

Heavy duty white vinyl bumpers Hot dipped galvanized base Galvanized steel hardware Larger sizes feature 2" diameter axle housing



Corner Bumpers

CORNER BUMPER SPECIFICATIONS

MODEL NUMBER	DIMENSIONS L x L x H	PACK PER CASE	WEIGHT	USE WITH DOCK BUMPERS
5007	8"x 8"x 4"	12	16 lbs.	5010
5008	10"x 10"x 6"	6	14 lbs.	5013

Features Include:

Extra volume of cushion at point of contact Heavy-duty white vinyl

#5010

#5012



Dock Bumpers

DOCK BUMPER SPECIFICATIONS

MODEL NUMBER	DIMENSIONS H x D x L	PACK PER CASE	WEIGHT	USE WITH CORNER BUMPERS
5010	3-1/2"x 6"x 6'	10 LENGTHS	42 lbs.	5007
5011	2"x 6"x 6'	10 LENGTHS	40 lbs.	
5012	7-1/2"x 10'	1 LENGTH	55 lbs.	
5013	5-1/2"x 2-1/2"x 6'	3 LENGTHS	44 lbs.	5008



Features Include:

Heavy-duty white vinyl 5012 designed for heavy commercial use and large vessels

2 designed for heavy commercial use and large vessel



Model #1710- Please call for quotation for your particular application

KEEPS BOATS OUT!



Sea Anchors

-Trolling Sea Anchors

Model #929

Features Include:

Vinyl- coated nylon construction 1" polypropylene shroud lines Easily collapsed for storage Storage pouch included





SEA ANCHOR SPECIFICATIONS

MODEL NUMBER	USE	DIAMETER	PACK	SHIPPING WEIGHT
925	HORSESHOE BUOY	10"	12	4 lbs.
926	TROLLING	18"	6	5 lbs.
927	TROLLING	24"	6	6 lbs.
928	TROLLING	30"	6	8 lbs.
929*	STORM	36"	2	16 lbs.





Model #929X

Coasters and Key Chains



Model #400 6 dfferent colored rings per displayed package with full color header. 12 display packages per case, shipping weight 6lbs.



Match the style and color to your real "Jim Buoy" aboardship!

Complete in detail with white grab lines (ring buoy only) and actual Jim Buoy label on all models. Features vinyl coated 1/2" foam buoy with corrosion resistant chain.

All models skin-packed on a beautiful display card with bar code for rack sales. 12 per box, ship. wt. 1 lb.

Model #85—Yellow horseshoe buoy Model #86—White horseshoe buoy Model #87–White life ring.
Model #88–Orange life ring

Personalized Key Chains-Please call for price and delivery on custom logo/name imprints in bulk quantities.

Four Great Models



Life Guard Equipment

Rescue Tubes-



Model #79 Features Include:

Soft, flexible resilient vinyl coated foam **Adjustable 2**" wide shoulder strap

Model #80 Features Include:

Nylon security line and one-piece body belt All hardware stainless steel



RESCUE TUBE SPECIFICATIONS



MODEL NUMBER	DIMENSIONS	COLOR	PACK PER CASE	WEIGHT PER CASE
79*	49"x 6"x 4"	Orange*	6	12 lbs.
80*	36"x 6"x 3"	Orange	6	16 lbs.

*Other colors, special labeling available ie. Jr. Lifeguard - Contact Factory

Rescue Cans

RESCUE CAN SPECIFICATIONS

MODEL NUMBER	DIMENSIONS	COLOR	PACK PER CASE	WEIGHT PER CASE
81	27 1/2"x 9 1/2"	Orange	1	4 lbs.
82*	27 1/2"x 9 1/2"	Orange	1	4 lbs.

*With pocket mask cavity

Features Include:

Six hand grips
Bright day-glo orange



Model #82

Rescue Can Rack -

Features Include:

Stainless steel with pre-drilled mounting holes Fits #81 & #82

RESCUE CAN RACK SPECIFICATIONS

MODEL NUMBER	DIMENSIONS	PACK PER CARTON
83	8 1/2"x 5 1/4"	1

If ordering #81 or #82 rack is packed on rescue can

Softee Spine Board



Features Include:

Soft, resilient surface

Head security-pad below and on sides of head for maximum support 2 1/2" Nylon body and leg straps

Shipped with straps fully installed

SOFTEE SPINE BOARD SPECIFICATIONS

MODEL	DIMENSIONS	SHIPPING	PACK
NUMBER		WEIGHT	PER CARTON
84	18"x 71"	25 lbs.	1



Pool Chairs and Lounge Pads

Santa Barbara Fun Chair

JIM-BUOY®

Features Include:

Vinyl coated, Closed-cell foam provides comfort Internal aluminum frame provides strength and durability

Plush, restful head cushion

Drink holders in both arms

Available with footrest extension, add "X" to model #

SANTA BARBARA FUN CHAIR SPECIFICATIONS

MODEL NUMBER	COLOR	DIMENSIONS W x L x H	PACK PER CASE	WEIGHT PER CASE
7001	SPECIFY	31"x 42"x 26"	1	16 lbs.
7001-X	SPECIFY	31"x 65"x 26"	1	16 lbs.



Fun Chair



Features Include:

Same aluminum frame, vinyl coated foam construction as the Santa Barbara Fun Chair

JIM-BUOY®

Somewhat smaller design

Same comfort and strength

Available in White, Blue, Yellow and Turquoise

FUN CHAIR SPECIFICATIONS

MODEL	COLOR	DIMENSIONS	PACK	WEIGHT
NUMBER		W x L x H	PER CASE	PER CASE
7000	SPECIFY	28"x 40"x 23"	1	15 lbs.

Executive Lounge Pad




Features Include:

Solid foam core completely covered with tough marine vinyl coating
Features 11"x 27"x 7" permanently sealed air pillow for additional comfort
Available in White, Blue, Yellow and Turquoise Ships U.P.S.

EXECUTIVE LOUNGE PAD SPECIFICATIONS

MODEL NUMBER	COLOR	DIMENSIONS W x L x H	PACK PER CASE	WEIGHT PER CASE
7004	SPECIFY	27"x 72"x 1-1/4"	1	12 lbs.





Index

Anchoring System	16
Barrier Floats & Systems18,	24
Boom Buoys	24
Sumpers-dock, corner, roller	24
Buoy ProtectorsBuoyant Apparatus, U.S.C.G.Approved	. 9
Cabinet, Life Ring12,13,	14
Coasters, Drink	25
Cushion, Boat	
Daymarks, Regulatory Buoy Daymark Signals	12
Distress SOS Flag	7
Oock Bumpers	24
Bumpers	24 24
Corners	24
Oredge Buoys	19
xecutive Lounge Pad	27
ast Water Buoy	13
at Buoy	15
enders Elag, SOS Distress Loat-Free Link, Painter & Cage	23
Float-Free Link, Painter & Cage	9
loats-	
Industrial20,	22 20
RopeGun Chairs	27
Hangers For Ring Buoys	6
Hangers For Ring Buoys Hardware–Stainless & Galvanized	21
Horseshoe Buoys & Racks	10
Key Chains	25
ettering Kit2,	10
ife Guard Equipment– Rescue Cans	
Rescue Can Racks	26 26
Rescue Tubes	26
Spine Board	26
ife Preservers & Placardsife Floats, U.S.C.G. Approvedife Rings	
ife Rings2	, 3
Canadian Approved	4
Economy	5
MED Approved	2
PlasticSOLAS.	2
SOLASU.S.C.G. Approved	, 3
.ights- Jacket	
Regulatory Buoy	15
Solar Powered	15
U.S.C.G. Appy. Man Overboard Light	13
Utility U.S.C.G. Appv. Man Overboard Light ounge Pad	27
Man Overboard Lights, U.S.C.G. Appv	
Marine Fenders	23
Mast Buoys	11
Mooring Buoys16, 17, 18, Mooring Anchors	15
Moor-Pro Buoy Protectors	
Oil Cans	2.5
Pendant Mooring BuoysPFD Lights	8
Pick-Up Buoys	11
oles, Man Overboard & Mounts	$\frac{11}{27}$
Pool Chairs	20
Pool Chairs	
Pool Chairs Positioning Rings	
Pool Chairs Positioning Rings	10
Pool Chairs Positioning Rings	10
tool Chairs	10 6 19
tool Chairs	26
tool Chairs toostioning Rings	13 26 12
Pool Chairs	13 26 12 21
Pool Chairs	12 12 21
Pool Chairs	13 26 12 21
rool Chairs	13 26 12 21 4 25 19
Pool Chairs	13 26 12 21 4 25 19 14
rool Chairs	13 26 12 21 4 25 19 14 19 26
rool Chairs Positioning Rings	13 26 12 21 4 25 19 14 19 26 17
rool Chairs	13 26 12 21 4 25 19 14 19 26 17
rool Chairs Positioning Rings	13 26 12 21 4 25 19 14 19 26 17
rool Chairs	13 26 12 21 4 25 19 14 19 26 17