

TABLE OF CONTENTS

Hand Tools

Chrome Sockets, Impact Sockets, Spline Sockets, Crowsfoot, Torx Sockets (internal /external), Flip Sockets, Spindle Nut Sockets, Hex Bit Sockets, Spark Plug Sockets, Universal Joints, Adapters, Reducers, Extensions, Ratchets, Breaker Bars, T-handles, Spinner Handles, Standard and Professional Series Screwdrivers, Torq Screwdrivers, Nut Drivers, Hex Bits, Pry Bars (bent head, rolling head), Files, Taper Punches, Center Punches, Pin Punches, Chisel, and Brass Punches, Raised Panel Combination, High Polish Combination, Stubby, Flare Nut, Ratcheting Box, Ratcheting Combination and Reversible Ratcheting, Adjustable Wrenches, Pipe Wrenches, Aluminum Pipe Wrenches, Allen/Hex Wrenches, Needle Nose, Diagonal, Slip Joint, Groove Joint, Locking, Snap Ring Pliers, Ball Pein Hammers, Claw Hammer, Rubber Mallet, Brass Hammers, Tape Measures

Tool Storage

Service Carts, Creepers, Creeper Seats, Magnetic Tool Storage and Organization

Lighting

Hand Held, Work Lights, Work Light Accessories, Extension Cords and Reels

Cutting/Threading/Abrasives

Drill Bits, Extractors, Knives, Utility Knives, Scrapers, Tube Cutters, Tube Benders, Bolt Cutters, Tin Snips, Hack Saws, Cut-Off Wheels, Wire Wheel and Cup Brushes, Utility Brushes

Air Tools & Electric Tools

Ratchets, Impact Wrenches, Drills, Hammers, Air Tool Accesories, Die Grinders, Sanders and Polishers, Sanders and Polishers Accessories, Blow Guns, Scalers, Cut-Off Tools, Rivet Guns, Air Hoses, Grinders

Shop Tools

Bottle Jacks, Service Jacks, Transmission Jacks, Jack Stands, Underhoist Stands, Engine Stands, Support Bars and Slings, Ram Kits, Shop Presses, Creepers, Stools & Fender Covers, Material Handling, Tow Straps, Recovery Ropes, Tie Downs and Straps, Nylon Ties, Heating, Welding & Soldering, TPMS Tools & Accessories, Hoses, Cleaning Supplies, Adhesives & Tapes, Fluids and Grease

Battery Testers & Booster Cables

Battery Testers, Booster Cables, Clamps

Vehicle Specialty

Flaring Tools, Brake Tools, Fittings and Accessories, Tire and Wheel Tools, Steering & Suspension Tools and Fittings, Drive Shaft & Axle Tools, Oil Filter Wrenches and Accessories, Vacuum Caps, Pullers, Fittings and Accessories, Tubing, Cutting & Bending Tools, Inspection Tools, Fuel System Tools and Fittings, Electrical Tools, Fuses, and Connectors, Strippers, Crimpers, Circuit Testers

Paint & Body Tools

Spray Guns, Regulators and Filters, Clip Removers, Riveters, Impact Drivers, Wedges

Displays

Wall, Floor, Counter Displays, Hooks, Hangers, Display Boards

Icon Legend



......Product is proudly made in the USA



.....Product is 1/4-inch drive



.....Product is 3/8-inch drive



.....Product is 1/2-inch drive



.....Product is 3/4-inch drive



.....Product is 1-inch drive



......Product has 6 internal points of contact



......Product has 12 internal points of contact



......Repair or replacement parts are available



......Product is also sold individually



.Product is covered by lifetime warranty (does not cover case, containers etc) -Does not cover abuse.



.. Oversized product ships via freight company



Sets & Kits are not covered by warranty; See individual pieces for warranty.





HEAVYWEIGHT QUALITY. KNOCKOUT PRICE.




TAKE THE K-TOOL KO CHALLENGE!

Get the "K-TOOL KO Challenge Kit"...

And give your customers a ringside for the "K-TOOL KO Challenge" – a 5/8" wrench from Snap-On (we'll call the champion, for now), the second place competitor of the time, and of course ours (currently, the contender). It's simple. Look at them. Same quality, Same functionality. Feel them. Some will say the Snap-On feels better in their hands. But the difference, they will admit is small. The price difference, however is big. K-TOOL is substantially lower. It is rare for someone with a ring-side seat to put their money anywhere, but on the challenger – K-TOOL. What can we say, that's who we are. We're not champions yet, but we're giving the competition a helluva beating. Call your K-TOOL rep today and get your "K-TOOL KO Challenge Kit." And give your retailers a ringside seat.







1/4" Drive Chrome I Complete Sets 1/4"

KTI21044

44-piece Fractional and Metric 6-point Socket Set 1/4" Drive

• Chrome vanadium, heat-treated, packaged in blow molded case Includes a 1/4" drive pro ratchet, 2" extension, 6" extension, standard length fractional sockets 3/16" to 9/16", deep fractional sockets 1/4" to 9/16", standard length metric sockets from 4mm to 15mm, deep metric sockets 6mm to 15mm.







Set includes (also available individually):

Set iliciuues (also avallab	Set includes (also available individually).				
KTI21106 - 3/16"	KTI21118 - 9/16"	KTI26104 - 4mm	KTI26112 - 12mm	KTI26211 - 11mm deep	
KTI21107 - 7/32"	KTI21208 - 1/4" deep	KTI26105 - 5mm	KTI26113 - 13mm	KTI26212 - 12mm deep	
KTI21108 - 1/4"	KTI21209 - 9/32" deep	KTI26155 - 5.5mm	KTI26114 - 14mm	KTI26213 - 13mm deep	
KTI21109 - 9/32"	KTI21210 - 5/16" deep	KTI26106 - 6mm	KTI26115 - 15mm	KTI26214 - 14mm deep	
KTI21110 - 5/16"	KTI21211 - 11/32" deep	KTI26107 - 7mm	KTI26206 - 6mm deep	KTI26215 - 15mm deep	
KTI21111 - 11/32"	KTI21212 - 3/8" deep	KTI26108 - 8mm	KTI26207 - 7mm deep	KTI21092 - Ratchet	
KTI21112 - 3/8"	KTI21214 - 7/16" deep	KTI26109 - 9mm	KTI26208 - 8mm deep	KTI21002 - 2" Extension	
KTI21114 - 7/16"	KTI21216 - 1/2" deep	KTI26110 - 10mm	KTI26209 - 9mm deep	KTI21006 - 6" Extension	
KTI21116 - 1/2"	KTI21218 - 9/16" deep	KTI26111 - 11mm	KTI26210 - 10mm deep		







6-point Socket Set 1/4" Drive

- All sockets are 6-point chrome vanadium
- · Packaged blow-molded case

Includes 9 short sockets from 3/16" to 1/2", 7 deep sockets from 1/4" to 1/2", push button ratchet, universal joint, 2" and 4" extensions and spinner.

Set includes (also available individually):

KTI21106 - 3/16"	KTI21114 - 7/16"	KTI21214 - 7/16" deep
KTI21107 - 7/32"	KTI21116 - 1/2"	KTI21216 - 1/2" deep
KTI21108 - 1/4"	KTI21208 - 1/4" deep	KTI21091 - Ratchet
KTI21109 - 9/32"	KTI21209 - 9/32" deep	KTI21002 - 2" Extension
KTI21110 - 5/16"	KTI21210 - 5/16" deep	KTI21004 - 4" Extension
KTI21111 - 11/32"	KTI21211 - 11/32" deep	KTI21050 - Universal Joint
KTI21112 - 3/8"	KTI21212 - 3/8" deep	KTI21060 - Spinner Handle





1/4" Drive Chrome Sockets				
	Fractional			
	Standard	Deep		
Size	6 pt	6 pt		
3/16"	KTI21106	KTI21206		
7/32"	KTI21107	KTI21207		
1/4"	KTI21108	KTI21208		
9/32"	KTI21109	KTI21209		
5/16"	KTI21110	KTI21210		
11/32"	KTI21111	KTI21211		
3/8"	KTI21112	KTI21212		
7/16"	KTI21114	KTI21214		
1/2"	KTI21116	KTI21216		
9/16"	KTI21118	KTI21218		



KTI26000

21-Piece Metric 6-point Socket Set

1/4" Drive

• 6-point chrome vanadium steel Includes 9 short sockets from 4mm to 11mm, 7 deep sockets from 5.5mm to 11mm, push button ratchet, universal joint, 2" and 4" extensions and spinner.

Cot includes (also available individually):

iable iliulviuually).	
KTI26110 - 10mm	KTI26210 - 10mm deep
KTI26111 - 11mm	KTI26211 - 11mm deep
KTI26255 - 5.5mm deep	KTI21091 - Ratchet
KTI26206 - 6mm deep	KTI21002 - 2" Extension
KTI26207 - 7mm deep	KTI21004 - 4" Extension
KTI26208 - 8mm deep	KTI21050 - Universal Joint
KTI26209 - 9mm deep	KTI21060 - Spinner Handle
	KTI26110 - 10mm KTI26111 - 11mm KTI26255 - 5.5mm deep KTI26206 - 6mm deep KTI26207 - 7mm deep KTI26208 - 8mm deep

1/4" Drive Chrome Sockets			
Metric			
	Standard	Deep	
Size	6 pt	6 pt	
4mm	KTI26104		
5mm	KTI26105		
5.5mm	KTI26155	KTI26255	
6mm	KTI26106	KTI26206	
7mm	KTI26107	KTI26207	
8mm	KTI26108	KTI26208	
9mm	KTI26109	KTI26209	
10mm	KTI26110	KTI26210	
11mm	KTI26111	KTI26211	
12mm	KTI26112	KTI26212	
13mm	KTI26113	KTI26213	
14mm	KTI26114	KTI26214	
15mm	KTI26115	KTI26215	



1/4" Drive Chrome I Complete Sets 1/4"





KTI21200

8-Piece Fractional 6-Point Socket Set 1/4" Drive - Deep

- 6-point sockets
- · Chrome vanadium steel
- · Heat-treated
- · Packaged on a socket rail







Set includes (also available individually):

KTI21207 - 7/32" deep KTI21211 - 11/32" deep KTI21208 - 1/4" deep KTI21212 - 3/8" deep KTI21209 - 9/32" deep KTI21214 - 7/16" deep KTI21210 - 5/16" deep KTI21216 - 1/2" deep

KTI26200 8-Piece Metric 6-Point Socket Set 1/4" Drive - Deep

- · Chrome vanadium steel
- Heat-treated
- · Packaged on socket rail




Set includes (also available individually):

KTI26206 - 6mm deep KTÍ26210 - 10mm deep KTI26207 - 7mm deep KTI26211 - 11mm deep KTI26208 - 8mm deep KTI26212 - 12mm deep KTI26209 - 9mm deep KTI26213 - 13mm deep

KTI26100

8-Piece Metric



- · 6-point sockets
- Chrome vanadium steel
- · Heat-treated
- · Packaged on socket rail

Set includes (also available individually):

KTI26106 - 6mm KTI26110 - 10mm KTI26107 - 7mm KTI26111 - 11mm KTI26108 - 8mm KTI26112 - 12mm KTI26109 - 9mm KTI26113 - 13mm

KTI21100

8-Piece Fractional 6-Point Socket Set 1/4" Drive - Short

- · 6-point sockets
- · Chrome vanadium steel
- · Heat-treated
- · Packaged on socket rail

Set includes (also available individually):

KTI21106 - 3/16" KTI21110 - 5/16" KTI21107 - 7/32" KTI21112 - 3/8" KTI21108 - 1/4" KTI21114 - 7/16" KTI21109 - 9/32" KTI21116 - 1/2"

3/8" Drive Chrome I Complete Sets 3/8"







KTI20045

45-Piece Fractional and Metric Spline Socket Set 3/8" Drive

- The universal spline socket design works on various fasteners such as spline, 6-point, 12-point, female torx and square
- It will even work on 50% rounded fasteners! It's like having six sockets in one!
- Features high-polish chrome-vanadium finish, which provides for long life and maximum corrosion resistance
- · Packaged in a blow-molded case

Set Includes: standard and deep fractional (5/16" to 7/8") and metric (7mm to 19mm) sockets, 3/8" drive ratchet and 3- and 6-inch wobble extensions

Set includes (also available individually):

Set includes (also available	e maividually):			
KTI20210 - 5/16"	KTI20228 - 7/8"	KTI20428 - 7/8" deep	KTI20318 - 18mm	KTI20714 - 14mm deep
KTI20212 - 3/8"	KTI20412 - 3/8" deep	KTI20310 - 10mm	KTI20319 - 19mm	KTI20715 - 15mm deep
KTI20214 - 7/16"	KTI20414 - 7/16" deep	KTI20311 - 11mm	KTI20707 - 7mm deep	KTI20716 - 16mm deep
KTI20216 - 1/2"	KTI20416 - 1/2" deep	KTI20312 - 12mm	KTI20708 - 8mm deep	KTI20717 - 17mm deep
KTI20218 - 9/16"	KTI20418 - 9/16" deep	KTI20313 - 13mm	KTI20709 - 9mm deep	KTI20718 - 18mm deep
KTI20220 - 5/8"	KTI20420 - 5/8" deep	KTI20314 - 14mm	KTI20710 - 10mm deep	KTI20719 - 19mm deep
KTI20222 - 11/16"	KTI20422 - 11/16" deep	KTI20315 - 15mm	KTI20711 - 11mm deep	KTI22092 - Ratchet
KTI20224 - 3/4"	KTI20424 - 3/4" deep	KTI20316 - 16mm	KTI20712 - 12mm deep	KTI22003 - 3" Extension
KTI20226 - 13/16"	KTI20426 - 13/16" deep	KTI20317 - 17mm	KTI20713 - 13mm deep	KTI22006 - 6" Extension
	·		·	





















LIFETIME







LIFETIME

3/8" Drive Chrome I Complete Sets 3/8"



47-Piece Fractional and Metric 6-point Socket Set 3/8" Drive

- Manufactured with heat-treated chrome vanadium steel
- · Packaged in custom blow-molded carrying case

Includes: short fractional sockets from 1/4"-7/8"; deep fractional sockets from 3/8"-7/8"; short metric sockets from 6mm - 19mm; deep metric sockets from 10mm - 19mm; 3/8 drive pro ratchet; 3" extension; 6" extension.



Set includes (also availab	ne maiviauany):		
KTI22108 - 1/4"	KTI22128 - 7/8"	KTI27106 - 6mm	KTI27116 - 16mm
KTI22110 - 5/16"	KTI22212 - 3/8" deep	KTI27107 - 7mm	KTI27117 - 17mm
KTI22112 - 3/8"	KTI22214 - 7/16" deep	KTI27108 - 8mm	KTI27118 - 18mm
KTI22114 - 7/16"	KTI22216 - 1/2" deep	KTI27109 - 9mm	KTI27119 - 19mm
KTI22116 - 1/2"	KTI22218 - 9/16" deep	KTI27110 - 10mm	KTI27210 - 10mm deep
KTI22118 - 9/16"	KTI22220 - 5/8" deep	KTI27111 - 11mm	KTI27211 - 11mm deep
KTI22120 - 5/8"	KTI22222 - 11/16" deep	KTI27112 - 12mm	KTI27212 - 12mm deep
KTI22122 - 11/16"	KTI22224 - 3/4" deep	KTI27113 - 13mm	KTI27213 - 13mm deep
KTI22124 - 3/4"	KTI22226 - 13/16" deep	KTI27114 - 14mm	KTI27214 - 14mm deep
KTI22126 - 13/16"	KTI22228 - 7/8" deep	KTI27115 - 15mm	KTI27215 - 15mm deep



KTI27216 - 16mm deep KTI27217 - 17mm deep KTI27218 - 18mm deep KTI27219 - 19mm deep KTI22092 - Ratchet KTI22003 - 3" Extension



47-Piece Fractional and Metric 12-point Socket Set 3/8" Drive

- Manufactured with heat-treated chrome vanadium steel
- Packaged in custom blow-molded carrying case



Includes: short fractional sockets from 1/4" - 7/8"; deep fractional sockets from 3/8"-7/8"; short metric sockets from 6mm - 19mm; deep metric sockets from 10mm - 19mm; 3/8 drive pro ratchet; 3" extension; 6" extension.

Set includes (also available individually):

KTI22508 - 1/4"	KTI22528 - 7/8"	KTI27506 - 6mm	KTI27516 - 16mm
KTI22510 - 5/16"	KTI22412 - 3/8" deep	KTI27507 - 7mm	KTI27517 - 17mm
KTI22512 - 3/8"	KTI22414 - 7/16" deep	KTI27508 - 8mm	KTI27518 - 18mm
KTI22514 - 7/16"	KTI22416 - 1/2" deep	KTI27509 - 9mm	KTI27519 - 19mm
KTI22516 - 1/2"	KTI22418 - 9/16" deep	KTI27510 - 10mm	KTI27410 - 10mm deep
KTI22518 - 9/16"	KTI22420 - 5/8" deep	KTI27511 - 11mm	KTI27411 - 11mm deep
KTI22520 - 5/8"	KTI22422 - 11/16" deep	KTI27512 - 12mm	KTI27412 - 12mm deep
KTI22522 - 11/16"	KTI22424 - 3/4" deep	KTI27513 - 13mm	KTI27413 - 13mm deep
KTI22524 - 3/4"	KTI22426 - 13/16" deep	KTI27514 - 14mm	KTI27414 - 14mm deep
KTI22526 - 13/16"	KTI22428 - 7/8" deep	KTI27515 - 15mm	KTI27415 - 15mm deep





KTI22003 - 3" Extension KTI22006 - 6" Extension





KTI27000 26-Piece Metric 6-Point Socket Set 3/8" Drive

- All sockets are 6-point chrome vanadium steel
- Packaged in a blow-molded case

Includes 14 short sockets from 8mm to 21mm, 9 deep sockets from 10mm to 19mm, push button ratchet, spark plug socket and extension.

٦	set includes (also avai	lable individually):	
-	KTI27108 - 8mm	KTI27117 - 17mm	KTI27214 - 14mm deep
-	KTI27109 - 9mm	KTI27118 - 18mm	KTI27216 - 16mm deep
-	KTI27110 - 10mm	KTI27119 - 19mm	KTI27217 - 17mm deep
-	KTI27111 - 11mm	KTI27120 - 20mm	KTI27218 - 18mm deep
-	KTI27112 - 12mm	KTI27121 - 21mm	KTI27219 - 19mm deep
ı	KTI27113 - 13mm	KTI27210 - 10mm deep	KTI22219 - 5/8" Spark Plug
-	KTI27114 - 14mm	KTI27211 - 11mm deep	KTI22091 - Ratchet
-	KTI27115 - 15mm	KTI27212 - 12mm deep	KTI22003 - 3" Extension
-	KTI27116 - 16mm	KTI27213 - 13mm deep	



LIFETIME WARRANTY*

KTI22000 20-Piece Fractional 6-Point Socket Set 3/8" Drive

· All sockets are 6-point chrome vanadium steel

· Packaged in a blow-molded case

Includes 9 short sockets from 3/8" to 7/8", 8 deep sockets from 3/8" to 13/16", push button ratchet plus 2" and 3" extensions.

Set includes (also available individually):

out infoldado (aloo avail	abio inaividualiy).	
KTI22112 - 3/8"	KTI22126 - 13/16"	KTI22222 - 11/16" deep
KTI22114 - 7/16"	KTI22128 - 7/8"	KTI22224 - 3/4" deep
KTI22116 - 1/2"	KTI22212 - 3/8" deep	KTI22226 - 13/16" deep
KTI22118 - 9/16"	KTI22214 - 7/16" deep	KTI22091 - Ratchet
KTI22120 - 5/8"	KTI22216 - 1/2" deep	KTI22002 - 2" Extension
KTI22122 - 11/16"	KTI22218 - 9/16" deep	KTI22003 - 3" Extension
KTI22124 - 3/4"	KTI22220 - 5/8" deen	



3/8" Drive Chrome I Complete Sets 3/8"











KTI22023

23 Piece 3/8" Drive Chrome Socket Set

- All sockets are 12-point
- · Features high polish chrome vanadium finish, which provides for long life and maximum corrosion resistance
- Packaged in a blow-molded plastic case

Includes: 3/8" drive pro-series ratchet, flex handle and speed handle, Short fractional sockets from 3/8" to 7/8"; deep fractional sockets from 1/2" to 13/16", universal joint, 1/2" and 9/16" universal sockets, 6" and 12" extensions

Set includes (also available individually):

KTI22512 - 3/8" short KTI22514 - 7/16" short KTI22516 - 1/2" short KTI22518 - 9/16" short KTI22520 - 5/8" short KTI22522 - 11/16" short KTI22524 - 3/4" short KTI22526 - 13/16" short KTI22528 - 7/8" short KTI22416 - 3/8" deep KTI22418 - 9/16" deep KTI22420 - 5/8" deep KTI22422 - 11/16" deep KTI22424 - 3/4" deep KTI22426 - 13/16" deep

KTI22006 - 6" Extension KTI22012 - 12" Extension

KTI22716 - 1/2" Universal Socket KTI22718 - 9/16" Universal Socket

KTI22500 - Universal Joint KTI22091 - Pro-Series Ratchet KTI22071 - Speed Handle KTI22080 - Flex Handle

KTI22100

10-Piece Fractional 6-Point Socket Set 3/8" Drive - Short

- · Chrome vanadium steel
- · Heat-treated and packaged on a socket rail Includes 6-point sockets from 5/16" to 7/8"

Set includes (also available individually):

KTI22120 - 5/8" KTI22110 - 5/16" KTI22112 - 3/8" KTI22122 - 11/16" KTI22114 - 7/16" KTI22124 - 3/4" KTI22116 - 1/2" KTI22126 - 13/16" KTI22118 - 9/16" KTI22128 - 7/8"

KTI22501

13-Piece Fractional





· Heat-treated and packaged on a socket rail Includes 12-point sockets from 1/4" to 1"

Set includes (also available individually):

KTI22518 - 9/16" KTI22508 - 1/4" KTI22520 - 5/8" KTI22510 - 5/16" KTI22512 - 3/8" KTI22522 - 11/16" KTI22514 - 7/16" KTI22524 - 3/4" KTI22516 - 1/2" KTI22526 - 13/16"



KTI22528 - 7/8" KTI22530 - 15/16" KTI22532 - 1"

KTI27501

15-Piece Metric

12-Point Socket Set 3/8" Drive - Short

· Chrome vanadium steel, heat-treated. packaged on a socket rail

Includes: 12-point sockets from 7mm to 21mm





Set includes (also available individually):

oot inolaado (aloo avant	abio inarriadany,.	
KTI27507 - 7mm	KTI27512 - 12mm	KTI27517 - 17mm
KTI27508 - 8mm	KTI27513 - 13mm	KTI27518 - 18mm
KTI27509 - 9mm	KTI27514 - 14mm	KTI27519 - 19mm
KTI27510 - 10mm	KTI27515 - 15mm	KTI27520 - 20mm
KTI27511 - 11mm	KTI27516 - 16mm	KTI27521 - 21mm

KTI27101

13-Piece Metric

6-Point Socket Set 3/8" Drive - Short

· Chrome vanadium steel

KTI27111 - 11mm

 Heat-treated and packaged on a socket rail Includes 6-point sockets from 7mm to 19mm



17mm

18mm



Set includes (also available individually):

KTI27107 - 7mm	KTI27112 - 12mm	KTI27117 -
KTI27108 - 8mm	KTI27113 - 13mm	KTI27118 -
KTI27109 - 9mm	KTI27114 - 14mm	KTI27119 -
KTI27110 - 10mm	KTI27115 - 15mm	

KTI27116 - 16mm

19mm



3/8" Drive Chrome I Complete Sets 3/8"

KTI22700

8-Piece Universal 12-Point Socket Set 3/8" Drive

- Use with an extension to turn bolts or nuts in difficult-to-access areas
- Chrome vanadium steel, heat-treated Includes: 5/16" to 3/4" universal joints

Set includes (also available individually):

KTI22710 - 5/16" KTI22714 - 7/16" KTI22712 - 3/8" KTI22716 - 1/2"

KTI22718 - 9/16" KTI22720 - 5/8" **KTI22722** - 11/16" **KTI22724** - 3/4"









KTI27201

9-Piece Metric

6-Point Socket Set 3/8" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 6-point sockets from 10mm to 18mm

Set includes (also available individually):

KTI27210 - 10mm KTI27211 - 11mm KTI27212 - 12mm KTI27213 - 13mm KTI27213 - 13mm KTI27218 - 18mm

KTI27214 - 14mm



KTI22401

13-Piece Fractional

12-Point Socket Set 3/8" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 12-point sockets from 1/4" to 1"



KTI22432 - 1" deep

LIFETIME

Set includes (also available individually):

KTI22408 - 1/4" deep
KTI22410 - 5/16" deep
KTI22412 - 3/8" deep
KTI22414 - 7/16" deep
KTI22416 - 1/2" deep
KTI22428 - 7/8" deep





KTI27401

15-Piece Metric 12-Point Socket Set 3/8" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 12-point sockets from 7mm to 21mm

Set includes (also available individually):

KTI27407 - 7mm deep
KTI27408 - 8mm deep
KTI27409 - 9mm deep
KTI27410 - 10mm deep
KTI27411 - 11mm deep
KTI27412 - 12mm deep
KTI27413 - 13mm deep
KTI27413 - 13mm deep
KTI27420 - 20mm deep
KTI27421 - 21mm deep

KTI22201

9-Piece Fractional

6-Point Socket Set 3/8" Drive - Deep

· Chrome vanadium steel

• Heat-treated and packaged on a socket rail Includes 6-point sockets from 3/8" to 7/8"





Set includes (also available individually):

KTI22212 - 3/8" deep
KTI22214 - 7/16" deep
KTI22214 - 7/16" deep
KTI22216 - 1/2" deep
KTI22218 - 9/16" deep
KTI22228 - 7/8" deep

KTI22220 - 5/8" deep

3/8" Drive Chrome | Specialty Sockets

Spark Plug Sockets:

KTI22418 - 9/16" deep

6-point with rubber plug holder, hex top for wrench in tight areas.

KTI22221 - 5/8" **KTI22227** - 13/16"



LIFETIME WARRANTY*



KTI22133

3/8" Drive "2-in-1" Oil Sender Socket

• For oil sending units or stoplight switch replacement

LIFETIME WARRANTY*

Flex Spark Plug Sockets:

Flex joint 3/8" drive, chrome plated, chrome vanadium steel, heat-treated.

KTI22521 - 5/8"

KTI22527 - 13/16"



KTI22430 - 15/16"



KTI32229

3/8" Drive Oxygen Sensor Socket

 Used to remove and install oxygen sensors on most domestic and some imported vehicles







3/8" Drive Chrome I Open Stock 3/8"

3/8" Drive Chrome Sockets - Fractional							
		Standard			Deep		
Size	6 pt	12 pt	Spline	6 pt	12 pt	Spline	
1/4"	KTI22108	KTI22508		KTI22208	KTI22408		
5/16"	KTI22110	KTI22510	KTI20210	KTI22210	KTI22410		
3/8"	KTI22112	KTI22512	KTI20212	KTI22212	KTI22412	KTI20412	
7/16"	KTI22114	KTI22514	KTI20214	KTI22214	KTI22414	KTI20414	
1/2"	KTI22116	KTI22516	KTI20216	KTI22216	KTI22416	KTI20416	
9/16"	KTI22118	KTI22518	KTI20218	KTI22218	KTI22418	KTI20418	
5/8"	KTI22120	KTI22520	KTI20220	KTI22220	KTI22420	KTI20420	
11/16"	KTI22122	KTI22522	KTI20222	KTI22222	KTI22422	KTI20422	
3/4"	KTI22124	KTI22524	KTI20224	KTI22224	KTI22424	KTI20424	
13/16"	KTI22126	KTI22526	KTI20226	KTI22226	KTI22426	KTI20426	
7/8"	KTI22128	KTI22528	KTI20228	KTI22228	KTI22428	KTI20428	
15/16"	KTI22130	KTI22530		KTI22230	KTI22430		
1"	KTI22132	KTI22532		KTI22232	KTI22432		

3/8" Drive Chrome Sockets - Metric							
		Standard		Deep			
Size	6 pt	12 pt	Spline	6 pt	12 pt	Spline	
6mm	KTI27106	KTI27506		KTI27206			
7mm	KTI27107	KTI27507		KTI27207	KTI27407	KTI20707	
8mm	KTI27108	KTI27508		KTI27208	KTI27408	KTI20708	
9mm	KTI27109	KTI27509		KTI27209	KTI27409	KTI20709	
10mm	KTI27110	KTI27510	KTI20310	KTI27210	KTI27410	KTI20710	
11mm	KTI27111	KTI27511	KTI20311	KTI27211	KTI27411	KTI20711	
12mm	KTI27112	KTI27512	KTI20312	KTI27212	KTI27412	KTI20712	
13mm	KTI27113	KTI27513	KTI20313	KTI27213	KTI27413	KTI20713	
14mm	KTI27114	KTI27514	KTI20314	KTI27214	KTI27414	KTI20714	
15mm	KTI27115	KTI27515	KTI20315	KTI27215	KTI27415	KTI20715	
16mm	KTI27116	KTI27516	KTI20316	KTI27216	KTI27416	KTI20716	
17mm	KTI27117	KTI27517	KTI20317	KTI27217	KTI27417	KTI20717	
18mm	KTI27118	KTI27518	KTI20318	KTI27218	KTI27418	KTI20718	
19mm	KTI27119	KTI27519	KTI20319	KTI27219	KTI27419	KTI20719	
20mm	KTI27120	KTI27520		KTI27220	KTI27420		
21mm	KTI27121	KTI27521		KTI27221	KTI27421		
22mm	KTI27122			KTI27222			
23mm	KTI27123			KTI27223			
24mm	KTI27124			KTI27224			
25mm	KTI27125			KTI27225			
26mm	KTI27126			KTI27226			



3/8" Drive Impact I Complete Sets

6 PT

LIFETIME WARRANTY*




42-piece Fractional and Metric Impact Socket Set 3/8" Drive

- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments.
- All sockets are 6-point, 3/8" drive.
- · Laser engraved for quick identification
- Packaged in a convenient blow-molded case

Includes: 8 short fractional sockets sized from 5/16" to 3/4",

8 deep fractional sockets sized from 5/16" to 3/4", 12 short metric sockets sized from 8mm to 19mm, 12 deep metric sockets sized from 8mm to 19mm, universal joint and 3" extension.



Set includes (also available	e individually):			
KTI32110 - 5/16"	KTI32212 - 3/8" deep	KTI37110 - 10mm	KTI37119 - 19mm	KTI37216 - 16mm deep
KTI32112 - 3/8"	KTI32214 - 7/16" deep	KTI37111 - 11mm	KTI37208 - 8mm deep	KTI37217 - 17mm deep
KTI32114 - 7/16"	KTI32216 - 1/2" deep	KTI37112 - 12mm	KTI37209 - 9mm deep	KTI37218 - 18mm deep
KTI32116 - 1/2"	KTI32218 - 9/16" deep	KTI37113 - 13mm	KTI37210 - 10mm deep	KTI37219 - 19mm deep
KTI32118 - 9/16"	KTI32220 - 5/8" deep	KTI37114 - 14mm	KTI37211 - 11mm deep	KTI32003 - 3" Extension
KTI32120 - 5/8"	KTI32222 - 11/16" deep	KTI37115 - 15mm	KTI37212 - 12mm deep	KTI32013 - Universal Joint
KTI32122 - 11/16"	KTI32224 - 3/4" deep	KTI37116 - 16mm	KTI37213 - 13mm deep	
KTI32124 - 3/4"	KTI37108 - 8mm	KTI37117 - 17mm	KTI37214 - 14mm deep	
KTI32210 - 5/16" deep	KTI37109 - 9mm	KTI37118 - 18mm	KTI37215 - 15mm deep	
KTI32124 - 3/4"	KTI37108 - 8mm	KTI37117 - 17mm	KTI37214 - 14mm deep	

KTI32100

9-Piece Fractional **Impact Socket Set** 3/8" Drive - Short

- Chrome moly steel, thin wall impact
- · Heat-treated

KTI32120 - 5/8"

· Packaged in a blow-molded case Includes: 6-point sockets from 3/8" to 7/8"

Set includes (also available individually):

KTI32122 - 11/16" KTI32112 - 3/8" KTI32114 - 7/16" KTI32124 - 3/4" KTI32116 - 1/2" KTI32126 - 13/16" KTI32118 - 9/16" KTI32128 - 7/8"



LIFETIME WARRANTY*



6 PT



KTI32200 9-Piece Fractional

Impact Socket Set 3/8" Drive - Deep

KTI32220 - 5/8" deep

- · Chrome moly steel, thin wall impact
- · Heat-treated
- · Packaged in a blow-molded case Includes: 6-point sockets from 3/8" to 7/8"

Set includes (also available individually):

KTI32212 - 3/8" deep KTI32222 - 11/16" deep KTI32214 - 7/16" deep KTI32224 - 3/4" deep KTI32216 - 1/2" deep KTI32226 - 13/16" deep KTI32228 - 7/8" deep KTI32218 - 9/16" deep



KTI37100

10-Piece Metric **Impact Socket Set** 3/8" Drive - Short

- Chrome moly steel, thin wall impact
- · Heat-treated
- · Packaged in a blow-molded case Includes: 6-point sockets from 10mm to 19mm

Set includes (also available individually):

KTI37110 - 10mm KTI37115 - 15mm KTI37111 - 11mm KTI37116 - 16mm KTI37112 - 12mm KTI37117 - 17mm KTI37113 - 13mm KTI37118 - 18mm KTI37114 - 14mm KTI37119 - 19mm





10-Piece Metric Impact Socket Set 3/8" Drive - Deep

· Chrome moly steel, thin wall impact

- · Heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 19mm





6 PT



KTI37210 - 10mm deep KTI37215 - 15mm deep KTI37211 - 11mm deep KTI37216 - 16mm deep KTI37212 - 12mm deep KTI37217 - 17mm deep KTI37213 - 13mm deep KTI37218 - 18mm deep KTI37214 - 14mm deep KTI37219 - 19mm deep



3/8" Drive Impact I Complete Sets

Complete Sets

KTI32500

6-Piece Fractional Impact Flex Socket Set 3/8" Drive - Short

- Chrome moly steel, close quarter, thin wall, heat-treated
- Packaged in a blow-molded case

Includes: 6-point sockets from 7/16" to 3/4"

Set includes (also available individually):

KTI32514 - 7/16" KTI32520 - 5/8" KTI32516 - 1/2" KTI32522 - 11/16" KTI32518 - 9/16" KTI32524 - 3/4"







KTI32400

6-Piece Fractional Impact Flex Socket Set 3/8" Drive - Deep

- · Chrome moly steel, close quarter, thin wall, heat-treated
- Packaged in a blow-molded case

Includes: 6-point sockets from 7/16" to 3/4"

Set includes (also available individually):

KTI32414 - 7/16" deep **KTI32420** - 5/8" deep **KTI32416** - 1/2" deep **KTI32422** - 11/16" deep **KTI32424** - 3/4" deep



KTI37500

6-Piece Metric Impact Flex Socket Set 3/8" Drive - Short





- Chrome moly steel, close quarter, thin wall, heat-treated
- Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 15mm

Set includes (also available individually):

KTI37510 - 10mm **KTI37511** - 11mm **KTI37512** - 12mm **KTI37512** - 12mm **KTI37515** - 15mm





KTI37400

10-Piece Metric Impact Flex Socket Set 3/8" Drive - Deep

- Chrome moly steel, close quarter, thin wall, heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 19mm

Set includes (also available individually):

KTI37410 - 10mm deep
KTI37411 - 11mm deep
KTI37412 - 12mm deep
KTI37413 - 13mm deep
KTI37413 - 13mm deep
KTI37414 - 14mm deep
KTI37419 - 19mm deep

3/8	3/8" Drive Impact Sockets - Fractional					
	Sta	ndard		О еер		
Size	6 pt	6 pt Flex	6 pt	6 pt Flex		
1/4"						
5/16"	KTI32110		KTI32210			
3/8"	KTI32112		KTI32212			
7/16"	KTI32114	KTI32514	KTI32214	KTl32414		
1/2"	KTI32116	KTI32516	KTI32216	KTl32416		
9/16"	KTI32118	KTI32518	KTI32218	KTl32418		
5/8"	KTI32120	KTI32520	KTI32220	KTI31420		
11/16"	KTI32122	KTI32522	KTI32222	KTI32422		
3/4"	KTI32124	KTI32524	KTI32224	KTI32424		
13/16"	KTI32126		KTI32226			
7/8"	KTI32128		KTI32228			

3/8" Drive Impact Sockets - Metric						
	Sta	andard	Deep			
Size	6 pt	6 pt Flex	6 pt	Flex		
8mm	KTI37108		KTI37208			
9mm	KTI37109		KTI37209			
10mm	KTI37110	KTI37510	KTI37210	KTI37410		
11mm	KTI37111	KTI37511	KTI37211	KTI37411		
12mm	KTI37112	KTI37512	KTI37212	KTI37412		
13mm	KTI37113	KTI37513	KTI37213	KTI37413		
14mm	KTI37114	KTI37514	KTI37214	KTI37414		
15mm	KTI37115	KTI37515	KTI37215	KTI37415		
16mm	KTI37116		KTI37216	KTI37416		
17mm	KTI37117		KTI37217	KTI37417		
18mm	KTI37118		KTI37218	KTI37418		
19mm	KTI37119		KTI37219	KTI37419		



1/2" Drive Chrome | Complete Sets 1/2"







LIFETIME WARRANTY*

KTI23000

16-Piece Fractional 6-Point Socket Set 1/2" Drive - Short

• All sockets are 6-point chrome vanadium • Packaged in a blow-molded case Includes: 13 sockets from 7/16" through 11/4", ratchet, breaker bar and extension.

Set includes (also available individually):

KTI23126 - 13/16" KTI23114 - 7/16" KTI23140 - 1-1/4" KTI23116 - 1/2" KTI23128 - 7/8" KTI23091 - Ratchet KTI23118 - 9/16" KTI23130 - 15/16" KTI23005 - 5" Extension KTI23120 - 5/8" KTI23132 - 1" KTI23080 - 17" Breaker bar KTI23134 - 1-1/16" KTI23122 - 11/16"

KTI23136 - 1-1/8'

KTI23110

KTI23124 - 3/4"



6-Point Socket Set, 1/2" Drive - Short

· Chrome vanadium steel, heat-treated Includes: 6-point sockets from 7/16" to 11/4"

Set includes (also available individually):

KTI23124 - 3/4" KTI23114 - 7/16" KTI23134 - 1-1/16" KTI23116 - 1/2" KTI23126 - 13/16" KTI23136 - 1-1/8" KTI23140 - 1-1/4" KTI23118 - 9/16" KTI23128 - 7/8" KTI23130 - 15/16" KTI23120 - 5/8" KTI23122 - 11/16" KTI23132 - 1'

KTI23200

8-Piece Fractional

6-Point Socket Set 1/2" Drive - Deep

· Chrome vanadium steel, heat-treated Includes: 6-point sockets from 1/2" to 15/16"



LIFETIME WARRANTY

WARRANTY

Set includes (also available individually):

KTI23224 - 3/4" deep KTI23216 - 1/2" deep KTI23218 - 9/16" deep KTI23226 - 13/16" deep KTI23228 - 7/8" deep KTI23220 - 5/8" deep KTI23222 - 11/16" deep KTI23230 - 15/16" deep

KTI23800

4-Piece

Fractional Stud Remover Set, 1/2" Drive

- Chrome vanadium steel, heat-treated
- · Packaged in a blow-molded case

Set includes (also available individually):

KTI23808 - 1/4" KTI23810 - 5/16"

KTI23812 - 3/8" KTI23814 - 7/16"



KTI28000

17-Piece Metric

6-Point Socket Set 1/2" Drive - Short

- All sockets are 6-point chrome vanadium
- · Packaged in a blow-molded case

Includes: 14 sockets from 15mm to 28mm, push button ratchet, breaker bar and 5" extension

Set includes (also available individually):

oot inolaado (aloo avant	abio iiiaiviaaaiiy/.	
KTI28115 - 15mm	KTI28121 - 21mm	KTI28127 - 27mm
KTI28116 - 16mm	KTI28122 - 22mm	KTI28128 - 28mm
KTI28117 - 17mm	KTI28123 - 23mm	KTI23091 - Ratchet
KTI28118 - 18mm	KTI28124 - 24mm	KTI23005 - 5" Extension
KTI28119 - 19mm	KTI28125 - 25mm	KTI23080 - 17" Breaker bar
KTI28120 - 20mm	KTI28126 - 26mm	

LIFETIME WARRANTY*

KTI28100

14-Piece Metric 6-Point Socket Set

1/2" Drive - Short

· Chrome vanadium steel, heat-treated, packaged on a socket rail. Includes: 6-point sockets from 15mm to 28mm

Set includes (also available individually):

out includes (also availe	abic individually).	
KTI28115 - 15mm	KTI28120 - 20mm	KTI28125 - 25mm
KTI28116 - 16mm	KTI28121 - 21mm	KTI28126 - 26mm
KTI28117 - 17mm	KTI28122 - 22mm	KTI28127 - 27mm
KTI28118 - 18mm	KTI28123 - 23mm	KTI28128 - 28mm
KTI28119 - 19mm	KTI28124 - 24mm	

KTI28200

10-Piece Metric 6-Point Socket Set 1/2" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 6-point sockets from 15mm to 24mm

Set includes (also available individually):

KTI28215 - 15mm deep KTI28216 - 16mm deep KTI28220 - 20mm deep KTI28221 - 21mm deep KTI28222 - 22mm deep KTI28217 - 17mm deep KTI28218 - 18mm deep KTI28223 - 23mm deep KTI28219 - 19mm deep KTI28224 - 24mm deep

KTI23900

4-Piece Metric Stud Remover Set 1/2" Drive

- · Chrome vanadium steel, heat-treated
- · Packaged in a blow-molded case

Set includes (also available individually):

KTI23906 - 6mm KTI23908 - 8mm KTI23910 - 10mm KTI23912 - 12mm







1/2" Drive Chrome I Open Stock 1/2"

1/2" Drive Chrome Sockets - Fractional					
	Stan	dard	Deep		
Size	6 pt	12 pt	6 pt		
3/8"	KTI23112	KTI23512			
7/16"	KTI23114		KTI23214		
1/2"	KTI23116	KTI23516	KTI23216		
9/16"	KTI23118		KTI23218		
5/8"	KTI23120		KTI23220		
11/16"	KTI23122		KTI23222		
3/4"	KTI23124		KTI23224		
13/16"	KTI23126		KTI23226		
7/8"	KTI23128		KTI23228		
15/16"	KTI23130		KTI23230		
1"	KTI23132		KTI23232		
1-1/16"	KTI23134		KTI23234		
1-1/8"	KTI23136		KTI23236		
1-1/4"	KTI23140		KTI23240		
1-5/16"	KTI23142		KTI23242		
1-3/8"	KTI23144		KTI23244		
1-7/16"	KTI23146		KTI23246		
1-1/2"	KTI23148		KTI23348		

1/2" Drive Chrome Sockets - Metric						
	Standard	Deep				
Size	6 pt	6 pt				
10mm	KTI28110	KTI28210				
11mm	KTI28111	KTI28211				
12mm	KTI28112	KTI28212				
13mm	KTI28113	KTI28213				
14mm	KTI28114	KTI28214				
15mm	KTI28115	KTI28215				
16mm	KTI28116	KTI28216				
17mm	KTI28117	KTI28217				
18mm	KTI28118	KTI28218				
19mm	KTI28119	KTI28219				
20mm	KTI28120	KTI28220				
21mm	KTI28121	KTI28221				
22mm	KTI28122	KTI28222				
23mm	KTI28123	KTI28223				
24mm	KTI28124	KTI28224				
25mm	KTI28125	KTI28225				
26mm	KTI28126	KTI28226				
27mm	KTI28127	KTI28227				
28mm	KTI28128	KTI28228				

1/2" Drive Impact I Complete Sets 1/2"

KTI33100

12-Piece Fractional



· Chrome moly steel, thin wall impact, heat-treated

· Packaged in a blow-molded case

Includes: 6-point sockets from 1/2" to 1-1/4"



Set includes (also available individually):

KTI33124 - 3/4" KTI33132 - 1" **KTI33116** - 1/2" KTI33118 - 9/16" KTI33126 - 13/16" KTI33134 - 1-1/16" KTI33120 - 5/8" KTI33128 - 7/8" KTI33136 - 1-1/8" KTI33122 - 11/16" KTI33130 - 15/16" KTI33140 - 1-1/4"







Socket Impact Add-On Set 1/2" Drive

- 6-point 1/2" drive Laser engraved for quick identification
- · Carded on socket rail.

Includes: shallow sockets 1-5/16", 1-3/8", 1-7/16" and 1-1/2"

Set includes (also available individually):

KTI33142 - 1-5/16" KTI33144 - 1-3/8" KTI33146 - 1-7/16" KTI33148 - 1-1/2"



KTI33101

KTI33124 - 3/4"

19-Piece Fractional Impact Socket Set 1/2" Drive - Short

· Chrome moly steel, thin wall impact, heat-treated

Includes: 6-point sockets from 3/8" to 1-1/2"





Set includes (also available individually):

KTI33112 - 3/8" KTI33126 - 13/16" KTI33140 - 1-1/4" KTI33114 - 7/16" KTI33128 - 7/8" KTI33142 - 1-5/16" KTI33116 - 1/2" KTI33130 - 15/16" KTI33144 - 1-3/8" KTI33118 - 9/16" KTI33146 - 1-7/16" KTI33132 - 1" **KTI33134** - 1-1/16" KTI33148 - 1-1/2" KTI33120 - 5/8" KTI33122 - 11/16" KTI33136 - 1-1/8"

KTI33138 - 1-3/16"



1/2" Drive Impact I Complete Sets 1/2"



KTI33200

12-Piece Fractional **Impact Socket Set** 1/2" Drive - Deep



- Chrome moly steel, thin wall impact, heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 1/2" to 11/4"



Set	inc	lud	es (a	S0	avai	la	b	le	ind	İ۷	ic	lua	lly	I)	:
-----	-----	-----	------	---	----	------	----	---	----	-----	----	----	-----	-----	----	---

KTI33216 - 1/2"	KTI33224 - 3/4"	KTI33232 - 1"
KTI33218 - 9/16"	KTI33226 - 13/16"	KTI33234 - 1-1/16"
KTI33220 - 5/8"	KTI33228 - 7/8"	KTI33236 - 1-1/8"
KTI33222 - 11/16"	KTI33230 - 15/16"	KTI33240 - 1-1/4"

KTI33204

4 Piece 6 Point Fractional Deep Impact Socket Set

Includes: 1-5/16", 1-3/8", 1-7/16" and 1-1/2"

Set includes (also available individually):

KTI33242 - 1-5/16" - deep KTI33244 - 1-3/8" - deep KTI33246 - 1-7/16" - deep KTI33248 - 1/2" - deep



KTI33202

19-Piece Fractional **Impact Socket Set** 1/2" Drive - Deep

· Chrome moly steel, thin wall impact, heat-treated Includes: 6-point sockets from 3/8" to 1-1/2"





Set includes (also available individually)

ie individually):	
KTI33226 - 13/16"	KTI33240 - 1-1/4"
KTI33228 - 7/8"	KTI33242 - 1-5/16
KTI33230 - 15/16"	KTI33244 - 1-3/8"
KTI33232 - 1"	KTI33246 - 1-7/16
KTI33234 - 1-1/16"	KTI33248 - 1-1/2"
KTI33236 - 1-1/8"	
	KTI33226 - 13/16" KTI33228 - 7/8" KTI33230 - 15/16" KTI33232 - 1" KTI33234 - 1-1/16"

KTI33238 - 1-3/16"

KTI38100 12-Piece Metric Impact Socket Set

KTI33224 - 3/4"

1/2" Drive - Short

- Chrome moly steel, thin wall impact, heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 21mm





Cot includes (also available individually):

Set illeluues (also avalla	DIE HIUIVIUUAIIY).	
KTI38110 - 10mm	KTI38114 - 14mm	KTI38118 - 18mm
KTI38111 - 11mm	KTI38115 - 15mm	KTI38119 - 19mm
KTI38112 - 12mm	KTI38116 - 16mm	KTI38120 - 20mm
KTI38113 - 13mm	KTI38117 - 17mm	KTI38121 - 21mm

KTI38200

12-Piece Metric

Impact Socket Set 1/2" Drive - Deep

- · Chrome moly steel, thin wall impact, heat-treated
- Packaged in a blow-molded case.

Includes: 6-point sockets from 10mm to 21mm





Set includes (also available individually):

oot inolaaco (aloo avallab	io inaividualiy).	
KTI38210 - 10mm	KTI38214 - 14mm	KTI38218 - 18mm
KTI38211 - 11mm	KTI38215 - 15mm	KTI38219 - 19mm
KTI38212 - 12mm	KTI38216 - 16mm	KTI38220 - 20mm
KTI38213 - 13mm	KTI38217 - 17mm	KTI38221 - 21mm

KTI38201

9 Piece 1/2" Drive 6 Point Metric Impact Socket Set

Includes: sizes: 22mm to 30mm





Set includes (also available individually):

KTI38222 - 22mm	KTI38223 - 23mm	KTI38224 - 24mm
KTI38225 - 25mm	KTI38226 - 26mm	KTI38227 - 27mm
KTI38228 - 28mm	KTI38229 - 29mm	KTI38230 - 30mm

KTI38101

26-Piece Metric **Impact Socket Set** 1/2" Drive - Short

- · Chrome moly steel, thin wall impact, heat-treated
- Includes: 6-point sockets from 10mm to 36mm



Set includes (also available individually):

oot inoludoo (aloo avalla	bio inarriadany).	
KTI38110 - 10mm	KTI38119 - 19mm	KTI38128 - 28mm
KTI38111 - 11mm	KTI38120 - 20mm	KTI38129 - 29mm
KTI38112 - 12mm	KTI38121 - 21mm	KTI38130 - 30mm
KTI38113 - 13mm	KTI38122 - 22mm	KTI38132 - 32mm
KTI38114 - 14mm	KTI38123 - 23mm	KTI38133 - 33mm
KTI38115 - 15mm	KTI38124 - 24mm	KTI38134 - 34mm
KTI38116 - 16mm	KTI38125 - 25mm	KTI38135 - 35mm
KTI38117 - 17mm	KTI38126 - 26mm	KTI38136 - 36mm
KTI38118 - 18mm	KTI38127 - 27mm	

KTI38202

26-Piece Metric **Impact Socket Set** 1/2" Drive - Deep

• Chrome moly steel, thin wall impact, heat-treated. Includes: 6-point sockets from 10mm to 36mm



Set includes (also available individually):

oct iliciuuco (also avallabi	e muniuany).	
KTI38210 - 10mm	KTI38219 - 19mm	KTI38228 - 28mm
KTI38211 - 11mm	KTI38220 - 20mm	KTI38229 - 29mm
KTI38212 - 12mm	KTI38221 - 21mm	KTI38230 - 30mm
KTI38213 - 13mm	KTI38222 - 22mm	KTI38232 - 32mm
KTI38214 - 14mm	KTI38223 - 23mm	KTI38233 - 33mm
KTI38215 - 15mm	KTI38224 - 24mm	KTI38234 - 34mm
KTI38216 - 16mm	KTI38225 - 25mm	KTI38235 - 35mm
KTI38217 - 17mm	KTI38226 - 26mm	KTI38236 - 36mm
KTI38218 - 18mm	KTI38227 - 27mm	

1/2" Drive Impact I Complete Sets 1/2"

KTI33500

7-Piece Fractional **Impact Flex Socket Set** 1/2" Drive

- · Chrome moly steel, thin wall, heat-treated
- · Packaged in a blow-molded case Includes: 6-point sockets from 1/2" to 7/8"

Set includes (also available individually): **KTI33516** - 1/2" **KTI33524** -KTI33524 - 3/4" KTI33518 - 9/16" KTI33526 - 13/16" KTI33520 - 5/8" KTI33528 - 7/8"

KTI33522 - 11/16"





KTI38500 6-Piece Metric **Impact Flex Socket Set** 1/2" Drive

- Chrome moly steel, thin wall, heat-treated
- Packaged in a blow-molded case Includes: 6 point sockets from 13mm to 19mm





Set includes (also available individually):

KTI38517 - 17mm **KTI38513** - 13mm KTI38514 - 14mm KTI38518 - 18mm KTI38515 - 15mm KTI38519 - 19mm

1/2" Drive Impact I 1/2" Open Stock

1/2" Drive Impact Sockets - Fractional			
	Deep		
Size	6 pt	6 pt Flex	6 pt
3/8"	KTI33112		KTI33212
7/16"	KTI33114		KTI33214
1/2"	KTI33116	KTI33516	KTI33216
9/16"	KTI33118	KTI33518	KTI33218
5/8"	KTI33120	KTI33520	KTI33220
11/16"	KTI33122	KTI33522	KTI33222
3/4"	KTI33124	KTI33524	KTI33224
13/16"	KTI33126	KTI33526	KTI33226
7/8"	KTI33128	KTI33528	KTI33228
15/16"	KTI33130		KTI33230
1"	KTI33132		KTI33232
1-1/16"	KTI33134		KTI33234
1-1/8"	KTI33136		KTI33236
1-3/16"	KTI33138		KTI33238
1-1/4"	KTI33140		KTI33240
1-5/16"	KTI33142		KTI33242
1-3/8"	KTI33144		KTI33244
1-7/16"	KTI33146		KTI33246
1-1/2"	KTI33148		KTI33248

1/2" Drive Flip Impact Socket KTI33050 - 3/4" x 13/16" KTI38050 - 19mm-21mm





1/2" Drive Impact Sockets - Metric				
	Stan	Standard		
Size	6 pt	6 pt Flex	6 pt	
10mm	KTI38110		KTI38210	
11mm	KTI38111		KTI38211	
12mm	KTI38112		KTI38212	
13mm	KTI38113	KTI38513	KTI38213	
14mm	KTI38114	KTI38514	KTI38214	
15mm	KTI38115	KTI38515	KTI38215	
16mm	KTI38116		KTI38216	
17mm	KTI38117	KTI38517	KTI38217	
18mm	KTI38118	KTI38518	KTI38218	
19mm	KTI38119	KTI38519	KTI38219	
20mm	KTI38120		KTI38220	
21mm	KTI38121		KTI38221	
22mm	KTI38122		KTI38222	
23mm	KTI38123		KTI38223	
24mm	KTI38124		KTI38224	
25mm	KTI38125		KTI38225	
26mm	KTI38126		KTI38226	
27mm	KTI38127		KTI38227	
28mm	KTI38128		KTI38228	
29mm	KTI38129		KTI38229	
30mm	KTI38130		KTI38230	
31mm				
32mm	KTI38132		KTI38232	
33mm	KTI38133		KTI38233	
34mm	KTI38134		KTI38234	
35mm	KTI38135		KTI38235	
36mm	KTI38136		KTI38236	



3/4" Drive Chrome I Complete Sets 3/4"





KTI24121

20-Piece Fractional 6-Point Socket Set 3/4" Drive

- 6-point high polished chrome vanadium steel
- Packaged in blow-molded case

Includes: 16 sockets from 3/4" to 2", ratchet, T-handle and 4" and 8" extensions

Set includes (also available individually):

KTI24124 - 3/4"	KTI24140 - 1-1/4"	KTI24160 - 1-7/8"
KTI24128 - 7/8"	KTI24142 - 1-5/16"	KTI24164 - 2"
KTI24130 - 15/16"	KTI24144 - 1-3/8"	KTI24090 - Ratchet
KTI24132 - 1"	KTI24146 - 1-7/16"	KTI24004 - 4" Extension
KTI24134 - 1-1/16"	KTI24148 - 1-1/2"	KTI24008 - 8" Extension
KTI24136 - 1-1/8"	KTI24152 - 1-5/8"	KTI24070 - T-handle
KTI24138 - 1-13/16"	KTI24156 - 1-3/4"	



KTI24105

5-Piece Fractional 6-Point Socket Set 3/4" Drive

- Socket assortment is a perfect addition to the KTl24121 3/4" drive socket set
- Chrome vanadium

Includes: 5 sockets from 2-1/16" to 2-3/8"

Set includes (also available individually):

KTI24166 - 2-1/16" KTI24168 - 2-1/8" KTI24170 - 2-3/16" KTI24172 - 2-1/4" KTI24176 - 2-3/8"



3/4" Drive Chrome I 3/4" Open Stock

3/4"	Drive Chrome	Sockets				
	Standard					
Size	6 pt	12 pt				
3/4"	KTI24124					
7/8"	KTI24128					
15/16"	KTI24130					
1"	KTI24132					
1-1/16"	KTI24134					
1-1/8"	KTI24136					
1-3/16"	KTI24138					
1-1/4"	KTI24140					
1-5/16"	KTI24142					
1-3/8"	KTI24144					
1-7/16"	KTI24146					
1-1/2"	KTI24148					
1-5/8"	KTI24152					
1-3/4"	KTI24156					
1-7/8"	KTI24160					
2"	KTI24164					
2-1/16"	KTI24166					
2-1/8"	KTI24168					
2-3/16"	KTI24170					
2-1/4"	KTI24172	KTI24173				
2-3/8"	KTI24176					



3/4" Drive Impact I Complete Sets 3/4"

KTI34100

8-Piece Fractional **Impact Socket Set** 3/4" Drive - Short

- · Chrome moly steel, heat-treated
- · Packaged in a blow-molded case

Includes: 6 point sockets from 1" to 1-1/2"



KTI34142 - 1-5/16" KTI34132 - 1" KTI34134 - 1-1/16" KTI34144 - 1-3/8" KTI34136 - 1-1/8" KTI34146 - 1-7/16" KTI34148 - 1-1/2' KTI34140 - 1-1/4"





KTI34200

8-Piece Fractional **Impact Socket Set** 3/4" Drive - Deep

- Chrome moly steel, heat-treated
- Packaged in a blow-molded case

Includes: 6-point sockets from 1" to 1-1/2"

Set includes (also available individually):

KTI34242 - 1-5/16" KTI34232 - 1" KTI34234 - 1-1/16" KTI34244 - 1-3/8" KTI34236 - 1-1/8" KTI34246 - 1-7/16" KTI34240 - 1-1/4" KTI34248 - 1-1/2"





KTI34101

12-Piece Fractional **Impact Socket Set** 3/4" Drive - Short

· Chrome moly steel, heat-treated Includes: 6-point sockets from 1-9/16"" to 2-3/8"





Set includes (also available individually):

KTI34150 - 1-9/16" KTI34158 - 1-13/16" KTI34166 - 2-1/16" KTI34152 - 1-5/8" KTI34160 - 1-15/16" KTI34168 - 2-1/8" KTI34172 - 2-1/4" KTI34154 - 1-11/16" KTI34162 - 1-7/8" KTI34156 - 1-3/4" KTI34164 - 2" KTI34176 - 2-3/8"

KTI34201

8-Piece Fractional **Impact Socket Set** 3/4" Drive - Deep

• Chrome moly steel, heat-treated Includes: 6-point sockets from 1-9/16" to 2"

Set includes (also available individually):

KTI34250 - 1-9/16" KTI34258 - 1-13/16" KTI34252 - 1-5/8" KTI34260 - 1-15/16" KTI34254 - 1-11/16" KTI34262 - 1-7/8" KTI34256 - 1-3/4" KTI34264 - 2"





KTI39100

15-Piece Metric **Impact Socket Set**

3/4" Drive - Short





- This set is capable of handling larger applications, such as removal of truck wheels and lug nuts
- Manufactured from heat-treated chrome-moly steel
- · Packaged in a convenient blow-molded case

Includes: metric sockets sized 17mm to 46mm and replacement o-rings and pins.

Set includes (also available individually):

KTI39117 - 17mm KTI39130 - 30mm KTI39138 - 38mm KTI39119 - 19mm KTI39131 - 31mm KTI39140 - 40mm KTI39120 - 20mm KTI39132 - 32mm KTI39146 - 46mm

KTI39122 - 22mm KTI39134 - 34mm KTI39124 - 24mm KTI39135 - 35mm

KTI39127 - 27mm KTI39136 - 36mm









3/4" Drive Impact I 3/4" Open Stock

3/4" Drive Impact Sockets - Fractional & Metric				
	Standard	Deep		Standard
Size	6 pt	6 pt	Size	6 pt
1"	KTI34132	KTI34232	17mm	KTI39117
1-1/16"	KTI34134	KTI34234	19mm	KTI39119
1-1/8"	KTI34136	KTI34236	20mm	KTI39120
1-1/4"	KTI34140	KTI34240	22mm	KTI39122
1-5/16"	KTI34142	KTI34242	24mm	KTI39124
1-3/8"	KTI34144	KTI34244	27mm	KTI39127
1-7/16"	KTI34146	KTI34246	30mm	KTI39130
1-1/2"	KTI34148	KTI34248	31mm	KTI39131
1-9/16"	KTI34150	KTI34250	32mm	KTI39132
1-5/8"	KTI34152	KTI34252	34mm	KTI39134
1-11/16"	KTI34154	KTI34254	35mm	KTI39135
1-3/4"	KTI34156	KTI34256	36mm	KTI39136
1-13/16"	KTI34158	KTI34258	38mm	KTI39138
1-7/8"	KTI34162	KTI34262	40mm	KTI39140
1-15/16"	KTI34160	KTI34260	46mm	KTI39146
2"	KTI34164	KTI34264		
2-1/16"	KTI34166			
2-1/8"	KTI34168			
2-1/4"	KTI34172			
2-3/8"	KTI34176			

1" Drive Impact I Open Stock

1" Drive Impact Sockets						
Standard Deep						
Size	6 pt	6 pt				
3/4"	KTI35124					
13/16"	KTI35126					
7/8"	KTI35128					
15/16"	KTI35130					
1"	KTI35132					
1-1/16"	KTI35134	KTI35234				
1-1/8"	KTI35136	KTI35236				
1-3/16"	KTI35138					
1-1/4"	KTI35140	KTI35240				
1-5/16"	KTI35142	KTI35242				
1-7/16"	KTI35146					
1-1/2"	KTI35148					
1-5/8"	KTI35152					
1-11/16"	KTI35154					
1-13/16"	KTI35158					
1-7/8"	KTI35160					
2"	KTI35164					
2-1/16"	KTI35166					
2-1/4"	KTI35172					
2-7/16"	KTI35178					
2-5/8"	KTI35184					
3"	KTI35196					

1" Drive Impact I Complete Sets

KTI35100

18-Piece Fractional Impact Socket Set

LIFETIME WARRANTY*

1" Drive - Short

KTI35140 - 1-1/4"

- Manufactured from heat-treated chrome-moly steel
- Packaged in a convenient blow-molded case

Includes: fractional sockets sized 3/4" to 2" and replacement o-rings and pins.

Set includes (also available individually):

KTI35142 - 1-5/16" **KTI35146** - 1-7/16" KTI35007 - 7" Extension KTI35124 - 3/4" KTI35126 - 13/16" KTI35013 - 13" Extension KTI35128 - 7/8" KTI35148 - 1-1/2" KTI35001 - 0-rings 1.75"/45mm **KTI35152** - 1-5/8" KTI35130 - 15/16" KTI35002 - 0-rings 2"/51mm KTI35132 - 1" KTI35154 - 1-11/16" KTI35003 - Pins 1.75"/45mm KTI35168 - 1-13/16" KTI35004 - Pins 2"/51mm KTI35160 - 1-7/8" KTI35134 - 1-1/16" KTI35136 - 1-1/8"

KTI35164 - 2"



1/4" Chrome | Accessories





KTI21091

1/4" Drive Push Button Ratchet

· High polish chrome finish, chrome vanadium steel, premium gears

KTI21092

1/4" Drive

4-1/2" Professional Series **Chrome Ratchet**

- High polished chrome
- · New design push button socket release
- · Thumb lever directional switch
- Fine tooth thin design
- Knurled handles





KTI21092RK

KTI21095

1/4" Drive

7" Long Handled

Professional Series Chrome Ratchet

- High polished chrome
- New design push button socket release
- · Thumb lever directional switch
- Fine tooth thin design Knurled handles





KTI21060

Spinner Handle 1/4" Drive



- Screwdriver style drive tool for quick spin down/off
- Oversize polypropylene handle and chrome vanadium shaft





KTI22001

Speed T-Handle Set

- · Aluminum sleeve for fast turning
- · Locking end to hold socket securely in place
- · Pivoting end to reach odd angles
- Includes adapter to use with any 1/4" hex bit



A 3/8" drive end allows the speed T-handle to be used with a ratchet like and extension. The speed T-handle set includes 1/4" and 3/8" speed T-handles and a posi-lock adapter that allows the use of any 1/4" hex bit.

KTI21070

1/4" Drive Speed T-Handle

- Aluminum sleeve for fast turning
- · Locking end to hold socket securely in place
- Pivoting end to reach odd angles
- 3/8" drive end for use with a ratchet use like an extension



KTI21061

1/4" Drive Spinner Handle

- 1/4" drive female square in handle
- · Black Handle





KTI21080

Flex Handle 1/4" Drive

- Provides extra leverage for breaking loose rusted or high torque fasteners
- Smooth action flex joint for hard-to-reach fasteners
- Knurled handle for secure grip
- · Pivoting head allows the handle to avoid obstructions when being turned in a cramped space
- Chrome vanadium steel for long life and maximum corrosion resistance
- 6" length

Standard Extensions

· Chrome vanadium steel, heat-treated

1/4" Drive

KTI21002 - 2" Extension

KTI21004 - 4" Extension

KTI21006 - 6" Extension



KTI21010 - 10" Extension KTI21014 - 14" Extension



KTI21040

Wobble Extension Set 1/4" Drive

• Chrome vanadium steel, heat-treated • Available individually

Set includes (also available individually):

KTI21043 - 4" Wobble Extension

KTI21046 - 6" Wobble Extension

KTI21048 - 9" Wobble Extension



KTI21055

1/4" Female to 3/8"

Male Chrome Socket Adapter

· Chrome vanadium steel, heat treated

KTI21050

1/4" Drive Universal Joint

- · Chrome vanadium steel, heat treated
- Carded









3/8" Chrome | Accessories





KTI22091

3/8" Drive Push Button Ratchet

• High polish chrome finish, chrome vanadium steel



LIFETIME WARRANTY*

Professional Series Ratchets

- · High-polished chrome
- Push-button design socket release
- . Thumb lever directional switch
- · Fine-tooth thin design with knurled handles



KTI22092* - 7-7/8" Pro Series KTI22093 - 101/2" Flex Head KTI22095 - 11-3/8" Long Handle

KTI22092RK - Repair Kit



KTI22070

3/8" Drive Speed T-Handle

- Aluminum sleeve for fast turning
- · Locking end to hold socket securely in place
- Pivoting end to reach odd angles
- 3/8" drive end for use with a ratchet use like an extension



KTI22080

- High polish chrome finish, chrome vanadium steel Provides extra leverage for breaking loose rusted or high torque fasteners
- Smooth action flex joint for hard-to-reach fasteners
- Knurled handle for secure grip
- · Pivoting head allows the handle to avoid obstructions when being turned in a cramped space
- Chrome vanadium steel for long life and maximum corrosion resistance

KTI22071

Speed Handle 3/8" Drive

- · Speed handle is designed to reach tough access points that a standard ratchet cannot reach
- Tightens or removes a variety of fasteners
- · Lightweight design makes any job quick and easy

KTI22071A - Speed Handle 3/8" Drive, Ext 6.4"



3/8" Drive Standard Extensions

· Chrome vanadium steel, heat-treated

KTI22002 - 2" Extension KTI22005 - 5" Extension KTI22008 - 8" Extension KTI22012 - 12" Extension KTI22024 - 24" Extension



KTI22003 - 3" Extension KTI22006 - 6" Extension KTI22010 - 10" Extension KTI22018 - 18" Extension

KTI22041

Wobble Extension Set 3/8" Drive

· Chrome vanadium steel, heat-treated. Available individually.

Set includes (also available individually):

KTI22043 - 3" Wobble Extension KTI22046 - 6" Wobble Extension KTI22048 - 8" Wobble Extension



KTI22060

3/8" Female to 1/4" Male Socket Adapter

• Chrome vanadium steel, heat-treated



KTI22055

3/8" Female to 1/2" Male Socket Adapter

• Chrome vanadium steel, heat-treated



KTI22500

3/8" Drive Socket Universal Joint

- Chrome vanadium steel, heat-treated
- Carded





1/2" Chrome | Accessories





KTI23091

LIFETIME WARRANTY*

1/2" Drive Push Button Ratchet

- · High polish chrome finish
- Chrome vanadium steel
- · Premium gears
- 9-7/8" in length



Professional Series Chrome Ratchet

- High-polished chrome
- · Push-button design socket release
- Thumb lever directional switch
- Fine-tooth thin design
- Knurled handles
- KTI23092* 9-7/8" Long Handle KTI23095 - 15" Long Handle





KTI23092RK



KTI23070

1/2" Sliding T-Handle



- Made with high-polish, chrome vanadium steel
- · Allows you accessibility to hard-to-reach areas



Flex Handle

- · Provides extra leverage for breaking loose rusted or high torque fasteners
- Smooth action flex joint for hard-to-reach fasteners
- Knurled handle for secure grip
- · Pivoting head allows the handle to avoid obstructions when being turned in a cramped space
- Chrome vanadium steel for long life and maximum corrosion resistance

1/2" Drive

KTI23082 - 18" to 25" Extending Flex Handle KTI23080 - 17" Flex Handle KTI23081 - 24" Flex Handle KTI23083 - 10" Flex Handle

1/2" Drive

Standard Extensions

• Chrome vanadium steel, heat-treated.

KTI23003 - 3" Extension KTI23010 - 10" Extension KTI23020 - 20" Extension

KTI23005 - 5" Extension KTI23015 - 15" Extension

Reducers and Adapters

Chrome vanadium steel, heat-treated.

KTI22050 - 1/2" Female to 3/8" Male KTI22075 - 1/2" Female to 3/4" Male



KTI23500

1/2" Drive Socket Universal Joint

- · Chrome vanadium steel, heat treated
- Carded

.IFETIME

KTI23248

Heating Element Socket 1/2" Drive

- 1/2" drive 1-1/2" deep socket
- Fits heating element in many electric water heaters



3/4" Chrome I

Accessories





KTI24090

3/4" Drive Ratchet

- Push button release
- · High polish chrome finish, chrome vanadium steel, premium gears
- 19-7/8" length



KTI24090RK - 3/4" Drive Ratchet Repair Kit



KTI24092 3/4" Drive

Professional Series Chrome Ratchet



- · High polished chrome
- · New design push button socket release
- Thumb lever directional switch
- Fine tooth thin design Knurled handle 19-5/8" length





3/4" Chrome I 3/4" **Accessories**



KTI24080

3/4" Drive Flex Head Breaker Bar - 20"

- Extra leverage for breaking loose rusted or high torque fasteners
- · Features high polish chrome finish, knurled handle for sure grip and ball detent to fasten socket to handle without slippage



3/4" Drive Standard Extensions

· Chrome vanadium steel, heat-treated

KTI24004 - 4" Extension KTI24008 - 8" Extension KTI24016 - 16" Extension





KTI24070

3/4" Drive Sliding T-Handle Socket

- · Made with high polish, chrome vanadium steel
- Allows you accessibility to hard to reach areas



KTI24070B

Sliding T-Handle 3/4" Black Finish

Black oxide finish



LIFETIME

KTI24500

3/4" Drive Universal Joint

- Chrome vanadium steel, heat treated for wear and resistance
- Built for rugged, professional environments
- · Laser engraved for easy identification



KTI24050

3/4" Female to 1/2" **Male Socket Adapter**

- · Chrome vanadium steel, heat treated for wear and resistance
- Laser engraved





3/8" Impact I



Accessories

KTI32016

3/8" Female 1/2" Male Impact Socket Adapter

· Heat treated





KTI32012

3/8" Drive Impact Socket **Universal Joint**

· Chrome moly steel, heat treated, short overall length







KTI32003

3/8" Drive Impact Extension, 3" Long





1/2" Impact I **Accessories**

Impact Reducers and Adapters

· Heat-treated



KTI33012 - 1/2" female x 3/8" male

KTI33041 - 1/2" female x 3/8" male (wobble)

KTI33024 - 1/2" female x 3/4" male

LIFETIME **WARRANTY***

KTI33016

1/2" Drive Impact Socket **Universal Joint**

· Chrome moly steel, heat treated, short overall length





1/2" Drive Impact Socket Extension

- · Features ball detent for easy removal
- · Heat-treated chrome-moly steel

KTI33003 - 3" KTI33006 - 6"





3/4" Impact I 3/4" **Accessories**

Impact Reducers and Adapters

· Heat-treated

KTI34016 - 3/4" female x 1/2" male KTI34032 - 3/4" female x 1" male

KTI24085 - 3/4" ratcheting



KTI34050

3/4" Drive Impact Socket **Universal Joint**

- Ball/swivel action universal joints give sockets access to tight areas.
- · Heat-treated chrome-moly steel
- · Laser etched for quick identification



LIFETIME WARRANTY*

1" Impact I 1" Accessories

KTI35024

1" Female 3/4" Male **Impact Socket Adapter**

- Black oxide finish
- · Ball retainer style



LIFETIME WARRANTY*

1" Drive Impact Extension KTI35007 - 7"

KTI35013 - 13"

LIFETIME WARRANTY*



Torx/Torq/Hex Sockets I Sets



KTI22970

7-Piece Fractional Hex Bit Set 3/8" Drive

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail Includes 7 pieces 1/8" through 3/8"

Set includes (also available individually):

KTI22904 - 1/8" Hex Bit KTI22905 - 5/32" Hex Bit KTI22906 - 3/16" Hex Bit KTI22907 - 7/32" Hex Bit

KTI22908 - 1/4" Hex Bit KTI22910 - 5/16" Hex Bit KTI22912 - 3/8" Hex Bit

LIFETIME WARRANTY*

LIFETIME



KTI27970

7-Piece Metric Hex Bit Set 3/8" Drive

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail Includes 7 pieces 3mm through 10mm

Set includes (also available individually):

KTI27903 - 3mm Hex Bit KTI27904 - 4mm Hex Bit KTI27905 - 5mm Hex Bit KTI27906 - 6mm Hex Bit

KTI27907 - 7mm Hex Bit KTI27908 - 8mm Hex Bit KTI27910 - 10mm Hex Bit

KTI27955

3/8" Drive, 5.5mm Hex Bit Socket

 Made of chrome vanadium steel and heat treated for durability



KTI27902

3-Piece Metric **Brake Caliper Set** 3/8" Drive

- · Use on disc brake calipers to remove and install brake pads
- Disk brake caliper set features hardened and tempered chrome vanadium steel sockets with professional sand finish
- · Bits are heat-treated and precision machined

Includes: 7mm, 8mm and 10mm hex bits. Available for individual purchase.

Set includes (also available individually):

KTI27907 - 7mm Hex Bit KTI27908 - 8mm Hex Bit KTI27910 - 10mm Hex Bit



KTI22902

3-Piece Fractional **Brake Caliper Set** 3/8" Drive

- · Use on disc brake calipers to remove and install brake pads
- Disk brake caliper set features hardened and tempered chrome vanadium steel sockets with professional sand finish
- Bits are heat-treated and precision machined

Includes: 1/4", 5/16" and 3/8" hex bits. Available for individual purchase

Set includes (also available individually):

KTI22908 - 1/4" Hex Bit KTI22910 - 5/16" Hex Bit KTI22912 - 3/8" Hex Bit







Torx/Torq/Hex Sockets I Sets



KTI22802 3-Piece Brake

Caliper Torq Bit Set 3/8" Drive

- Use on disc brake calipers to remove and install brake pads
- Fits most GM and Ford brake caliper torx bolts
- Bits are heat-treated and precision machined Includes: T-40, T-45 and T-50 Torq bits

Set includes (also available individually):

KTI22840 - T40 Internal Torq KTI22845 - T45 Internal Toro KTI22850 - T50 Internal Torq



KTI22671

10-Piece External Torx Socket Set

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail

Set includes (also available individually):

1/4" Drive

KTI22675 - E5 External Torx KTI22676 - E6 External Torx KTI22677 - E7 External Torx KTI22678 - E8 External Torx

1/2" Drive

KTI22688 - E18 External Torx KTI22689 - E20 External Torx KTI22682 - E12 External Torx KTI22684 - E14 External Torx KTI22686 - E16 External Torx





LIFETIME

3/8" Drive

KTI22680 - E10 External Torx





KTI22870

10-Piece

External Torq Socket Set

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail

Set includes (also available individually):

1/4" Drive

KTI22874 - E4 External Torq KTI22875 - E5 External Torq KTI22876 - E6 External Torq KTI22877 - E7 External Torq KTI22878 - E8 External Torq

3/8" Drive

KTI22880 - E10 External Torq KTI22882 - E12 External Torq KTI22884 - E14 External Torq KTI22886 - E16 External Torq KTI22888 - E18 External Torq

Torx/Torq Impact Sockets - External

		U.S.	A Torx		
1/4	" Drive	3/8	" Drive	1/2	2" Drive
Size	Part #	Size	Part #	Size	Part #
E5	KTI22675	E10	KTI22680	E18	KTI22688
E6	KTI22676	E12	KTI22682	E20	KTI22689
E7	KTI22677	E14	KTI22684		
E8	KTI22678	E16	KTI22686		
		Impoi	rt - Torque		
1/4	" Drive	3/8	" Drive		
Size	Part #	Size	Part #		
E4	KTI22874	E10	KTI22880		
E5	KTI22875	E12	KTI22882		
E6	KTI22876	E14	KTI22884		
E7	KTI22877	E16	KTI22886		
E8	KTI22878	E18	KTI22888		·

KTI22601

12-Piece Internal **Torx Socket Set**

- · Heat-treated alloy steel
- Vinyl holder
- U.S.A. made

LIFETIME

Set includes (also available individually): 1/4" Drive

KTI21610 - T10 Internal Torx KTI21615 - T15 Internal Torx KTI21620 - T20 Internal Torx KTI21625 - T25 Internal Torx KTI21627 - T27 Internal Torx

KTI21630 - T30 Internal Torx

3/8" Drive

KTI22640 - T40 Internal Torx KTI22645 - T45 Internal Torx KTI22647 - T47 Internal Torx KTI22650 - T50 Internal Torx KTI22655 - T55 Internal Torx

1/2" Drive

KTI22660 - T60 Internal Torx

KTI22600 9-Piece Internal **Torx Socket Set**

- · Heat-treated alloy steel
- · Vinyl holder
- U.S.A. made







Set includes (also available individually):

1/4" Drive

KTI21610 - T10 Internal Torx KTI21615 - T15 Internal Torx KTI21620 - T20 Internal Torx KTI21625 - T25 Internal Torx

KTI21627 - T27 Internal Torx

KTI21630 - T30 Internal Torx

3/8" Drive

KTI22640 - T-40 Internal Torx KTI22645 - T-45 Internal Torx KTI22650 - T-50 Internal Torx

Torx/Torq I Sets

KTI22801 12-Piece Internal

Torq Socket Set

- Chrome vanadium steel, heat-treated
- · Carded on socket rail

Set includes (also available individually):

1/4" Drive

KTI21810 - T10 Internal Torq KTI21815 - T15 Internal Torg KTI21820 - T20 Internal Torg KTI21825 - T25 Internal Torq KTI21827 - T27 Internal Torq

KTI21830 - T30 Internal Torq

3/8" Drive

KTI22840 - T40 Internal Torq KTI22845 - T45 Internal Torg KTI22847 - T47 Internal Torq KTI22850 - T50 Internal Torq KTI22855 - T55 Internal Torq KTI22860 - T60 Internal Torq

LIFETIME

LIFETIME WARRANTY*



9-Piece Internal **Torq Socket Set**

KTI22800

- Chrome vanadium steel, heat-treated
- · Carded on socket rail



1/4" Drive

KTI21810 - T10 Internal Torq KTI21815 - T15 Internal Torq KTI21820 - T20 Internal Torq KTI21825 - T25 Internal Torq

KTI21827 - T27 Internal Torq KTI21830 - T30 Internal Torq

1/4" Drive

Part #

Size

3/8" Drive

KTI22840 - T40 Internal Torq KTI22845 - T45 Internal Torq KTI22850 - T50 Internal Torq

1/2" Drive

Part #

Size



3/8" Drive

Part #

Size

T10	KTI21610	T40	KTI22640	T60	KTI22660
T15	KTI21615	T45	KTI22645	T70	KTI22670
T20	KTI21620	T47	KTI22647		
T25	KTI21625	T50	KTI22650		
T27	KTI21627	T55	KTI22655		
T30	KTI21630				
Import - Torque					
1/4	1/4" Drive 3/8" Drive				
Size	Part #	Size	Part #		
T10	KTI21810	T40	KTI22840		
T15	KTI21815	T45	KTI22845		
T20	KTI21820	T47	KTI22847		
T25	KTI21825	T50	KTI22850		
T27	KTI21827	T55	KTI22855		
T30	KTI21830	T60	KTI22860		

KTI21500

10-Piece

Tamper-Proof Torx Socket Set

- Heat-treated alloy steel
- · Vinyl holder
- U.S.A. made

Set includes (also available individually):

1/4" Drive

KTI21510 - T10 Tamper-proof KTI21515 - T15 Tamper-proof

KTI21520 - T20 Tamper-proof KTI21525 - T25 Tamper-proof


KTI21527 - T27 Tamper-proof KTI21530 - T30 Tamper-proof

KTI18008 - Bit Holder (T10-T30)

3/8" Drive

KTI21540 - T40 Tamper-proof KTI21545 - T45 Tamper-proof KTI21550 - T50 Tamper-proof KTI21555 - T55 Tamper-proof KTI18012 - Bit Holder (T40-T60)

Torx Impact Sockets - Tamperproof			
1/4" Drive		3/8" Drive	
Size	Part #	Size	Part #
T10	KTI21510	T40	KTI21540
T15	KTI21515	T45	KTI21545
T20	KTI21520	T50	KTI21550
T25	KTI21525	T55	KTI21555
T27	KTI21527		
T30	KTI21530		







Hex Keys I Sets



KTI71400

7-Piece Folding Hex Bit Set Fractional

- Fold-up sets include a variety of popular sizes in one convenient handle
- Fold a key out to a right angle to get maximum leverage
- · Fold a key out completely to operate like a screwdriver
- Fold-up sets are compact and easily fit in your pocket or tool box

Includes 1/8" to 3/8" fractional sizes



KTI71420 10-Piece Hex **Key Set on Ring Fractional**



- Hex keys featuring quality workmanship and value
- . Manufactured with heat-treated alloy steel with black finish
- · Precision formed to exact dimensional tolerances for precise fit
- · Carded on a ring

Includes fractional "L" hex sizes from 1/16" to 3/8"





KTI71480 10-piece Hex **Key Set on Ring**

- Hex keys featuring quality workmanship and value
- . Manufactured with heat-treated alloy steel with black finish
- Precision formed to exact dimensional tolerances for precise fit
- · Carded on a ring

Includes metric "L" hex sizes from 1.5mm to 10mm



KTI71425


25-Piece

Hex Key Set (in pouch)

- Hex keys featuring quality workmanship and value
- Set features a convenient package design that provides easy transport and storage
- Manufactured with heat-treated alloy steel with black finish
- Precision formed to exact dimensional tolerances for precise fit
- Packaged in roll-up storage pouch

Includes: long fractional "L" hex sizes from 1/16" to 3/8" and short metric "L" hex sizes from 1.5mm to 10mm







KTI71475

7-Piece Folding Hex Key Set Metric

- Fold-up sets include a variety of popular sizes in one convenient handle
- Fold a key out to a right angle to get maximum leverage
- Fold a key out completely to operate like a screwdriver
- Fold-up sets are compact and easily fit in your pocket or tool box

Includes 2.5mm to 10mm metric sizes





34 Piece Screwdriver Set

• Made of Chrome Vanadium steel

Includes: 7 Phillips (#3x6", #2x4", #1x6", #1x3", #0x4", #0x3", #2x1-1/2"), 8 Slotted (5/16"x6", 1/4"x4", 3/16"x6", 3/16"x3", 5/32"x4", 1/8"x4", 1/8"x3", 1/4"x1-1/2"), 8 Slotted (5/16"x6", 1/4"x4", 3/16"x6", 3/16"x6" 1/2"), 4 Torx (T10x4", T15x4", T20X4", T25x4"), 2 Square (S1x4", S2x4"), Bits Driver, 12 Bits (4 Slotted 1/8", 5/32", 3/16", 1/4"; 4 Phillips #0, #1, #2, #3; 4 Torx T10, T15, T20, T25)

F	-, -,		
KTI44000 Phillips #0 vs 0!	KTI11011 - Slotted 1/4" x 4"	KTI11220 - Torx T20 X 4"	KTI18907 - Slotted 1/4"
KTI11226 - Phillips #3 x 6"	KTI11006 - Slotted 3/16" x 6"	KTI11225 - Torx T25 x 4"	KTI18900 - Phillips #0
KTI11224 - Phillips #2 x 4"	KTI11012 - Slotted 3/16" x 3"	KTI11001 - Square S1" x 4"	KTI18901 - Phillips #1
KTI11230 - Phillips #1 x 6"	KTI11005 - Slotted 5/32" x 4"	KTI11002 - Square S2" x 4"	KTI18902 - Phillips #2
KTI11223 - Phillips #1 x 3"	KTI11004 - Slotted 1/8" x 4"	KTI18000 - Bits Set 12 Piece	KTI18903 - Phillips #3
KTI11231 - Phillips #0 x 4"	KTI11003 - Slotted 1/8" x 3"	KTI18009 - Bits Driver	KTI18910 - Torx T10
KTI11229 - Phillips #0 x 3"	KTI11010 - Slotted 1/4" x 1-1/2"	KTI18904 - Slotted 1/8"	KTI18915 - Torx T15
KTI11221 - Phillips #2 x 1-1/2"	KTI11211 - Torx T10 x 4"	KTI18905 - Slotted 5/32"	KTI18920 - Torx T20
KTI11009 - Slotted 5/16" x 6"	KTI11215 - Torx T15 x 4"	KTI18906 - Slotted 3/16"	KTI18925 - Torx T25

KTI11018

18 Piece Screwdriver Set


• Made of Chrome Vanadium steel Includes: 4 Slotted (5/16"x6", 1/4"x4", 3/16"x3", 1/4"x1-1/2"), 4 Phillips (#3x6", #2x4", #1x3", #2x1-1/2"), 10 Precision (6 Torx T5x1-9/16", T6x1-9/16", T7x1-9/16", T8x1-9/16", T9x1-9/16", T10x1-9/16"; 2 Slotted 3/32"x1-9/16", 1/8"x1-9/16"; 2 Phillips #0x1-9/16", #00x1-9/16")



KTI11009 - Slotted 5/16" x 6" KTI11011 - Slotted 1/4" x 4" KTI11012 - Slotted 3/16" x 3" KTI11010 - Slotted 1/4" x 1-1/2" KTI11226 - Phillips #3 x 6" KTI11224 - Phillips #2 x 4" KTI11223 - Phillips #1 x 3"



KTI11221 - Phillips #2 x 1-1/2"



KTI11206 - Torx Precision T6 x 1-9/16" KTI11207 - Torx Precision T7 x 1-9/16" KTI11208 - Torx Precision T8 x 1-9/16" KTI11209 - Torx Precision T9 x 1-9/16" KTI11210 - Torx Precision T10 x 1-9/16"

KTI11201 - Slotted Precision 3/32" x 1-9/16" KTI11202 - Slotted Precision 1/8" x 1-9/16" KTI11203 - Phillips Precision #0 x 1-9/16"

KTI11204 - Phillips Precision #00 x 1-9/16"





Screwdriver Set

• Made of Chrome Vanadium steel Includes: 4 Slotted (5/16"x6", 3/16"x4",1/8"x3", 1/4"x1-1/2"), 4 Phillips (#2x6", #1x4", #0x3", #2x1-1/2")

KTI11227 - Phillips #2 x 6" KTI11009 - Slotted 5/16" x 6" KTI11007 - Slotted 3/16" x 4" KTI11228 - Phillips #1 x 4" KTI11003 - Slotted 1/8" x 3" KTI11229 - Phillips #0 x 3" KTI11010 - Slotted 1/4" x 1-1/2" KTI11221 - Phillips #2 x 1-1/2"





Screwdrivers | Sets

KTI16000

10-Piece

Professional Screwdriver Set

- Ten-piece professional screwdriver set includes the perfect assortment of slotted and Phillips screwdrivers for a variety of projects
- Comfortable triangular grip, non-slip material and chrome vanadium blades
- · Ultimate professional quality

Includes: 3" slotted, 4" slotted, 6" slotted, 8" slotted and 1-1/2" stubby slotted and #1 Phillips, #3 Phillips, #2 x 4" Phillips, #2 x 10" Phillips and 1-1/2" stubby Phillips. Also sold in 5-piece slotted set, 5-piece Phillips set or individually.

Available in sets or individually:

KTI16001 - 5-piece Slotted Set

KTI16201 - stubby slotted

KTI16203 - 3" slotted

KTI16204 - 4" slotted

KTI16206 - 6" slotted

KTI16208 - 8" slotted







KTI16002 - 5-piece Phillips Set

KTI16113 - #1 Phillips 3"

KTI16121 - #2 Phillips Stubby 1.5"

KTI16124 - #2 Phillips 4"

KTI16129 - #2 Phillips 10" KTI16136 - #3 Phillips 6"





KTI19000

8-Piece

Black Screwdriver Set

- Feature high quality chromevanadium blades, heavy-duty colored handles and hex bolsters for wrench assist
- Packaged with plastic trav Black handles Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted

Set includes (also available individually):

KTI19113 - #1 Phillips 3" KTI19203 - 3" slotted KTI19121 - #2 Phillips Stubby KTI19204 - 4" slotted KTI19124 - #2 Phillips 4" KTI19206 - 6" slotted KTI19201 - Stubby slotted KTI19208 - 8" slotted



KTI19700

8-Piece

Orange Screwdriver Set

- Feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist
- · Packaged with plastic trav Orange handles Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4"slotted; 6" slotted; 8" slotted

Set includes (also available individually):

KTI19713 - #1 Phillips 3" KTI19703 - 3" slotted KTI19721 - #2 Phillips Stubby KTI19704 - 4" slotted KTI19724 - #2 Phillips 4" KTI19706 - 6" slotted KTI19701 - Stubby slotted KTI19708 - 8" slotted



KTI19800

8-Piece

Red Screwdriver Set

- Feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist
- Packaged with plastic tray · Red handles

Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted

Set includes (also available individually):

KTI19813 - #1 Phillips 3" KTI19803 - 3" slotted KTI19821 - #2 Phillips Stubby KTI19804 - 4" slotted KTI19806 - 6" slotted KTI19824 - #2 Phillips 4" KTI19801 - Stubby slotted KTI19808 - 8" slotted



KTI19900

8-Piece

Green Screwdriver Set

• Feature high quality chrome vanadium blades. heavy-duty colored handles and hex bolsters for wrench assist

 Packaged with plastic tray · Green handles

Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4"slotted; 6" slotted; 8" slotted.

Set includes (also available individually):

KTI19903 - 3" slotted KTI19913 - #1 Phillips 3" KTI19921 - #2 Phillips Stubby KTI19904 - 4" slotted KTI19924 - #2 Phillips 4" KTI19906 - 6" slotted KTI19901 - Stubby slotted KTI19908 - 8" slotted







Screwdrivers I Sets

KTI11100

Interchangeable Screwdriver Set

- Features three dual-sided interchangeable inserts 3 slotted, 3 phillips bits
- Each screwdriver bit boasts a 2-5/8" blade at each end (6" overall bit length) and a hex bolster for wrench assist (7/16" fractional or 11mm metric)
- Plastic contoured handle for maximum torque and comfort
- Anodized alloy shank for high durability
 Rubber o-ring provides a secure, non-slip grip Includes: #1 phillips and 3/16" slotted; #2 phillips and 1/4" slotted; #3 phillips and 5/16" slotted. Storage pouch for convenience and flexibility.



KTI1110 Pocket Screwdriver • 5-3/16" length • 1/8" blade width • Easy to grip handle • Polished steel LIFETIME WARRANTY*



LIFETIME WARRANTY*

KTI14219

19" Jumbo Screwdriver

- Features a 19" x 1/2" blade
- Extra large handles and shafts for use on hard to reach areas of large machinery, farm equipment, manufacturing equipment, automobiles and more
- · Square shank allows for use with wrenches for larger torque jobs
- Black oxide finish



KTI72180

1/4" Female Adjustable Torque Screwdriver

- Screwdriver handle contains viewable torque scale 5-40 inch-pounds (.504 Nm)
- 1/4" Female hex
- · Heavy duty black plastic storage case included

Torq Screwdrivers

• Large grip handle and chrome vanadium blades make light work of headlight and trim screws

Sold separately:

KTI11310 - T10 Torq screwdriver KTI11315 - T15 Torq screwdriver

KTI11320 - T20 Torq screwdriver





• #4 Phillips Screwdriver • Sturdy, black handle • 8" Length



KTIPREPACKQ1

Hand Tools Floor Display Prepack Q1

- Floor Display consisting of five prepacked KTI hand tool sets (2 each)
- (2) KTI19000 8Pc Screwdriver Set (Black)
- (2) KTI21044 44Pc Socket Set, 1/4" Drive, SAE & Metric, Shallow & Deep
- (2) KTI22047 47Pc Socket Set, 6 Point, 3/8" Drive SAE & Metric
- Two Wrench Sets; (2) KTI41300 9pc High Polish, Smooth Finish, Sizes 3/8" to 7/8" and (2) KTI41800 - 13Pc High Polish, Smooth Finish, Sizes 7mm to 19mm

Display setup size: Height: 40.9, Width: 26.3", Depth:16.7". All hand tools are covered by a Lifetime Warranty.



Nut Drivers I Sets



KTI14400

7-Piece Fractional Nut Driver Set



- Rugged and designed for shop environments, tools feature hollow shafts, ergonomic soft grip handles, and alloy steel sockets and shafts
- Set is color coded for easy identification
- Tools packaged in handy plastic hanging organizer

Includes sizes: 3/16" x 3", 1/4" x 3", 5/16" x 3", 11/32" x 3", 3/8" x 3", 7/16" x 3" and 1/2" x 3"

Set includes (also available individually):

KTI14406 - 3/16" x 3"
KTI14408 - 1/4" x 3"
KTI14410 - 5/16" x 3"
KTI14411 - 11/32" x 3"
KTI14411 - 11/32" x 3"



KTI14500

7-Piece Metric Nut Driver Set

- Rugged and designed for shop environments
- Feature hollow shafts, ergonomic soft grip handles and alloy steel sockets and shafts
- Set is color coded for easy identification
- Tools packaged in handy plastic hanging organizer

Includes sizes: 5 mm x 75, 6 mm x 75, 7 mm x 75, 8 mm x 75, 9 mm x 75, 10 mm x 75 and 11 mm x 75

Set includes (also available individually):

KTI14505 - 5mm x 75mm
KTI14506 - 6mm x 75mm
KTI14507 - 7mm x 75mm
KTI14508 - 8mm x 75mm
KTI14511 - 11mm x 75mm

Nut Drivers			
Fractional		Metric	
Part #	Size	Part #	Size
KTI14406	3/16" x 3"	KTI14505	5mm x 75mm
KTI14408	1/4" x 3"	KTI14506	6mm x 75mm
KTI14410	5/16" x 3"	KTI14507	7mm x 75mm
KTI14411	11/32" x 3"	KTI14508	8mm x 75mm
KTI14412	3/8" x 3"	KTI14509	9mm x 75mm
KTI14414	7/16" x 3"	KTI14510	10mm x 75mm
KTI14416	1/2" x 3"	KTI14511	11mm x 75mm

Hooks, Picks, & Awls I Sets



KTI70070

4-Piece Pick Set

with Neon Orange Handles

- Includes four picks for removing, installing, aligning, probing and piercing
- Use to ease removal of 0-rings, split pins, seals and bushes and loose parts
- Set contains orange-handled straight, 45°, 90° and hook picks.

Set includes (also available individually):

KTI70071 - Straight Neon Orange Pick KTI70072 - 45 Degree Neon Orange Pick

KTI70073 - 90 Degree Neon Orange Pick KTI70074 - Hook Neon Orange Pick





KTI70075

4-Piece Pick Set

with Neon Green Handles

- Includes four picks for removing, installing, aligning, probing and piercing
- Use to ease removal of 0-rings, split pins, seals and bushes and loose parts
- Set contains green-handled straight, 45°, 90° and hook picks

Set includes (also available individually):

KTI70076 - Straight Neon Green Pick

KTI70077 - 45 Degree Neon Green Pick

KTI70078 - 90 Degree Neon Green Pick

KTI70079 - Neon Green Hook Pick



Pry Bars I Sets

KTI71600

4-Piece Pry Bar Set - Lady Slipper Style

- Superior quality, heat-treated pry bars
- Tools feature high leverage rolling head and long tapered body to align drift Includes 6", 12", 16" and 20" pry bars.

Set includes (also available individually):

KTI71606 - 6" **KTI71612** - 12" **KTI71616** - 16" **KTI71620** - 20"



KTI19240

4-Piece Bent-End Pry Bar Set

- Tools feature smooth, comfortable square handles
- Packaged in plastic formed box Includes: 9", 12", 18", 24"

Set includes (also available individually):

KTI19209 - 9" KTI19212 - 12" KTI19218 - 18" KTI19224 - 24"



Scrapers | Sets

KTI70004

4-Piece Putty Knife / Scraper Set

- Use to apply adhesives, filler, compound, spackles and more
- Ideal for removing paint, rust, gaskets, carbon, filler and undercoating
- · All blades are high carbon, heat-treated, tempered, polished to mirror finish and full tang
- \bullet Tools fitted with grommeted brass, solvent-resistant, riveted wood handles
- Features 15° sharp chisel edge on stiff scrapers

Includes: 1" stiff edge; 1-1/2" stiff edge: 1-1/2" flex edge; and 3" flex edge

Set includes (also available individually):

KTI70014 - Scraper Putty Knife 1" Stiff KTI70015 - Scraper Putty Knife 1-1/2" Stiff KTI70017 - Scraper Putty Knife 1-1/2" Flexible KTI70018 - Scraper Putty Knife 3" Flexible





KTI70005

4-Piece Putty Knife / Scraper Set

- Features a combination of flexible and stiff scrapers for the needs of any automotive body application or home improvement job
- Constructed of stainless steel blades that taper at tip to provide great flexibility and blade action
- Ergonomic, comfort-grip, non-slip handles

Includes an upholstery tucking tool, 2" flexible scraper, 1.25" flexible scraper and 1.25" stiff chisel.

Set includes (also available individually):

KTI70006 - Putty Knife, Upholstery Tucking Tool with Stainless Steel Blade and Comfort Grip Handle

KTI70007 - Putty Knife, 2" Flexible with Stainless Steel Blade and Comfort Grip Handle

KTI70008 - Putty Knife, 1.25" Flexible with Stainless Steel Blade and Comfort Grip Handle

KTI70009 - Putty Knife, 1.25" Stiff Chisel with Stainless Steel Blade and Comfort Grip Handle



LIFETIME





Scrapers I Sets



Set includes: stubby scraper; 1" carbon scraper; combination offset scraper; and 5/8" scraper. Also available individually.

Set includes (also available individually):

KTI70019 - Stubby Scraper KTI70021 - 1" Carbon Scraper

KTI70022 - Combination Offset Scraper

KTI70027 - 5/8" Scraper



	Scrapers/Putty Knives
Part #	Type/Size
KTI70006	Putty Tucking
KTI70007	2" Flexible Putty
KTI70008	1-1/4" Flexible Putty
KTI70009	1-1/4" Stiff Putty
KTI70014	1" Stiff Putty
KTI70015	1-1/2" Stiff Putty
KTI70017	1-1/2" Flexible Putty
KTI70018	3" Flexible Putty
KTI70019	Stubby
KTI70020	1" Long Handled
KTI70021	1" Carbon Scraper
KTI70022	Combination Offset
KTI70024	3/4" Chisel
KTI70025	1-1/2" Flexible
KTI70026	1-1/2" Chisel
KTI70027	5/8" Scraper
KTI70028	Putty Knife
KTI70029	3" Flexible

Punches & Chisels I Sets



15-Piece Punch & Chisel Set

Set includes five pin punches, five taper punches, three chisels and two center punches. Packaged in your choice of plastic tray or kit bag. Components available individually. LIFETIME WARRANTY*

KTI72901 (in tray) or KTI72901K (in kit bag)

Pin Punches	Taper	
Punches	-	
KTI72911 - 3/32"	KTI72921 - 3/32"	
KTI72912 - 1/8"	KTI72922 - 1/8"	
KTI72913 - 5/32"	KTI72923 - 5/32"	
KTI72914 - 3/16"	KTI72924 - 3/16"	
KTI72915 - 1/4"	KTI72925 - 1/4"	
Chisels	Center Punches	
KTI73012 - 3/8"	KTI72931 - 1/8"	
KTI73016 - 1/2"	KTI72932 - 3/16"	

KTI72900

KTI73020 - 5/8"

6-Piece

Pin Punch Set

Sizes include: 3/32", 1/8", 5/32", 3/16", 1/4" and 5/16". Packaged in plastic tray. Available individually.

Set includes (also available individually):

KTI72911 - 3/32"

KTI72912 - 1/8"

KTI72913 - 5/32"

KTI72914 - 3/16"

KTI72915 - 1/4" KTI72916 - 5/16"



KTI72980

4-Piece

Brass Punch Set

Set includes sizes: 3/8"; 1/2"; 5/8"; and 3/4". Tools feature knurled handles. Designed for rugged shop environment. Packaged in vinyl case.

Set includes (also available individually):

KTI72982 - 3/8" punch

KTI72984 - 1/2" punch

KTI72986 - 5/8" punch

KTI72988 - 3/4" punch





Punches & Chisels I Sets

KTI73000

5-piece Chisel Set

Sizes include: 3/8", 1/2", 5/8", 3/4" and 7/8". Packaged in plastic tray. Available individually.

Set includes (also available individually):

KTI73012 - 3/8"

KTI73016 - 1/2"

KTI73020 - 5/8"

KTI73024 - 3/4"

KTI73028 - 7/8"





Chisels			
Part #	Туре	Size	
KTI73012	Flat Chisel	3/8"	
KTI73016	Flat Chisel	1/2"	
KTI73020	Flat Chisel	5/8"	
KTI73024	Flat Chisel	3/4"	
KTI73028	Flat Chisel	7/8"	



KTI72505

5-Piece File Set

Sets includes: 6" mill file; 10" mill file; 8" bastard file; 8" half-round file; and 8" round file.

Set includes (also available individually):

KTI72512 - 6" mill file

KTI72514 - 10" mill file

KTI72523 - 8" bastard file

KTI72543 - 8" half-round file

KTI72553 - 8" round file

Wrenches | Combination **Non-Ratcheting**



KTI41300

9-Piece

Wrench Set High Polish

Fractional 3/8" to 7/8"

- High-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 3/8"-7/8"
- · Packaged in kit bag. Available individually



KTI41304

14-PieceWrench Set

High Polish Fractional 3/8" to 1-1/4"

- Features high-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 3/8"-1-1/4"
- Packaged in kit bag. Available individually.











Wrenches I Combination Non-Ratcheting



KTI41305 24-Piece





High Polish Combination Wrench Set

- Professional Series Fractional Wrench Set
- High-polish, smooth-finish, heat-treated chrome-vanadium steel
- Heavy duty pocketed roll pouch with two velcro bands
- Wrench sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16" and 1-5/8"

KTI41301



12-Piece Combination Wrench Set

Set includes sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1"







Raised Panel Metric Wrenches 12-point


- Made of drop forged steel. wrench is chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- All wrenches are marked with part number and size for ease of identification

Sold separately:	KTI41611 - 11mm	KTI41616 - 16mm
KTI41607 - 7mm	KTI41612 - 12mm	KTI41617 - 17mm
KTI41608 - 8mm	KTI41613 - 13mm	KTI41618 - 18mm
KTI41609 - 9mm	KTI41614 - 14mm	KTI41619 - 19mm
KTI41610 - 10mm	KTI41615 - 15mm	



KTI41800

13-Piece Professional **Combination Wrench Set** High Polish Metric 7mm to 19mm



- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 7mm-19mm.
- · Packaged in kit bag. Available individually.



LIFETIME WARRANTY*

KTI41802

8-Piece Professional **Combination Wrench Set High Polish**

Metric 29mm to 36mm

- · Features high-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 29mm through 36mm. Available individually





KTI41200 7-Piece

Combination Wrench Set Fractional Short 3/8" to 3/4"

- High polish chrome vanadium steel
- Heat treated • 12 point on box end
- · Packaged in a plastic tray

Includes sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", and 3/4" wrenches.

Wrenches I Combination Non-Ratcheting



9-Piece Professional Combination Wrench Set

High Polish Metric 20mm to 28mm

- Features high-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 20mm through 28mm.
- · Also available individually.







KTI41700

7-Piece Combination Wrench Set Metric Short 10mm to 18mm

- High polish, smooth-finish, heat-treated chrome vanadium steel
- 12 point hex on box end
- · Packaged in a plastic tray

Sizes include: 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, and 18mm wrenches

Open-end High Polish Wrenches

 Professional series fractional wrenches features high-polish, smooth-finish, heat-treated chrome vanadium steel.

Sold separately:

Fractional:

KTI42316 - 1/2" x 9/16" **KTI42318** - 9/16" x 5/8"

KTI42320 - 5/8" x 3/4" **KTI42348** - 1-1/2" x 1-5/8"

Metric:

KTI42818 - 16mm x 18mmv





LIFETIME WARRANTY*

KTI41011

11-Piece Combination Wrench Set Raised Panel Fractional 3/8" to 1"

KTOOL

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- Packaged in kit bag organizer. Available individually.
 Includes sizes 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"



KTI41013

13-Piece Combination Wrench Set Raised Panel Fractional 1/4" to 1"

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Packaged in heavy duty kit bag organizer. Available individually. Includes sizes 1/4", 5/16, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"



- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Packaged in kit bag organizer. Available individually.

Thirteen-piece metric set includes sizes 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm



Wrenches I Combination Non-Ratcheting





KTI41014

14-Piece Combination Wrench Set Raised Panel Fractional 3/8" to 1-1/4"

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Packaged in kit bag organizer. Available individually. Includes sizes 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"



KTI41016



16-Piece Combination Wrench Set Raised Panel Fractional 1/4" to 1-1/4"

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- \bullet A raised panel provides additional strength and durability
- Packaged in kit bag organizer. Available individually. Includes sizes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"



KTI41004

4-Piece Jumbo Wrench Set Raised Panel Fractional 2-1/8" to 2-1/2"

- KTI's jumbo wrenches, made of drop forged steel, are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy-duty trucks, tractors and commercial equipment Includes sizes 2-1/8", 2-1/4", 2-3/8", 2-1/2". Available individually.

Jumbo Wrenches			
Size	Standard	Size	Standard
1-5/16"	KTI41142	1-7/8"	KTI41160
1-3/8"	KTI41144	2"	KTI41164
1-7/16"	KTI41146	2-1/8"	KTI41168
1-1/2"	KTI41148	2-1/4"	KTI41172
1-5/8"	KTI41152	2-3/8"	KTI41176
1-3/4"	KTI41156	2-1/2"	KTI41180
1-13/16"	KTI41158		



KTI41006

6-Piece

Jumbo Wrench Set

Raised Panel Fractional 1-3/8" to 2"

- Jumbo wrenches, made of drop forged steel, are chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy-duty trucks, tractors and commercial equipment Includes sizes 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"

Wrenches I Combination Non-Ratcheting

Full Polish Chrome Wrenches					
	Fractiona	1		Metric	
	Standard	Stubby	Standard Stubby		
Size	12 pt	12 pt	Size	12 pt	12 pt
1/4"	KTI41308		7mm	KTI41807	
5/16"	KTI41310		8mm	KTI41808	KTI41708
11/32"	KTI41311		9mm	KTI41809	
3/8"	KTI41312	KTI41212	10mm	KTI41810	KTI41710
7/16"	KTI41314	KTI41214	11mm	KTI41811	
1/2"	KTI41316	KTI41216	12mm	KTI41812	KTI41712
9/16"	KTI41318	KTI41218	13mm	KTI41813	KTI41713
5/8"	KTI41320	KTI41220	14mm	KTI41814	KTI41714
11/16"	KTI41322	KTI41222	15mm	KTI41815	KTI41715
3/4"	KTI41324	KTI41224	16mm	KTI41816	
13/16"	KTI41326		17mm	KTI41817	KTI41717
7/8"	KTI41328		18mm	KTI41818	KTI41718
15/16"	KTI41330		19mm	KTI41819	
1"	KTI41332		20mm	KTI41820	
1-1/16"	KTI41334		21mm	KTI41821	
1-1/8"	KTI41336		22mm	KTI41822	
1-3/16"	KTI41338		23mm	KTI41823	
1-1/4"	KTI41340		24mm	KTI41824	
1-5/16"	KTI41342		25mm	KTI41825	
1-3/8"	KTI41344		26mm	KTI41826	
1-7/16"	KTI41346		27mm	KTI41827	
1-1/2"	KTI41348		28mm	KTI41828	
1-9/16"	KTI41350		29mm	KTI41829	
1-5/8"	KTI41352		30mm	KTI41830	
2-1/4"	KTI41372		31mm	KTI41831	
			32mm	KTI41832	
			33mm	KTI41833	
			34mm	KTI41834	
			35mm	KTI41835	
			36mm	KTI41836	

Ra	Raised Panel Combination Wrenches			
	Fractional		N	Metric
Size	6 pt	12 pt	Size	12 pt
1/4"		KTI41108	6mm	KTI41807
5/16"		KTI41110	7mm	KTI41808
3/8"	KTI41412	KTI41112	8mm	KTI41809
7/16"	KTI41414	KTI41114	9mm	KTI41810
1/2"	KTI41416	KTI41116	10mm	KTI41811
9/16"	KTI41418	KTI41118	11mm	KTI41812
5/8"	KTI41420	KTI41120	12mm	KTI41813
11/16"	KTI41422	KTI41122	13mm	KTI41814
3/4"	KTI41424	KTI41124	14mm	KTI41815
13/16"		KTI41126	15mm	KTI41816
7/8"		KTI41128	16mm	KTI41817
15/16"		KTI41130	17mm	KTI41818
1"		KTI41132	18mm	KTI41819
1-1/16"		KTI41134	19mm	KTI41820
1-1/8"		KTI41136	20mm	KTI41821
1-1/4"		KTI41140	21mm	KTI41822
			22mm	KTI41823
			23mm	KTI41824
			24mm	KTI41825
			25mm	KTI41826
			26mm	KTI41827
			27mm	KTI41828
			28mm	KTI41829
			29mm	KTI41830
			30mm	KTI41831
			31mm	KTI41832
			32mm	KTI41833
			33mm	KTI41834
			34mm	KTI41835
			35mm	KTI41836





Wrenches I Combination Non-Ratcheting





Flare Nut Wrenches Fractional

- . Made of heat-treated steel
- Each socket is marked with size for ease of use
- Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed
- · High-polished, heat-treated chrome vanadium
- · Lifetime warranty

Sold separately:

KTI44412 - 3/8" x 7/16" **KTI44420** - 5/8" x 11/16"

KTI44416 - 1/2" x 9/16"



KTI44003

3-Piece Wrench Flare Nut Wrench Set SAE

- Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed
- High-polished, heat-treated chrome vanadium steel
- Available individually

Includes double-ended wrenches sized 3/8" x 7/16", 1/2" x 9/16" and 5/8" x 11/16"

KTI44500

3-Piece Flare Nut Wrench Set Metric



Includes double-ended wrenches sized $10mm \times 12mm$, $13mm \times 14mm$ and $15mm \times 17mm$. Available individually.

Sold separately:

KTI44910 - 10mm x 12mm **KTI44917** - 15mm x 17mm

KTI44913 - 13mm x 14mm



KTI22300

8-Piece Fractional Flare Nut Crowfoot Wrench Set 3/8" Drive



- · Used for air conditioning, fuel and hydraulic line fittings
- · Heat treated, carded with socket rail. Available individually.

Set includes (also available individually):

KTI22312 - 3/8"

KTI22314 - 7/16"

KTI22316 - 1/2"

KTI22318 - 9/16"

KTI22328 - 7/8"

KTI22328 - 7/8"



KTI27300

10-Piece Metric

Flare Nut Crowfoot Wrench Set 3/8" Drive

- Used for air conditioning, fuel and hydraulic line fittings
- Heat treated, carded with socket rail. Available individually.

Set includes (also available individually):

KTI27310 - 10mm KTI27311 - 11mm

KTI27312 - 12mm KTI27313 - 13mm KTI27314 - 14mm LIFETIME WARRANTY* KTI27315 - 15mm KTI27316 - 16mm KTI27317 - 17mm

KTI27318 - 18mm **KTI27319** - 19mm



Wrenches I Combination Non-Ratcheting



Adjustable Wrenches

 Manufactured with drop-forged, heat-treated alloy steel for maximum strength and light weight. Chrome plated.



LIFETIME WARRANTY*

LIFETIME

Sold separately:

KTI48004 - 4" jaw capacity: 1/2"
KTI48006 - 6" jaw capacity: 3/4"
KTI48008 - 8" jaw capacity: 1"
KTI48012T - 12" jaw capacity: 1-1/2"
KTI48018T - 18" jaw capacity: 2-1/4"

KTI48010 - 10" jaw capacity: 1-13/16" KTI48012 - 12" jaw capacity: 1-1/2" KTI48015 - 15" jaw capacity: 1-7/8" KTI48018 - 18" jaw capacity: 2-1/4"



12" Adjustable Wrench Black Finish

- Chrome vanadium drop forged steel
- Adjustable opening to 1-1/2"
- Length 12"
- Black finish



4" Adjustable Wrench

• 1/2" jaw capacity

 Drop-forged, heat-treated alloy steel for maximum strength and light weight

Chrome Vanadium steel



Aluminum Pipe Wrenches

- Weighs 40% less than its cast iron counterpart a lighter tool is easier to handle and causes less hand fatigue and arm stress
- Features strong hardened jaws, nuts and teeth, and drop forged steel jaws
- A versatile head design provides a flat surface for hammering

Sold separately:

KTI49112 - 12" jaw capacity: 2-1/4" **KTI49114** - 14" jaw capacity: 2-5/8" **KTI49118** - 18" jaw capacity: 3-1/4" **KTI49124** - 24" jaw capacity: 3-1/2" **KTI49136** - 36" jaw capacity: 4"

KTI49000

4-Piece Pipe Wrench Set

- Strong, durable and versatile cast iron with drop forged steel jaws
- Perfect for a variety of applications

Includes 8", 10", 14" and 18" pipe wrenches

Sold separately:

KTI49008 - 8" jaw capacity: 1-1/2" **KTI49010** - 10" jaw capacity: 1-7/8" **KTI49014** - 14" jaw capacity: 1-1/2"

KTI49018 - 18" jaw capacity: 3"





- Constructed from the highest grade cast iron, forged and heat-treated to ensure maximum durability
- Tough red enamel finish. Tool is strong and versatile

Sold separately:

KTI49012 - 12" jaw capacity: 2-3/8" **KTI49024** - 24" jaw capacity: 1-1/2" **KTI49036** - 36" jaw capacity: 3-1/2"



KTI49309

9" Auto Wrench (Monkey Wrench)

- Auto wrench (monkey wrench)
- 9" Length
- Adjustable opening to 2-1/2"
- Black Oxide





KTI49315

15" Auto Wrench (Monkey Wrench)

- 15" Length
- . Adjustable opening to 3-1/4"
- Black Oxide





Wrenches I Combination Ratcheting



KTI45400

7-Piece Ratcheting Wrench Set Fractional 5/16" to 3/4"





- Ratcheting box end needs as little as 5 degrees to move fastener
- Designed to reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength Includes sizes 5/16, 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4"

KTI45500

7-Piece Ratcheting Wrench Set Metric 8mm - 18mm

Includes sizes 8mm, 10mm, 12mm, 13mm, 14mm, 15mm and 18mm.





F	Ratcheting Wrenches - Combination			
	Fractional			Metric
Standard Stubby			Standard	
Size	12 pt	12 pt	Size	12 pt
5/16"	KTI45410		8mm	KTI45508
3/8"	KTI45412		10mm	KTI45510
7/16"	KTI45414		12mm	KTI45512
1/2"	KTI45416		13mm	KTI45513
9/16"	KTI45418	KTI45318	14mm	KTI45514
5/8"	KTI45420		15mm	KTI45515
3/4"	KTI45424		18mm	KTI45518

KTI45600 16-Piece Reversible Ratcheting Wrench Set

Metric 8mm - 24mm

- Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism
- Ratcheting box end needs as little as 5 degrees to move fastener
- Reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength

Includes sizes 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm,





KTI45601 12-Piece Reversible Ratcheting Metric Wrench Set

Includes: 8mm - 19mm







KTI45602 7-Piece Reversible Ratcheting Metric Wrench Set

Includes: 8mm - 18mm







Wrenches I Combination Ratcheting



KTI45900 13-Piece **Reversible Ratcheting** Wrench Set Fractional 1/4" to 1"

- Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism
- Ratcheting box end needs as little as 5 degrees to move fastener
- Reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength Includes sizes 1/4", 5/16, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".







Ratcheting **SAE Wrench Set**

9 Piece

- Ratcheting box end needs as little as 5° to move fastener
- · Reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength

Includes: 1/4" - 3/4"

KTI45902 7 Piece Reversible Ratcheting **SAE Wrench Set**



- · All metal construction for durability and strength
- \bullet Ratcheting box end needs as little as 5° to move fastener
- · Designed to reduce fastener rounding
- Sleek head design for tight access points





Set includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4"

Ratcheting Wrenches - Reversible			
Fra	Fractional Metric		Metric
Sta	andard	S	Standard
Size	12 pt	Size	12 pt
1/4"	KTI45908	8mm	KTI45608
5/16"	KTI45910	9mm	KTI45609
3/8"	KTI45912	10mm	KTI45610
7/16"	KTI45914	11mm	KTI45611
1/2"	KTI45916	12mm	KTI45612
9/16"	KTI45918	13mm	KTI45613
5/8"	KTI45920	14mm	KTI45614
11/16"	KTI45922	15mm	KTI45615
3/4"	KTI45924	16mm	KTI45616
13/16"	KTI45926	17mm	KTI45617
7/8"	KTI45928	18mm	KTI45618
15/16"	KTI45930	19mm	KTI45619
1"	KTI45932	20mm	KTI45620
		21mm	KTI45621
		22mm	KTI45622
		24mm	KTI45624



Ratcheting Box Wrenches Fractional

. Combines the ratcheting action of a socket with the low profile of a box wrench, making those hard to reach jobs quick and easy LIFETIME WARRANTY

Sold separately:

KTI45208 - 1/4" x 5/16" KTI45216 - 1/2" x 9/16" KTI45212 - 3/8" x 7/16" KTI45220 - 5/8" x 3/4"



Wrenches I Combination Ratcheting



KTI43500

5-Piece Metric

X-Long Double Box Ratcheting

Flexible Reversible Spline Wrench Set

- These extra-long, flexible and reversible double box ratcheting wrenches are forged of chrome-vanadium steel and heat-treated for durability
- Wrenches in this 5-piece set feature a 72-tooth design with a high polish finish and are nearly 40% longer
- Ratcheting box end needs as little as 5 degrees to move fastener
- · Sleek head design and slim dimensions further ease of working in confined areas Includes the following metric sizes: 8mm x 10mm, 12mm x 13mm, 14mm x 15mm, 16mm x 18mm and 17mm x 19mm. Packaged in a blow-molded case.





4-Piece Fractional

X-Long Double Box Ratcheting Flexible Reversible Spline Wrench Set

• These extra-long, flexible and reversible double box ratcheting wrenches

- are forged of chrome vanadium steel and heat-treated for durability
- Wrenches in this 4-piece set feature a 72-tooth design with a high-polish finish and are nearly 40% longer
- · Ratcheting box end needs as little as 5 degrees to move fastener
- · Sleek head design and slim dimensions further ease of working in confined areas
- Packaged in a blow-molded case

Includes sizes: 5/16" x 3/8", 7/16" x 1/2", 9/16" x 5/8" and 11/16" x 3/4"



	Ratcheting Wrenches - Double Box		
Size	Extra Long Flex		
5/16"	KTI43112 - (5/16" x 3/8")		
7/16"	KTI43116 - (7/16" x 1/2")		
9/16"	KTI43120 - (9/16" x 5/8")		
11/16"	KTI43124 - (11/16" x 3/4")		



X-Long Double Box Ratcheting / Flexible / Reversible Spline **Metric Wrenches**

- This extra-long, flexible and reversible double box ratcheting wrench is forged of chrome vanadium steel and heat-treated for durability
- It features a 72-tooth design with a high-polish finish and is nearly 40% longer
- Ratcheting box end needs as little as 5 degrees to move fastener
- Sleek head design and slim dimensions further ease of working in confined areas

Sold separately:

KTI43510 - 8mm x 10mm KTI43513 - 12mm x 13mm

KTI43515 - 14mm x 15mm

KTI43518 - 16mm x 18mm KTI43519 - 17mm x 19mm







Ratcheting-style Torque Wrenches


- · Ratcheting style torque wrench "clicks" when proper torque is achieved. Accuracy: ±4%. Works in clockwise direction
- · Packaged in blow-molded case

KTI72117	30-150 in./lbs.	1/4" drive	7-3/4" length
KTI72100	20-200 in./lbs.	3/8" drive	11" length
KTI72101	10-150 ft./lbs.	1/2" drive	18" length
KTI72102	25-250 ft./lbs.	1/2" drive	25" length
KTI72175	100-600 ft./lbs.	3/4" drive	42" length

Warranty information:


90-day limited warranty. Repairable item.

Half-price replacement option after 90-days.



Micrometer-style

Adjustable Torque Wrenches - U.S.-made



- · Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set with ergonomic comfort-grip
- Easy-to-read laser marked scales
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.
- Most feature quick release buttons which provide good socket retention as well as easy socket removal (except KTI72176A)
- Each comes in a blow molded case
- Accuracy: ± 4% clockwise ± 6% CCW of indicated value, CW, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14M-1994, ISO 6789 Standards
- Covered by a 1-Year limited warranty

KTI72118A	20-150 in./lbs.	1/4" drive	10" length
KTI72120A	30-250 in./lbs.	3/8" drive	11.2" length
KTI72121A	10-100 ft./lbs.	3/8" drive	16" length
KTI72125A	20-150 ft./lbs.	1/2" drive	19" length
KTI72126A	30-250 ft./lbs.	1/2" drive	24.5" length
KTI72176A	100-600 ft./lbs.	3/4" drive	41" length





Micrometer-style

Adjustable Torque Wrenches

- Achieve the proper torque with KTI's click-style torque wrenches
- Torque wrenches are extremely accurate and easy-to-use: Simply adjust the torque specification on the wrench by releasing the red knob and turning the handle of the torque wrench while holding the shaft of the torque wrench
- Torque wrenches feature a ball detent socket retainer with push-button release for quick socket changes
- . Works in clockwise and counter-clockwise directions
- Accuracy: ±4~6%
- · Packaged in a blow-molded case

KTI72140	50-250 in./lbs.	3/8" drive	8-3/4" length
KTI72143	10-100 ft./lbs.	3/8" drive	16-1/4" length
KTI72141	30-150 ft./lbs.	1/2" drive	18-3/4" length
KTI72142	30-250 ft./lbs.	1/2" drive	21-1/2" length
KTI72145	100-600 ft./lbs.	3/4" drive	39" length

Warranty information:

90-day limited warranty. Repairable item. Half-price replacement option after 90-days.





150-750 in/lbs

Torque Wrench 3/8" Drive

- 3/8" drive ratcheting torque wrench
- 150 750 in./lbs. in 5 lb increments
- Calibration certificate included
- · Comes is a black blow-mold case
- . 90-day limited warranty



Digital Torque Wrenches

- Eliminates the possibility of human error with a series of lights and alarms that immediately alert the user to torque readings that are "over or under" entered values
- Easy to use, exceedingly accurate (plus/minus 1 percent CW, plus/minus 2 % CCW)
- High contrast, backlit LCD screen display, users press only four buttons to operate the tool: power on/off; unit of measurement (ft./lbs., in./lbs., N-m); torque target up; and torque target down.
- Technicians can quickly switch among three types of measurement, eliminating the need to have three separate tools
- The wrench boasts a non-slip grip, a rugged, durable housing, a 36-tooth gear and a lever-type ratchet to ease directional switching
- Estimated battery life: 110 hours
- Blow-molded case

KTI72130	10-100 ft./lbs.	3/8" drive	16-1/4" length
KTI72133	14.8-73.8 ft./lbs.	3/8" drive	15" length
KTI72132	20-250 ft./lbs.	1/2" drive	25" length
KTI72134	29.5-147.5 ft./lbs.	1/2" drive	19-1/16" length
KTI72135	25-250 ft./lbs.	1/2" drive	22-1/4" length

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI72138 Digital Torque Adaptor 1/2" Drive

- Use with 1/2" drive ratchet
- Static torque measurement
- Three standard functions: torque setting, measurement setting and mode setting
- Operates is clockwise and counter-clockwise directions
- Torque range is 29.5 147.5 ft-lbs
- · Digital torque adaptor turns a regular ratchet into a digital ratchet
- Tool length: 3". Comes in a black blow-mold storage case

Warranty information: 1-year warranty.



KTI72190

Torque Multiplier

- Converts low torque into high torque, reducing amount of strength required to loosen or tighten when using only a torque wrench
- Input Square: 3/4" drive and Output Square: 1" drive
- Input: 730 ft-lbs. (1000 NM) and Output: 2200 ft-lbs. (3000 NM)
- Increases range of torque 3:1
- Tool length: 19.500", body length 6.500", reaction bar length: 15.625", head width: 3.750", female depth: .750", male depth: 1.125", head depth from female to male: 4.500"
- Comes in a convenient plastic, blow-molded carrying/storage case 1-year warranty.



LIFETIME

KTI49400

Universal Drum Bung Wrench, Bronze Non-Sparking

- Universal drum bung wrench
- Manufactured of bronze alloy
- Non-sparking for flammable materials
- · Fits all types of industrial drum nut plugs and bungs in metal and plastic
- · Corrosion resistant



KTI49405

Universal Drum Plug Bung Wrench, Ductile Iron

- Universal drum plug bung wrench
- Manufactured of ductile iron
- One-piece construction for long-lasting and durability
- Use to open and close all steel and plastic hex-head and round-head bung nut plugs
- · Corrosion resistant





• Fiberglass handle and rubber grip

Solid Brass Hammers • Non-sparking brass hammer prevents damage to delicate parts Sold separately: KTI71782 - 27oz., 1-1/16" head diameter KTI71783 - 48oz., 1-1/4" head diameter LIFETIME WARRANTY*



Brass Hammers with Hickory Handles

• Non-sparking brass hammer prevents damage to delicate parts

Sold separately:

KTI71714 - 16oz., 1-1/4" head diameter KTI71715 - 24oz., 1-1/4" head diameter KTI71733 - 32oz., 1-1/2" head diameter



KTI71700 Impact Driver with 4-Piece Bit Set 3/8" Drive

- A 3/8" driver with four (4) 5/16" hex bits (small slotted, large slotted, #2 Phillips and #3 Phillips) for loosening rusted screws, nuts and bolts
- · Packaged in a metal box

Bits also available individually:

KTI18801 - Small Slotted Bit KTI18802 - Large Slotted Bit KTI18702 - #2 Phillips Bit KTI18703 - #3 Phillips Bit KTI71751
Rubber Mallet 24oz.

• Non-marking rubber mallet





Ball Pein Hammers

- Hammer features drop forged, heat-treated steel head and fiberglass handle for strength and reliability
- Tool boasts contoured, nonslip rubber grip for user comfort

Sold separately:

KTI71708 - 80z. **KTI71716** - 160z. **KTI71725** - 240z. **KTI71732** - 320z.







• Fiberglass handle and rubber grip. Overall length: 15-1/4"






HEAVYWEIGHT QUALITY. KNOCKOUT PRICE.



KTI23308

Bit Holder 1/2 drive





KTI18000

12 Piece Bit Set

- 12 Piece Bit set includes: Slotted 1/8", 5/32", 3/16", 1/4"; Phillips #0, #1, #2, #3, Torx T-10, T-15, T-20, T-25
- All packaged in convenient organizer case



KTI18007

Bit holder, Interior Clip 1/4" Drive x 1/4" Hex Female

• Chrome plating finish





KTI18013

Bit Holder, Exterior Clip 3/8" Drive x 1/4" Hex Female

• Chrome plating finish





KTI18014

Bit Holder, Exterior Clip 3/8" Drive x 5/16" Hex Female

Chrome plating finish





KTI22914 3/8" Drive Hex Bit 9/64" x 1" Length

- Hex bit socket made of chrome vanadium steel
- Heat treated for durability





KTI18992

#2 Phillips Power Bit, 2" Long 1/4" Shank



Groove Joint Pliers

- · Can be adjusted to grip or turn objects
- Ideal for grasping nuts or pipe
- Manufactured from chrome vanadium steel with chrome finish
- · Ergonomic vinyl handle for user comfort
- Available in three sizes

Sold separately:

KTI54006 - 6" KTI54010 - 10"

KTI54012- 12"







Slip Joint Pliers

- Designed for gripping and turning round objects
- Manufactured from chrome vanadium steel with chrome finish
- Ergonomic vinyl handle for user comfort
- Available in three sizes

Sold separately:

KTI53004 - 4"

KTI53006- 6" KTI53008 - 8"





11" Needle Nose Plier Set

- These extra long needle nose pliers reach into even the tightest places
- Pliers manufactured with heat-treated chrome vanadium steel for long wear
- Tools feature soft comfort grip handles. Packaged in handy storage pouch
- Set includes 15° offset, 45° bent nose and 90° bent nose

Set includes (also available individually):

KTI51111 - 90° bent nose

KTI51211 - 45° offset

KTI51311 - 15° offset



Needle Nose Pliers

- · Needle nose pliers reach into even the tightest places
- Tool features side cutter and non-slip vinyl grip
- . Manufactured from heat-treated chrome vanadium for durability
- · Each sold separately









- LIFETIME WARRANTY* • Curved-jaw pliers apply maximum torque for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- · Hardened teeth provide superior grip at any angle
- · Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 5". Meets or exceeds ANSI standards.



- Curved-jaw pliers apply maximum torque for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Hardened teeth provide superior grip at any angle
- · Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 10" Meets or exceeds ANSI standards.



KTI58707 **Locking Plier** Curved Jaw 7"

- Curved-jaw pliers apply maximum torque for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Hardened teeth provide superior grip at any angle
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 7" Meets or exceeds ANSI standards.





- Straight-jaw pliers apply maximum torque for flat, square or hex applications
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Hardened teeth provide superior grip at any angle
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 7" Meets or exceeds ANSI standards.



KTI58809

Locking Welding Clamp Plier 9"



LIFETIME

- · Locking welding clamp features U-shaped jaws for improved visibility and less obstuction to work area
- · Perfect for welding applications or securing awkward-shaped work pieces
- Manufactured from high-grade heat-treated alloy steel for strength and durability
- · Superior grip to hold work pieces in proper alignment
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 9" Meets or exceeds ANSI standards.



KTI58811

Locking C-Clamp Plier 11"

· Locking C-clamp plier features wide-opening jaws

- to accommodate a variety of shapes and sizes for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger, Overall length; 11". Meets or exceeds ANSI standards.



- · Heavy duty auto tool for removal of exhaust components from rubber-style hangers
- · Self-locating forcing pin
- · Cushioned slip-resistant handles
- · 25° offset for easy access



LIFETIME WARRANTY*



KTI55112

12-Piece

Reversible Snap Ring Plier Set

- Set includes the four most popular tip sizes in straight, 45 and 90° angle configurations
- These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications
- · Packaged in blow-molded case. Available inidividually.

Set includes (also available individually):

KTI55120 - straight tip .038 KTI55121 - straight tip .047 KTI55122 - straight tip .070 KTI55123 - straight tip .090 KTI55130 - 45° bent tip .038 KTI55131 - 45° bent tip .047 KTI55132 - 45° bent tip .070 KTI55133 - 45° bent tip .090 KTI55140 - 90° bent tip .038 KTI55141 - 90° bent tip .047 KTI55142 - 90° bent tip .070 KTI55143 - 90° bent tip .090





KTI55001


5-Piece

Reversible Snap Ring Plier Set

- Set includes: short straight small tip (2 pieces); long straight large tip; short 90 degree small tip; and long 90° large tip
- These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications
- Packaged in blow-molded case. Available individually.

Set includes (also available individually):

KTI55012 - short, straight small tip (2 pc.) KTI55034 - long, straight large tip KTI55912 - short 90° small tip KTI55934 - long 90° large tip









- Wire cutter, bolt cutter, and wire stripper in one
- Crimps insulated and open barrel terminals



• 9.75" Length

- Wire cutter, bolt cutter, wire stripper, and bending wire
- Crimps insulated, non-insulated, and pin terminals





KTI56208

Self Adjusting Wire Stripper

- · Automatically adjusts to the diameter of the wire
- · Strips, cuts and crimps wire for solderless terminals
- · Capacity range: 22 to 10 awg
- · Curved back handle design with comfort grip
- Tool length: 10"



KTI56202

8.5" Professional Multi Purpose Crimper and Wire Stripper

- 8.5" Length
- 3.2mm thickness
- · Wire cutter, bolt cutter, and wire stripper in one
- · Crimps open barrel terminals



LIFETIME



KTI56205

8.7" Ratcheting Terminal Crimper

- For insulated terminal
- · Carbon steel head
- Polypropylene and thermoplastic rubber handle
- Tool capacity: Red 22-18 AWG, Blue 16-14 AWG, Yellow 12-10 AWG
- · Adjusted by screwdriver



- · Crimps non-insulated terminals
- · Easy to grip handles





Professional Multipurpose Crimping and Wire Stripper - 1.5/2.5/6.0/10/16 MM2

- · Crimps non-insulated terminals
- · Easy to grip handles





LIFETIME

KTI56209

Wire Stripper / Crimper

• Can be used as wire stripper, machine screw cutter, wire cutter, insulated crimper or solderless terminal crimper.



KTI52009 **Heavy Duty Cable Cutters**

- Heavy duty
- · For use in cutting copper and aluminum
- 9-1/4" Length
- Jaws open to approximately 2"
- . Do not use on steel wire or ACSR cable

Diagonal Cutters

Manufactured from chrome vanadium steel

· Ergonomic handle for user comfort

· Available in three sizes

Sold separately:

LIFETIME

KTI52006 - 6"

KTI52006T - 6"

KTI52007 - 7" KTI52007T - 7"

KTI52107 - 7" heavy-duty





KTI54050

Cannon Plug Pliers

- Cannon plug pliers fit A-N electrical connectors from 3/4"to 2-1/2"
- Slip-joint design with 4 adjustment positions and dipping handle
- Soft, non-marring white nylon jaw inserts with serrations
- Jaw width: 3/8" and open capacity: 3/4" to approximately 2-1/2" • Plier length: 10"

LIFETIME WARRANTY*




KTI72380

8" Straight Cut Tin Snips

- One piece drop forged construction of high carbon steel
- · Cushion handle with smooth, comfortable bows for ease in use and safety
- . Designed for cutting straight and wide curves to the left or right
- Cuts up to .61mm cold rolled steel or .41mm stainless steel
- · Cutting blades open to approximately 4" wide
- Induction hardened cutting edges 54-58 HRC





KTI57324

24" Clipper Cut Bolt Cutters

- Cutting head is manufactured from chrome-vanadium steel
- Can be used for cutting chains, padlocks, bolts and wire mesh
- . The clipper-cut style blades are flush against one face for cutting against flat surfaces









KTI59000

Auto Return Wire Twister Pliers 9"

- Includes an automatic spring return for quick and efficient operation
- Overall length of 8-3/4" and wire capacity of .041"
- Reversible action for left and right twists.
- Diagonal nose to reach tight areas on your aircraft or other machinery



KTI72644

Steel Folding Rule 3' Length

- Stainless steel folding rule
- Multiple folding joints every 6"
- Width: 19/32" (15mm) Thickness: 0.6mm
- Etched with SAE measurements on one side

Tape Measure

- SAE and metric markings
- Blade material is spring-tempered steel
- Top lock for blade with automatic blade return
- Removable spring-tempered steel belt clip
- Lifetime warranty

KT172606 - 6' x 1/2" KT172608 - 8' x 1/2" KT172610 - 10' x 3/4" KT172612 - 12' x 1/2" KT172616 - 16' x 3/4"

KTI72625 - 25' x 1"

LIFETIME WARRANTY*









TOOL STORAGE





Service Carts



KTI75146

4 Drawer Locking Service Cart

- 500 lb. load capacity
- Ball bearing drawer slides. Drawer liners for all drawers and trays
- 5 " Heavy-duty casters
- Side impact bumpers
- Gas shocks for lid
- Cart dimensions: 148 lbs, 35.2" length, 20.6" width, 40.3" height.

 Top drawer depth (2) 3", Middle drawer depth 3", Bottom drawer depth 6"
- 1 Year Warranty on material and workmanship





One-Drawer Steel Service

Tool Cart with 2 Lined Shelves

- Durable construction for rugged shop environments
- Sturdy, one-piece drawer handle. Cart provides ample storage.
- Large, fully-lined top and bottom storage trays to organize tools, shop accessories and parts for greater accessibility
- Fully-lined drawer with lock to securely store tools when not in use
- Four casters allow steady, quick movement; two casters feature easy-to-operate locking mechanism
- Warranty information: 1-year warranty



TOOL STORAGE



Two gas struts in lid for ease in opening or closing. Hinged lid opens completely for greater access to tools. Piano-style hinge for added durability.





Top locking tray keeps tools safe and secure when not in use. Drawers will not function when top storage tray is closed.

Top drawer dimensions (each) 11-1/2" W x 16-7/8" D x 4-1/2" H

Middle drawer dimensions 24-1/2" W x 16-7/8" D x 2-1/2" H

Bottom drawer dimensions 24-1/2" W x 16-7/8" D x 4-1/2" H

4-drawer overall dimensions 39" W x 19-1/2" D x 41-1/4" H

Heavy-duty 5" x 2" casters. Two casters feature easy-to-operate locking mechanism to keep cart from rolling.



4-drawer Utility Carts

Part numbers:

KTI75140 - Red

KTI75141 - Blue

KTI75142 - Teal

KTI75143 - Yellow

KTI75145 - Black

Warranty info: 1-year warranty.







Features 22-slot screwdriver and/or prybar holder allowing handles to be stowed in top locking tray.





Store large-handle pry bars (up to 10") that won't fit in the top storage tray. Piano-style hinge folds down completely for easy access to pry bars, screwdrivers and other tools. Includes 22 slots and measures 18½" x 12" x 4".

Features side storage tray. Perfect for storage of tall items including aerosol cans.





Large drawers and trays to hold and organize tools. All drawers and trays include liners made of non-toxic EVA.



Drawers feature all steel ball bearing slides for smooth, quiet operation.



Keep drawers closed securely until needed. Easy, one-hand operation.

Drawer locks can only be operated when top lid is open.

Large bottom storage tray. Extra storage for oversized items. Great for shop towels, gallon-size containers and other large shop accessories.



Service Carts I Parts & Accessories

KTI72451

Magnetic Tool Hanger for Air Impact - 20 lb. Capacity

- Effortlessly holds most pistol-type impact wrenches.
- Screw-hole design allow for easy mounting to nonferrous surface.
- Magnetic mount supports up to 20 lbs.





KTI72465

Magnetic Tool Holder Multipurpose 15 lb. Capacity

- Holds a variety of screwdrivers, pliers, sockets, wrenches, hammers and more
- · Firmly attaches to metal surface
- Extends up to 20" wide
- Each socket seat encases a powerful magnet
- \bullet Special hooks hold wrenches, keys and other hard to store items
- Permanently mount using screw holes or built in magnets support up to 15 lbs
- Stores up to 71 tools



KTI72450

Magnetic Tool Hanger 11 lb. Capacity

- Holds heavy and irregularly shaped tools, such as hammers, mallets and wrenches.
- Ideal for storing cords, shovels, and more.
- Screw-hole design allow for easy mounting to nonferrous surfaces.
- Magnetic mount supports up to 11 lbs.



LIFETIME WARRANTY*

KTI72460

Magnetic Tool Box

33 lb. Capacity

- Powder-coating finish protects holder even in rugged, professional environments.
- Chamfer design holds various tools, such as cans, brushes and tape.
- Organize workshops, garages and manufacturing sites.
- Screw-hole design allows for easy mounting to nonferrous surfaces.
- Portable holder goes from job to job.
- Holds up to 33 lbs.



TOOL STORAGE

Trays | Socket Rails & Socket Holders



KTI72470

3 Piece SAE Socket Holder Set - Red

- 1/4", 3/8" and 1/2" drive socket trays
- · Impact resistant ABS plastic

Set Includes:

KTI72471 - 1/4" Drive SAE - Holds 26 sockets (13 short & 13 deep) Socket sizes: 1/8" - 5/8" each

KTI72472 - 3/8" Drive SAE - Holds 26 sockets (13 short & 13 deep)

Socket sizes: 1/4" - 1" each

KTI72473 - 1/2" Drive SAE - Holds 28 sockets (14 short & 14 deep)

Socket sizes: 3/8" - 1-1/4" each



KTI72475

3 Piece Metric Socket Holder Set, Gray

- 1/4", 3/8" and 1/2" drive socket trays
- Impact resistant ABS plastic

Set Includes:

KTI72476 - 1/4" Drive Metric - Holds 28 sockets (14 short & 14 deep) Socket sizes: 4-15mm each

KTI72477 - 3/8" Drive Metric - Holds 30 sockets (15 short & 15 deep) Socket sizes: 6 - 20mm each

KTI72478 - 1/2" Drive Metric - Holds 34 sockets (17 short & 17 deep) Socket sizes: 10 - 27mm each

MAGGCLIP By K-Tool International®

Original Mag-Clip Strip

Magnetic socket holders hold sockets tight without magnetizing them. Hangs or mounts on any smooth metal surface.

Other Features:


- · Shallow or deep socket
- Standard or metric sockets
- · Holds socket tight and secure on any smooth metal surface

· Will not magnetize sockets

- · Magnets retain strength permanently
- Grease, oil and chemical resistant
- · Tough polymer base
- Rust resistant

MCP72401 - 1/4" drive MCP72402 - 3/8" drive MCP72403 - 1/2" drive





MAGGCLIP By K-Tool International®

Interchangeable Mag-Clip Strip

Magnetic socket holders hold sockets tight without magnetizing them. Use with additional Power Pegs (sold separately) in any combination of 3 drive sizes to customize your workspace.


Other Features:

- Shallow or deep socket
- Standard or metric sockets
- · Holds socket tight and secure on any smooth metal surface
- · Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- · Tough polymer base
- Rust resistant

Includes 10 interchangeable Power Pegs.

MCP72400- 1/4" drive MCP72404 - 3/8" drive MCP72405 - 1/2" drive







MAGCLIP

By K-Tool International®

Socket Caddy

This organizer allows users to customize the storage and organization of some of the messiest areas of the average tool box, such as the socket drawer. The base of this product is made out of a high impact plastic magnetic grid. Use with additional Power Pegs (sold separately) in any combination of 3 drive sizes to customize your workspace.

Other Features:


- · Shallow or deep sockets
- . Standard or metric sockets
- · Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- Tough polymer base
- · Rust resistant

Includes 28 interchangeable Power Pegs.

MCP72421 - 1/4" drive MCP72422 - 3/8" drive MCP72423 - 1/2" drive







MCP72460

Universal Mag-Clip

Use the Universal Mag-Clip Strip to hold wrenches, screwdrivers, pliers and other hand tools to keep them at your fingertips.

Other Features:

- . Mounts on any smooth metal surface
- . Holds tools tight and secure
- Reverse polarity magnetic power
- · Magnets retain strength permanently
- Grease, oil and chemical resistant
- Tough polymer base
- Rust resistant



n at your fingertips.

Power Pegs

- Interchangeable steel posts available in 1/4", 3/8" and 1/2" drive sizes
- Use Power Pegs with MagKanic Mat, Power Mat, Socket Caddy or Interchangeable Mag-Clip Strip for the ultimate storage system
- Available in packs of 10

MCP72441 - 1/4" drive MCP72442 - 3/8" drive MCP72443 - 1/2" drive









LIFETIME WARRANTY*

- Magnetic, convertible and interchangeable means for storing and organizing sockets
- Organize sockets or simply flip the mat over to the rubber side and store a variety of other tools in a vertical position
- High powered magnets are imbedded in a flexible, high impact poly-pro body
- May be used with Power Pegs (sold separately) in any combination of 3 drive sizes (1/4", 3/8" or 1/2") to customize your workspace

MCP72424 - 2-panel MagKanic Mat

MCP72425 - 3-panel Power Mat

MCP72426 - 3-panel Power Mat with 84 assorted power pegs

Mag Mount

- Magnetic tool storage and/or mounting system for use with pegboard
- The Mag Mount will hold tools securely without the use of hooks or bars
- This design will work with 1/8" and 1/4" pegboard and features "super duty" magnetic power
- Includes screws for 1/8" and 1/4" pegboard















LIGHTING





Hand Held

KTI73389 Slimline 6 LED

Rechargeeable Inspection Light


- Super slim head at 1/4" thick by 11/16" wide
- Up to 7 hours of light on a single charge
- Generates 200 lumens at 15 feet
- Micro USB receiver allows for multiple charging options
- 3.7 volt Li-ion / 2200 mah rechargeable battery





- · ABS and rubberized housing with a magnet on the back side and a rotating hook on the top
- Hi / Low / Off switch
- Charge time: 5 hours
- Run time: 2 hours





• Rechargeable 3W COB LED

KTI73387

- 3.7 volt 2200 mAH Li battery
- 5 hours with run time being approximately 2 hours
- ABS and rubberized housing
- Super strong magnetic base
- Rotating hook at the top that can be turned down
- 80 degree pivoting head with 180 degree rotating light
- AC & DC chargers included



LICHTING

Hand Held

KTI73388 3 Watt COB

LED Rechargeable Worklight

- 3.7 volt / 22000 mAh Li battery Charge time about 5 hours with 2 hour run time
- ABS and rubberized housing with a magnet on the back side and a clip for hanging
- AC & DC chargers included



KTI73396

Aluminum 16 LED Flashlight

- 16 LED (96 lumens) flashlight
- Aerospace grade aluminum body
- Rubber grip handle
- · Belt holster included
- 3 AAA batteries included





Exclusive Folding Option



KTI73386

Underhood Rechargeable 24 Element 600 Lumen Worklight

- Aluminum and ABS housing
- 7.4 Volt / 2000mAh Lithium-Ion battery with 6 hour charge time and approximately 3.5 hrs run time
- Telescopic ends slide to a maximum of 74.75 inches with soft rubber ends that allow attachement to work area
- AC and DC chargers included
- High-low-off switch
- Full extension length: 50.375 inches; Folded length: 26.875 inches



KTI73398A

Hands-Free LED Head Lamp 3W 120 Lumen

- Powerful 3 watt COB LEDs
- Operating modes: high (100%), low (50%), flashing, off
- Adjustable ratcheting headlamp, 180° up/down, for light direction
- 3 "AAA" batteries included







KT179800

Emergency Safety Flare

- Non-chemical, environmentally safe
- Nine flash patterns including the USCG approved SOS
- Runtime up to 100 hours depending on flash pattern
- · Shatter-proof, crush-proof, and water resistant
- Positive buoyancy
- 1 CR-123 battery included

Applications in automotive, industrial, and marine. Nine distinctive flash patterns for emergency situations and work areas. Includes a magnet on one side for attaching to metal surfaces.

KTI79801 Rechargeable

Emergency Safety Flare . Non-chemical safety flare

- Runtime up to 50 hours depending on flash pattern
- Nine flash patterns including the USCG approved SOS
- · Shatter-proof, crush-proof, and water resistant
- · Non-chemical safety flare
- Positive buoyancy
- · Charger adapter included

A non-chemical, environmentally safe flare. Applications in automotive, industrial, and marine. Nine distinctive flash patterns for emergency situations and awareness in work areas. Includes a magnet on one side for attaching to metal surfaces.

Work Lights

KTI73373

24 SMD LED Rechargeable Worklight

- 24 SMD LED (800 lumens) Rechargeable Worklight
- · Heavy duty face plate
- · Features a ratcheting head
- Foam insulated handle
- On / Off switch
- Charge time: 2 hours
- Run Time: 2 hours full strength

Rechargeable worklight. 24 element SMD LED with 800 lumen output. The face plate is heavy duty that contains the on/off switch on the reverse side. Has a ratcheting head and foam insulated handle. Weight: 4.85 lbs, length: 10.75" width: 9.75", height: 15"



KTI73374 24 SMD LED A/C Power Worklight with 3 foot 18/3 SJTW Cord

- 24 SMD LED (800 lumen) A/C Power Worklight with 3 foot 18/3 SJTQ cord
- · Heavy duty face plate
- · Features a ratcheting head
- Foam insulated handle
- On / Off switch

A/C Power worklight with 3 ft.18/3 SJTW cord. 24 element SMD LED with 800 lumen output. The face plate is heavy duty that contains the on/off switch on the reverse side. Has a ratcheting head and foam insulated handle. Worklight LED 800 Lumen 3ft 18/. Weight: 4.85 lbs, length: 10.75" width: 9.75", height: 15"



LICHTING

Work Lights

KTI73303

Fluorescent Tube Light 25' 13 Watt 18/2

- Fluorescent work lights are cool to the touch and energy efficient
- All fluorescent lights are UL and cUL approved
- Adjustable hanging hook swivels 360 degree for easy hanging
- On/off switch located in handle.

Length: 25' Cord: 18/2 SJT Bulb: 13 watt



KTI73304 Replacement Head 13 Watt Fluorescent Tube Light

- Light head only, no cords attached
- Complete with bulb





KTI73359 Trouble Light 50' Metal Cage Standard Duty

- Incandescent trouble lights are ideal for workshops or garages
- Heavy duty metal cage features 360° rotating hanging hook for maximum flexibility
- Switch and outlet in handle.

Length: 50' Cord: 18/3 SJT Watt: 1250 Amp: 10

KTI73360 Trouble Light 25'

Metal Cage Heavy Duty

- Incandescent trouble lights are ideal for workshops or garages
- Heavy-duty metal cage features 360° rotating hanging hook for maximum flexibility
- · Switch and outlet in handle

Length: 25' Cord: 16/3 SJT Watt: 1625 Amp: 13



KTI73362

75W Incandescent Trouble Light with Heavy Duty Metal Cage

- 13 Amp, 1625 Watt Nema 5-15 receptacle outlet in handle
- SJT 16/3 AWG, 50 foot cord
- Heavy duty metal cage features rotating hanging hook
- 75 Watt bulb
- 120 Volt





Trouble Light 25' Metal Cage Standard Duty

· Incandescent trouble lights are ideal for workshops or garages

 Heavy duty metal cage features 360 degree rotating hanging hook for maximum flexibility

Length: 25' Cord: 18/3 SJT Watt: 1250 Amp: 10



Standard Trouble Light Replacement Parts

KTI73350 - Replacement metal guard only

KTI73351 - Replacement handle/switch assembly only

KTI73355 - Replacement metal guard with handle/switch assembly





KTI73311 **Fluorescent Angle** Work Light 25' 13 Watt 16/3

- · Fluorescent work lights are cool to the touch and energy efficient
- UL and cUL approved and have circuit breaker protection and grounded outlet
- · All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip

• On/off switch

Length: 25' Cord: 16/3 SJT Bulb: 13 watt

Amp: 13 Watt: 1625

KTI73305 **Replacement Head** 13 Watt Fluorescent **Anale Light**

· Light head only, no cords attached

• Complete with bulb



Complete with bulb



KTI73357 **Replacement Lens Angle Light 13 Watt**

· Replacement part for fluorescent light

KTI73356 **Replacement Lens Angle Light 26 Watt**

· Replacement part for fluorescent light



KTI73312 **Fluorescent Angle**


Work Light 25' 26 Watt 16/3

- · Fluorescent work lights are cool to the touch and energy efficient
- UL and cUL approved and have circuit breaker protection and grounded outlet
- All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip

• On/off switch

Length: 25' Cord: 16/3 SJT Bulb: 26 watt Amp: 13 Watt: 1625





KTI73397

LED Worklight 48 LED 25ft 16/3

- Super bright 48 LED with 25' 16/3 SJT power cord
- 15 AMP outlet in handle
- Clamped magnet attaches to the center for changing light positions
- Two swivel hooks that fold down can be used for hanging the light

KTI3379A Trouble Light Retrofit 500 Lumens

- A twist on module that converts an incandescent trouble light in a LED light
- 30 high powered SMD LED (500 lumens)
- Rubber bumper to protect unit
- · Folding hanging hook that fits into head



LIGHTING

Work Lights

KTI73370

Halogen Work Light 500 Watt

- Iluminate the workshop, garage or job site with the power of bright halogen light
- All KTI fixtures use a 500-watt quartz halogen bulb (included), which emits brighter, whiter light and uses less energy
- Features include: 5-foot power cord and small floor stand

Length: 5' Cord: 18/3 SJTW









KTI73363 **Trouble Light 25' Metal Cage Industrial Duty**

- Incandescent trouble lights are ideal for workshops or garages
- Heavy-duty industrial cage features 360 degree rotating hanging hook for maximum flexibility
- Switch and outlet in handle

Length: 25' Cord: 14/3 SJT Watt: 1875 Amp: 15



KTI73349 Replacement **Metal Cage for Industrial Trouble Light**

- Metal guard and cage for use with incandescent trouble lights
- Bulb and light not included





- 30' retractable cord • Fluorescent work lights are cool to the touch and energy efficient
- Fluorescent light is cULus approved
- Angle light has 360° swivel magnet, 2 rotating clips for hanging and feature protective bumper and special ergonomic grip
- On/off switch and outlet in handle
- 9 amp, 1125 watt, 125 volt cable reel made of metal
- Retractaable SJT cable, 16/3 AWG, 30 foot cord
- 13 watt bulb

KTI73315

KTI73318

Fluorescent Tube Light on Reel 50'

13 Watt 18/2

- Fluorescent work lights are cool to the touch and energy efficient
- · All fluorescent lights are UL and cUL approved
- Adjustable hanging hook swivels 360 for easy hanging
- On/off switch located in handle

Length: 50' with reel Cord: 18/2 SJT Bulb: 13 watt



KTI73330

75W Incandescent Trouble Light with Reel, 30' Cord

- · Incandescent trouble light with metal housing reel with 9 amps, 125 volt, 1125 watt
- . Metal cage protects the 75 watt bulb and has a 360 degree rotating hanging hook
- · Circuit breaker protection and Nema 5-15 receptacle grounded outlet in handle
- · Reel contains retractable cable 16/3 SJT, 30 foot with 75 watt trouble light
- · cULus approval



KTI73335

Industrial Trouble Light on Reel

- Incandescent trouble lights are ideal for workshop or garage environments
- · Heavy duty metal shades have 360 rotating hanging hooks provide flexibility for all applications
- · Work lights feature circuit breaker protection and grounded outlet in handle

Length: 50' Cord: 14/3 SJT Dual industrial cage.



LICHTING

Work Lights



KTI73335

Industrial Trouble Light on Reel

- Incandescent trouble lights are ideal for workshop or garage environments
- Heavy duty metal shades have 360° rotating hanging hooks provide flexibility for all applications
- Work lights feature circuit breaker protection and grounded outlet in handle

Length: 50' Cord: 14/3 SJT Dual industrial cage.



26W Fluorescent

Angle Light Reel with 50' Cord

- Fluorescent work lights are cool to the touch and energy efficient
- Fluorescent light has cULus approval
- All angle lights have 360 degree swivel magnet, 2 rotating clips for hanging and feature protective bumper and special ergonomic grip
- On/off switch and outlet in handle
- 8 amp, 125 volt, 1000 watt cable reel is made of plastic with circuit breaker on reel body
- Retractable SJT 14/3, 50 foot cord 26 watts, (2) 13 watt bulbs

Work Light I Accessories

KTI73307 Replacement Bulb 13 Watt Fluorescent

 Replacement bulb for all KTI 13 watt work lights (angle and compact tube)



KTI73371

Replacement Bulb 500 Watt Halogen



• Replacement bulb for all KTI halogen work lights (models 73370, 73372 and 73375)

Power Reels & Extension Cords



KTI73341

Retractable Extension Cord Reel 50'

 Extension reel features oil and water resistant cord, retractable reel, power indicator, lighted end and circuit breaker protection

Length: 50'.

Cord: 14/3 SJEOW tri-tap

Amp: 13 Watt: 1625



Power Reels & Extension Cords

KTI73340

Retractable

Extension Cord Reel 30'

• Extension reel features oil and water resistant cord, retractable reel, metal housing and circuit breaker protection

Length: 30'

Cord: 16/3 SJT tri-tap

Amp: 10 Watt: 1250







All-Weather Extension Cords

- All-weather extension cord features 16/3 SJEOW single tap blue cord
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Cord stays flexible even in extreme temperatures (-58°F to 221°F)
- 16/3 cord; Watt: 1625; Amp: 13

KTI73380 - 25' extension cord **KTI73381** - 50' extension cord



KTI73348 Extra-heavy-duty Extension Cord


- Extra-heavy-duty extension cord features 12/3 SJTW single tap orange/black cord
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Length: 50'; Watt: 1875; Amp: 15



Heavy-duty Extension Cords

- Heavy duty extension cord features
 14/3 SJTW single tap orange/black cord
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Watt: 1875; Amp: 15

KTI73345 - 25' extension cord **KTI73346** - 50' extension cord



Standard-duty Extension Cords

- Standard outdoor extension cord features 16/3 SJTW single tap yellow cord
- Medium-duty capacity
- Flexible to -40°F. Water and weather resistant
- UL listed; Watt: 1625; Amp: 13; Volt: 125

KTI73342 - 25' extension cord **KTI73343** - 50' extension cord



CUTTING/THREADING/ABRASIVES





KTI10330 326-Piece

Master Drill Bit Set

KTl's Master Drill Bit is a comprehensive set of drill bits and accessories. This 326-piece set includes bits and accessories for nearly every job. The unique storage case fully opens to access the bit and accessories you need. Two (2) bottom trays fold and slide into portable carrying case. Transport from job to job quickly and easily!

Warranty: 90 Day warranty on materials and workmanship.

	326-Piece Master Drill Bit Set
Qty	Description of Contents
64	HSS Twist Drill Bits: 3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5), 5/32" (5), 3/16" (4), 7/32" (4), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
54	Titanium Coated High Speed Drill Bits: 3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4), 5/32" (4), 11/64" (4), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
10	Nutdrivers: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"
37	2" Screwdriver Bits: 7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex and 8 Square
64	1" Screwdriver Bits: 14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex and 6 Square
3	14" Masonry Drill Bits: 5/16", 3/8" and 1/2"
21	Masonry Drill Bits: 5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64", 9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" and 1/2"
4	Nail Punches: 1/32", 1/16", 3/32" and 1/8"
6	Drill Stoppers: 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"
1	Allen Key - 2.5mm
1	Magnetic Holder
1	Counter Sink
64	HSS Twist Drill Bits: 3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5), 5/32" (5), 3/16" (4), 7/32" (4), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
54	Titanium Coated High Speed Drill Bits: 3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4), 5/32" (4), 11/64" (4), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
10	Nutdrivers: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"
37	2" Screwdriver Bits: 7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex and 8 Square
64	1" Screwdriver Bits: 14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex and 6 Square
3	14" Masonry Drill Bits: 5/16", 3/8" and 1/2"
21	Masonry Drill Bits: 5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64", 9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" and 1/2"
4	Nail Pouch: 1/32", 1/16", 3/32" and 1/8"
6	Drill Stoppers: 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"
1	Allen Key - 2.5mm
1	Magnetic Holder
1	Counter Sink
1	Gauge



4	Hole Saws: 1-3/4", 2-1/8", 2-3/8" and 2-1/2"
1	Hole Saw Adapter
44	Wood Boring Drill Bits: 1/8" (3), 5/32" (4), 11/64" (8), 3/16" (4), 13/64" (4), 7/32" (4), 15/64" (4), 1/4" (4), 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
5	Flat Wood Bits: 1/2", 5/8", 3/4", 7/8" and 1-1/4"
4	12" Flat Wood Bits: 5/16", 3/8", 1/2" and 9/16"



CUTTING/THREADING/ABRASIVES

KTI71233

3-Piece Set Step Drill Bits

- · Titanium coated
- High-speed steel (HSS) 4241
- HRC 60-63 (Rockwell Scale)
- Sizes: 1/8" to 1/2", 3/16" to 1/2" & 1/4" to 3/4"
- 1 Year Warranty

Sold separately:

KTI71235 - 1/8" to 1/2" KTI71236 - 3/16" to 1/2" KTI71237 - 1/4"-3/4"





KTI70040

5-Piece

Spiral Extractor Set Made of high carbon steel

- Aggressive spiral design for extra grip on stubborn broken bolts

Sizes include: 1/8" - 1/4", 1 - 6mm; 1/4" - 5/16", 6 - 8mm; 5/16" - 7/16", 8 - 11mm; 7/16" - 9/16", 11 - 14mm; 9/16" - 3/4", 14 - 18mm.



KTI70045 5-Piece

Fluted Extractor Set

- · Quickly and easily remove broken screws, pipes, bolts and studs
- Manufactured with heat-treated chrome-moly steel for long wear and durability

Sizes range from 1/8"-3/8" and 3 mm-9.5 mm.



KTI73155

Folding Knife - Stainless Steel Satin Finish Blade

- 9Cr18MOV stainless steel satin finished blade
- Stainless steel blade partially serrated with assist opening
- Folded knife length: 4.750", width: 1.438, height: .563; blade shaft length: 3.6875", open knife length: 8.4375"
- G10 handle Reversible pocket clip





KTI73150

Folding Knife - Stainless Steel, Black Finish Blade, **Partially Serrated With Assist Opening**

- 9Cr18MOV stainless steel black finish blade
- Stainless steel blade partially serrated with assist opening
- Folded knife length: 4.750", width: 1.438", height: .563"; blade shaft length: 3.6875", open knife length: 8.4375"
- G10 handle Reversible pocket clip





KTI73110

Spring Action Scissors

- · Spring action soft touch scissors are 10-1/4" long
- Stainless steel blade, spring and screw
- ABS lock
- . Nylon fiber handle with soft TPR grips
- Ergonomically designed handle with spring action for lasting use and reducing hand fatique

Spring action scissors are perfect for cutting fabric, ribbon, paper, corrugated paper, string, light cardboard, garden plants and many more items.



KTI73102

Quick Change Folding Utility Knife

- Quick change and folding
- Folded knife length: 4.3125", blade shaft length: 2.750", open knife length: 6.5"
- Plastic body with rubber grip.
- · Blade case with 3 blades included.





Auto Loading Folding Utility Knife

- Auto loading
- Folded knife length: 4.375", blade shaft length: 2.750", open knife length: 7"
- · Zinc body, ABS and rubber grip
- 3 blades included
- · Black and red handle





KTI73105

Utility Knife

• Retractable 6" utility knife with extra blade storage in handle.

Replacement parts:

KTI70546 - Replacement blades 6-pack





- Quick-change blade system
- Includes six (6) snap-off blades
- Knife measures a whopping 8" x 2.5" x 1"

Replacement parts:

KTI73104-1 - Replacement blades 10-pack





KTI70016

Mini Scraper

- Grip-coated handle for better comfort and control
- Angled tip for increased accuracy
- Blade locks securely in place
- · Quick and easy blade changes
- Reversible blade for safe storage. Includes one (1) single edge blade.

LIFETIME WARRANTY*

• Length: 4-1/2" Assorted colors.

KTI72310

Tube Cutter Mini - Range 1/8" to 5/8" OD

- Cuts 1/8" to 5/8" OD tubing
- Compact size for use in confined areas
- Features rollers to ease operation.



KTI72330

Tubing Cutter Heavy-duty

- Cuts 1/8" to 1-1/8" OD tubing
- · Heavy-duty rollers smooth operation







KTI72355

Ratcheting Hose and Pipe Cutter

- Cut a variety of material
- · Ratcheting action makes cutting smooth and easy
- Cuts material up to 1-1/2" diameter
- One-touch, quick-release lever opens pliers instantly
- · Built-in clasp securely locks handles when not in use for added safety

Replacement parts:

KTI72355-1 - Replacement blade





KTI72320

Tubing Bender - U.S.-made

Bends 3/16", 1/4", 5/16" and 3/8" diameter tubing. Features aluminum mandrel.







KTI72340

Tubing Bender

Bends 1/4", 5/16" and 3/8" OD aluminum, steel and copper tubing.





KTI72345

Tubing Bender

Heavy-duty Pliers

Bends 3/16", 1/4", 5/16" and 3/8" diameter copper and steel tubing without collapsing or kinking.



CUTTING/THREADING/ABRASIVES

Center Cut Bolt Cutters

- Heavy duty cutters
 Heat-treated chrome vanadium alloy jaws
- Specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and safe grip

Sold separately:

KTI57124 - 24" Center Cut Bolt Cutter KTI57130 - 30" Center Cut Bolt Cutter KTI57136 - 36" Center Cut Bolt Cutter

Replacement parts:

KTI57224 - Replacement head 24" KTI57236 - Replacement head 36"





KTI57514

14" Wire & Rope Cutter

- Shear-cut blades hold and lock cable in cutting position for a clean, sharp cut
- Chrome-vanadium cutting head
- Designed for cutting wire rope, piano wire, steel wire, ACSR cable and aircraft cable
- 14" overall length



Clipper Cut Bolt Cutters

- Blades are flush against one face for cutting against flat surfaces
- Heavy duty cutters
 Heat-treated chrome vanadium alloy jaws
- Specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and safe grip

Sold separately:

KTI57318 - 18" Clipper Cut Bolt Cutter KTI57324 - 24" Clipper Cut Bolt Cutter KTI57330 - 30" Clipper Cut Bolt Cutter KTI57336 - 36" Clipper Cut Bolt Cutter





Angled Head Clipper Cut Bolt Cutters

- · Angled for easier insertion and keeping work in view
- Heavy duty cutters
 Heat-treated chrome vanadium alloy jaws
- Specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and safe grip

Sold separately:

KTI57414 - 14" Clipper Cut Bolt Cutter KTI57424 - 24" Clipper Cut Bolt Cutter KTI57436 - 36" Clipper Cut Bolt Cutter









Center Cut



PROFESSIONAL TOOLS & EQUIPMENT

CUTTING/THREADING/ABRASIVES



Number and Letter Stamp Set - Size 3/16"

- Combination set includes 3/16" set of numbers and 3/16" set of letters
- Includes convenient storage case





KTI70010

Tapered Scratch Awl

- High quality chrome vanadium steel
- Ergonomic, contoured handle
- Used for scribing, punching holes and lining up panels or holes.





KTI72380

8" Straight Cut Tin Snips

- One piece drop forged construction of high carbon steel
- Cushion handle with smooth, comfortable bows for ease in use and safety
- Designed for cutting straight and wide curves to the left or right
- Cuts up to .61mm cold rolled steel or .41mm stainless steel
- Cutting blades open to approximately 4" wide
- Induction hardened cutting edges 54-58 HRC



KTI72801

12" Tubular Hacksaw

- Top quality, sturdy hacksaw
- Adjustable tensioner
- Includes one (1) saw blade.





KTI72802

Extra Heavy Duty Hacksaw

- All metal heavy duty frame
- High leverage tensioner blade can be set at 45 degrees or vertical
- Handle with blade storage compartment









KTI71303

7 1303

Abrasive Cut-off Discs KTI71303 - 3" x 1/32" - 6 pack **KTI71306** - 3" x 1/16" - 6 pack **KTI71301** - 3" x 1/16" - 25 pack **KTI71300** - 3" x 1/16" - 50 pack

KTI70013

Cut-off Wheel Arbor

Drill adapter for cut-off discs. Fits any drill with a chuck capacity of 1/4" or larger.



KTI74103

3-Piece

Mini Brush Set

Set includes one brass, nylon and stainless steel brush. Features molded poly handles. Overall length: 7"

Set includes (also available individually):

KTI74106 - Brass KTI74107 - Nylon KTI74108 - Steel



Spindle Adapters

KTI87140

3/8" - 24 ID thread 5/8" - 11 OD thread

KTI87141

10mm - 1.25mm ID thread 5/8" - 11 OD thread















	WIRE WHEEL AND CUP BRUSHES				
Part #	Туре	Diameter	RPM	Type of Mount	
KTI79200	Crimped wire wheel - narrow face	6" diameter	6,000 maximum	1/2" x 5/8" hole center mount	
KTI79201	Crimped wire wheel - medium face	6" diameter	6,000 maximum	1/2" x 5/8" hole center mount	
KTI79205	Crimped wire wheel - wide face	8" diameter	6,000 maximum	1/2" x 5/8" hole center mount	
KTI79210	Crimped wire cup - coarse	1" diameter	4,500 maximum	1/4" stem mount	
KTI79215	Crimped wire cup - coarse	2" diameter	4,500 maximum	1/4" stem mount	
KTI79216	Crimped wire cup - coarse	3" diameter	4,500 maximum	1/4" stem mount	
KTI79217	Crimped wire wheel - coarse	3" diameter	4,500 maximum	1/4" stem mount	
KTI79220	Knotted wire cup - extra coarse	2¾" diameter	12,500 maximum	5/8" x 11 thread	
KTI79225	Crimped wire cup - coarse	3" diameter	12,500 maximum	5/8" x 11 thread	

Note: Always wear eye protection. Keep loose articles of clothing and jewelry from moving parts.

Wood handle brushes have natural bristles not affected by thinners or other solvents. Sold separately: KTI74005 - 1/2" width KTI74010 - 1" width KTI74015 - 1-1/2" width KTI74020 - 2" width KTI74020 - 3" width KTI74030 - 3" width







Air Tools I Ratchets



KTI82500A

1/4" Drive Air Ratchet

- 25 ft./lb. ultimate torque
- 250 rpm
- 2 CFM air consumption
- 7" overall length
- 90 PSI air pressure (recommended)

Warranty: Repair only up to 1 year





KTI82503A

3/8" Drive Air Ratchet

- 50 ft./lb. ultimate torque
- 170 rpm
- Designed for reliability and superior performance
- 6 CFM air consumption, 90 PSI air pressure recommended
- 10" overall length

Warranty: Repair only up to 1 year





KTI82504

3/8" Drive Heavy Duty Air Ratchet

- 55 ft./lb. ultimate torque
- Designed for reliability and superior performance
- 170 RPM, 6 CFM air consumption, 90 PSI air pressure recommended
- 11" overall length

Warranty: Repair only up to 1 year

			AIR RATCHET SPEC	IFICATIONS			
Part #	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	CFMs
KTI82500A	250 rpm	1/4"	5-20 ft./lbs.	25 ft./lbs.	7"	1.00 lb.	2 CFM
KTI82503A	170 rpm	3/8"	10-60 ft./lbs.	50 ft./lbs.	10"	2.60 lb.	6 CFM
KTI82504	170 rpm	3/8"	10-55 ft./lbs.	55 ft./lbs.	11"	3.00 lb.	6 CFM

Air Tools I Impact Wrenches

KTI81550 **Butterfly**

3/8" Drive Impact Wrench

The popular Butterfly 3/8" drive with built-in power regulator features instant forward and reverse throttle speed. Streamline design eliminates 2 piece housing construction for excellent power-to-weight ratio. Rear exhaust.

- 11,000 rpm;
- 3/8" square drive
- 5-50 ft./lbs. working torque
- 75 ft/lbs Ultimate Torque
- 3 CFM average air consumption

Warranty: Repairable up to 1 year

KTI81565 3/8" Drive Air Impact Wrench • 320 ft./lb. ultimate torque

- 9000 rpm
- 3 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81560 **Pistol Grip** 3/8" Drive Impact Wrench Unlike "nose heavy" pistols,

this tool is perfectly balanced.

- 11,000 rpm
- 3/8" square drive
- 5-50 ft./lbs. working torque
- 75 ft./lbs. ultimate torque
- 5" length; 2.5 lbs.
- 3 CFM average air consumption

Warranty: Repairable up to 1 year



KTI81622

1/2" Drive Impact Wrench

Features a full polished tool, reversing trigger, "Rocking Dog" clutch and built-in power regulator. Working torque range of 25-180 ft/lbs.

Applications: transmissions, body shops and general repair.

- 260 ft./lb. ultimate torque
- 7000 rpm
- 4 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



- 450 ft./lb. ultimate torque
- 7500 rpm
- 7 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81632A 1/2" Drive Air Impact with Extended Anvil

- 450 ft./lb. ultimate torque
- 7500 rpm
- 7 CFM air consumption
- 90 PSI air pressure (recommended)



		ا	IMPACT WRENCH SPE	CIFICATIONS			
Part #	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	CFMs
KTI81550	11,000	3/8"	5-50 ft./lbs.	75 ft./lbs.	5-1/2"	2.00 lbs.	3 CFM
KTI81560	11,000	3/8"	5-50 ft./lbs.	75 ft./lbs.	5"	2.50 lbs.	3 CFM
KTI81565	9,000	3/8"	25-300 ft./lbs.	320 ft./lbs.	8"	3.0 lbs.	3 CFM
KTI81622	7,000	1/2"	25-180 ft./lbs.	260 ft./lbs.	7"	5.50 lbs.	4 CFM
KTI81631A	7,500	1/2"	25-350 ft./lbs.	450 ft./lbs.	8"	6.0 lbs.	7 CFM
KTI81632A	7,500	1/2" - 2" ext	25-300 ft./lbs.	450 ft./lbs.	10"	5.60 lbs.	7 CFM



KTI81772A 3/4" Drive **High Peformance Impact Wrench**

- 4,500 rpm
- 3/4" square drive
- 100-500 ft./lbs. working torque
- 800 ft./lbs. ultimate torque
- 11.25" length; 11.55 lbs.
- 5 CFM average air consumption
- High torque developing clutch

Warranty: Repairable up to 1 year



KTI81775

3/4" Drive Heavy-Duty **High Power Impact Wrench**

- 900 ft./lb. ultimate torque
- 7000 rpm
- 8 CFM air consumption
- 90 PSI air pressure (recommended)

The ultimate in 3/4" impacts. The big brother to the KTI81631 with the high power twin hammer clutch, making this the wrench for all 3/4" applications, including all the hardest jobs, such as springs, tractor pad removal, farm equipment, truck tires, truck suspension and construction equipment.

Warranty: Repairable up to 1 year



KTI81774 3/4" Drive

Air Impact Wrench

- 1200 ft./lb. ultimate torque • 4500 rpm
- 8 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81798A 1" Drive **Impact Wrench** with 6" Extension Anvil

- 1600 ft/lbs of torque
- 6" extended anvil for extra access
- 3 forward and 3 reverse power settings
- D Side handle for ease of use
- · Side exhaust directs air away from the job

Covered by a 1 year limited warranty. Repairable under warranty up to a year.

KTI81795

1" Drive

Air Impact Wrench with 13 Piece SAE Socket Set

- 1500 ft./lb. ultimate torque
- 3500 rpm
- 8 CFM air consumption
- 90 PSI air pressure (recommended)

KTI's air tools are designed for reliability and superior performance. Includes 13piece 1" drive short fractional impact socket set including sizes 3/4" to 3" (KTI35113).





- Air consumption: 47 SCFM
- Free Speed: 4500 rpm
- Working Torque: 1600 ft-lbs Maximum Torque: 1800 ft-lbs

			IMPACT WRENCH SPE	CIFICATIONS			
Part #	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	CFMs
KTI81772A	4,500	3/4"	100-500 ft./lbs.	800 ft./lbs.	11-1/4"	11.55 lbs.	5 CFM
KTI81774	4,500	3/4"	100-950 ft./lbs.	1,200 ft./lbs.	14"	15 lbs.	8 CFM
KTI81775	7,000	3/4"	200-600 ft./lbs.	900 ft./lbs.	15-5/8"	11.50 lbs.	8 CFM
KTI81795	3,500	1"	100-1,100 ft./lbs.	1,500 ft./lbs.	20"	15 lbs.	8 CFM
KTI81797A	4,500	1"	1,600 ft./lbs.	1,800 ft./lbs.	16"	14.123 lbs.	47 SCFM
KTI81798A	4,000	1"	100-1,200 ft./lbs.	1,600 ft./lbs.	22-1/2"	26.2 lbs.	10 CFM

Air Tools I Drills

KTI84218 3/8" Air Drill

- 2,200 rpm
- 3/8" Keyed Chuck
- Whisper Quiet



Lightweight whisper quiet 3/8" drill, with all ball and needle bearing spindle component support and machined planetary gearing.

Warranty: Repairable up to 1 year

KTI84228

3/8" Reversible Air Drill

- 2,000 rpm
- 3/8" Keyed Chuck
- 4 CFM air consumption
- Handle exhaust
- 3/8"-24 spindle



Features through handle muffled exhaust, controllable speed through the teasing trigger and all ball and needle bearing component support.

Warranty: Repairable up to 1 year

KTI87130 1/4" Straight Air Drill without Chuck

- 2.500 rpm
- 4 CFM air consumption
- 1/4" air inlet 1.9 lbs.



Warranty: Repairable up to 1 year

KTI84229 1/2" Heavy-Duty Reversible Drill

- 800 rpm
- 1/2" Keyed Chuck
- Reversible
- Trigger Speed Control
- · Handle exhaust
- 4 CFM air consumption



This 1/2" reversible drill is unsurpassed with its whisper quiet through handle exhaust, controllable speed through the teasing trigger and all ball and needle bearing spindle component support.

Warranty: Repairable up to 1 year


		DRII	LL SPECIFICATION	ONS		
Part #	RPMs	Chuck Size	Spindle	Length	Weight	CFMs
KTI87130	2,500 rpm	1/4" chuck	3/8" - 24 spindle	7" length	1.9 lbs.	4 CFM
KTI84218	2,200 rpm	3/8" chuck	3/8" - 24 spindle	6½" length	2.25 lbs.	4 CFM
KTI84228	2,000 rpm	3/8" chuck	3/8" - 24 spindle	7½" length	3.00 lbs.	4 CFM
KTI84229	800 rpm	1/2" chuck	3/8" - 24 spindle	9" length	4.00 lbs.	4 CFM

Air Tools I Air Hammers

KTI83275

Regulated Air Hammer

- Independent power regulators and teasing throttle for operator control
- All metal one-piece housing with hardened alloy steel barrel and standard .401" shank opening
- 3500 BPM; 2-5/8" stroke; 3/4" bore; 6-3/4" length; 3.5 lbs; 4 cfm





KTI83277

Regulated Long Air Hammer

- · Extra long barrel provides a harder hitting blow
- Independent power regulators
- · Teasing throttle for operator control
- · All metal 1-piece housing
- Hardened alloy steel barrel and standard .401" shank opening.

		AIR HA	MMER SPECI	FICATIONS			
Part #	BPM's	Shank	Stroke	Bore	Length	Weight	CFMs
KTI83277	2,000 blows per min.	.401" shank	3-1/2" stroke	3/4" bore	9" length	4.00 lbs.	4 CFM
KTI83275	3,500 blows per min.	.401" shank	2-5/8" stroke	3/4" bore	6-3/4" length	3.50 lbs.	4 CFM



Air Tools I Accessories





KTI83091

Bee hive quick-change retainer. (A)

KTI83092


One-piece safety bit retainer. (B)

KTI83093

Heavy-duty quick-change retainer. (C)

KTI83090

Needle scaler attachment. (D)



	PNEUMATIC BITS				
Part #	Description	Part #	Description	Part #	Description
KTI81956	Double cut body ripper (A)	KTI81974	10" cold chisel (E)	KTI81995	Tie rod separator (K)
KTI81958	Slotted panel cutter (B)	KTI81975	Rivet and bolt cutter (F)	KTI81996	Ball joint separator (L)
KTI81959	Sheet metal trimmer (C)	KTI81976	Scraper (G)	KTI81997	1/8" Taper punch (M)
KTI81968	Tail pipe cut-off (D)	KTI81977	Taper punch sharp point (H)	KTI81986	18" Cold chisel (N)
KTI81972	6" cold chisel	KTI81979	3/8" Taper punch (I)		
KTI81973	8" cold chisel	KTI81982	Long hammer (J)		

Air Tools I Die Grinders

KTI87132

Rear Exhaust Die Grinder

- 22,000 rpm
- 1/4" collet
- 2 CFM average air consumption



Die grinder features a powerful 1/2 HP motor, built-in power regulator, variable speed throttle control and full ball bearing construction. Standard with 1/4" collet. Specifications: 22,000 rpm; 1/4" collet; 5-1/2" length; 14 oz. weight; 2 cfm average air consumption.

Warranty: Repairable up to 1 year

KTI87125 Mini Rear Exhaust Die Grinder



• 1/4" collet

• 2 CFM air consumption

Die grinder features full bearing support air motor, rear exhaust independent power regulator and variable speed throttle. Complete with 1/4" collet. Angle head is full bearing construction with a grease fitting for external lubrication. Specifications: 25,000 rpm; 5½" length; 1/4" collet; 2 cfm air consumption.

Warranty: Repairable up to 1 year

KTI87126 Rear Exhaust Angle Die Grinder

- 18,000 rpm
- 1/4" collet
- 4 CFM air consumption




Die grinder features full bearing support air motor, rear exhaust independent power regulator and variable speed throttle. Complete with 1/4" collet. Angle head is full bearing construction with a grease fitting for external lubrication. Specifications: 18,000 rpm; 5-3/4" length; 1/4" collet; 4 CFM air consumption.

Warranty: Repairable up to 1 year

KTI87128 Gearless Angle Die Grinder

- 25,000 rpm
- 1/4" collet 4 CFM air consumption




Warranty: Repairable up to 1 year



KTI87135

Die Grinder

- Air die grinder, 3/4 HP with front exhaust system
- Free Speed: 24,000rpm
- Collet size: 1/8" 1/4"
- Air inlet: 1/4", suggested air pressure: 90psi, average air consumption: 12cfm
- Low vibration facilitates improved working conditions, vibration level less than 2.5m/s2
- 1 Year Warranty



	D	IE GRINDER S	PECIFICATION	IS	
Part #	RPMs	Collet Size	Length	Weight	CFMs
KTI87132	22,000 rpm	1/4" collet	5-1/2" length	1.00 lb.	2 CFM
KTI87125	25,000 rpm	1/4" collet	5-1/2" length	14 oz.	2 CFM
KTI87126	18,000 rpm	1/4" collet	5-1/2" length	14 oz.	4 CFM
KTI87128	25,000 rpm	1/4" collet	6-1/4" length	14 oz.	4 CFM
KTI87135	24,000 rpm	1/8" - 1/4" collet	????" length	?? oz.	12 CFM



Air Tools I Sanders & Polishers

KTI85800

Dual Piston In-line Sander / File

- Sander features a four-cylinder systems
- Double acting pistons constantly work in opposition to each other, resulting in more power and a smoother, more reliable tool
- Specifications: 3,000 rpm; 1" stroke; 2-3/4" x 15-3/4" pad; 15-3/4" length; 6.5 lbs.; 6 CFM average air consumption.

Warranty: Repairable up to 1 year



KTI85265 Air Sander

High Speed 5"

- 2,000 18,000 rpm variable
- 3 Pad sizes included

Variable speed (2,000-18,000) pistol grip 1/2 HP sander features one-piece all metal housing, independent power regultor and teasing trigger. Includes 3", 4" and 5" pads. Ideal for removing paint and rust, shaping filler patches and smoothing welds. Specifications: 18,000 rpm; 6½" length; 3.5 lbs.; 6 CFM average air consumption.

Warranty: Repairable up to 1 year





KTI85746

"Quiet" Dual-Action Sander

- Built-in speed regulator and variable speed trigger
- Shielded ball bearing for longer life with smooth harmonics
- 6" flexible foam sanding pad with vinyl
- Specifications: 10,000 rpm; 6" pad; 8-1/4" length; 4 lbs.;
 4 CFM average air consumption.

Warranty: Repairable up to 1 year



KTI85846

High Performance

"Quiet" Dual-action Sander

- Produce a far superior blending and smoothing of filler, feather edging and pre-paint preparation
- High efficiency motor and an all steel balancer body and steel spindle lock nut
- Crossbolt-style hub mounting which minimizes vibration
- Specifications: Heavy Duty, 6" Diameter Pad, 10,000 RPM, 90 PSI, 1/2 HP, 4 CFM, 3/8" hose inlet, Length: 8-1/4", Weight: 4 lbs

Air Tools I Sanders & Polishers

KTI85807

7" Horizontal Air Sander


- 7" diameter pad
- Includes a multiposition handle for a variety of uses and ergonomic comfort
- Designed for reliability and superior performance
- 2800 RPM
- 1/4" NPT air inlet, 7 cfm air consumption
- 90 PSI air pressure recommended.

Warranty: Repair only up to 1 year



	SANDERS & POLISHERS SPECIFICATIONS				
Part #	RPMs/Strokes	Pad Size	Length	Weight	CFMs
KTI85265	18,000 rpm	3", 4" and 5"inch pads	6-1/2"	3.50 lbs.	6 CFM
KTI85746	10,000 rpm	6" pad	8-1/4"	4.00 lbs.	4 CFM
KTI85846	10,000 rpm	6" pad	8-1/4"	4.00 lbs.	4 CFM
KTI85800	3,000 rpm	2-3/4" x 15-3/4" pad	15-3/4"	6.50 lbs.	6 CFM
KTI85807	2,800 rpm	7" pad	16"	6.00 lbs.	7 CFM

Air Sander Accessories





KTI85004

High Speed Sander - 4-1/2" pad (A)

KTI85005

High Speed Sander - 5" pad (B)

KTI85006

3-Piece

High Speed Sander Pad Set (3", 4-1/2", 5") (C)

KTI85811 Aluminum Pad Assembly Jitterbug Sander



KTI85811

Air Polisher Accessories







KTI85007

5" Deluxe Phenolic Pad (E)

KTI85008

7" Deluxe Phenolic Pad (F)

KTI85695

5" Dual-Action Bonded Pad. Vinyl face (G)

KTI85696

6" Dual-Action Bonded Pad. Vinyl face (H)

KTI85697

6" Dual-Action Flex Pad. Yellow Vinyl (I)



Air Tools I Specialty Tools



KTI89275

Needle Scaler Standard Duty

- · Standard duty, pistol grip
- 3,500 BPM with teasing trigger
- · Independent regulators

Warranty: Repairable up to 1 year



KTI89257

Straight Line Needle Scaler

- Straight line needle scaler with lever throttle
- 3500 RPM, 4000 bpm, average air consumption 3.5 CFM, air inlet 1/4", air hose 3/8"
- 3mm diameter needles, 6" needle length, 19 needles included
- Bore diameter 1"
- Tool length 18"

Warranty: Repairable up to 1 year



KTI83280

Industrial Weld Flux Needle Scaler

- Converts to a standard scaler in seconds
- Simple "J" slot adjustment for needle wear or to provide more needle exposure
- · Positive lock retainer
- 4,600 blows per minute.

Warranty: Repairable up to 1 year



KTI89276

Pneumatic Scaler

- Pneumatic needle scaler with double spring pistol grip; 3400-4200 bpm
- Lever throttle contains 0-rings to limit air leakage
- Clamp on style side handle pivots 360° and is lockable
- Uses 3mm diameter needles
- Comes in black blowmold case and includes 1 side handle grip, 1 oil pot, 1 steel bushing 3/8" NPT x 1/4" NPT, tube of grease lubricant, 2 replacement 0-rings and 19 needles (3mm)

	NE	EDLE SCALER	SPECIFICATIO	NS	
Part #	BPMs	Stroke Length	Length	Weight	CFMs
KTI89275	3,500 blows per min.	2-5/8" stroke	12"	4.50 lbs.	4 CFM
KTI83280	4,600 blows per min.	1-1/8" stroke	15"	6.00 lbs.	5 CFM
KTI89257	4,000 blows per min.	1/8" stroke	18"	6.2 lbs.	3.5 CFM
KTI89276	4,200 blows per min.	1-3/10" stroke	18.25"	9 lbs.	2 CFM

Air Tools I Specialty Tools



KTI88255

Utility / Muffler Cut-off Tool

- 20,000 rpm
- Use with 3" Diameter Abrasive Discs
- · Cutting shield


Cuts through muffler clamps, hangers, sheet metal, radiator hose clamps, rusted bumper bolts and steel rods up to 3/4" thick. Standard equipment includes an abrasive 3" disc cutter, independent power regulator, a hand guard trigger and see through cutting shield.

Warranty: Repairable up to 1 year

KTI89218

Air Shear Cutter

- Cut up to 180" per minute
- · 18 gauge capacity



from the handle for ease of work. Warranty: Repairable up to 1 year

Replacement parts:

KTI89220 - Replacement Shear Head Attachment





KTI89110 Air Hydraulic 3/16" Rivet Gun

- 4 nose pieces
- · Air relief valve

Rugged tool sets rivets up to 3/16" OD. Includes 4 standard-size nose pieces: 3/32", 1/8", 5/32" and 3/16". Air relief prevents overloading and increase life. Side air inlet. Specifications: 75-80 recommended psi; 3/16" capacity; 4.5 CFM average air consumption.

Warranty: Repairable up to 1 year



Rugged tool sets rivets up to 1/4" OD.

Includes 6 standard-size nose pieces: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4". Includes complete head assembly (jaws and pusher) for 3/32" through 3/16" steel rivets.

Specifications: 75-80 recommended psi; 1/4" capacity; 4.5 lbs.; 4.5 CFM average air consumption.

		SPECIFICA	TIONS		
Part #	Strokes/RPMs/PSI	Capacity	Length	Weight	CFMs
KTI89218	2,800 strokes per min.	18 gauge capacity	8-1/2" length	3.50 lbs.	4 CFM
KTI88255	20,000 rpm	3/4" capacity	8" length	2.05 lbs.	4 CFM
KTI89110	75-80 psi (recommended)	3/16" capacity	10.8 Length	3.25 lbs.	4.5 CFM
KTI89115	75-80 psi (recommended)	1/4" capacity	12.5 Length	4.50 lbs.	4.5 CFM



Air Tools I Blow Guns



KTI71010

Air Blow Gun Rubber Tip 1/2"

- Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71011

Air Blow Gun Standard

- Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71012

Air Blow Gun High Flow Safety

- Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71013

Air Blow Gun Soft Rubber Star Tip

- · Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71015

Air Blow Gun Kit - 4 Tips

- General purpose air blow gun kit. Includes 4 popular field interchangeable tips
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71016

Air Blow Gun Kit - 7 Tips

- Industrial air blow gun kit. Includes 7 popular field interchangeable tips
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



BluBird Rubber Air Hoses

- 100% rubber air hose
- Heavy duty, ultra light weight and super strong
 300 PSI, NPT fittings with brass ferrules and a bend restrictor to reduce kinking
- Stays flexible in temperatures from -50° to 180° F
- Ozone and abrasion resistant EPDM blended cover
- 10 year warranty

Part #	Description
KTI72013	1/4" x 50' - 1/4" NPT BluBird Rubber Hose
KTI72014	3/8" x 25' - 1/4" NPT BluBird Rubber Hose
KTI72015	3/8" x 50' - 1/4" NPT BluBird Rubber Hose
KTI72016	1/2" x 50' - 1/2" NPT BluBird Rubber Hose





BluBird Rubber Air Hoses


- 100% rubber air hose
- · Heavy duty, ultra light weight and super strong
- 300 PSI, NPT fittings with brass ferrules and a bend restrictor to reduce kinking
- Stays flexible in temperatures from -50° to 190° F
- Ozone and abrasion resistant EPDM blended cover
- 10 year warranty

Part #	Description					
KTI72036	3/8" x 100' - 1/4" MNPT BluBird Rubber Hose					
KTI72037	1/2" x 25' - 1/2" MNPT BluBird Rubber Hose					
KTI72038	1/2" x 100' - 1/2" MNPT BluBird Rubber Hose					
KTI72048	3/8" x 25' - 1/4" MNPT BluBird Oil Shield Air Hose					
KTI72049	3/8" x 35' - 1/4" MNPT BluBird Air Hose					



Description
3/8" x 25' - 1/4" MNPT Rubber Air Hose - Red
3/8" x 50' - 1/4" MNPT Rubber Air Hose - Red
1/2" x 25' - 3/8" MNPT Rubber Air Hose - Red
1/2" x 50' - 3/8" MNPT Rubber Air Hose - Red
1/2" x 25' - 1/2" MNPT Rubber Air Hose - Red
1/2" x 50' - 1/2" MNPT Rubber Air Hose - Red
3/8" x 25' - 1/4" MNPT Rubber Air Hose - Yellow
3/8" x 35' - 1/4" MNPT Rubber Air Hose - Yellow
3/8" x 50' - 1/4" MNPT Rubber Air Hose - Yellow
3/8" x 25' - 1/4" MNPT Rubber Air Hose - Red
3/8" x 35' - 1/4" MNPT Rubber Air Hose - Red
3/8" x 50' - 1/4" MNPT Rubber Air Hose - Red









AvaGard Rubber Air Hoses, Red

- Avagard premium 300 PSI professional rubber air hose with 1/4" NPT
- · Very light, super strong and super agile
- Stays flexible in extreme conditions from -40 to 180° F
- Oil resistant core tube meets RMA Class C oil resistance and ozone resistant cover resists extreme weather, abrasions & kinks
- Ultimate durability Color: red 5 year warranty

Part #	Description
KTI72020	AvaGard 3/8" x 25' Air Hose, Red
KTI72021	AvaGard 3/8" x 50' Air Hose, Red

Part #	Description					
KTI72022	AvaGard 1/2" x 25' Air Hose, Red					
KTI72023	AvaGard 1/2" x 50' Air Hose, Red					









KTI72042

BluBird Oil Shield 3/4" x 25' Air Hose

- BluBird Oil Shield with Dino Hide wrapping 3/4" x 25" 300 PSI 100% rubber air hose with 3/4" MNPT
- Ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2
- Stays flexible in extreme conditions from -30 to 190° Fahrenheit
- Oil resistant core tube and cover meets RMA Class A oil resistance
- · Four finger grip bend restrictor for easy use and better durability
- Color: Yellow
- 3-Year Warranty







BluBird Oil Shield Air Hose

- BluBird Oil Shield 300 PSI 100% rubber air hose
- Ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2
- Stays flexible in extreme conditions from -30 to 190° Fahrenheit
- Oil resistant core tube and cover meets RMA Class A oil resistance
- · Four finger grip bend restrictor for easy use and better durability
- · Color: Yellow
- 3 Year Warranty

Part #	Description
KTI72017	3/8" x 35' - 1/4" NPT BluBird Oil Shield Air Hose
KTI72018	3/8" x 50' - 1/4" NPT BluBird Oil Shield Air Hose
KTI72019	1/2" x 50' - 1/2" NPT BluBird Oil Shield Air Hose
KTI72039	3/8" x 100' - 1/4" MNPT BluBird Oil Shield Air Hose
KTI72048	3/8" x 25' - 1/4" MNPT BluBird Oil Shield Air Hose
KTI72047	1/2" x 25' - 1/2" MNPT BluBird Oil Shield Air Hose
KTI72041	1/2" x 100' - 1/2" MNPT BluBird Oil Shield Air Hose









KTI72043

BluBird Oil Shield 3/4" x 50' Air Hose

- BluBird Oil Shield with Dino Hide wrapping 3/4" x 50' 300 PSI 100% rubber air hose with 3/4" MNPT
- Ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2
- Stays flexible in extreme conditions from -30 to 190° Fahrenheit
- Oil resistant core tube and cover meets RMA Class A oil resistance
- · Four finger grip bend restrictor for easy use and better durability
- Color: Yellow
- 3-Year Warranty











BUSITO RUBBER AIR HOSE





 BluBird Oil Shield air hoses are ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2. Stay flexible in extreme conditions from -30 to 190° fahrenheit. Oil resistance core tube and cover meets RMA Class A oil resistance. Covered by a 3 year warranty

KTI71005

BluBird And Oil Shield Air Hose Promo Pack

Contains 8 air hoses:

- (2) KTI72015 BluBird 3/8" x 50'
- (2) KTI72018 Oil Shield 3/8" x 50'
- (1) **KTI72049** BluBird 3/8" x 35'
- (1) KTI72017 Oil Shield 3/8" x 35'
- (1) **KTI72014** BluBird 3/8" x 25'
- (1) KTI72048 Oil Shield 3/8" x 25'
- Size of promotional pack on display: Width: 24", Depth: 11", Height: 26"







KTI72044

BluBird Oil Shield Whip Hose 3/8" x 3'

- 1/4" FNP
- 1/4" MNPT Ball Swivel 360 degrees
- Oil resistant core tube and cover meets RMA Class A oil resistance
- Color: Yellow 3 Year Warranty

KTI72045

BluBird Oil Shield Whip Hose 3/8" x 5'



KTI72007

3/8" x 3' Whip Hose

1/4" Swivel

- Red rubber whip hose with brass ferrule
- 1/4" Swivel + 1/4" Fixed NPT Male Fittings
- 1 Year Warranty on material and workmanship 300 PSI

KTI72008 3/8" x 6' Whip Hose 1/4" Swivel

 1 Year Warranty on material and workmanship

KTI72000 Rubber Whip Hose 3/8" x 3', 1/4" NPT

- Solid brass 1/4" NPT male ends
- 300 PS
- 1 Year Warranty on material and workmanship



KTI72009 BluBird Whip Hose 3/8" x 3', 1/4" FNPT

- 1/4" FNPT
- 1/4" MNPT Ball Swivel 360°
- Ozone, UV & abrasion resistant
- Color: Blue
- 10-Year Warranty









KTI72046 BluBird Whip Hose 3/8" x 5', 1/4" FNPT

- 1/4" FNPT
- 1/4" MNPT Ball Swivel 360°
- Ozone, UV and abrasion resistant
- Color: Blue
- Covered by a 10-Year Warranty





KTI71025

Nylon Recoil Hose

These K-Tool International nylon recoil air hoses will provide your air-operated tools with consistent airflow. They are manufactured from heavy-duty nylon to perform great in all weather conditions. Extends out to 25 ft., but as small as 2 ft. when coiled up.

KTI71000 Black Steel Hose Reel With 3/8" x 50 Foot Rubber Air Hose

- All steel constructed black reel with 300 PSI red rubber hose (50 foot)
- Slotted mounting base for easy installation
- Automatic spring powered recoil
- 8 position ratchet gear locks reel at desired hose length
- 3/8" I.D., 1/4" male NPT
- 1 year warranty on material and workmanship

Heavy duty, steel construction air hose reel. Reinforced side plates are powder coated to resist corrosion. Comes with 3/8" diameter, 50 ft. rubber air hose which features a 1/4" male NPT, PVC bend restrictor, and brass ferrule. The eight position ratchet gear locks the reel at desired hose length. An automatic spring powered recoil system retracts air hose easily. Multi-direction rollers prevent snagging and reduced wear. The pre-slotted base can be installed trouble-free with 3 positions for installation where convenient (bench, ceiling, floor or wall).





BluBird Air Hose Reels

- 300 PSI retractable rubber air hose reel with lead in hose and 1/4" NPT fittings
- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- Heavy duty steel construction with powder coated, corrosion proof finish
- Four rollers reduce hose wear
- · Horizontal and vertical wall mount options with adjustable guide arm
- 2 Year warranty

KTI71001 - 3/8" x 50' BlueBird Air Hose **KTI71002** - 1/2" x 50' BlueBird Air Hose





KTI71003 BluBird HD

Air Hose Reel 3/8" x 50'

- BluBird Oil Shield 3/8" x 50' 300 PSI Heavy Duty retractable rubber air hose reel with 3' lead in hose and 1/4" NPT fittings
- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- · Heavy duty steel construction with powder coated, corrosion proof finish
- Four rollers reduce hose wear
- · Horizontal and vertical wall mount options with adjustable guide arm

2-Year Warranty on Reel with 3-Year Warranty on the included yellow Oil Shield hose.





KTI10010 4-1/2" Angle Grinder 650 Watt

- Features a compact design for improved handling
- Spindle lock makes changing the grinder wheel quick and easy
- Grinder also includes a grinding wheel guard, wrench and flange
- Ergonomic, removable side handle adds versatility for any job
- UL listed; One-year limited warranty.

Specifications: 5 amp; 11,000 rpm no-load speed; 120 volt AC rating. A spindle lock makes changing the grinder wheel quick and easy. Grinder also includes a grinding wheel guard, wrench and flange. The ergonomic, removable side handle adds versatility for any job!



KTI10210

10" Random Orbit Polisher/Waxer

- 10-inch pad to reduce waxing and polishing time
- For use on cars, RVs, vans, SUVs and boats
- · High-impact ABS shell for added durability
- Includes one (1) terry cloth bonnet and one (1) synthetic wool bonnet
- UL listed
- · One-year limited warranty

Polisher maintains that "new car finish" and protects and restores older finishes. Specifications: 0.75 amp; 3,000 rpm no load speed; 120V/60Hz rated voltage; 10-inch cord.



1/2" Electric Impact Wrench

- 7 amp tool features 120 volts, 2100 RPM and double insulation
- Up to 235 ft/lbs. of torque
- Complete with an extra set of easy-change screw in brushes
- 1 Year Warranty on material and workmanship

This heavy-duty 7 amp tool features 120V, 2100 rpm, double insulation and up to 235 ft./lbs. of torque. Packaged with an extra set of easy change screw-in brushes.

Warranty: Repairable up to 1 year



KTI10215

7" Variable Speed Polisher

- 7" Pad
- Variable speeds: 1.000 to 3.000 rpm
- Soft start
- · Overload protection and trigger lock
- · One-year limited warranty

The electric 7" polisher/sander features variable speed control which allows users to set maximum speeds from 1,000 to 3,000rpm for different polishing applications. Polisher boasts a repositionable handle for a variety of jobs. Specifications: 11 amp; 120V/60Hz; variable speeds: 1,000 to 3,000 rpm; soft start; overload protection and trigger lock.

Includes: one (1) 7" rubber polishing pad; one (1) 7" sanding pad and one (1) wool bonnet.









- Lifting Range: 6.2" to 12.1"
- Ram extension screw adjusts low height to get full use of ram travel
- Load-limiting and bypass valves prevent against over loading and over extension
- Ductile iron hydraulic base for added strength
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63207

6 Ton Bottle Jack

- Capacity: 6 Tons
- Lifting Range: 7.75" 15.04"
- Ram extension screw adjusts low height to get full use of ram travel
- · Load-limiting and bypass valves prevent against over loading and over extension
- · Ductile iron hydraulic base for added strength
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



XD Bottle Jacks

- Ram extension screw adjusts low height to get full use of ram travel
- Load-limiting and bypass valves prevent against over loading and over extension
- Ductile iron hydraulic base for added strength
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63213 Capacity: 12 Tons, Lifting Range: 8.46" - 15.75" KTI63221 Capacity: 20 Tons, Lifting Range: 9.6" - 16.65"



Short XD Bottle Jacks

- · Ram extension screw adjusts low height to get full use of ram travel
- · Load-limiting and bypass valves prevent against over loading and over extension
- · Ductile iron hydraulic base for added strength
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63214 Capacity: 12 Tons, Lifting Range: 7.48" - 13.78" KTI63224 Capacity: 20 Tons, Lifting Range: 7.25" - 13.39"



30 Ton Bottle Jack

- 30 ton bottle jack with lift range from 11.2" to 18.27"
- Thick steel hydraulic base for maximum strength
- Three-piece snap-fit pump handle for easy pumping and storage
- · Carrying handle included
- · Load-limiting and bypass valves prevent against over loading and over extension of ram
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



- Thick steel hydraulic base for maximum strength
- Three-piece snap-fit pump handle for easy pumping and storage
- · Carrying handle included
- · Load-limiting and bypass valves prevent against over loading and over extension of ram
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63228

20 Ton Air Hydraulic Bottle Jack

- Lifting Range: 10.43" 19.88"
- Air/hydraulic pump with air valve lever reduces lifting time and provides ease of operation
- Load limiting and bypass valves prevent use beyond rated capacity and over extension of ram
- · Additional adjustable screw 3.25"
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63100

1.5 Ton Scissor Jack

- For tire changing and snow chain installation
- Lifting range from 4.1" to 15.2"
- Large base for added stability
- Long crank handle for ease of turning under load
- All steel construction in a compact design for storage
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63103

2 Ton Trolley Jack

- . Lifting Capacity: 2 Tons
- Lifting Range: 5.3" to 13.2"
- Lightweight and compact design for easy handling and storage
- Load-limiting and bypass valves prevent against over loading and over extension
- Grab handle for easy positioning and carrying
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63131

3 Ton

Compact Service Jack

- Capacity: 3 Tons
- Lifting range: 5.3" 18.5 "
- Sealed hydraulic power unit prevents contaminants from entering system
- Load-limiting and bypass valves prevent use beyond rated capacity and over extension of ram
- · Wide track front wheels and rear swivel casters for easy maneuverability
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63098

2 Ton Aluminum Service Jack

- Very strong, 2 ton capacity, but weights only 42.1 lbs. ASME PALD 2009
- Dual pump system for quick lifting (7 strokes to top under no load)
- Lifting range 3 1/4" 18 1/2"
- Side handle for easy positioning
- 2 pc handle for easy storage. Includes handle pad for protecting the vehicle
- 2 Year Warranty
- Complies With ASME PASE/2014 Safety Standards



KTI63099

3 Ton Aluminum Service Jack

- Very strong, 3 ton capacity, but only weights 55.8 lbs. ASME PALD 2009
- Dual pump system for quick lifting (7 strokes to top under no load)
- Lifting range 3 3/4" 19 1/4"
- "D" Side handle for easy positioning
- 2 piece handle for easy storage. Includes handle pad for protecting the vehicle
- 2 Year warranty
- Complies With ASME PASE/2014 Safety Standards





2 Ton Low Profile Service Jack

- · Allows for easy access under low ground clearance vehicles
- Lift range from 3.5" to 18.1"
- 45.25" long pump handle for easy pumping under load
- Dual pump piston power unit raises saddle to maximum height in 6.5" full incremental pump strokes with no load
- Load-limiting and bypass valves to prevent use beyond rated capacity and over-extension of ram
- Saddle diameter 4.3"
- 2 Year Warranty on material and workmanship
 Complies With ASME PASE/2014 Safety Standards

 TOPE
 TOPE

KTI63105

2 Ton Extra Long Low Profile Service Jack

- Allows for easy access under low ground clearance vehicles
- Lift range from 2.75" to 24" Saddle diameter 3.85"
- 45.25" long pump handle for easy pumping under load
- Dual pump piston power unit raises saddle to maximum height in 8 full incremental pump strokes with no load
- Load-limiting and bypass valves to prevent use beyond rated capacity and over-extension of ram
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63133

3.33 Ton Low Profile Service Jack

- 3.33 ton capacity low profile service jack for easy access under low ground clearance vehicles
- Lift range from 3.5" to 21.375"
- 50" long pump handle for easy pumping under load
- Dual pump piston power unit raises saddle to maximum height in 8 full incremental pump strokes with no load
- Load-limiting and bypass valves to prevent use beyond rated capacity and over-extension of ram
- 2 Year Warranty on material and workmanship
- · Complies With ASME PASE/2014 Safety Standards



7 📆

KTI63155

5 Ton Service Jack

- 5 ton capacity service jack with a lift range from 5.75" to 22"
- 45.75" long pump handle with release knob works independently of handle position
- Raise the saddle quickly to the load with additional foot pedal
- Load-limiting and bypass valves prevent jack from being used beyond rated capacity and over-extension of ram
- Handle locks in either vertical, 45°, or horizontal positions
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63186

10 Ton Service Jack

- 10 ton capacity service jack with a lift range from 6.25" to 22.5"
- 45.75" long pump handle with release knob works independently of handle position
- Raise the saddle quickly to the load with additional foot pedal
- Load-limiting and bypass valves prevent jack from being used beyond rated capacity and over-extension of ram
- Handle locks in either vertical, 45°, or horizontal positions
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63194

22 Ton Air Hydraulic Truck Jack

- 22 ton capacity truck jack with a lift range from 9.06" to 17.94"
- · Narrow width fits between tandem wheels
- · Load-limiting and bypass valves prevent use beyond rated capacity and overextension of ram
- · Spring activated self retracting ram
- Release knob at the top of the T-handle works at any handle position
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63198

50 Ton Air Hydraulic Truck Jack

- 50 ton capacity truck jack with lift range from 11.4" to 21.25"
- · Narrow width fits between tandem wheels
- · Load-limiting and bypass valves prevent use beyond rated capacity and over-extension of ram
- · Spring activated self-retracting ram
- Release knob at top of T handle works at any handle position
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63194COMBO

22 Ton Air Hydraulic Jack w/1" Air Impact

- A combination package including a 22 ton capacity truck jack (KTI63194) with a lift range from 9.06" to 17.94" and a 1" drive air impact wrench with 6" extended anvil (KTI81798A)
- The air hydraulic jack has load-limiting and bypass valves which prevent use beyond rated capacity and overextension of ram with spring activated self retracting ram. Has release knob at the top of the T handle works at any handle position and narrow width fits between tandem wheels
- The air impact wrench has a 6" extended anvil for extra access, 1,600 ft/lbs of torque, 3 forward and 3 reverse power settings, a D side handle for ease of use and side exhaust which directs air away from the job
- The hydraulic jack complies with ASME PASE/2014 Safety Standards and is covered by a 2 year warranty on material and workmanship
- The 1" air impact wrench is covered by a 1 year warranty







SERVICE JACKS SPECIFICATIONS						
Supplier	Part #	Capacity (tons)	Minimum Height	Maximum Height	Air Assist	Special Features
K Tool	KTI63103	2	3.5"	18.1"	N	Low Profile
K Tool	KTI63098	2	3.25"	18.5"	N	Aluminum
K Tool XD	KTI63101	2	3.5"	18.1"	N	Low Profile
K Tool XD	KTI63105	2	2.75"	24"	N	Extra Long, Low Profile
K Tool	KTI63131	3	5.3"	18.5"	N	Compact
K Tool	KTI63099	3	3.75"	19.25"	N	Aluminum
K Tool XD	KTI63133	3.33	3.5"	21.375"	N	Low Profile
K Tool HD	KTI63155	5	5.75"	22"	N	Heavy Duty
K Tool HD	KTI63186	10	6.25"	22.5"	N	Heavy Duty

KTI63500 700 lb Pedestal

Transmission Jack

- Capacity: 700 lbs.
- Hand pumped, long stroke, single stage bottle jack, with a release lever to discharge the load
- Load-limiting and bypass valves prevent against over loading and over extension
- Adaptable saddle, with four angle brackets that can adjust to fit transmission pan flanges
- Adjustable safety chain included to aid in load restraint
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63502 1000 Lb Single Stage Transmission Jack

- Capacity: 1,000 lbs.
- Lifting Range: 43.625" 71"
- Saddle tilt: 23 degrees forward and 16 degrees backward
- For automotive use up to light duty pickup trucks
- Foot pedal activation easily raises single ram under load
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63505

1000 Lb. 2-Stage Telescopic Transmission Jack

- Capacity: 1,000 Lbs
- Lifting Range: 35" to 74.2"
- Speedy pump foot pedal raises telescopic rams to load quickly
- Foot pump and release pedals provide hands free operation to align saddle with transmission
- Four caster wheels for easy transportation and maneuverability
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards







KTI63515 1200 Lb Low Profile

Transmission Jack

- 1200 pound capacity transmission jack with a lift range from 5.75" to 31.5"
- For automotive use up to pickup truck transmissions
- Wide front-open chassis for lower profile when loaded
- Full swivel pump handle can be accessed in any work position
- Fully adjustable universal saddle with load securing hardware
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63134

Transmission Jack Adapter for Service Jacks

- Capacity: 700 lbs
- Saddle Forward Tilt: 35°
- Saddle Backward Tilt: 35°
- Designed for jacks with a slip in saddle
- Easily transforms your service jack into a transmission jack;
- fits KTI63131 3 Ton Compact Service Jack
- Weight: 34.5 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



1.5 Ton Truck Transmission Jack

- 1.5 ton capacity truck transmission jack with lift range from 8.62" to 36.625"
- Front and back swivel casters allow for trouble-free positioning and maneuverability
- Pump handle rotates 360° for multiple work positions
- · Universal saddle with tilt features
- · Load restraint system included
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63136

Fuel Tank Adapter

- Quick and easy installation to all underhoist transmission jack saddles
- Universal adapter plate included for mounting to all other under hoist jack saddles
- Length, width, and height adjustments to handle any fuel tank configuration up to 40 gallon capacity
- Four 3" by 5.5" foam support pads self adjust and protect the tank from damage
- Ground wire assembly can be used with older metal tanks to prevent against static electric discharge
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





- Designed to be used in pairs
- · Steel base with four feet pads for stability
- Ratchet action design with ductile iron support column
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI61202 3 Ton Jack Stands, Lifting Range: 11.6" to 16.7" **KTI61205** 6 Ton Jack Stands, Lifting Range: 15.75" to 24"



12 Ton Jack Stands

- Capacity: 12 Tons
- Lifting Range: 19.63" to 30.25"
- · Steel square base with foot pads for added strength and stability
- Ductile iron column supports load off the ground
- Weight: 52.9 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

JACK STANDS SPECIFICATIONS							
Supplier	Part #	Capacity	Minimum Height	Maximum Height	Style		
K Tool HD	KTI61222	22 Ton	11-7/8"	19-3/4"	Pin Style		
K Tool XD	KTI61202	3 Ton	11-3/4"	16-3/4"	Ratchet		
K Tool XD	KTI61205	6 Ton	15-3/4"	24"	Ratchet		
K Tool XD	KTI61211	12 Ton	19-5/8"	30-1/4"	Ratchet		

KTI61222

22 Ton Jack Stands

- Pair of 22 ton capacity pin type jack stands with support range from 11.825" to 19.75"
- Height adjustment pin connected to base by way of lanyard to prevent against loss
- Steel plate and structural tubing for added strength and stability
- V-shaped saddle to cradle axles and other truck components
- Sold and to be used in pairs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI61076

3/4 Ton Utility Underhoist Stand


- 3/4 ton under hoist stand designed to support under car components
- Support range from 53" to 79"
- Acme threaded screw for self-locking positioning
- Bearing mounted spin handle for easy raising and lowering of screw
- 12" diameter base with 1.63" x 5.5" saddle provide additional support
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI61077 3/4 Ton Utility Underhoist Stand with Pedal

- \bullet 3/4 ton under hoist stand designed to support under car components
- Support range from 53" to 79"
- Acme threaded screw for self-locking positioning and foot pedal to raise screw another 1.25" under 400 pounds of load
- Bearing mounted spin handle for easy raising and lowering of screw
- 12" diameter base with 1.63" x 5.5" saddle provide additional support
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





Underhoist Stand
2 ton under hoist stand designed to help stabilize a vehicle suspended by an above-ground lift

- Support range from 68" to 76"
- Acme threaded screw for 8" of fine adjustment
- Bearing mounted spin handle for easy raising and lowering of screw
- 24" triangle shaped base and 3.25" square saddle provide additional stability
- 2 Year Warranty on material and workmanship
- Complies With
 ASME PASE/2014 Safety Standards







- Capacity: 800 lbs
- H-frame design base with four wheels provides stability
- Stand made of structural steel tubing for strength and light enough for easy maneuverability
- Fully adjustable mounting head and adapter fingers
- Weight: 49.8 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI62114

700 Lb Engine Support Bar

- Transverse support bar adjusts from 34.5" to 61"
- Designed to support front wheel drive engines for repair or motor mount replacement
- Includes support leg for heavier engines or engines requiring three point support
- Engine attachment and adjustment hardware provided
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



- Worm gear driven mounting plate with adjustable
- fingers rotates for desired engine position
 Four wheel design with locking caster wheels
- to prevent stand from moving

 Made of structural steel plate and tubing
- Made of structural steel plate and tubing for added strength
- Weighs 96 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI62116

1000 Lb Engine Support Bar

- Designed to support front wheel drive engines for repairs or servicing of engine mounts
- Includes a 1000 pound capacity transverse bar that extends from 34.5" to 61"
- Includes a support leg for handling larger engines or engines requiring three support points
- Engine attachment and adjustment hardware included
- Weight 41.9 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI62115

1500 Lb. Engine Sling

- 1500 pound capacity engine sling for use with an engine crane
- Designed to level a load or adjust at a specific angle for installation and removal
- Hand crank and bearing mounted drive screw for easy adjustment
- Four mounting chains and brackets for quick attachment to engine
- Weighs 14.3 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63414

4 Ton Long Ram

- 4 ton long ram bottle jack for farm applications and replacement power unit for engine cranes
- Lift range from 19.7" to 34.7".
- * Release valve slowly controls the lowering of load
- Load-limiting and bypass valves to prevent overloading and over extension of ram
- · Long handle for easy pumping effort under load
- Hole in top of ram for receiving mounting bolt
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63427

8 Ton Long Ram

- 8 ton long ram bottle jack for farm applications and replacement power unit for engine cranes
- Lift range from 24" to 42.7".
 - * Release valve slowly controls the lowering of load
- Load-limiting and bypass valves to prevent overloading and over extension of ram
- · Long handle for easy pumping effort under load
- . Hole in top of ram for receiving mounting bolt
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards









KTI63421

1.5 Ton Foldable Engine Crane with Fast Rise

- 750 Lbs. /1,500 Lbs. /2,250 Lbs. / 3,000 Lbs. capacity engine crane with four different boom positions
- Legs and boom fold quickly for storage
- Fast rise pump without a load
- 48" long boom with chain and swivel hook included
- 4.25" low profile base for easy access under low ground clearance vehicles
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63703

4 Ton Portable Ram Kit

- 4 ton portable ram kit for spreading, bending, pushing, and clamping applications
- 7,250 PSI hand pump and 10.5" long ram with 4.75" stroke
- · Basic attachments, .5 ton spreader ram, and five extension tubes included
- Force gauge to measure force applied to work
- Snap-fit design for quick attachment and tube connections
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards







KTI63709

10 Ton Portable Ram Kit

- 10 ton portable ram kit for spreading, bending, pushing, and clamping applications
- 8,050 PSI hand pump and 12.6" long ram with 5.12" stroke
- Basic attachments, .5 ton spreader ram, and four extension tubes included
- Force gauge to measure force applied to work
- Snap-fit design for quick attachment and tube connections
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63716

Air Hydraulic Foot Pump

- 10,000 PSI air/hydraulic foot pump requires 90 PSI air pressure
- Designed to be used with single acting cylinders
- Provides hands free operation for pumping and releasing load
- Usable fluid capacity 98 cubic inches
- Flow rate 42 cu. in. with no load, 8.5 cu. in. with load
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





12 Ton Shop Press

- 12 ton capacity shop press made of structural steel channel for added strength
- Pump, 7.1" stroke self-retracting ram and hose with glycerine filled gauge
- Vertical throat opening between 0" to 36.5", 17.75" throat width
- 3.375" opening between movable bolster channels
- 53" frame height, 21.5" width, and 27.5" base leg length
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



20 Ton Shop Press

- 20 ton capacity shop press made of structural steel channel for added strength
- Pump, 7.28" stroke self-retracting ram and hose with glycerine filled gauge
- Vertical throat opening between 0" to 38", 21.25" throat width
- 4.25" opening between movable bolster channels
- 59.5" frame height, 25.25" width, and 27.5" base leg length
- 2 Year Warranty on material and workmanship
- Complies with ASME PASE/2014 Safety Standards

KTI60060

- Heavy-Duty 6" Bench Grinder
 1/3 HP, 115 volt with 3450 RPM no load speed
- Cast iron motor housing for heavy duty applications and long life
- Two grinding wheels (1 course 36-grit and 1 wire for grinding and sharpening)
- Two adjustable tool rests to accommodate a variety of uses and provide additional stability for precision grinding
- Fully adjustable acrylic eye shields deflect sparks away from operator for added safety
- UL listed
- · Warranty information: 1-year limited warranty





Shop Tools I Creepers, Stools & Fender Covers

Metal Frame Creeper with Rubber Casters

- Metal frame creeper features a fully padded seat for comfort
- Rugged, durable construction for a lifetime of use
- Six (6) 2-inch oil-resistant rubber casters provide smooth mobility
- · Steel frame is epoxy-coated to prevent rusting
- Four (4) cross rails provide added support
- Assembly required

Warranty information: 90-day limited warranty.

KTI74951 - 36" KTI74956 - 40"

Replacement parts:

KTI74959 - replacement caster



KTI74961

40" Metal Frame Creeper with Adjustable Headrest


KTI 40" metal frame creeper features a fully padded seat for comfort

- Adjustable headrest is comfortable and convenient for every use
- Rugged, durable construction for a lifetime of use
- Six (6) 2-inch oil-resistant rubber casters provide smooth mobility
- Steel frame is epoxy-coated to prevent rusting
- Four (4) cross rails provide added support
- · Assembly required

Warranty information: 90-day limited warranty.

Replacement parts: KTI74959 - replacement caster





Creeper Seat with Pneumatic Lift Adjustable mechanic's seat features

- fully padded 12" seat for added comfort • Seat is adjustable by pneumatic cylinder from 14" to 19"
- Large steel base also serves as storage for tools while working
- Features five (5) 2-1/2" oil-resistant rubber casters for smooth mobility

Warranty information: 90-day limited warranty.

· Assembly required

Replacement parts: KTI74957 -





replacement caster



- Mechanic's seat with plastic storage tray
- Fully padded seat measures 7" x 14"
- Plastic tray has three sections to store tools or small parts
- Features four (4) 2-1/2" oil-resistant rubber casters for smooth mobility
- . Metal frame is epoxy-coated to prevent rusting
- · Assembly required

Warranty information: 90-day limited warranty.

Replacement parts: KTI74958 -





Deluxe Fender Cover

Vinyl-backed foam cover is designed to protect/cover fenders to avoid scratching, marring or damaging vehicle finish. Available in black or red.

Sold separately:

KTI73201 - Black KTI73202 - Red









Shop Tools I Material Handling



1250 Lb Capacity Car Dollies

- Pair of 1250 pound capacity car dollies used to move a disabled vehicle
- Made of steel structural tubing for durability
- Four bearing mounted swivel caster wheels for easy maneuverability
- Two locking caster wheels on each dolly to prevent vehicle from moving
- · Weight: 49 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63800

Hand Pallet Jack

High quality welded steel construction and powder-coated finish.



Tow Straps

Heavy-duty nylon web construction with reinforced stitching Available with looped end or forged hooks. Abrasion and cut resistant. Strongest, longest-lasting webbing tow straps on the market. Meet or exceed all DOT specifications

Part #	Type of Ends	Capacity	Width	Length
KTI73801	Forged hooks	7,000 lb. capacity	2" width	10' length
KTI73802	Forged hooks	10,000 lb. capacity	2" width	15' length
KTI73803	Forged hooks	10,000 lb. capacity	2" width	25' length



Heavy-duty Tow Straps

Heavy duty nylon web construction with reinforced stitching and looped ends. Abrasion and cut resistant. Strongest, longest-lasting webbing tow straps on the market. Meet or exceed all DOT specifications.

Part	Type of Ends	Capacity	Width	Length
KTI73810	Looped ends	15,000 lb. capacity	2" width	20' length
KTI73811	Looped ends	22,500 lb. capacity	3" width	20' length
KTI73812	Looped ends	30,000 lb. capacity	3" width	30' length
KTI73813	Looped ends	40,000 lb. capacity	4" width	30' length
KTI73814	Looped ends	60,000 lb. capacity	6" width	30' length





Shop Tools I Material Handling

Recovery Tow RopeHigh strength to weight ratio provides maximum pulling strength, and still allows for easy handling. Covered by a 1 year warranty.

- Double braided nylon rope is extremely strong and flexible
- Durable, UV resistant waterproof polymer coating is soaked deep into the rope fibers
- High elasticity is ideal for off-road recovery and snatching applications
- Rubber coated eye tips provide extra protection and maximum grip

Part #	Size	Eye Color	Capacity
KTI73818	1/2" x 20'	Yellow	Rating: 7,400 lbs.
KTI73819	3/4" x 20'	Black	Rating: 19,000 lbs.
KTI73822	7/8" x 20'	Blue	Rating: 28,600 lbs.
KTI73823	7/8" x 30'	Red	Rating: 28,600 lbs.
KTI73824	1-1/4" x 30'	Orange	Rating: 52,300 lbs.
KTI73825	1-1/2" x 30'	Green	Rating: 74,000 lbs.





Stretch Cords

Braided cover prevents abrasions and provides added durability. Vinyl covered hooks prevents scratches. Designed for professional use.

Part #	Description	Diameter	Length	Color	Qty
KTI73830	General purpose	3/8" diameter	18" length	Yellow	10-pack
KTI73831	General purpose	3/8" diameter	24" length	Yellow	10-pack
KTI73832	General purpose	3/8" diameter	30" length	Yellow	10-pack
KTI73833	General purpose	13/32" diameter	40" length	Yellow	10-pack
KTI73834	General purpose	13/32" diameter	48" length	Yellow	10-pack

RUBBER STRAPS						
Part #	Description	Width	Length	Max. Stretch	Qty	
KTI73849	EPDM Rubber Strap	3/8" wide	15" length	22" max stretch	10-pack	
KTI73850	EPDM Rubber Strap	3/8" wide	21" length	31" max stretch	10-pack	
KTI73851	EPDM Rubber Strap	3/8" wide	31" length	46" max stretch	10-pack	



Shop Tools I Material Handling

TIE DOWNS & STRAPS						
Part #	Description	Capacity	Width	Length	Qty	
KTI73862	Ratcheting Tie Down (endless loop)	900 lb.	1" width	13' length	1-pack	
KTI73861	Ratcheting Tie Down (PVC-coated hooks)	900 lb.	1" width	15' length	1-pack	
KTI73870	Ratcheting Tie Down (PVC-coated hooks) (each)	900 lb.	1" width	15' length	4-pack	
KTI73864	Motorcycle Tie Down (1 chrome and 1 PVC-coated hook)	1,200 lb.	1" width	6' length	1-pack	
KTI73871	Universal Tie Down (PVC-coated hooks)	900 lb.	1" width	10' length	1-pack	
KTI73873	Cam Buckle Tie Down (Cam buckles)	900 lb.	1" width	13' length	1-pack	

K-Tool International recommends that the working load never exceed 1/3 of the rated capacity. Any strap assembly is only as strong as its weakest component, including the point of attachment or anchor.



Nylon Cable Ties

Hundreds of uses, including electrical, auto, marine, home and garden. Available in black or natural. Many sizes for a variety of applications. Professional quality. Temperature rating: 185° F (85° C).





Part #	Length	Bundle Diameter	Tensile Strength	Color	Qty
KTI76040	4"	7/8"	18 lb.	Natural	100
KTI78040	4"	7/8"	18 lb.	Black	100
KTI76070	7"	1-7/8"	50 lb.	Natural	100
KTI78070	7"	1-7/8"	50 lb.	Black	100
KTI77070	7" with mounting head	1-7/8"	50 lb.	Natural	100
KTI76110	11"	31/16"	50 lb.	Natural	100
KTI78110	11"	31/16"	50 lb.	Black	100
KTI76140	14"	4"	50 lb.	Natural	100
KTI78140	14"	4"	50 lb.	Black	100
KTI77140	14" with mounting head	4"	50 lb.	Natural	100
KTI76145	14" heavy-duty	41/16"	120 lb.	Natural	100
KTI78145	14" heavy-duty	41/16"	120 lb.	Black	100
KTI76180	18" heavy-duty	51/4"	120 lb.	Natural	25
KTI78180	18" heavy-duty	51/4"	120 lb.	Black	25
KTI76240	24" heavy-duty	73/16"	175 lb.	Natural	25
KTI78240	24" heavy-duty	73/16"	175 lb.	Black	25
KTI76360	36" heavy-duty	11"	175 lb.	Natural	25
KTI78360	36" heavy-duty	11"	175 lb.	Black	25



Shop Tools I **Material Handling**



Nylon Cable Tie Assortments

Convenient dispenser type package allows access to each compartment separately. Hundreds of uses, including electrical, auto, marine, home and garden. Available in black or natural. Many sizes for a variety of applications. Professional quality.

KTI76004 (Natural) KTI78004 (Black)



Each package includes 4" (qty: 200), 7" (qty: 100) and 11" (qty: 100).



Grips nylon cable ties and tightens with very secure grip. Also cuts excess with thumb lever.



Shop Tools I Heating, Welding, Soldering

KTI00035

85 Piece Shrink Tube Kit

- Multi-compartment plastic storage case
- Includes wide range of product
- · Contains product assortment map
- Includes most popular sizes

This 85-piece kit contains shrink tubes in most popular sizes: 1/8" Shrink Tube, 3/16" Shrink Tube, 1/4" Shrink Tube, 3/8" Shrink Tube, 1/2" Shrink Tube.



KTI07740

235-piece Heat Shrink Tube Kit

Assortment includes eight different sizes

in five colors, ranging in width from 3/32" to 3/4" and 6" in length.

Size: 1/8"	Qty:	Size: 1/4"	Qty	Size: 5/8"	Qty:
Blue	11	Blue	11	Blue	1
Black	11	Black	11	Black	1
Orange	11	Orange	11	Orange	1
Green	11	Green	11	Green	1
Yellow	11	Yellow	11	Yellow	1
Size: 3/32"	Qty:	Size: 3/8"	Qty:	Size: 3/4"	Qty:
Blue	8	Blue	2	Blue	1
Black	8	Black	2	Black	1
Orange	8	Orange	2	Orange	1
Green	8	Green	2	Green	1
Yellow	8	Yellow	2	Yellow	1
Size: 3/16"	Qty:	Size: 1/2"	Qty:		
Blue	11	Blue	2		
Black	11	Black	2		
Orange	11	Orange	2		
Green	11	Green	2		
Yellow	11	Yellow	2		



KTI70048

Micro Butane Turbo-Lite

- CPSC (Consumer Product Safety Commission) compliant mulit-purpose micro-torch/lighter
- Piezo electronic ignition system Stylish see through fuel tank
- Protective flip-open cap
- · Reliable windproof lighter
- · Covered by a 1-year warrranty
- Flame temperature: 2,400° F (1,300° C)

KTI70052 **Hand Held Butane Torch Lighter**

- Handy pocket butane torch
- · Light duty soldering such as: shrinking heat seal tubing, craft projects, thawing frozen locks, lighting camp stoves
- 1 Year Warranty on material and workmanship



Shop Tools I Heating, Welding, Soldering

KTI70054

Mini Butane Torch

- . Mini butane torch with solder head
- · Piezo-electric ignition with locking safety mechanism
- Temperature and flame control, up to 2372° F jet flame
- · Removeable safety stand
- 1 Year Warranty on material and workmanship

Mini butane torch with solder head has many uses: solder copper pipes, thaw frozen pipes, repair gutters, remove paint and putty, light fireplaces, cooking torch and all other professional repair jobs.



Hand-Held Pro Butane Torch

- The original hand-held, lightweight and sturdy professional torch
- · Piezo ignition and safety kill/off switch
- Adjustable air flow and gas flow control valves
- Tank contains fuel for 190 minutes of operation at mid setting
- · Alloy die casting housing covered with a protective grip and sturdy removable base for added safety
- · Covered by a 1-year warranty
- Flame temperature: 2,400° F (1,300° C)



Propane Torch Head

- · Self igniting propane torch head with piezo igniter for instant flame
- Safety lock feature to prevent accidental ignition
- · Ignition button lock for continuous use
- Replacement brass tip
- · Ergonomic handle design
- 1 Year Warranty on material and workmanship

Self Igniting Propane Torch Head for use with MAPP or propane gas.

KTI70056 Self Igniting

Propane Torch Head


- · Portable and lightweight
- · Easy on/off valve
- · High energy flame
- · Angled swivel tube to reach difficult areas
- 1 Year Warranty on material and workmanship

Self Igniting Propane Torch Head for use with MAPP or propane gas.

KTI70050

Butane Fuel





- Adapters are not normally required when refilling tanks
- Double scrubbed and triple filtered for trouble-free use
- · Use for pocket torches, lighters, lanterns, table torches and other butane-powered tools





KTI70461

Child Safety Blanket

- Made from Kovenex® flame resistant fabric
- · Protects infants from heat and flame
- · Patented fabric is made with inherently flame resistant fibers with no chemical treatment for an infinite shelf life
- · Soft, durable and light weight
- Machine washable, no bleach
- Weight: 7.0 oz /yd2

KTI70440

Torch Shield

- Size: 10" x 18"
- · Carbon fiber flame blocking fabric
- Protect surfaces from sparks or open flame from gas torches with this patented Pavenex® carbon fiber shield
- · Withstands even the extreme heat of acetylene torches



KTI70450

Welding Blanket

- A high-tech carbon fiber welding blanket made with the Pavenex® fabric (US Patent # 6,696,374)
- · Lightweight, soft, and flexible
- Provides protection against direct contact with flame, sparks, and weld spatter
- Withstands temperatures up to 2200°F without shrinking

Reduces the chance of sparks damaging fabrics, pitting glass, or marring paint. Will not scratch any painted surface. Can be used in emergencies to smother small fires in a car or anywhere in the shop. Warning: Avoid contact with flammable liquids. Flammable liquids will ignite when exposed to sparks or flame. Always inspect welding blankets for damage before use. Avoid sharp edges or other obstructions to prevent damage to blanket. Clean blanket after each use. To clean, shake the blanket and replace in the original bag. DO NOT clean with water or other liquids. Do not use when wet.









Shop Tools I TPMS





KTI71999

Master TPMS Kit

• The most complete TPMS shop solution available and includes the only sensor activation tool you need

Kit includes the Programming Interface Module (with one year of updates), tool holster, "Guide to TPMS" Training DVD, 2010 PST-TIPS Quick Reference Guide on CD-ROM, TPMS Quick Spec Flip Chart, valve core torque tool and TPMS four-way valve tool. Also includes Service Procedure Poster; an easy to read step-by-step guide for servicing vehicles with Tire Pressure Monitoring Systems (TPMS).



KTI71989 **Essential TPMS Combination Kit**

- · Everything you need in one handy, economical kit
- Universal sensor activation only tool you need
- Audio and visual confirmation no quesswork
- Digital protocol upgrades available never out of date
- Handy and easy to use no special training required

Contains TPMS tool, instructional DVD, programming interface module (PIM) with one year of updates.



KTI71990A

Sensor Activation Tool with Quick Reference Guide on CD-ROM and Quick Spec Flip Chart

- The only patented universal triggering tool you need for testing and resetting the TPM system
- Eliminates the need for multiple tools to service various makes and models of vehicles
- TPMS Quick Reference Guide on CD-ROM is a comprehensive listing of today's TPM systems, reset procedures and sensor learn procedures through the 2010 model year
- The guide includes a quick reference table designed to provide a single point of reference for determining when TPM systems require resetting as well as sensor nut torque requirements

The laminated TPMS Quick Spec Flip Chart is designed for the shop environment, and provides a quick but comprehensive snapshot of today's TPM systems.



- · Provides the critical link to update your PST or TIPS tool
- . One cable connects to a USB port on your computer and the other to a mini-USB located within the battery compartment of the tool

The PIM is a required accessory, allowing you to download updates to your TPM tool. Each PIM is shipped with a software license valid for one TPM tool for one year from date of purchase. TPM tool must be registered to receive software updates.

Warranty information for KTlpst, PIM and TPMS Scan Tool:

3-year warranty. Repair or replace at the discretion of the repair center. Consumable items are not covered.

Shop Tools I TPMS





KTI71993

KTIpst Instructional DVD

 Provides an excellent overview of Tire Pressure Monitoring Systems (TPMS,) as well as step-by-step instructions on how to use PST tool.





KTI71992

Heavy-duty Holster for KTlpst

- · Provides the perfect blend of utility and protection for your TPM tool
- Unique design allows operation of tool without removing it from the holster
- · Can be easily removed
- · Clips comfortably to your belt
- Features elastic pockets for easy storage of your accessory tools (tire pressure gauge, tire crayon, tire tread depth gauge, etc.)
- Made of a durable fabric that provides protection from drops and spills

KTI71981 TPMS T-10

Torque Limited Screwdriver



- Installs screws to recommended torque for proper sealing and secure installation
- · Assists mechanics to consistently achieve proper torque
- Easy to use Stored in handy plastic case

Replacement parts:

KTI18810 - T-10 Replacement Bit





KTI71996

TPMS Valve Core Torque Tool



LIFETIME WARRANTY*

- Durable, precision torque tool used to remove and install TR C1 valve cores
- Safely tightens valve cores to meet manufacturer's requirements for proper torque requirements

Vehicle manufacturers recommend replacing TPMS electroless, nickel-plated valve cores whenever a tire with TPMS is serviced.



KTI71982

TPMS T-20 Torque Limited Screwdriver

- Used to tighten the torx screw in Beru and other similar TPMS sensors
- The torx screw secures the valve stem to the sensor body
- Preset to 35 in./lbs. (4.0Nm) so the torx screw cannot be over-tightened which may lead to sensor damage and/or incorrect operation
- Also used to remove the torx screws

Replacement parts:

KTI18820 - T-20 Replacement Bit





KTI71997

TPMS Valve Nut Tool

- Durable, all-in-one tool used for removing the sensor nuts and seating the sensor grommets
- Ergonomically design
- · Quickly removes both 11 mm and 12 mm nuts
- · Easily seats both beveled and non-beveled grommets

Vehicle manufacturers recommend replacing TPMS sensor nuts and grommets whenever a tire with TPMS is serviced.





- Dual Valve Technology
- Installs right out of the box
- Works with all TPMS scan tools
- Saves time
- Saves money
- Reduces inventory
- Increases shop productivity and profits



DVT – Dual Valve Technology Multi-Vehicle-Application Sensors

DVT-Sensors are designed to work with either a rubber snap-in valve stem or the metal clamp-in valve stem. The technology makes the DVT-Sensor very versatile. It's easy to match the valve style on TPMS equipped vehicles without requiring an additional part number. Just remove the DVT snap-in or clamp-in stem and replace it with the required valve.

DVT-Sensors for domestic applications are supplied with the rubber snap-in valve stem. Asian and European applications are supplied with the metal clamp-in valve stem.

DVT-Sensors provide over 90% coverage for Domestic, Asian and some European cars and light trucks.

Multi-Vehicle Applications

DVT-sensors have the ability to work on more than one vehicle application. Each DVT-Sensor contains multiple vehicle protocols which provide a wider range of coverage. One DVT-Sensor can replace many OFM sensors.

Part #	MHz	Multi-Vehicle Application	DVT Valve
ABDDVT-1000	315 MHz	2004-06 Chevy, GMC, Hummer	DVT-CV-1
ABDDVT-1001H	315 MHz	GM	DVT-SV-1
ABDDVT-1002H	315 MHz	Ford/Chrysler	DVT-SV-1
ABDDVT-1003A	433 MHz	Ford/Chrysler	DVT-SV-1
ABDDVT-1004A	315 MHz	Toyota/Nissan	DVT-CV-1
ABDDVT-1005	315 MHz	Honda/Toyota	DVT-CV-1
ABDDVT-1006	315 MHz	Hyundai/Kia	DVT-CV-1
ABDDVT-1007	315 MHz	Audi/Mercedes/Subaru/VW/Volvo	DVT-SV-1
Part #	MHz	1:1 Vehicle Application (Hi-Line)	Valve
ABDDY-2416	315 MHz	Ford/Chrysler	Metal
ABDDY-2116	433 MHz	Ford/Chrysler	Metal

ALWAYS complete the vehicle relearn procedure when replacing a TPMS sensor or servicing TPMS.

Dynamic Dual Valves Replacements

ABDDVT-SV-1

Snap-in Valve for DVT-Sensors. Includes S7 nut and cap. Box of 4.



ABDDVT-CV-1

Clamp-in Valve for DVT-Sensors. Includes nut, grommet, cap and T10 screw. Box of 4.





TPMS Solutions



The OEM requires that the valve stem components are replaced every time the tire is serviced on vehicles with TPMS.



ABD6-102

Buick, Cadillac, Chevy, GMC, Isuzu, Pontiac, Saab Cross-reference: 20004, 1070K, 92-0125



ABD6-103

Cadillac, Chevy, Chrysler, Dodge, Infinity, Isuzu, Jeep, Mitsubishi, Nissan, Subaru

Cross-reference: 20003, 1080K, 92-0140



ABD6-106

Ford, Lincoln, Mercury, Mercedes

Cross-reference: 20002, 1060K, 92-0115



ABD6-108

Buick, Cadillac, Chevy, Chrysler, Dodge, GMC. Hyundai, Jaguar, Jeep

20030, 1050K, 92-0150



ABD6-109

Acura, Honda, Hyundai, Kia Cross-reference: 20021, 2000K, 92-0246



Clamp-in Kit Component Replacement Reason Result (A) Grommet/seal Crack, deteriorate and leak over time Leak path at valve stem Plating worn off, threads corrode Leak path at valve stem (B) Hex nut Nickel plating strips leading to galvanic Leak at valve core, potential (C) Valve core corrosion and seized valve cores broken valve stem (D) Valve cap w/seal Valve cap seal wear Allows moisture into core (E) Metal washer Washer conforms to rim during installation Leak path at valve stem (some applications) **Snap-in Kit Component Replacement Reason** Result (F) Rubber TPMS Crack, deteriorate and leak over time Leak path at valve stem snap-in valve

Refer to manufacturer's specifications for proper torque requirements when replacing hex nuts and valve cores. These specifications can be found in the Dynamic TPMS Service Kit Application Guide.

Lexus

ABD6-110

Audi. BMW. Land Rover. Mercedes, Mini, Porsche, VW Cross-reference: 20023, 1090K, 92-0261



ABD6-111

Acura, Honda, Lexus, Pontiac, Scion, Toyota Cross-reference: 20032, 1100K, 92-0215



ABD6-120

Cross-reference:

20033, 1120K, 92-0155

ABD6-117

Chrysler, Dodge, Infinity, Jeep, Lincoln, Mazda, Mercury, Pontiac, Saturn, Subaru, Suzuk

Cross-reference: 20016, 2030K, 92-202



ABD6-112

Honda, Infiniti, Mitsubishi, Nissan

Cross-reference: 20010, 1130K, 92-0130



ABD6-122

Saab, Saturn, Suzuki, Volvo Cross-reference: 20009, 2010K, 92-0195



ABD6-115

Audi, VW Cross-reference: 20017, 1030K, 92-0235



ABD6-125

Cadillac, Chevy, GM, GMC Cross-reference: 20015, 2020K



ABD6-116

GMC, Hummer, Lexus, Toyota, VW Cross-reference:



ABD6-127

Acura, Honda, Hyundai, Kia Cross-reference: 20019, 2040K, 92-0244







ABD6-129

٧W Cross-reference: 20017, 1031K



ABD6-138

Honda, Hyundai, Jaguar, Kia, Land Rover, Mazda, Mitsubishi, Suzuki, VW, Volvo

Cross-reference: 20032, 7020K, 92-3312



ABD6-139

Chrysler, Dodge, Jeep, Nissan Cross-reference:



ABDDVT-493

S7 Nut for DVT Snap-In Valve



Box of 50

ABDDY-158

Black Valve Cap for Schrader 20008

Box of 50



ABDDVT-806

T10 Torx Screw for **DVT Clamp-In Valve**

Box of 50

ABDDY-128B

Valve Cap-Nylon (Black)

Box of 50



ABDDY-128G

Valve Cap-Nylon (Grey)

Box of 50



ABDDY-1400

TPMS Nickel Plated Valve Core

Box of 50



ABDDY-TPMS-16 Valve Maintenance Kit Assortment

ABDDY-TPMS-16 Valve Maintenance Kit contains 15 of the most popular kits for most domestic and imported cars and light trucks. Also included are 50 each of the TPMS valve caps and nickel plated valve cores.



Kit #	General Application	Qty
ABD6-102	General Motors	10
ABD6-103	Chrysler, Dodge, Mitsubishi	10
ABD6-106	Ford	10
ABD6-108	GM, Chrysler, Dodge, Mazda, Volvo	10
ABD6-109	Acura, Honda, Hyundai, Kia	10
ABD6-110	Audi, BMW, Mercedes	10
ABD6-111	Honda, Lexus, Pontiac, Toyota, Scion	10
ABD6-115	Audi, VW	10
ABD6-116	Lexus, Toyota	10
ABD6-120	Chrysler, Dodge, Jeep	10
ABD6-122	Mitsubishi, Saab, Suzuki, Volvo	10
ABD6-127	Acura, Honda, Kia	10
ABD6-138	Honda, Hyundai, Kia, Mitsubishi	10
ABD6-139	Chrysler, Dodge, Jeep, Nissan	10
ABD6-207A	GM, Ford	10
ABDDY-1400	TPMS Nickel Plated Valve Cores	50
ABDDY-128G	Valve Cap – Nylon (Grey)	50

ABD6-201

Chrysler, Dodge Jeep, Mitsubishi Cross-reference:



ABD6-203

Chrome Valve for Ford Shelby Cobra Optional replacement for 6-207A

Cross-reference: VS-925C



ABD6-204

Acura, Honda (Long Valve) Cross-reference: 20035, 1097K



ABD6-205

Acura, Honda (Short Valve) Cross-reference: 20036, 1096K



ABD6-206B

Mercedes, Smart Cross-reference: 20023, 1040K, 92-1170



ABD6-207A

Chrysler, Dodge, Ford, GM, Hummer, Jeep, Mazda, Mercury, Subaru, Suzuki

Cross-reference: 20018, VS950, 92-0145



ABD6-208

Cadillac ATS, Dodge Dart

Cross-reference: VS-90



ABD6-209

Hyundai Cross-reference: V1010



ABD6-210

Hyundai, Kia

Cross-reference:



ABD6-211

Dodge TRW Snap-In, Jeep, Ram Cross-reference: VS65



ABD6-213

Ford 2015 Cross-reference:



ABD6-218

Dodge Sprinter Cross-reference: 20036, 1098K, 92-1170



ABD6-220

Audi 4, BMW, Porsche Gen I (Silver - 43 mm) Cross-reference:



ABD6-221

BMW Gen I (Green - 48 mm) Cross-reference:



ABD6-222

1093, RDV002

BMW. Mercedes Gen I (Black - 49 mm) Cross-reference: 1094, RDV003



ABD6-223

BMW, Mercedes Gen I (Orange - 51 mm) Cross-reference: 1095, RDV004



ABD6-225

Aluminum Optional Replacement Valve for 6-207A

Cross-reference: VS925A, 34000



ABD6-228S

Chrysler, Dodge, Jeep, Mercedes

Cross-reference: 9066K



ABD6-231C

Adjustable Valve for Chrysler, Dodge, Honda, Jeep Cross-reference: VS-70



ABD6-236

Hyundai, Kia Cross-reference: VS965



ABD6-240

Audi, BMW, Mercedes, VW Gen II (Silver - 43mm) Cross-reference:

RDV021



ABD6-241

BMW Gen II (Green - 48mm) Cross-reference: RDV022



ABD6-242

Audi, BMW, Porsche, VW Gen II (Black - 49mm)

Cross-reference: **RDV023**



ABD6-243

RDV024

BMW Gen II (Orange - 51mm) Cross-reference:







Kit #	General Application	Qty
ABD6-203	Chrome Valve for Ford Shelby Cobra	4
ABD6-204	Acura, Honda (Long Valve)	4
ABD6-205	Acura, Honda (Short Valve)	4
ABD6-206B	Mercedes, Smart	4
ABD6-207A	Ford, GM	10
ABD6-208	Cadillac ATS, Dodge Dart	4
ABD6-209	Hyundai Santa Fe	4
ABD6-211	Dodge Ram, Jeep	4
ABD6-218	Dodge Sprinter	2
ABD6-220	Audi, BMW, Porsche (Silver - 43 mm)	2
ABD6-222	BMW, Mercedes (Black - 49 mm)	2
ABD6-225	Aluminum Optional Valve Replacment for 6-207A	4
ABD6-228S	Chrysler, Dodge, Jeep	4
ABD6-231C	Adjustable Valve for Chrysler, Dodge, Honda, Jeep	4
ABD6-240	Audi, BMW, Porsche, VW (Silver - 43 mm)	2
ABD6-242	Audi, BMW, Porsche, VW (Black - 49 mm)	2

ABDDY-TPMS-16VS

Valve Stem Assortment

For the replacement of corroded or broken TPMS valve stems. The ABDDY-TPMS-16VS assortment contains 16 of the most popular valve stems.



European TPMS Aftermarket Replacement Valve Stems

The OEM has two different designs of replaceable valve stems with their TPMS sensors — Generation I and Generation II. Gen I and Gen II valve stems utilize a different thread pitch and therefore the service repair kits use different components and cannot be interchanged. The difference in the valve stems and the service kits is detailed below.



Dynamic Valve Kit w/ Valve Stem	Dynamic Service Kit w/o Valve Stem	OEM No.	Valve Length	Color Coded Noted at Base of Valve Stem
ABD6-220	ABD6-110	RDV001	43 mm	Silver
ABD6-221	ABD6-110	RDV002	48 mm	Green
ABD6-222	ABD6-110	RDV003	49 mm	Black
ABD6-223	ABD6-110	RDV004	51 mm	Orange



T-20 screw (35in-lb torque)



10V2 thread hex nut w/o shear collar





Dynamic Valve Kit w/ Valve Stem	Dynamic Service Kit w/o Valve Stem	OEM No.	Valve Length	Color Coded Noted at Base of Valve Stem
ABD6-240	ABD6-109	RDV021	43 mm	Silver
ABD6-241	ABD6-109	RDV022	48 mm	Green
ABD6-242	ABD6-109	RDV023	49 mm	Black
ABD6-243	ABD6-109	RDV024	51 mm	Orange



M5 square head screw (torque set by hex nut)



7/16"-18 thread hex nut with shear collar

Start servicing TPMS vehicles now with these Dynamic TPMS starter kits.

Designed for lighter volume shops the ABDDVT-12SK contains all of the OEM aftermarket parts needed to start servicing TPMS equipped vehicles without making a large investment.

ABDDVT-12SK TPMS Valve Maintenance/Sensor Starter Kit



Part #	Qty
DVT-Sensors	
ABDDVT-1001H	2
ABDDVT-1002H	2
ABDDVT-1003A	2
ABDDVT-1004A	2
ABDDVT-1005	2
ABDDVT-1006	2
DVT Replacement V	alves
ABDDVT-SV-1	4
ABDDVT-CV-1	4
Torque Tool	
ABDDY-002A	1
Counter Card	
ABDDYN-0513*	1
Application Guide &	Catalog
ABDDVT-APP*	1
ABDDY-TPMS-13*	1

Part #	Qty	
ABDDY-TPMS-16		
TPMS Valve Main	itenance Kit	
ABD6-102	10	
ABD6-103	10	
ABD6-106	10	
ABD6-108	10	
ABD6-109	10	
ABD6-110	10	
ABD6-111	10	
ABD6-115	10	
ABD6-116	10	
ABD6-120	10	
ABD6-122	10	
ABD6-127	10	
ABD6-138	10	
ABD6-139	10	
ABD6-207A	10	
ABDDY-1400	50	
ABDDY-128G	50	

ABDDVT-SK12VS TPMS Valve Stem/Sensor Starter Kit



* Indicates Parts Only Available In The Kit and Not Sold Separately

Part #	Qty		
DVT-Sensors			
ABDDVT-1001H	2		
ABDDVT-1002H	2		
ABDDVT-1003A	2		
ABDDVT-1004A	2		
ABDDVT-1005	2		
ABDDVT-1006	2		
DVT Replacement \	/alves		
ABDDVT-SV-1	4		
ABDDVT-CV-1	4		
Torque Tool			
ABDDY-002A	1		
Counter Card			
ABDDYN-0513*	1		
Application Catalog			
ABDDVT-APP* 1			
TPMS Catalog			
ABDDY-TPMS-13*	1		

Part #	Qty			
ABDDY-TPMS-16VS Valve Stem Replacement Kit				
ABDDY6-203	4			
ABDDY6-204	2			
ABDDY6-205	4			
ABDDY6-206B	4			
ABDDY6-207A	4			
ABDDY6-208	4			
ABDDY6-209	4			
ABDDY6-211	4			
ABDDY6-218	2			
ABDDY6-220	2			
ABDDY6-222	2			
ABDDY6-225	4			
ABDDY6-228S	4			
ABDDY6-231C	4			
ABDDY6-240	2			
ABDDY6-242	2			



ABDDVT-802 TPMS Master Starter Kit



This master starter kit contains all of the parts needed to service TPMS vehicles including, DVT-Sensors, Valve Maintenance Kits and TPMS Replacement Valves.

The ABDDVT-802 includes: 32 DVT-sensors, 256 TPMS valve maintenace kits & replacement valve stems, torque tool and our ABDTPMS-72 storage cabinet.



NOTE: Will be shipped in two boxes.

Part #	Description	Qty		
DVT-Sensors				
ABDDVT-1000	TPMS Sensor - 2004-06 Chevy - GMC	2		
ABDDVT-1001H	TPMS Sensor - GM 314.9/315 MHz	6		
ABDDVT-1002H	TPMS Sensor - Ford/Chrysler 315 MHz	6		
ABDDVT-1003A	TPMS Sensor - Ford/Chrysler 433 MHz	4		
ABDDVT-1004A	TPMS Sensor - Toyota/Nissan 315 MHz	4		
ABDDVT-1005	TPMS Sensor - Honda 315 MHz	4		
ABDDVT-1006	TPMS Sensor - Hyundai/Kia 315 MHz	4		
ABDDVT-1007	TPMS Sensor - Subaru/Suzuki/Volvo 315 MHz	2		
DVT Replacemen	DVT Replacement Valve Stems			
ABDDVT-SV-1	DVT Snap-In Valve Stem	4		
ABDDVT-CV-1	DVT Clamp-In Valve Stem	4		
DVT Valve Stem Torque Tool				
ABDDY-002A	TPMS Torque Tool	1		
Replacement Val	ve Stems			
ABD6-203	TPMS Replacement Valve Stem	4		
ABD6-204	TPMS Replacement Valve Stem	4		
ABD6-205	TPMS Replacement Valve Stem	4		
ABD6-206B	TPMS Replacement Valve Stem	4		
ABD6-207A	TPMS Replacement Valve Stem	20		
ABD6-208	TPMS Replacement Valve Stem			
ABD6-209	TPMS Replacement Valve Stem			
ABD6-211	TPMS Replacement Valve Stem			
ABD6-228S	TPMS Replacement Valve Stem			
ABD6-231C	TPMS Replacement Valve Stem	4		

Part #	Description	Qty
TPMS Valve Maintenance Kits		
ABD6-102	TPMS Service Kit	10
ABD6-103	TPMS Service Kit	10
ABD6-106	TPMS Service Kit	10
ABD6-108	TPMS Service Kit	10
ABD6-109	TPMS Service Kit	10
ABD6-110	TPMS Service Kit	10
ABD6-111	TPMS Service Kit	10
ABD6-112	TPMS Service Kit	10
ABD6-115	TPMS Service Kit	10
ABD6-116	TPMS Service Kit	10
ABD6-117	TPMS Service Kit	10
ABD6-120	TPMS Service Kit	10
ABD6-122	TPMS Service Kit	10
ABD6-125	TPMS Service Kit	10
ABD6-127	TPMS Service Kit	10
ABD6-129	TPMS Service Kit	10
ABD6-138	TPMS Service Kit	10
ABD6-139	TPMS Service Kit	10
DVT Cabinet & Application Catalog		
ABDTPMS-72*	Storage Cabinet	1
ABDDVT-APP*	Application Catalog	1

^{*} Indicates Parts Only Available In The Kit and Not Sold Separately



Service procedures for replacing TPMS sensors and installing TPMS service kits require the proper tools.

ABDDY-001A

Torque Wrench With Sockets



Torque wrench is used for installing TPMS sensor nuts. Torque range is from 30 in·lbs (3.4 N·m) to 120 in·lbs (13.6 N·m). Includes 11 mm and 12 mm sockets. Comes in a plastic storage case.

ABDDY-150

Valve Core Torque Tool



Tightens valve cores to OE specifications, 3.5-4 in·lbs (.45 N·m). Meets industry recommended torque values. Can also be used to remove valve cores.

ABDDY-172

Grommet Pick Tool



This tool is used to help remove old and broken grommets from the TPMS aluminum valve stem.

ABDDY-312

Complete TPMS Service Tool Kit

The ABDDY-312 contains all of the tools needed to service and install TPMS sensors and service kits. All tools are stored and organized in a sturdy plastic case.

Kit includes:

ABDDY-001A	Torque Wrench with 11 mm & 12 mm sockets	
ABDDY-002A	Torque Tool for Valve & Sensor	
ABDDY-150	Valve Core Torque Tool 12 in·lbs (.45 N·m)	
ABDDY-164	Grommet Removal Tool	
ABDDY-172	Grommet Pick Tool	

ABDDY-002A

Torque Tool for Valve and Sensor



Torque tool is used for installing valves on DVT-sensors. Comes with T10 Torx bit for the clamp-in valve and a S7 socket for the snap-in valve. 12 in·lbs (1.4 N·m)

ABDDY-164

Grommet Removal Tool



This tool is used to remove the old grommet from the TPMS aluminum valve stem.

ABDDY-32VNT

TPMS 4-Way Valve Tool



Use this tool for removing sensor nuts and seating the sensor grommets. It can be used to remove 11 mm and 12 mm nuts.

ABDDY-7

S7 Replacement Socket for ABDDY-0002A Tool

Pack of 2





Shop Tools I Water Hoses





theBlueHose Water Hoses

500 PSI 100% rubber water hose with 3/4" GHT couplings

- Ultra lightweight, durable and super strong premium grade hot water hose
- Constructed with high strength polyester braided reinforcement with ozone resistant cover providing protection from extreme weather, abrasions and kinks
- Flexibility in extreme conditions from -50 to 180° Fahrenheit
- Oil resistance core tube meets RMA Class C oil resistance and four finger grip bend restrictor for easy use and better durability
- 10 Year Warranty

Solid crush-proof chrome plated brass fittings and handles hot water up to 200° Fahrenheit.

Part #	Description	
KTI72079	5/8" x 25' theBlueHose Water Hose	
KTI72080	5/8" x 50' theBlueHose Water Hose	
KTI72081	5/8" x 100' theBlueHose Water Hose	
KTI72082	3/4" x 50' theBlueHose Water Hose	
KTI72083	3/4" x 100' theBlueHose Water Hose	
KTI72084	1" x 50' theBlueHose Water Hose	
KTI72085	1" x 100' theBlueHose Water Hose	

Shop Tools I Cleaning



GlassMaster Pro Kit

- The patented GlassMaster Pro effortlessly cleans hard-to-reach areas, including windshields, glass doors, dashboards and much more
- Great for cars, SUVs, RVs, trucks, minivans, boats, home and office
- Spray favorite cleaners directly on GlassMaster Pro, eliminating overspray on dashboards, sensitive electronics, furniture, etc
- Wand boasts super-strong I-beam construction and premium grade ABS materials
- Thick comfort grip handle
- Use one detachable head for wet cleaning / scrubbing. Use second head for drying/polishing

Kit includes the long-handled GlassMaster Pro wand, two interchangeable cleaning heads, three fitted bonnets, plus a bonus stow-and-go storage bag.



GlassMaster Pro Replacement Parts and Accessories:

KTD72004 - GlassMaster Pro Microfiber Bonnets 3-pack
KTD72502 - GlassMaster Pro Microfiber Cloth 2-pack
KTD74003 - GlassMaster Pro Terry Cloth Bonnets 2-pack
KTD74004 - GlassMaster Pro Terry Cloth Bonnets 3-pack
KTD74503 - GlassMaster Pro Multipurpose Cloths 2-pack
KTD76003 - GlassMaster Pro Assorted Bonnets 3-pack
KTD76503 - GlassMaster Pro Assorted Cloths 3-pack

Shop Tools I Cleaning

KTD77604

Glassmaster Pro-Poly Bagged

- Professional glass and surface cleaner that cleans faster, easier, and with superior results
- Great for cars, trucks, SUV's, mini vans, RV's, boats, home and the work place
- Kit includes: 14" comfort grip handle, 2 multi-purpose cleaning heads, microfiber glass cleaning bonnet, multi-purpose microfiber cleaning bonnet and nylon mesh cleaning bonnet

KTD77610 - Glassmaster Extension Handle KTD77621 - Mini-Pro Paddle IGRC - Yellow KTD77622 - Mini-Pro Paddle GMP - Black



Shop Tools I Clamps & Vises



C-clamps

Adjustable C-clamps manufactured from ductile iron.

Sold separately:

KTI70182 - 2"

KTI70183 - 3"

KTI70184 - 4"

KTI70186 - 6"

KTI70188 - 8"



Steel Bench Vises

Rugged all-steel vise is stronger than its cast iron counterpart. Vise features swivel base and large anvil space for hammering.

Warranty information: 10-year limited warranty. Jaws are not covered.

Part #	Vise Size	Center to Center Measurement	Usable Jaw Opening	Weight
KTI64105	5"	3-1/2"	5-1/4"	27 lbs.
KTI64106	6"	4-1/2"	6-1/2"	35 lbs.
KTI64108	8"	5-1/4"	8-1/2"	50 lbs.

Replacement parts:

KTI64001 - Replacement screws

KTI64006 - 6" jaws KTI64008 - 8" jaws KTI64005 - 5" jaws





Shop Tools I Adhesives & Tapes



KTI90005

Q-Bond Large Repair Kit (QB3)

- · Ultra-strong adhesive and reinforcing powders
- · Repairs almost everything
- Rock solid in 10 seconds
- · Q-Bond repairs are able to be grinded, filed, sanded and even painted

Kit includes six (6) bottles Q-Bond adhesive (0.35oz/10ml); two (2) bottles black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90002 Q-BOND Adhesive Kit

- Ultra-strong adhesive and reinforcing powders
- Repairs almost anything
- Rock solid in 10 seconds
- Q-Bond repairs are able to be grinded, filed, sanded and even painted
- Includes 2 Q-BOND adhesive; 1 black reinforcing powder; 1 grey reinforcing powder

Q-BOND can be used just as an adhesive or with the reinforcing powders that will help to repair almost anything. The Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90002C Q-Bond Adhesive Kit for Canada

- Ultra-strong adhesive and reinforcing powders
- · Repairs almost anything
- Rock solid in 10 seconds
- Q-Bond repairs are able to be grinded, filed, sanded and even painted

The Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.



KTI90003 Q-Bond Adhesive Kit, 10 Pack with Display

- Ultra-strong adhesive and reinforcing powders
- Repairs almost anything
- Rock solid in 10 seconds
- Q-Bond repairs are able to be grinded, filed, sanded and even painted
- · Hang tabs for pegboard and rack displays
- New package design with 10 kits per display. Each kit contains 2 Q-Bond adhesives, 1 black reinforcing powder and 1 grey reinforcing powder

New package design with 10 kits in this display. Q-BOND can be used just as an adhesive or with the reinforcing powders that will help to repair almost anything. Q-BOND repairs can be grinded, filed, sanded, and even painted. Each Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90003C

Q-Bond Adhesive Kit - 10 Pack Display for Canada

KTI73550 Pipe Sealing Tape 1/2" x 260"

• 1/2" x 260" for sealing threaded pipe

Sold in a sleeve of 5 rolls





KTI73560

2" x 60 Yards Duct Tape

- . Multipurpose gray duct tape for numerous uses
- Roll measures 2" wide x 60 yards





Shop Tools I Fluids & Grease



KTI73900

Air-powered, Pistol-Grip Grease Gun

- Air pressure ranges from 1,200 psi to 6,000 psi
- Uses 400cc bulk loading or standard 14 oz. cartridge
- Includes rigid and flexible extensions
- · Rugged, heavy-duty steel construction
- Portable and nearly effortless to use
- 90 Day Warranty on material and workmanship



KTI73962

Continuous Flow Grease Gun, Air Operated

- Air operated continuous flow grease gun, 14 oz / minute
- 3-way loading: 14 oz cartridge, bulk and suction fill
- Develops up to 4,800 PSI
- Air inlet: 40 120 PSI
- Supplied complete with 6" steel extension & coupler
- 1-Year Warranty

KTI73933 Heavy Duty Pistol Grip Grease Gun 14 oz

- Heavy duty pistol grip grease gun 14 oz
- Die cast aluminum head fitted with steel block nut
- Complete with 18" flexible hose extension & coupler
- 5,000 PSI
- 3-way loading: 14 oz cartridge,

bulk and suction fill

• 1-Year Warranty



KTI73930

Mini Pistol Grease Gun 3 oz

- 3 oz mini pistol grease gun
- Dual discharge ports with pull type pistol mechanism
- 3,500 PSI
- Complete with 4" steel extension & coupler
- 1-Year Warranty



KTI73942

Heavy Duty Lever Grease Gun 14 oz

- Heavy duty aluminum die cast grease gun head fitted with bulk loaded & air release
- 3-way loading: 14 oz cartridge, bulk and suction fill
- · Grease gun handle fitted with rubber grip
- Develops up to 10,000 PSI with built-in variable stroke
- Supplied complete with 6" steel extension & coupler
- 1-Year Warranty



KTI73905

Standard Lever Grease Gun 14oz

- Standard lever grease gun 14 oz
- 6,000 PSI
- 3-Way loading 14 oz cartridge, bulk and suction fill
- · Complete with 6" steel extension & coupler
- 1-Year Warranty

KTI73910

Lube Combo Display Shelf Pack

- Pack includes: 3 each: Heavy Duty Pistol Grip Grease Guns (KTI73933) 3 each: Heavy Duty Lever Grease Guns (KTI73942)
- Aluminium die cast grease gun head
- Lever grease gun develops up to 10,000 PSI; pistol grease gun up to 5000 PSI
- For use with 14 oz. grease cartridges
- Lever gun (KTI73942) includes 6" bent steel extension & coupler; pistol gun (KTI73933) includes 18" flexible grease hose & coupler
- Covered by a 1-year warranty



KTI73919 Suction Gun

with12" Vinyl Hose

- Transfer gun designed to get gear oils both into and out of gear boxes, transfer cases and differentials
- · Capacity 16 oz.
- 1-Year Warranty

KTI73959

Right Angle Grease Gun Coupler

- 1,000 PSI
- · For use with hand grease guns only
- 1-Year Warranty





KTI73952

Professional 4 Jaw Grease Gun Coupler

- 6,000 PSI
- · For hand operated grease guns only
- 1-Year Warranty

KTI73952-54 **Grease Gun Coupler** 54 Pack Counter Display

- 6,000 PSI
- · For use with hand grease guns only
- 1-Year Warranty



KTI73957

Grease Injector Needle

- · For universal joints and sealed bearings
- Lenath: 1-1/2"
- Diameter: 18G
- 1-Year Warranty



KTI73903

Needle Nose Dispenser

1-1/2" Narrow

- · For use with hand grease guns only
- 1-1/2" x 0.156" needle
- 1-Year Warranty

Grease Gun Hose

- Working pressure: 3,500 PSI
- Burst pressure: 11,600 PSI
- · For hand operated grease guns only
- 1-Year Warranty

KTI73912 - 12"

KTI73918 - 18"

KTI72205

Barrel Pump - Lever Style

- Two-piece, self-adjusting telescoping suction tube fits 15. 30 or 55 gallon drums
- · Removable threaded spout
- Pumps water based fluids, solvents, antifreeze, weak acids and all oil based fluids
- Pumps approximately 300cc liquid per stroke
- · Zinc plated for lasting quality
- · Features cushioned vinyl handle
- 90 Day Warranty

KTI72210

Lever Transfer Pump 15-55 Gallon Drums

- For use with DEF, antifreeze, detergents, windshield fluids, heavy oils, etc
- Delivers up to 1 pint per stroke
- 1-Year Warranty






KTI72215

Electric Rechargeable Drum Pump 19.2V

- Cordless pump with 19.2V rechargeable battery
- · Compact & lightweight polyacetal body
- Telescopic pump tube for use with 55 gal. (205 Litre) drums as well as 275-330 gal. (1000 to 1250 Litre) IBC's
- · Built-in 2" bung & an additional bung converter (2.5" x 5 buttress) for use with plastic drums & IBC's
- Delivers up to 28 lpm (7.4 gpm) or up to 410 litre (110 gal.) on a single battery charge
- Covered by a 1-year warranty

Designed for pumping DEF, diesel, antifreeze, water, detergents, herbicides, pesticides, kerosene, light oils etc.

Includes 19.2V Ni Cd rechargeable battery & UL lister quick battery charger.



KTI72250

Deluxe Siphon

Transfer Pump

- Multi use, transfers most liquids
- · Pumps air for inflatables
- · Use for changing oil, siphoning gas, inflating sports balls and beach toys
- Includes two 51" siphon hoses, 35" dipstick hose and adapter (for changing oil) and 17" air pressure hose



KTI72200

Hand Rotary Style Barrel Pump

- Easy to operate crank handle rotary pumps are used as a siphon
- · Simply prime pump by turning crank handle several times: liquid automatically siphons to lower level
- Rotary hand pumps fit 15, 30 and 55 gallon drums
- Cast iron rotary pump is ideal for heavy oil, machine oil and non-corrosive liquids
- Barrel pump dispenses one gallon per 14 revolutions
- Made with a cast iron body with steel inlet and outlet tubin
- 2" bung adapter is perfect for drum openings
- 90 Day Warranty

KTI73993 **Lever Action Bucket Pump**

5 Gallon Pail • Comes complete with 12" drum cover and 4' PVC hose

- with steel spout • Designed for transferring transmission differentials & heavier oils
- Delivers 2.14 oz. (60 ml) per stroke
- 90 Day Warranty on material and workmanship









KTI74605

1-Qt Funnel with Splash Ring and Removeable Flexible Spout

- · Removeable flexible spout
- Removeable screen
- · Chemically resistant polyethylene

Polyethylene funnel, 1 quart with splash ring, screen and flexible 10-inch removable spout.



KTI74612

3 Quart Drum Funnel with Hinged Lid and 2" Bung

- Tough industrial quality
- Chemically resistant polyethylene
- Fits 2" thread
- · Hinged lid and 2" bung



Funnel Safety Red with Screen

- Safety Red
- · Chemically resistant polyethylene
- With screen

KTI74606 - 2 Quart

KTI74610- 6 Quart



KTI74641

Drip Tray 22" x 22" x 1.5"

- Chemically resistant polyethylene
- · Collects drips, leaks, and spills
- Dimensions: 22" x 22" x 1-1/2"





KTI74640

Axle Drain Pan

- Durable and lightweight HDPE plastic with built-in drop proof spouts that help to recycle oil
- Works for most dual and super single wheels, sizes 22.5 and 24.5
- Use with steel and aluminum wheels, hub piloted or stud piloted, drive or trailer axles
- Catches oil, axle nuts, bearings most anything removed from the wheel end for service
- · Attaches with a hand-tightened lug nut

Drain pan works for most dual and super single wheels sizes 22.5 and 24.5. Attaches with a hand-tightened lug nut. Will not tip or spill - virtually eliminating clean up. Works for steel or aluminum wheels, hub piloted or stud piloted, drive or trailer axles. Catches oil, axle nuts, bearings - most anything removed from the wheel end for service. Built in drop proof spouts help to recycle waste oil. Durable and lightweight HDPE plastic.



Double Cap Funnels

- Double capped funnel keeps the drips in and the dirt out
- This ultimate storage funnel eliminates spills and contaminants, reduces debris and is chemically resistant

KTI74607

1 Pint Double Cap Funnel - Orange

- Top ID: 3" Spout OD: 1/2"
- Height (without cap): 8.75"

KTI74607









KTI74608

1.25 Quart Double Cap Funnel - Dark Blue

- Top ID: 4" Spout OD: 3/4"
- Height (without cap): 10.5"

KTI74609

1.3 Quart Double Cap Funnel - Black

- Top ID: 4" Spout OD: 1.375"
- Height (without cap): 16.5"

KTI74611

1.5 Quart Double Cap Funnel - Yellow

- Top ID: 4" Spout OD: 3/4"
- Height (without cap): 14.25"

KTI74613

1.66 Quart Double Cap Funnel - Dark Red

- Top ID: 4" Spout OD: 1.375"
- Height (without cap): 14.25"





KTI74647

Antifreeze Drain Pan 4.5 Gallon

- Built-in anti-splash lip & baffles
- Large spout for fast pouring. Includes spout cap for spill protection
- High density polyethylene construction, chemical & solvent resistant
- Green color provides visual identification for use with antifreeze
- Covered by a 1-year warranty



KTI74645

4.25 Gallon Capacity Oil Drain Pan

- Chemical / solvent resistant high density polyethylene construction
- · Large spout for fast pouring complete with spout cap
- Built-in ant-splash lip and baffles
- Includes large handle 1 year warranty

KTI73901 **Pistol Style Oiler** with Base 6 oz.

- Pistol style oil can with base
- Capacity: 6oz (180 ml)
- Flex spout
- 1-Year Warranty



KTI73902 Lever Oil Can with Flex Spout 1 Pint

- 1 pint (500ml) lever oil can
- Flex spout
- 1-Year Warranty



KTI74601-1 19-1/2" Long Rigid Funnel

- Super deluxe transmission funnel
- Large capacity prevents overflow
- 4-1/2" ID x 19-1/2" long

KTI74601-12 19-1/2" Long Rigid Funnel 12/Pk

KTI74602-1

Long Flexible Transmission Funnel

- Plastic
- With Flexible Hose

KTI74602-12

Long Flexible

Transmission Funnel 12/Pk

KTI74603

Funnel Pivoting "The Guzzler"

Large capacity funnel directs flow without spilling. Features ball pivot at base.

KTI74604 **Funnel for**

55-gallon Drum

Large capacity funnel screws directly onto 55 gallon drums.

KTI74630 3-Piece

Funnel Set

KTI's "funnel for every job" set includes 3-1/2", 5-1/2" and 7-1/2" sizes.





- Flexible Spout
- Translucent

KTI74650

2-Liter Measure Pitcher with Flex Spout

KTI74652

Plastic Measure with Flex Spout - 8 Qt

- · Translucent body
- Includes dust cover, flexible spout & cap
- · Graduated in quarts & liters
- Covered by a 1-year warranty














KTI00023

60-Piece Grease Fitting Kit (SAE)

- Grease fitting assortment kit (SAE) includes 1/4-28 sizes
- The 1/4-28 thread fitting is used on cars, light trucks and industrial machinery
- Requires a tapped hole for installation
- Max pressure is 8.000 psi
- Kit contains 60 pieces of the top 4 sizes: straight, 45 elbow, 90 elbow and long straight fittings

Part #	Description	Qty	Refill
KTI04308	1/4" - 28 Straight	20	10
KTI04309	1/4" - 28 45°	15	10
KTI04310	1/4" - 28 90°	15	10
KTI04311	1/4" - 28 Straight (Long)	10	10







KTI00024

90-Piece Grease Fitting Kit (Metric)

- Grease fitting assortment kit (metric) includes 6 mm, 8 mm and 10 mm fittings in nine popular sizes
- Kit contains straight, 45° elbow, and 90° elbow fittings packaged in multicompartment, refillable plastic case
- Contains product assortment map for easy identification of components

Part #	Description	Qty	Refill
KTI04312	6mm x 1.0/Straight	10	10
KTI04313	6mm x 1.0/45°	10	10
KTI04314	6mm x 1.0/90°	10	10
KTI04315	8mm x 1.0/Straight	10	10
KTI04316	8mm x 1.0/45°	10	10
KTI04317	8mm x 1.0/90°	10	10
KTI04318	10mm x 1.0/Straight	10	10
KTI04319	10mm x 1.0/45°	10	10
KTI04320	10mm x 1.0/90°	10	10



KTI00096

110-Piece Metric

Grease Fitting Assortment

• 110-piece metric grease fitting assortment kit includes six popular sizes, ranging from 6mm to 10mm

Description	Qty	Description	Qty
6mm	30	10mm (90°)	20
6mm (45°)	15	10mm (45°)	15
6mm (90°)	15	10mm	15







- 110-piece hydraulic grease fitting assortment kit includes six popular sizes from 1/4"-28 to 1/8"-27
- Kit contains straight and 45° and 90° angled fittings

Description	Qty	Description	Qty
1/4"-28	30	1/8"-27 (90°)	15
1/4"-28 (45°)	15	1/8"-27 (45°)	15
1/4"-28 (90°)	15	1/8"-27	20



	Grease Fittings	
Part #	Description	Qty
KTI04319	Grease Fittings Metric 10MM 45° Elbow	10
KTI04320	Grease Fittings Metric 10MM 90° Elbow	10
KTI04318	Grease Fittings Metric 10MM Straight	10
KTI04313	Grease Fittings Metric 6MM 45° Elbow	10
KTI04314	Grease Fittings Metric 6MM 90° Elbow	10
KTI04312	Grease Fittings Metric 6MM Straight	10
KTI04316	Grease Fittings Metric 8MM 45° Elbow	10
KTI04317	Grease Fittings Metric 8MM 90° Elbow	10
KTI04315	Grease Fittings Metric 8MM Straight	10
KTI04309	Grease Fittings SAE 1/4-28 45° Elbow	10
KTI04310	Grease Fittings SAE 1/4-28 90° Elbow	10
KTI04311	Grease Fittings SAE 1/4-28 Long Straight	10
KTI04308	Grease Fittings SAE 1/4-28 Straight	10





BATTERY TESTERS AND BOOSTER CABLES







Antifreeze Tester

KTI70211

- Hydrometer immediately and accurately tests strength of all permanent solutions (ethylene glycol), with engine hot or cold, and includes temperature adjustment scale for accurate interpretation of mixture strength
- Assists in preventing winter freezeup and summer boilover
- Two embedded scales show freeze point of radiator solution and boiling point of summer coolant
- 32°F thru -45°F

KTI70212

Battery Tester

- Hydrometer immediately and accurately tests battery life whether battery is hot or cold
- · Helps extend battery life and detects overcharge
- · Assists in preventing dead batteries
- Works on all 6-, 12- and 24-volt systems





KTI70210

Carbon Pile Load Tester 500 AMP

- KTI's 500 AMP carbon pile load tester is great for simulating actual cranking loads
- It tests 12 volt batteries rated as high as 1000 CCA or 160 AMP hour
- Quick 15 second test cycle with audible tone to indicate test completion
- Unit can also test alternators, regulators and starters
- Carbon pile load tester features 500 AMP side clamps and heavy-duty stranded copper cables
- The large, color-coded dual meters make the unit easy-to-use
- Also includes temperature compensation chart
- 1-year warranty; Repair or replace at discretion of repair center



KTI70215

Battery Tester 100 AMP

- Extremely handy and portable way to load test suspected low charging batteries
- Internal 100 AMP loading capacity
- Test 6- and 12-volt batteries
- Tool checks battery voltage, starter current draw, charging voltage and battery condition
- Features extra-heavy nickel-plated ventilated case, heavy-duty cable, copper-plated clamps, and load safety switch to prevent arcing
- 1-year warranty; Repair or replace at discretion of repair center



KTI70216

Digital Battery Tester 125 AMP


- Extremely handy and portable way to load test suspected low charging batteries
- Internal 125 AMP loading capacity. Digital voltage indicator with LED battery status
- Tests 12-volt batteries on or off the vehicle. Load safety switch prevents arcing
- Features extra-heavy nickel-plated ventilated case, heavy-duty cable, copper-plated clamps, and load safety switch to prevent arcing
- 1-year warranty; Repair or replace at discretion of repair center

BATTERY TESTERS AND BOOSTER CABLES



KTI74500 Economy 12' Battery Booster Cables 250 AMP - 10 Gauge

- 250 AMP 10 Gauge
 Durable rubber booster cables that resist extreme temperatures, oil and chemicals
- Light-duty
- 1-year limited warranty





KTI74510 Heavy-duty 16' Battery Booster Cables 400 AMP - 6 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Sixteen foot heavy-duty cables include side/top clamps and 6 gauge wires with 400 AMP clamps
- 1-year limited warranty



KTI74505 Medium-duty 12' Battery Booster Cables 250 AMP - 8 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Twelve foot medium-duty cables include side/top clamps and 8 gauge wires with 250 AMP clamps
- 1-year limited warranty





KTI74530 Professional 25' Battery Booster Cables 500 AMP - 2 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Twenty-five foot professional cables include parrot-jaw clamps and 2 gauge wires with 500 AMP clamps
- 1-year limited warranty



KTI74523 20' Heavy Duty

4 Gauge 500 Amp Clamps

- Booster cables have a tangle-free design
- Flexible to -40° Fahrenheit temperatures
- · Vinyl coated clamps help prevent rust and corrosion
- For side and top battery post



KTI74524 20' Heavy Duty

4 Gauge 400 Amp Clamps

- Booster cables have a tangle-free design
- Flexible to -40° Fahrenheit temperatures
- Vinyl coated clamps help prevent rust and corrosion
- For side and top battery post



KTI74521

Extra-Heavy-Duty 16' Battery Booster Cables 400 AMP - 4 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Sixteen foot extra-heavy-duty cables include side/top clamps and 4 gauge wires with 400 AMP clamps
- 1-year limited warranty

BATTERY TESTERS AND BOOSTER CABLES



KTI74308 Automotive OBD2 Connector - Computer

Memory Saver

- KTI's OBDII Memory Saver retains a vehicle's electronic memory presets (radio, GPS, seats and accessories) while the vehicle battery is disconnected
- OBDII cord connects to any 12V portable power source
- Memory Saver will not interfere with the vehicle's fault codes
- A visual LED indicator illuminates when cord is properly connected to power source to ensure no loss of electronic memory due to improper connection
- An extra-long 8-foot cord makes it easy to use on any vehicle
- 1-year limited warranty



KTI74536 400 Amp Booster Cable Replacement Clamps

- · Vinyl coated clamps help prevent rust and corrosion
- Sold in pairs



KTI74537 500 Amp Booster Cable Replacement Clamps

- · Vinyl coated clamps help prevent rust and corrosion
- Sold in pairs



KTI74538 800 Amp Booster Cable Replacement Clamps

- Vinyl coated clamps help prevent rust and corrosion
- Sold in pairs



KTI74535 Booster Cable Replacement Clamps 500 AMP Parrot Jaw

- Replacement side terminal extension cable clamps for professional grade booster cables
- Sold in pairs

KTI01651 Battery Clips 30 Amp - Qty 2



KTI70220 Battery Terminal Cleaner

 All metal battery terminal cleaner promotes longer battery life





KTI01611

10 Amp Alligator Clips - Qty 2

KTI02411 **Battery Terminal** Top Mount - Qty 2



KTI02421 **Battery Terminal** Side Mount - Qty 2



KTI02431 **Battery Terminal Heavy Duty Side Mount - Qty 2**



KTI02441 **Battery Terminal Heavy Duty Top Mount - Qty 2** KTI02451 **Battery Terminal Heavy Duty Top Mount Marine - Qty 2**

KTI02461 **Battery Terminal Side Mount Charging Post - Qty 2**



KTI02471 **Battery Terminal Side Mount** Adapters - Qty 2



KTI02481 **Battery Terminal Side Mount Charging Post Extenders - Qty 2**

KTI02491 **Battery Terminal Side Mount** Battery Bolt 3/8" - Qty 2




KTI02511 Battery Bolt and Nut 3/8" - Qty 2





VEHICLE SPECIALTY





Vehicle Specialty I Flaring Tools



KTI70081

Professional Brake Flaring Tool

- Easily form 45-degree double, single and bubble flares in OE steel, stainless steel, and soft metal tubing
- Use with 3/16"-, 1/4"-, 5/16"- and 3/8"-diameter lines
- All the brake-flaring forming dies are mounted right on the turret
- T-handle screw clamp securely holds line in place during forming
- · Vise-mounted
- 1-Year Warranty



Hydraulic Flaring Tool Kit

- Create precision 45 degree double, single and bubble flares in seconds
- Brake flaring tool works with stainless steel, steel, and soft metal tubing
- Use for brake lines, transmission cooler lines, and fuel lines
- Kit contains: brake flare forming tool, 3/16" and 1/4" tube retaining dies, adapters, handle, user manual, and storage/carrying case

Hydraulic flaring tool kit can be used for brake lines, transmission cooling lines and fuel lines. Works with stainless steel, steel and soft metal tubing.

Warranty: 1 year on material and workmanship



KTI70085

ISO Flaring Tool

- · Creates an ISO flare on brake lines without removing them from the vehicle
- Works on mild steel tubing (1.0 mm wall thickness)
- Packaged in blow-molded case Weight: 2.8 lbs.

Kit includes yoke assembly, flaring bar, gauge/wrench and four adapters (4.75 mm 6 mm, 8 mm and 10 mm).







KTI70060

Double Flaring Tool

- · Specially designed for double or single flare in copper, aluminum or soft steel brake line and brass tubing
- Includes seven adapters in sizes ranging from 3/16"-5/8"
- · Packaged in blow-molded case
- · Adapters available individually
- Weight: 2.25 lbs.

KTI70060-1 - Wing Nut KTI70061 - 3/16" Adapter

KTI70066 - 1/2" Adapter KTI70067 - 5/8" Adapter KTI70068 - Flaring Press

KTI70069 - Sizing Clamp

KTI70065 - 7/16" Adapter

KTI70062 - 1/4" Adapter KTI70063 - 5/16" Adapter KTI70064 - 3/8" Adapter



KTI70080

Double Flaring Tool

- · Professional double flare tool kit for fabricating double-compression lines (brake lines) or single-compression lines (fuel lines) in copper, steel, or aluminum
- · Kit features high-grade, alloy steel center screw; plated, heat-treated, precision-ground swivel, and drop-forged, heat-treated yoke
- · Each adapter is laser engraved for easy identification
- · Packaged in a blow molded case

VEHICLE SPECIALTY

Vehicle Specialty I Brake



KTI70131

Brake Spring Pliers

• For taking off and re-installing the heavy center springs





KTI70132

Brake Spring Tool

• For taking off and re-installing the heavy center springs







KTI22802

3-Piece Brake Service

Torq Socket Set - 3/8" Drive

- Set includes T-40, T-45 and T-50 Torq bits
- · Use on disc brake calipers to remove and install brake pads
- · Bits are heat treated and precision machined

Set includes (also available individually):

KTI22840 - T40 torq socket **KTI22845** - T45 torq socket **KTI22850** - T50 torq socket



KTI27902

3-Piece Brake Caliper Hex Bit Set Metric - 3/8"Drive

- Set includes 7mm, 8 mm, 10 mm hex bits
- Use on disc brake calipers to remove and install brake pads
- · Bits are heat treated and precision machined

Set includes (also available individually):

KTI27907 - 7mm hex bit KTI27908 - 8mm hex bit

KTI27910 - 10mm hex bit









KTI22902

3-Piece Brake Caliper Hex Bit Set SAE - 3/8" Drive

- Set includes 1/4", 5/16", 3/8" hex bits
- Use on disc brake calipers to remove and install brake pads
- Bits are heat treated and precision machined

Set includes (also available individually):

KTI22908 - 1/4" hex bit KTI22910 - 5/16" hex bit KTI22912 - 3/8" hex bit







KTI70163

Disc Brake Piston tool

- Rotates pistons back into brake calipers when replacing brake pads on vehicles with rear wheel disc brakes
- Provides 6-drive pin configurations to fit most Chrysler, Ford and GM cars and light trucks
- 3/8" square drive





KTI72261

Automotive Test and Bleed Kit

- Brake bleeder and auto tune-up kit
- Allows a single technician to quickly and cleanly bleed automotive brake and hydraulic clutch systems
- Technician can get answers to hundreds of automotive diagnostic and mechanical tests
- Powerful piston-style pump features a one-finger trigger vacuum release patented contoured molded grip and durable, lightweight, non-corrosive PVC construction
- Integrated diaphragm-style gauge displays Hg and kpa units and can be easily read by either right- or left-handed users
- 1 Year Warranty on material and workmanship

Kit contains pump and all components needed for one-person operation.



KTI70816

Digital Disc Brake Caliper 0-6"

- Digital display from 0-6" (150 mm)
- Accuracy to plus/minus .001" (0.1 mm)
- · Stainless steel construction and shockproof
- Thumb wheel for accuracy and ease of use
- English/metric readout







Brake Bleeder Screws / Copper Washers				
Part #	Description			
KTI04033	Brake Bleeder Screws Ford Truck 3/8-24 Long	5		
KTI04034	Brake Bleeder Screws GM, Ford, Chrysler Cars 3/8-24	5		
KTI04035	Brake Bleeder Screws GM Cars 1/16-24	5		
KTI04036	Brake Bleeder Screws GM Cars M10 x 1.0	5		
KTI04037	Brake Bleeder Screws Chevy, Chrysler, Import Cars M10 x 1.0	5		
KTI04038	Brake Bleeder Screws Ford Truck 7/16-20	5		
KTI04039	Brake Bleeder Screw Repair Insert 1/4-18 NPT	5		
KTI04039R	Brake Bleeder Screw Repair Insert 1/8-27 NPT	5		
KTI04040	Brake Bleeder Copper Washers 29/64 I.D 11/16 O.D.	5		
KTI04041	Brake Bleeder Copper Washers 25/64 I.D 5/8 O.D.	5		
KTI04042	Brake Bleeder Copper Washers 7/16 I.D 13/16 O.D.	5		

VEHICLE SPECIALTY



KTI00001

27 Piece Metric Brake Adapter Kit

- Multi-compartment plastic storage case
- Includes wide range of products
- Contains product assortment map
- Includes most popular sizesEasily moves from job to job

This 27-piece kit contains components ranging in nine different sizes: F-3/16" M-M 10 x 1.0; F-3/16" M-M 11 x 1.0; F-3/16" M-M 12 x 1.0; F-3/16" M-M 13 x 1.0; F-3/16" 4.762 (3/16") M-M 10 x 1.25; F 3/16" (M10 x 1.0) M-M 13 x 1.5; F 3/16" (M10 x 1.0) M-M 11 x 1.5; and F 3/16" (M10 x 1.0) M-M 12 x 1.5.

KTI00002 20 Piece Master Cylinder Adapter Assortment

- Multi-compartment plastic storage caseIncludes wide range of products
- Contains product assortment mapIncludes most popular sizes
- Easily moves from job to job



This 20-piece kit contains components ranging in nine different sizes: F-3/16" M-M 10 x 1.0; F 3/16" (M10 x 1.0) M-M 13 x 1.5; F 3/16" (M10 x 1.0) M-M 11 x 1.5; and F 3/16" (M10 x 1.0) M-M 12 x 1.5.



KTI00005

64 Piece Brake Line Fitting Kit

- Multi-compartment plastic storage case includes wide range of products
- · Contains product assortment map
- Includes most popular sizes
- · Easily goes from job to job

This 64-piece kit includes brake line nuts and brake line unions in standard and metric sizes: Brake Line Nut 3/16", Brake Line Nut 1/4", Brake Line Nut (Long) 3/16", Brake Line Nut (Long) 1/4", Brake Line Nut 5/16", Brake Line Union 3/16", Brake Line Union 1/4", Brake Line Union 5/16", Metric Brake Line Nut 10mm x 1.0 Standard Flare, Metric Brake Line Nut 10mm x 1.0 Bubble Flare, Metric Brake Line Nut 3/8"-24 Bubble Flare, Metric Brake Union Nut 3/8"-24 for 7802 Nut, Metric Brake Union Nut 3/8"-24 for 7801 Nut, Metric Brake Union Nut 10mm x 1.0 for 7800 Nut.



KTI00047

95 Piece Brake Line Fittings Assortment

- A general assortment of tubes nuts, unions and adapters
- Fittings include applications for British, European and Japanese systems
- Brake fitting assortments make it easy for any repair shop to keep the most popular fittings on hand and organized
- Save time and increase productivity
- Packaged in a refillable, multicompartment case featuring an easy-to-use product identification map





30 Piece Brake Bleeder Screw and Washer Assortment

- Multi-compartment plastic storage case
- Includes wide range of product
- Contains product assortment map
- Includes most popular sizes
- Easily goes from job to job

Kit Includes Brake Bleeder Screws and Brake Bleeder Copper Washers in different sizes: Brake Bleeder Screws Ford Truck 3/8-24 Long, Brake Bleeder Screws GM, Ford Chrysler Cars 3/8-24, Brake Bleeder Screws GM Cars 1/16-24, Brake Bleeder Screws GM Cars 1/16-24, Brake Bleeder Screws GM Cars M10 x 1.0, Brake Bleeder Screws Chevy, Chrysler, Import Cars M10 x 1.0, Brake Bleeder Screws Ford Truck 7/16-20, Brake Bleeder Screw Repair Insert 1/8-27 NPT, Brake Bleeder Copper Washers 29/64 I.D. 11/16 0.D., Brake Bleeder Copper Washers 7/16 I.D. 13/16 0.D.



KTI00048

86-piece Master Brake Fittings Assortment

- Consists of 20 different types of tube nuts and unions
- Works on most import and domestic brake lines
- Fittings include application for British, European and Japanese vehicles



KTI00049

3/16" Master Fittings Assortment

 Master Brake Line Assortment plus 25' length of 3/16" copper-nickel brake line



Master Fittings Assortment

 Master Brake Fitting Asst plus 25' length of 3/16" and 25' length of 1/4" copper-nickel brake line

Vehicle Specialty I Brake



Copper-nickel brake lines are easy to bend, corrosion resistant and provide an excellent flare



PVF (poly vinyl fluoride) coated lines feature 30X corrosion resistance over plain galvanized lines. PVF coated lines provide significant protection against all road elements.

Brake Line - Copper Nickel / Galfan Coated / PVF Coated Quantity				
Part #	Description	Qty.		
KTI03970	Brake Line - Copper Nickel 3/16" - 25'	1		
KTI03971	Brake Line - Copper Nickel 1/4" - 25'	1		
KTI03963	Brake Line - Galfan Coated 3/16" x 25' Coil	1		
KTI03964	Brake Line - Galfan Coated 1/4" x 25' Coil	1		
KTI03965	Brake Line - Galfan Coated 5/16" x 25' Coil	1		
KTI03966	Brake Line - Galfan Coated 3/8" x 25' Coil	1		
KTI03967	Brake Line - PVF Coated 3/16" x 25' Coil	1		
KTI03968	Brake Line - PVF Coated 1/4" x 25' Coil	1		
KTI03969	Brake Line - PVF Coated 5/16 x 25' Coil	1		



Galfan coated brake lines provide extended corrosion and abrasion resistance by combining a hot dip coat of the alloy Galfan with an aluminum rich epoxy top coat.

Brake Line Fittings				
Part #	Description	Qty.		
KTI04023	3/16" Brake Line Nut 3/8"-24 Short Thread Inverted Flare	5		
KTI04024	3/16" Brake Line Nut 3/8"-24 Long Thread Inverted Flare	5		
KTI04025	1/4" Brake Line Nut 7/16"-24 Short Thread Inverted Flare	5		
KTI04026	1/4" Brake Line Nut 7/16"-24 Long Thread Inverted Flare	5		
KTI04027	5/16" Brake Line Nut 1/2"-20 Thread Inverted Flare	5		
KTI04008	3/16" Brake Line Nut Metric 10mm x 1.0 (Jap) Inverted Flare	5		
KTI04009	3/16" Brake Line Nut Metric 10mm x 1.0 (Eur) Bubble Flare	5		
KTI04010	3/16" Brake Line Nut 3/8"-24 (Brit) Bubble Flare	5		
KTI03972	3/16" Brake Line Nut Metric 11mm x 1.5 Bubble Flare	5		
KTI03973	3/16" Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5		
KTI03974	3/16" Brake Line Nut Metric 13mm x 1.5 Bubble Flare	5		
KTI03975	3/16" Brake Line Nut 9/16"-18 Inverted Flare	5		
KTI03976	1/4" Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5		
KTI03977	3/16" Brake Line Nut Metric 10mm x 1.0 Long Inverted Flare	5		
KTI03978	3/16" Brake Line Nut Metric 10mm x 1.0 Bubble Flare	5		
KTI03979	3/16" Brake Line Nut 7/16"-24 Inverted Flare	5		
KTI03980	3/16" Brake Line Nut 1/2"-20 Inverted Flare	5		
KTI03984	6mm Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5		
KTI03985	6mm Brake Line Nut Metric 14mm x 1.5 Bubble Flare	5		







	Brake Line Adapters	
Part #	Description	Qty
KTI04000	Brake Master Cylinder Adapter 3/16" Male x 3/16" Female	5
KTI04001	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.0 Male Bubble Flare	5
KTI04002	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.0 Male Inv Flare	5
KTI04003	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 11mm x 1.5 Male Bubble Flare	5
KTI04004	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 12mm x 1.0 Male Bubble Flare	5
KTI04005	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x M13 x 1.5 Bubble Inv Flare	5
KTI04006	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.25 Male Bubble Flare	5
KTI04011	Brake Master Cylinder Adapter 3/16 (3/8"-24) Female x 1/4 (7/16"-24) Male Inv Flare	5
KTI04012	Brake Master Cylinder Adapter 1/4 (7/16"-24) Female Inv Flare x 3/16 (3/8"-24) Male Inv Flare	5
KTI04013	Brake Master Cylinder Adapter 1/4 (7/16"-24) Female Inv Flare x 5/16 (1/2"-20) Male Inv Flare	5
KTI04014	Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 1/4 Female (7/16"-24) Inv Flare	5
KTI04015	Brake Master Cylinder Adapter 5/16 (1/2"-20) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare	5
KTI04016	Brake Master Cylinder Adapter 3/16 (9/16"-20) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare	5
KTI04017	Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare	5
KTI04018	Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 3/16 (1/2-20) Female Inv Flare	5
KTI04019	Brake Master Cylinder Adapter 1/4 Male x 5/16 Female Inv Flare	5
KTI04020	Brake Metric Adapter 11mm x 1.5 Male Bubble Flare x 3/16 (10mm x 1.0) Female Inv Flare	5
KTI04021	Brake Metric Adapter 12mm x 1.0 Male Bubble Flare x 3/16 (10mm x 1.0) Female Inv Flare	5
KTI04022	Brake Metric Adapter 13mm x 1.5 Male Bubble x 3/16 (10mm x 1.0) Female Inv Flare	5



Brake Line Unions			
Part #	Description	Qty	
KTI04029	3/16" Brake Line Union 3/8"-24 Inverted	5	
KTI04030	1/4" Brake Line Union 7/16"-24 Inverted	5	
KTI04031	5/16" Brake Line Union 1/2"-20 Inverted	5	
KTI04007	3/16" Brake Union British to British Line 3/8"-24 Bubble Flare	5	
KTI04028	3/16" Brake Union Euro to Euro Line M10 x 1.0 Bubble Flare	5	
KTI04032	3/16" Brake Union Japan to Japan Line M10 x 1.0 Inverted Flare	5	

Vehicle Specialty I Tire & Wheel



KTI89001

Digital Tire Inflator Gauge

- Rugged die-cast body and a range of 2 to 150 psi with 0.1 psi resolution
- · Programmed to work with various units of measurement (psi/bar/kpa/kg/cm2) and works on TPMS equipped wheels
- Features include a large face LCD digital display, anti-oil rubber casting and ergonomic grip
- . Boasts a dual head chuck and is accurate to within $\pm 1\% + 0.5$ psi at 100psi and $\pm 2\% + 0.5$ psi at 150psi
- Backlit monitor is powered by two replaceable 3V lithium batteries
- 1-year warranty; Repair or replace at discretion of repair center



Tire Inflator Gauge with Dual-head Chuck

- Pressure range from 10 to 120 lbs. shown in 2 lb. increments, 15" air hose with 1/4" female NPT, 6" chrome-plated dual-head chuck and 3/8" - 24 thread air inlet
- · Inflator gauge boasts a weatherproof aluminum body with corrosion-resistant brass valve
- Rugged construction to withstand everyday use and abuse
- Two steel washers provide an air-tight seal
- Gauge and valve cartridges are replaceable
- Easy-to-read and easy-to-use, magnifying bubble lens allows full view of scale
- · Angled tip makes it easy to inflate tires on trucks with dual wheels
- 1-year warranty; Repair or replace at discretion of repair center

KTI89002 - Packaged in color box KTI89003 - Packaged in color slip card



KTI71940

4-way Lugnut Wrench - Fractional

- Sizes: 11/16", 3/4", 13/16" and 7/8"
 Drop-forged and heat-treated for strength and durability.
- Cross design provides improved leverage and extra torque.





KTI71980

4-way Lugnut Wrench - Metric

- Sizes: 17mm, 19mm, 21mm and 23mm
- Drop-forged and heat-treated for strength and durability.
- Cross design provides improved leverage and extra torque.





57-Piece Tire Repair Kit

- Easily and guickly repair punctures in tubeless tires
- Components designed for professional use in rugged shop environments
- Used to repair tires on cars, trucks, RVs, motor homes and more
- Includes: 2 heavy duty zinc alloy T-handles; 2 Allen wrenches; 1 steel insertion needle; 1 steel spiral reamer; 1 50-pack 4" tire string plugs; 1 tube of tire plug lube all in a blow-molded carrying case

KTI71931 - Replacement Steel Plunger with T-Handle

KTI71932 - Replacement Steel Reamer with T-Handle

KTI71933 - Replacement 4" Strip 50-pack

KTI71934 - Replacement Tire Plug Lube







Lugnut Removing Set

- Removes locking lug nuts and locking hubcaps on most vehicles
- For use with impact wrenches
- Packaged in blow-molded case





KTI71920

7-Piece Wheel Bearing Locknut Set

- Includes locknut sockets: 55 mm hex; 2-3/8" hex; 2-1/2" hex; 2-1/2" rounded hex; 2-3/4" rounded hex; 2-9/16" rounded hex; and 2-3/8" rounded hex.
- Packaged in blow-molded case.
- · Sockets available individually.

LIFETIME WARRANTY*

Set includes (also available individually):

KTI71921 - 55mm hex KTI71922 - 2-3/8" hex KTI71923 - 2-1/2" hex KTI71924 - 2-1/2" round hex

KTI71925 - 2-3/4" round hex KTI71926 - 2-9/16" round hex KTI71927 - 2-3/8" round hex



KTI35005

5-Piece Budd Wheel Socket Set

1" Drive

- · Remove both nut and stud with just one socket
- Use with 1" square drive impact wrench
- Set includes 33mm, 35mm, 38mm, 41mm and 11/2" hex Budd wheel sockets

Set includes (also available individually):

KTI35233 - 33mm KTI35235 - 35mm

KTI35238 - 38mm KTI35241 - 41mm KTI35028 - 1-1/2" - 13/16"



LIFETIME WARRANTY*



Impact Budd Wheel Sockets

• Chrome moly steel, heat-treated, short overall length

3/4" Drive

KTI34026 - 13/16" Square

KTI34027 - 13/16" Square x 11/2" Hex

KTI39233 - 33mm Deep

1" Drive

KTI35026 - 13/16" Square

KTI35027 - 13/16" Sq. x 1½" Hex Limited

KTI33300 7-Piece 1/2" Drive **Thin Wall**

Protective Socket Set

- · Sockets made of chrome moly steel
- Complete set comes in a handy plastic case
- Set includes: 17mm blue color, 19mm gold color, 21mm red color, 13/16" purple color, 7/8" green color, 1" titanium color, 1-1/16" black color

Set includes (also available individually):

KTI33317	Thin Wall Protective Socket	17mm	Blue
KTI33319	Thin Wall Protective Socket	19mm	Gold
KTI33321	Thin Wall Protective Socket	21mm	Red
KTI33326	Thin Wall Protective Socket	13/16"	Purple
KTI33328	Thin Wall Protective Socket	7/8"	Green
KTI33332	Thin Wall Protective Socket	1"	Titanium
KTI33334	Thin Wall Protective Socket	1-1/16"	Black



ACC10-0314 4-Piece

AccuTorg® Set Application: Ford

Set includes (also available individually):

ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.





ACC10-0317

5-Piece AccuTorq® Set

Set includes (also available individually):

ACC10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.



7-Piece 1/2" Drive

Torque Extension Set

- For use with thin wall impact sockets.
- Prevent over torque of wheel nuts.
- Use with foreign or domestic cars and light trucks

Set includes (also available individually):

oot moladoo (d	noo avanabio marviadany,.
KTI33351	1/2" Drive Torque Extension
KTI33352	1/2" Drive Torque Extension
KTI33353	1/2" Drive Torque Extension
KTI33354	1/2" Drive Torque Extension
KTI33355	1/2" Drive Torque Extension
KTI33356	1/2" Drive Torque Extension
KTI33357	1/2" Drive Torque Extension



LIFETIME

WAITIN	41411
55 ft/lbs.	Red
65 ft/lbs.	Yellow
80 ft/lbs.	Green
100 ft/lbs.	Lt. Blue
120 ft/lbs.	White
140 ft/lbs.	Black
175 ft/lbs.	Orange



ACC10-0315

4-Piece

AccuTorq® Set

Application: Cars, Vans

and Light Trucks

Set includes (also available individually):

ACC10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.





LIFETIME WARRANTY*

ACC10-0319

9-Piece

AccuTorg® Set











ACC10-0321

8-Piece

AccuTorq® Set

Set includes (also available individually):

ACC10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft /lhs





ACC10-0324

5-Piece

AccuTorq® Set Application: Ford

Set includes (also available individually):

out mondou (diou avanabio marvidadily).				
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.





100 ft./lbs.

80 ft./lbs. 100 ft./lbs.

140 ft./lbs.

147 ft./lbs.

160 ft./lbs.

19mm 21mm

21mm 7/8"

21mm

22mm

ACC10-0326

6-Piece

AccuTorq® Set Application: Ford

Set includes (also available individually):

out morados (diso avanasio marvidually).					
ACC10-0308	Gray	1/2" drive			
ACC10-0310	Light Brown	1/2" drive			
ACC10-0311	Brown	1/2" drive			
ACC10-0313	Turquoise	1/2" drive			
ACC10-0328	Charcoal	1/2" drive			
ACC10-3898	Light Purple	1/2" drive			



Accutorq



ACC10-0322

10-Piece

AccuTorg® Set

Set includes (also available individually):

set iliciuues (aiso a	valiable illulviuua	шу <i>)</i> .		
ACC10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0312	White	1/2" drive	22mm	120 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC10-3899	Light Green	1/2" drive	24mm	140 ft./lbs.





ACC10-0323

10-Piece

AccuTorq® Set

Set includes (also available individually):

Set illeludes (also a	valiable illulviuud	any).		
ACC10-0327	Light Blue	1/2" drive	22mm	100 ft./lbs.
ACC10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.
ACC10-0329	Off White	1/2" drive	17mm	90 ft./lbs.
ACC10-0334	Light Yellow	1/2" drive	17mm	113 ft./lbs.
ACC10-0336	Orange	1/2" drive	22mm	75 ft./lbs.
ACC10-0340	Mud	1/2" drive	14mm	80 ft./lbs.
ACC10-0341	Quartz	1/2" drive	19mm	120 ft./lbs.
ACC10-0342	Light Tan	1/2" drive	19mm	90 ft./lbs.
ACC10-0343	Red Orange	1/2" drive	21mm	110 ft./lbs.
ACC10-3898	Light Purple	1/2" drive	22mm	160 ft./lbs.





ACC10-0450

4-Piece

AccuTorg® Set

Application: Deep Well Truck

Set includes (also available individually):

ACC10-0312 White 1/2" drive 22mm 120 ft./lbs. 140 ft./lbs. ACC10-0313 Turquoise 1/2" drive 7/8" ACC10-0328 1/2" drive 147 ft./lbs. Charcoal 21mm ACC10-3899 Light Green 1/2" drive 24mm 140 ft./lbs.





ACC20-4100 4-Piece Heavy-duty AccuTorg® Set 3/4" Drive

Set includes (also available individually):

ACC20-3918	Red	3/4" drive	1-1/4"	250 ft./lbs.
ACC20-3919	Brown	3/4" drive	33mm	475 ft./lbs.
ACC20-3920	Black	3/4" drive	1-1/2"	475 ft./lbs.
ACC20-3921	Yellow	3/4" drive	13/16"	475 ft./lbs.





ACC20-4000

4-Piece Heavy-duty AccuTorg® Set

1" Drive

Set includes (also available individually):

ACC20-3908	Red	1" drive	1-1/4"	250 ft./lbs.
ACC20-3909	Brown	1" drive	33mm	475 ft./lbs.
ACC20-3910	Black	1" drive	1-1/2"	475 ft./lbs.
ACC20-3911	Yellow	1" drive	13/16"	475 ft./lbs.





ACC10-0455

5-Piece

AccuTorq® Set

Application: Light Truck

Set includes (also available individually):

001 111014400 (4100	aranabio intarriae			
ACC10-0312	White	1/2" drive	22mm	120 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.
ACC10-3898	Light Purple	1/2" drive	22mm	160 ft./lbs.
ACC10-3899	Light Green	1/2" drive	24mm	140 ft./lbs.



ACC10-0103

Torque Chart

Easy-to-read, color-coded torque chart. Lists applications for most foreign and domestic vehicles.







ACC20-3100

4-Slot Heavy-Duty Storage Bracket

Heavy-duty wall bracket for convenient storage of heavy-duty torque sockets

ACC10-0100

5-Slot Storage Bracket





	1/2" Drive			3/4" Drive	
Part #	Size/Torque Rating	Color	Part #	Size/Torque Rating	Color
ACC10-0340	14mm - 80 ft/lbs.	Mud (1)	ACC20-3904	1" - 175 ft/lbs. (Heavy-duty)	Orange (29)
ACC10-0304	17mm - 55 ft/lbs.	Green (2)	ACC20-3921	13/16" sq 475 ft/lbs. (Heavy-duty)	Yellow (30)
ACC10-0305	17mm - 80 ft/lbs.	Red (3)	ACC20-3918	1-1/4" - 250 ft/lbs. (Heavy-duty	Red (31)
ACC10-0329	17mm - 90 ft/lbs.	Off White (4)	ACC20-3919	33mm - 475 ft/lbs. (Heavy-duty)	Brown (32)
ACC10-0334	17mm - 113 ft/lbs.	Light Yellow (5)	ACC20-3920	1-1/2" - 475 ft/lbs. (Heavy-duty)	Black (33)
ACC10-0306	19mm - 65 ft/lbs.	Yellow (6)		1" Drive	
ACC10-0307	19mm - 80 ft/lbs.	Blue (7)	Part #	Size/Torque Rating	Color
ACC10-0342	19mm - 90 ft/lbs.	Light Tan (8)	ACC20-3911	13/16" sq 475 ft/lbs. (Heavy-duty)	Yellow (34)
ACC10-0308	19mm - 100 ft/lbs.	Gray (9)	ACC20-3908	1-1/4"- 250 ft/lbs. (Heavy-duty)	Red (35)
ACC10-0335	19mm - 110 ft/lbs Deep Well	Purple	ACC20-3909	33mm - 475 ft/lbs. (Heavy-duty)	Brown (36)
ACC10-0341	19mm - 120 ft/lbs.	Quartz Gray (10)	ACC20-3910	1-1/2"- 475 ft/lbs. (Heavy-duty)	Black (37)
ACC10-0309	21mm - 60 ft/lbs.	Black (11)	ACC20-3045	30mm - 330 ft/lbs. (Heavy-duty)	Unpainted (38)
ACC10-0310	21mm - 80 ft/lbs.	Light Brown (12)	ACC20-3055	30mm - 400 ft/lbs.	Unpainted (39)
ACC10-0311	21mm - 100 ft/lbs.	Brown (13)	ACC20-3056	30mm - 400 ft/lbs. (Heavy-duty)	Light Blue (40)
ACC10-0343	21mm - 110 ft/lbs.	Red Orange (14)	ACC20-3345	33mm - 330 ft/lbs. (Heavy-duty)	Unpainted (41)
ACC10-0328	21mm - 148 ft/lbs.	Charcoal (15)	ACC20-3360	33mm - 440 ft/lbs. (Heavy-duty)	Unpainted (42)
ACC10-3898	21mm - 160 ft/lbs.	Light Purple (16)	ACC20-3913	33mm - 550 ft/lbs. (Heavy-duty)	Greyline
ACC10-0337	22mm - 60 ft/lbs.	Dark Green (17)	ACC20-3914	33mm - 550 ft/lbs. (Heavy-duty) Extended Depth	Greyline
ACC10-0336	22mm - 75 ft/lbs.	Orange (18)	ACC20-4155	41mm - 400 ft/lbs. (Heavy-duty)	Unpainted (43)
ACC10-0327	22mm - 100 ft/lbs.	Light Blue (19)			
ACC10-0312	22mm - 120 ft/lbs.	White (20)		Accutorq	
ACC10-0313	22mm - 140 ft/lbs.	Turquoise (21)	Limiting Sockets		
ACC10-0338	22mm - 110 ft/lbs.	Copper (22)	Made of specially	y heat treated Swedish spring steel, making AccuTor	q® the most

Pink (23)

Purple (25)

Tan (26)

Olive (27)

Burgundy (28)

Light Green (24)

ACC10-0339

ACC10-3899

ACC20-3900

ACC20-3901

ACC20-3902

ACC20-3903

22mm - 154 ft/lbs.

24mm - 140 ft/lbs.

1-1/16" - 140 ft/lbs. (Medium-duty)

1-1/8" - 140 ft/lbs. (Medium-duty)

1-1/4" - 140 ft/lbs. (Medium-duty)

1" - 140 ft/lbs.

Made of specially heat treated Swedish spring steel, making AccuTorq® the most accurate torque socket in the world. Patented AccuTorq® strobe marks stop turning at precisely the correct torque EVERY time. There is NO guess work and no recalibration. Solid one-piece construction of AccuTorq® automotive and commercial truck sockets eliminates the wide torque variances unavoidable with socket extensions and adapters. Features deep well sockets for those special applications where regular socket depth is just not enough. AccuTorq®'s ultrasonic inspection of EACH socket and its ISO 9001 quality certification of manufacturing processes, make it possible for each AccuTorq to come with a lifetime guarantee. Made in Sweden.

Vehicle Specialty I **Steering & Suspension**





KTI70300

Pulley Puller and Installer Set

- · Complete set removes and installs most power steering and alternator pulleys on domestic vehicles
- Works with traditional V-shaped pulleys and serpentine belt system pulleys
- Packaged in blow-molded case
- Weight: 1.85 lbs



KTI70350

LIFETIME WARRANTY*

Long-Jaw Reversible Puller

- Five-ton reversible puller easily removes and installs pressed-on power steering, alternator and air pump pulleys
- Includes five-ton reversible puller that can be used as two or three-jaw puller in eight different combinations









KTI70330 Steering Wheel Puller

Pulls steering wheels on most common makes of automobiles and light/medium duty trucks

- . Tool designed to avoid damage to steering shaft threads
- Includes five sets of side bolts
- . Made in the U.S.A.

KTI70348

Steering Wheel Puller

 Puller specially designed to prevent damage to steering shaft threads



KTI70360

Pitman Arm Puller

- Removes full-size Pitman arms from most cars and light trucks
- Features drop-forged frame and carbon-steel drive screw
- Opening: 1-5/16" (33 mm)
- Pull: 2-1/2" (64 mm)
- Weight: 1.85 lbs.

LIFETIME WARRANTY*



KTI70365

Pitman Arm Puller

U.S.-Made

- Provides steady, smooth pull of a screw-type puller needed when tackling tougher, bigger jobs
- Features heat-treated center screw and heat-treated, alloy steel, heavy-duty yoke
- Weight: 2.1 lbs.







KTI70372

Universal Strut Spring Compressor

- · Services a wide range of MacPherson struts without the need to use special adapter shoes
- Jaws are held in place by safety lock pins
- Tool can be driven by hand or with an impact wrench
- Compresses springs ranging from 4"-9" O.D. with wire diameters of 7/16"-11/16"
- Packaged in blow-molded storage case
 Weight: 21 lbs.







Tie Rod End Tool

- · Inexpensive and effective way to turn smooth tie rod ends
- · Able to remove the inner tie rod without removing the outer tie rod
- Excellent for repairing rack seals
- Simply slide the tool over the end and tighten the



KTI81995

KTI81996

Tie Rod Separator Air Chisel

• Pneumatic Bit, 21/32" Tie Rod Separator for .401 Shank Air Hammers



LIFETIME

• 15/16" Ball Joint Separator for .401 Shank Air Hammers



- · For removing and replacing ball joints
- Remove and replace universal joints by using the C-Frame press
- Includes one live center forcing screw, receiver tubes, and removing/installing adapters
- Packaged in a red blow-molded case for storage and carrying

Ball joint service tool and master adapter contains: all new receiver tubes and removing/installing adapters required to work on a press-fit upper and lower ball joints on most Ford, GM, and Dodge 2 and 4 wheel drive pickups, vans and sport utility vehicles through 1997.



Tie Rod and Ball Joint Separators KTI71501



- Use to replace worn out tie rods and separate shock absorber links
- Tine opening: 11/16" Overall length: 15-3/4"

KTI71502

- Use to replace worn out ball joints and remove CV drive shafts on FWD vehicles
- Tine opening: 15/16" Overall length: 11-3/4"

KTI71555 **Ball Joint Master Service**



 Works on press fit upper and lower ball joints





KTI71550

4-in-1 Ball Joint

Service Set

- Removes and installs press fit parts, such as ball joints, universal joints and truck anchor pins without makeshift techniques
- Takes out even rusted and corroded parts
- Includes three receiver tubes (2-3/4" ID x 3" OD, 2-1/4" ID x 2-1/2" OD and 1-3/4" ID x 2" OD)



KTI70500

LIFETIME WARRANTY*

Heavy-duty 10 lb. Dent Puller Kit

- Kit contains 10 lb. slide hammer, two pipes (two-hole and hex nut), and chain with hook and five-plate puller attachments
- Packaged in blow-molded case



Vehicle Specialty I Steering & Suspension



KTI70510



- Easily removes flange-type axles, oil seals, bearings and other press fit parts
- Includes: 5 lb. slide hammer; 8-function/3-jaw puller; 2-jaw puller; puller hook; rear axle puller; dent puller; and grip wrench adapter



KTI70370 MacPherson Strut **Spring Compressor**

- Works with most MacPherson strut assemblies to guickly assist in replacement of bent struts, strut tubes and damaged filters while on or off the vehicle
- Tool manufactured with Acme threaded screw for durability
- · Fits most automobiles, but should not be used on GM "A," "C," "J" or "X" body cars
- Weight: 7 lbs.

KTI70371 **MacPherson Heavy-Duty Strut** Spring Compressor

- . Works with most MacPherson stru assemblies to quickly assist in replacement of bent struts, strut tubes and damaged filters while on or off the vehicle
- LIFETIME
- · Tool manufactured with Acme threaded screw for durability
- · Fits most automobiles, but should not be used on GM "A," "C," "J" or "X" body cars
- · Weight: 7 lbs.

KTI70375 **Coil Spring Compressor**

- · Single action tool boasts strong, steel jaws that securely hook into coil springs for their removal and installation
- · Works with most domestic and some imported vehicles
- · Should not be used on MacPherson struts
- Weight: 3.5 lbs.



Vehicle Specialty I **Drive Shaft & Axle**



KTI70390

MEGAHAMMER® 3-Piece Set

- Saves time and money while servicing 3/4 and 1 ton Chevrolet and Dodge pickups with Dana axles
- Unique 4-6-8 bolt head will accommodate most trucks
- · Removes seized hubs & rotors
- Eliminates damage removing captured rotors
- · Cut the job in half

The MEGAHAMMER™ is the ultimate contender for all your tough jobs. A must have tool to service all 4 - wheel drive vehicles with captured rotors. Use it for: Rotor Replacement, Hub and Bearing Work, Axle Service, and Ball joint service.

Over the years rust and corrosion will build up and make removal of a seized bearing assembly almost impossible. Technicians are left with little recourse other than time consuming and labor-intensive measures to attempt to remove the seized bearing assembly. Most methods of removal employed today risk damaging the vehicle which in turn will increase repair costs.



The MEGAHAMMER™ tool's unique, patented design cuts repair time in half by employing a less labor-intensive process and greatly reduces the risks of damaging the vehicle. The size and capabilities of MEGAHAMMER™ make even the most formidable jobs seem easy. Many shops will not provide service to 4-wheel drive vehicles with captured rotors because of the costs and risks involved.

Replacement parts:

KTI70395 - Replacement Slide and Stop Assembly

KTI70396 - Replacement Hammer Assembly

















CAUTION: Lock nut on hub removal tool must be tight to protect against thread damage. Slide shaft thread to be engaged into base late thread so it is flush with inside edge of base plate thread. Use countersunk holes ONLY for proper grip on studs. Use outboard support to help prevent tool and wheel assembly from dropping to floor. Do not stand behind tool when in use. Tool is heavy. Use extreme caution when lifting. Keep extremities clear of pinch points. Always wear eye protection when using hub removal tool. Locking pin must be in place when not in use. Not responsible for damage to vehicle.

WARNING: Please follow instructions carefully to reduce risk of personal injury or possible damage to the vehicle.





KTI70390KIT

MEGAHAMMER® Hub Removal Kit

- · Removes seized bearing assemblies and associated components from a vehicle chassis for maintenance and repair
- Minimizes cost and potential damage
- Compatible with 3/4- and 1-ton American made trucks with 4-, 6- or 8-bolt patterns

MEGAHAMMER kit includes 4-, 6-, and 8-bolt head, slide and stop assembly and hammer assembly. 38" length. This kit also contains a 5-bolt head for servicing 1/2-ton Ford, GM and Dodge trucks, 8-bolt head for servicing Ford Super Duty F250/F350 4x4 trucks, and 6-bolt head for use primarily with Dodge Durango and Chevy Trailblazer. It will however, accommodate any 6-bolt patterns with bolt circle diameters from 4" up to 6.75".









1 YEAR WARRANTY*



KTI70397

MEGAHAMMER® 4-Bolt Head

- Primarily for use with Honda vehicles with 4-bolt patterns
- Will fit 4-bolt patterns with bolt circle diameters from 4.2" up to 5.26"



KTI70391

MEGAHAMMER® 5-Bolt Head • Services 1/2-ton Ford, GM and Dodge trucks

- 8" diameter, 17-1/2 lbs.



KTI70393 **MEGAHAMMER® 6-Bolt Head**

- For use primarily with Dodge Durango and Chevy Trailblazer
- It will, however, accommodate any 6-bolt patterns with bolt circle diameters from 4" up to 6.75"





KTI70392

MEGAHAMMER® 8-Bolt Head

- Services Ford Super Duty F250/F350 4x4 trucks
- 8" diameter, 28-1/2 lbs.





KTI70394 **MEGAHAMMER®**



- Services 3/4- and 1-ton American made trucks with 4-, 6- or 8-bolt patterns
- 8" diameter, 17-1/2 lbs.





KTI70356

Pilot Bearing Slide Hammer

- · Center rod spreads forged steel jaws, pushing them out against the bearing for quick and easy removal of bearings and other parts located in tight spaces
- Spread: 1/2" to 1-1/2"
- · Weight: 3.7 lbs



KTI70343

Harmonic Balancer Installer

- Easily installs balancers and drive pulleys that are pressed on the crankshaft
- Includes eight threaded adapters: 7/16"-20; 1/2"-20; 9/16"-20; 5/8"-20; 3/4"-16; M12-1.5; M14-1.5; and M16-2.0
- · Comes in a blow molded case
- Weight: 2.7 lbs.





KTI70382


Bearing Separator 0 to 4-1/4"

- · Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach
- Designed to reduce risk of damage to part
- · Flush knife-edge blades get behind work where most puller jaws cannot fit or grip
- •Manufactured with high quality, heat treated steel. Spread: 0"-4-1/4"
- Threaded holes: 5/8"-18"

KTI70383 **Puller and Bearing** Separator 0 to 2-1/4"

- · Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach
- Designed to reduce risk of damage to part
- Flush knife-edge blades get behind work where most puller jaws cannot fit or grip
- Manufactured with high quality, heat treated steel. Spread: 0"-2-1/4"
- Threaded holes: 3/8"-16"

KTI70384 **Puller and Bearing** Separator 0 to 4-1/4"



- Designed to reduce risk of damage to part
- · Flush knife-edge blades get behind where most puller jaws cannot fit or grip
- · Manufactured with high quality, heat treated steel
- Spread: 0"-4-1/4"
- Threaded holes: 5/8"-18"











Vehicle Specialty I **Engine Mechanical**



Adjustable Oil Filter Wrenches

- Removes oil filters in hard to reach areas
- · Tool features a swivel heat treated handle for easy access and durability and a unique yolk and link assembly for positive grip on filter

KTI73601 - Oil Filter Wrench Adjustable from 2-7/8" to 3-1/4"

KTI73602 - Oil Filter Wrench Adjustable from 3-7/16" to 3-3/4"

KTI73603 - Oil Filter Wrench Adjustable from 4" to 4-3/8"

KTI73605 - Oil Filter Wrench for Trucks Adjustable from 4-5/16" to 4-3/4"

KTI73606 - Oil Filter Wrench for Trucks Adjustable from 5-14" to 5-3/4"



KTI73600

LIFETIME WARRANTY*

- Vinyl handle that provides strength and better grip, and swivel movement to clear obstructions
- · A wide studded band prevents crushed filters
- Mechanics who demand a tough and durable product can count on the 4-in-1's stainless, plated and easily interchangeable steel bands
- Includes bands sized from 2-3/8"-4-3/8" (61 mm-111 mm)



KTI73730

Filter Wrench Nylon Strap

- Fits all oil, air and fuel spin-on filters up to 6" diameter
- Tool can be turned by a 1/2" square drive ratchet or a 3/4" open end wrench

KTI73731

Heavy-duty Filter Wrench Nylon Strap

- Designed for high torque requirements of truck filters
- Forged steel handle, and extra length, sturdy strapping
- · A no-strip strap grips filters tightly
- Wrench adapts to spin filters up to 9"





- Self adjusting spring action allows for a full range of filter applications
- Heavy-duty forged handles with textured grip for strength and leverage
- Use with 2-1/4" 6" filters.



Spring Loaded Truck/Tractor Filter Plier

- Truck and tractor filter pliers are capable of removing all agricultural and construction equipment and automotive canister-type filters
- They are ideal for loosening over-tightened or seized filters, providing superior leverage for high-torque applications
- Spring-loaded truck and tractor filter pliers work on auto filters as well as Cummins diesel filters
- Forged jaws and extra teeth ensure a strong, sure grip range 4" to 7"
- 17" extended-reach handles allow users to access the toughest areas



KTI73635

17 Piece Master Oil Filter Wrench Set

- 3/8" drive cap oil filter wrenches.
- Fits 95% of domestic and import automotive applications.
- Complete set comes in a handy 10" x 13" plastic case.
- Kit includes: 80mm 15 flutes, 82mm 15 flutes, 86mm 14 flutes, 65/67mm 14 flutes, 68mm 14 flutes, 73/74mm 14 flutes, 64/65mm 14 flutes. 74/76mm 15 flutes. 76mm 14 flutes. 93mm 15 flutes. 76mm 30 flutes, 86mm 16 flutes, 88.4mm 15 flutes, 93mm 36 flutes, 93mm 45 flutes, 96mm 18 flutes, 100mm 15 flutes.





Cap Filter Wrenches


Cap style design allows easy removal and installation from the end of the filter, even in tight locations. Use with 3/8" square drive.



KTI73607	Cap Filter Wrench 80mm 15-flute
KTI73608	Cap Filter Wrench 82mm 15-flute
KTI73609	Cap Filter Wrench 86mm 14-flute
KTI73610	Cap Filter Wrench 65/67mm 14-flute
KTI73611	Cap Filter Wrench 68mm 14 flute
KTI73612	Cap Filter Wrench 73/74mm 14 flute
KTI73613	Cap Filter Wrench 65mm 14 flute
KTI73613N	Cap Filter Wrench 64/65mm 14 flute
KTI73614	Cap Filter Wrench 74/76mm 15 flute
KTI73615	Cap Filter Wrench 76mm 14 flute
KTI73616	Cap Filter Wrench 93mm 15 flute
KTI73617	Cap Filter Wrench 76mm 30-flute
KTI73623	Cap Filter Wrnch 86mm 16 flute
KTI73624	Cap Filter Wrench 88.4mm 15 flute
KTI73625	Cap Filter Wrench 93mm 36 flute
KTI73626	Cap Filter Wrench 93mm 45 flute
KTI73627	Cap Filter Wrench 96mm 18 flute
KTI73628	Cap Filter Wrench 100mm 15 flute

KTI73630 Oil Filter Wrench Toyota/Lexus





- 64.5mm diameter with 14 flutes
- Use with 3/8" square drive
- Fits Toyota, Lexus, Scion, Honda and Nissan filters

Works on several models including, Toyota: Avalon 05-08, Camry 07-09, RAV4 06-08, Sienna 07-08 3.5L, Tundra 07-08 5.7L, Corolla, Matrix 09-10, Scion CD 08-10, Truck 07-10 & Lexus: GS, IS, LC 06-10, ES, RX 07-10. Also fits the following filters: Honda filter #15400-PLM-A02 and Nissan filter #15208 65FOC.

LIFETIME WARRANTY*

Oil Filter Cap Sockets

Designed to handle a variety of applications, oil filter cap socket is rugged, laser marked and works even in confined areas. Use to remove housings with cartridge-type oil filters.

KTI73618 - Oil Filter Cap Socket 32mm

Applications: GM Ecotec 2.2L; Saturn: L-series (2001), Ion and Vue (2002-later); GM: Cavalier, Sunfire, Grand Am, Sonoma, S10, Allero (2002-later), Malibu (2002-2006); Pontiac: G6 and Solstice (2006); Chevrolet: HHR, Cobalt, Cobalt SS (2006); Saab: some models.

KT173619 - Oil Filter Cap Socket 35/36mm Applications: 6.0L Ford diesel; F250, F350, F450 pickups; Excursion.



KTI00009 60-Piece Drain Plug Gasket Kit Poly and Fiber

General purpose gasket kit includes the 7 most popular sizes of poly and fiber gaskets.



Part #	Description	Qty	Refill
KTI04134	1/2" Fiber Drain Plug Gasket	20	10
KTI04135	1/2" Poly Drain Plug Gasket	10	10
KTI04136	12mm Poly Drain Plug Gasket	10	10
KTI04137	14mm Poly Drain Plug Gasket	5	10
KTI04138	16mm Fiber Drain Plug Gasket	5	10
KTI04139	18mm Fiber Drain Plug Gasket	5	10
KTI04140	20mm Fiber Drain Plug Gasket	5	10

Vehicle Specialty I **Engine Mechanical**





Vacuum Caps					
Part #	Part # Description				
KTI04262	Vacuum Caps 3/16"	10			
KTI04263	Vacuum Caps 1/4"	10			
KTI04264	Vacuum Caps 5/16"	10			
KTI04265	Vacuum Caps 3/8"	10			
KTI04266	Vacuum Caps 1/8"	10			



	Vacuum Tees				
Part #	Description	Qty			
KTI04240	Vacuum Tees 1/8-1/8-1/8	10			
KTI04241	Vacuum Tees 3/16-3/16-3/16	10			
KTI04242	Vacuum Tees 1/4-1/4-1/4	10			
KTI04243	Vacuum Tees 5/16-5/16-5/16	10			
KTI04245	Vacuum Tees 3/16-3/16-1/8	10			
KTI04247	Vacuum Tees 3/16-3/16-1/4	10			
KTI04251	Vacuum Tees 3/16 x 3/16	10			
KTI04252	Vacuum Tees 1/4 x 1/4	10			
KTI04253	Vacuum Tees 5/16 x 5/16	10			
KTI04260	Vacuum Tees 4-Way 3/16	10			
KTI04261	Vacuum Tees 5-Way 3/16	10			





KTI00058

40-Piece Drain Plug Assortment

Contains 12 of the most popular drain plugs which provides excellent coverage for most domestic and imported cars and light trucks. Application guide is included. Gaskets sold separately. Drain plug assortments make it easy for any repair shop to keep the most popular drain plugs on hand and organized.

Part #	Description	Qty	Refill
KTI04120	Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5
KTI04121	Drain Plug 14mm-1.50 Pilot Point with Gasket	3	5
KTI04123	Drain Plug 14mm-1.50 Pilot Point with Gasket	5	5
KTI04124	Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5
KTI04126	Drain Plug 14mm-1.50 Pilot Point with Gasket	3	5
KTI04188	Drain Plug 12mm-1.25 Standard Zinc	3	5
KTI04189	Drain Plug 12mm-1.75 Pilot Point	3	5
KTI04190	Drain Plug 14mm-1.50 Standard Zinc	3	5
KTI04193	Drain Plug 1/2-20 Pilot Point with Gasket	3	5
KTI04195	Drain Plug 14mm-1.50 Standard Zinc	3	5
KTI04196	Drain Plug 14mm-1.50 Pilot Point	3	5
KTI04198	Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5



KTI00059 27-Piece Drain Plug Assortment



Contains 9 popular oversize drain plugs and gaskets for the repair of stripped drain pan threads. Six sizes including single, double and triple oversize plugs. Includes fiber gaskets. Contains a total of 12 drain plugs and 15 gaskets.

Part #	Description	Qty	Refill
KTI04125	Drain Plug M14-1.50 Single Oversize	2	5
KTI04141	Fiber Gasket 1/2" Double Oversize	5	10
KTI04142	Fiber Gasket 1/2" Single Oversize	5	10
KTI04168	Fiber Gasket M14	5	10
KTI04181	Drain Plug 1/2" Single Oversize	2	5
KTI04182	Drain Plug 1/2" Double Oversize	2	5
KTI04183	Drain Plug 1/2" Triple Oversize	2	5
KTI04184	Drain Plug 1/2" Single Oversize Piggyback	2	5
KTI04185	Drain Plug 1/2" Double Oversize Piggyback	2	5







75-Piece Vacuum Tee Cap Kit

Small vacuum tee assortment kit includes five popular diameters for capping lines and hoses while testing emission control systems, vacuum lines, etc.. Contains 1/8", 3/16", 1/4", 5/16" and 3/8" diameter caps.

Part #	Description	Qty	Refill
KTI04262	Vacuum Cap 3/16"	25	10
KTI04263	Vacuum Cap 1/4"	10	10
KTI04264	Vacuum Cap 5/16"	10	10
KTI04265	Vacuum Cap 3/8"	5	10
KTI04266	Vacuum Cap 1/8"	25	10






KTI00042

56-Piece Vacuum Tee Kit

Entry level vacuum tee assortment includes 13 different sizes of tees. These hard connectors are used with the soft flexible tubing found on today's vehicles.


Part #	Description	Qty	Refill
KTI04240	Vacuum Tee 1/8"x 1/8"x 1/8"	5	10
KTI04241	Vacuum Tee 3/16"x 3/16"x 3/16"	5	10
KTI04242	Vacuum Tee 1/4"x 1/4"x 1/4"	4	10
KTI04243	Vacuum Tee 5/16"x 5/16"x 5/16"	3	10
KTI04245	Vacuum Tee 3/16"x 3/16"x 1/8"	5	10
KTI04247	Vacuum Tee 3/16"x 3/16"x 1/4"	4	10
KTI04251	KTI04251 Vacuum Connector 3/16" x 3/16"		10
KTI04252 Vacuum Connector 1/4" x 3/16"		5	10
KTI04253	Vacuum Connector 5/16" x 3/16"	5	10
KTI04260	Vacuum Tee 4-Way 3/16"	5	10
KTI04261	KTI04261 Vacuum Tee 5-Way 3/16"		10
KTI04262	KTI04262 Vacuum Cap 3/16"		
KTI04263	Vacuum Cap 1/4"	5	10





KTI70380

Rear Axle Bearing Puller Kit



- Set includes three sizes to service most domestic cars
- · Use with standard slide hammer



KTI70344

Harmonic Balancer Puller

- Pulls harmonic balances on most automobiles
- Tool can be used on flywheels, gears, pulleys and other parts with tapped holes
- Includes five sets of side bolts
- · Weight: 2.7 lbs.



KTI70355

Pilot Bearing Puller

- Use to remove fly wheel pilot bearings up to 7-1/2" long in tight spaces where a slide hammer just won't fit
- · Versatile tool also works as a bearing and bushing puller for generators and starters
- Spread: 1/2" to 1-1/2" I.D.
- · Weight: 2.3 lbs.







Reversible Puller 3"

KTI70301

2-Jaw 2-Ton 4" Spread 3-1/4" Reach

- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- · Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 4" Reach: 3-1/4"



KTI70303

Reversible Puller 4" 2-Jaw 5-Ton 6" Spread 3-1/4" Reach




- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 6" Reach: 3-1/4"



KTI70305

Reversible Puller 6" 2-Jaw 5-Ton 6" Spread 3-1/4" Reach



- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- · Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 6" Reach: 3-1/4"



KTI70302

Reversible Puller 3" 2- or 3-jaw 2-ton 4-3/4" Spread 3-1/2" Reach

- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 4-3/4". Reach: 3-1/2".





KTI70304

Reversible Puller 4" 2- or 3-jaw 5-ton 7" Spread 3-1/4" Reach

 Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one

Grip tightens as pressure is applied

- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 7". Reach: 3-1/4".





KTI70306

Reversible Puller 6" 2- or 3-jaw 5-ton 6" Spread 3-1/4" Reach

- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 6". Reach: 3-1/4".







Adjustable Puller 4"

- 2-jaw 2-ton 4" Spread 3-1/2" Reach
 Ideal for light duty gear pulling, such as electric motors and refrigeration applications
- Spread: 4". Reach: 3-1/2"
- Capacity: 2 tons.







KTI70313

Adjustable Puller 7"

2-jaw 5-ton 7" Spread 5-1/2" Reach

- Ideal for most medium duty gear pulling tasks
- Offers a wide range of reach. Spread: 7". Reach: 5-1/2". Capacity: 5 tons.







KTI70322

Reversible Puller 7"

2- or 3-jaw 5-ton 7" Spread 3-1/2" Reach

- Tool complete with versatile combination yoke that can be assembled to make either a 2-3 jaw puller
- Reversible jaws for internal or external pulls
- A 3-point pull provides extra power and stability when needed
- Spread: 7". Reach: 3-1/2". Capacity: 5 tons.







6" Spread 3-1/2" Reach

- Ideal for most medium duty gear pulling tasks
- · Designed for maximum utility
- Reversible jaws have a wide face on one end and a narrow face on the other
- Spread: 6". Reach: 3-1/2". Capacity: 5 tons.







KTI70321

Adjustable Puller 4"

3-jaw 2-ton 4" Spread 3-1/2" Reach

- Three jaws provide extra stability, making this puller ideal for light duty gear pulling applications
- Spread: 4". Reach: 3-1/2". Capacity: 2 tons.







KTI70323

Adjustable Puller 8"

2- or 3-jaw 5-ton 8" Spread 5-1/2" Reach

- Tool complete with versatile combination yoke that can be assembled to make either a 2-3 jaw puller
- A 3-point pull provides extra power and stability when needed
- Spread: 8". Reach: 5-1/2". Capacity: 5 tons.









KTI71100

Hose Pinch-off Pliers

- · Eliminates the need to drain coolant when servicing cooling systems
- Pliers squeeze shut heater or radiator hoses
- Jaws swivel for parallel clamping
- · Features automatic locking ratchet and can also be used with vacuum and fuel lines

KTI71103

2-Piece Flexible Line Clamp Set

- Squeezes heater, radiator, vacuum or any flexible hose to assist with repairs or problem diagnosis
- · Clamps lock in place
- · Set includes one large and one small clamp

Set includes (also available individually):

KTI71105 - small KTI71106 - large



KTI71108 Specialty Hose Clamp Plier



hose clamps to be applied or removed in confined areas

· Pincers are held parallel to the hose



KTI75320

4-Piece

Radiator Disconnect Tool Set

- · Set includes 4 sizes to depress clips ranging from 5/8" to 1"
- · Contains a GM-, Ford-, large- and extra-large radiator disconnect tools
- The tool is designed to completely fill the void in the connector to easily release the fastener
- Unique 40° offset design allows users to work around obstructions in tight spaces

Set includes (also available individually):

KTI75321 - Ford Disconnect Removal Tool

KTI75322 - GM Disconnect Removal Tool

KTI75323 - Large Disconnect Removal Tool

KTI75324 - X-Large Disconnect Removal Tool





KTI70600

Distributor Wrench

• Wrench is 3/8" drive and 1/2" x 9/16"



LIFETIME

LIFETIME WARRANTY*

KTI70732

Tru-Grip Serpentine Belt Tool

- Clamping jaw allows user to position serpentine belt without the belt slipping from the tool's grip
- Tru-grip and long reach allows belt routing in limited-access areas
- · Constructed of lightweight alloy steel for durability and strength
- · Ergonomic handle for comfort and ease of use

KTI70720

Serpentine Belt Tool

- · Removes and installs serpentine belts
- Releases tension on serpentine belts with spring loaded idler pullevs requiring a 15, 16 and 18 mm hex or 3/8 inch square drive
- · Provides extra coverage for most applications

Set includes (also available individually):

KTI70721 - Long Wrench KTI70722 - Short Wrench

KTI70723 - 13MM U-Type Wrench

KTI70724 - 14MM U-Type Wrench KTI70725 - 15MM U-Type Wrench KTI70726 - 15MM Socket KTI70727 - 16MM Socket

KTI70728 - 18MM Socket

LIFETIME KTI70730

Stretch Belt

Installation Tool

- · Stretch belt installation tool is ideal for installing newer, patented Gates Micro-V Stretch Fit belts
- · Stretch belts are found on many models of vehicles with drive systems that do not require a tensioner (i.e. power steering, air conditioning, water pumps)
- · Installs belts without twisting or breaking internal belt fibers
- · Durable construction features anodized aluminum body for corrosion resistance and a hardened steel pulley pivot

KTI70731

European Stretch

- **Belt Installation Tool**
- · Stretch belt installation tool is ideal for installing stretch belts
- For use on vehicles with larger pulleys primarily found on European vehicles
- · Stretch belts are found on many models of vehicles with drive systems that do not require a tensioner (i.e. power steering, air conditioning, water pumps)
- · Installs belts without twisting or breaking internal belt fibers
- Durable construction features anodized aluminum body for corrosion resistance and a hardened steel pulley pivot











150-piece Hitch Pin Assortment

- Assortment includes 150 hitch pins in six popular sizes from 5/32" x 2-15/16" to 3/32" x 1-3/16"
- Manufactured with chrome plated spring steel



Description	Qty	Description	Qty
5/32" x 2-15/16"	8	5/64" x 1-9/16"	25
9/64" x 1-3/4"	20	5/64" x 1-15/16"	30
7/64" x 1-5/8"	25	3/32" x 1-3/16"	42



KTI00072

300-piece E-clip Assortment

 Assortment includes 300 pieces in 9 sizes from 1/16" to 7/8"



Description	Qty	Description	Qty
1/16"	30	1/2"	40
1/8"	30	5/8"	40
3/16"	40	3/4"	40
1/4"	50	7/8"	40
3/8"	50		

KTI00075

555-piece Cotter Pin Assortment

• Assortment kit includes six popular sizes from 1/16" x 1" to 5/32" x 2-1/2"



Description	Qty	Description	Qty
1/16" x 1"	150	1/8" x 1-1/4"	75
3/32" x 1"	150	1/8" x 2"	50
3/32" x 1-1/2"	100	5/32" x 2-1/2"	30



10 Pack Blue A/C O-Rings

KTI04458 - Air Conditioning O-Rings (Blue) - Qty 10

KTI04471 - Air Conditioning O-Rings Compressor Switch Port/Oil Plug - Qty 10

KTI00078

144-piece Cotter Pin Assortment

 Assortment kit includes six popular products in six different sizes, ranging from 1/8" x 2" to 5/16" x 2-1/2"



Description	Qty	Description	Qty
1/8" x 2"	50	1/4" x 2"	20
5/32" x 2-1/2"	30	1/4" x 3"	16
3/16" x 3"	20	5/16" x 2-1/2"	8

KTI00077 300-piece Snap Ring

Assortment (18 different sizes)

 Assortment kit includes 300 pieces of six popular products in 18 different sizes, ranging from 1/8" to 1-1/4"

Description	Qty	Description	Qty
1/8"	20	1/2"	25
5/32"	10	1-1/8"	10
3/16"	15	9/16"	15
1/4"	25	5/8"	20
5/16"	15	3/4"	25
3/8"	20	13/16"	15
7/16"	15	7/8"	20
1-1/4"	5	1"	15
15/32"	15	1-1/16"	15



KTI00084 170-piece U-clip and Screw Assortment

• 170-piece U-clip and screw assortment kit includes nine popular products in variety of sizes

Description	Qty	Description	Qty
#6 x 5/16" (3 x 8mm)	40	#6 (3mm) *large	20
#8 x 5/8" (4 x 16mm)	20	#8 (4mm)	20
#10 x 1/2" (5 x 13mm)	15	#10 (5mm)	15
1/4" x 3/4" (6 x 19mm)	10	1/4" (6mm)	10
#6 (3mm) *small	20		



KTI00085 200-piece Hex

Washer Drill Assortment

• Kit includes eight popular sizes, ranging from #8 x 3/4" to to #10 x 1"

Description	Qty	Description	Qty
#8 x 3/4"	30	#10 x 1/2"	20
#8 x 1"	30	#10 x 5/8"	20
#8 x 1/2"	30	#10 x 3/4"	20
#8 x 5/8"	30	#10 x 1"	20



KTI00086 270-piece HNBR

O-Ring Assortment

• Includes wide variety of green 0-rings in 18 sizes used in A/C applications

Description	Qty	Description	Qty
7/32" x 1/16" (5.29 x 1.78)	20	7/16" x 5/64" (11.00 x 2.00)	15
1/4" x 1/16" (6.07 x 1.78)	20	1/2" x 5/64" (12.00 x 2.00)	15
9/32" x 5/64" (6.80 x 1.90)	20	3/8" x 5/64" (10.00 x 2.00)	10
5/16" x 1/16" (7.65 x 1.78)	20	9/16" x 1/16" (13.90 x 1.80)	10
5/16" x 5/64" (7.80 x 1.90)	20	9/16" x 3/32" (13.95 x 2.62)	10
5/16" x 5/64" (8.00 x 2.00)	20	5/8" x 5/64" (15.00 x 2.00)	10
11/32" x 5/64" (8.80 x 1.90)	20	11/16" x 5/64" (17.00 x 2.00)	10
7/16" x 1/16" (10.82 x 1.78)	15	11/16" x 1/16" (17.17 x 1.78)	10
7/16" x 3/32" (10.77 x 2.62)	15	11/16" x 1/8" (17.04 x 3.53)	10



KTI00089 110-piece

Copper Washer Assortment

• Kit includes six popular products, ranging from 1/4" to 5/8"

Description	Qty	Description	Qty
1/4"	30	7/16"	15
5/16"	25	1/2"	10
3/8"	20	5/8"	10



KTI00091 125-piece

Grommet Assortment

• Kit includes 18 popular products, ranging from 1/8"x 1/4" to 1"

Description	Qty	Description	Qty
1/8" x 1/4"	15	5/8" x 31/32"	3
7/32" x 5/16"	10	3/4" x 15/16"	2
9/32" x 1/2"	7	9/32"	20
1/2" x 19/32"	3	3/8"	20
3/8" x 15/32"	6	1/2"	10
3/8" x 1/2"	5	5/8"	5
5/16" x 9/16"	3	3/4"	4
3/8" x 13/16"	3	7/8"	3
7/16" x 3/4"	4	1"	2





KTI00095 419-piece Metric O-ring Assortment

• Huge assortment includes 32 different products, ranging in size from 3mm to 50mm ID

Description	Qty	Description	Qty
3mm x 1.5mm	20	20mm x 3.5mm	10
4.4mm x 2mm	20	22mm x 3.5mm	10
5mm x 2mm	18	23.5mm x 3.5mm	10
7mm x 1.5mm	23	25mm x 3.5mm	10
10mm x 1.5mm	23	26.5mm x 3.5mm	10
13mm x 1.5mm	23	28mm x 3.5mm	10
10mm x 2.5mm	14	30mm x 3.5mm	10
11mm x 2.5mm	13	31mm x 3.5mm	10
13mm x 2.5mm	14	33mm x 3.5mm	10
14mm x 2.5mm	13	34.5mm x 3.5mm	10
16mm x 2.5mm	14	36mm x 3.5mm	10
18mm x 2.5mm	14	38mm x 3.5mm	10
19mm x 2.5mm	13	41mm x 3.5mm	10
21mm x 2.5mm	14	44mm x 3.5mm	10
22mm x 2.5mm	13	47mm x 3.5mm	10
18mm x 3.5mm	10	50mm x 3.5mm	10

KTI00093 120-piece Roll Pin Assortment

• 120-piece roll pin assortment kit includes 30 of the most popular sizes

NETT 1 818"	MC188*			100'410"	118" + 818"
\$196" à 5"	100" 81-08"			hint's t	318" A 1"
HIE CHAFF	WALLEY.			BB0743-997	1007 a 1/100
Que non	Brig- t-mi-	1/4" 0 1/4" 1/4" 0 1/4"	10° + 10°	Op. san	dip fac
1947 1507	10071000	\$778" + 8"	99" V 8"	100°+10°	0/40" 4.5(4")
B/88" 0 198"	AME COM	1		\$118" + 5-56"	STATE OF
Sale and	5/46" a 210"			"REET a 1-10"	distant which the
001.110	discount.	Buckey	On ten	States.	On fac-



KTI00094 407-piece Universal O-ring Assortment

 407-piece universal O-ring kit. Huge assortment includes 32 different products, ranging in size from 1/8" to 2" ID and 1/4" to 2-1/4" OD



Description	Qty	Description	Qty
5/32" x 5/8"	4	3/8" x 3/4"	2
5/32" x 1"	4	3/8" x 1-1/2"	2
5/32" x 1-1/2"	4	3/8" x 2"	2
1/4" x 5/8"	4	3/32" x 5/8"	4
1/4" x 1-1/4"	4	3/32" x 1"	4
1/4" x 1-3/4"	4	3/32" x 1-1/4"	4
5/64" x 1/4"	4	7/32" x 5/8"	4
5/64" x 1/2"	4	7/32" x 1-1/4"	4
5/64" x 1"	4	7/32" x 1-3/4"	4
1/16" x 3/16"	4	1/8" x 5/8"	4
1/16" x 5/16"	4	1/8" x 1"	2
1/16" x 3/4"	4	1/8" x 1-1/4"	2
5/16" x 3/4"	4	3/16" x 5/8"	2
5/16" x 1-1/2"	4	3/16" x 1"	4
5/16" x 2"	4	3/16" x 1-1/4"	4

Vehicle Specialty I **Tubing, Cutting & Bending**



Tubing Bender Heavy-duty Pliers

• Bends 3/16", 1/4", 5/16" and 3/8" diameter copper and steel tubing without collapsing or kinking





KTI72345



KTI72355

Ratcheting Hose and Pipe Cutter

- . KTI's ratcheting hose and pipe cutting pliers accommodate a variety of materials up to 1-1/2" in diameter
- The ratcheting action makes cutting smooth and easy
- · A one-touch, quick release lever opens pliers instantly
- Built-in clasp securely locks handles when not in use for added safety
- Cuts industrial air hose, multipurpose hose, heater and washer vacuum hose, non-metallic fuel line hose, PVC pipe, battery cables and much more
- Lifetime warranty

Replacement parts:

KTI72355-1 - Replacement blade





KTI70715

Universal Nut Splitter

- Medium Duty Nut Splitter
- · Rugged drop forged frame
- Splits rusted or frozen nuts 1/8" to 15/16" across flats
- · Parallel action of pusher cracks nuts on one side without damage to bolt threads
- · Compound angle design with 360° rotating cutter allows use in difficult to reach locations

Cutters never touch the bolt. A few turns of power screw with a 3/4" hand wrench cuts nut for easy removal. Length: 6-1/4".



KTI00022

Retainer Clip

Quick Disconnect Kit - 60 Piece

• 60-piece quick disconnect repair clip assortment kit includes parts for GM, Ford and Chrysler vehicles



LIFETIME WARRANTY*

Description	Qty	Description	Qty
GM/Chrysler/Ford 3/8"	5	Chrysler 5/16"	5
GM/Chrysler/Ford 5/16"	5	Ford 1/2"	5
Ford 5/16"	5	Ford 10.5mm	5
Ford 3/8"	5	Ford 13mm	5
Ford 1/4"	5	GM/Ford 5/8"	5
Ford 5/16"	5	GM 3/4"	5

KTI72310 Tube Cutter Mini -

- Range 1/8" to 5/8" OD • Cuts 1/8" to 5/8" OD tubing
- Compact size for use in confined areas
- · Features rollers to ease operation





KTI72330 **Tubing Cutter Heavy-duty**

- Cuts 1/8" to 1-1/8" OD tubing
- Heavy-duty rollers smooth operation





KTI72320

Tubing Bender - U.S.-made


- Bends 3/16", 1/4", 5/16" and 3/8" diameter tubing
- Features aluminum mandrel







Vehicle Specialty I Inspection



- Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- Tool features an ergonomic grip, a bendable shapeable wire flex shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 21". Pull: 8 lbs.







KTI70903

Magnet Telescopic

Tool Straight 14lb. Pull

- Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 6-1/2" to 32". Pull: 14 lbs.







- Pocket size retriever features a telescoping shaft that extends from 5-1/4" to 24"
- Pull: 3-1/2 lbs.







- · Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- Tool features an ergonomic grip, a 180 swivel head, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 6-1/2" to 32". Pull: 14 lbs.







KTI70904

Magnet Telescopic

Tool Straight 5lb. Pull

- Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- . Tool features an ergonomic grip, a telescopic shaft, powdercoated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 6-1/2" to 32". Pull: 5 lbs.







KTI70909

Super-duty **Magnet Telescoping** Tool Straight 30lb. Pull

- · Super-duty retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- . Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 16" to 28". Pull: 30 lbs.







- Magnetic telescoping pickup tool extends from 5-1/4" to 22-3/4"
- Handy pocket-clip keeps the tool right at your fingertips!







- Tool goes where human eyes cannot
- Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience
- Rectangular mirror measures 1-1/4" x 2-1/4". Length: 6-1/2" to 32".







Mirror Glass

KTI70922

- Telescoping Tool Round
 Tool goes where human eyes cannot
- Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience
- Round mirror measures 3-3/4". Length: 20" to 31"







KTI70999

Magnetic Parts Dish Stainless Steel

 Keeps small parts from spilling. Round, non-rusting stainless steel dish measures 5-3/4" diameter



- Extendable magnetic pickup tool extends from 13" to 20"
- Telescoping shaft is capable of lifting 3.5 pounds
- There isn't a lost nut or bolt this tool can't pick up!





KTI70921

Mirror Glass Telescoping Tool Square

- Tool goes where human eyes cannot
- Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience
- Square mirror measures 1-3/4" x 1-3/4"
- Length: 6-1/2" to 32"







KTI70099

Two Way Radio

- 22 channels each with 38 privacy codes
- Up to 18 mile range
- Operating frequency 462.5625 MHz-462.7250 MHz
- Vox/DCM/Monitor/Scan/Squelch
- Roger beep & key tone on/off
- Adjustable volume control
- 5 ringing tones
- Key lock function
- Automatic battery save
- Ear/mic/charger jack
- Belt clip
- 1 Year Warranty on material and workmanship



Vehicle Specialty I Fuel



KTI75305 Mini Fuel Line Installation Tool

- Tool easily attaches all fuel line assemblies to original fuel lines
- Includes ratcheting 9/16" wrench
- Completely portable, moves from vehicle to vehicle
- · Designed to fit in tight work areas

Warranty information: One-year warranty.



KTI75310

2-Piece Universal Fuel Line Disconnect Set

- Designed to remove stubborn fuel lines from high-tech cars and trucks
- Constructed of aircraft-grade aluminum for durability, yet makes them extremely lightweight and easy to use
- The low-profile design provides access to the tightest spaces
- The opening at the widest point is 3/4" and narrows to only 1/8"
- Set features a 90° fuel line disconnect tool and a straight fuel line disconnect tool

Set includes (also available individually):

KTI75311 - 90 Degree Universal Tool, from 1/8" to 3/4" KTI75312 - Straight Universal Tool, from 1/8" to 3/4"





KTI04626

88-Piece Fuel Line Connector Assortment

- This kit contains everything you need to replace fuel line connectors on both steel and nylon line
- Assortment includes quick connectors (straight and 90°), brass connectors, compression unions, clamps, viton o-rings and connector removal tool

Part#	Description	Qty	Refill
KTI05100	Fuel Line Quick Connect Straight: F1/4 - M5/16	2	5
KTI05101	Fuel Line Quick Connect Straight: F5/16 - M5/16	2	5
KTI05102	Fuel Line Quick Connect Straight: F3/8 - M3/8	2	5
KTI05103	Fuel Line Quick Connect Straight: F5/16 - M3/8	2	5
KTI05104	Fuel Line Quick Connect Straight: F3/8 - M5/16	2	5
KTI05105	Fuel Line Quick Connect 90 Degree: F5/16 - M5/16	2	5
KTI05106	Fuel Line Quick Connect 90 Degree: F3/8 - M3/8	2	5
KTI05107	Fuel Line Quick Connect 90 Degree: F3/8 - M5/16	2	5
KTI05108	Fuel Line Quick Connect 90 Degree: F5/16 - M3/8	2	5
KTI05109	Fuel Line Connector Brass 1/4"	2	5
KTI05110	Fuel Line Connector Brass 5/16"	5	5
KTI05111	Fuel Line Connector Brass 3/8"	5	5
KTI05112	Brass Compression Union 1/4" Nylon to Nylon	2	5
KTI05113	Brass Compression Union 5/16" Nylon to Nylon	2	5
KTI05114	Brass Compression Union 3/8" Nylon to Nylon	2	5
KTI05115	Brass Compression Union 1/4" Nylon to Steel	2	5
KTI05116	Brass Compression Union 5/16" Nylon to Steel	2	5
KTI05117	Brass Compression Union 3/8" Nylon to Steel	2	5
KTI05118	Fuel Line Clamp 360 Degree 1/4"	5	10
KTI05119	Fuel Line Clamp 360 Degree 5/16"	10	10
KTI05120	Fuel Line Clamp 360 Degree 3/8"	10	10
KTI05186	Fuel System Connector Removal Tool 3/8" and 5/16"	1	5
KTI05257	Fuel Line Viton 0-ring 3/8"	10	10
KTI05259	Fuel Line Viton 0-ring 5/16"	10	10



KTI75300

Fuel Line Quick Disconnect Press Kit

- Tool easily attaches fuel line (straight or 90°) connectors to OEM nylon fuel lines
- Includes four adapters
- Features large handle for smooth operation
- Can be moved from vehicle to vehicle or bench mounted





KTI75306

Steel Line Stopper Kit

- Universal steel line stopper
- 5/16", 3/8", 1/2", and banjo fittings (10.4mm and 18mm)
- Suitable for clamping and sealing steel lines for all automotive fluids
- Provides an effective seal to steel lines when disconnected
- Prevents fluid loss and contamination of the work area







KTI04627

Fuel Line Assortment with OEM

• 83-piece fuel line connector kit includes 24 different products for Ford, Chrysler and GM vehicles

Description	Qty	Description	Qty
Ford F1/4" M5/16"	2	All Vehicles Size 1/4"	2
GM/Chrysler/Ford F5/16" M5/16"	3	All Vehicles Size 5/16"	2
GM/Chrysler/Ford F3/8" M3/8"	3	All Vehicles Size 3/8"	2
Ford F5/16" M3/8"	2	All Vehicles Size 1/4"	2
GM/Chrysler/Ford F1/4" M5/16"	2	All Vehicles Size 5/16"	2
GM/Chrysler/Ford F3/8" M5/16"	2	All Vehicles Size 3/8"	2
GM/Chrysler/Ford F5/16" M5/16"	3	All Vehicles Size 1/4"	2
GM/Chrysler/Ford 3/8" M5/16"	2	All Vehicles Size 5/16"	2
GM/Chrysler/Ford F1/4" M3/8"	2	All Vehicles Size 3/8"	2
All Vehicles Size 1/4"	2	GM Size 5/16"	2
All Vehicles Size 5/16"	5	GM Size 3/8"	10









	Fuel Line Quick Connect - Straight / 90-degree	
Part #	Description	Qty
KTI05100	Fuel Line Quick Connect Straight: Female 1/4" - Male 5/16"	5
KTI05101	Fuel Line Quick Connect Straight: Female 5/16" - Male 5/16"	5
KTI05104	Fuel Line Quick Connect Straight: Female 3/8" - Male 5/16"	5
KTI05103	Fuel Line Quick Connect Straight: Female 5/16" - Male 3/8"	5
KTI05202	Fuel Line Quick Connect Straight: Female 5/16" - Male 3/8" Ford OE Style	5
KTI05102	Fuel Line Quick Connect Straight: Female 3/8" - Male 3/8"	5
KTI05124	Fuel Line Quick Connect Posi-Lock Straight Female 5/16" -Male 5/16"	5
KTI05125	Fuel Line Quick Connect Posi-Lock Straight Female 3/8" - Male 3/8"	5
KTI05105	Fuel Line Quick Connect 90-degree: Female 5/16" - Male 5/16"	5
KTI05107	Fuel Line Quick Connect 90-degree: Female 3/8" - Male 5/16"	5
KTI05108	Fuel Line Quick Connect 90-degree: Female 5/16" - Male 3/8"	5
KTI05106	Fuel Line Quick Connect 90-degree: Female 3/8" - Male 3/8"	5
KTI05126	Fuel Line Quick Connect Posi-Lock Bent Female 5/16" - Male 5/16"	5
KTI05127	Fuel Line Quick Connect Posi-Lock Bent Female 3/8" - Male 3/8"	5















Fuel Line Retainer Clips			
Part #	Description	Qty	
KTI05375	Fuel Line Retainer Clip 3/8" GM	10	
KTI05376	Fuel Line Retainer Clip 5/16" GM	10	
KTI05377	Fuel Line Retainer Clip 5/16" Ford	10	
KTI05378	Fuel Line Retainer Clip 3/8" Ford	10	
KTI05379	Fuel Line Retainer Clip 1/4" Ford	10	
KTI05380	Fuel Line Retainer Clip 1/2" Ford	10	
KTI05381	Fuel Line Retainer Clip 10.5mm Ford Truck	10	
KTI05382	Fuel Line Retainer Clip 13mm Ford Truck	10	
KTI05383	Fuel Line Retainer Clip 5/16" Ford (White)	10	
KTI05384	Fuel Line Retainer Clip 3/8" Ford (Black)	10	

Nylon Fuel Line		
Part #	Description	Qty
KTI05205	Fuel System #12 Rated Nylon Fuel Line 1/4" - 25 Foot Roll	1
KTI05206	Fuel System #12 Rated Nylon Fuel Line 3/8" - 25 Foot Roll	1
KTI05207	Fuel System #12 Rated Nylon Fuel Line 5/16" - 25 Foot Roll	1





Fuel Sender Adapters			
Part #	Description	Qty	
KTI05370	Fuel Sender Adapter to Rubber Fuel Line Female 14mm to Male 5/16"	5	
KTI05371	Fuel Sender Adapter to Rubber Fuel Line Female 16mm to Male 3/8"	5	
KTI05226	Fuel Sender Adapter to Nylon Fuel Line Female 14mm to Male 5/16"	5	
KTI05228	Fuel Sender Adapter to Nylon Fuel Line Female 16mm to Male 3/8"	5	



Fuel Line Viton O-Ring			
Part #	Description	Qty	
KTI05257	Fuel Line Viton O-Ring 3/8" GM	2	
KTI05259	Fuel Line Viton O-Ring 5/16" GM	2	





Fuel Line Clamps		
Part #	Description	Qty
KTI05118	Fuel Line Clamp 360° 1/4" for Nylon & Rubber Hose	10
KTI05119	Fuel Line Clamp 360° 5/16" (8mm) for Nylon & Rubber Hose	10
KTI05120	Fuel Line Clamp 360° 3/8" (10mm) for Nylon & Rubber Hose	10
KTI05177	Fuel System Fuel Injection Hose Clamps 1/4"	10
KTI05179	Fuel System Fuel Injection Hose Clamps 5/16" (8mm)	10
KTI05181	Fuel System Fuel Injection Hose Clamps 3/8" (10mm)	10



Fuel Filter Repair Lines		
Part # Description		Qty
KTI05225	Fuel Filter Repair Lines 180° 3/8" x 6-1/2" 16mm GM	5









Fuel Line Fittings		
Part #	Description	Qty
KTI05111	Fuel Line Connector Brass 3/8"	5
KTI05112	Brass Compression Union 1/4" Nylon to Nylon	5
KTI05113	Brass Compression Union 5/16" Nylon to Nylon	5
KTI05114	Brass Compression Union 3/8" Nylon to Nylon	5
KTI05115	Brass Compression Union 1/4" Nylon to Steel	5
KTI05116	Brass Compression Union 5/16" Nylon to Steel	5
KTI05117	Brass Compression Union 3/8" Nylon to Steel	5
KTI05109	Fuel Line Connector Brass 1/4"	5
KTI05110	Fuel Line Connector Brass 5/16"	2
KTI05111	Fuel Line Connector Brass 1/4"	5
KTI05159	Nylon Fuel Line Brass Splice Joiner 3/8"	1
KTI05165	Fuel System Rubber Hose Barbed Connector 3/16"	5
KTI05167	Fuel System Rubber Hose Barbed Connector 1/4"	5
KTI05169	Fuel System Rubber Hose Barbed Connector 5/16"	5
KTI05171	Fuel System Rubber Hose Barbed Connector 3/8"	5





Fuel System Adapters		
Part #	Description	Qty
KTI05136	Fuel System Adapter Steel to Rubber or Nylon Line 1/4"	5
KTI05138	Fuel System Adapter Steel to Rubber or Nylon Line 5/16"	5
KTI05141	Fuel System Adapter Steel to Rubber or Nylon Line 3/8"	5
KTI05143	Fuel System Adapter GM 14mm to 5/16" to Nylon or Rubber Line	5
KTI05145	Fuel System Adapter GM 16mm to 3/8" to Nylon or Rubber Line	5
KTI05149	Fuel System Adapter 3/8" Nylon to 3/8" Rubber	5



	Fuel Filter Line Repair Kits	
Part #	Description	Qty
KTI05209	Steel Fuel Line Repair Kit w/14mm Fitting and 0-ring 5/16 Line x 9" Length	5
KTI05211	Steel Fuel Line Repair Kit w/14mm Fitting and 0-ring 5/16 Line x 18" Length	5
KTI05213	Steel Fuel Line Repair Kit w/14mm Fitting and 0-ring 5/16 Line x 36" Length	5
KTI05215	Steel Fuel Line Repair Kit w/16mm Fitting and 0-ring 3/8 Line x 9" Length	5
KTI05217	Steel Fuel Line Repair Kit w/16mm Fitting and 0-ring 3/8 Line x 18" Length	5
KTI05219	Steel Fuel Line Repair Kit w/16mm Fitting and 0-ring 3/8 Line x 36" Length	5
KTI05221	Steel Fuel Line Repair Kit w/Quick Disconnect 5/16" x 18 - GM/Ford	5
KTI05372	Nylon Fuel Line Repair Kit Straight 12" Length Female 3/8" x Male 5/16"	5
KTI05235	Nylon Fuel Line Repair Kit Straight 12" Length Female 3/8" x Male 3/8"	5
KTI05243	Nylon Fuel Line Repair Kit Straight 12" Length Female 5/16" x Male 5/16"	5
KTI05233	Nylon Fuel Line Repair Kit Straight 12" Length Female 5/16" x Male 3/8"	5
KTI05237	Nylon Fuel Line Repair Kit 90° 12" Length Female 3/8" to Male 3/8"	5
KTI05245	Nylon Fuel Line Repair Kit 90° 12" Length Female 5/16" to Male 5/16"	5
KTI05373	Nylon Fuel Line Repair Kit 90° 12" Length Female 3/8" x Male 5/16"	5
KTI05374	Nylon Fuel Line Repair Kit 90° 12" Length Female 5/16" x Male 3/8"	5
KTI05253	Fuel Line Nylon Splice 3/8 Line x 12" Long - GM/Ford/Chrysler	5
KTI05255	Fuel Line Nylon Splice 5/16 Line x 12" Long - GM/Ford/Chrysler	5





Vehicle Specialty I **Electrical Service**

KTI70750 **Spark Plug Boot Plier** · Plier features insulated grips LIFETIME WARRANTY* • Overall length: 8"



KTI75201

Ford Triton Spark Plug Extractor Set

- . KTI's spark plug extractor set is a must-have for servicing Ford Triton engines model year 2004 and later
- This set easily extracts frozen and broken off spark plug sleeves from cylinder heads without removing the actual heads
- · A specially machined guide works with extra-long tap and extractor to ensure the job is done right
- Avoid engine damage by using the KTI spark plug porcelain extractor set (KTI75202) to remove broken porcelain before extracting spark plug sleeve

KTI73701 **Universal Spark Plug** Gap Tool

• Measures in increments of one thousandth from .020 through .100

KTI73701-50 - 50-piece bulk pack





Specialty Sockets - 3/8" Drive

Spark Plug Sockets:

6-point with rubber plug holder, hex top for wrench in tight areas.

KTI22221 - 5/8"

KTI22227 - 13/16"





Flex Spark Plug Sockets:

Flex joint 3/8" drive, chrome plated, chrome vanadium steel, heat-treated.

KTI22521 - 5/8"

KTI22527 - 13/16"







KTI22133

3/8" Drive "2-in-1" Oil Sender Socket

· For oil sending units or stoplight switch replacement





KTI32229

3/8" Drive Oxygen Sensor Socket

 Used to remove and install oxygen sensors on most domestic and some imported vehicles







Fuse Holders

Qty:

KTI01671

Fuse Puller

Pull Auto, Glass and Mini Fuses



LIFETIME WARRANTY*

KTI75202

Ford Porcelain Spark Plug Exractor Set

- . KTI's spark plug porcelain extractor set works in conjunction with the KTI spark plug extractor set (KTI75201)
- It is a must-have set for servicing Ford Triton engines model year 2004 and later
- This set easily extracts broken porcelain from spark plug sleeves
- Set uses a special bonding agent to extract porcelain from spark plug sleeve without pushing on the broken plug and potentially pushing it into the cylinder causing engine damage
- Meets Ford TSB specifications





ATO Fuses/ATO Glo Fuses

• ATO fuses are color coded for amperage, have a recognizable body design, and standard footprint. ATO fuses snap into place without the need for special tools


Part #	Description	Qty
KTI04282	10 Amp Glo-Fuse	5
KTI04283	15 Amp Glo-Fuse	5
KTI04284	20 Amp Glo-Fuse	5
KTI04285	25 Amp Glo-Fuse	5
KTI04286	30 Amp Glo-Fuse	5

Part #	Description	Qty
KTI04209	3 Amp Fuses	5
KTI04210	5 Amp Fuses	5
KTI04211	7.5 Amp Fuses	5
KTI04212	10 Amp Fuses	5
KTI04213	15 Amp Fuses	5
KTI04214	20 Amp Fuses	5
KTI04215	25 Amp Fuses	5
KTI04216	30 Amp Fuses	5





Mini Fuses / Low Profile Mini Fuses /



- becoming a new standard in the automotive industry • The mini fuse allows for more circuits to be
- fused in the same space as either an ATO or ATC style fuse
- Mini fuses are offered in 2 to 30 amp current ratings

Part #	Description	Qty
KTI04199	Fuses Mini 2 Amp	5
KTI04200	Fuses Mini 3 Amp	5
KTI04201	Fuses Mini 4 Amp	5
KTI04202	Fuses Mini 5 Amp	5
KTI04203	Fuses Mini 7.5 Amp	5
KTI04204	Fuses Mini 10 Amp	5
KTI04205	Fuses Mini 15 Amp	5
KTI04206	Fuses Mini 20 Amp	5
KTI04207	Fuses Mini 25 Amp	5
KTI04208	Fuses Mini 30 Amp	5
KTI04270	Low Profile Mini Fuse - 5 Amp	10
KTI04271	Low Profile Mini Fuse - 7.5 Amp	10
KTI04272	Low Profile Mini Fuse - 10 Amp	10
KTI04273	Low Profile Mini Fuse - 15 Amp	10
KTI04274	Low Profile Mini Fuse - 20 Amp	10
KTI04275	Low Profile Mini Fuse - 25 Amp	10
KTI04276	Low Profile Mini Fuse - 30 Amp	10
KTI04277	Mini Glo-Fuse 10 Amp	5
KTI04278	Mini Glo-Fuse 15 Amp	5
KTI04279	Mini Glo-Fuse 20 Amp	5
KTI04280	Mini Glo-Fuse 25 Amp	5
KTI04281	Mini Glo-Fuse 30 Amp	5









Maxi Fuses				
Part #	Description	Qty		
KTI04234	Fuses Maxi 20 Amp	3		
KTI04235	Fuses Maxi 30 Amp	3		
KTI04236	Fuses Maxi 40 Amp	3		
KTI04237	Fuses Maxi 50 Amp	3		
KTI04238	Fuses Maxi 60 Amp	3		
KTI04239	Fuses Maxi 80 Amp	3		





Glass Fuses

- Although still used in older-model cars, glass fuses are found primarily in automotive accessory applications today
- Glass fuses are widely used in electronic and electrical applications where proper fuse selection is critical to performance
- Sold as a package of 5

Part #	Description	Qty
KTI00811	Fuses Glass 10 Amp	5
KTI00821	Fuses Glass 15 Amp	5
KTI00831	Fuses Glass 20 Amp	5
KTI00841	Fuses Glass 25 Amp	5
KTI00851	Fuses Glass 30 Amp	5
KTI00861	Fuses Glass 5 Amp	5











Jcase Fuses		IN USA
Part #	Description	Qty
KTI04220	Jcase Fuse - 20 Amp	5
KTI04221	Jcase Fuse - 30 Amp	5
KTI04222	Jcase Fuse - 40 Amp	5
KTI04223	Jcase Fuse - 50 Amp	5
KTI04224	Jcase Fuse - 60 Amp	5



118-piece Master Plug-in Style Fuse Kit

 This comprehensive 118-piece assortment contains the most popular 24 numbers of plug-in fuses - ATO, ATM and MAXI

Part #	Size/Type	Qty	Refill
KTI04199	2A mini plug-in fuse	5	5
KTI04200	3A mini plug-in fuse	5	5
KTI04201	4A mini plug-in fuse	5	5
KTI04202	5A mini plug-in fuse	5	5
KTI04203	7.5A mini plug-in fuse	5	5
KTI04204	10A mini plug-in fuse	5	5
KTI04205	15A mini plug-in fuse	5	5
KTI04206	20A mini plug-in fuse	5	5
KTI04207	25A mini plug-in fuse	5	5
KTI04208	30A mini plug-in fuse	5	5
KTI04209	3A plug-in fuse	5	5
KTI04210	5A plug-in fuse	5	5
KTI04211	7.5A plug-in fuse	5	5
KTI04212	10A plug-in fuse	5	5
KTI04213	15A plug-in fuse	10	5
KTI04214	20A plug-in fuse	10	5
KTI04215	25A plug-in fuse	5	5
KTI04216	30A plug-in fuse	5	5
KTI04234	20A maxi plug-in fuse	3	3
KTI04235	30A maxi plug-in fuse	3	3
KTI04236	40A maxi plug-in fuse	3	3
KTI04237	50A maxi plug-in fuse	3	3
KTI04238	60A maxi plug-in fuse	3	3
KTI04239	80A maxi plug-in fuse	3	3













Lo	w Profile Jcase Fuses	E IN USA
Part #	Description	Qty
KTI04226	Low Profile Jcase Fuse - 20 Amp	5
KTI04227	Low Profile Jcase Fuse - 25 Amp	5
KTI04228	Low Profile Jcase Fuse - 30 Amp	5
KTI04229	Low Profile Jcase Fuse - 40 Amp	5
KTI04230	Low Profile Jcase Fuse - 50 Amp	5
KTI04231	Low Profile Jcase Fuse - 60 Amp	5





KTI00021

Fuse Kit- ATO Fuse 80 Pieces

- 80-piece ATO fuse assortment kit includes ten each of eight popular sizes from 3 to 30 amp
- Packaged in multicompartment, refillable plastic case Contains product assortment map for easy identification of components

Part #	Size	Qty	Refill
KTI04209	3A plug-in fuse	10	5
KTI04210	5A plug-in fuse	10	5
KTI04211	7.5A plug-in fuse	10	5
KTI04212	10A plug-in fuse	10	5
KTI04213	15A plug-in fuse	10	5
KTI04214	20A plug-in fuse	10	5
KTI04215	25A plug-in fuse	10	5
KTI04216	30A plug-in fuse	10	5



KTI00080

120-Piece Auto Fuse Assortment (color-coded fuses)

Kit includes auto fuses sized from 5A to 30A

Description	Qty	Description	Qty
5A Auto Fuses	20	20A Auto Fuses	20
10A Auto Fuses	20	25A Auto Fuses	20
15A Auto Fuses	20	30A Auto Fuses	20



KTI00028

75-Piece Mini Fuse Kit

- Mini fuse kit contains 75 total pieces of 10 sizes including 2A, 3A, 4A, 5A, 7.5A, 10A, 15A, 20A, 25A and 30A fuses
- ATM mini fuses are used in many late-model OEM applications

Part #	Description	Qty	Refill
KTI04199	2A mini fuse	10	5
KTI04200	3A mini fuse	5	5
KTI04201	4A mini fuse	5	5
KTI04202	5A mini fuse	10	5
KTI04203	7.5A mini fuse	5	5
KTI04204	10A mini fuse	10	5
KTI04205	15A mini fuse	10	5
KTI04206	20A mini fuse	10	5
KTI04207	25A mini fuse	5	5
KTI04208	30A mini fuse	5	5

KTI00081 120-Piece Mini Auto Fuse Assortment (color-coded fuses)

• Kit includes mini fuses sized from 2A to 30A



Description	Qty	Description	Qty
5A Auto Fuses	20	20A Auto Fuses	20
10A Auto Fuses	20	25A Auto Fuses	20
15A Auto Fuses	20	30A Auto Fuses	20

KTI00082 56-Piece Maxi Auto

Fuse Assortment (color-coded fuses)

 Includes maxi fuses sized from 20A to 100A




Description	Qty	Description	Qty
20A Auto Fuses	7	60A Auto Fuses	7
30A Auto Fuses	7	70A Auto Fuses	7
40A Auto Fuses	7	80A Auto Fuses	7
50A Auto Fuses	7	100A Auto Fuses	7

KTI00027

16-Piece Maxi Fuse Kit

- Maxi fuse kit contains16 pieces in the most popular 5 sizes including 20A, 30A, 40A, 50A and 60A
- Maxi fuses are used to protect circuits in the wiring harness - usually found under the hood, in a fuse panel or supplementary panel near the battery
- Primarily used in domestic cars, MAXI fuses also have some applications in imported models
- OEM applications currently range up to 60 amps, however, some aftermarket accessories require protection up to 80 amps









25-Piece ATO Glo-Fuse Assortment

- Finding open fuses is easy with these fuses that use LED technology to show that a fuse has opened - making them easy to spot in fuse panels tucked up under dark dashboards
- Same color coding and amp ratings as the ATO fuses
- Includes 25 pieces of the top 5 sizes including 10A, 15A, 20A, 25A and 30A

Part #	Description	Qty
KTI04282	ATO Glo-Fuse 10 Amp	5
KTI04283	ATO Glo-Fuse 15 Amp	5
KTI04284	ATO Glo-Fuse 20 Amp	5
KTI04285	ATO Glo-Fuse 25 Amp	5
KTI04286	ATO Glo-Fuse 30 Amp	5



KTI00068

30-Piece Low Profile

Mini Fuse Assortment • This is a low profile version of the ATM mini fuses

- Same color code and amp ratings
- Includes 30 pieces of the top 6 sizes 7.5A, 10A, 15A, 20A, 25A and 30A

Part #	Description	Qty
KTI04270	Low Profile Mini Fuse - 5 Amp	NA
KTI04271	Low Profile Mini Fuse - 7.5 Amp	5
KTI04272	Low Profile Mini Fuse - 10 Amp	5
KTI04273	Low Profile Mini Fuse - 15 Amp	5
KTI04274	Low Profile Mini Fuse - 20 Amp	5
KTI04275	Low Profile Mini Fuse - 25 Amp	5
KTI04276	Low Profile Mini Fuse - 30 Amp	5



KTI00067

95-Piece AGC Glass Fuse Assortment

- These glass tube fuses are used in older-model cars and found primarily in automotive accessory applications
- Includes 95 total pieces of 6 popular sizes of AGC, AGW, SFE and GBC type fuses

Part #	Description	Qty
KTI00811	10A glass fuse	10
KTI00821	15A glass fuse	20
KTI00831	20A glass fuse	20
KTI00841	25A glass fuse	20
KTI00851	30A glass fuse	20
KTI00861	5A glass fuse	5



KTI00069

25-Piece ATM Glo-Fuse Assortment

- Finding open fuses is easy with these fuses that use LED technology to show that a fuse has opened - making them easy to spot in fuse panels tucked up under dark dashboards
- Same color coding and amp ratings as the ATM mini blade fuses
- Includes 25 pieces of the top 5 sizes including 10A, 15A, 20A, 25A and 30A

Part #	Description	Qty
KTI04277	ATM Glo-Fuse 10 Amp	5
KTI04278	ATM Glo-Fuse 15 Amp	5
KTI04279	ATM Glo-Fuse 20 Amp	5
KTI04280	ATM Glo-Fuse 25 Amp	5
KTI04281	ATM Glo-Fuse 30 Amp	5

VEHICLE SPECIALTY



KTI00026

10-piece Jcase Fuse Assortment

- These high amp fuses are currently on many new domestic and Japanese model vehicles. Same color code and amp ratings
- Includes 10 pieces total of the most popular 5 sizes

Part #	Description	Qty	Refill
KTI04220	Jcase Fuse - 20 Amp	2	5
KTI04221	Jcase Fuse - 30 Amp	2	5
KTI04222	Jcase Fuse - 40 Amp	2	5
KTI04223	Jcase Fuse - 50 Amp	2	5
KTI04224	Jcase Fuse - 60 Amp	2	5



KTI00045

12-piece Low Profile Jcase Fuse Assortment

- This is the low profile version of the JCASE high amp fuses
- Same color code and amp ratings
- Includes 12 pieces total of the most popular 6 sizes

Part #	Description	Qty	Refill
KTI04226	Low Profile Jcase Fuse - 20 Amp	2	5
KTI04227	Low Profile Jcase Fuse - 25 Amp	2	5
KTI04228	Low Profile Jcase Fuse - 30 Amp	2	5
KTI04229	Low Profile Jcase Fuse - 40 Amp	2	5
KTI04230	Low Profile Jcase Fuse - 50 Amp	2	5
KTI04231	Low Profile Jcase Fuse - 60 Amp	2	5



KTI00037

180-piece Solderless Terminal Kit


Solderless terminal kit includes 180 pieces of the most popular terminal rings, spades, male and female disconnects and butt connectors

Part #	Description	Qty
KTI04057	Ring Terminal Wire Size: 22-18 Stud Size: 10	10
KTI04058	Ring Terminal Wire Size: 16-14 Stud Size: 6	10
KTI04059	Ring Terminal Wire Size: 16-14 Stud Size: 10	10
KTI04062	Ring Terminal Wire Size: 12-10 Stud Size: 10	10
KTI04063	Ring Terminal Wire Size: 12-10 Stud Size: 1/4	10
KTI04065	Spade Terminal Wire Size: 22-18 Stud Size: 10	10
KTI04067	Spade Terminal Wire Size: 16-14 Stud Size: 10	10
KTI04068	Ring Terminal Wire Size: 12-10 Stud Size: 10	10
KTI04069	Butt Connector Wire Size: 22-18	10
KTI04070	Butt Connector Wire Size: 16-14	10
KTI04071	Butt Connector Wire Size: 12-10	10
KTI04072	Male Slide Terminal Wire Size: 22-18 Tab Size: .250	10
KTI04073	Female Slide Terminal Wire Size: 22-18 Tab Size: .250	10
KTI04074	Male Slide Terminal Wire Size: 16-14 Tab Size: .250	10
KTI04075	Female Slide Terminal Wire Size: 16-14 Tab Size: .250	10
KTI04076	Male Slide Terminal Wire Size: 12-10 Tab Size: .250	10
KTI04077	Female Slide Terminal Wire Size: 12-10 Tab Size: .250	10
KTI04497	Ring Terminal Wire Size: 22-18 Stud Size: 6	10





KTI00039 360-piece Professional Terminal Assortment



Part #	Description	Qty	Refill
KTI04057	Ring Terminal Wire Size: 22-18 Stud Size: 10	20	10
KTI04058	Ring Terminal Wire Size: 16-14 Stud Size: 6	20	10
KTI04059	Ring Terminal Wire Size: 16-14 Stud Size: 10	20	10
KTI04060	Ring Terminal Wire Size: 16-14 Stud Size: 1/4	10	10
KTI04061	Ring Terminal Wire Size: 16-14 Stud Size 3/8	10	10
KTI04062	Ring Terminal Wire Size: 12-10 Stud Size: 10	10	10
KTI04063	Ring Terminal Wire Size: 12-10 Stud Size: 1/4	10	10
KTI04064	Ring Terminal Wire Size: 12-10 Stud Size: 3/8	10	10
KTI04066	Spade Terminal Wire Size: 16-14 Stud Size: 6	20	10
KTI04067	Spade Terminal Wire Size: 16-14 Stud Size: 10	20	10
KTI04068	Spade Terminal Wire Size: 12-10 Stud Size: 10	10	10
KTI04069	Butt Connector 22-18	20	10
KTI04070	Butt Connector 16-14	20	10
KTI04071	Butt Connector 12-10	10	10
KTI04074	Male Slide Terminal 16-14 Stud Size .250	20	10
KTI04075	Female Slide Terminal 16-14 Stud Size .250	20	10
KTI04078	Female Bullet 16-14 Stud Size .157	20	10
KTI04079	Male Bullet 16-14 Stud Size .157	10	10
KTI04080	3-Way 16-14	10	10
KTI04081	2-way Female Bullet 16-14 .157	10	10
KTI04082	Female Slide 16-14 Stud Size .250 Brass	20	10
KTI04083	Male Slide 16-14 Stud Size .250 Brass	20	10
KTI04084	Ins. Male Slide 16-14 Stud Size .250	10	10
KTI04085	Ins. Female Slide 16-14 Stud Size .250	10	10

KTI00087 360-piece Terminal Assortment

Kit contains 360 insulated PVC-sleeve, zinc-plated wire terminals and connectors. Essential for automotive, small-engine,

appliance and electrical repair. Includes 13 of the most common wire connection sizes and styles.

Butt connector 22-16 ga.

Description	Qty	Description	Qty
10-32 ring 16-14 ga.	30	Butt connector 16-14 ga.	15
3/8" ring 16-14 ga.	20	Butt connector 12-10 ga	15
1/4" ring 16-14 ga.	20	Male bullet 16-14 ga.	10
10-32 ring 12-10 ga.	20	Female bullet 16-14 ga.	10
3/8" ring 12-10 ga.	15	Two-way line connector	10
1/4" ring 12-10 ga.	15	Male disconnect 18-14 ga.	10
10 spade 16-14 ga.	30	Female disconnect 18-14 ga.	10
10 spade 12-10 ga.	20	Male ins. disconnect 18-14	10

Female ins. disconnect 18-14



			(CA)	252	MPI.	(D)	0 11
### ### ### ### ### ### ### ### ### ##	### ### ### ### ### ### ### ### ### ##	\$10		-	-	=	-
## ##		200	257	181000	mini.		Tiple
000 000 000 000 000 000 000 000 000 00	000 000 000 000 000 000 000 000 000 00		=	100		1000	1900
	*** *** *** *** *** *** **** **** **** ****	Section 1	The State of the S	PAR .	HAY	DEN	Bay
ZFI MIZE	之下。何是 313 考 是 原 宣	diam'r.	414-173	190	27000	FR0	Total Control
	★李 						
	國班 为州 为 国				107	392	
THE RESERVE THE PARTY OF THE PA			FN			392	MA
海堤 岬侧 雪 刻	AP 1990 MM 1001 33 201		FN			392	MA

KTI00038 120-piece Shrink Tube Solderless Terminal Kit

- Solderless terminal kit includes 24 popular terminal rings, spades, male and female disconnects, insulated slide terminals and butt connectors
- · Heat shrink butt connectors make connections weatherproof

Part #	Description	Qty
KTI04086	Ring Terminal 22-18 Stud Size 10	5
KTI04087	Ring Terminal 16-14 Stud Size 6	5
KTI04088	Ring Terminal 16-14 Stud Size 10	5
KTI04089	Ring Terminal 12-10 Stud Size 10	5
KTI04090	Ring Terminal 12-10 Stud Size 1/4"	5
KTI04091	Ring Terminal 12-10 Stud Size 3/8"	5
KTI04092	Spade Terminal 16-14 Stud Size 10	5
KTI04093	Spade Terminal 12-10 Stud Size 10	5
KTI04094	Butt Connector Heat Shrink 22-18	5
KTI04095	Butt Connector Solder Seal 22-18	5
KTI04096	Butt Connector Heat Shrink 16-14	5
KTI04097	Butt Connector Solder Seal 16-14	5
KTI04098	Butt Connector Heat Shrink 12-10	5
KTI04099	Butt Connector Solder Seal 12-10	5
KTI04100	Male Slide Terminal 22-18 Stud Size .250	5
KTI04101	Female Slide Terminal 22-18 Stud Size .250	5
KTI04102	Male Slide Terminal 16-14 Stud Size .250	5
KTI04103	Female Slide Terminal 16-14 Stud Size .250	5
KTI04104	Male Slide Terminal 12-10 Stud Size .250	5
KTI04105	Female Slide Terminal 12-10 Stud Size .250	5
KTI04106	Ins. Slide 16-14 Stud Size .250	5
KTI04107	Ins. Slide 16-14 Stud Size .250	5
KTI04108	Ins. Slide 12-10 Stud Size .250	5
KTI04109	Ins. Slide 12-10 Stud Size .250	5

VEHICLE SPECIALTY

	Electrical Solderless Terminals	
Part #	Description	Qty
KTI04068	Electrical Solderless Terminals 12-10 #10 Spade	10
KTI04071	Electrical Solderless Terminals 12-10 Butt Connector	10
KTI04077	Electrical Solderless Terminals 12-10 Female Disconnect	10
KTI04109	Electrical Solderless Terminals 12-10 Female Full Insulted Weatherproof	5
KTI04076	Electrical Solderless Terminals 12-10 Male Disconnect	10
KTI04108	Electrical Solderless Terminals 12-10 Male Disconnect Full Insulated Weatherproof	5
KTI04063	Electrical Solderless Terminals 12-10, 1/4" Ring	10
KTI04064	Electrical Solderless Terminals 12-10, 3/8" Ring	10
KTI04062	Electrical Solderless Terminals 12-10 #10 Ring	10
KTI04066	Electrical Solderless Terminals 16-14 #6 Spade	10
KTI04067	Electrical Solderless Terminals 16-14 #10 Spade	10
KTI04081	Electrical Solderless Terminals 16-14 2-Way Snap Plug Receptacle	10
KTI04080	Electrical Solderless Terminals 16-14 3-Way Connector	10
KTI04070	Electrical Solderless Terminals 16-14 Butt Connector	10
KTI04075	Electrical Solderless Terminals 16-14 Female Disconnect	10
KTI04082	Electrical Solderless Terminals 16-14 Female Disconnect for Contact Body	10
KTI04084	Electrical Solderless Terminals 16-14 Female Disconnect Full Insulated	10
KTI04106	Electrical Solderless Terminals 16-14 Female Disconnect Full Insulated Weatherproof	5
KTI04074	Electrical Solderless Terminals 16-14 Male Disconnect	10
KTI04083	Electrical Solderless Terminals 16-14 Male Disconnect for Contact Body	10
KTI04085	Electrical Solderless Terminals 16-14 Male Disconnect Full Insulated	10
KTI04107	Electrical Solderless Terminals 16-14 Male Disconnect Full Insulated Weatherproof	5
KTI04079	Electrical Solderless Terminals 16-14 Universal Female Snap Plug	10
KTI04078	Electrical Solderless Terminals 16-14 Universal Snap Plug	10
KTI04060	Electrical Solderless Terminals 16-14, 1/4 Ring	10
KTI04061	Electrical Solderless Terminals 16-14, 3/8 Ring	10
KTI04058	Electrical Solderless Terminals 16-14 #6 Ring	10
KTI04059	Electrical Solderless Terminals 16-14 #10 Ring	10
KTI04057	Electrical Solderless Terminals 22-18 #10 Ring	10
KTI04065	Electrical Solderless Terminals 22-18 #10 Spade	10
KTI04497	Electrical Solderless Terminals 22-18 #6 Ring	10
KTI04069	Electrical Solderless Terminals 22-18 Butt Connector	10
KTI04073	Electrical Solderless Terminals 22-18 Female Disconnect	10
KTI04072	Electrical Solderless Terminals 22-18 Male Disconnect	10







KTI00641



KTI00611



KTI00621



KTI00651



KTI00661





- 40-piece Copper Lug Terminal Assortment
 Copper lug terminal assortment kit includes five each of eight popular sized crimp-on copper lugs for use on 1 to 6 gauge wire
 Used for large cable applications like battery cables and grounding cables

Part #	Description	Qty	Refill
KTI04049	Wire Size: 2 ga. Stud Size: 3/8"	5	10
KTI04050	Wire Size: 4 ga. Stud Size: 3/8"	5	10
KTI04051	Wire Size: 2 ga. Stud Size: 5/16"	5	10
KTI04052	Wire Size: 4 ga. Stud Size: 5/16"	5	10
KTI04053	Wire Size: 6 ga. Stud Size: 3/8"	5	10
KTI04054	Wire Size: 1 ga. Stud Size: 3/8"	5	10
KTI04055	Wire Size: 1 ga. Stud Size: 5/16"	5	10
KTI04056	Wire Size: 6 ga. Stud Size: 5/16"	5	10





Electrical Copper Lugs			
Part #	Qty		
KTI04054	Electrical Copper Lugs 1 Gauge x 3/8	10	
KTI04055	Electrical Copper Lugs 1 Gauge x 5/16	10	
KTI04049	Electrical Copper Lugs 2 Gauge x 3/8	10	
KTI04051	Electrical Copper Lugs 2 Gauge x 5/16	10	
KTI04050	Electrical Copper Lugs 4 Gauge x 3/8	10	
KTI04052	Electrical Copper Lugs 4 Gauge x 5/16	10	
KTI04053	Electrical Copper Lugs 6 Gauge x 3/8	10	
KTI04056	Electrical Copper Lugs 6 Gauge x 5/16	10	



Electrical	Shrink Tube Connectors / Te	rminals
Part #	Description	Qty
KTI04098	Electrical Shrink Tube Butt Connector Heat Shrink 12-10	5
KTI04096	Electrical Shrink Tube Butt Connector Heat Shrink 16-14	5
KTI04094	Electrical Shrink Tube Butt Connector Heat Shrink 22-18	5
KTI04099	Electrical Shrink Tube Butt Connector Solder Seal 12-10	5
KTI04097	Electrical Shrink Tube Butt Connector Solder Seal 16-14	5
KTI04095	Electrical Shrink Tube Butt Connector Solder Seal 22-18	5
KTI04105	Electrical Shrink Tube Female Slide Terminal 12-10 Stud Size .250	5
KTI04103	Electrical Shrink Tube Female Slide Terminal 16-14 Stud Size .250	5
KTI04101	Electrical Shrink Tube Female Slide Terminal 22-18 Stud Size .250	5
KTI04104	Electrical Shrink Tube Male Slide Terminal 12-10 Stud Size .250	5
KTI04102	Electrical Shrink Tube Male Slide Terminal 16-14 Stud Size .250	5
KTI04100	Electrical Shrink Tube Male Slide Terminal 22-18 Stud Size .250	5
KTI04090	Electrical Shrink Tube Ring Terminal 12-10 Stud Size 1/4"	5
KTI04089	Electrical Shrink Tube Ring Terminal 12-10 Stud Size 10	5
KTI04091	Electrical Shrink Tube Ring Terminal 12-10 Stud Size 3/8"	5
KTI04088	Electrical Shrink Tube Ring Terminal 16-14 Stud Size 10	5
KTI04087	Electrical Shrink Tube Ring Terminal 16-14 Stud Size 6	5
KTI04086	Electrical Shrink Tube Ring Terminal 22-18 Stud Size 6	5
KTI04093	Electrical Shrink Tube Spade Terminal 12-10 Stud Size 10	5
KTI04092	Electrical Shrink Tube Spade Terminal 16-14 Stud Size 10	5

VEHICLE SPECIALTY



KTI00033 216-Piece Heat Shrink Tubing Assortment Set

- Protection and insulation of component and wires
- · Color coordinated sizes
- · Quick and simple to shrink by heat gun
- Shrink ratio 2:1
- Assortment includes sizes ranging from 2.5mm to 20mm

Description	Qty	Description	Qty
2.5mm x 45mm, Color black	50	6mm x 45mm, Color red	5
2.5mm x 45mm, Color red	20	10mm x 45mm, Color black	10
3.5mm x 45mm, Color black	30	10mm x 45mm, Color red	10
3.5mm x 45mm, Color red	15	13mm x 45mm, Color black	10
4.5mm x 45mm, Color black	20	13mm x 45mm, Color red	10
4.5mm x 45mm, Color red	10	20mm x 75mm, Color black	8
6mm x 45mm, Color black	10	20mm x 75mm, Color red	8



KTI00035

85-piece Heat Shrink Tube Kit

- Shrink tube assortment kit includes five popular sizes
- Ideal for weathertight seal of all electrical connections
- \bullet Use for insulating, jacketing, bundling and identification
- . It is mechanically tough and has good abrasion and solvent resistance
- Shrink temp 250°F. Shrink ratio 2:1

Kit contains five sizes (1/8", 3/16", 1/4", 3/8" and 1/2") for a total of 85 pieces

Part #	Description	Qty
KTI02611	1/8" shrink tube	20
KTI02621	3/16" shrink tube	20
KTI02631	1/4" shrink tube	30
KTI02641	3/8" shrink tube	10
KTI04494	1/2" shrink tube	5



KTI02651

Heat Shrink Tubing Assortment - Qty 8

- A high quality material which shrinks to 1/3 its size
- It can be stored for extended periods of time without shrinkage
- It remains flame retardant, and is very flexible
- When heated, the sealant flows and physically encapsulates, creating a waterproof connection

Includes (2) each of the following diameters: 1/8", 3/16", 1/4" and 3/8"



KTI00097

157-piece Electric Wire Solderless Terminal Kit

- 157-piece electric wire solderless terminal kit includes 17 popular sizes for 10-18 gauge wire
- Products are color-coded for convenience

Description	Qty	Description	Qty
#8 ring terminal 16-14 ga.	11	Female connector 16-14 ga.	11
#10 ring terminal 16-14 ga.	11	Male connector 12-10 ga.	4
1/4" ring terminal 16-14 ga.	11	Female connector 12-10 ga.	4
5/16" ring terminal 12-10 ga.	8	Male bullet 16-14 ga.	11
3/8" ring terminal 12-10 ga.	4	Female bullet 16-14 ga.	11
Butt connect 22-18 ga.	11	#8 spade terminal 16-14 ga.	11
Butt connect 16-14 ga.	22	Quick splice and tap 16-14 ga	4
Butt connect 12-10 ga.	8	Quick splice and tap 22-18 ga	4
Male connector 16-14 ga.	11		





105-Piece Dual-Wall

Heat Shrink Tubing Assortment Set

- Protection and insulation of component and wires
- Use for auto, marine, plane, home, industrial, computer, etc.
- Quick and simple to shrink by heat gun
- Waterproof; Shrink ration: 3:1
- Assortment includes sizes ranging from 3.2mm to 25.4mm

Description	Qty
3.2mm x 45mm, Color black	28
3.2mm x 45mm, Color red	12
4.8mm x 45mm, Color black	16
4.8mm x 45mm, Color red	8
6.4mm x 45mm, Color black	7
6.4mm x 45mm, Color red	4
9.5mm x 45mm, Color black	6
9.5mm x 45mm, Color red	3
12.7mm x 75mm, Color black	5
12.7mm x 75mm, Color red	3
19.1mm x 75mm, Color black	3
19.1mm x 75mm, Color red	2
25.4mm x 75mm, Color black	4
25.4mm x 75mm, Color red	4



KTI00003

100-piece Butt Connector Kit

• Vinyl solderless butt connector assortment kit includes three popular sizes for use on 10 to 22 gauge wire

Part #	Description	Qty
KTI04069	Butt Connectors Vinyl 22-18 Gauge	20
KTI04070	Butt Connectors Vinyl 16-14 Gauge	60
KTI04071	Butt Connectors Vinyl 12-10 Gauge	20



KTI07740

235-piece Heat Shrink Tube Kit • 8 sizes, 3/32" to 3/4", 6" long

- 2:1 shrink ratio inside diameter is measured before shrinking
- Heat rating: 257-degrees Fahrenheit (125-degrees Celsius)
- All sizes are provided in 6" lengths and can be cut to fit

Size: 1/8"	Qty	Size: 3/8"	Qty
Blue	11	Blue	2
Black	11	Black	2
Orange	11	Orange	2
Green	11	Green	2
Yellow	11	Yellow	2
Size: 3/32"	Qty	Size: 1/2"	Qty
Blue	8	Blue	2
Black	8	Black	2
Orange	8	Orange	2
Green	8	Green	2
Yellow	8	Yellow	2
Size: 3/16"	Qty	Size: 5/8"	Qty
Size: 3/16" Blue	Qty 11	Size: 5/8" Blue	Qty 1
Blue	11	Blue	1
Blue Black	11 11	Blue Black	1
Blue Black Orange	11 11 11	Blue Black Orange	1 1 1
Blue Black Orange Green	11 11 11	Blue Black Orange Green	1 1 1
Blue Black Orange Green Yellow	11 11 11 11 11	Blue Black Orange Green Yellow	1 1 1 1
Blue Black Orange Green Yellow Size: 1/4"	11 11 11 11 11 Qty	Blue Black Orange Green Yellow Size: 3/4"	1 1 1 1 Qty
Blue Black Orange Green Yellow Size: 1/4" Blue	11 11 11 11 11 Qty 11	Blue Black Orange Green Yellow Size: 3/4" Blue	1 1 1 1 Qty 1
Blue Black Orange Green Yellow Size: 1/4" Blue Black	11 11 11 11 11 Qty 11	Blue Black Orange Green Yellow Size: 3/4" Blue Black	1 1 1 1 1 Qty 1 1

VEHICLE SPECIALTY





KTI00004

60-piece Butt Connector Kit with Shrink Tube

- · Vinyl butt with shrink fit connector assortment kit includes three popular sizes for use in many applications including automoive and marine
- Heat shrink butt connectors make connections weatherproof

Part #	Description	Qty
KTI04094	Butt Conn. Shrink Tubing 22-18Ga.	15
KTI04096	Butt Conn. Shrink Tubing 16-14Ga.	30
KTI04098	Butt Conn. Shrink Tubing 12-10Ga.	15



- Wire cutter, bolt cutter, and wire stripper in one
- Crimps insulated and open barrel terminals





- Crimps open barrel terminals
- 3.2mm thickness



LIFETIME WARRANTY*

KTI56203 **Professional Crimping Tool -**0.5/1.5/2.5/4.0/6.0 MM2

- Crimps non-insulated terminals
- · Easy to grip handles



KTI56205

KTI56207

8.7" Ratcheting Terminal Crimper • 8.7" Ratchet Crimper for insulated terminal

- Polypropylene and thermoplastic rubber handle
- Tool capacity: Red 22-18 AWG, Blue 16-14 AWG, Yellow 12-10 AWG
- Carbon steel head · Adjusted by screwdriver
- Ratcheting Terminal Crimper





- · Wire cutter, bolt cutter, wire stripper, and bending wire
- · Crimps insulated, non-insulated, and pin terminals





Dyna Loom - Split Wire Loom			
Part #	Size	Length	
KTI02751	1/2" I.D. Split Wire Loom	7'	
KTI02761	1/4" I.D. Split Wire Loom	10'	
KTI02771	3/4" I.D. Split Wire Loom	5'	
KTI02781	3/8" I.D. Split Wire Loom	10'	
KTI02791	5/8" I.D. Split Wire Loom	6'	



Dyna Loom - Routing Clips			
Part #	Description	Qty	
KTI02742	1/4" Wire Loom Clips	10	
KTI02743	3/8" Wire Loom Clips	10	
KTI02744	1/2" Wire Loom Clips	10	
KTI02745	5/8" and 3/4" Wire Loom Clips	10	







Primary Wire			
Part #	Color	Gauge	Length
KTI01912	Red	10 Gauge	8'
KTI01920	Black	10 Gauge	8'
KTI01939	White	10 Gauge	8'
KTI02012	Red	12 Gauge	10'
KTI02020	Black	12 Gauge	10'
KTI02039	White	12 Gauge	10'
KTI02112	Red	14 Gauge	15'
KTI02127	Yellow	14 Gauge	15'
KTI02130	Black	14 Gauge	15'
KTI02149	White	14 Gauge	15'
KTI02212	Red	16 Gauge	25'
KTI02227	Yellow	16 Gauge	25'
KTI02230	Black	16 Gauge	25'
KTI02249	White	16 Gauge	25'
KTI02312	Red	18 Gauge	30'
KTI02327	Yellow	18 Gauge	30'
KTI02330	Black	18 Gauge	30'
KTI02349	White	18 Gauge	30'



Mini Heavy-duty Circuit Tester

- Tester is 5" long and includes 2" tempered probe and replaceable bulb Works on 6 or 12 volt systems
- Features 60" heavy-duty flexible wire lead with ground clip

Replacement parts:

KTI72781 - Replacement bulb for models 72765, 72780, 72790, 72791 and 72792





KTI72782

Heavy-duty Circuit Tester with 10' Retractable Wire and Clip

- Can be used on cars, trucks, SUVs, boats, trailers, vans, RVs, motorcycles, snowmobiles and airplanes
- Use the heavy-duty circuit tester to check electrical circuits and accessories on all 6 and 12 volt systems
- Tester features a 10' retractable wire and battery clip, spring-supported strain relief, extra-sharp probe and a heavy-duty battery clip



KTI72780

Heavy-duty Circuit Tester

- Tester features 5' heavy-duty flexible wire, ground clips, tempered probe and replaceable bulb
- Works on 6 or 12 volt systems. Spring strain relief on cord

Replacement parts:

KTI72781 - Replacement bulb for models 72765,





KTI72770

Circuit Tester

Tester features 48" extra long leads. Works on 6 or 12 volt systems.

Replacement parts:

KTI72771 - Replacement bulb for model 72770





- Specially designed to enable technicians to test hard to reach circuits that would not be accessible with standard testers
- Features extra long, colored, insulated 7-1/2" probe and 60" heavy gauge flexible wire
- Works on 6 or 12 volt systems

Sold separately:

KTI72790 - Blue

KTI72791 - Yellow KTI72792 - Red

KTI72781 - Replacement bulb for models

72765, 72780, 72790, 72791 and 72792

LIFETIME WARRANTY*





PAINT & BODY TOOLS





PBE | Paint

KTI80955

Touch-up Paint Gun

Includes plastic cup. For touch up, edging, shading or precision detail painting.

Warranty: Repair only up to 1 year



KTI80995

Deluxe Spray Gun

This deluxe spray gun features a siphon feed, external mix, built-in regulator and dripless cup. Gun works with all types of automotive refinishing materials.

Warranty: Repair only up to 1 year



KTI89194

2-pack Spray Gun Filters



KTI89195

Filter Regulator & Lubricator, 2 Piece

- Miniature Filter regulator and lubricator 2 piece space saving combination
- 40 micron sintered bronze filter element, polycarbonate bowl with metal bowl guard
- 1/4" NPT, maxium flow 18 CFM (500 LPM)
- Semi automatic night time drain
- Pressure range: 7-145 PSI
- 1-Year Warranty



KTI80998 Deluxe Production Spray Gun

Professional quality gun provides superior atomization of high solid base coats, clear coats, acrylic enamels, acrylic lacquers, and metallic and other coatings. Includes dripless cup.

Warranty: Repair only up to 1 year



KTI80996 Dripless Spray Gun Cup



Air Regulators

KTI89191

1/4 inch Air Regulator



KTI89193

1/4 inch Air Regulator with Gauge





KTI80989

Paint Spray Gun Cleaning Kit

Contains all necessary brushes and tools to effectively clean spray guns. Safe to use with chemicals and solvents.

PAINT & BODY TOOLS



5-Piece Upholstery Clip Remover Set

This set combines the most popular individual upholstery tools into one master set. Includes both "U" and "V" clip styles of tools as well as a reverse U-blade door panel clip removal tool. This is a complete set for anyone working on car upholstery or for removing panels from dash or door. Comes in a thermoformed tray for easy storage in any tool box. Available individually.

Set includes (also available individually):

KTI70032 - "V" Blade Door Panel Tool with Stainless Steel Blade KTI70033 - "U" Blade Door Panel Tool with Stainless Steel Blade KTI70034 - "U" Blade Mini Trim Panel Tool with Stainless Steel Blade

KTI70035 - "V" Blade Mini Trim Panel Tool with Stainless Steel Blade

KTI70036 - Reverse "U" Blade Door Panel Tool with Stainless Steel Blade



These specially designed, patented pliers will remove almost any clip found on trim, bumpers and other areas of the vehicle. The steel levers are enclosed in PMS plastic to prevent scratches. Specially sized and angled tip make these pliers the most versatile clip removal tool. Body clip pliers remove clips found on almost every vehicle - inside and out! Lifetime warranty.



Facilitates removal of windshields and backlights by cutting sealant around windows. Each tool includes an extra replacement blade.



Replacement parts: KTI70541 - Replacement blade

KTI70545 **Professional Heavy-Duty** Windshield Knife

Features professional-grade construction from heavy-duty steel and aluminum. Knife is lightweight and easy-to-use. Extra-long reach to cut hardened urethane all the way down to the dash line and offers increased leverage and greater control for a safer, smoother cut. The padded, ergonomic handle also features storage space for replacement blades. Blades can be easily changed by releasing a simple one-screw retaining clip.



Replacement parts:

KTI70546 - Replacement blades 6-pack



Features four different nose pieces to secure rivets: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm) and 3/16" (4.8 mm). Includes rivet samples.



Super Heavy-Duty Riveter

Tool's 17" handles provide the leverage needed to effortlessly secure five different rivets: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 7/32" (6.0 mm) and 1/4" (6.4 mm).







Clip Lifter

- Clip lifter for plastic fasteners, upholstery, door panels, plastic clips
- Tool length: 7"
- Tool width: 3/4"
- Red rubber handle
- Covered by a 1-Year Warranty



KTI70037-10

Clip Lifter

- Clip lifter for plastic fasteners, upholstery, door panels, plastic clips
- Tool length: 7" Tool width: 3/4"
- Red rubber handle
- Covered by a 1-Year Warranty



KTI70038

Combi Wedge

- Heavy duty universal combination wedge tool
- Use on dashboards and door cover clips
- Color: Ro
- Tool length: 8.5", width: 1", height: 1"
- Covered by a 1 year warranty



KTI70038-10

Combi Wedge 10 Pack



- Counter display 10 pack of the heavy duty universal combination wedge tool
- Use on dashboards and door cover clips
- Color: Red
- Tool length: 8.5", width: 1", height: 1"
- Covered by a 1 year warranty
- Counter display measures: Height: 7.0" Width: 11.750", Depth: 7.50"



KTI70550

Sanding Pen

Over 20,000 glass fibers in a pen point reach where normal sand paper cannot. Includes one extra sanding point in rear cap.

Replacement parts:

KTI70551 - 2-pack refill for sanding pen











Displays I Wall

KTI0805



1/4" Drive Tools & SocketsDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)

1/4" Drive Tools	s & SocketsQty
	1/4" DR SOCKET SET
	1/4" DR 2" EXTENSION 1
	1/4" DR 4" EXTENSION
	. 1/4" DR 6" EXTENSION
	. 1/4" DR EXTENSION 10"
	. 1/4" DR EXTENSION 10"
K1121014	4" WOBBLE EXTENSION 1/4" DR
	. 1/4" DR 44PC SOCKET SET
	6" WOBBLE EXTENSION 1/4" DR
	. 9" WOBBLE EXTENSION 1/4" DR
	. 1/4" DR UNIVERSAL JOINT
	1/4" DR SPINNER HANDLE
	1/4" DR 6" FLEX HANBLE 1
	1/4" DR PUSH BUTTON RATCHET 1
	1/4" PRO RATCHET 1
KTI21095	LONG HANDLE 1/4" DR RATCHET 1
	1/4" DR SHORT SOCKET 3/16"
KTI21107	1/4" DR SHORT SOCKET 7/32"
KTI21108	1/4" DR SHORT SOCKET 1/4"
KTI21109	1/4" DR SHORT SOCKET 9/32"
KTI21110	. 1/4" DR SHORT SOCKET 5/16"
KTI21111	. 1/4" DR SHORT SOCKET 11/32"
	1/4" DR SHORT SOCKET 3/8"
	. 1/4" DR SHORT SOCKET 7/16"
	1/4" DR SHORT SOCKET 1/2"
	1/4" DR 6 POINT SHORT SOCKET 9/16"
	1/4" DR DEEP SOCKET 3/16"
	1/4" DR DEEP SOCKET 7/32"
	. 1/4" DR DEEP SOCKET 1/4"
	1/4" DR DEEP SOCKET 9/32"
	1/4" DR DEEP SOCKET 5/16"
	1/4" DR DEEP SOCKET 13/10
	1/4" DR DEEP SOCKET 3/8"
	1/4" DR DEEP SOCKET 7/16"
	1/4" DR DEEP SOCKET 1/2"
	1/4" DR 6 POINT DEEP SOCKET 9/16"
	1/4" DR METRIC SOCKET SET
	. 1/4" DR SHORT SOCKET 4MM 1
KTI26105	. 1/4" DR SHORT SOCKET 5MM 1
KTI26106	1/4" DR SHORT SOCKET 6MM
KTI26107	1/4" DR SHORT SOCKET 7MM
KTI26108	1/4" DR SHORT SOCKET 8MM
	1/4" DR SHORT SOCKET 9MM
	1/4" DR SHORT SOCKET 10MM
	. 1/4" DR SHORT SOCKET 11MM
	1/4" DR 6 POINT SHORT SOCKET 14MM
	1/4" DR 6 POINT SHORT SOCKET 15MM
	1/4" DR SHORT SOCKET 5.5MM
20100	T S.



KTI26206
KTI26208
KTI26209
KTI26210
KTI26212
KTI26213
KTI26214 1/4" DR 6 POINT SHORT SOCKET 14MM 1
KTI26215 1/4" DR 6 POINT DEEP SOCKET 15MM 1
KTI26255 1/4" DR DEEP SOCKET 5.5MM
KTI089 3" EXTENSION BAR 1
KTIHOOK11PLASTIC HOOKS
KTIH00K2H00KS29
KTIH00K3 H00KS
KTIOL0805 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0806

3/8" Drive Tools

Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



	s Qty
KTI21055	. 1/4" F X 3/8" M ADAPTER
KTI22000	. 3/8" DR SOCKET SET 1
KTI22002	. 3/8" DR EXTENSION 2"
KTI22003	. 3/8" DR EXTENSION 3"
KTI22005	. 3/8" DR EXTENSION 5"
KTI22006	. 3/8" DR EXTENSION 6"
KTI22008	. 3/8" DR EXTENSION 8"
KTI22010	. 3/8" DR EXTENSION 10"
	. 3/8" DR EXTENSION 12" 1
KTI22018	. 3/8" DR EXTENSION 18" 1
KTI22024	. 3/8" DR EXTENSION 24" 1
KTI22043	. 3/8" DR WOBBLE EXTENSION 3"
KTI22046	. 3/8" DR WOBBLE EXTENSION 6"
KTI22047	. 3/8" DR 47PC SOCKET SET 6 POINT
KTI22048	. 3/8" DR WOBBLE EXTENSION 8"
KTI22050	. 1/2" F X 3/8" M ADAPTER 1
KTI22055	. 3/8" F X 1/2" M ADAPTER 1
KTI22060	. 3/8" F X 1/4" M ADAPTER 1
KTI22071	. 3/8" DR SPEED HANDLE 1
KTI22080	. 8" FLEX HANDLE 1
KTI22091	. 3/8" DR PUSH BUTTON RATCHET 1
KTI22092	. 3/8" PRO RATCHET 1
KTI22093	. 3/8" DR FLEX HEAD RATCHET
KTI22095	LONG HANDLE 3/8" DR RATCHET 1
KTI22133	. 3/8" DR 2in1 SOCKET 1-1/16" DEEP
KTI22219	. EXTRA DEEP 5/8" SPARK PLUG SKT 1
KTI22221	. 3/8" DR SPARKPLUG SKT 6PT 5/8" 1
KTI22227	. 3/8" DR SPARKPLUG SKT 6PT 13/16" 1
	. Universal Joint 3/8" dr 1
KTI22521	. 5/8" SPARKPLUG SKT 3/8" DR UNIV 1
KTI22527	. 13/16" SPARKPLUG SKT 3/8" DR UNV 1
KTI27000	. 3/8" DR METRIC SOCKET SET 1
KTI089	. 3" EXTENSION BAR 1
	. HOOKS
	. HOOKS4
	. PLASTIC HOOKS
KTI0L0806	. DISPLAY OVERLAY 1
KTI0LF04333	. OVERLAY FASTENERS (6 PACK)











3/8" Drive Sockets











3/8" Drive Sock		Qty
		DR 12PT SHORT SOCKET 11/16" 1
		DR 12PT SHORT SOCKET 3/4" 1
		DR 12PT SHORT SOCKET 13/16" 1
		DR 12PT SHORT SOCKET 7/8"
		DR 12PT SHORT SOCKET 15/16"
		DR 12PT SHORT SOCKET 1"
		DR SHORT SOCKET 8MM
		DR SHORT SOCKET 9MM
		DR SHORT SOCKET 10MM
		DR SHORT SOCKET 11MM
		DR SHORT SOCKET 12MM
		DR SHORT SOCKET 13MM
		DR SHORT SOCKET 14MM
KTI27115	3/8"	DR SHORT SOCKET 15MM 1
KTI27116	3/8"	DR SHORT SOCKET 16MM 1
KTI27117	3/8"	DR SHORT SOCKET 17MM 1
		DR SHORT SOCKET 18MM1
		DR SHORT SOCKET 19MM1
		DR SHORT SOCKET 20MM 1
		DR SHORT SOCKET 21MM 1
		DR 6 POINT SHORT SOCKET 22MM
		DR 6 POINT SHORT SOCKET 23MM
		DR 6 POINT SHORT SOCKET 24MM
		DR 6 POINT SHORT SOCKET 25MM
		DR DEEP SOCKET 7MM
		DR DEEP SOCKET 8MM
		DR DEEP SOCKET 9MM
		DR DEEP SOCKET 10MM
		DR DEEP SOCKET 11MM
		DR DEEP SOCKET 12MM
KTI27213	3/8"	DR DEEP SOCKET 13MM
		DR DEEP SOCKET 14MM 1
		DR DEEP SOCKET 15MM 1
		DR DEEP SOCKET 16MM 1
		DR DEEP SOCKET 17MM 1
		DR DEEP SOCKET 18MM 1
		DR DEEP SOCKET 19MM
		DR 6 POINT DEEP SOCKET 20MM
		DR 6 POINT DEEP SOCKET 21MM
		DR 6 POINT DEEP SOCKET 22MM
		DR 6 POINT DEEP SOCKET 25MM
		DR 6 POINT DEEP SOCKET 25MM
		DR 6 POINT DEEP SOCKET 26MM
		DR 12PT DEEP SOCKET 7MM
		DR 12PT DEEP SOCKET 8MM
		DR 12PT DEEP SOCKET 9MM 1
		DR 12PT DEEP SOCKET 10MM 1
		DR 12PT DEEP SOCKET 11MM 1
		DR 12PT DEEP SOCKET 12MM 1
		DR 12PT DEEP SOCKET 13MM 1
		DR 12PT DEEP SOCKET 14MM 1
		DR 12PT DEEP SOCKET 15MM 1
		DR 12PT DEEP SOCKET 16MM
K112/41/	. 3/8"	DR 12PT DEEP SOCKET 17MM
		DR 12PT DEEP SOCKET 18MM
		DR 12PT DEEP SOCKET 19MM
		DR 12PT DEEP SOCKET 20MM 1
		DR 12PT SHORT SOCKET 7MM
		DR 12PT SHORT SOCKET 8MM
		DR 12PT SHORT SOCKET 9MM
		DR 12PT SHORT SOCKET 10MM 1
KTI27511	3/8"	DR 12PT SHORT SOCKET 11MM 1
KTI27512	3/8"	DR 12PT SHORT SOCKET 12MM 1
		DR 12PT SHORT SOCKET 13MM1
		DR 12PT SHORT SOCKET 14MM 1
		DR 12PT SHORT SOCKET 15MM 1
		DR 12PT SHORT SOCKET 16MM
		DR 12PT SHORT SOCKET 17MM
		DR 12PT SHORT SOCKET 18MM
		DR 12PT SHORT SOCKET 19MM
		DR 12PT SHORT SOCKET 20MM
		KS
KTIOL0807.	DISP	LAY OVERLAY 1
		RLAY FASTENERS (6 PACK)
		· · · · · · · · · · · · · · · · · · ·



1/2" Drive Tools & Sockets
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

1/2" Drive Tools	& SocketsQ)ty
KTI22075	CHROME ADAPTER 1/2"F X 3/4" M	1
KTI23003	1/2" DR 3" EXTENSION	1
KTI23005	1/2" DR 5" EXTENSION	1
KTI23010	1/2" DR 10" EXTENSION	1
	1/2" DR EXTENSION 15"	
	1/2" DR EXTENSION 20"	
	1/2" DR SLIDING T-HANDLE	
	1/2" DR 17" BREAKER BAR	
	1/2" DR 24" BREAKER BAR	
	1/2" DR EXTENDING BREAKER BAR	
	1/2" DR 10" FLEX HANDLE	
	1/2" DR PUSH BUTTON RATCHET	
	1/2" PRO RATCHET	
KTI23095	PRO SERIES 1/2 LONG RATCHET	1
	1/2" DR 6 POINT SHORT SOCKET 3/8"	
KTI23114	1/2" DR SHORT SOCKET 7/16"	1
KTI23116	1/2" DR SHORT SOCKET 1/2"	1
	1/2" DR SHORT SOCKET 9/16"	
	1/2" DR SHORT SOCKET 5/8"	
	1/2" DR SHORT SOCKET 11/16"	
KTI23124	1/2" DR SHORT SOCKET 3/4"	1
	1/2" DR SHORT SOCKET 13/16"	
KTI23128	1/2" DR SHORT SOCKET 7/8"	1
	1/2" DR SHORT SOCKET 15/16"	
KTI23132	1/2" DR SHORT SOCKET 1"	1
KTI23134	1/2" DR SHORT SOCKET 1-1/16"	1
KTI23136	1/2" DR SHORT SOCKET 1-1/8"	1
	1/2" DR SHORT SOCKET 1-1/4"	
	1/2" DR 6 POINT SHORT SOCKET 1-5/16"	
KTI23144	1/2" DR 6 POINT SHORT SOCKET 1-3/8"	1
KTI23146	1/2" DR 6 POINT SHORT SOCKET 1-7/16"	1
	1/2" DR 6 POINT SHORT SOCKET 1-1/2"	
KTI23214	1/2" DR 6 POINT DEEP SOCKET 7/16"	1
	1/2" DR DEEP 6 PT.SOCKET 1/2"	
KTI23218	1/2" DR DEEP 6 PT.SOCKET 9/16"	1
KTI23220	1/2" DR DEEP 6 PT.SOCKET 5/8"	1
	1/2" DR DEEP 6 PT.SOCKET 11/16"	
KTI23224	1/2" DR DEEP 6 PT.SOCKET 3/4"	1
KTI23226	1/2" DR DEEP 6 PT.SOCKET 13/16"	1
KTI23228	1/2" DR DEEP 6 PT.SOCKET 7/8"	1
KTI23230	1/2" DR DEEP 6 PT.SOCKET 15/16"	1
	1/2" DR 6 POINT DEEP SOCKET 1"	
KTI23234	1/2" DR 6 POINT DEEP SOCKET 1-1/16"	1
	1/2" DR 6 POINT DEEP SOCKET 1-1/8"	
	1/2" DR 6 POINT DEEP SOCKET 1-1/4"	
KTI23242	1/2" DR 6 POINT DEEP SOCKET 1-5/16"	1
	1/2" DR 6 POINT DEEP SOCKET 1-3/8"	
	1/2" DR 6 POINT DEEP SOCKET 1-7/16"	
	1 1/2" HEATING ELEMENT SOCKET	
	1/2" DR. UNIVERSAL	
	1/4" STUD REMOVER 1/2"DR	
	5/16" STUD REMOVER 1/2"DR	
	3/8" STUD REMOVER 1/2"DR	
	7/16" STUD REMOVER 1/2"DR	
	6 MM STUD REMOVER 1/2"DR	
	8 MM STUD REMOVER 1/2"DR	
	10 MM STUD REMOVER 1/2"DR	
	12 MM STUD REMOVER 1/2"DR	
	3/4" F X 1/2" M ADAPTER	
	1/2" DR 6 POINT SHORT SOCKET 10MM	
	1/2" DR 6 POINT SHORT SOCKET 11MM	
	1/2" DR 6 POINT SHORT SOCKET 12MM	
	1/2" DR 6 POINT SHORT SOCKET 13MM	
KTI28114	1/2" DR 6 POINT SHORT SOCKET 14MM	1



1/2" Drive Tools	s & SocketsQty
KTI28115	. 1/2" DR SHORT SOCKET 15MM
KTI28116	. 1/2" DR SHORT SOCKET 16MM
KTI28117	. 1/2" DR SHORT SOCKET 17MM
KTI28118	. 1/2" DR SHORT SOCKET 18MM
KTI28119	. 1/2" DR SHORT SOCKET 19MM
KTI28120	. 1/2" DR SHORT SOCKET 20MM
KTI28121	. 1/2" DR SHORT SOCKET 21MM
KTI28122	. 1/2" DR SHORT SOCKET 22MM
KTI28123	. 1/2" DR SHORT SOCKET 23MM
KTI28124	. 1/2" DR SHORT SOCKET 24MM
KTI28125	. 1/2" DR SHORT SOCKET 25MM
KTI28126	. 1/2" DR SHORT SOCKET 26MM
KTI28127	. 1/2" DR SHORT SOCKET 27MM
KTI28128	. 1/2" DR SHORT SOCKET 28MM
KTI28210	. 1/2" DR 6 POINT DEEP SOCKET 10MM 1
KTI28211	. 1/2" DR 6 POINT DEEP SOCKET 11MM
KTI28212	. 1/2" DR 6 POINT DEEP SOCKET 12MM
KTI28213	. 1/2" DR 6 POINT DEEP SOCKET 13MM
KTI28214	. 1/2" DR 6 POINT DEEP SOCKET 14MM 1
KTI28215	. 1/2" DR DEEP SOCKET 15MM
KTI28216	. 1/2" DR DEEP SOCKET 16MM
KTI28217	. 1/2" DR DEEP SOCKET 17MM
KTI28218	. 1/2" DR DEEP SOCKET 18MM
KTI28219	. 1/2" DR DEEP SOCKET 19MM
KTI28220	. 1/2" DR DEEP SOCKET 20MM 1
KTI28221	. 1/2" DR DEEP SOCKET 21MM 1
KTI28222	. 1/2" DR DEEP SOCKET 22MM 1
KTI28223	. 1/2" DR DEEP SOCKET 23MM 1
KTI28224	. 1/2" DR DEEP SOCKET 24MM 1
KTI28225	. 1/2" DR 6 POINT DEEP SOCKET 25MM 1
	. 1/2" DR 6 POINT DEEP SOCKET 26MM
KTI28227	. 1/2" DR 6 POINT DEEP SOCKET 27MM
KTI28228	. 1/2" DR 6 POINT DEEP SOCKET 28MM
KTI089	. 3" EXTENSION BAR 3
KTIH00K2	. HOOKS23
	. PLASTIC HOOKS34
KTI0L0808	. DISPLAY OVERLAY 1
KTI0LF04333	. OVERLAY FASTENERS (6 PACK)



Screwdrivers #1



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

Screwdrivers #	1	Ωtv
	T-10 TORQ SCREWDRIVER.	
KTI11315	T-15 TORQ SCREWDRIVER	2
KTI11320	T-20 TORQ SCREWDRIVER	2
KTI16001	5 PC SLOTTED SCREWDRIVER SET	1
KTI16002	5 PC PHILLIPS SCREWDRIVER SET	1
KTI16113	#1 PHILLIPS SCREWDRIVER	2
KTI16121	#2 STUBBY PHILLIPS SCREWDRIVER	2
KTI16124	#2 PHILLIPS SCREWDRIVER	2
KTI16129	#2 LONG PHILLIPS SCREWDRIVER	1
KTI16136	#3 PHILLIPS SCREWDRIVER	2
KTI16201	STUBBY SLOTTED SCREWDRIVER	2
	3" STANDARD SCREWDRIVER	
	4" STANDARD SCREWDRIVER	
KTI16206	6" STANDARD SCREWDRIVER	2
	8" STANDARD SCREWDRIVER	
	8 PC SCREWDRIVER SET BLACK	
	#1 PHILLIPS SCREWDRIVER BLACK	
	#2 PHILLIPS SCREWDRIVER STUBBY	
	#2 PHILLIPS SCREWDRIVER BLACK	
	STUBBY SCREWDRIVER BLACK	
	3" STANDARD SCREWDRIVER BLACK	
	4" STANDARD SCREWDRIVER BLACK	
	6" STANDARD SCREWDRIVER BLACK	
	8" STANDARD SCREWDRIVER BLACK	
	H00KS	
	H00KS	
	DISPLAY OVERLAY	
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1



KTI0850

Screwdrivers #2



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Screwdrivers	#2(Qty
KTI18000	BITS SET 12 Piece	. 2
KTI11001	SCREWDRIVER SQUARE S1" x 4"	. 2
KTI11002	SCREWDRIVER SQUARE S2" x 4"	. 2
KTI11003	SCREWDRIVER SLOTTED 1/8" x 3"	. 2
KTI11005	SCREWDRIVER SLOTTED 5/32" x 4"	. 2
KTI11006	SCREWDRIVER SLOTTED 3/16" x 6"	. 2
	SCREWDRIVER SET 8 Piece	
KTI11009	SCREWDRIVER SLOTTED 5/16" x 6"	. 2
	SCREWDRIVER SLOTTED 1/4" x 1-1/2"	
KTI11011	SCREWDRIVER SLOTTED 1/4" x 4"	. 2
KTI11012	SCREWDRIVER SLOTTED 3/16" x 3"	. 2
	SCREWDRIVER TORX T10 x 4"	
	SCREWDRIVER TORX T15 x 4"	
	SCREWDRIVER TORX T20 X 4"	
	SCREWDRIVER PHILLIPS #2 x 1-1/2"	
	SCREWDRIVER PHILLIPS #1 x 3"	
	SCREWDRIVER PHILLIPS #2 x 4"	-
	SCREWDRIVER TORX T25 x 4"	
	SCREWDRIVER PHILLIPS #3 x 6"	
	SCREWDRIVER PHLLIPS #0 x 3"	
	SCREWDRIVER PHILLIPS #1 x 6"	
	BITS DRIVER	
	HOOKS	
	HOOKS	
	DISPLAY OVERLAY	
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	. 1



KTI0810



Torq & Hex SocketsDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Taum 9 Hay Can	Oho
Torq & nex Soc	ketsQty
	1/4" DR TORQ BIT T-10
	1/4" DR TORQ BIT T-15
	1/4" DR TORQ BIT T-20
	1/4" DR TORQ BIT T-25
	1/4" DR TORQ BIT T-27
	1/4" DR TORQ BIT T-30
KTI22800	9PC TORQ SOCKET SET 1
	12PC.TORQ SOCKET SET
KTI22840	3/8" DR TORQ BIT T-40
	3/8" DR TORQ BIT T-45
KTI22847	3/8" DR TORQ BIT T-47
	3/8" DR TORQ BIT T-50
	3/8" DR TORQ BIT T-55
	3/8" DR TORQ BIT T-60
	EXTERNAL TORQ SOCKET SET
	EXTERNAL TORQ SOCKET SET
	EXTERNAL TORQ E-4 1/4 DR
	EXTERNAL TORQ E-6 1/4" DR
	EXTERNAL TORQ E-7 1/4" DR 1
	EXTERNAL TORQ E-8 1/4" DR 1
	EXTERNAL TORQ E-10 3/8" DR 1
	EXTERNAL TORQ E-12 3/8" DR 1
	EXTERNAL TORQ E-14 3/8" DR 1
	EXTERNAL TORQ E-16 3/8" DR
	EXTERNAL TORQ E-18 3/8" DR
KTI22904	HEX BIT 1/8" 1
KTI22905	HEX BIT 5/32
KTI22906	HEX BIT 3/16
KTI22907	HEX BIT 7/32 1
	HEX BIT 1/4"
KTI22910	HEX BIT 5/16"
KTI22012	HEX BIT 3/8"
	7PC 3/8" DR HEX BIT SET FRACT.
	METRIC HEX BIT 3 MM
	METRIC HEX BIT 4 MM
	METRIC HEX BIT 5 MM
	METRIC HEX BIT 5 MM
	METRIC HEX BIT 7 MM
	METRIC HEX BIT 8 MM 1
	METRIC HEX BIT 10 MM
K1127955	METRIC HEX BIT 5.5MM 1
	7PC 3/8" DR HEX BIT SET METRIC
	H00KS
	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)



KTI0811



Torx & Hex Sockets
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

Torx & Hex Soc	ketsQty
KTI21500	MASTER TAMPER PROOF TORX SET 12 PC
KTI21610	1/4" DR TORX BIT T-10 USA
	1/4" DR TORX BIT T-15 USA
	1/4" DR TORX BIT T-20 USA
	. 1/4" DR TORX BIT T-25 USA
	. 1/4" DR TORX BIT T-27 USA
	1/4" DR TORX BIT T-30 USA
	12PC TORX BIT SET T10-T60 USA
	3/8" DR TORX BIT T-40 USA
	3/8" DR TORX BIT T-45 USA
	.3/8" DR. TORX BIT T-43 03A
	3/8" DR. TORX BIT T-50 USA
	3/8" DR TORX BIT T-55 USA
	1/2" DR TORX BIT T-60 USA
	1/2" DR TURX BIT 1-00 USA
	EXTERNAL TORQ SOCKET SET
	EXTERNAL TORQ E-5 1/4" DR
	EXTERNAL TORQ E-6 1/4" DR
	EXTERNAL TORQ E-7 1/4" DR
	EXTERNAL TORQ E-8 1/4" DR
	EXTERNAL TORQ E-10 3/8" DR
	EXTERNAL TORQ E-12 3/8" DR 1
	EXTERNAL TORQ E-14 3/8" DR 1
	EXTERNAL TORQ E-16 3/8" DR
	EXTERNAL TORQ E-18 3/8" DR 1
	EXTERNAL TORQ E-20 3/8" DR 1
	HEX BIT 1/8" 1
	HEX BIT 5/32
KTI22906	.HEX BIT 3/161
KTI22907	.HEX BIT 7/32 1
KTI22908	HEX BIT 1/4"
KTI22910	HEX BIT 5/16"
KTI22912	HEX BIT 3/8"
KTI22970	7PC 3/8" DR HEX BIT SET FRACT
	METRIC HEX BIT 3MM 1
	METRIC HEX BIT 4MM
	METRIC HEX BIT 5MM
	METRIC HEX BIT 6MM
	METRIC HEX BIT 7MM
	METRIC HEX BIT 8MM
	METRIC HEX BIT 10MM
	METRIC HEX BIT TOMM
	TPC 3/8" DR HEX BIT SET METRIC
	HOOKS
	DISPLAY OVERLAY
	. OVERLAY FASTENERS (6 PACK)
KIIULFU4333	UVERLAT FASTENERS (6 PAUK) 1




Wrenches
Display assortments include the following hardware:

• Hooks, printed overlay, overlay fasteners

• Display boards must be purchased separately (KTI098)

KTI41110	COMBINATION WRENCH 5/16"	1
	COMBINATION WRENCH 3/8"	
KTI41114	COMBINATION WRENCH 7/16"	2
KTI41116	COMBINATION WRENCH 1/2"	3
	COMBINATION WRENCH 9/16"	
	COMBINATION WRENCH 5/8"	
	COMBINATION WRENCH 11/16"	
	COMBINATION WRENCH 3/4"	
	COMBINATION WRENCH 13/16"	
	COMBINATION WILLNOT 13/10	
	COMBINATION WILLIAM 15/16"	
	COMBINATION WRENCH 19/10	
	COMBINATION WRENCH 1	
	COMBINATION WRENCH 1-1/16	
	COMBINATION WRENCH 1-1/4"	
	JUMBO COMBO WRENCH 1-5/16"	
	3/8" SHORT COMBINATON WRENCH	
	7/16" SHORT COMBINATION WRENCH	
	1/2" SHORT COMBINATION WRENCH	
	9/16" SHORT COMBINATION WRENCH	
	5/8" SHORT COMBINATION WRENCH	
	11/16" SHORT COMBINATION WRENCH	
	3/4" SHORT COMBINATION WRENCH	
KTI41308	1/4" HIGH POLISH COMB.WRENCH	1
KTI41310	5/16" HIGH POLISH COMB.WRENCH	1
KTI41311	11/32" HIGH POLISH COMB.WRENCH	1
KTI41312	3/8" HIGH POLISH COMB.WRENCH	2
	7/16" HIGH POLISH COMB.WRENCH	
KTI41316	1/2" HIGH POLISH COMB. WRENCH	2
KTI41318	9/16" HIGH POLISH COMB.WRENCH	2
	5/8" HIGH POLISH COMB. WRENCH	
	11/16" HIGH POLISH COMB. WRENCH	
	3/4" HIGH POLISH COMB. WRENCH	
	13/16" HIGH POLISH COMB.WRENCH	
	7/8" HIGH POLISH COMB. WRENCH	
	15/16" HIGH POLISH COMB.WRENCH	
	1" HIGH POLISH COMB. WRENCH	
	1-1/16" HIGH POLISH COMB. WRENCH	
	1-1/8" HIGH POLISH COMB.WRENCH	
	1-1/6 HIGH POLISH COMB.WRENCH	
	1-5/16" HIGH POLISH COMB.WRENCH	
	1-3/8" HIGH POLISH COMB.WRENCH	
	1-7/16" HIGH POLISH COMB.WRENCH	
	1-1/2" HIGH POLISH COMB.WRENCH	
	6PT COMBINATION WRENCH 3/8"	
	6PT COMBINATION WRENCH 7/16"	
	6PT COMBINATION WRENCH 1/2"	
	6PT COMBINATION WRENCH 9/16"	
	6PT COMBINATION WRENCH 5/8"	
	6PT COMBINATION WRENCH 11/16"	
	6PT COMBINATION WRENCH 3/4"	
	3/8" x 7/16" FLARE NUT WRENCH	
KTI44416	1/2" x 9/16" FLARE NUT WRENCH	1
	5/8" x 11/16" FLARE NUT WRENCH	
	3" EXTENSION BAR	
	HOOKS	
	PLASTIC HOOKS	
	DISPLAY OVERLAY	
	OVERLAY FASTENERS (6 PACK)	





- Metric Wrenches
 Display assortments include the following hardware:

 Hooks, printed overlay, overlay fasteners

 Display boards must be purchased separately (KTI098)

Metric Wrenche	esQt	ίγ
KTI41607	. METRIC COMB WRENCH 7MM 1	
KTI41608	. METRIC COMB WRENCH 8MM 1	
KTI41609	. METRIC COMB WRENCH 9MM 1	
	. METRIC COMB WRENCH 10MM	
	. METRIC COMB WRENCH 11MM	
	. METRIC COMB WRENCH 12MM	
	. METRIC COMB WRENCH 13MM	
	METRIC COMB WRENCH 14MM	
	METRIC COMB WRENCH 15MM	
	METRIC COMB WRENCH 16MM	
	METRIC COMB WRENCH 17MM	
	. METRIC COMB WRENCH 18MM	
	METRIC COMB WRENCH 19MM	
	. 8MM SHORT COMBINATION WRENCH	
	. 10MM SHORT COMBINATION WRENCH	
	. 12MM SHORT COMBINATION WRENCH	
	. 13MM SHORT COMBINATION WRENCH	
	. 14MM SHORT COMBINATION WRENCH	
	. 15MM SHORT COMBINATION WRENCH	
	. 17MM SHORT COMBINATION WRENCH	
	. 18MM SHORT COMBINATION WRENCH	
	. 7MM HIGH POLISH COMB.WRENCH	
	. 8MM HIGH POLISH COMB. WRENCH	
	. 9MM HIGH POLISH COMB. WRENCH	
	. 10MM HIGH POLISH COMB. WRENCH	
	. 11MM HIGH POLISH COMB. WRENCH	
	. 12MM HIGH POLISH COMB. WRENCH	
	. 13MM HIGH POLISH COMB. WRENCH	
	. 14MM HIGH POLISH COMB. WRENCH 1	
	. 15MM HIGH POLISH COMB. WRENCH2	
	. 16MM HIGH POLISH COMB. WRENCH 1	
	. 17MM HIGH POLISH COMB. WRENCH 1	
	. 18MM HIGH POLISH COMB. WRENCH2	
	. 19MM HIGH POLISH COMB. WRENCH 1	
	. METRIC COMB WRENCH 20MM (BULK) 1	
	. METRIC COMB WRENCH 21MM (BULK) 1	
	. METRIC COMB WRENCH 22MM (BULK) 1	
	. METRIC COMB WRENCH 23MM (BULK) 1	
	. METRIC COMB WRENCH 24MM (BULK) 1	
	. METRIC COMB WRENCH 25MM (BULK) 1	
	. METRIC COMB WRENCH 26MM (BULK) 1	
	. METRIC COMB WRENCH 27MM (BULK) 1	
	. METRIC COMB WRENCH 28MM (BULK) 1	
	. METRIC COMB WRENCH 29MM (BULK) 1	
	. METRIC COMB WRENCH 30MM (BULK) 1	
	. METRIC COMB WRENCH 31MM (BULK) 1	
	. METRIC COMB WRENCH 32MM (BULK) 1	
	. METRIC COMB WRENCH 33MM (BULK) 1	
KTI41834	. METRIC COMB WRENCH 34MM (BULK) 1	
KTI41835	. METRIC COMB WRENCH 35MM (BULK) 1	
KTI41836	. METRIC COMB WRENCH 36MM (BULK) 1	
	. FLARE NUT WRENCH 10MM x 12MM 1	
	. FLARE NUT WRENCH 13MM x 14MM 1	
	. FLARE NUT WRENCH 15MM x 17MM 1	
	. 3" EXTENSION BAR 1	
	. PLASTIC HOOKS17	
	. HOOKS	
	. DISPLAY OVERLAY 1	
KTI0LF04333	. OVERLAY FASTENERS (6 PACK)	





Jumbo Wrenches



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Jumbo WrenchesQt	У
KTI41144JUMBO COMBO WRENCH 1-3/8"	-
KTI41146 JUMBO COMBO WRENCH 1-7/16" 1	
KTI41148 JUMBO COMBO WRENCH 1-1/2" 1	
KTI41152 JUMBO COMBO WRENCH 1-5/8" 1	
KTI41156 JUMBO COMBO WRENCH 1-3/4" 1	
KTI41160 JUMBO COMBO WRENCH 1-7/8" 1	
KTI41164 JUMBO COMBO WRENCH 2"	
KTI41168 JUMBO COMBO WRENCH 2-1/8" (BULK) 1	
KTI41172 JUMBO COMBO WRENCH 2-1/4" (BULK) 1	
KTI41176 JUMBO COMBO WRENCH 2-3/8" (BULK) 1	
KTI41180 JUMBO COMBO WRENCH 2-1/2" (BULK) 1	
KTI089 3" EXTENSION BAR	
KTIH00K11PLASTIC H00KS5	
KTIH00K2H00KS6	
KTIOL0814DISPLAY OVERLAY	
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	

KTI0815

Nylon Ties



Display assortments include the following hardware:


- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Nylon TiesQ	tv
KTI76000NYLON TIE TOOL	
KTI76040	2
KTI760707" CABLE TIE NATURAL 100 PACK	2
KTI7611011" CABLE TIE NATURAL 100 PACK	2
KTI7614014" CABLE TIE NATURAL 100 PACK	2
KTI7614514" HD CABLE TIE NATUR.100 PACK	1
KTI770707" NATURAL MT.HEAD 100 PACK	1
KTI7714014" NATURAL MT.HEAD 100 PACK	1
KTI78040 4" CABLE TIE BLACK 100 PACK	2
KTI780707" CABLE TIE BLACK 100 PACK	2
KTI7811011" CABLE TIE BLACK 100 PACK	2
KTI7814014" CABLE TIE BLACK 100 PACK	2
KTI78145 14" HD CABLE TIE BLACK 100 PACK	1
KTIH00K2H00KS	8
KTIOL0815 DISPLAY OVERLAY	1
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	1

KTI0816

Pliers



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Pliers	Qty
KTI51006	. 6" NEEDLE NOSE CHROME VANADIUM
KTI51007	. 7" NEEDLE NOSE CHROME VANADIUM 1
KTI51008	. 8" NEEDLE NOSE CHROME VANADIUM 1
KTI51111	. 11" NEEDLE NOSE PLIER 90 DEG 1
KTI51211	. 11" NEEDLE NOSE PLIER 45 DEG
KTI51311	. 11" NEEDLE NOSE PLIER "S"
KTI52006	. 6" DIAGONALS CHROME VANADIUM 1
KTI52007	. 7" DIAGONALS CHROME VANADIUM 1
KTI52107	. 7" H.D. DIAGONALS CHROME VAN 1
KTI53004	. 4" CHROME PLIERS RED HANDLES
KTI53006	. 6" CHROME PLIERS RED HANDLES 1
KTI53008	. 8" CHROME PLIERS RED HANDLES 1
KTI54006	. 6" GROOVE JOINT PLIER 1
KTI54010	. 10" GROOVE JOINT PLIER 1
KTI54012	. 12" GROOVE JOINT PLIER 1
KTIH00K2	. HOOKS
KTI0L0816	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)

KTI0817

Adjustable Wrenches & Locking Pliers/Clamps Display assortments include the following hardware: • Hooks, printed overlay, overlay fasteners • Display boards must be purchased separately (KTI098)







Adjustable Wrenches & Locking Pliers/ClampsQty
KTI48004 4" ADJUSTABLE WRENCH 1
KTI48006 6" ADJUSTABLE WRENCH 1
KTI48008 8" ADJUSTABLE WRENCH 1
KTI48010 10" ADJUSTABLE WRENCH 1
KTI48012 12" ADJUSTABLE WRENCH 1
KTI48015 15" ADJUSTABLE WRENCH 1
KTI48018 18" ADJUSTABLE WRENCH 1
KTI58705 5" Locking Plier Curved Jaws
KTI58707 7" Locking Plier Curved Jaws
KTI58710 10" Locking Plier Curved Jaws
KTI587177" Locking Plier Straight Jaws
KTI58809 9" Welding Locking Clamp
KTI588111" Locking C-Clamp Plier
KTIH00K2H00KS20
KTIH00K8 H00KS 1
KTIOL0817 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)



Files & Scrapers
Display assortments include the following hardware:







Files & ScrapersQty
KTI70020LONG HANDLED SCRAPER
KTI70023 4 PC SCRAPER SET - USA
KTI70024
KTI70025 1-1/2" FLEXIBLE SCRAPER
KTI70026 1-1/2" CHISEL EDGE STIFF SCRAPER 1
KTI70028 1-1/2" CHISEL SCRAPER 1
KTI70029 3" FLEX SCRAPER 1
KTI72505 FILE SET 5 PIECE
KTI72512 6" MILL FILE 1
KTI72514 10" MILL FILE 1
KTI72523 8" BASTARD FILE 1
KTI72543 8" HALF ROUND FILE
KTI72553 8" ROUND FILE
KTIH00K2H00KS14
KTIOL0819 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0820

Hammers

Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



HammersQty
KTI71700
KTI71704 4 OZ. BALL PEIN HAMMER
KTI71708 8 OZ. BALL PEIN HAMMER 1
KTI71714 16 OZ. BRASS HAMMER,HICKORY 1
KTI71715 24 OZ. BRASS HAMMER,HICKORY 1
KTI71716 16 OZ. BALL PEIN HAMMER 1
KTI71724 4 LB. CROSS-PEIN HAMMER
KTI71725 24 OZ. BALL PEIN HAMMER
KTI71732 32 OZ. BALL PEIN HAMMER
KTI71733 32 OZ. BRASS HAMMER,HICKORY 1
KTI71751 24 OZ. RUBBER MALLET 1
KTIH00K2H00KS21
KTIOL0820 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0821

- Snap Ring Pliers
 Display assortments include the following hardware:

 Hooks, printed overlay, overlay fasteners

 Display boards must be purchased separately (KTI098)



Snap Ring Pliers Qty
KTI5511212 pc. Kit Universal Snap Ring
KTI55120 Fixed .038 Tip Convertible Pliers S
KTI55121 Fixed .047 Tip Convertible Pliers S
KTI55122 Fixed .070 Tip Convertible Pliers S 1
KTI55123 Fixed .090 Tip Convertible Pliers S 1
KTI55130 Fixed .038 Tip Convertible Pliers 4
KTI55131 Fixed .047 Tip Convertible Pliers 4
KTI55132 Fixed .070 Tip Convertible Pliers 4
KTI55133 Fixed .090 Tip Convertible Pliers 4
KTI55140 Fixed .038 Tip Convertible Pliers 9
KTI55141 Fixed .047 Tip Convertible Pliers 9
KTI55142 Fixed .070 Tip Convertible Pliers 9 1
KTI55143 Fixed .090 Tip Convertible Pliers 9 1
KTIH00K2H00KS14
KTIOL0821 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)









Tie Downs & Tow StrapsDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Tie Downs & Tow StrapsQty
KTI73801 1-7/8" X 10' TOW STRAP 7000LBS
KTI73802 1-3/4" X 15' TOW STRAP 10,000LB
KTI73803 1-3/4" X 25' TOW STRAP 10,000LB
KTI73861 1" X 13' RATCHET TIE DOWN,HOOK 1
KTI73862 1" X 13' RATCHET TIE DOWN,LOOP
KTI73864 1" X 6' MOTORCYCLE TIE DOWN 1
KTI73870 4 PACK 1" X 10' RATCH.TIE DOWN
KTI73871 1" X 10' UNIVERSAL TIE DOWN 1
KTI73873 2 PACK 1" X 13'BUCKLE TIE DOWN
KTIH00K2H00KS12
KTIOL0822 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0831

Punches & Chisels



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Punches & ChiselsQty
KTI70002AUTOMATIC CENTER PUNCH
KTI72900 6 PC PIN PUNCH SET 1
KTI72901 15PC PUNCH & CHISEL SET 1
KTI72911 3/32" PIN PUNCH
KTI72912 1/8" PIN PUNCH 1
KTI72913 5/32" PIN PUNCH
KTI72914
KTI72915 1/4" PIN PUNCH
KTI72916 5/16" PIN PUNCH
KTI72921
KTI72922 1/8" TAPER PUNCH
KTI72923 5/32" TAPER PUNCH
KTI72924 3/16" TAPER PUNCH
KTI72925 1/4" TAPER PUNCH
KTI72931 1/8" CENTER PUNCH
KTI72932 3/16" CENTER PUNCH
KTI72982 3/8" BRASS PUNCH
KTI72984 1/2" BRASS PUNCH
KTI72986 5/8" BRASS PUNCH
KTI72988 3/4" BRASS PUNCH
KTI73000 5 PC CHISEL SET
KTI73012
KTI73016 1/2" COLD CHISEL
KTI73020 5/8" COLD CHISEL
KTI73024 3/4" COLD CHISEL
KTI73028 7/8" COLD CHISEL
KTIHOOK2HOOKS
KTIOL0831 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK) 1

KTI0832

Pneumatic Bits

Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Pneumatic Bits.	Qty
KTI81900	4 PC. PNEUMATIC BIT SET
KTI81956	DOUBLE CUT BODY RIPPER 1
KTI81958	SLOTTED PANEL CUTTER
KTI81959	SHEET METAL TRIMMER
	TAIL PIPE CUT OFF
KTI81972	6" COLD CHISEL
	8" COLD CHISEL 1
	10" COLD CHISEL 1
	RIVET & BOLT CUTTER2
	SCRAPER1
	TAPER PUNCH SHARP POINT 1
	3/8" TAPER PUNCH
	HAMMER 1
	18" COLD CHISEL 1
	TIE ROD SEPARATOR-PNEUMATIC 1
	BALL JOINT SEPARATOR-PNEUMATIC 1
	1/8" TAPER PUNCH
	SPRING RETAINER FOR AIR TOOLS
	SAFETY CHUCK 1
	QUICK COUPLER RETAINER 1
	H00KS22
	DISPLAY OVERLAY 1
KTIOLF04333	OVERLAY FASTENERS (6 PACK)1

KTI0833

Pullers





- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Pullers		Qty
	4" TWO JAW ADJUSTABLE PULLER	
KTI70312	6" TWO JAW REVERSIBLE PULLER	1
KTI70313	7" TWO JAW ADJUSTABLE PULLER	1
KTI70321	4" THREE JAW ADJUSTABLE PULLER	1
KTI70322	7" 2-3 JAW REVERSIBLE PULLER	1
KTI70323	8" 2-3 JAW ADJUSTABLE PULLER	1
KTI70330	STEERING WHEEL PULLER - USA	1
KTI70344	HARMONIC BALANCER PULLER - USA	1
KTI70365	PITMAN ARM PULLER - USA	1
	BEARING SEPARATOR 1-1/4" - 2-1/4"	
KTI70384	BEARING SEPARATOR 3" - 4-1/2"	1
	H00KS	
KTI0L0833	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1





- Popular Tools #1
 Display assortments include the following hardware:

 Hooks, printed overlay, overlay fasteners

 Display boards must be purchased separately (KTI098)

	s #1Qty
	1/4" DR 2" EXTENSION
	1/4" DR 4" EXTENSION
	1/4" DR 6" EXTENSION 1
	UNIVERSAL JOINT 1/4" DR 1
	ADAPTER 1/4" F X 3/8" M1
	1/4" DR SPINNER HANDLE 1
	1/4" DR RATCHET 1
	1/4" DR PRO RATCHET 1
	1/4" DR SHORT SOCKET 3/16"
	1/4" DR SHORT SOCKET 7/32"
	1/4" DR SHORT SOCKET 1/4"
	1/4" DR SHORT SOCKET 9/32"
	1/4" DR SHORT SOCKET 5/16"
	1/4" DR SHORT SOCKET 11/32"
	1/4" DR SHORT SOCKET 3/8"
	1/4" DR SHORT SOCKET 7/16"
	1/4" DR SHORT SOCKET 1/2"
	1/4" DR SHORT SOCKET 9/16"
	1/4" DR DEEP SOCKET 3/16"
	1/4" DR DEEP SOCKET 7/32"
	1/4" DR DEEP SOCKET 1/4"
	1/4" DR DEEP SOCKET 9/32"
	1/4" DR DEEP SOCKET 5/16"
	1/4" DR DEEP SOCKET 11/32"
	1/4" DR DEEP SOCKET 3/8"
	1/4" DR DEEP SOCKET 7/16"
	1/4" DR DEEP SOCKET 1/2"
	1/4" DR DEEP SOCKET 9/16"
	3/8" DR EXTENSION 3"
	3/8" DR EXTENSION 6"
	3/8" DR EXTENSION 8"
	ADAPTER 1/2" F X 3/8" M
	ADAPTER 3/8" F X 1/2" M
	ADAPTER 3/8 F X 1/4 M
	3/8" DR PUSH BUTTON RATCHET 1
	3/8" DR PRO RATCHET
	3/8" DR SHORT SOCKET 5/16"
	3/8" DR SHORT SOCKET 3/8"
	3/8" DR SHORT SOCKET 7/16"
	3/8" DR SHORT SOCKET 1/2"
	3/8" DR SHORT SOCKET 9/16"
	3/8" DR SHORT SOCKET 5/8"
	3/8" DR SHORT SOCKET 11/16"
	3/8" DR SHORT SOCKET 3/4"
	3/8" DR SHORT SOCKET 13/16"
	3/8" DR SHORT SOCKET 7/8"
	3/8" DR SHORT SOCKET 15/16"
	3/8" DR SHORT SOCKET 1"
	3/8" DR DEEP SOCKET 3/8"
	3/8" DR DEEP SOCKET 7/16"
	3/8" DR DEEP SOCKET 1/2"
KTI22218	3/8" DR DEEP SOCKET 9/16"
KTI22220	3/8" DR DEEP SOCKET 5/8"
	3/8" DR DEEP SOCKET 11/16"
KTI22224	3/8" DR DEEP SOCKET 3/4"
	3/8" DR DEEP SOCKET 13/16"
	3/8" DR DEEP SOCKET 7/8"
	3/8" DR DEEP SOCKET 15/16"
	3/8" DR DEEP SOCKET 1"
	UNIVERSAL JOINT 3/8" DR
	1/2" DR 3" EXTENSION
	1/2" DR 5" EXTENSION
KTI23010	1/2" DR 10" EXTENSION
KTI23091	1/2" DR PUSH BUTTON RATCHET 1



Popular Tools #1Qty
KTI23092 1/2" DR PRO RATCHET
KTI23116 1/2" DR SHORT SOCKET 1/2"
KTI23118 1/2" DR SHORT SOCKET 9/16"
KTI23120 1/2" DR SHORT SOCKET 5/8"
KTI23122 1/2" DR SHORT SOCKET 11/16"
KTI23124 1/2" DR SHORT SOCKET 3/4"
KTI23126 1/2" DR SHORT SOCKET 13/16"
KTI23128 1/2" DR SHORT SOCKET 7/8"
KTI23130 1/2" DR SHORT SOCKET 15/16"
KTI23132 1/2" DR SHORT SOCKET 1"
KTI23134 1/2" DR SHORT SOCKET 1-1/16" 1
KTI23136 1/2" DR SHORT SOCKET 1-1/8" 1
KTI23140 1/2" DR SHORT SOCKET 1-1/4" 1
KTI23216 1/2" DR DEEP SOCKET 1/2" 1
KTI23218 1/2" DR DEEP SOCKET 9/16" 1
KTI232201/2" DR DEEP SOCKET 5/8"
KTI23222 1/2" DR DEEP SOCKET 11/16" 1
KTI23224 1/2" DR DEEP SOCKET 3/4"
KTI23226 1/2" DR DEEP SOCKET 13/16" 1
KTI232281/2" DR DEEP SOCKET 7/8"
KTI23230 1/2" DR DEEP SOCKET 15/16"
KTI23232 1/2" DR DEEP SOCKET 1"
KTI23234 1/2" DR DEEP SOCKET 1-1/16"
KTI23236 1/2" DR DEEP SOCKET 1-1/8"
KTI23240 1/2" DR DEEP SOCKET 1-1/4"
KTI23500 UNIVERSAL JOINT 1/2" DR
KTI089 3" EXTENSION BAR
KTIH00K2 H00KS
KTIHOOK11PLASTIC HOOKS
KTIOL0834DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

Popular Tools #2
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

Popular Tools #	2 Qty
	. SPARK PLUG SOCKET 3/8" DR 5/8"
	. SPARK PLUG SOCKET 3/8" DR 13/16"
KTI26105	. 1/4" DR SHORT SOCKET 5MM
KTI26106	. 1/4" DR SHORT SOCKET 6MM
KTI26107	. 1/4" DR SHORT SOCKET 7MM
KTI26108	. 1/4" DR SHORT SOCKET 8MM
KTI26109	. 1/4" DR SHORT SOCKET 9MM
KTI26110	. 1/4" DR SHORT SOCKET 10MM
KTI26111	. 1/4" DR SHORT SOCKET 11MM
KTI26112	. 1/4" DR SHORT SOCKET 12MM
KTI26113	. 1/4" DR SHORT SOCKET 13MM
KTI26114	. 1/4" DR SHORT SOCKET 14MM
KTI26115	. 1/4" DR SHORT SOCKET 15MM
KTI26155	. 1/4" DR SHORT SOCKET 5.5MM
KTI26206	. 1/4" DR DEEP SOCKET 6MM 1
KTI26207	. 1/4" DR DEEP SOCKET 7MM
KTI26208	. 1/4" DR DEEP SOCKET 8MM
KTI26209	. 1/4" DR DEEP SOCKET 9MM
KTI26210	. 1/4" DR DEEP SOCKET 10MM
KTI26211	. 1/4" DR DEEP SOCKET 11MM
KTI26212	. 1/4" DR DEEP SOCKET 12MM
KTI26213	. 1/4" DR DEEP SOCKET 13MM
KTI26214	. 1/4" DR DEEP SOCKET 14MM
	. 1/4" DR DEEP SOCKET 15MM 1
KTI26255	. 1/4" DR DEEP SOCKET 5.5MM
	. 3/8" DR SHORT SOCKET 8MM
	. 3/8" DR SHORT SOCKET 9MM
KTI27110	. 3/8" DR SHORT SOCKET 10MM
	. 3/8" DR SHORT SOCKET 11MM
	. 3/8" DR SHORT SOCKET 12MM
	. 3/8" DR SHORT SOCKET 13MM
	. 3/8" DR SHORT SOCKET 14MM
	. 3/8" DR SHORT SOCKET 15MM
	. 3/8" DR SHORT SOCKET 16MM
	. 3/8" DR SHORT SOCKET 17MM
	. 3/8" DR SHORT SOCKET 18MM
	. 3/8" DR SHORT SOCKET 19MM
KTI27210	. 3/8" DR DEEP SOCKET 10MM
	. 3/8" DR DEEP SOCKET 11MM
KTI27212	. 3/8" DR DEEP SOCKET 12MM
	. 3/8" DR DEEP SOCKET 13MM
KTI27214	. 3/8" DR DEEP SOCKET 14MM 1
KTI27215	. 3/8" DR DEEP SOCKET 15MM
	. 3/8" DR DEEP SOCKET 16MM
	. 3/8" DR DEEP SOCKET 17MM
	. 3/8" DR DEEP SOCKET 18MM
	. 3/8" DR DEEP SOCKET 19MM
	. 1/2" DR SHORT SOCKET 10MM
KTI28111	. 1/2" DR SHORT SOCKET 11MM
	. 1/2" DR SHORT SOCKET 12MM
	. 1/2" DR SHORT SOCKET 13MM
	. 1/2" DR SHORT SOCKET 14MM
	. 1/2" DR SHORT SOCKET 15MM
	. 1/2" DR SHORT SOCKET 16MM
	. 1/2" DR SHORT SOCKET 17MM
	. 1/2" DR SHORT SOCKET 18MM
	. 1/2" DR SHORT SOCKET 19MM
	. 1/2" DR SHORT SOCKET 20MM
	. 1/2" DR SHORT SOCKET 21MM
	. 1/2" DR DEEP SOCKET 10MM
	. 1/2" DR DEEP SOCKET 11MM
	. 1/2" DR DEEP SOCKET 17MM
	. 1/2" DR DEEP SOCKET 13MM
	. 1/2" DR DEEP SOCKET 14MM
	. 1/2" DR DEEP SOCKET 15MM



	tzQly
	1/2" DR DEEP SOCKET 16MM
	1/2" DR DEEP SOCKET 17MM 1
	1/2" DR DEEP SOCKET 18MM
	1/2" DR DEEP SOCKET 19MM
	1/2" DR DEEP SOCKET 20MM 1
	1/2" DR DEEP SOCKET 21MM 1
	COMBINATION WRENCH 1/4" 1
	COMBINATION WRENCH 5/16"
KTI41112	COMBINATION WRENCH 3/8""
	COMBINATION WRENCH 7/16"
	COMBINATION WRENCH 1/2"
KTI41118	COMBINATION WRENCH 9/16"
	COMBINATION WRENCH 5/8"
	COMBINATION WRENCH 11/16"
KTI41124	COMBINATION WRENCH 3/4"
KTI41126	COMBINATION WRENCH 13/16"
	COMBINATION WRENCH 7/8"
KTI41130	COMBINATION WRENCH 15/16" 1
	COMBINATION WRENCH 1"1
	COMBINATION WRENCH 1-1/16"
KTI41136	COMBINATION WRENCH 1-1/8" 1
KTI41608	COMBINATION WRENCH 8MM 1
KTI41609	COMBINATION WRENCH 9MM 1
KTI41610	COMBINATION WRENCH 10MM2
KTI41611	COMBINATION WRENCH 11MM2
KTI41612	COMBINATION WRENCH 12MM2
KTI41613	COMBINATION WRENCH 13MM
KTI41614	COMBINATION WRENCH 14MM2
KTI41615	COMBINATION WRENCH 15MM2
KTI41616	COMBINATION WRENCH 16MM2
KTI41617	COMBINATION WRENCH 17MM2
KTI41618	COMBINATION WRENCH 18MM
	COMBINATION WRENCH 19MM2
KTI44412	3/8" X 7/16" FLARE NUT WRENCH 1
KTI44416	1/2" X 9/16" FLARE NUT WRENCH 1
KTI44420	5/8" X 11/16" FLARE NUT WRENCH 1
KTI089	3" EXTENSION BAR 1
KTIH00K2	HOOKS
KTIH00K11	PLASTIC HOOKS14
KTI0L0835	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)





Nutdrivers & Hex Keys
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Nutdrivers &	Hex Keys Qty
KTI14400	7-PIECE FRACTIONAL NUTDRIVER SET 1
KTI14406	3/16" x 3" FRACTIONAL NUTDRIVER
KTI14408	1/4" x 3" FRACTIONAL NUTDRIVER
KTI14410	5/16" x 3" FRACTIONAL NUTDRIVER
KTI14411	11/32" x 3" FRACTIONAL NUTDRIVER
KTI14412	3/8" x 3" FRACTIONAL NUTDRIVER
KTI14414	7/16" x 3" FRACTIONAL NUTDRIVER
	1/2" x 3" FRACTIONAL NUTDRIVER 1
	7-PIECE METRIC NUTDRIVER SET 1
	5MM x 75MM METRIC NUTDRIVER 1
	6MM x 75MM METRIC NUTDRIVER 1
	7MM x 75MM METRIC NUTDRIVER 1
	8MM x 75MM METRIC NUTDRIVER 1
	9MM x 75MM METRIC NUTDRIVER 1
	10MM x 75MM METRIC NUTDRIVER 1
	11MM x 75MM METRIC NUTDRIVER 1
	SPIRAL EXTRACTOR SET 1
	4-PIECE PICK SET (NEON ORANGE)
	4-PIECE PICK SET (NEON GREEN)
	HEX KEY SET 1/8" - 3/8" FOLDING
	HEX KEY SET 1/16" - 3/8" ON A RING
	HEX KEY SET 2.5MM - 10MM FOLDING 1
	HEX KEY SET 1.5MM - 10MM ON A RING 1
	H00KS
	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)

KTI0837

Oil Filter Wrenches



Display assortments include the following hardware:


- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Oil Filter Wrenches	,
KTI73600 4-IN-1 FILTER WRENCH	
KTI73601 OIL FILTER WRENCH FOR TRUCKS ADJ FROM 2-7/8"-3-1/4" 1	
KTI73602 OIL FILTER WRENCH FOR TRUCKS ADJ FROM 3-7/16"-3-3/4" 1	
KTI73603 OIL FILTER WRENCH FOR TRUCKS ADJ FROM 4"-4-3/8"	
KTI73605 OIL FILTER WRENCH FOR TRUCKS ADJ FROM 4-5/16"-4-3/4" 1	
KTI73606 OIL FILTER WRENCH FOR TRUCKS ADJ FROM 5-1/4"-5-3/4" 1	
KTI73618 OIL FILTER CAP SOCKET 32MM 1	
KTI73619 OIL FILTER CAP SOCKET 35-36MM 1	
KTI73620 0IL FILTER PLIERS - ADJUSTABLE 1	
KTI73621TRUCK AND TRACTOR FILTER PLIER1	
KTI73630 OIL FILTER WRENCH TOYOTA/LEXUS	
KTI73635 17 PC MASTER OIL FILTER WRENCH KIT 1	
KTI73730 FILTER WRENCH NYLON STRAP 1/2"	
KTI73731 HEAVY-DUTY STRAP OIL FILTER WRENCH	
KTI089 3" EXTENSION BAR	
KTIH00K2H00KS11	
KTIHOOK11PLASTIC HOOKS5	
KTIOL0837 DISPLAY OVERLAY	
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	

KTI0838







Pullers & SeparatorsQty
KTI703013" TWO-JAW TWO-TON PULLER
KTI70302 3" TWO/THREE-JAW TWO-TON PULLER
KTI70303 4" TWO-JAW FIVE-TON PULLER
KTI70304 3" TWO/THREE-JAW FIVE-TON PULLER
KTI70305 6" TWO-JAW FIVE-TON PULLER 1
KTI70306 6" TWO/THREE-JAW FIVE-TON PULLER
KTI70348 STEERING WHEEL PULLER
KTI70383 BEARING SEPARATOR 1 1/4"-2 1/4" 1
KTI70384 BEARING SEPARATOR 3"-4 1/2"
KTIH00K2H00KS
KTIOL0838 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0839

3/8" & 1/2" Drive Impact Sockets Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



3/8" & 1/2" Drive Impact Sockets Qty
KTI32012Impact Universal Joint 3/8" Drive
(TI32016
KTI32110 Socket Impact 3/8" Drive 5/16"
KTI32112 Socket Impact 3/8" Drive 3/8" 1
KTI32114 Socket Impact 3/8" Drive 7/16"
KTI32116 Socket Impact 3/8" Drive 1/2"
KTI32118 Socket Impact 3/8" Drive 9/16"
(TI32120 Socket Impact 3/8" Drive 5/8"
KTI32122 Socket Impact 3/8" Drive 11/16"
KTI32124 Socket Impact 3/8" Drive 3/4"
KTI32126 Socket Impact 3/8" Drive 13/16"
(TI32128 Socket Impact 3/8" Drive 7/8"
KTI32210 Socket Impact Deep 3/8" Drive 5/16"
(TI32212 Socket Impact Deep 3/8" Drive 3/8"
KTI32214 Socket Impact Deep 3/8" Drive 7/16"
(TI32216 Socket Impact Deep 3/8" Drive 1/2"
(TI32218 Socket Impact Deep 3/8" Drive 9/16"
KTI32220 Socket Impact Deep 3/8" Drive 5/8"
(TI32222 Socket Impact Deep 3/8" Drive 11/16"
(TI32224 Socket Impact Deep 3/8" Drive 3/4" 1
KTI32226 Socket Impact Deep 3/8" Drive 13/16"
(TI32228 Socket Impact Deep 3/8" Drive 7/8"
(TI33003 1/2" Drive Impact Extension 3"
(TI33006 1/2" Drive Impact Extension 6" 1
(TI33012
KTI33016 1/2" Drive Universal Joint Impact
(TI33024 1/2" Female x 3/4" Male Impact Adapter 1
(TI33041 1/2" Female x 3/8" Male Wobble Adapter 1
TI33050 Socket Impact 1/2" Drive Flip 3/4" x 13/16"



VT122112	Drive Impact Sockets Q: Socket 1/2" Drive Short Impact 3/8"
	Socket 1/2" Drive Short Impact 7/16"
	Socket 1/2" Drive Short Impact 1/2"
	Socket 1/2" Drive Short Impact 1/2" Socket 1/2" Drive Short Impact 9/16"
	Socket 1/2" Drive Short Impact 9/10 Socket 1/2" Drive Short Impact 5/8"
	Socket 1/2" Drive Short Impact 5/6
	Socket 1/2" Drive Short Impact 3/4"
	Socket 1/2" Drive Short Impact 13/16"
	Socket 1/2" Drive Short Impact 7/8"
	Socket 1/2" Drive Short Impact 15/16"
	Socket 1/2" Drive Short Impact 1"
(1133134	Socket 1/2" Drive Short Impact 1-1/16"
	Socket 1/2" Drive Short Impact 1-1/8"
	Socket 1/2" Drive Short Impact 1-3/16"
	Socket 1/2" Drive Short Impact 1-1/4"
	Socket 1/2" Drive Short Impact 1-5/16"
	Socket 1/2" Drive Short Impact 1-3/8"
	Socket 1/2" Drive Short Impact 1-7/16"
	Socket 1/2" Drive Short Impact 1-1/2"
	Socket 1/2" Drive Impact Deep 3/8"
	Socket 1/2" Drive Impact Deep 7/16"
	Socket 1/2" Drive Impact Deep 1/2"
	Socket 1/2" Drive Impact Deep 9/16"
	Socket 1/2" Drive Impact Deep 5/8"
	Socket 1/2" Drive Impact Deep 11/16"
	Socket 1/2" Drive Impact Deep 3/4"
	Socket 1/2" Drive Impact Deep 13/16"
(TI33228	Socket 1/2" Drive Impact Deep 7/8"
(TI33230	Socket 1/2" Drive Impact Deep 15/16"
(TI33232	Socket 1/2" Drive Impact Deep 1"
<ti33234< p=""></ti33234<>	Socket 1/2" Drive Impact Deep 1-1/16"
(TI33236	Socket 1/2" Drive Impact Deep 1-1/8" 1
(TI33238	Socket 1/2" Drive Impact Deep 1-3/16"
(TI33240	Socket 1/2" Drive Impact Deep 1-1/4" 1
(TI33242	Socket 1/2" Drive Impact Deep 1-5/16"
	Socket 1/2" Drive Impact Deep 1-3/8" 1
	Socket 1/2" Drive Impact Deep 1-7/16"
	Socket 1/2" Drive Impact Deep 1-1/2" 1
	3/4" Female x 1/2" Male Impact Adapter
(TI37108	Socket Impact Metric Short 3/8" Drive 8mm
	Socket Impact Metric Short 3/8" Drive 9mm
	Socket Impact Metric Short 3/8" Drive 10mm
	Socket Impact Metric Short 3/8" Drive 11mm
	Socket Impact Metric Short 3/8" Drive 12mm
	Socket Impact Metric Short 3/8" Drive 13mm
	Socket Impact Metric Short 3/8" Drive 14mm
	Socket Impact Metric Short 3/8" Drive 15mm
	Socket Impact Metric Short 3/8" Drive 16mm
	Socket Impact Metric Short 3/8" Drive 17mm
	Socket Impact Metric Short 3/8" Drive 171111
	Socket Impact Metric Short 3/8" Drive 19mm
	The second secon
	Socket Deep Impact 3/8" Drive 8mm
	Socket Deep Impact 3/8" Drive 9mm
	Socket Deep Impact 3/8" Drive 10mm
	Socket Deep Impact 3/8" Drive 11mm
(1137212	Socket Deep Impact 3/8" Drive 12mm
(1137213	Socket Deep Impact 3/8" Drive 13mm
	Socket Deep Impact 3/8" Drive 14mm
	Socket Deep Impact 3/8" Drive 15mm
KTI37216	Socket Deep Impact 3/8" Drive 16mm

3/8" & 1/2"	Drive Impact SocketsQ
KTI37217	Socket Deep Impact 3/8" Drive 17mm
KTI37218	Socket Deep Impact 3/8" Drive 18mm
KTI37219	Socket Deep Impact 3/8" Drive 19mm
KTI38050	Socket Impact 1/2" Drive Flip 19mm x 21mm
KTI38110	Socket 1/2" Drive Short Impact 10mm
	Socket 1/2" Drive Short Impact 11mm
	Socket 1/2" Drive Short Impact 12mm
	Socket 1/2" Drive Short Impact 13mm
	Socket 1/2" Drive Short Impact 14mm
	Socket 1/2" Drive Short Impact 15mm
	Socket 1/2" Drive Short Impact 16mm
	Socket 1/2" Drive Short Impact 17mm
	Socket 1/2" Drive Short Impact 18mm
	Socket 1/2" Drive Short Impact 19mm
(1130113 /TI20120	Socket 1/2" Drive Short Impact 1911111
	Socket 1/2" Drive Short Impact 2011111
	Socket Impact Metric 1/2" Drive 22mm
	Socket Impact Metric 1/2 Drive 23mm
	Socket Impact Metric 1/2" Drive 24mm
	Socket Impact Metric 1/2" Drive 25mm
	Socket Impact Metric 1/2" Drive 26mm
(1138127	Socket Impact Metric 1/2" Drive 27mm
(1138128	Socket Impact Metric 1/2" Drive 28mm
	Socket Impact Metric 1/2" Drive 29mm
	Socket Impact Metric 1/2" Drive 30mm
	Socket Impact Metric 1/2" Drive 32mm
	Socket Impact Metric 1/2" Drive 33mm
	Socket Impact Metric 1/2" Drive 34mm
(TI38135	Socket Impact Metric 1/2" Drive 35mm
	Socket Impact Metric 1/2" Drive 36mm
<ti38210< p=""></ti38210<>	Socket 1/2" Drive Impact Deep 10mm
<ti38211< p=""></ti38211<>	Socket 1/2" Drive Impact Deep 11mm
(TI38212	Socket 1/2" Drive Impact Deep 12mm
(TI38213	Socket 1/2" Drive Impact Deep 13mm
(TI38214	Socket 1/2" Drive Impact Deep 14mm
(TI38215	Socket 1/2" Drive Impact Deep 15mm
	Socket 1/2" Drive Impact Deep 16mm
	Socket 1/2" Drive Impact Deep 17mm
	Socket 1/2" Drive Impact Deep 18mm
	Socket 1/2" Drive Impact Deep 19mm
	Socket 1/2" Drive Impact Deep 20mm
	Socket 1/2" Drive Impact Deep 21mm
T138222	Socket 1/2" Drive Impact Deep 22mm
	Socket 1/2" Drive Impact Deep 23mm
	Socket 1/2" Drive Impact Deep 24mm
	Socket 1/2" Drive Impact Deep 25mm
	Socket 1/2" Drive Impact Deep 27mm
	Socket 1/2" Drive Impact Deep 28mm
1138229	Socket 1/2" Drive Impact Deep 29mm
	Socket 1/2" Drive Impact Deep 30mm
	Socket Impact Metric Deep 1/2" Drive 32mm
	Socket Impact Metric Deep 1/2" Drive 33mm
	Socket Impact Metric Deep 1/2" Drive 34mm
	Socket Impact Metric Deep 1/2" Drive 35mm
	Socket Impact Metric Deep 1/2" Drive 36mm
(TIH00K2	H00KS
(TIOL0839	DISPLAY OVERLAY
	OVERLAY FASTENERS (6 PACK)



KTI0840

3/4" Drive Impact SocketsDisplay assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)

KTI34026
KTI34027
KTI34032
KTI34050
KTI34132 Socket 3/4" Drive Short Impact 1" 1 KTI34134 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34136 Socket 3/4" Drive Short Impact 1-1/8" 1 KTI34140 Socket 3/4" Drive Short Impact 1-1/4" 1 KTI34142 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34144 Socket 3/4" Drive Short Impact 1-3/8" 1 KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34134 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34136 Socket 3/4" Drive Short Impact 1-1/8" 1 KTI34140 Socket 3/4" Drive Short Impact 1-1/4" 1 KTI34142 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34144 Socket 3/4" Drive Short Impact 1-3/8" 1 KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34136 Socket 3/4" Drive Short Impact 1-1/8" 1 KTI34140 Socket 3/4" Drive Short Impact 1-1/4" 1 KTI34142 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34144 Socket 3/4" Drive Short Impact 1-3/8" 1 KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34142 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34144 Socket 3/4" Drive Short Impact 1-3/8" 1 KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34142 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34144 Socket 3/4" Drive Short Impact 1-3/8" 1 KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34144 Socket 3/4" Drive Short Impact 1-3/8" 1 KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34146 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34148 Socket 3/4" Drive Short Impact 1-1/2" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-5/8" 1
KTI34150
KTI34152 Socket 3/4" Drive Short Impact 1-5/8"
KTI34154 Socket 3/4" Drive Short Impact 1-11/16"
KTI34156 Socket 3/4" Drive Short Impact 1-3/4"
KTI34158 Socket 3/4" Drive Short Impact 1-13/16"
KTI34160 Socket 3/4" Drive Short Impact 1-15/16"
KTI34162 Socket 3/4" Drive Short Impact 1 -7/8"
KTI34164 Socket 3/4" Drive Short Impact 2"
KTI34166 Socket 3/4" Drive Short Impact 2 1/16"
KTI34168 Socket 3/4" Drive Short Impact 2-1/10"
KTI34172 Socket 3/4" Drive Short Impact 2-1/4"
KTI34176Socket 3/4" Drive Short Impact 2-3/8"
KTI34176 Socket 3/4" Drive Short Impact 2-3/6
KTI34234 Socket 3/4 Drive Deep Impact 1 1/16"
KTI34236 Socket 3/4" Drive Deep Impact 1-1/16"
KT134256 Socket 3/4" Drive Deep Impact 1-1/6 TKT134240 Socket 3/4" Drive Deep Impact 1-1/4" 1
KTI34240Socket 3/4" Drive Deep Impact 1-1/4
KTI34244Socket 3/4" Drive Deep Impact 1-3/16"
KTI34246 Socket 3/4" Drive Deep Impact 1-7/16"
KTI34248 Socket 3/4" Drive Deep Impact 1-1/2"
KTI34250 Socket 3/4" Drive Deep Impact 1-9/16"
KTI34252 Socket 3/4" Drive Deep Impact 1-5/8"
KTI34254 Socket 3/4" Drive Deep Impact 1-11/16"
KTI34256 Socket 3/4" Drive Deep Impact 1-3/4"
KTI34258 Socket 3/4" Drive Deep Impact 1-13/16"
KTI34260 Socket 3/4" Drive Deep Impact 1-15/16"
KTI34262 Socket 3/4" Drive Deep Impact 1-7/8"
KTI34264 Socket 3/4" Drive Deep Impact 2"
KTI35024 1" Female x 3/4" Male Impact Adapter 1
KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel
KTI35027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel
KTI35233 Socket Impact Deep 1" Drive 33mm Hex Budd Wheel
KTIHOOK8
KTI088PLEXIGLASS SHELF6
KTIOL0840 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)









Reversible Ratcheting Wrenches Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)

	Ratcheting WrenchesQtWrench Metric Ratcheting Reversible 8mm
	Wrench Metric Ratcheting Reversible 9mm
	Wrench Metric Natcheting Neversible 10mm
	Wrench Metric Ratcheting Reversible 11mm
	Wrench Metric Ratcheting Reversible 12mm
	Wrench Metric Ratcheting Reversible 13mm
	Wrench Metric Ratcheting Reversible 14mm
	Wrench Metric Ratcheting Reversible 15mm
	Wrench Metric Ratcheting Reversible 16mm
	Wrench Metric Ratcheting Reversible 17mm
	Wrench Metric Ratcheting Reversible 18mm
	Wrench Metric Ratcheting Reversible 19mm 1
	Wrench Metric Ratcheting Reversible 20mm
	Wrench Metric Ratcheting Reversible 21mm
	Wrench Metric Ratcheting Reversible 22mm 1
	Wrench Metric Ratcheting Reversible 24mm 1
	Wrench SAE Ratcheting Reversible 1/4"
KTI45910	Wrench SAE Ratcheting Reversible 5/16"
	Wrench SAE Ratcheting Reversible 3/8"
	Wrench SAE Ratcheting Reversible 7/16"
KTI45916	Wrench SAE Ratcheting Reversible 1/2"
KTI45918	Wrench SAE Ratcheting Reversible 9/16"
KTI45920	Wrench SAE Ratcheting Reversible 5/8"
KTI45922	Wrench SAE Ratcheting Reversible 11/16"
	Wrench SAE Ratcheting Reversible 3/4"
KTI45926	Wrench SAE Ratcheting Reversible 13/16"
KTI45928	Wrench SAE Ratcheting Reversible 7/8"
KTI45930	Wrench SAE Ratcheting Reversible 15/16"
KTI45932	Wrench SAE Ratcheting Reversible 1"
KTI089	3" EXTENSION BAR
	H00KS
	PLASTIC HOOKS
	DISPLAY OVERLAY
KTI0LF04333	OVERLAY FASTENERS (6 PACK)

KTI0843

Electrical & Hardware Component Assortment Display assortments include the following hardware:

Display board, overlay, fastener and shelves must be purchased separately (KT1005)





Electrical & Hardware Component Assortment
KTI00072 E Clip Assortment (300 Piece)
KTI00074 Hydraulic Grease Fitting Assortment (110 Piece)
KTI00075 Cotter Pin Assortment (555 Piece)
KTI00078 Cotter Pin Assortment (144 Piece)
KTI00080 Auto Fuse Assortment (120 Piece) 1
KTI00081 Mini Fuse Assortment (120 Piece)
KTI00086 0-Ring Assortment HNBR (270 Piece)
KTI00087 Terminal Assortment (360 Piece)
KTI00089 Washer Assortment Copper (110 Piece)
KTI00093 Roll Pin Assortment (120 Piece)
KTI00094 0-Ring Assortment Universal (407 Piece)
KTI00095 Metric O-Ring Assortment (419 Piece)
KTI00096 Grease Fitting Assortment Metric (110 Piece)
KTI00097 Electric Wire Solderless Terminal Kit (157 Piece)
KTI07740 Heat Shrink Tube Kit (235 Piece)

KTI0844

Pipe WrenchesDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)





Pipe WrenchesQty
KTI49008 8" PIPE WRENCH
KTI49010 10" PIPE WRENCH
KTI49012 12" PIPE WRENCH
KTI49014 14" PIPE WRENCH
KTI49018 18" PIPE WRENCH
KTI49024 24" PIPE WRENCH
KTI49112 12" Aluminum Pipe Wrench
KTI49114 14" Aluminum Pipe Wrench
KTI49118 18" Aluminum Pipe Wrench
KTI49124 24" Aluminum Pipe Wrench
KTIH00K2H00KS10
KTIOL0844 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0845

Wire Tools



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)





Wire Tools		Qty
	Butt Connector Kit - 100 Piece	
KTI00004	Butt Connector Kit with Shrink	1
KTI00035	Shrink Tube Kit- 85 Pieces	1
KTI00037	Solderless Terminal Kit-180Pc	1
KTI56201	Multi Purpose Crimper & Wire Str 9"	1
KTI56202	Multi Purpose Crimper & Wire Str 8.5"	1
KTI56203	Professional Crimping Tool 0.5-6.0 MM	1
KTI56204	Professional Crimping Tool 1.5-16.0 MM	1
KTI56205	Ratcheting Terminal Crimper	1
KTI56207	8-in-1 Wire Stripper	1
KTI56208	Wire Stripper - Self Adjusting	1
KTIH00K2	H00KS	15
KTI0L0845	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1





Torches



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Torches		Qty
KTI70048	Micro Butane Turbo-Lite	2
KTI70052	. Pocket Style Butane Torch	2
KTI70054	Mini Butane Torch with Solder	2
KTI70056	Swivel Tube Propane Torch Head	2
KTI70057	. Self Igniting Propane Torch	2
KTI70058	Hand-Held Pro Butane Torch	2
KTI70440	PYRO Torch Shield 10x18	2
KTIH00K2	. H00KS	7
KTI0L0846	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1

KTI0847



LightingDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)





Lighting		Qty
	30-LED SMD Retrofit Light	
KTI73387	Recharg Worklight 3W COB with piv head	1
KTI73388	Rechargeable Worklight 3W COB	1
KTI73389	LED Slimline Inspection Light	1
KTI73394	Rechargeable 60LED Worklight	1
KTI73396	Flashlight 16LED AAA Aluminum	1
KTI73398	Headlamp 14 LED AAA Batteries	2
KTI73399	LED Rechargeable Worklight 12SMD	1
KTIH00K2	H00KS	13
KTIH00K3	H00KS	1
KTI0L0847	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1

DISPLAYS

KTI0848

W*



3/4" Drive Tools Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



3/4" Drive Tools	sQty
KTI22075	1/2" FEMALE x 3/4" MALE ADAPTER
KTI24004	3/4" DR SOCKET EXTENSION 4"
	3/4" DR SOCKET EXTENSION 8"
KTI24016	3/4" DR CHROME EXTENSION 16"
KTI24050	3/4" FEMALE x 1/2" MALE ADAPTER
KTI24070	3/4" DR SOCKET T-HANDLE SLIDING
KTI24080	3/4" DR BREAKER BAR 20"1
	3/4" DR RATCHETING ADAPTER1
KTI24092	3/4" DR RATCHET HD PRO
	3/4" DR 6 PT SOCKET 3/4"1
	3/4" DR 6 PT SOCKET 7/8"
	3/4" DR 6 PT SOCKET 15/16"
	3/4" DR 6 PT SOCKET 1"
	3/4" DR 6 PT SOCKET 1-1/16"1
	3/4" DR 6 PT SOCKET 1-1/8"1
	3/4" DR 6 PT SOCKET 1-3/16"1
	3/4" DR 6 PT SOCKET 1-1/4"1
	3/4" DR 6 PT SOCKET 1- 5/16"1
	3/4" DR 6 PT SOCKET 1-3/8"1
	3/4" DR 6 PT SOCKET 1-7/16"1
KTI24148	3/4" DR 6 PT SOCKET 1-1/2"1
KTI24152	3/4" DR 6 PT SOCKET 1-5/8"1
	3/4" DR 6 PT SOCKET 1-3/4"1
	3/4" DR 6 PT SOCKET 1-7/8"1
	3/4" DR 6 PT SOCKET 2"1
	3/4" DR 6 PT SOCKET 2-1/16"1
	3/4" DR 6 PT SOCKET 2-1/8"1
	3/4" DR 6 PT SOCKET 2-3/16"1
	3/4" DR 6 PT SOCKET 2-1/4"1
	3/4" DR 6 PT SOCKET 2-3/8"1
	3/4" DR UNIVERSAL JOINT1
	HOOKS23
	HOOKS7
	HOOKS
	DISPLAY OVERLAY
KTIOLF04333	OVERLAY FASTENERS (6 PACK)1



KTI0849





1" Drive Impact Tools
Display assortments include the following hardware:

• Hooks, printed overlay, overlay fasteners

- Display boards must be purchased separately (KTI098)



48.5	Tools
1" Drive impact	ToolsQty
	. 1" DR IMPACT EXTENSION 7"
	. 1" DR IMPACT EXTENSION 13"
	. 1"F X 3/4"M IMPACT ADAPTOR 1
	. 1" DR SKT IMPACT 13/16" SQ BDWHL
	. 1" DR SKT IMPACT 1-1/2"-13/16" BDWHL 1
	. 1" DR 1 1/2"-13/16" BUDD SKT DP 1
	. 1" DR SKT IMPACT SHORT 3/4"
	. 1" DR SKT IMPACT SHORT 13/16" 1
	. 1" DR SKT IMPACT SHORT 7/8"
	. 1" DR SKT IMPACT SHORT 15/16"
	. 1" DR SKT IMPACT SHORT 1" 1
	. 1" DR SKT IMPACT SHORT 1-1/16" 1
	. 1" DR SKT IMPACT SHORT 1-1/8" 1
	. 1" DR SKT IMPACT SHORT 1-3/16" 1
	. 1" DR SKT IMPACT SHORT 1-1/4" 1
	. 1" DR SKT IMPACT SHORT 1-5/16" 1
	. 1" DR SKT IMPACT SHORT 1-7/16" 1
	. 1" DR SKT IMPACT SHORT 1-1/2" 1
	. 1" DR SKT IMPACT SHORT 1-5/8" 1
	. 1" DR SKT IMPACT SHORT 1-11/16" 1
	. 1" DR SKT IMPACT SHORT 1-13/16" 1
	. 1" DR SKT IMPACT SHORT 1-7/8" 1
	. 1" DR SKT IMPACT SHORT 2" 1
	. 1" DR SKT IMPACT SHORT 2-1/16" 1
	. 1" DR SKT IMPACT SHORT 2-1/4" 1
	. 1" DR SKT IMPACT SHORT 2-7/16" 1
	. 1' DR SKT IMPACT SHORT 2-5/8'
	. 1" DR SKT IMPACT SHORT 3" 1
KTI35233	. 1" DR SKT IMPACT DEEP 33MM HEXBDWHL 1
KTI35234	. 1" DR SKT IMPACT DEEP 1-1/16"
	. 1" DR SKT IMPACT DEEP 35MM HEXBDWHL
	. 1" DR SKT IMPACT DEEP 1-1/8"
	. 1" DR SKT IMPACT DEEP 38MM HEXBDWHL
	. 1" DR SKT IMPACT DEEP 1-1/4"
	. 1" DR SKT IMPACT DEEP 41MM HEXBDWHL
	. 1" DR SKT IMPACT DEEP 1-5/16"
	. HOOKS2
	. HOOKS
	. PLEXIGLASS SHELF 4
	. DISPLAY OVERLAY 1
KTI0LF04333	. OVERLAY FASTENERS (6 PACK)



Lubrication Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Lubrication.		Qty
KTI73903	Needle Nose Dispenser 1-1/2" Narrow	2
KTI73912	Grease Gun Hose 12"	2
KTI73918	Grease Gun Hose 18"	2
KTI73919	Suction Gun w/12" Vinyl Hose	1
	Mini Pistol Grease Gun 3 oz	
KTI73933	HD Pistol Grip Grease Gun 14 oz	1
KTI73942	HD Level Grease Gun 14 oz	1
KTI73952	Prof 4 Jaw Grease Gun Coupler	2
KTI73957	Grease Injector Needle	2
KTI73959	Right Angle Grease Gun Coupler	2
	HOOKS	
KTI0L0852	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1





ACC0881



AccuTorq
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



AccuTorqQty
ACC10-0304 Green 1/2 Dr 17MM 55 Ft lbs
ACC10-0305 Red 1/2 Dr 17MM 80 Ft lbs 1
ACC10-0306 Yellow 1/2 Dr 19MM 65 ft lbs
ACC10-0307 Blue 1/2 Dr 19MM 80 ft lbs
ACC10-0308 Gray 1/2 Dr 19MM 100 ft lbs
ACC10-0310Light Brown 1/2 Dr 21MM 80 ft
ACC10-0311 Brown 1/2 Dr 21MM 100 ft lbs 1
ACC10-0312 White 1/2 Dr 22MM 120 ft lbs 1
ACC10-0313 Turq 1/2 Dr 7/8 140 ft lbs
ACC10-3899 Lt Green 1/2 Dr 24MM 140 Ft lb 1
ACC10-0103D 8.5" x 11" ACCUTORQ CHART 1
KTI33317 Socket Thnwll Prtctv 17MM Blue 1
KTI33319 Socket Thnwll Prtctv 19MM Gold 1
KTI33321 Socket Thnwll Prtctv 21MM Red 1
KTI33326 Socket Thnwll Prtctv 13/16 Pur
KTI33328 Socket Thnwll Prtctv 7/8 Green
KTI33332 Socket Thnwll Prtctv 1 Titanim
KTI33334 Socket Thnwll Prtctv 1-1/16 Bk
KTI33351 Torque Ext 55 ft.lbs. Red
KTI33352 Torque Ext 65 ft.lbs. Yellow
KTI33353 Torque Ext 80 ft.lbs. Green
KTI33354 Torque Ext 100 ft.lbs. Lt Blue
KTI33355 Torque Ext 120 ft.lbs. White
KTI33356 Torque Ext 140 ft.lbs. Black
KTI33357 Torque Ext 175 ft.lbs. Orange
KTI72138 1/2" DR DIGITAL TORQUE ADAPTER
KTI78040 4" CABLE TIE BLACK
KTIH00K2
KTIH00K7
KTIOL0881DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)



DISPLAYS

Displays I Accessories

KTIHOOK7

1" Wide Round Closed Hook



KTIOLF04333

Display Overlay Fasteners (6 pack)



KTIHOOK11

1-1/2" Plastic Hook



KTIHOOK2

2" Single Short Hook



KTIHOOK3

6" Disc-Single Long Hook



KTI087

Slanted Wire Shelf 6" x 23.5" x 12.5"



KTI088

Black Acrylic Plexiglass Shelves

- Each Shelf Dimension 24" x 3-9/16" X 3/16"
- · Quantity: 1 shelf
- Hooks not included





KTI005

Assortment

Display Hardware

- Electrical & Hardware Component Assortment must be purchased separately (KTI0843)
- *NOTE: Only hardware, product shown not included


Assortment Dis	play Hardware	Qty
KTI087	. Slanted Wire Shelf - 6" x 23.5" each	5
KTI098	Blank Board	1
KTI0L0843	Display Overlay	1
	Overlay Fasteners (6 Pack)	





3" Display Extension Bar

Add more room to any display with the 3" extension bar. Larger product can be displayed behind the display bar with plenty of clearance for easy shopping and visual appeal. Place smaller product on the extension to maximize display space and sales!



KTI098 Blank Display Board

Display boards can be used with any of the display overlay and merchandising kits or to create customized in-store merchandising programs. Blank display board measures 23.5" x 32".



KTI001 8-board

Rotary Merchandiser

KTI's rotary merchandiser is the perfect way to display a maximum amount of product in a minimal amount of space. Rotary merchandiser will hold up to eight (8) displays! The rotary display requires a minimal amount of space - only 36" x 36". Display is complete with four (4) durable casters for added mobility. A must-have for professional, effective merchandising. Boards (KTI-098) sold separately.

*NOTE: Some displays are not recommended for use on the rotary merchandiser due to weight restrictions.



KTI004

Acrylic Counter Display

Acrylic counter display features a 15-11/16" x 15-13/16" display area to maximize product exposure. Compact design requires a minimal footprint (8" x 15-11/16"). A great way to generate 'impulse' buys. Utilizes 'dead' space behind point-of-sale terminals or computer monitors for additional merchandising area. Featuring two heightadjustable legs, the display area has a tilt range from 75-degrees to 87-degrees.

DISPLAYS

Displays | Floor & Counter

KTIPREPACKQ1

W*

Hand Tools Floor Display Prepack Q1

- Floor Display consisting of five prepacked KTI hand tool sets (2 each)
- (2) KTI19000 8Pc Screwdriver Set (Black)
- (2) KTI21044 44Pc Socket Set, 1/4" Drive, SAE & Metric, Shallow & Deep
- (2) KTI22047 47Pc Socket Set, 6 Point, 3/8" Drive SAE & Metric
- Two Wrench Sets; (2) KTI41300 9pc High Polish, Smooth Finish, Sizes 3/8" to 7/8" and (2) KTI41800 - 13Pc High Polish, Smooth Finish, Sizes 7mm to 19mm

Display setup size: Height: 40.9, Width: 26.3", Depth:16.7". All hand tools are covered by a Lifetime Warranty.













BUSITO RUBBER AIR HOSE

 BluBird air hoses are heavy duty, ultra light weight and super strong. Stay flexible in temperatures from -50 to 190° fahrenheit. Ozone, UV & abrasion resistant. Covered by a 10 year warranty



 BluBird Oil Shield air hoses are ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2. Stay flexible in extreme conditions from -30 to 190° fahrenheit. Oil resistance core tube and cover meets RMA Class A oil resistance. Covered by a 3 year warranty

KTI71005

BluBird And Oil Shield Air Hose Promo Pack

Contains 8 air hoses:

- (2) KTI72015 BluBird 3/8" x 50'
- (2) KTI72018 Oil Shield 3/8" x 50'
- (1) KTI72049 BluBird 3/8" x 35'
- (1) **KTI72017** Oil Shield 3/8" x 35' • (1) - **KTI72014** - BluBird 3/8" x 25'
- (1) **KTI72048** Oil Shield 3/8" x 25'
- Size of promotional pack on display: Width: 24", Depth: 11", Height: 26"



KTI90003 Q-Bond Adhesive Kit, 10 Pack with Display

- Ultra-strong adhesive and reinforcing powders
- Repairs almost anything!
- Rock solid in 10 seconds
- Q-Bond repairs are able to be grinded, filed, sanded and even painted
- Hang tabs for pegboard and rack displays
- Display measures: 11.5" x 6.25" x 6.5".

New package design with 10 kits in this display. Q-BOND can be used just as an adhesive or with the reinforcing powders that will help to repair almost anything. Q-BOND repairs can be grinded, filed, sanded, and even painted. Each Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90003C

Q-Bond Adhesive Kit - 10 Pack Display for Canada

• Display measures: 11.5" x 6.25" x 6.5".





KTI73910

Lube Combo Display Shelf Pack

- Pack includes:
 - 3 each: Heavy Duty Pistol Grip Grease Guns (KTI73933) 3 each: Heavy Duty Lever Grease Guns (KTI73942)
- Aluminium die cast grease gun head
- Lever grease gun develops up to 10,000 PSI; pistol grease gun up to 5000 PSI
- For use with 14 oz. grease cartridges
- Lever gun (KTI73942) includes 6" bent steel extension & coupler; pistol gun (KTI73933) includes 18" flexible grease hose & coupler
- · Covered by a 1-year warranty
- Display shelf pack measures: 6" x 11.5" x 16"

Cut case shelf pack includes K-Tool International's most popular lever & pistol grip grease guns. Each pack includes 3 of each grease gun type.



- 6.000 PSI
- · For use with hand grease guns only
- 1-Year Warranty
- Counter display measures: 5.5" x 4.5" x 4.25"





KTI70038-10

Combi Wedge 10 Pack

- Counter display 10 pack of the heavy duty universal combination wedge tool
- Use on dashboards and door cover clips
- Color: Red
- Tool length: 8.5", width: 1", height: 1"
- · Covered by a 1 year warranty
- Counter display measures: Height: 7.0" Width: 11.750", Depth: 7.50"



KTI70037-10 Clip Lifter

· Clip lifter for plastic fasteners, upholstery, door panels, plastic clips

- Tool length: 7" Tool width: 3/4"
- · Red rubber handle
- Counter display measures: 9-1/2" wide, 7" deep and 5" high
- Covered by a 1-Year Warranty

SAFETY INFORMATION

For your safety, please read and understand the following safety guidelines.

Never misuse a tool. Improper use of a tool will shorten its life.

ALWAYS wear safety goggles to protect eyes. Keep your tools clean.

Never use a broken tool. Keep all tools out of the reach of children.

AccuTorg®:

Wear protective goggles. Never hold with hands while tightening. Never use torque sockets to remove lug nuts. When tightening lug nuts, use the criss-cross wheel nut tightening sequence.

Grinders, Grinding Wheels and Air Tool Accessories:

Wear protective goggles. Do not operate power tools at speeds that exceed their maximum rated rpm. Power tool accessories can break, causing particles to fly. Avoid injury by using eye shields and guards.

Hammers:

Wear protective goggles. Always use a hammer that is suitable for the job. Head diameter should always exceed the object being struck, such as a punch or chisel. Do not strike a tool that shows distress.

KTIp.s.t.® TPMS Activation Tool

Product emits magnetic and electromagnetic waves that may interfere with the safe operation of pacemakers. Individuals who have pacemakers should never use this product. Do not use any harsh chemical solvents to clean tool. Do not use tool where contact or immersion in water is possible. Never spill liquid of any kind on the tool. Do not use or store the tool where it is exposed to direct sunlight or excessive moisture. Do not operate tool in the vicinity of open containers or flammable liquids. Do not operate tool with battery cover removed.

Lifting Equipment:

Do not exceed the rated capacity of jack or jack stands. Use jacks only on strong level surfaces. Collapse of lifting equipment can cause serious injury. Do not work on a vehicle supported by a jack, use jack stands.

MEGAHAMMER®:

Lock nut on hub removal tool must be tight to protect against thread damage. Slide shaft thread to be engaged into base plate thread so it is flush with inside edge of base plate thread. Use countersunk holes ONLY for proper grip on studs. Use outboard support to help prevent tool and wheel assembly from dropping to floor. Do not stand behind tool when in use. Tool is heavy. Use extreme caution when lifting. Keep extremities clear of pinch points. Always wear eye protection when using hub removal tool. Locking pin must be in place when not in use. Not responsible for damage to vehicle.

Pliers:

Wear protective goggles. Broken tips or cut material can fly.

Power Tools:

Wear protective goggles. Always read instructions before using a power tool. Flying particles can cause injury. Use hearing protection when exposed to noise for prolonged periods of time. Do not misuse power tools.

Prybars:

Wear protective goggles. Do not strike a prybar. Prybars may cause loose material to fly. Do not use if chipped or cracked.

Pullers:

Wear protective goggles. Be sure that center screw threads are clean and well lubricated. Be sure the puller is seated properly, do not use on an angle. Do not overstress the puller, always use the largest size possible to do the job efficiently. Never use a puller with worn or damaged parts.

Punches/Chisels:

Always wear protective goggles. Regrind a dull chisel to its original shape when the cutting edge becomes dull. Use a punch or chisel holder to prevent injury. Never use a broken punch or chisel.

Ratchets

Ratchet mechanism may slip or break if parts are worn or dirty. Frequently clean and lubricate.

Screwdrivers:

Wear protective goggles. Never use a screwdriver for prying, punching, chiseling or scraping. Be sure tip width and thickness are appropriate for slot size.

Sockets (Hand):

Wear protective goggles. Be sure to always choose the appropriate type of socket based on its application. Do not use hand sockets on power tools.

Sockets (Impact):

Wear protective goggles. Flexible sockets and swivel joint tools rotate under power during use and should not be held. Using broken tools can cause serious injury.

Spray Guns:

Wear protective goggles.

Tie Downs/Stretch Cords:

Wear protective goggles when stretching, fastening or releasing hooks. A rebounding hook is dangerous. Do not use if product appears frayed or worn, or if the hook has been bent or otherwise tampered with. Do not stretch a stretch cord beyond 50% of its unstretched length. Do not expose to extreme stress or incorrect use. Do not exceed the maximum working load.

Tow Straps/Ropes:

Do not expose to extreme stress or incorrect use. Working load requirement should be evaluated by user before choosing the appropriate assembly. Always check anchor points. Never use if webbing is worn or frayed.

Wrenches:

Wear protective goggles. Do not over-torque.

Avoid excess force on crowfoot or flare nut wrenches. Always use correct size.



JUNE /

KTOOL

NEW PRODUCT SUPPLEMENT



HEAVYWEIGHT QUALITY. KNOCKOUT PRICE.



KTI75146A
Tool Cart Locking Drawer, Red

KTI75147
Tool Cart Locking Drawer, Black

KTI75148

Tool Cart Locking Drawer, Green

- Professional heavy duty construction with protective bumpers on all four corners
- Massive 600 pound capacity
- Drawer front & lid 1.5mm thickness and 16 gauge steel, Post 2.0mm thickness and 12 gauge steel, Drawer body & tray 1.0mm thickness with 19 gauge steel
- Four Large 5" heavy duty swivel casters provide easy rolling and extra mobility across all types of shop floors
- 4 Drawers with locking top storage compartment and gas struts on top lid
- Compartment and drawer storage area measurements: Top 26.375" x 18.938" x 5.938"; (2) small drawers 10.625" x 17.250" x 2.750"; middle drawer 25.375" x 17.250" x 2.725"; bottom drawer 25.375" x 17.250" x 6.250"; bottom shelf 29.725" x 18.938" x 3.250"
- Drawer front & lid: 1.5mm thick, 16-gauge steel
- Post: 2 mm thick, 12-gauge steel
- Drawer body & tray: 1.0 mm thick, 19-gauge steel
- Covered by a 1-Year Warranty

KTI74906

Car Creeper Seat

- Heavy duty seven wheel creeper with adjustable headrest
- Overall dimensions:
 40" L x 16-15/16" W x 3-7/8" H
- Maximum weight capacity: 250 lbs
- Caster wheels size: 2.5" and made of PP plastic, head & seat cushions made of high density foam, head cushion is 2.6" thick and seat cushion is 1.4" thick
- Covered by a 1-Year Warranty





- Extra strong rubber coated magnets Won't scratch or damage work surfaces
- Heavy duty steel construction Covered by a 1-Year Warranty

Includes: (1) 6" rectangular tray, (1) 12" rectangular tray, (1) 2-piece paper towel holder, (1) 3 spray can holder with 7 screwdriver holes





12 Piece, 1/4" Multi Plus **Close Quarter Spline Socket Set**

- For use with standard 1/4" Drive Ratchet or with ratchet included in set
- Sockets can also be used with an 11mm wrench or 1/4" Drive square head tool
- Fits SAE, Metric, 6 point, 12 point, E-Torx and Square Drive sockets

Set includes: 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14mm close quarter spline sockets with 11mm hex shape & 1/4" internal drive and 72 Tooth 6" reversible ratchet wrench with socket retaining spring. All tools are covered by a Lifetime Warranty.





KTI41803

23 Piece Pro-Series Metric Wrench Set

Set includes: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 29mm, 30mm and 32mm, 12 point wrenches in a pouch.

• All tools covered by a Lifetime Warranty.



- 1" female square drive
- Fractional sizes from 1-1/2" to 3-1/8"

Set contains: 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16", 2-1/2", 2-9/16", 2-5/8", 2-3/4", 2-13/16", 2-15/16", 3", 3-1/8", 8" extension, 16" extension, 26" flex handle, 22" sliding T-handle, 26" ratchet with 24 teeth all come in a 31.10" x 11.93" x 4.37" metal box weighing 114.64lbs. All tools covered by a Lifetime Warranty.

KTI20061 40 Piece, 1/4" Drive **Color Coded Bit Set**

• Complete S2 Bit Set

Bits included: Pozi Bits: 1, 2, 3, Phillips Bits: 1, 2, 3,

Metric Hex Bits: 1.5, 2, 2.5, 3, 4, 5, 6mm, SAE Hex Bits: 5/32, 3/16, 7/32, 1/4, Slotted Bits: 5/32, 3/16, 1/4, Torx Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, Tamperproof Torx Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



KTI20060 60 Piece, 1/4" Drive **Spline Socket Set**

- 72 tooth quick release double ended bit ratchet, 1/4" square driver x 1/4" female hex
- 17 piece chrome vanadium spline sockets (8 SAE & 9 metric)
- 1/4" drive 2" chrome vanadium extension and quick release bit extension
- 40 bits, slotted, phillips, hex and torx
- · Ratchet, sockets and extension covered under a Lifetime Warranty

Bits included:

Pozi Bits: 1, 2, 3, Phillips Bits: 1, 2, 3, Metric Hex Bits: 1.5, 2, 2.5, 3, 4, 5, 6, SAE Hex Bits: 5/32, 3/16, 7/32, 1/4, Slotted Bits: 5/32, 3/16, 1/4, Torx Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, Tamperproof Torx Bits:T7, T8, T9, T10, T15, T20, T25, T27, T30, T40.

KTI20800 51 Pc. Master **Torx Socket Set**

- (8) 1/4", (5) 3/8" and (1) 1/2" Drive Torx bit sockets
- (5) 1/4", (6) 3/8" and (2) 1/2" Drive Torx external bit sockets
- (7) 1/4", (4) 3/8" and (1) 1/2" Drive Torx plus bit sockets
- (7) 1/4", (4) 3/8" and (1) 1/2' Drive Torx tamper resistant bits









High Polish Combination Wrench 2-1/4"

- Manufactured from chrome vanadium steel
- High polish finish resists rust and corrosion
- 12-point box end design

KTI41372

- Professional series fractional wrench
- · Covered by a Lifetime Warranty





- High polish chrome
- 13mm x 15mm
- Covered by a Lifetime Warranty

pounding or hammering





Parrot Plier

- Uniquely designed parrot nose jaws grip 3 sides of a fastener or pipe for a non slipping grip
- · Heavy-duty chrome-molybdenum steel
- Gripping surface with file-cut for various use
- Length: 9" long; Jaw capacity: 15/64" to 1-1/4" (6-32mm)
- Covered by a Lifetime Warranty





KTI56206 Ratcheting Spark Plug Wire Crimper

- 8.7" Ratchet Crimper For spark plug connectors
- AWG 17. 1 mm2 Lifetime Warranty
- Crimper styles include: M3 threaded bush, SAE ignition cable bush, SAE ignition bush 90°, and ignition distributor bush.



KTI71760

3 Piece Hammer Kit

- Hammer heads are forged from induction case hardened 50-58 HRC
- Ergonomic ozone resistant rubber grip handles absorb vibration and reduces fatigue
- Steel reinforced lanyard hole conforms to ANSI standard

Kit includes: Club hammer 2-1/2 lb x 12" long (KTI71767); Ball Pein hammer 24 oz x 14" long (KTI71761); Cross Pein hammer 2-1/2 lbs x 16" long (KTI71768). Each hammer is covered by a 1-Year Warranty


KTI71765

Cross Pein Hammer, 3-1/2 lbs

- Indestructible 16" handle is 75 times stronger than wood and fiberglass
- Covered by a 1-Year Warranty



Ball Pein Hammer, 32 oz.



• Covered by a 1-Year Warranty







Metal Brake Line Thickness Gauges

- Eight heavy duty steel brake lining thickness gauges
- · Color coded brake gauge identifies thickness levels for quick inspection of brake linings
- 3 Green: 8, 10, 12 mm (0.3150" ~ 0.4720"); Brakes are still good
- \bullet 3 Yellow: 4, 5, 6 mm (0.1575" \sim 0.2382"); Brakes should be serviced soon
- 2 Red: 2, 3 mm (0.0787" ~ 0.1181"); Brakes need to be serviced!
- · Lifetime Warranty



KTI72970

5 Piece Drift Brass Punch Set

• Includes 5 punches all 5-3/4" (147 mm) long, with the following punch diameters: 1/4" (6 mm) - (KTI72971), 3/8" (10 mm) - (KTI72972), 1/2" (12 mm) - (KTI72973), 5/8" (16 mm) - (KTI72974) & 3/4" (19 mm) - (KTI72975)



25-250 ft/lbs

- 1/2" drive, 72 teeth • 25-250 ft./lbs.
- Guaranteed accuracy +/- 4%
- Tool length: 22.44"
- Head width: 1.54"
- . Head depth: 1.76"
- Weight: 3.31 lbs.
- · Comes in a black blow-mold storage case
- Covered by a 1-Year Warranty

KTI72346

Tube Straightener

- Tube straightener for 3/16" to 5/8" tubes
- Works on copper and cupronickle tubes (brake tubes)
- · ABS wheels prevent the tubes from being scratched or marked
- 5 contacting points provide higher straight precision
- · Covered by a 1-Year Warranty

KTI71557

5 Piece Tie-Rod/Ball-Joint

Splitter Set

- Forks made of drop forged heavy duty chrome vanadium steel
- 3 drop forged forks: 11/16", 15/16" & 1-1/8"
- 1 Handle for use with hammer
- 1 Handle designed for use with pneumatic air hammer
- Both handles are interchangeable



KTI72902 17 Piece Power

Punch Kit

- Metal-punching Tool Set
- Will pierce up to 14 gauge steel

• 7 sets of punches & dies: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32"





KTI70083

Flare Die Set 37 Degree

- For 3/16", 1/4", 5/16" and 3/8" brake, transmission and power steering lines
- Kit contains one-piece turret with seven adapters, and 4-piece tube retaining dies
- Create precision 37 degree double, singleand bubble flares in seconds
- Use with Professional Brake Flaring Tool Kit (KTI70081)
- 1-Year Warranty



Service Jack 3-1/4 Ton **Hvdraulic Low Profile**

- 4" low pick up height
- 21" maximum lift height
- Flanged side plates resist frame twisting
- Foam padded sleeve
- Complies to ASME/PASE 2014 current safety standards





KTI63095

2 Ton Low Profile Service Jack

- Low height: 3.35"; Raised height: 14.96"; Handle length: 5.43"; Overall length: 22.24"; Over width: 8.31"; Weight: 33.5 lbs.
- High lift range / Extra long, low profile design for low clearance vehicles / Swivel saddle & swivel rear casters for easy positioning and safety
- Saddle diameter: 1.8"; Front wheel size: 2.6"; Rear caster wheel size: 1.6"
- Covered by a 1-Year Warranty



KTI63096

2.5 Ton SUV Jack

- Low height: 6.1"; Raised height: 21.65"; Handle length: 10.12"; Overall length: 24.84"; Overall width: 6.3"; Weight: 44.75 lbs.; Saddle diameter: 2.2"; Front wheel size: 3.5"; Rear caster wheel size: 2.1"
- High lift range
 Covered by a 1-Year Warranty

KTI63094

1.5 Ton Aluminum Racing Jack

• High lift range: 3-5/8" - 14-1/4"; Handle length: 37-2/5"; Saddle diameter: 3-4/5"

• High lift range / Extra long, low profile design for low clearance vehicles · Swivel saddle & swivel rear casters

for easy positioning and safety • Front wheels diameter: 1-3/5" x 4-2/5" wide; Rear casters diameter: 1-3/5" x 3/5" wide

• Length: 19-5/8"; Width: 10"; Height: 8"; Weight: 31 lbs.





KTI63131A

3 Ton Compact Service Jack

- Lifting range: 5.5" 18.75"
- Sealed hydraulic power unit prevents contaminants from entering system
- Length: 24"; Chassis Width: 13.4"; Handle Length: 39.4"; Saddle Diameter: 3.75"
- 1-year Warranty on material & workmanship

KTI61201

2 Ton Jack Stands (Pair)

- Minimum height: 10.75"; Maximum height: 16.73"
- Base dimension: 6.89" x 6.57"
- Weight: 11 lbs. (Pair)
- · Covered by a 1-Year Warranty





2 Ton Trolley Jack & Jack Stands (pair) Set

- Trolley jack low height: 5.31"; raised height: 12.99"; Overall length: 17.72", Overall width: 7.87", Handle length: 16.53"; Saddle diameter: 2"; Front wheel size: 2.6"; Rear caster wheel size: 1.6"; Weight: 18.74 lbs
- Jack stands low height: 10.75"; Raised height: 16.73"; Base dimensions: 6.89" x 6.57"; Weight: 11 lbs. (Pair)
- Both covered by a 1-Year Warranty



KTI70046 Auto Darkening Welding Goggles Kit • Adjustable shade 5-13 for

- Adjustable shade 5-13 for grinding to TIG welding
- Time and sensitivity fully adjustable
- Hood includes bump cap for safety
 Lightweight and ideal for
- Lightweight and ideal for working in confined spaces
- Kit contains: fire retardant hood and bump cap, auto darkening welding goggles, protective shield and carrying bag
- Covered by a 1 Year warranty



KTI70046-1

Replacement Face Mask Shell

KTI70046-2

Replacement Front Cover Lens

KTI70046-3

Replacement Internal Bump Cap

KTI72204

Plastic Rotary Transfer Pump

- Glass filled, Polypropylene (PP) body with Ryton Rotor & Vanes and Viton seals
- For use with 15 55 gallon drums
- Delivers up to 1.30 gallons per 20 turns
- Includes drum bung for use with both metal and plastic drums
- For use with chemicals, DEF, antifreeze, detergents, etc.
- Not for use with gasoline, diesel, fuel oil, kerosene, etc.
- · Covered by a 1-Year Warranty



Vertical Lift Chemical Pump

- Nylon Body, Stainless Steel Shaft and Polytetrafluoroethylene (PTFE) Seals
- For use with 55 gallon drums
- Delivers up to 14 oz. per stroke
- For use with Antifreeze, Detergent, DEF, Lacquer, Thinners, Acetone, etc.
- Not for use with gasoline, diesel, fuel oil, kerosene, etc.
- Covered by a 1-Year Warrranty

KTI74656

Plastic Measure Flex Spout with Dust Cap, 6 Qt

- 18.25" long with spout attached
- 6 quart (6 liter) plastic measure with lid
- For transferring metered quantity of oil, fuel, antifreeze, water etc.
- Translucent body provides visibility to liquid level inside the measures
- Graduated in quarts and litres
- 1-Year Warranty

KTI74649

Plastic Measure Flex Spout with Dust Cap, 1 Quart

- 12" long with spout attached
- For transferring metered quantity of oil, fuel, antifreeze, water etc.
- Translucent body provides visibility to liquid level inside the measures
- Graduated in guarts and litres
- 1-Year Warranty

KTI74620

2 Piece Universal Oil Funnel

- Universal funnel and an adjustable plier clamp
- For refilling engine oil, coolants, etc. in passenger vehicles, commercial vehicle, tractors, earth moving equipment, etc.
- Fits on all Filler Necks with opening between 1" to 3.14"
- Covered by a 1-Year Warranty











19.2V Cordless Grease Gun

- Includes two 1.5Ah Lithium Ion 19.2V battery packs, cUL listed 110V AC one hour quick charger, 30" high pressure grease hose and quick lock coupler
- Develops up to 6000 PSI
- Delivers up to 3 oz / minute. Dispenses up to 6 grease cartridges with a single charge
- 3 Way loading: 14 oz cartridge, bulk and suction fill
- You can use Ni Cd 18.5V (peak voltage is 19.2V) or Li lon 19.2V battery with this product. Both are compatible, but you will need the appropriate charger
- Covered by a 1-Year Warranty

KTI73975

Rechargeable Li Ion Battery - 19.2V

- Rechargeable Li Ion battery for Cordless Grease Gun (KTI73970)
- 1.5 Ah





KTI73976

Charger 19.2V Li Ion Battery

- Quick 1 hour battery charger for Li lon battery (KTI73975) which can be used with Drum Pump (KTI72215) or Cordless Grease Gun KTI73970
- 110V /60 Hz

KTI73931

30" Replacement Hose

• Working Pressure: 10,000 PSI



KTI73956

Quick Locking Grease Coupler

- Quick locking grease gun coupler with 1/8" NPT
- Coupler body is heat-treated to withstand high pressures without deformation and is 1-1/2 times stronger than regular couplers
- Case hardened rollers hold the coupler in position at 6 points
- Designed for quick & convenient disengagement of coupler from grease fittings under pressure
 Allows hands free operation
- · Covered by a 1-Year Warranty



KTI89021

Air Compressor 1 Gallon

- Oil free **pancake** air compressor with induction motor
- 3 HP
- Maximum pressure: 100 PSI
- Light weight for easy carry
- Covered by a 1-Year Warranty



- Oil free horizontal air compressor with induction motor
- 3 HP
- Maximum pressure: 100 PSI
- Light weight for easy carry
- Covered by a 1-Year Warranty



KTI89030

Inflator 120V AC/12V DC, 200 PSI

- Three adapters
- Multi-function inflator (200 PSI) with operation under AC 120 volt AC or DC 12 volt
- Long-reaching cords: 9ft 10in (3m) with cigarette plug and 6ft 7in (2m) cord with AC plug
- · Comes with portable, nylon carry bag
- Covered by a 1-Year Warranty





- 1/4" (6.4mm) Male NPT
- Inflation gun, chuck, and gauge are all combined in one easy-to-use unit
- Built-in relief valve helps reduce pressure in over-inflated tires





Professional Tire Inflator Gauge

- · Aluminium die cast heavy duty body
- Fitted with 2-1/2" mechanical pressure gauge with protective shroud, 24" long flexible hose and rigid steel extension with grip, built in swivel & dual chuck for truck tires
- Inlet 1/4" NPT, maximum pressure 230 PSI
- Super accurate to within +/- 1.6%
- Covered by a 1-Year Repair or Replace Warranty



KTI89007

Tire Buffer, Low Speed

- . Tire buffer with exhaust tube to direct air away from the working area. Inlet threaded 1/4" NPT (F)
- · 2500 RPM low speed is ideal for abrasive job requiring low speed such as tire buffering
- Safety lever to prevent accidental start up
- Non-slip rubber boot to prevent the worker's hand from being frozen during buffer is loading and causing the air condition effect
- · Covered by Repair by a 1-Year Warranty



Auto Plug 1/4" Male NPT

- Auto plug 1/4" male NPT
- Chrome finish
- "T" style



KTI89008

1/4" NPT Female Ball Tire Air Chuck

- 1/4" NPT Female Ball Tire Air Chuck
- · Build in shut-off valve seals prevent air from leaking when not in use
- 1/4" female NPT threads



KTI72216

18.5V Ni Cd Battery Charger

- · Quick 1 hour battery charger for Ni Cd battery (KTI72214) which can be used with Drum Pump KTI72215
- 110V/60 Hz
- 18.5 Volt; peak voltage is 19.2 V



KTI72214 Rechargeable Ni Cd Battery 18.5V

- · Replacement battery for Electric Rechargeable Drum Pump (KTI72215)
- 18.5 Volt; peak voltage is 19.2 V



KTI81798S

1" Spline Drive **Impact Wrench**

- # 5 Spline Drive Anvil
- 1600 ft/lbs. of torque
- 6" Extended anvil for extra access
- 3 Forward and 3 reverse power settings with D side handle for ease of use
- This tool is a workhorse it is very powerful and durable
- · Covered by a 1-Year Warranty

KTI81380A

Electric Impact Wrench 240 ft/lbs.

- Maximum torque: 240 ft/lbs
- 900 Watt. 7.5 Amps
- . No Load speed: 2200rpm
- Impact per minute: 2700
- Covered by a 1-Year Warranty



KTI87120

4 Piece Heavy Duty Industrial Quality Die Grinder Display Set

- (2) 1/2" HP 1/4" angle die grinders (KTI87134)
- (2) 1/2" HP 1/4" straight die grinders (KTI87124)
- · Durable composite housing, rear exhause systems
- Die grinders have the following specifications:
 - Collet Size: 3-6mm (1/8"-1/4")
 - Free Speed: 22,000 rpm's
 - Air Inlet: 1/4"
 - Suggested Air Pressure: 90psi
 - Average Air Consumption: 12cfm
- · Each die grinder is covered by a 1-Year Repairable Warranty



KTI87124

Heavy duty industrial quality 1/2" HP 1/4" Straight Die Grinder

- Durable composite housing
- · Rear exhaust system
- Collet Size: 3-6mm (1/8"-1/4"), Free Speed: 22,000 rpm's, Air Inlet: 1/4", Suggested Air Pressure: • 90psi, Average Air Consumption: 12cfm
- · Low vibration facilitates improved working conditions, safety trigger
- · Covered by a 1-Year Repairable Warranty

KTI87134

Heavy Duty industrial Quality 1/2" HP 1/4" Angle Die Grinder



- Rear exhaust system
- Collet Size: 3-6mm (1/8"-1/4"), Free Speed: 22,000 rpm's, Air Inlet: 1/4", Suggested Air Pressure: • 90psi, Average Air Consumption: 12cfm
- Low vibration facilitates improved working conditions, safety trigger
- 1 Year Repairable Warranty







PROGRAMS 98.6% OF ALL SENSORS

KTITPMSPRO KTI TPMS Pro Tool

- TPMS Tool for Sensor Activation, Programming and ECU Reset 98.6% TPMS sensor coverage
- Programs all major leading aftermarket TPMS sensor brands
- · Vehicle make, model, year lookup and relearn procedures
- Activates and reads 100% TPMS sensors
- Displays all sensor data in seconds: ID, tire pressure, tire temperature, battery status, etc.
- Provides indirect, manual and auto relearn procedure information

Easy to operate with an icon interface and bright color display - Ideal for large tire shops looking for a versatile and upgradable tool to satisfy their TPMS needs. Checks Remote Keyless Entry signal, includes frequent database updates via PC desktop software and Interface and relearn procedures in 23 languages. Covered by a 1-Year Warranty with 1 Year FREE Updates and includes worldwide TPMS technical support.



KTITPMSPROKIT

KTI TPMS PRO Tool with U-Pro Sensors Kit

- Kit Includes KTITPMSPRO, 12 U-Pro 315mhz and 4 U-Pro 433mhz TPMS Sensors
- KTITPMSTOOL reads and activates all known TPMS sensors
- KTITPMSTOOL offers vehicle make, model, year look-up and relearn procedures
- U-Pro sensors program in 1-3 seconds fastest programming sensor in the market
- U-Pro sensors are compatible with over 90% of the current TPMS enabled vehicles

Packaging includes both the snap-in and clamp-in valves Programs in 1-3 seconds- fastest programming sensor in the market

"True Two Sku's" for reduced i nventories

Compatibility with over 90% of the current TPMS enabled vehicles 115 psi/8 Bar Max Pressure

Market leading 3-Year sensor Warranty, 2-Year valve Warranty and 7-Year battery life span

KTI72765A

Circuit Tester 6-12-24 Volt

- Used for checking 6-, 12-, and 24- volt systems
- 4' insulated lead cable with ground clip
- · Plastic handle lights up when circuit is good
- Probe length: 3" Overall length: 6-1/2"
- Covered by a 1-Year Warranty



KTITPMSTOOL TPMS Sensor Activation & Programming Tool

- · Comprehensive make, model, year lookup with Multi-lingual, 19+ languages
- · Activates and reads 100% TPMS sensors and includes TPMS sensor part number look-up (OE and aftermarket)
- · Programs all leading aftermarket programmable sensors
- Displays TPMS sensor data (ID, tire pressure, tire temperature, battery status, frequency)



Its rugged casing and durable rechargeable battery is designed for medium sized tire shops and tough service station environments. Thanks to frequent updates, the newest TPMS sensors and vehicles are introduced each year. Covered by a 1-Year Warranty with 1 Year FREE Updates and includes worldwide TPMS technical support.



KTI TPMS Tool with U-Pro Sensors Kit

- Kit Includes KTITPMSTOOL, 6 U-Pro 315mhz and 2 U-Pro 433mhz TPMS Sensors
- KTITPMSTOOL reads and activates all known TPMS sensors (create or clone)
- KTITPMSTOOL offers vehicle make, model and year look-up
- U-Pro sensors program in 1-3 seconds fastest programming sensor in the market
- U-Pro sensors are compatible with over 90% of the current TPMS enabled vehicles

Packaging includes both the snap-in and clamp-in valves

Programs in 1-3 seconds- fastest programming sensor in the market

"True Two Sku's" for reduced inventories

Compatibility with over 90% of the current TPMS enabled vehicles 115 psi/8 Bar Max Pressure

Market leading 3-Year sensor Warranty, 2-Year valve Warranty and 7-Year battery life span

KTIOBD6-000 **OBD2 Interface Module**

- OBD2 Interface Module
- · Allows users to reset the Electronic Control Unit (ECU) in less than two minutes
- · Can be used on all vehicles, but required for Asian and some European vehicles
- For use with KTITPMSOBD and KTITPMSPRO
- · Covered by a 1-Year Warranty







KTITPMSOBD

KTI TPMS PRO with OBD II and Softshell Case

- Includes KTI TPMS PRO, plus OBD II module and softshell case
- OBD II module allows users to reset the Electronic Control Unti (ECU) in less than 2 minutes



KTITPMSOBDKIT

OBD2 Interface Module

- Kit Includes KTITPMSOBD, 16 U-Pro 315mhz and 4 U-Pro 433mhz TPMS Sensors
- KTITPMSOBD reads and activates all known TPMS sensors (cretes and clones)
- KTITPMSOBD offers vehicle make, model, year look-up and relearn procedures
- U-Pro sensors program in 1-3 seconds fastest programming sensor in the market
- U-Pro sensors are compatible with over 90% of the current TPMS enabled vehicles

Packaging includes both the snap-in and clamp-in valves Programs in 1-3 seconds- fastest programming sensor in the market "True Two Sku's" for reduced inventories Compatibility with over 90% of the current TPMS enabled vehicles

115 psi/8 Bar Max Pressure
Market leading 3-Year sensor Warranty, 2-Year valve Warranty and

Market leading 3-Year sensor Warranty, 2-Year valve Warranty and 7-Year battery life span

KTI73270 Pocket Light COB LED 1.5W 180 Lumen

- Acrylonitrile-Butadiene-Styrene (ABS) plastic material
- 1.5 Watt COB LED, 180 Lumens
- Run time: 4 hrs
- On/Off switch and magnet on clip
- Light Size: 4.409" x 2.165" x 0.630"
- Weight: 0.194 lbs. with batteries
- 1-Year Warranty
- Includes 3 "AAA" batteries and instructions



KTI74391

Jump Starter/Power Supply 12,000 mAh

- 12,000 mAh provides 250 amps cranking power and 500 peak amps
- Intelligent cables feature built-in short-out protection
- Able to jump start cars, SUVs, Light and Medium duty trucks
- 2 USB charging ports, in addition to 19V, 16V, and 12V outputs
- Covered by a 1-Year Warranty



KTI74392

Jump Starter/Power Supply 15,500 mAh

- 15,500 mAh provides 400 cold-cranking amps and 800 peak amps
- Intelligent cables feature built-in short-out protection
- · Able to jump start a wide range of both gas and diesel vehicles
- . LCD digital read out for more precise functionality
- 19V, 16V, & 12V outputs
- Covered by a 1-Year Warranty

KTI74393

Jump Starter/Power Supply 18.000 mAh

- 18,000 mAh provides 500 amps cranking power and 1000 peak amps
- Intelligent cables feature built-in overcharge and reverse polarity protection
- Able to jump start a wide range of gas-powered and diesel vehicles
- Includes 8 computer recharging tips and 3-in-1 pigtail phone charging cord
- 2 USB charging ports in addition to 19 V, 16V, & 12 V outputs and an OBD II memory saver cable
- Covered by a 1-Year Warranty



KTI74394

Industrial Power Bank & Jump Starter Kit 30,000 mAh

- 30,000 mAh provides 800 amps cranking power and 1800 peak amps
- Intelligent cables feature built-in overcharge and reverse polarity protection
- Jump starts the widest variety of vehicles, including heavy-duty trucks, buses, tractors, and more
- Includes 8 computer recharging tips and 3-in-1 pigtail phone charging cord
- 2 USB charging ports in addition to 19 V, 16V, & 12 V outputs and an OBD II memory saver cable
- · Covered by a 1-Year Warranty







KTI73397A

20 Element SMD LED Worklight, 25' Cord

- High Power 20 SMD LED's Worklight, 500 Lumen
- 25', 16/3 SJTW gauge cord with 1-15amp plug
- 11 amp grounded outlet in handle
- Dual hanging hooks Magnet included
- 1-Year Warranty

KTI73379A **Trouble Light Retrofit,** 500 Lumens

- . Twist on module that converts incandescent trouble light into a LED light
- 30 high powered SMD LED's (500 Lumens)
- Rubber bumper to protect unit
- Covered by a 1-Year Warranty



KTI73398M **Headlamp Motion** Detection, 150 Lumens

- · Adjustable head strap
- Adjustable light tilts up and down 180 degrees
- High Beam Distance: 65-1/2 ft (20 meters)
- Low Beam Distance: 26 ft (8 meters)
- Impact resistant: 3 ft (1 meter)
- Comes with the USB cable for charging
- · Covered by a 1-Year Warranty



KTI73398B

Head Lamp LED 3W 120 Lumen BLUE

- Head Lamp LED 3W 120 Lumen BLUE
- 3 Watt, 120 lumen hands-free LED head lamp
- Powerful 3 watt COB LEDs
- 4 Operating modes: High (100%), Low (50%), Flashing, Off
- Adjustable ratcheting headlamp (Color: Blue)
- 3 AAA alkaline batteries, included
- · Covered by a 1-Year Warranty



KTI73271

Rechargeable Thin Light COB LED 5W

- PC & aluminum tube contruction with (ABS) & thermoplastic rubber (TPR) handle
- 5 Watt COB LED, 550 Lumens high mode and 250 Lumens low mode, Top light 0.5 Watt COB LED 50 Lumens
- Charge time: 3-1/2 hrs Battery power indicator on handle
- Over charge and over discharge protection
- Bottom of handle contains a magnet 1-Year Warranty

Contains: 1 worklight, 1pc charger, 1 USB cable and instructions.

KTIHLD

12 Piece FastTrack Head Light Display

- Dimensions of display: (2) 24" x 12" x 4"
- Hooks on rear of display for easy hanging
- Contains: (6) 3 Watt, 120 lumen adjustable ratcheting headlamps, red (KTI73398A); and (6) 3 Watt, 120 lumen adjustable ratcheting headlamps, blue (KTI73398B)
- Light operating modes: High (100%),
- Low (50%), Flashing, Off 3 AAA batteries included
- Lights are covered by a 1 Year Warrranty





RECHARGABLE!



KTI73272

Underhood Rechargeable Light 210SMD

- Aluminum tube construction with thermoplastic rubber (TPR) housing material
- Short circuit protection, over charge protection
- 1100 Lumens on high mode / 550 Lumens on low mode and 3.7Volt 8000mAh Li-ion rechargeable battery
- Charge time: approximately 4-1/2 hrs
- Run time: 3 hrs on high mode / 6 hrs on low mode
- Steel pipe light holder is adjustable from 47" to 76"
- Light includes 2 clamps and 2 magnetic hooks for positioning
- 1-Year Warranty

Contains: 1 210 SMD rechargeable worklight, 1 charger, 1 piece 2-section underhood holder, 2 clamps, 2 magnetic hooks

KTI73385 Work Light Foldable Underhood 1500 Lumens

- 30W COB LED 1500 Lumens under hood rechargeable work light with foldable frame is more convenient for storage and carry
- Tough, lightweight aluminum alloy construction with soft foam covered ends on telescoping (48"-77") bracket
- Detachable from the frame, two lights (15W, 750 Lumens each) also can be used separately as hand held work light
- Charge time: about 4 hours; Run time: 2-1/2 hrs. (high mode) & 5 hrs. (low mode)
- 3.7V 800mAh Lithium ion rechargeable batteries. (2) AC chargers (5 volt, 1A) included
- Covered by a 1-Year Warranty





KTI73382

Work Light - Rechargeable 750 Lumens 120 SMD LED

- 15W COB LED 750 Lumens (high) / 375 Lumens (low) hand held rechargeable work light
- Lightweight compact design; comfortable rubber grip
- Charge time: approx. 4 hours; Run time: 2-1/2 hrs (high mode) & 5 hrs (low mode)
- · AC charger (5 volt, 1A) included
- · Covered by a 1-Year Warranty

KTI73383

Work Light - Rechargeable 600 Lumens 92 SMD LED

- 10W COB LED 600 Lumens hand held rechargeable work light
- Charge time: approximately 4 hours; Run time: about 3-1/2 hours
- AC charger (5 volt, 1A) included
- · Covered by a 1-Year Warranty

KTI73384

Work Light - Rechargeable 400 Lumens 62 SMD LED

- Charge time: approximately 4 hours; Run time: about 4-1/2 hours
- Overall length: 15.6"; Rechargeable 18650 3.7V 3600 MA Lithium-ion battery; AC charger (5 volt, 1A) included.
- · Covered by a 1-Year Warranty





BluBird Air Hose Reel 3/8" x 25'

- Retractable air hose reel with BluBird air hose 3/8"x25' with 3' whip hose
- Powder Coated Steel Corrosion Resistant
- 12 Point ratchet for locking at shorter intervals
- · Covered by a 2-Year Warranty on hose reel and 10-Year Warranty on attached hose to any manufacturing defects

KTI71007

Water Hose Reel 5/8" x 50'

- Water hose reel 5/8" x 50' with 3' whip hose for easy installation
- · Retractable hose reel with Bluseal water hose and nine mode spray gun
- · Powder coated steel corrosion resistant, heavy duty 18 gauge steel
- 12 Point ratchet for locking at shorter intervals
- · Covered by a 2-Year Warranty on hose reel and 10-Year Warranty on attached hose to any manufacturing defects







KTI71008 **BluBird Oil Shield** Air Hose Reel 3/8"x75', 18 Gauge

- Retractable 18 gauge steel air hose reel with BluBird Oil Shield air hose 3/8" x 75'
- Powder Coated Steel Corrosion resistant. heavy duty 18 gauge steel
- 12 Point ratchet for locking at shorter intervals
- 2-Year Warranty on Reel with 3-Year Warranty on the included yellow Oil Shield hose





KTI72053

BluBird OS Whip Hose - 1/2" x 5'

- Professional air tool lead in / snubber hose, 300 psi working pressure & comes with 1/2" MNPT 360° ball swivel & 1/2" FNPT revolving fittings
- Extends coupler service life & improves maneuverability
- · Absorbs shock to air couplers from pneumatic tools
- Flexible rubber construction, with 4 finger-grip bend restrictor
- Covered by a 90 day material and workmanship Warranty



Swivel Mount for Hose Reels, 3/8" & 1/2" Reels

- Powder coated steel construction
- Heavy duty swivel joints
 Suitable with most reels
- Covered by a 2-Year Warranty









BluBird Tire Inflator Fleet Edition Kit

- Fleet edition tire inflator kit with Blubird Air Hose, Phillips Glad Hand (Made in USA) and a Dual Foot Chuck Inflator
- · Featuring the lightest, strongest, most flexible all-weather Blubird air hose 3/8" x 50' with 1/4" MNPT
- Includes Phillips heavy duty aluminium universal glad hand
- Includes a 1/4" to 1/2" adaptor for fitting to Phillips glad hand, Teflon™ tape and a carry bag for easy storage after use
- Dual foot chuck inflator, suitable in temperatures up to -50F
- Covered by a 10-Year Warranty

KTI72087

Water Hose Connector

1" x 15'

- Cold weather flexibility down to -50F and handles hot water up to 212F
- Ozone & UV resistant cover provides protection from extreme weather & abrasion
- Crush proof brass couplings
- Covered by a 10-Year Warranty

KTI72052

BluBird Whip Hose - 1/2" x 5'

- Professional air tool lead in / snubber hose, 300 psi working pressure & comes with 1/2" MNPT 360° ball swivel & 1/2" FNPT revolving fittings
- Extends coupler service life & improves maneuverability
- Absorbs shock to air couplers from pneumatic tools
- · Reduces twisting and kinking
- Flexible rubber construction, with 4 finger-grip bend restrictor
- Covered by a 90 day material and workmanship Warranty

KTI72086

theBlueHose Water Hose 5/8" x 75'

- · Lightweight & durable
- · Crush proof brass couplings
- Cold weather flexibility down to -50F and handles hot water up to 212F
- Ozone & UV resistant cover provides protection from extreme weather & abrasion
- Covered by a 10-Year Warranty



KTI71027 3/8" x 50 ft Heavy Duty **PVC Air Hose**

- 3/8" x 50 ft Heavy Duty PVC Air Hose
- 1/4" (6.4mm) NPT Male
- 300 PSI maximum
- 0-103 degree fahrenheit max





KTI71028 18 Piece Air Hose Accessory Kit with Tape

Includes: (1) Air blow gun, (1) 10-50 PSI tire gauge, (1) Dual-foot tire chuck,

(2) I/M, 1/4" NPT female couplers,

(2) I/M, 1/4" NPT male plugs, (2) I/M, 1/4" NPT female plugs, (2) Double female couplings, (1) Double male coupling, (2) Inflation needles, (1) Safety nozzle, (1) Tapered nozzle, (1) Thread seal tape, (1) Rubber tip. Comes in a clear plastic storage case



KTI71032 20 Piece Air Hose Accessories Kit

Includes: (1) Dual head tire chuck,

- (1) Tire gauge, (1) Rubber blow gun nozzle,
- (1) Brass blow gun adapter,
- (1) 1/4" male double male connector,
- (1) 1/4" double female connector,
- (1) Blow gun safety nozzle,
- (1) blow gun tapered nozzle,

(2) Inflation needles, (1) Blow gun head, (1) Thread seal tape, (1) 1/4" x 25 ft. air hose, (2) 1/4" industrial style quick-connect female coupler, (2) 1/4" industrial style quick-connect female plug, (3) 1/4" industrial style quick-connect male plug



KTI70059

Solder Kit Multi-Function

- · Four function kit with auto-ignition tool for the professional user
- Ready to use in 15 seconds
- Equivalent to power range 25-80 Watt
- Tank can hold enough fuel for 120 minutes of operation
- Deflector nozzle for heat shrink tube maximum diameter 9mm
- Butane torch is covered by 1-Year Warranty
- Contents: Butane torch, solder, sponge, PS-14 orifice assembly,
 S-30 deflector, PS-10 heat blower, PS-3 2.4mm chisel, PS-9 hot knife.

KTI70531

Plastic O-Ring Seal Pick

- Remove 0-ring seals without damaging parts
- Material: PC "Polycarbonate"
- Length 5-1/2" (14cm)

KTI70531-10

Plastic O-Ring Seal Pick - 10 Pack

Packaged in clear plastic bag with UPC label

KTI83286-12

Caulking Gun, Steel Drip Free 12 Pack

- Case of 12 caulking gun open frame, all steel side loading design
- · Lightweight & strong
- Drip free automatic ratchet advance; Push rod is quick release hex; includes a ladder hook
- · Built in nozzle cutter and retractable seal puncture tool
- Thrust ratio: 10:1; Pushing Power: 269.771 lbs (1200N); Net weight: 1.036 lbs; Gun thickness: 0.067"; Rod diameter: 0.307"
- For use with sealants in standard tube cartridges: low to medium viscosity latex, vinyl, acrylic, siliconized acrylic and silicone caulks
- Covered by a 90 day warranty on material and workmanship



KTI83285-12

Caulking Gun, Steel Half Barrel Style 12 Pack

- Case of 12 caulking guns half barrel, all steel design
- · Lightweight & strong
- Quick release push rod
- Retractable seal puncture tool
- Thrust ratio: 7:1; Pushing Power: 179.847 lbs (800N); Net weight: 0.650 lbs; Gun thickness: 0.024"; Rod diameter: 0.256"
- For use with sealants in standard tube cartridges: low viscosity latex, vinyl and acrylic caulks.
- · Covered by a 90 Day warranty on material and workmanship








TOCL OFFESSIONAL TOOLS & EQUIPMENT OF SUPPLEMENT





- Rotary Merchandiser and eight (8) Auto Body Doctor Display Boards
- Display a maximum amount of product (holds up to eight displays) in a minimal amount of space, only 36" x 36"
- Complete with four (4) durable casters
- A must-have for professional, effective merchandising. Rotary ships in two pieces and each ABD display ships separately.
- Rotary merchandiser is FREE!

Ten different boxes will ship: (2) for the Rotary Merchandiser and (8) separate displays. The eight Auto Body Doctor displays are:

ABDABD-1 Shield Retainers Display

ABDABD-2 Shield & Door Retainers Display

ABDABD-3 Push Retainers Display

ABDABD-4 Trim Screws Display

ABDABD-5 Body Bolts & Rivets Display

ABDABD-6 Nuts & Grommets Display

ABDABD-7 Hood/Door Lock/Windshield Display

ABDABD-8 Headlight & Misc. Body Parts Display





PROFESSIONAL TOOLS & EQUIPMENT

JULY

NEW PRODUCT SUPPLEMENT



- Folding Work Table: Length: 40.551" (103cm); Adjustable Width: 23.819" (60.5cm) - 43.307" (110cm); Adjustable Height: 29.134" (74cm) -35.039" (89cm)
- Load Capacity: 500 lbs
- Sturdy powder coated tubular steel frame with machine-welded seam
- Heavy gauge chain has 6 connectors, which can be placed to adjust height and width
- Red legs with non-skid tips
- Covered by a 1-year warranty



KTI79755 Work Stand Adjustable & Foldable - 31 x 36 x 41"

- Folding Work Table: Length: 31.102 (79cm); Adjustable Width: 20.866" (53cm) 36.024" (91.5cm); Adjustable Height: 31.890" (81cm) 41.339" (105cm)
- Load Capacity: 750 lbs
- Sturdy powder coated tubular steel frame with machine-welded seam
- Heavy gauge chain has 6 connectors, which can be placed to adjust height
- Red legs with non-skid tips
- Covered by a 1-year warranty

KTI79400 Kneeling Mat Magnetic 24" x 16"

- · Magnetic foam pad for kneeling
- 24" (length) x 16" (width) x 1.13" (thick)
- · Anti-slip, oil proof and solvent-resistant
- · Magnetic groove holds nuts, bolts and other spare parts
- · 3 layer thick foam protects your knees from rough and hard surfaces
- Covered by a 1 Year Warranty

MARNING: Cancer and Reproductive Harm



Work Table Adjustable 30"

- 30" adjustable height work table from 34" 47.75" with total weight capacity of 200 pounds
- Rubber bumper corners for protection and top work surface with liner included
- Work table dimensions: 29.3" x 20.2" x 34.5"; Tray size: 28.9" x 19.8" x 1.0"; Drawer size: 15" x 18.5" x 2.5"
- Four 2" x 1.25" swivel casters for easy moving
- 16 gauge steel tray, 22 gauge steel drawer and 13 gauge steel adjustable tube

KTI79700 - Red KTI79701 - Green KTI79702 - Black



KTI75120

Professional Tool and Work Cart, 3 Shelf Aluminum and Black Plastic

- Dimension: 28.740" x 17.323" x 38.110" (740 x 440 x 968mm) with handle attached and 26.575" x 17.323" x 35.827" (675 x 440 x 910mm) without handle
- · Anti-skid handle with matte finish
- Net Weight: 21.407 lbs (9.71 kg); Load Capacity: 330 lbs (150kg)
- 4" TPR Casters: Swivel x2, brake x 2
- High quality plastic, light weight aluminum and low maintenance
- Covered by a 1-year warranty

NEW PRODUCTS



KTI70706

Air Lift Cooling System Refiller

- · Cooling system vacuum purge & refill kit
- . To pump radiator and cooling system liquids out of reservoirs
- Use vacuum to fill with new coolant into radiator

Kit contains: Main body with gauge (-1 -0 bar, -76 -0 cmHg); Vacuum Pump; (3) Rubber Buses (OD 35, 39 & 44mm); Coolant Hose



KTI71041

7 Piece Airvac Coolant Refiller

- · Performs vacuum leak test on cooling system
- · Refills cooling system free of trapped air quickly, efficiently and with no mess
- · Muffler dampens noise output during operation
- Purges trapped air from cooling system to eliminate the possibility of engine damage due to overheating
- · Covered by a 1-year warranty

KTI70112

Vacuum Brake Fluid Bleeder

- 3 Quart Capacity
- Uses standard workshop air supply
- · Removes fluid via bleed nipples to allow bleeding or entire fluid replacement
- Maximum Air Supply: 120 PSI
- · Weighs: 3.13 lbs
- · Covered by a 1-year warranty





KTI71110

21 Piece Radiator Pressure Tester Kit

- Pressure tester to check leakage of radiator
- 0-35 psi, color-coded gauge with pressure release valve and all adapter come in a plastic carrying case
- · Comprehensive operating instruction enclosed



- Suitable for DOT 3, DOT 4, DOT 5.1 and for a specific brand of DOT 3 (AC Delco, Pennzoil, Prestone, Motorcraft & Toyota)
- Purpose of the tester is to examine the quality of the brake fluid, indicated by 5 LEDs
- . Takes 1 second to test the fluid and automatically shuts off after 2 seconds
- Not for Class 8 Heavy Duty Trucks
- One 1.5v battery included
- Covered by a 1 Year warranty



KTI70130

Slack Adjuster Release Tool with 5/16" Wrench

- · Truck air brake adjusting wrench set
- · Used for adjusting automatic slack adjusters
- Fork-end designed tool able to fit securely under the pull pawl, allowing hands-free operation to release the tension button
- 5/16" offset square reversible wrench with E-Z Grip handle for adjusting the brake, and capable to release the anti-reverse mechanism without prying
- 1 Year Warranty on material and workmanship

KTI89011 **Aluminum Die Cast Heavy Duty Tire Inflator Gauge**

- 2-1/2" (63mm) digital gauge
- · Swivel for convenience in use
- Deflation valve
- Dual chuck
- · Covered by a 1-Year Warranty





KTI70707

Ford Broken Spark Plug Remover with Tap

- Spark Plug Rethreading Kit for Ford 4.6, 5.4, V10 2 Valve Engines
- Applicable: Ford 2004 and newer Triton 3 valve cylinder engines
- 1 Year Warranty on Material and Workmanship





3/8" Drive 14mm BMW Spark Plug Socket

- Size: 3/8" drive x 9/16"(14mm) Type: 12 point
- · Heat treated chrome vanadium steel with rubber insert to hold the plugs when working
- 1 Year Warranty on Material and Workmanship



- Size: 3/8" drive X 16mm
- . Type: 12 point
- 1 Year Warranty on Material and Workmanship



- 7 sets of punches & dies: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32"
- . Will pierce up to 14 gauge steel
- · Handled punch tool is covered by a 1-Year warranty. 7 punch & dies are not covered by warranty



KTI70003

51 Piece Universal Rethreading Set

- Set comes with 3 Thread Restoring Files, 25 Rethreading Dies and 23 Rethreading Taps all contained in a red blow molded storage case
- (2) SAE thread restoring files both with 8 pitches, (1) Metric thread restoring file with 8 pitches, (7) United States Standard Coarse Rethreading Dies, (7) SAE Fine Rethreading Dies, (11) Metric Rethreading Dies, (6) United States Standard Coarse Rethreading Taps, (6) SAE Fine Rethreading Dies, (11) Metric Rethreading Dies



KTI73636

8 in 1 Drain Plug Key Wrench

- 6 Point, dimensions: S8, S10, S3/8, S1/2, H10, H12, H14, H17
- · Suitable for use in most car brands
- 1 Year Warranty on Material and Workmanship



KTI73637

8 in 1 Socket Wrench 12-19MM Hex

- 6 Point, dimensions: 12, 13, 14,15, 16, 17, 18 19mm
- 1 Year Warranty on Material and Workmanship



KTI71701

12 Piece 1/2" Drive

Professional Impact Driver Set

- Impact driver can be used with all 1/2" drive accessories
- Heat-treated and hardened alloy steel
- Professional design is good at rusted or frozen screws
- Includes: 1/2" Impact Driver, 1/2" Dr 5/16" Bit Holder, Phillips Bits: PH2, PH3 & PH3 Xtra long, Slotted Bits: 8mm & 10mm, Bolt Removers: M3-M6, M6-M8, M8-M11, M11-M14 & M14-M19



KTI71517

Tie Rod Separator, Tempered Drop Forged Steel

- Tempered drop forged steel one piece construction for long & rough usage
- 21/32"(18mm) Fork, 16"(410mm) Length replaces worn out tie rods easily with a hammer striking
- · Also can separate shock absorber links
- · Covered by a lifetime warranty



KTI71518

Tie Rod End Tool

- · Redesigned to use on imports and any front wheel drive vehicles, including SUV with rack and pinion steering
- · Live center tip on forcing screw swivels to align tool to tie rod stud to ease in removal and prevent damage to stud
- Covered by a lifetime warranty





NEW PRODUCTS



KTI71557

5 Piece Tie-Rod/Ball-Joint Splitter Set

- Forks made of drop forged heavy duty chrome vanadium steel
- 3 drop forged forks: 11/16", 15/16" & 1-1/8"
- 1 Handle designed for use with hammer
- 1 Handle designed for use with pneumatic air hammer
- Both handles are interchangeable
- Individual pieces covered by a lifetime warranty

KTI71559

Ball Joint Separator

- Special design 2-stage operation suits most cars and light trucks ball joints in steering & suspension
- Tempered drop forged steel body and offset lever provide an excellent performance and long usage
- · Offset lever permits maximum jaw openings in 1-3/16" (30mm) & 2-3/16" (56mm)
- Jaw open: 7/8" (22mm)
- · Covered by a lifetime warranty





Ball Joint Separator, Tempered Drop Forged Steel

- Tempered drop forged steel one piece construction for long & rough usage
- 15/16"(24mm)Fork, 11-7/8"(300mm) length replaces worn out ball joints easily with a hammer striking
- · Also can remove CV drive shafts on FWD vehicles
- · Covered by a lifetime warranty



KTI73907 7 Piece Quick Connect **Grease Gun Accessory Kit**

- 7 Piece Ezee- Lube Kit comprised of the most commonly used Quick Disconnect Grease Dispensers
- Contents: Recessed Lube Adaptor, Grease Injector Needle, Angle Lube Adaptor, Narrow Needle Nose Adaptor, Seal Off Dispenser, Right Angled Grease Coupler, Heavy Duty Hose with Spring Guard & Coupler
- · Packaged in pouch
- · Covered by a 1 year warranty

KTI71570 **Hydraulic Ball Joint** Separator with 56mm Jaw

- Jaw open capacity: 2-3/16" (56mm)
- Jaw width: 7/8" (22mm), Hydraulic ram: 8 ton
- · No impact! No hammer!
- · Covered by a lifetime warranty



KTI71571 **Hvdraulic Ball Joint** Separator - 70mm

- Jaw open capacity: 2-3/4" (70mm)
- Jaw width: 1-7/16" (36mm)
- . Hydraulic ram: 12 ton
- · Covered by lifetime warranty







KTI71561

Pitman Arm Puller & Ball Joint Separator **Tie Rod Front End Service Tool Kit**

- · Made of heat-treated alloy steel, with great strength and durability
- · Individual pieces covered by a lifetime warranty
- Kit includes: Large C-Shape: Jaw Spread 1-11/32" with Throat Depth 2-1/2"; Small C-Shape: Jaw Spread 1-1/8" with Throat Depth 2-1/8"; Large Swing Arm: Jaw Spread 0 to 2-1/2" with Throat Depth 3-1/4"; Small L-Shape: Jaw Spread 3/4" with Throat Depth 1-3/4"; Large Rocker Arm: Jaw Spread 7/8" with Throat Depth 2-1/4"

Individual Kit Items	
Part #	Description
KTI70332	Inner Bearing Race Puller
KTI70361	Pitman Arm Puller
KTI71525	Tie Rod End Puller
KTI71503	Ball Joint Separator
KTI71526	Tie Rod End Remover

KTI73400A

36 Piece Steel Hand Stamp Set

- 3/16" (5.0mm) steel hand stamp set
- 26 letters "A-Z" plus "&" and 9 numbers "0-8", the "6" is used for "9"
- . Stamps are CRV 6150 with sandblast treatment
- Front end font HRC 58-62 degrees and back side tempering HRC 38-46 degrees



9 Piece Steel Hand Stamps 0-8 Numbers







7 Piece Special Vibro Chisel Set

- Drop forged handle
- · Soft tip air hammer set includes aluminum, brass, steel, and nylon air tipped tools
- . Non sparking or marring for sensitive surfaces
- · Replaceable hammer heads
- For aluminum body cars, 0.401" shank tools
- · Covered by a 1-year warranty



KTI70326

GM Torsion Bar Unloader

- Drop forged frame
- . This tool is required to safely release the tension on the front suspension torsion bar to service the front suspension
- Larger design to cover the 2011 and newer GM Trucks including HD C/K
- When servicing the lower control arm of the front suspension on GM trucks or replacing a torsion bar, it is necessary to remove the spring pressure from the suspension
- · Covered by a 1-year warranty



GM Torsion Bar Unloading Tool

- Drop forged frame
- . This rugged tool is built for GM's K-3500 series trucks with heavy-duty chassis and a larger torsion bar
- Applications: 1988-2003 GMC and Chevrolet 1/2, 3/4, and 1 ton pick-ups; the S-10 Blazer and S-15 Jimmy, 4WD pickups with 4.3L V6 engines and 1991-2001 Oldsmobile Bravada
- · Covered by a 1-year warranty



Injector Puller Set for Cummins

- Drop forged body
- . Two jaw design firmly grips the injector, with sliding hammer
- The two jaws have heat treatment
- Helpful puller will handle a variety of injectors found in Cummins engines: mechanical L-10 PDT and PTD top-stop 855NH
- · Covered by a 1-year warranty

KTI49300

Heavy Duty Wrack Wrench Diameter 25mm-55mm

- 1/2" square drive Drop forged body
- Universal design suits rack end diameters from 25mm-55mm (Hex drive, round with 2 drive flats, round with no drive flats)
- · New larger size provides coverage for domestic and import light trucks and SUV
- Excenter tie rod track turing tool U.S. Patent #: US D706,604 S
- · Covered by a 1-year warranty



KTI81985

6 Piece Air Hammer Drifts Set

- Drop forged body
- CR-MO material for a more durable, longer lasting tool lifetime
- Pin punch by impact tool drive
- · Rusted shock and strut bolts are no match for these Air Hammer Drifts
- 7" long parallel shaft
- Six common sizes: 1/2", 3/8", 5/16", 9/32", 1/4", 3/16"
- Individual pieces covered by a 1-year warranty

KTI28201

Toyota Front Hub Nut Socket

- Drop forged body
- · For the removal and installation of the front hub lock nut
- Applications include: 2007 -2014 Toyota 4 Runner, 2WD, Tundra and 2008-2014 Toyota Seguoia
- Similar to Toyota factory tool #09318-12010-8PIN & 09602-60010
- · Covered by a 1-year warranty

KTI27238

3/8" Drive Oxygen **Sensor Thread Chaser**

- Drop forged body Studs may be reused
- · Cleans threads in Oxygen Sensor holes
- Use with 3/4" hex socket and 3/8" square drive: size M18 x 1.5
- . Also works on M18 x 1.5 spark plug threads
- · Works even if only a few threads are exposed
- Covered by a 1-year warranty





KTI70385

Dual Wheel Separator

- · Drop forged body
- This innovative "one-piece" pusher won't fall apart during use and is ball bearing-driven for near-zero turning resistance
- Forcing screw and pullers have powerful 1-1/8" diameter x 11 threads
- . Includes two pullers to cover large truck, trailer and smaller light truck dual wheel applications
- Ideal for use on nearly every truck, bus, van or trailer that has dual steel wheels
- · Covered by a 1-year warranty

KTI28202

Center-Lock Nut Socket for Porsche

- Center-lock nut socket 3/4" drive for Porsche
- Models: 997, 991, GT2 and GT3
 Drop forged body
- 3/4" drive tightening torque, maximum 369 ft/lbs (500 Nm)





NEW PRODUCTS



KTI73604

Oil Filter Housing Wrench for Toyota / Lexus

- · Designed for removing aluminum oil filters
- Size: 1/2" Dr., 64.5mm, 14PT Made of high quality steel
- Applicable: TOYOTA: 3.5L since 2007; LEXUS: IS250, IS350, GS300, GS350, GS450HE, S350, RX350, LS460, LS600H
- 1 Year Warranty on Material and Workmanship

KTI73631 Oil Filter Socket Toyota, 64.5mm-P14 1/2" Dr 21mm

- Fits most Toyota 1.8 & 2.0 liter vehicles
- Drop forged body, hard chrome plated
- 3/8" drive hole for ratchet handle or square drive handle
- · Designed for use on Toyota models where 6 additional flutes help drive the wrench
- · Covered by a Lifetime warranty



KTI73644

6 Piece Aluminum Cap Wrench Set

- 6 piece aluminum cap wrench set to remove catridge type oil filter
- Commonly used in Opel/Vauxhall, Mercedes, BMW and VAG. USE 1/2" drive wrench
- Sizes: 24mm, 27mm, 30mm, 32.5mm, 36mm, 38mm each with 6 Flutes
- · Individual pieces covered by a Lifetime warranty



KTI73645

5 Piece Oil Filter Cap Wrench Set

- Use with 1/2" drive wrench · Material: Aluminum
- For light vehicles (Toyota, Nissan, BMW, Audi, VW, Opel, Kai, etc...)
- · Light weight and durable
- Sizes: SW64m/m & SW74m/m each with 14 flute, SW78.5m/m, SW89m/m & SW99m/m each with 15 flutes
- · Individual pieces covered by a Lifetime warranty

KTI73203

Fender Cover Magnetic 41.2" x 22.8"

- · Material: PU felt cloth
- · Contains (2) magnets each with N45 rated strength
- Oil-proof, water proof and quick dry
- Magnetic cover washable and easy to clean
- Soft cotton cloth underlay for scratch prevention
- · Covered by a 1 Year Warranty



Filter Regulators

- Polycarbonate bowl with 40 micron sintered bronze filter element
- · Covered by a 1-Year Warranty



Filter Regulators		
Part #	Description	CFM
KTI89181	Filter-Regulator Combination Miniature 1/4" NPT	20
KTI89182	Filter-Regulator Combination Intermediate 3/8" NPT	77
KTI89183	Filter-Regulator Combination Standard 1/2" NPT	106
KTI89184	Filter-Regulator and Lubricator, Intermediate 1/2" NPT	63
KTI89185	Filter-Regulator and Lubricator, Standard 1/2" NPT	99



Ratcheting Gear Pullers

- · Quick convenient conversion from 2 to 3 jaws
- · Ratcheting action holds jaws in position
- · Easily reversible jaws for external or internal pulling of gears and bearings
- Chrome Molybdenum, heat-treated, forged construction
- Covered by a Lifetime Warranty

Ratcheting Gear Pullers		
Part #	Safe Work Load	Jaw Spread Range
KTI70307	2 Ton Capacity	2" to 3-1/8"
KTI70308	5 Ton Capacity	4" to 6"
KTI70309	7 Ton Capacity	5" to 8-5/8"



KTI49401

Non Sparking Aluminum Drum Wrench for 2-3/4" Drum

- Wrench opens most 2-3/4" drum plugs
- Manufactured from non-sparking case aluminum
- · Covered by a Lifetime Warranty



KTI49402

Drum Faucet for 2" Holes

- Polyethylene construction
- Suitable for 2" threaded openings on 55 gallon drums
- Built-in bucket hanger and padlock hole
- Built in port for mounting sight glass to check fluid level in the drum
- · Covered by a 1-Year Warranty







Band Dolly for 5 gallon Pails

- · Four removable phenolic wheels
- Covered by a 1-Year Warranty

KTI74922

Band Dolly for 16 gallon Pails

KTI74923 **Heavy Duty Drum Dolly** for 55 Gallon Drums

- · Load capacity 1200 pounds
- · Four welded cast iron wheels
- · Covered by a 1-Year Warranty



KTI72251

Siphon Pump for 55 Gallon Drums

- · Works with water based media: detergents, soaps, antifreeze, some mild acids, etc.
- · Delivers up to 7 GPM
- · Polyethylene construction
- · Covered by a 1-Year Warranty



KTI72201

Rotary Barrel Pump

- 3 piece threaded suction tube and 2" cast iron bung nut
- Delivers 1.3 gallons (5 liters) in 20 turns
- . Dual Direction operation. Pumps in either direction by a few reverse turns of the handle
- For use on 15-55 gallon (50-205 liter) drums
- · Recommended for dispensing diesel, kerosene, heating oil, motor oils, lubricating oils (up to SAE 90) and other non-corrosive media
- Covered by a 1-Year Warranty





KTI71017

6 Piece Interchangeable

Blow Gun Kit with Quick Connect Nozzle

- Maximum Pressure: 220 PSI (15 BAR); Operating Pressure: 160 PSI (11 BAR)
- Air Consumption: 10 CFM (280 LPM)
- Inlet: 1/4" Female
- · Locks and seals attachments by rotation of the collar in either direction
- Covered by a 1-Year Warranty

Kit contains air blow gun and 5 attachements: rubber tip (NBR) for steel extensions, turbo wide angle nozzle, angled steel extension 4" (100 mm) long, angled steel extension 6-5/16" (160mm) long and angled steel extension 12-5/8" (320mm) long.

KTI72206

Brass Hand Pump

- For use with water based media, antifreeze, oils, diesel etc.
- Comes complete with 40" (1 meter) long by 1/4" diameter suction hose and 24" x 1/2" diameter long discharge hose
- Self-priming action Dispenses 3.2 oz (100 ml) per stroke
- · High quality brass cylinder body and plunger
- 140° F maximum fluid temperature
- · Covered by a 1-Year Warranty



	Funnels
Part #	Description
KTI74618	8" Plastic Anti-Splash Funnel, 1.8 Quarts
KTI74619	9-1/2" Plastic Anti-Splash Funnel, 3.7 Quarts
KTI74621	1.2 gal. Fuel and Oil Funnel

Covered by a 1-Year Warranty



KTI72231

Extraction Filling Syringe - 1500 CC

- Hand operated fluid syringe (200C.C.)
- · Translucent design allows easy inspection of oils and fluids
- Suitable for the transfer of oils/fluids to and from vehicle components
- · Applicable such as gear oil and differential fluid
- Material: Polypropylene
- · Covered by a 1 year warranty

KTI72232 **Extraction/Filling Syringe -**200 CC



KTI70113

Manual Fluid Extractor

- Capacity: 7.9 Qt (7.5L)
- Maintenance free
- Transparent tank to see fluid level
- Modularized design to provide best performance
- Covered by a 1-year warranty



NEW PRODUCTS



KTI73272A

Underhood Rechargeable Light 210SMD

- One piece aluminum tube with holding bar being one piece; extends from 47" to 76"
- New style end hooks with loop shape and cushion material to prevent scratching 210 super bright SMD LEDs: 1,100 Lumens (High mode) / 550 Lumens (Low mode)
- Run time: 3 hrs (High mode) / 6 hrs (Low mode)
- · Charging time approximately 4 hrs; Low battery indicator
- · Impact proof
- Covered by a 1 Year warranty

KTI73322 6W COB Rechargeable Slim Worklight - 120 Lumens

- Adjust light from 0-600 lumens as needed
- · Rotating hook for full 360 degree adjustment
- 1 W SMD top torch up to 120 lumens
- Only 0.35" (9mm) wide at the top
- . Micro USB slot for quick charge with 5 LED indicators to show charge level
- Charge time: 3 Hours Run time: 1.5 Hours (high) / 16 Hours (low)
- · Covered by a 1-Year Warranty



KTI73319 12SMD 400 Lumens

Rechargeable Slim Foldable Worklight

- Intensity control switch to adjust light from 0-400 lumens
- 180 degree foldable design
- Light head very thin, only 0.24" (6mm)
- Three super strong magnets at the side and bottom
- · Hook attached to the bottom to allow for hanging
- Charge time: 3 Hours Run time: 3 Hours (high) / 88 Hours (low)
- Covered by a 1-Year Warranty



KTI73317

Heavy Duty Rechargeable Floodlight - 10W 1000 Lumens

- Impact resistant construction: aluminum die-cast body
- 5 volt USB output: for use as powerbank
- Swivel handle: can be rotated 180 degrees and adjusted to any angle
- · Super strong magnet: attaches onto any metallic surface leaving both hands free
- Charge time: 4 hours; Run time: 3 hours full intensity and 6 hours low intensity
- Covered by a 1-year Warranty



KTI73369

Flashlight Rechargeable CREE LED XML 700 Lumen

- Drop impact resistant Dust and water resistant
- CREE LED XML T6 with 700 Lumen and 3.7 volt 2600mAh Li-ion battery
- Runtime: 1-1/2 Hrs (100% beam-700 LM) / 3 Hrs (50%-300 beam) / 6 Hrs (25%-150 beam); Charge time: 3-1/2 to 4 hrs
- Function: 25% 50% 100% Off with sliding zoom beam
- Comes in a magnetic box, with nylon case, USB cable, USB wall adapter and USB car charger
- · Covered by a 1 Year warranty



KTI73368

Flashlight Rechargeable CREE LED XPG 250 Lumen

- Drop impact resistant Dust and water resistant
- CREE LED XPG with maximum 250 Lumen and 3.7 volt 2200mAh Li-ion battery
- Runtime: 3 Hrs (100% beam-250LM) / 5-1/2 Hrs (50% beam-125LM) / 11 Hrs (25% beam-65.5LM); Charge time: 3-1/2 hrs
- Function: 25% 50% 100% Off with sliding zoom beam
- Comes in a magnetic box, with nylon case, USB cable, USB wall adapter and USB car charger
- · Covered by a 1 Year warranty

KTI73367

Flashlight CREE LED XPG 250 Lumen

• Comes in a magnetic box, with nylon case, and 4 AA batteries

KTI73338

Pen Light Rechargeable CREE LED XPG 120 Lumen

- Drop impact resistant
- · Dust and water resistant
- Runtime: 3-1/2 Hrs; Charge time: 3 Hrs
- Function: On-Off with sliding zoom beam
- Clip for easy carry
- Comes in a magnetic box, with nylon case, USB cable, USB wall adapter and USB car charger



KTI73337

Pen Light CREE LED XPG 120 Lumen

- Drop impact resistant Dust and water resistant
- Runtime: 6-1/2 Hrs Clip for easy carry
- Function: On-Off with sliding zoom beam
- Runs on (2) AAA batteries







KT177700

Big Chill Blower (1200 CFM)

- Workforce Blower 1200 CFM
- 120V ~ 60Hz
- Max. Allowable Load for Receptacles 11 Amps
- 3 speed with 4-position adjustment for centralized airflow and quick drying
- For indoor or outdoor use
- . Heavy duty plastic housing
- Two grounded outlets with overload protection
- · Covered by a 1 year warranty

KTI77702 Chill Blower (300 CFM)



KT177708

Air Blower 8" Indoor Portable

- 6.6 feet (2M) power cord w/UL approved plug
- 120V / 60Hz / 1.7Amps
- Two speed for maximum energy efficiency
- High Speed: 3400 RPMs / 2114 CFM with power consumption 200 Watts
- Low Speed: 3381 RPMs / 1432 CFM with power consumption 154 Watts
- · Complete metal structure
- · Handle design and light weight enables easy portability
- · Covered by a 1 year warranty on material and workmanship



KTI77731

30" Non-Oscillating Wall Fan

- Three speeds 120 Volt 60Hz 2.4 Amps
- High Speed: 1125 RPMs / 7930 CFM with power consumption 280 Watts
- Medium Speed: 1058 RPMs / 6144 CFM with power consumption 230 Watts
- Low Speed: 825 RPMs / 2880 CFM with power consumption 123 Watts
- 3 blade construction for maximum cooling plus pre punched holes for ease of mounting
- · Covered by a 1 year warranty

KT177732 30" Oscillating Wall Fan



KT177720

4-Way Tilt High Velocity 20" Orbital Floor Fan

- · High velocity floor fan with 3 speeds
- Tilts vertically and horizontally for optimal air direction
- 120 Volt / 60Hz
- 1.35 Amps
- High Speed: 1465 RPMs / 5483 CFM with power consumption 153 Watts
- Medium Speed: 1392 RPMs / 4025 CFM with power consumption 139 Watts
- Low Speed: 1317 RPMs / 3059 CFM with power consumption 128 Watts
- · Balanced aluminum blades for quiet operation plus tilts vertically & horizontally for optimal air direction
- · Covered by 1 year warranty

KT177730

30" Pedestal Fan

- · Pedestal Fan 30" with three speeds
- 120 Volt 60 Hz 1.4 Amps
- High Speed: 1110 RPMs / 5320 CFM with power consumption 160 Watts
- Medium Speed: 991 RPMs / 4272 CFM with power consumption 134 Watts
- Low Speed: 825 RPMs / 2880 CFM with power consumption 123 Watts
- · Covered by a 1 year warranty





KTI77742

42" Belt Drive Drum Fan

- Two speeds
- 120 Volt
- 5.07 Amps
- High Speed: 537 RPMs / 13781 CFM with power consumption 606 Watts
- Low Speed: 440 RPMs / 9859 CFM with power consumption 481 Watts
- Rubber wheels provide ease of movement in shop plus cut-off protection from overheating
- · Covered by a 1 year warranty

NEW PRODUCTS

Blu3ird°



BLBBB3450

BluBird Pro 3/4" x 50' Rubber Air Hose

- Durable wrapped finish. Extreme resistance to ozone, UV, abrasion
- 3/4" NPT brass ends with 3/4" to 1/2" NPT reducer
- 40% lighter than any other rubber hose of same specifications



BluShield 3/8" Rubber Pressure Washer Hose

- BluShield rubber pressure washer hose with 3/8" revolving male NPT x 3/8" fixed NPT that are carbon steel
- 4100 PSI / 16400 PSI, RMA Class A tube and handles hot water up to 250° F
- 100% rubber & 30% lighter than traditional rubber wire-braided hoses
- Kevlar/Aramid braided hose helps eliminate the risk of electrical shock
- · Covered by a 1 year warranty

BluShield Rubber Pressure Washer Hose		
Part # Size (Diameter x Length)		
BLBPW3835	3/8" x 35'	
BLBPW3850	3/8" x 50'	
BLBPW38100	3/8" x 100'	



- Abrasion resistant outer cover
- Stays flexible to -30°F, withstands high temperature up to 190°F
- Heavy duty construction with polyester braiding, 300: 1200 PSI
- 1/4" NPT solid crush-proof brass ends
- 4 Finger grip bend-restrictor to prevent damage near ends
- · Covered by a 1 Year Warranty

RAV Rubber Air Hose	
Part #	Size (Diameter x Length)
BLBT3825	3/8" x 25'
BLBT3850	3/8" x 50'
BLBT38100	3/8" x 100'
BLBT1250	1/2" x 50'







Blubird Patriot Pro Air Hose - 300 PSI

- 40% lighter than others and as light as hybrid / PVC hoses
- Lays flat, does not kink under pressure, doesn't get sticky and dirty like plastic and hybrid hoses
- Remains as flexible at -50° F as the best hybrids do at 0° F
- Braided, not just spiraled, polyester gives 300PSI Working Pressure from -50° F to 200° F with a burst pressure of 1200PSI (Most '300PSI' hybrids have a 900PSI burst). Comes with 1/4" Brass M-NPT end fittings & 1/2" to 3/8" adaptor

Blubird Patriot Pro Air Hose	
Part #	Size (Diameter x Length)
BLBPP3825	3/8" x 25'
BLBPP3850	3/8" x 50'
BLBPP38100	3/8" x 100'
BLBPP1225	1/2" x 25'
BLBPP1250	1/2" x 50'
BLBPP12100	1/2" x 100'





BLBBB3415

BluBird Rubber Air Hose 3/4" x 15'

- Ultra-light & Super-strong Rubber. 9lbs. lighter than a tradional 3/4" x 15' assembly
- Ozone resistant cover provides protection from extreme weather, abrasions & kink
- Factory crimped Stainless Steel Universal Claw Couplings for better durability
- Flexibility in extreme conditions from -50° F to 190° F
- · Wrapped finish gives better flexibility and abrasion resistance
- 4 Finger Grip Bend Restrictors
- Covered by a 10 year warranty













Flexibility in extreme conditions from - 0°F to 190°F



Avagard Rubber Air Hose

- . Heavy Duty rubber hose that's 20% lighter than others conventional hoses
- Ozone & UV resistant to prevent cracking while in the sun
- Cold Weather Flexibility down to -40° F
- . Handles Hot Water up to 190° F
- 4 Finger Grip Bend Restrictors
- · Covered by a 5 year warranty



Avagard Rubber Air Hose		
Part #	Size (Diameter x Length)	
BLBAVG1410	1/4" x 10'	
BLBAVG1415	1/4" x 15'	
BLBAVG1425	1/4" x 25'	
BLBAVG1450	1/4" x 50'	
BLBAVG14100	1/4" x 100'	
BLBAVG3810	3/8" x 10'	
BLBAVG3815	3/8" x 15'	
BLBAVG38100	3/8" x 100'	
BLBAVG1210	1/2" x 10'	
BLBAVG1215	1/2" x 15'	
BLBAVG12100	1/2" x 100'	
BLBAVG3415	3/4" x 15'	
BLBAVG3425	3/4" x 25'	
BLBAVG3450	3/4" x 50'	

BLBAVGLD3803

Avagard Lead-in Hose 3/8" x 3



BLBAVGJH3450 Avagard Jack Hammer HD Rubber Hose - 3/4" x 50'

- · Heavy Duty Rubber Water Hose suitable for Commercial, Industrial, & Residential use
- · Covered by a 5 year warranty





Avagard 13 Piece Air Compressor Kits

- Heavy Duty Industrial Type Couplers & Plugs in Brass
- Perfect for DIY & Contractors
- · Covered by a 5 year warranty

• 4 Finger Grip Bend Restrictors

Kit Includes: Avagard Air Hose, Safety Blow gun (1), Tire gauge(1), Air Chuck (1), Male Plugs Industrial style 1/4" NPT (3), Female Plugs Industrial style 1/4" NPT (2), Male Coupler Industrial style 1/4" NPT (1), Female Coupler Industrial style 1/4" NPT (1), Teflon tape (1), Storage bag (1).

Avagard Air Compressor Kits	
Part #	Size (Diameter x Length)
BLBAVG1425KIT	1/4" x 25'
BLBAVG3825KIT	3/8" x 25'
BLBAVG3850KIT	3/8" x 50'





BLBBB3850KIT

13 Piece BluBird

- Air Compressor Accessory Kit 3/8" x 50'
- 40% lighter than traditional Rubber Hoses, Resists kinks and extreme weather
- 4 finger grip bend restrictors, 300 PSI 1200 PSI, Flexible in -50°F
- . Heavy Duty Industrial Type Couplers & Plugs in Brass
- 4 Finger Grip Bend Restrictors
 Covered by a 10 year warranty

Kit Includes:- 3/8" x 50' BluBird Air Hose, Safety Blow gun (1), Tire gauge(1), Air Chuck (1), Male Plugs Industrial style 1/4" NPT (3), Female Plugs Industrial style 1/4" NPT (2). Male Coupler Industrial style 1/4" NPT (1). Female Coupler Industrial style 1/4" NPT (1), Teflon tape (1), Storage bag (1).



BLBFFFX12

Fast Fix 1/2" Air Hose **Assembly Repair Fitting**

- Includes 1/2" MNPT Fixed
- · Professional Duty Reusable Brass fittings for Air Hoses
- Works with all 1/2" RMX Hoses
- . Brass construction Resists corrosion, Ductility to high temperatures and low magnetic permeability

BLBFFSP12

Fast Fix 1/2" Air Hose **Assembly Repair Splicer**



NEW PRODUCTS







Dino-Hide Rubber Air Hose

- · Extremely durable & oil, grease & diesel resistant
- · Resists kinks and extreme weather, Kink proof bend restrictors
- Cold Weather Flexibility down to -40° F
- Handles Hot Water up to 190° F
- Covered by a 3 year warranty



Dino-Hide Rubber Air Hose - 3/8"	
Part #	Size (Diameter x Length)
BLBWLE3810	3/8" x 10'
BLBWLE3815	3/8" x 15'
BLBWLE3825	3/8" x 25'
BLBWLE3850	3/8" x 50'
BLBWLE1210	1/2" x 10'
BLBWLE1215	1/2" x 15'
BLBWLE1250	1/2" x 50'

Dino-Hide Lead-in Hose		
Part #	Size (Diameter x Length)	
BLBWLELD3803	3/8" x 3' Lead-in Hose	
BLBWLELD1203	1/2" x 3' Lead-in Hose	





BLBWLERHD3850R Dino-Hide Hose Reel HD Retractable 3/8" x 50'

- Heavy duty Retractable Hose Reel with Dino Hide 3/8" X 50' Air Hose
- Powder Coated Steel Corrosion Resistant, Heavy Duty 18 Gauge Steel
- 12 Point Ratchet for locking at shorter intervals
- 4-way Roller Guides 3' Whip Hose included
- · Covered by a 3 year warranty

BLBWLERHD1250R

Dino-Hide Hose Reel HD Retractable 1/2" x 50'





BLBBSWR1250HRS

BluSeal Water Hose Reel Retractable 1/2" x 50'

- Retractable Hose Reel with Bluseal 1/2" X 50' water hose
- Powder Coated Steel Corrosion Resistant, Heavy Duty 20 Gauge Steel
- 12 Point Ratchet for locking at shorter intervals
- 4-way Roller Guides
- 3' Whip Hose + Swivel Mount included
- · Covered by a 3 year warranty

BLBBSWRSS1250

BluSeal Stainless Steel Heavy Duty Retractable Water Hose Reel 1/2" x 50' with HD 9 Pattern Metal Spray Nozzle

- 18 gauge stainless steel 304 constructon
- 3/4" GHT inlet & outlet; includes 6' inlet hose.
- 12 point ratchet for precise resolution, adjustable outlet arm, 4 way roller guides, ceiling floor, wall mounting options
- Lightest, strongest, most flexible rubber water hose. 30% lighter, cold weather flex up to -50°F





BLBHRC01

BluSeal Hose Reel Cart for 5/8" x 400'

- Perfect for Professional / Commercial Garden / Landscaping needs
- Holds up to 400ft of 5/8" Water Hose
- 3/4" GHT inlet & outlet, Includes 6' inlet hose.
- · Corrosion-resistant industrial powder coat finish
- Easy-rolling 10 inch flat free tires and solid axels for rough terrain
- · Covered by a 1 year warranty







BLBBBRDA3850

BluBird Heavy Duty Dual-Arm Retractable Air Hose Reel 3/8" x 50'

- Powder Coated Steel Corrosion Resistant, DUAL ARM Heavy Duty 18 Gauge steel
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' Whip hose included along with a 3/8" to 1/4" reducer
- Reel is covered by a 2 year warranty and hose is covered by a 10 year warranty

BLBBBRDA1250

BluBird Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50'



BLBBBRSS3850

BluBird Stainless SteelHeavy Duty Retractable Air Hose Reel 3/8" x 50'

- 18 gauge stainless steel 304 construction
- . Includes 3' inlet hose
- 12 point ratchet for precise resolution, adjustable outlet arm, 4 way roller guides, ceiling floor, wall mounting options
- 40% lighter, cold weather flex up to -50°F
- · Covered by a 1 year warranty

BLBHRS3812DA

BluBird Heavy Duty 140 Degree Hose Reel Swivel Mount for RMX Dual Arm Reels

- · Easy & Quick to install
- 20 Gauge Heavy Duty Powder Coated Steel
- 4 Slotted Holes for Reels & 4 Slotted Holes for Mounting
- · Covered by a 1 year warranty





Hose Reel Roller Guide Sets		
Part #	Description	
BLBRG381250A	Hose Reel Roller Guide Set Black 20 Gauge Reels	
BLBRS09	75', 65' & 50' Black HD Hose Reel Roller Guide Set	
BLBRS06	50' Blue HD Hose Reel Roller Guide Set	
BLBRS10	75' & 65' Blue HD Hose Reel Roller Guide Set	
BLBRS08	50' Red HD Hose Reel Roller Guide Set	





BLBOSRDA3850

Oil Shield Heavy Duty Dual-Arm Retractable Air Hose Reel 3/8" x 50'

- Powder Coated Steel Corrosion Resistant, DUAL ARM Heavy Duty 18 Gauge Steel
- Meets RMA Class A Oil Resistance for worry-free Professional Use
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' whip hose include along with a 1/2" to 3/8" reducer
- Reel is covered by a 2 year warranty and hose is covered by a 10 year warranty

BLBOSRDA1250

Oil Shield Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50"





BLBOSRHD1265

Oil Shield HD Retractable Hose Reel 1/2" x 65'

- Powder Coated Steel Corrosion Resistant, Heavy Duty 18 Gauge Steel Reel
- Blue reel with yellow Oil Shield 1/2" x 65' air hose
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' Whip Hose Included
- Includes 1/2" to 3/8" reducer
- · Covered by a 2 year warranty



Blu3ird (1997)

BLBLCKINRL

Hose Reel Latch Pawl with Screws & Spring



BLBRBRSTP38A

Hose Reel Rubber Stopper 3/8"



BLBRBRSTP12A

Hose Reel Rubber Stopper 1/2"

BLBRS04

Hose Reel Rubber Stopper 5/8" & 3/4"





NEW PRODUCTS

Blu3ird **



BLBBBTB01

BluBird WORK GEAR - Carpenter's Tool Backpack with 48 Pockets and Padded Back Support

- This tool backpack has two main zippered compartments. one for tools and parts, one for a cordless drill and battery
- · Adjustable compression pocket accepts bulky items. Comes with comfortable padded back support and shoulder straps with adjustable chest strap
- · Convenient exterior pocket and dual handles at top
- 41 pockets inside and 7 pockets outside to organize a wide variety of tools and accessories. Heavy duty stitching and bar tacking at all stress points on this tool bag are included for added durability.

BluBird WORK GEAR - Large BigMouth Bags

- Opens wide for easy access to contents
- · With padded reinforced web carrying handles and an adjustable shoulder strap, this tool bag is comfortable to carry
- Heavy duty stitching and bar tacking at all stress points on this tool bag are included for added durability



BLBBBTB02 BluBird WORK GEAR -Large BigMouth Bag with 22 Pockets

• 12 pockets inside, and 10 outside organize tools and accessories



BLBBBTB03 BluBird WORK GEAR -Large BigMouth Bag with 31 Pockets

• 12 pockets inside, and 19 outside organize tools and accessories

BLBBBTB13 BluBird WORK GEAR -Multi-Purpose Clip-on **Zippered Poly Bags, 3 Pack**

- 3 multi-purpose clip-on poly bags are 9" x 7", 7" x 6", and 6" x 5"
- Made of polyester fabric
- . Durable clip on these tool bags hang on toolbelts, belt loops, etc.
- Carry and organize all your misc. parts, tools and accessories



BluBird WORK GEAR -

Medium and Large Utility Tote Bag Combo

- These utility tote bags are designed for plumbers, electricians, maintenance personnel, paint and general contractors
- · Reinforced bottom panels for added durability
- · Strong web carry handles on these utility tote bags will last through many jobs
- Separate and organize your small parts and hand tools with these medium and large utility tote bags



BLBBBTB12

BluBird WORK GEAR -

Socket Tool Roll Pouch with 32 Pockets

- Heavy-duty elastic strap on this tool pouch roll keeps tools in place · Adjustable quick-release buckle on this tool roll pouch fastens when not in use
- · Hook and loop closure holds metric and standard sockets
- · Heavy duty stitching and bar tacking at all stress points on this tool bag are included for added durability
- 600D polyester construction sewn together with heavy stitching
- . This tool roll has a carrying handle for easy transport

KTI10010A

Angle Grinder 4-1/2"

- Wattage: 860 (120 volt)
- · Load Speed: 11,000/minute
- 7 Amn
- 1 Piece side handle
- · Covered by a 1 year warranty



KTI83278

Super Duty Air Hammer

- Blow per Minute: 3,200 RPM; Bore Size: 3/4"; Stroke Length: 2.6"; Air Inlet: 1/4" NPT; Hose Size: 3/8" ID
- Recommended air Pressure: 90 PSI; Average Air Consumption: 4 CFM
- Easy Change Retainer For Quick Accessory Change
- · Covered by a 1 year warranty



KTI81201

3/8" Drive Mini Impact Wrench

- Maximum Torque: 350 ft/lbs (470Nm); Free Speed: 8500 RPM: Air Pressure: 90 PSI; Average Air Consumption: 5.3 CFM; Weighs: 3.75 lbs
- Twin hammer structure, high torque output and stable
- · Lightweight, powerful and compact
- · Widely used for maintenance
- · One hand control, easy to operate



KTI81301

1/2" Drive Mini Impact Wrench

- Maximum Torque: 380 ft/lbs (520Nm); Free Speed: 8500 RPM: Air Pressure: 90 PSI; Average Air Consumption: 5.3 CFM; Weighs: 3.85 lbs
- . Twin hammer structure, high torque output and stable
- · Light weight but durable, design for heavy duty
- · Widely used for maintenance
- · Covered by a 1 year warranty





KTI82210

3/8" Drive Mini Air Ratchet Wrench

- Torque: 30 Ft/lbs; Free Speed: 300 RPM; Air Inlet: 1/4"; Hose Size: 1/4" ID
- Recommended Air Pressure 90 PSI; Average Air Consumption: 2.5 CFM
- Free Speed: 300 RPM
- · Covered by a 1 year warranty



KTI87132A

1/4" Drive Mini Die Gringer

- Lock off throttle to prevent accidental start up
- · Compact, lightweight design
- Free Speed: 25000 RPM; Collet and Air Inlet Size: 1/4"; Hose size: 3/8" ID; Recommended Air Pressure: 90 PSI; Average Air Consumption: 4 CFM
- · Applications: blending, smoothing, porting and deburring
- Covered by a 1 Year warranty



KTI87126A

1/4" Drive Mini Angle Die Grinder

- Collet Size: 1/4"; Inlet Threaded 1/4" NPT; Hose Size: 3/8" ID; Free Speed: 22,000 RPM; Recommended Air Pressure: 90 PSI; Average Air Consumption: 4 CFM
- · Right Angle Head allows easier working within confined area
- Built-In Power Regulator allows precise control of the speed for multiple applications
- · Rear Air Exhaust helps blow exhaust away from work surface
- · Covered by a 1 Year warranty



KTI84228A

3/8" Drive Reversible Air Drill

- Chuck Size: 3/8"; Recommended Air Pressure: 90 PSI; Average Air Consumption: 4 CFM
- Hose Size: 3/8" (10mm); Spindle Thread: 3/8"-24; Air Inlet: 1/4"
- Ergonomic Handle
- Covered by a 1 Year warranty

KTI89110A

3/16" Hydraulic Air Riveter

- Blind Rivet Setting Capacity: 3/16" (4.8mm), 5/32" (4mm), 1/8" (3.2mm), 3/32" (2.4mm)
- Air Inlet: 1/4" NPT; Hose Size: 3/8" (10mm) ID; Traction Power: 1940 lbs; Stroke Length: 0.551" (14mm); Recommended Air Pressure: 90 PSI
- · For general maintenance or light-duty production. Performs well at any angle.
- · Powerful durable, high speed production tool
- · Low vibration and low noise level
- · Covered by a 1 year warranty

KTI89115A

1/4" Heavy Duty Hydraulic Air Riveter

- Blind Rivet Setting Capacity: 1/4" (6.4mm), 7/32" (5.6mm), 3/16" (4.8mm), 5/32" (4mm), 1/8" (3.2mm), 3/32" (2.4mm)
- Air Inlet: 1/4" NPT; Hose Size: 3/8" (10mm) ID; Traction Power: 3055 lbs; Stroke
- Length: 0.551" (14mm); Recommended Air Pressure: 90 PSI
- · Quick release air valve permits cylinder to return quickly for high speed assembly operations: Prevents overloading for long life
- · Covered by a 1 Year warranty







- Average air consumption: 3.9 CFM (110 L/min) Length: 14.4" (365mm); Weight: 2lbs (0.92kg)
- Inlet threaded 1/4" NPT (F); Hose size: 3/8" ID
- · Comfort grip and safety lever; swivel connector air inlet; quick change belt replacement
- Includes 3 belts: (40#, 60#, 80#) Covered by a 1 year warranty



NEW PRODUCTS

Alignment Bars

- · Forged from heavy duty chrome alloy steel
- . Prying end is on one side with lining up on the other



Alignment Bars			
Part # Size (Diameter x Length)			
KTI71631	5/8" x 18" Long		
KTI71632	3/4" x 24" Long		
KTI71633	7/8" x 30" Long		
KTI71634	7/8" x 36" Long		
KTI71635	1' x 48" Long		
KTI71636	1' x 54" Long		



- Set includes: 12" (300mm), 16" (400mm), 20" (500mm)
- · Covered by a Lifetime Warranty



Roll Head Ladyfoot Pry Bars	
Part #	Length
KTI71601	12" (300mm)
KTI71602	16" (400mm)
KTI71603	20" (500mm)



- Heavy duty forged chrome molybdenum head construction
- . Head indexing through 180 degrees & 11 locking positions
- Industrial manganese phosphate finish to help protect against corrosion
- · Versatile & adjustable access push button indexing head allows you to easily change the head position, maximizing the leverage point to get the job done
- · Covered by a Lifetime Warranty

Double Push Lock Indexing Pry Bars		
Part # Length		
KTI71641	8"	
KTI71643	16"	
KTI71644	24"	
KTI71645	33"	





KTI19230

- 4 Piece Handled Pry Bar Set (8", 12", 18", 24")
 Forged construction, chrome steel, heat treated, hardness 38-43 HRC
- Metal striking cap Blade is connected to the end cap
- · Covered by a Lifetime Warranty

Handled Pry Bar with Steel Cap		
Part #	Length	
KTI19231	8" (200mm)	
KTI19232	12" (300mm)	
KTI19233	18" (450mm)	
KTI19234	24" (600mm)	
KTI19235	32" (800mm)	
KTI19236	36" (900mm)	





KTI19001

Pocket Screwdriver with Clip - Std 2/16", #1 Phillips

- Pocket screwdriver nickelplated with ABS handle and pocket clip
- · Switchable magnetic heads with one end flat head and the other end Phillips head
- Standard: 2/16"; Phillips #1
- Total length of pocket screwdriver: 0.638"; Width: 1/2"
- · Covered by a 1 Year warranty

KTI19001-50

Pocket Screwdriver Std 2/16" #1 Phillips 50 Pieces





KTI49403

Universal Wrench Extender Adaptor

- 1/2" drive or 21 mm hex drive
- · Drop forged body with heat treatment
- Extendable for all kinds of wrenches
- Designed to extend your wrench with another wrench or power bar giving more leverage on stubborn nuts and bolts
- Covered by a 1-year warranty





KTI73115

All Purpose Utility Shear

- All purpose utility shear for tough cutting jobs
- The angle design makes cutting more effortless
- Safe replacement blade; 1 + 5 pieces inside of storage area
- Measuring board design for cutting position
- · All pupose utility shear great for: carpet, leather, rope, linoleum, rubber, cardboard and much more
- · Covered by a 1 Year Warranty

KTI73116

Replacement Blades for KTI73115, 6 Piece



KTI55008

Snap Ring Pliers 8" Internal/External

- · Operates both internal and external rings
- Unique jaw design to easily remove for straight and 90 degree angle tips
- · Alloy steel and PVC grip with storage for tips
- Includes 3 pairs of tips and hex key for storage: 1 set of straight tips for 1.2mm & 1.8mm 2-way (dual head) functions; 2 sets of 90 degree tips for 1.2mm & 1.8mm



KTI56300

2 in 1 Multi-Tool

- · Aluminum body with rubber grip carbon blade
- 3 functions wire tool with reverse switch action and built in safety lock
- · Swivel to change tools. Easy one-hand selector switch
- Stripping capacity: 0.8, 1. 1.3, 1.6, 2, 2.6mm / 20, 18, 16, 14, 12, 10 AWG. Crimps insulated terminals in wire sizes: 22-18 (front cavity), 16-10 (middle cavity) and 12-10 (rear cavity)
- · Covered by a 1 Year Warranty



KTI73111

6" Professional Electrician Scissors

- 6" professional electrician scissors with cover
- Blade material: 4034 stainless steel from Japan,
- Thickness: 4.0mm. Hardness: 58+/-2. surface treatment: polishing
- Handle material: PP + TPR · Covered by a 1 Year Warranty
- Includes Nylon sheath

KTI73112

5" Multifunctional Professional **Electrician Scissors**

- Blade material: 420 J2 stainless steel from Japan, Thickness: 3.5mm, Hardness: 53+/-2, surface treatment: polishing
- Handle material: PP + TPR
- · Covered by a 1 Year Warranty

KTI73113

Electrician Peeling Knife

- Blade material: 4034 stainless steel from Japan, Thickness: 2.5mm, Hardness: 58+/-2, surface treatment: polishing
- Handle material: Polypropylene (PP) + Thermoplastic rubbers (TPR)
- Includes Nylon sheath
- Covered by a 1 Year warranty



KTI73114

Multi-Function Scissors Set

- Set includes: 5" Professional Electrician Scissors, Electrician Peeling Knife and Electrician Tool Bag
- Set comes in a black carrying/storage pouch

KTI20096

3 Piece Ratchet Set

- . Three piece ratchet set in EVA for storage
- Drive sizes: 1/4", 3/8" and 1/2"
- 90 teeth, CR-V 6140 with mirror-polished finish
- · Torque and hardness meet ANSI standard
- · Covered by a lifetime warranty



KTI43501

12 Piece X-Long Double Box Flex & **Reversible Ratchet Wrench Set with 11 Bits**

- · Stop ring and magnetic
- · Continuous tension design controls the 180° flex heads
- 72 teeth, forge, CR-V 6140, mirror-polished
- · Manganese phosphate ratchet bit
- Rachet Drive: 14 x 17MM
- 11 Bits: 14mm x S8. S10. H12. H14. T40. TT45: 17mm x m16. H17. M18. H19. TT70
- · Comes in a color box w/EVA
- · Ratchet wrench covered by a lifetime warranty

NEW PRODUCTS



KTI63619A

20 Ton Shop Press (XD)

- H-frame for strength and precision
- Overall frame height: 59.5"; Frame width: 25.25"; Base depth: 27.75"; Ram stroke: 7.28"
- Throat height: 38"; Throat width: 21.25"; Distance between Bed Rails: 4.25"
- Includes solid steel press plates
- Bed height adjustments: 4.75" x 9"
- · Covered by a 2 year warranty





800 lb. H Style Engine Stand (XD)

- · 4-Wheel construction for more stability and easy rolling
- · Adjustable mounting arms, accommodate a majority of engine blocks, both foreign and domestic
- Mounting plate rotate 360 degree and can be locked in 8 different positions
- · Heavy gauge tubular steel construction
- Roll-around engine stand, assembles easily
- Covered by a 2 year warranty

KTI63500A

back tilt (72 degrees)

• 4 steel casters for easy mobility

• Lifting range: 49-5/8" to 68-3/4"

& 21-3/8" (wide)

• Ram travel: 19-1/8"









KTI63134A

Transmission Jack Adaptor for Service Jacks (XD)

- · Capacity: 1000 lbs
- Minimum lifting range: 49-5/8"; Maximum lifting range: 68-3/4"
- Saddle Forward Tilt: 14 Degrees; Saddle Backward Tilt: 72 Degrees
- Base Dimensions: 22-1/4" (length) and 21-3/8" (wide)
- Covered by a 2 year warranty







KTI63201A

2 Ton Bottle Jack (Screw Type)

- · Heat treated extension screw allows low pickup height adjustment and maximum lift
- · Serrated, heat treated saddle provides generous lifting area and secure grip
- · A wide, rugged base provides stability and strength
- · All models critical stress points are reinforced
- Lifting range: 7-1/8" to 13-5/8"
- Adjustment Height: 1.89"; Lifting Height 4.57"
- · Covered by a 1 year warranty



KTI63207A

6 Ton Bottle Jack (Welded Type)

- · Heat treated extension screw allows low pickup height adjustment and maximum lift
- · Serrated, heat treated saddle provides generous lifting area and secure grip
- A wide, rugged base provides stability and strength
- · All models critical stress points are reinforced
- Lifting range: 8.15" to 15.83"
- Adjustment height: 2.76; Lifting height: 4.92"
- · Covered by a 1 year warranty





KTI63213A

12 Ton Bottle Jack (Welded Type) (XD)

- Heat treated extension screw allows low pickup height adjustment and maximum lift
- · Serrated, heat treated saddle provides generous lifting area and secure grip
- · A wide, rugged base provides stability and strength
- All models critical stress points are reinforced
- Lifting range: 8.9" to 18"
- Adjustment Height: 5.91"; Lifting Height 3.15"
- · Covered by a 2 year warranty

KTI63214A


12 Ton Short Bottle Jack (Welded Type) (XD)

- Lifting range: 6.18" to 10.9"
- Adjustment height: 1.57'; Lifting height: 3.15"
- · Covered by a 2 year warranty



KTI63221A

20 Ton Bottle Jack (Welded Type) (XD)



- · Serrated, heat treated saddle provides generous lifting area and secure grip
- · A wide, rugged base provides stability and strength
- · All models critical stress points are reinforced
- Lifting range: 9.25" to 17.52"
- Adjustment Height: 2.36"; Lifting Height: 5.91"
- · Covered by a 2 year warranty

KTI63224A

20 Ton Short Bottle Jack (Welded Type) (XD)

- Lifting range: 6.5" to 11.22"
- Adjustment Height: 1.57"; Lifting Height: 3.15"
- Covered by a 2 year warranty





KTI63230A

30 Ton Bottle Jack (Welded Type) (HD)

- · Heat treated extension screw allows low pickup height adjustment and maximum lift
- · Serrated, heat treated saddle provides generous lifting area and secure grip
- · A wide, rugged base provides stability and strength
- · All models critical stress points are reinforced
- Lifting range: 10.24" to 16.54" Lift Height: 6.3"
- Covered by a 2 year warranty

KTI63250A

50 Ton Bottle Jack (Welded Type) (HD)

- Lifting range: 11.02" to 17.72"
 - Lifting Height: 6.7"
- · Covered by a 2 year warranty



KTI62116A

1000 lb. Engine Support Bar (HD)

- Handle uses a manual threaded rod and features a couble grooved chain
- · Heavy-duty steel Torin Big Red Engine Support Bar
- Chain length: 35.43"; Mountable from 28.74" 48.27"; Holding hook has 0.79" thread rod
- · Covered by a 1 year warranty



COMING SOON!



KTI75502

Plasma Cutter -

Dual Voltage 120V / 240V

- Dual Input Voltage: 120V / 240V
- Output Current: 15-40A Amp
- Cutting torch PT40, ground cable, spare electrode, nozzle, air flowmeter Duty Cycle: 35%@40A
- · Covered by a 2 Year Warranty



KTI75500

MIG Welder Portable 115V 120Amp

- Gas / No gas MIG 120A commercial portable 115V
- Input Voltage: 115 volt
- Output: 30-115 volt
- Duty Cycle: 90A@35%
- Torch 8.5' (2.6m), earth clamp set (1.5m) adjustable gas regulator, mild steel 0.030" diameter wire, mask, chipper hammer and manual
- · Covered by a 2 Year Warranty

KTI75501

MIG Welder Portable 230V 160Amp

- Gas / No gas MIG 160A Commercial portable 230V
- Input Voltage: 230 volt
- Output: 30-160 Amp
- Duty Cycle: 35%@140A
- · Covered by a 2 Year Warranty

Keep your eyes peeled for more in welding coming soon:

KTI75503 - Welding Cart, KTI75504 - Gas Regulator & KTI75505 - Spool Gun



KTI58730 10 Piece

Heat treated

Locking Pliers Set

- Nickel plated corrosion resistance
- Improved jaw design for maximum gripping power
- Set includes: Alloy steel jaw (Curved steel Jaw: 5"/7"/10" curved jaw with wire cutter, 5"/6"/9" long nose with wire cutter, 7"/10" straight jaw, carbon steel jaw: 6"/11" C clamp with regular tip)
- · Each locking plier is covered by a lifetime warranty



18 Piece 1/4" Drive, 6 Point **Insulated Socket Wrench Set**

Set includes:

(13) Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

(4) Extension bars: 2", 3", 4", 6"

(1) Round type guick locking ratchet handle 72 teeth



KTI22025

19 Piece 3/8" Drive, 6 Point **Insulated Socket Wrench Set**

Set includes:

(15) Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm

(3) Extension bars: 3", 6", 10"

(1) Round type quick locking ratchet handle 72 teeth



KTI23025

24 Piece 1/2" Drive, 6 Point **Insulated Socket Wrench Set**

Set includes:

(20) Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 29, 30, 32mm

(3) Extension bars: 3", 5", 10"

(1) Round type quick locking ratchet handle 72 teeth





KTI63092

2 Ton Aluminum Service Jack (XD)

- Low Profile with lifting range 3-1/4" to 18-1/2"
- Heavy-duty, 100% aluminum construction provides stability and endurance
- · Swivel rear casters and saddle provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- Side frame carry handle for convenient transportation
- Covered by a 2 year warranty









KTI63101A

2 Ton Aluminum Service Jack (XD)

- . Low Profile with lifting range 3" to 19-15/16"
- Chassis Length: 26-1/5"; Chassis Height: 5-2/5"; Overall width: 13-4/5"; Handle Length: 45": Saddle Diameter: 4-1/4". Caster Diameter: 2-2/5": Front Wheels: 2-2/5"; Net Weight: 69.2 lbs
- Heavy-duty steel construction provides stability and endurance
- · Swivel rear casters provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- · Quick start double pump technology for fast operation to contact point
- Covered by a 2 year warranty





KTI63105A

2 Ton Extra Long

Low Profile Service Jack (XD)

- Low Profile with lifting range 2-3/4" to 24"
- Pump stroke to load: 8; Cassis Length: 33-7/10"; Low clearance length: 15"; Overall Width: 14-3/5"; Chassis Height: 5-1/2"; Handle length: 49-1/5"; Saddle Diameter: 3-9/10"
- · Heavy-duty steel construction provides stability and endurance
- Swivel rear casters provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- · Covered by a 2 year warranty



KTI63092

2 Ton Aluminum Service Jack (XD)

- Low Profile with lifting range 3-1/4" to 18-1/2"
- Heavy-duty, 100% aluminum construction provides stability and endurance
- Swivel rear casters and saddle provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- Side frame carry handle for convenient transportation
- Covered by a 2 year warranty





KTI63137

3 Ton Compact Service Jack

- Low Profile with lifting range 5-1/2" to 18-1/2"; Length: 24-3/5"; Chassis Height 39-2/5": Saddle Diameter: 3-4/5": Weight: 63.73lbs.
- Heavy-duty steel construction provides stability and endurance
- Swivel rear casters provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- Covered by a 1 year warranty



KTI63103A

2 Ton Trolley Jack

- Lifting range 5-1/8" to 13'
- · Heavy-duty steel construction provides stability and endurance
- · Swivel rear casters and saddle provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- · Hydraulic oil by-pass system protects ram from being over-extended
- Covered by a 1 year warranty

KTI61202A

3 Ton Jack Stands Pair

- Low Height: 11-2/5
- Maximum height: 16-7/10"
- Base: 9-9/10" x 7-7/10"
- · Weight: 15 lbs (pair)
- Covered by a 2 year warranty

KTI61205A

6 Ton Jack Stands Pair

- Low Height: 15-3/4"
- Maximum height: 24-2/5"
- Base: 10-2/5" x 11-3/5"
- · Weight: 33 lbs (pair)
- · Covered by a 2 year warranty

KTI61222A

22 Ton Jack Stands Pair (HD)

- Minimum Height: 13-3/10" (338mm)
- Maximum Height: 19-7/10" (500mm)
- Base 10" x 10"
- Saddle Size: 2-3/4" x 3-3/20"
- · Covered by a 2 year warranty



COMING SOON!





KTI63194A

22 Ton Air/Hydraulic Truck Jack (HD)

- Built-in by-pass device to protect hydraulic system
- Minimum Height: 9" (228mm); Maximum Height: 18" (457mm); Hydraulic Lifting: 4-3/4" (122mm); Extension Screw: 4-1/4" (107mm): Saddle diameter: 1-3/4": Wheel Diameter: 8"; Handle length: 48-2/5"
- Built-in muffler to promote quiet operation, High speed turbo motor for efficient effortless operation
- · Welded cylinder and resevoir for added strength and durability
- · Chrome plated rams to resist rust and wear
- · Covered by a 2 year warranty





KTI63427A

8 Ton Long Ram - Round Bottom (XD)

- · Same as Bottle Jack feature but designed with larger hydraulic units and larger ram diameters to withstand side loads
- With built-in by-pass system to prevent ram from being over-extended
- Lifting range 24-1/16" to 43-11/16"
- · Unique design with durable advantages
- Used for engine cranes and other special places
- · Covered by a 2 year warranty

KTI63414A

4 Ton Long Ram - Round Bottom (XD)

- Lifting range 24-13/16" to 44-1/4"
- · Covered by a 2 year warranty

KTI62115A 1500 lb. Engine Sling (XD)

- Overall length: 17-3/10"
- · Covered by a 2 year warranty



Keep your eyes peeled for more in lifting coming soon:

KTI63133A - 3.33 Ton Low Profile Service Jack, KTI63421A - 1.5 Ton Foldable Engine Crane, KTI63228A - 20 Ton Air/Hydraulic Bottle Jack, KTI63505A - 1000 Ib Two Stage Telescopic Transmission Jack, KTI63703A - 4 Ton Portable Ram Kit, KTI63709A - 10 Ton Portable Ram Kit, KTI63515A - 1200 lb. Low Profile Transmission Jack, KTI63155A - 5 Ton Service Jack, KTI63186A - 10 Ton Service Jack, KTI63517A - 1.5 Ton Truck Trans Jack, KTI63094A - 1.5 Ton Aluminum Service Jack, KTI63097A - 2 Ton Trolley/Jack Stands Combo, KTI63096A - 2.5 Ton SUV Jack, KTI63095A - 2 Ton Service Jack Low Profile & KTI61201A - 2 Ton Jack Stands



KTI71770

6 Piece Hammer Set

- 16 oz and 32 oz ball hammers with fiberglass handle with TPR cover and carbon-steel forge heat treatment head
- 3 lb machinist "cross pein" hammer with fiberglass handle with TPR cover and carbon-steel forge heat treatment head
- 3 lb double-faced black smith "club/sledge" hammer with fiberglass handle with TPR cover and carbon-steel forge heat treatment head
- 32 oz rubber mallet with fiberglass handle
- 30 oz recoilless "dead blow" hammer
- · Covered by a 1 year warranty



KTI10300 29 Piece Titanium **Drill Bit Set**

- For 3/8" Drills
- Material: Quality High Speed Steel
- · Titanium Nitride "tin-coated" surface enhances anti-friction and increases the hardness of the drill bits
- Bits can be re-sharpened

Sizes include: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2

KTI74141

Nail Brush 5" x 2" x 2" with Magnet

- Material: PP handle+PP bristle
- Size: 4.921" x 1.575" x 1.772" / (12.5x4x4.5cm)
- · Comfort grip design for more comfort and control
- Brush has a magnet on one end on the backside to hang for storage and easy access to use



KTI74140

3 Piece Nail Brush Set -5" x 2" x 2" with Magnet



KTI74142

Nail Brush 4" x 1" x 2"

- Material: PP handle+PP bristle
- Size: 3.937" x 1.378" x 1.772" / (10x3.5x4.5cm) each
- · High impact plastic non-slip handle



KTI74143

3 Piece Nail Brush Set - 4" x 1" x 2"







KTI45101

Wrench Eagle Head Spline 8-17mm

- Ratchet 72 teeth 5 degree. Drop forged. Material CR-V body.
- Eagle type mouth can be fit for 8-17 MM or 5/16"-11/16"
- Eagle type jaw can even work on 70% rounded bolts
- Torque comply with ANSI or DIN standards
- Eagle type jaw fit for several kind of bolt. Ex; 6 point, 12 point, star, and square
- · Covered by a 2 year warranty

KTI45103

Wrench Eagle Head Spline 14-32mm

• Eagle type mouth can be fit for 14-32 MM or 9/16"-1-1/4"



KTI45102

Wrench Eagle Head 3/8 Drive 8-17mm

- Ratchet 72 teeth 5 degree. Drop forged. Material CR-V body.
- Eagle type mouth can be fit for 8-17 MM or 5/16"-11/16"
- Eagle type jaw can even work on 70% rounded bolts
- Torque comply with ANSI or DIN standards
- Eagle type jaw fit for several kind of bolt. Ex; 6 point, 12 point, star, and square
- Covered by a 2 year warranty

KTI45104

Wrench Eagle Head 1/2 Drive 14-32mm

• Eagle type mouth can be fit for 14-32 MM or 9/16"-1-1/4"



KTI45105

Wrench Double Eagle Head 8-17mm & 14-32mm

- · Whole piece drop forged. Material CR-V body
- Double head Eagle wrench type mouth can be fit large end: 14-32 mm or 9/16"-1-1/4" and small end: 8-17m
- Eagle type jaw can even work on 70% rounded bolts
- Torque comply with ANSI or DIN standards
- Eagle type jaw fit for several kind of bolt. Ex; 6 point, 12 point, star, and square
- · Covered by a 2 year warranty

KTI70511 7 Piece Body and Fender Hammer Set

- Red fiberglass handles with comfort grips
- Machined hammer heads
- For pounding auto sheet metal before finishing. Use on flat and curved surfaces
- Includes: bumping hammer, pick hammer, chisel end hammer, heel dolly, shrinking dolly, double end dolly, curve dolly





KTI20022

12 Piece 1/4" Drive SAE Deep Spline Socket Set

- Socket lengths: 1-31/32"
- · Chrome-vanadium steel construction with high-polish chrome finish
- Sizes: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16" and 5/8"
- · Individual sockets are covered by a lifetime warranty





KTI20300

14 Piece 3/8" Drive Metric Deep Spline Socket Set

- Socket lengths: 63mm (2-31/64")
- Chrome-vanadium steel construction with high-polish chrome finish
- Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- Individual sockets are covered by a lifetime warranty





KTI20400

13 Piece 3/8" Drive SAE Deep Spline Socket Set

- Socket lengths: 2-31/64"
- Chrome-vanadium steel construction with high-polish chrome finish
- Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"
- · Individual sockets are covered by a lifetime warranty





KTI20600

14 Piece 1/4" Drive Metric Deep Spline Socket Set

- Socket lengths: 50mm (1-31/32")
- Chrome-vanadium steel construction with high-polish chrome finish
- Sizes: 4, 4.5, 5, 55, 6, 7, 8, 9, 10, 11, 12, 13, 14, and 15mm
- · Individual sockets are covered by a lifetime warranty



KTOOL

NEW PRODUCT SUPPLEMENT

& HARDENED ALLOY STEEL



K11/1/01 12 Piece 1/2" Drive Professional Impact Driver Set



FT/LBS. OF MAX TORQUE



4-POSITION ADJUSTMENT

KTI77700 Big Chill Blower (1200 CFM)



CREE LED XML
Rechargeable Flashlight

Blusind

HOSES / REELS / ACCESSORIES 100% Rubber. 40% Lighter













Air Hoses

Blu3ird°

40% lighter than other rubber hoses & as light as hybrids









BluBird® Air Hoses

Designed to offer the best of both worlds the exceptional cold-weather flexibility, durability and premium feel of high-end rubber hoses and the light-weight comfort of premium hybrid hoses.

FEATURES

- Ultra light, super-strong rubber resists abrasion and kinks
- Extreme ozone resistance provides protection from extreme weather
- Flexibility in extreme conditions from -50°F to 190°F
- Constructed with high strength polyester braided reinforcement
- 4 finger grip bend restrictor for better ergonomics
- 10 year warranty
- Available hose inner diameters: 1/4", 3/8", 1/2" and 3/4"
- Max. working pressure: 300 PSI
- Safety factor: 1.1

Salety factor, 4.1	THE PARTY OF THE P
Blu Zird°	2 YEAR
BluBird® Pro Rubber Air Hose 3/4" x 50'	
BLBBB3450	0

- Durable wrapped finish
- Extreme resistance to ozone, UV, abrasion
- 3/4" NPT brass ends with 3/4" to 1/2" NPT reducer
- 40% lighter than any other rubber hose of same specs

Part #	Description	NPT
BLBBB14100	1/4" × 100'	1/4"
BLBBB1425	1/4" × 25'	1/4"
BLBBB1450	1/4" × 50'	1/4"
BLBBB3810	3/8" × 10'	1/4"
BLBBB38100	3/8" x 100'	1/4"
BLBBB3815	3/8" x 15'	1/4"
BLBBB3825	3/8" x 25'	1/4"
BLBBB3835	3/8" x 35'	1/4"
BLBBB3850	3/8" x 50'	1/4"
BLBBB1210	1/2" × 10'	1/4"
BLBBB12100	1/2" x 100'	1/2" to 3/8" NPT Reducer
BLBBB1215	1/2" x 15'	1/4"
BLBBB1225	1/2" x 25'	1/2" to 3/8" NPT Reducer
BLBBB1250	1/2" × 50'	1/2" to 3/8" NPT Reducer
BLBBB3415	3/4" x 15'	
BLBBB3425	3/4" x 25'	

Air Hoses & Reels

Bluzird®

on Hoses

Reducer Outlet







• Retractable hose reel with BluBird® air hose

- Powder coated steel corrosion resistant, heavy duty 18 gauge steel
- 12 point ratchet for locking at shorter intervals
- 3' whip hose included 4-way roller guides
- Covered by a 2 year warranty on reel with 10 year warranty

Flexibility in extreme conditions from -50°F to 190°F

Part # Description		
BLBBBRHD1250	1/2″x 50′ Heavy Duty Air Hose Reel	3/8" inlet and 1/2" to 3/8" NPT Reducer Outlet
BLBBBRHD3850	3/8" x 50' Heavy Duty	3/8" inlet and 3/8" to 1/4" NPT





- ULTIMATE SOLUTION FOR A PRO! Powder Coated Steel -Corrosion Resistant, Dual Arm Heavy Duty 18 Gauge
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' Whip hose included along with a 3/8" to 1/4" reducer
- Perfect for mounting on mobile applications
- Reel is covered by a 2 year warranty and hose is covered by a 10 year warranty

BLBBBRDA1250 BluBird Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50'



on Hose Reels





BluBird® Air Hose Reels

- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- Heavy duty steel construction with powder coated, corrosion proof finish
- Four rollers reduce hose wear
- Horizontal and vertical wall mount options with adjustable guide arm

Part #	Description	
BLBBBR1450	1/4" x 50' Air Hose Reel	3/8" inlet and 1/4" NPT Outlet
BLBBBR3825	3/8" x 25' Air Hose Reel	3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
BLBBBR3850	3/8" x 50' Air Hose Reel	3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
BLBBBR3875	3/8" x 75' Air Hose Reel	3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
BLBBBR1225	1/2" x 25' Air Hose Reel	3/8" inlet and 1/2" to 3/8" NPT Reducer Outlet
BLBBBR1250	1/2" x 50' Air Hose Reel	3/8" inlet and 1/2" to 3/8" NPT Reducer Outlet
BLBBBR1265	1/2" x 65' Air Hose Reel	3/8" inlet and 1/2" to 3/8" NPT Reducer Outlet



Oil Shield® Next-Gen **Rubber Air Hoses**

The Lightest Class A Oil Resistant Hose. Brings the same light weight and super strong properties of the original BluBird® to a hose that meets the RMA Class A Oil-Resistance standard. 30% lighter and much stronger than other hoses in the class, the Oil-Shield® is perfect for work areas where oil, diesel, grease spillage is a concern. It can remain in constant contact with oil for months and still function as good as new. Retards fire-sparks from welding etc. much better than hybrid or plastic or even other rubber hoses.

FEATURES

- Ultra light, super-strong rubber
- RMA Class A oil resistant core tube and cover
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -30°F to 180°F
- 4 finger grip bend restrictor for better ergonomics
- Available hose inner diameters: 1/4", 3/8", 3/4" and 1/2"
- Max. working pressure: 300 PSI
- Safety factor: 4:1

Part #	Description	NPT	
BLBOS3810	3/8" x 10'	1/4"	
BLBOS3815	3/8" x 15'	1/4"	
BLBOS3825	3/8" x 25'	1/4"	
BLBOS3835	3/8" x 35'	1/4"	
BLBOS3850	3/8" x 50'	1/4"	
BLBOS38100	3/8" x 100'	1/4"	
BLBOS1225	1/2" x 25'	1/2"	Includes 1/2" to 3/8" NPT Reducer
BLBOS1250	1/2" × 50'	1/2"	Includes 1/2" to 3/8" NPT Reducer
BLBOS12100	1/2" x 100'	1/2"	Includes 1/2" to 3/8" NPT Reducer
BLBOSPRO3425	3/4" x 25'	3/4"	
BLBOSPRO3450	3/4" x 50'	3/4"	

Air Hoses & Reels

Oil Shield® Heavy Duty 18 Gauge Steel Air Hose Reels

- Retractable hose reel with Oil Shield® air hose
- Powder coated steel corrosion resistant, heavy duty 18 gauge steel
- 12 Point ratchet for locking at shorter intervals
- 4-way roller guides 3' whip hose included
- Covered by a 2 year warranty on reel with 3 year warranty on attached hose to any manufacturing defects

	Part #	Description		
	BLBOSRHD3850	3/8"x 50' Oil Shield® Air Hose Reel	3/8" inlet with 3/8" to 1/4" NPT Reducer outlet	
2	BLBOSRHD1250	1/2"x 50' Oil Shield® Air Hose Reel	3/8" inlet with 1/2" to 3/8" NPT Reducer outlet	
	BLBOSRHD1265	1/2"x 65' Oil Shield® Air Hose Reel	3/8" inlet with 1/2" to 3/8" NPT Reducer outlet	





Hoses on Hose Reels





Flexibility in extreme conditions from -30°F to 180°F

BLBOSRDA3850 Oil Shield Heavy Duty Dual-Arm Retractable Air Hose Reel 3/8" x 50'

- Powder Coated Steel Corrosion Resistant, DUAL ARM Heavy Duty 18 Gauge Steel
- Perfect for mounting on mobile applications
- Meets RMA Class A Oil Resistance
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' whip hose include along with a 1/2" to 3/8" reducer
- Reel is covered by a 2 year warranty and hose is covered by a 3 year warranty

BLBOSRDA1250 Oil Shield Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50'



Oil Shield® Air Hose Reels

- Retractable air hose reel with BluBird® Oil Shield® air hose
- Powder coated steel corrosion resistant, heavy duty 18 gauge steel
- 12 point ratchet for locking at shorter intervals 4-way roller guides
- Covered by a 3 year warranty on the included yellow Oil Shield® hose





from -30°F to 180°F

Part # Description BLBOSR3825 3/8" x 25' Oil Shield® Air Hose Reel 3/8"NPT inlet and 1/4" outlet BLBOSR3835 3/8" x 35' Oil Shield® Air Hose Reel 3/8" NPT inlet and 1/4" outlet BLBOSR3850 3/8"x 50' Oil Shield® Air Hose Reel 3/8"NPT inlet and 1/4" outlet 3/8"x 75' Oil Shield® Air Hose Reel 3/8"NPT inlet and 1/4" outlet BLBOSR3875 1/2"x 25' Oil Shield® Air Hose Reel 3/8"NPT inlet and 1/2" NPT with 1/2" to 3/8" Reducer outlet BLBOSR1225 1/2"x 50' Oil Shield Air Hose Reel 3/8" NPT inlet and 1/2" NPT with 1/2" to 3/8" Reducer outlet BLBOSR1250

Air Hoses & Reels



Durability and premium feel of a high-end rubber hose.







Flexibility in extreme conditions from -40°F to 190°F

AVAGARD® Professional Rubber Air Hoses

The Red Rubber Hose done right. This product is designed to give a new perspective to Red Rubber Hoses the exceptional cold-weather flexibility, the durability and premium feel of high-end rubber hose. The best of all this is one revolutionary but affordable rubber hose package.

FEATURES

- 80% the weight of traditional red rubber hoses
- Ozone resistant cover provides protection from extreme weather, abrasions & kinks
- Resists mild grease, oil & diesel
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -40°F to 190°F
- 4 finger grip bend restrictor for better ergonomics
- Available hose inner diameters: 1/4", 3/8" and 1/2"
- Max. working pressure: 300 PSI
- Safety factor: 4:1



BLBAVGR3850 AVAGARD® Black Steel Hose Reel with 3/8" x 50' Rubber Air Hose

- All steel constructed black reel with 300 PSI red Avagard 50' rubber hose
- Slotted mounting base for easy installation
- Automatic spring powered recoil
- 12 position ratchet gear locks reel at shorter hose length
- 3/8" NPT inlet and 1/4" outlet



Part #	Description	NPT
BLBAVG1410	AvaGard 1/4" x 10' Air Hose, Red	1/4"
BLBAVG1415	AvaGard 1/4" x 15' Air Hose, Red	1/4"
BLBAVG1425	AvaGard 1/4" x 25' Air Hose, Red	1/4"
BLBAVG1450	AvaGard 1/4" x 50' Air Hose, Red	1/4"
BLBAVG14100	AvaGard 1/4" x 100' Air Hose, Red	1/4"
BLBAVG3810	AvaGard 3/8" x 10' Air Hose, Red	1/4"
BLBAVG3815	AvaGard 3/8" x 15' Air Hose, Red	1/4"
BLBAVG3825	AvaGard 3/8" x 25' Air Hose, Red	1/4"
BLBAVG3850	AvaGard 3/8" x 50' Air Hose, Red	1/4"
BLBAVG38100	AvaGard 3/8" x 100' Air Hose, Red	1/4"
BLBAVG1210	AvaGard 1/2" x 10' Air Hose, Red	1/2"
BLBAVG1215	AvaGard 1/2" x 15' Air Hose, Red	1/2"
BLBAVG1225	AvaGard 1/2" x 25' Air Hose, Red	1/2"
BLBAVG1250	AvaGard 1/2" x 50' Air Hose, Red	1/2"
BLBAVG12100	AvaGard 1/2" x 100' Air Hose, Red	1/2"
BLBAVG3415	AvaGard 3/4" x 15' Air Hose, Red	3/4"
BLBAVG3425	AvaGard 3/4" x 25' Air Hose, Red	3/4"
BLBAVG3450	AvaGard 3/4" x 50' Air Hose, Red	3/4"





on Hoses

on Hose Reels





Flexibility in extreme conditions from -40°F to 190°F

88

Stainless Steel Air Hose Reels

Bluzird®

BLBBBRSS3850 BluBird Heavy Duty Stainless Steel Retractable Air Hose Reel 3/8" x 50'

- 18 gauge stainless steel 304 construction Includes 3' inlet hose
- 12 point ratchet for precise resolution, adjustable outlet arm,
 4 way roller guides, ceiling floor, wall mounting options
- 40% lighter, cold weather flex up to -50°F
- Covered by a 1 year warranty



BLBHRSSS3812 BluBird® Stainless Steel 304 140 Degree Hose Reel Swivel Mount

- Stainless Steel 304 Heavy Duty Construction
- 4 Slotted Holes for reels and mounting
- Can be mounted on wall or ceiling
- Mounting hardware NOT included



BLBBSWRSS1250 BluSeal Heavy Duty Stainless Steel Retractable Water Hose Reel 1/2" x 50' with HD 9 Pattern Metal Spray Nozzle

- 18 gauge stainless steel 304 constructon
- 3/4" GHT inlet & outlet; includes 6' inlet hose
- 12 point ratchet for precise resolution, adjustable outlet arm, 4 way roller guides, ceiling floor, wall mounting options
- Lightest, strongest, most flexible rubber water hose
- 30% lighter, cold weather flex up to -50°F
- Covered by a 1 year warranty







Flexibility in extreme conditions from -50°F to 190°F

Air Hoses





Light as a feather with industrial type quick connect coupler & plug










BluBird® Pro Quick-Connects Edition

Lightest, Strongest, Most Flexible, All-Weather Rubber Air Hose with Industrial Type Brass Quick Coupler and Plug

FEATURES

- 40% Lighter than traditional rubber hoses
- Extremely resistant to ozone, UV & abrasion
- Flexibility in extreme conditions from -50°F to 190°F
- 300 PSI working pressure with 4:1 safety factor where as hybrids have 3:1 safety factor
- Does not kink under pressure
- 3/8" NPT ends with 3/8" to 1/4" NPT reducer
- 4 finger grip bend-restrictor to prevent damage near ends
- Heavy-duty brass industrial type quick connects with 1/4" female ends

Part #	Description
BLBBB1450QC	1/4" x 50'
BLBBB14100QC	1/4" x 100'
BLBBB3850QC	3/8" x 50'
BLBBB3450	3/4" x 50'



"Which Hose Are You Looking For?"



Blu2ird

AVAGARD

RUBBER AIR HOSE

凰

50 m

3/8=

300 m

Blusird

BluBird® Rubber Air Hose

Ultra-lightweight design - 40% Lighter
Extreme Strength & Durability exceeds RMA-IP2
Unmatched Cold Weather Flexible till -50°F
10 year warranty
Oil Resistant Tube & Cover
300 PSI, 4:1 Safety factor



Oil Shield® Rubber Air Hose

RMA Class A Oil Resistant Tube & Cover 3 year warranty Ultra-lightweight BluBird design Extreme Strength exceeds RMA-IP2 300 PSI, 4:1 Safety factor Cold Weather Flexible till -30°F





Avagard® Premium Rubber Air Hose

The Red Rubber Hose done right
Very Light and **Super Strong RMA Class C** Oil Resistance
5 year warranty

Cold Weather Flexible till -40°F Exceeds RMA-IP2, 300 PSI, 4:1 Safety factor

Pressure Washer & Inlet Hoses



BluShield® 3/8" Rubber Pressure Washer Hose

- 3/8" revolving male NPT x 3/8" fixed NPT that are carbon steel
- 4100 PSI / 16400 PSI, RMA Class A tube
- Handles hot water up to 250° F
- 100% rubber & 30% lighter than traditional rubber wire-braided hoses
- Kevlar/Aramid braided hose helps eliminate the risk of electrical shock
- Covered by a 1 year warranty

Part #	Description
BLBPW3835	BluShield 3/8" x 35' Pressure Washer Hose
BLBPW3850 BluShield 3/8" x 50' Pressure Washer Ho	
BLBPW38100	BluShield 3/8" x 100' Pressure Washer Hose









Water Hose & Reels







on Hoses

on Hose Reels

BluSeal Water Hose Reel

Ultra lightweight & flexible rubber water hose

BLBBSWR5850 BluSeal Water Hose Reel 5/8" x 50'

- 18 gauge heavy-duty powder coated steel reel
- Comes with lightest, strongest, most flexible rubber water hose
- Includes 6' lead-in hose for easy installation
- 3/4" GHT inlet and outlet Wall, ceiling, floor mountable
- Adjustable guide arm
- Retractable hose reel with AG-Lite water hose and nine mode spray gun • 4-way roller guides
- Class leading 12 point ratchet for locking at shorter intervals
- Covered by a 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects



BLBRMXSPR001

9 Mode Metal Spray Gun

- 3/4" GHT female inlet includes universal quick connect plug
- Heavy duty, metal construction with chrome finish
- Rubberized ergonomic grip makes work and fun comfortable
- Clip can be switched when one wants to spray without having to press the trigger
- Covered by a 1 Year Warranty

BLBBSWR1250HRS BluSeal Water Hose Reel Retractable 1/2" x 50'

- Retractable Hose Reel with Bluseal 1/2" X 50' water hose
- Powder Coated Steel Corrosion Resistant, Heavy Duty 20 Gauge Steel
- 12 Point Ratchet for locking at shorter intervals
- 4-way Roller Guides
- 3' Whip Hose + Swivel Mount included
- Covered by a 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects









Water Hoses

Does not kink under pressure











Handles hot water up to 212° F

AG Lite® All-Rubber Farm & Ranch Water Hose

The lightest and strongest, all-rubber water hose designed for rugged, every day use in farming, ranching and shop environments.

FEATURES

- Lightweight & ultra durable
- Ozone resistant cover provides protection from extreme weather, abrasions & kinks
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -50°F to 190°F
- 4 finger grip bend restrictor for better ergonomics
- Handles hot water up to 212°F
- All hoses have 3/4" GHT brass fittings
- 1" ID hoses have 3/4" GHT brass fittings to fit conventional water outlets
- Available hose inner diameters: 1", 3/4" and 5/8"
- Minimum burst pressure: 500 PSI



Water Hose Flow			
Hose I.D.	Gallons per minute (GPM) @ 65 PSI	Gallons per minute (GPM) @ 35 PSI	
5/8"	11.90	10.30	
3/4"	17.10	10.90	
1"	24.70	19.80	

AG Lite® Rubber Water Hose Extensions

Part #	Description
BLBBSAL5806	AG-Lite 5/8" x 6' Rubber Water Hose Extension
BLBBSAL3406	AG-Lite 3/4" x 6' Rubber Water Hose Extension

AG Lite® Rubber Water Hoses

Part #	Description
BLBBSAL5810	AG-Lite 5/8" x 10' Rubber Water Hose
BLBBSAL5815	AG-Lite 5/8" x 15' Rubber Water Hose
BLBBSAL5825	AG-Lite 5/8" x 25' Rubber Water Hose
BLBBSAL5850	AG-Lite 5/8" x 50' Rubber Water Hose
BLBBSAL5875	AG-Lite 5/8" x 75' Rubber Water Hose
BLBBSAL58100	AG-Lite 5/8" x 100' Rubber Water Hose
BLBBSAL3410	AG-Lite 3/4" x 10' Rubber Water Hose
BLBBSAL3415	AG-Lite 3/4" x 15' Rubber Water Hose
BLBBSAL3425	AG-Lite 3/4" x 25' Rubber Water Hose
BLBBSAL3450	AG-Lite 3/4" x 50' Rubber Water Hose

AG Lite® Rubber Water Hoses

Part #	Description
BLBBSAL3475	AG-Lite 3/4" x 75' Rubber Water Hose
BLBBSAL34100	AG-Lite 3/4" x 100' Rubber Water Hose
BLBBSALONE15	AG-Lite 1" x 15' Rubber Water Hose
BLBBSALONE25	AG-Lite 1" x 25' Rubber Water Hose
BLBBSALONE50	AG-Lite 1" x 50' Rubber Water Hose
BLBBSALONE100	AG-Lite 1" x 100' Rubber Water Hose

BluZird°



STAY ON THE ROAD!

BLBBBFLT3850

BB Tire Inflator Fleet Edition Kit

- Featuring the lightest, strongest, most flexible all-weather BluBird® air hose 3/8" x 50' with 1/4" MNPT
- Includes Phillips heavy duty aluminum universal glad hand
- Includes a 1/4" to 1/2" adapter for fitting to Phillips glad hand Teflon™ tape and a carry bag for easy storage after use
- Dual foot chuck inflator
- Flexibility in extreme conditions from -50°F to 190°F
- Covered by a 10 year warranty on hose and a 2 year warranty on accessories

Inflator Kit on Hoses on Accessories Flexibility in extreme conditions from -50°F to 190°F

Compressor Kits

Blu3ird°



13 Piece BluBird® Air Compressor Kits

- Hose: 40% lighter than traditional rubber hoses, resists kinks and extreme weather, 4 finger grip bend restrictors, 300 PSI 1200 PSI, flexible in -50°F • Perfect for DIY & contractors
- Heavy duty industrial type couplers & plugs in brass
- 10 year warranty on hose and 2 year warranty on accessories

Kit Includes: 1/4" x 25' BluBird® air hose, safety blow gun (1), tire gauge(1), air chuck (1), male plugs industrial style 1/4" NPT (3), female plugs industrial style 1/4" NPT (2), male coupler industrial style 1/4" NPT (1), female coupler industrial style 1/4" NPT (1), Teflon tape (1), storage bag (1).

BLBBB1425KIT 1/4" x 25'

BLBBB3825KIT 3/8" x 25"

BLBBB3850KIT 3/8" x 50'



Avagard 13 Piece Air Compressor Kits

- Hose:- Heavy Duty Rubber Hoses, Resists kinks and extreme weather, 4 finger grip bend restrictors
- Heavy Duty Industrial Type Couplers & Plugs in Brass
- Perfect for DIY & Contractors
- 4 Finger Grip Bend Restrictors

Kit Includes: Avagard Air Hose, Safety Blow gun (1), Tire gauge (1), Air Chuck (1), Male Plugs Industrial style 1/4" NPT (3), Female Plugs Industrial style 1/4" NPT (2), Male Coupler Industrial style 1/4" NPT (1), Female Coupler Industrial style 1/4" NPT (1), Teflon tape (1), Storage bag (1).

BLBAVG1425KIT 1/4" x 25'

BLBAVG3825KIT 3/8" x 25'

BLBAVG3850KIT 3/8" x 50'

Fastfix® Air Hoses & Fittings



Lightest, strongest, most flexible rubber hoses with fastfix fittings

BluBird® Rubber Air Hose with FastFix®

40% lighter than traditional rubber hoses. Ideal for Roofers and Contractors.

FEATURES

- Flexibility in extreme conditions from -50°F to 190°F
- FastFix fittings to repair damaged on-site in few minutes
- Comes with FastFix Field repair fittings
- 4 finger grip bend-restrictor to prevent damage near ends
- 1/4" NPT ends
- Covered by a 1 year warranty

Part #	Description	
BLBBB14100FX	1/4" x 100' Rubber Air Hose with FastFix®	
BLBBB1450FX	1/4" x 50' Rubber Air Hose with FastFix®	







Flexibility in extreme conditions from -50°F to 190°F





Professional Duty Reusable Brass Fittings for BluBird® Air Hoses

- Professional duty for replacing damaged fittings or for field repair of damaged BluBird® hoses
- · Heavy duty brass construction resists corrosion, ductility to high temperatures & low magnetic permeability
- Works with all 1/4" & 3/8" BluBird® hoses
- 1/4" and 3/8" FastFix® fitings have 1/4" NPT ends
- Easy installation
- Working pressure: 300 PSI
- Covered by a 6 month warranty on material and workmanship

FastFix® Air Hose Assembly Repair Swivel

Part #	Description	
BLBFFSW14	1/4"	1/4" NPT ends
BLBFFSW38	3/8"	1/4" NPT ends



FASTFIX

FastFix® Air Hose Assembly Repair Splicers

Part #	Description	
BLBFFSP14	1/4"	1/4" NPT ends
BLBFFSP38	3/8"	1/4" NPT ends
BLBFFSP12	1/2"	

FastFix® Air Hose Assembly Repair Fittings

Part #	Description	
BLBFFFX14	1/4"	1/4" NPT ends
BLBFFFX38	3/8"	1/4" NPT ends
BLBFFFX12	1/2"	
	0.50(0)(0)(0)(0)	March 1997 Carlotte 1999



Farm Fuel Hose





Oil Shield® Farm Fuel Hose

For use with diesel, gasoline, kerosene, biodiesel B10 and B20

- 8" Internal strain relief springs on each end to prevent kinking at the coupling
- 2x kink resistant than other fuel hoses Ozone and abrasion resistant cover
- RMA Class A oil-resistant tube & cover
- Factory crimped 3/4" NPT ends fits most fuel nozzles
- Static wire allows use with electric pumps
- For use where UL approval is not required
- Covered by a 1 year warranty

Part #	Description	NPT
BLBOSFHONE10	Oil Shield® Farm Fuel Hose Assembly 1" x 10'	1"
BLBOSFHONE12	Oil Shield® Farm Fuel Hose Assembly 1" x 12'	1"
BLBOSFHONE15	Oil Shield® Farm Fuel Hose Assembly 1" x 15'	1"
BLBOSFHONE20	Oil Shield® Farm Fuel Hose Assembly 1" x 20'	1"



Part #	Description	NPT
BLBOSFH3410	Oil Shield® Farm Fuel Hose Assembly 3/4" x 10'	3/4"
BLBOSFH3412	Oil Shield® Farm Fuel Hose Assembly 3/4" x 12'	3/4"
BLBOSFH3415	Oil Shield® Farm Fuel Hose Assembly 3/4" x 15'	3/4"
BLBOSFH3420	Oil Shield® Farm Fuel Hose Assembly 3/4" x 20'	3/4"

RELITE







Flexibility in extreme conditions from -50°F to 190°F



Handles hot water up to 212° F



Agricultural Spray Hose

EPDM Agricultural Spray Hose Excellent for Insecticide, Fungicide, Herbicide Spraying

- Chemical resistant tube and cover
- 40% lighter and 100% rubber
- Lasso® /Alachor® resistant
- Extreme ozone and UV resistant cover
- High strength polyester braided reinforcement
- Available sizes: 3/8", 1/2", 3/4"
- Available lengths: 10ft., 15ft., 25ft., 50ft.
- Working pressure: 300PSI Safety factor: 4:1
- Cold water flexibility down to -50°F
- Hot & cold water handling up to 212°F
- 1 year warranty

Part #	Description
BLBALAS3810	AG-Lite AG-Spray Hose 3/8" x 10'
BLBALAS3825	AG-Lite AG-Spray Hose 3/8" x 25'
BLBALAS3850	AG-Lite AG-Spray Hose 3/8" x 50'
BLBALAS1210	AG-Lite AG-Spray Hose 1/2" x 10'
BLBALAS1225	AG-Lite AG-Spray Hose 1/2" x 25'

Part #	Description
BLBALAS1250	AG-Lite AG-Spray Hose 1/2" x 50'
BLBALAS3410	AG-Lite AG-Spray Hose 3/4" x 10'
BLBALAS3425	AG-Lite AG-Spray Hose 3/4" x 25'
BLBALAS3450	AG-Lite AG-Spray Hose 3/4" x 50'

Jack Hammer Hoses

Blu3ird®

BLBBBJH3450 BluBird® Pro Jack Hammer Hose 3/4" x 50' with Stainless Steel Ends

- Ultra-light & super-strong rubber. 9 lbs. lighter than a traditional 3/4" x 50' assembly
- Ozone resistant cover provides protection from extreme weather, abrasions & kink
- Factory crimped stainless steel universal claw couplings for better durability
- Flexibility in extreme conditions from -50°F to 190°F
- Wrapped finish gives better flexibility and abrasion resistance
- Covered by a 2 year warranty



Flexibility in extreme conditions from -50°F to 190°F





BLBAVGJH3450 Avagard® Jack Hammer HD Rubber Hose - 3/4" x 50' • Heavy Duty Rubber Water Hose suitable for

- Commercial, Industrial, & Residential use
- Covered by a 5 year warranty

Utility Hoses





Yellow Rubber Air Hoses

- Solid brass end MNPT fittings
- Protective PVC bend restrictor ends
- Abrasion-resistant rubber outer jacket
- 300 PSI working pressure
- 1 year warranty

Part #	Description	NPT
BLBAVG3825YLKT	3/8" x 25' Air Hose, Red	1/4"
BLBAVG3835YLKT	3/8" x 35' Air Hose, Red	1/4"
BLBAVG3850YLKT	3/8" x 50 Air Hose, Red	1/4"



- Solid brass end MNPT fittings
- Protective PVC bend restrictor ends
- Abrasion-resistant rubber outer jacket
- 300 PSI working pressure
- 1 year warranty



Blu3ird

Part #	Description	NPT
BLBAVGLD3803KT	3/8" x 3' Air Hose, Red	1/4"
BLBAVG3825KT	3/8" x 25' Air Hose, Red	1/4"
BLBAVG3850KT	3/8" x 50' Air Hose, Red	1/4"
BLBAVG1225KT38	1/2" x 25' Air Hose, Red	3/8"
BLBAVG1225KT12	1/2" x 25' Air Hose, Red	1/2"
BLBAVG1250KT38	1/2" x 50' Air Hose, Red	3/8"
BLBAVG1250KT12	1/2" x 50' Air Hose, Red	1/2"

Whip-Snubber & Lead-In Hoses

Blu3ird[®]



BluBird® Whip Hoses

- Professional air tool snubber hose, 300 PSI working pressure & comes with 360° ball swivel revolving fittings
- Extends coupler service life & improves maneuverability
- Absorbs shock to air couplers from pneumatic tools
- Reduces twisting and kinking
- Flexible rubber construction, with 4 finger-grip bend restrictor
- Covered by a 90 day material and workmanship warranty

Part #	Description	NPT
BLBBBSR3802	3/8" x 2' with 360° Ball Swivel	1/4"
BLBBBSR3803	3/8" x 3' with 360° Ball Swivel	1/4"
BLBBBSR3805	3/8" x 5' with 360° Ball Swivel	1/4"
BLBBBSR1202	1/2" x 2' with 360° Ball Swivel	1/2"
BLBBBSR1205	1/2" x 5' with 360° Ball Swivel	1/2"



Oil Shield® Whip Hoses

- Professional air tool lead in / snubber hose, 300 PSI working pressure
- Oil resistant core tube and cover meets RMA Class A oil resistance
- Absorbs shock to air couplers from pneumatic tools
- · Reduces twisting and kinking. Extends coupler service life & improves maneuverability
- Flexible rubber construction, with 4 finger-grip bend restrictor
- Covered by a 90 day material and workmanship warranty

Part #	Description	NPT
BLBOSSR3802	3/8" x 2' Whip Hose with 360° Swivel	1/4"
BLBOSLD3803	3/8" x 3' Whip Hose	1/4"
BLBOSSR3805	3/8" x 5' Whip Hose with 360° Swivel	1/4"
BLBOSLD1203	1/2" x 2' Whip Hose	1/2"
BLBOSSR1205	1/2" x 5' Whip Hose	1/2"



Swivel Whip Hoses

- 300 PSI Red rubber whip hose with brass ferrule
- 1/4" swivel MNPT + 1/4" fixed **FNPT** fittings
- Covered by a 90 day material and workmanship warranty

Part #	Description	Swivel
BLBAVGSR3803KT	3/8" x 3' Swivel Whip Hose with 360° Ball Swivel	1/4"
BLBAVGSR3806KT	3/8" x 6' Swivel Whip Hose with 360° Ball Swivel	1/4"





extreme conditions from -50°F to 190°F

BluBird® Lead-in Hoses

- Ultra-light & super-strong: finally, a rubber hose that's 40% lighter than others and as light as hybrid / PVC hoses
- Makes a flexible connection from rigid supply line to hose reel
- Braided, not just spiraled, polyester gives 300PSI working pressure
- Flexibility in extreme conditions from -50°F to 190°F
- Comes with 1/4" brass MNPT end fittings
- Better against rust than steel, stronger than aluminum
- 4 finger grip bend restrictors
- Covered by a 1 year warranty

Part #	Description	NPT
BLBBBLD1203	1/2" x 3' Lead in Hose	1/2"
BLBBBLD3803	3/8" x 3' Lead in Hose	1/4"



BLBAVGLD3803 Avagard Lead-in Hose 3/8" x 3'

- Heavy Duty rubber hose that's 20% lighter than others conventional hoses
- Handles Hot Water up to 190°F
- 4 Finger Grip Bend Restrictors
- Ozone & UV resistant to prevent cracking while in the sun
- Makes a flexible connection from rigid supply line to hose reel to isolate vibrations
- Covered by a 5 year warranty

Heavy Duty Red Rubber Air Hose, 3/8" x 3', 1/4" MNPT, 1/4" NPT Brass fittings. Resistant to UV, Ozone and UV. Also resists abrasion and is Kink Resistant.



Work Gear

Blu3ird®

BLBBBTB01 BluBird WORK GEAR - Carpenter's Tool Backpack with 48 Pockets and Padded Back Support

- This tool backpack has two main zippered compartments, one for tools and parts, one for a cordless drill and battery
- Adjustable compression pocket accepts bulky items
- Comfortable padded back support and shoulder straps with adjustable chest strap
- Convenient exterior pocket and dual handles at top
- 41 pockets inside and 7 pockets outside to organize a wide variety of tools and accessories. Heavy duty stitching and bar tacking at all stress points on this tool bag are included for added durability.



BluBird WORK GEAR - Large BigMouth Bags

- Opens wide for easy access to contents
- With padded reinforced web carrying handles and an adjustable shoulder strap, this tool bag is comfortable to carry
- Heavy duty stitching and bar tacking at all stress points on this tool bag are included for added durability



BLBBBTB02 BluBird WORK GEAR -Large BigMouth Bag with 22 Pockets

• 12 pockets inside, and 10 outside organize tools and accessories



BLBBBTB03 BluBird WORK GEAR -Large BigMouth Bag with 31 Pockets

• 12 pockets inside, and 19 outside organize tools and accessories



BLBBBTB04 BluBird WORK GEAR -Medium and Large Utility Tote Bag Combo

- These utility tote bags are designed for plumbers, electricians, maintenance personnel, paint and general contractors
- Reinforced bottom panels for added durability
- Strong web carry handles on these utility tote bags will last through many jobs
- Separate and organize your small parts and hand tools with these medium and large utility tote bags





BLBBBTB12 BluBird WORK GEAR -

Socket Tool Roll Pouch with 32 Pockets • Heavy-duty elastic strap on this tool pouch roll keeps tools in place

- Adjustable quick-release buckle on this tool roll pouch fastens when not in use
- Hook and loop closure holds metric and standard sockets
- Heavy duty stitching and bar tacking at all stress points for added durability
- 600D polyester construction sewn together with heavy stitching
- Includes carrying handle for easy transport



BLBBBTB13 BluBird WORK GEAR -Multi-Purpose Clip-on Zippered Poly Bags, 3 Pack

- 3 multi-purpose clip-on poly bags are 9" x 7", 7" x 6", and 6" x 5"
- Made of polyester fabric
- Durable clip on these tool bags hang on toolbelts, belt loops, etc.
- Carry and organize all your misc. parts, tools and accessories

Parts & Accessories





Part #	Description
BLBBBLD3803RL	Replacement Lead Hose for BLBBBR3850
BLBBBLD1203RL	Replacement Lead Hose for BLBBBR1250
BLBBB3850RL	Replacement Hose for BLBBBR3850

Description

Description





BLBOSLD3803RL

Part #

Part #


Replacement Lead Hose for BLBOSR3850





BLBAVGLD3803RL

Replacement Lead Hose for BLBAVGR3850



Hose Reel Roller Guides

Part #	Description
BLBRS05	Hose Reel Roller Guide Set Black 20 Gauge Reels
BLBRS09	75', 65' & 50' Black HD Hose Reel Roller Guide Set
BLBRS06	50' Blue HD Hose Reel Roller Guide Set
BLBRS10	75' & 65' Blue HD Hose Reel Roller Guide Set
BLBRS08	50' Red HD Hose Reel Roller Guide Set



BLBHRS3812 Swivel Mount for Hose Reels

1/4" 3/8" & 1/2" Reels
Mounting bracket allows hose reels to be mounted to the wall and swung sideways for easy use while reducing pressure on the rollers

- All steel powder coated construction
- Heavy duty swivel joints
- Suitable with most reels
- Covered by a 2 year warranty

BLBHRSSS3812 BluBird® Stainless Steel 304 140 Degree Hose Reel Swivel Mount

- Stainless Steel 304 Heavy Duty construction
- 4 Slotted Holes for reels and mounting
- Mounting hardware NOT included

BLBHRS3812DA BluBird Heavy Duty 140 Degree Hose Reel Swivel Mount for RMX Dual Arm Reels

- Easy & Quick to install
- 20 Gauge Heavy Duty Powder Coated Steel
- 4 Slotted Holes for reels & 4 slotted holes for mounting
- Covered by a 1 year warranty





BLBRS01 Hose Reel Latch Pawl with Screws & Spring







HARDWARE & TRIM catalog


2017















- **□** BODY BOLTS
- **□** DOOR HINGE PINS
- **□** DOOR LOCK CLIPS
- ☐ HEADLIGHT PARTS
- ☐ HOOD PROP CLIPS
- **□** RETAINERS
- □ RIVETS
- □ SPECIALTY NUTS & GROMMETS
- ☐ TRIM SCREWS
- ☐ WINDSHIELD PARTS
- **☐ MISCELLANEOUS**



ABD6000

ABD6100



ABD6200



ABD7650

ABD6000 90-piece Essential Kit GM Retainer Assortments

Description	Kit Qty.
Door Trim Panel Clips, Size: 1/4" (6.4mm), Stem: 3/4", Head: 7/8", GM 3065575	10
Panel Retainers, Size: 3/8" (9.5mm), Stem: 13/16", Head: 1", GM 1619321	10
Door Panel Clips, Size: 1/4" (6.4mm), Stem: 3/4", Head: 3/4" x 7/8", GM 20421800, 15600382	5
Panel Retainers , Size: 1/4" (6.4mm), Stem: 5/8", Head: 11/16", GM 332364	10
Shield Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", GM 1605396, GM 1595864	10
Dash Panel Retainers, Size: 3/16" (4.5mm), Stem: 13/16", Head: 7/16", GM 25016383, GM 20413107	10
Weatherstrip Retainer, Size: 3/16" (4.5mm), Stem: 3/8", Head: 3/8", GM 2964547	10
Weatherstrip Retainer, Size: 13/64" (5.3mm), Stem: 12mm, Head: 10mm, GM 20699808	5
Trim Panel Retainer, Size: 1/4" (6.4mm), Stem: 3/4", Head: 1/2", GM 411700	5
Shield Retainers, Size: 1/4" (6.4mm), Stem: 1-1/16", Head: 11/16", GM 10121502	5
Trim Panel Retainer, Size: 5/16" (7.8mm), Stem: 7/8", Head: 3/4", GM 21094146	5
Hood Seal Retainer, Size: 5/16" (7.8mm), Stem: 1-3/8", Head: 3/4", GM 14074081	5

Refill Options		
Refill Qty.	Clamshell Qty.	
ABD6001 10	ABD6001RX5	
ABD600210	ABD6002RX6	
ABD600310	ABD6003RX5	
ABD600410	ABD6004RX12	
ABD600510	ABD6005RX8	
ABD600610	ABD6006RX6	
ABD600710	ABD6007RX8	
ABD600810	ABD6008RX5	
ABD600910	ABD6009RX8	
ABD601010	ABD6010RX5	
ABD601110	ABD6011RX3	
ABD601210	ABD6012RX3	

Refill Options

Clamshell Qty.

ABD6005RX.....8

ABD6013RX.....2

ABD6014RX.....2

ABD6015RX.....8

ABD6016RX.....4

ABD6018RX.....3

ABD6019RX.....4

ABD6022RX.....6

ABD6023RX.....4

ABD6021RX....

ABD6024RX...

Clamshell Qty.

ABD6004RX...12

ABD6005RX 8

ABD6011RX 3 ABD6022RX 6

ABD6023RX 4

ABD6025RX 4

ABD6026RX 5

ABD6027RX 3 ABD6028RX 2

ABD6029RX 2 ABD6031RX 2

ABD6035RX 4

Refill Options

ABD6017RX....

Refill Qty.

ABD6005....10

ABD6013....10

ABD6014....10

ABD6015....10

ABD6016....10

ABD6017....10

ABD6018....10

ABD6019....10

ABD6021....10

ABD6022....10

ABD6023....10

ABD6024....10

Refill Qty.

ABD6004....10

ABD6005....10

ABD6011....10

ABD6022....10 ABD6023....10

ABD6025....10

ABD6026....10

ABD6027....10

ABD6028....10 ABD6029....10

ABD6031....10 ABD6035....10

ABD6100

82-piece Essential Kit Ford Retainer Assortments

Description	Kit Qty.
Shield Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", Ford 388577-S	10
Shield Retainers, Size: 7/32" (5.3mm), Stem: 11/16", Head: 3/4", Ford N80101994-S	4
Shield Retainers, Size: 7/32" (5.3mm), Stem: 25/32", Head: 1", Ford N808370-S	4
Trim Panel Retainers, Size: 1/4" (6.4mm), Stem: 1-1/16", Head: 1", Ford 388930-S	10
Interior Trim Retainers, Size: 9/32" (7.1mm), Stem: 20mm, Head: 25mm, Ford N802734S	5
Shield Retainers, Size: 23/64" (9mm), Stem: 3/4", Head: 5/8", Ford N807721-S	10
Fascia Bumper Retainers, Size: 25/64" (4.5mm), Stem: 28mm, Head: 22mm, Ford N804379S	5
Door Trim Panel Clips, Size: 1/4" (6.4mm), Stem: 5/8", Head: 25/32", Ford N801925-S	10
Trim Panel Retainers, Size: 9/32" (7.1mm), Stem: 1-3/4", Head: 1", Ford E7EB5802354AAJABH	4
Hood Insulation Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 1/2" x 1-1/2", Ford D30Z-16776A	10
Door Trim Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Ford 385661-S	5
Trim Panel Retainers, Size: 1/4" (6.4mm), Stem: 15/16", Head: 15/16", Ford 387496-S	5

nield Retainers, Size: 23/64" (9mm), Stem: 3/4", Head: 5/8", Ford N807721-S	10
ascia Bumper Retainers, Size: 25/64" (4.5mm), Stem: 28mm, Head: 22mm, Ford N804379S	5
oor Trim Panel Clips, Size: 1/4" (6.4mm), Stem: 5/8", Head: 25/32", Ford N801925-S	10
im Panel Retainers, Size: 9/32" (7.1mm), Stem: 1-3/4", Head: 1", Ford E7EB5802354AAJABH	4
ood Insulation Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 1/2" x 1-1/2", Ford D30Z-16776A	10
oor Trim Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Ford 385661-S	5
im Panel Retainers, Size: 1/4" (6.4mm), Stem: 15/16", Head: 15/16", Ford 387496-S	5

ABD6200

80-piece Essential Kit Chrysler Retainer Assortments

Description Kit Qty.	
Panel Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 11/16", Chrysler 3691590	
Shield Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", Chrysler 6030441	
Trim Panel Retainers, Size: 5/16" (7.8mm), Stem: 7/8", Head: 3/4", Chrysler 6501301	
Hood Insulation Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 1/2" x 1-1/2", Chrysler 6003351	
Door Trim Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Chrysler 6032363	
Weatherstrip Retainers, Size: 13/64" (5.3mm), Stem: 5/8", Head: 3/8", Chrysler 4658673	
Shield Retainers, Size: 7/32" (5.5mm), Stem: 3/4", Head: 5/8", Chrysler 6501948	
Fascia Panel Retainers, Size: 1/4" (6.4mm), Stem: 20mm, Head: 25mm, Chrysler 6501067	
Shield Retainers, Size: 1/4" (6.4mm), Stem: 1-1/16", Head: 1", Chrysler 6502104	
Panel Retainers, Size: 5/16" (7.8mm), Stem: 11/16", Head: 1/2", Chrysler 34202335	
Door Trim Panel Retainers, Size: 11/32" (8.5mm), Stem: 8mm, Head: 20mm, Chrysler 6505292AA	
Door Trim Panel Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Chrysler 6003349	

ABD7650
80-piece Honda Body Retainer Kit

Description Kit Q	ty.
Weatherstrip Retainer, Size: 15/64" (6mm), Stem: 10mm, Head: 5mm x 15mm, Honda 915530-SP1-00310	
Honda Insulation Retainer, Size: 19/64" (7.5mm), Stem: 10mm, Head: 30mm, Acura 90700-SJ4-0005	
Hood/Trunk Moulding, Size: 15/64" (6mm), Stem: 9mm, Head: 12mm, Honda 91518-SM4-0035	
Push-type Retainers, Black Nylon, Size: 8mm, Stem: 11mm, Head: 20mm, Honda 91512-SX0-00310	
Push-type Retainers, Black Nylon, Size: 8mm, Stem: 21mm, Head: 18mm, Honda 90505-SM4-0035	
Fender Splash Shield Push-type Retainer, Size: 8mm, Stem: 9mm, Head: 20mm, Honda 91512-SM4-0035	
Bumper Fascia Retainer, Black Nylon, Size: 10mm, Stem: 27mm, Head: 20mm, Honda 91502-SM4-0005	
Front/Rear Bumper Retainer, Size: 10mm, Stem: 15mm, Head: 20mm, Acura 91503-SP0-0035	
Front/Rear Bumper Retainer, Size: 10mm, Stem: 25mm, Head: 20mm, Honda 91502-SP0-0035	
Bumper Fascia Retainer, Size: 10mm, Stem: 24mm, Head: 20mm, Honda 91504-SM4-0005	
Front Bumper Retainer, Size: 10mm, Stem: 20mm, Head: 13mm, Honda 91503-SZ5-003, Acura 91503-SZ3-00310	
Bumper Retainer, Size: 10mm, Stem: 18mm, Head: 20mm, Honda 91503-SZ5-003	

Refill Options		
Refill Qty.	Clamshell Qty.	
ABD6059 10	ABD6059RX5	
ABD6073 10	ABD6073RX2	
ABD6080 10	**	
ABD6114 10	ABD6114RX2	
ABD6115 10	ABD6115RX2	
ABD6122 10	ABD6122RX2	
ABD6124 10	**	
ABD6131 10	**	
ABD6133 10	ABD6133RX2	
ABD6134 10	ABD6134RX2	
ABD6155 10	ABD6155RX2	
ABD6156 10	ABD6156RX2	

ABD7750

80-piece Toyota Body Retainer Kit

Description Kit Qty.
Hood Seal Retainer, Size: 13/64" (5.3mm), Stem: 11mm, Head: 13mm, Toyota 90467-08004, Toyota 90467-08011 10
Toyota/Nissan Retainer Clip, Size: 13/64" (5.3mm), Stem: 15mm, Head: 13mm, Toyota 90467-070505
Toyota Retainer Clip, Size: 13/64" (5.3mm), Stem: 15mm, Head: 13mm, Toyota 90467-070505
Hood Insulation Retainer, Size: 17/64" (7mm), Stem: 17mm, Toyota 90467-9006
Toyota Retainer Clip, Size: 17/64" (7mm), Head: 30mm, Stem: 17mm, Toyota 90467-09008
Door Panel Retainer, Size: 9mm, Size: 18mm, Stem: 14mm, Toyota 67771-010105
Push-type Retainers, Black Nylon, Size: 7mm, Stem: 12mm, Head: 15mm, Toyota 90467-06017
Bumper Cover Retainer, Size: 9mm, Stem: 12mm, Toyota 90467-01945
Rear Bumper Cover Retainer, Size: 9mm, Stem: 28mm, Head: 18mm, Toyota 52161-16010
Front Fender Liner, Size: 7mm, Size: 20mm, Stem: 8mm, Toyota 90467-07166
Door Trim Retainer, Size: 9mm, Stem: 14mm, Toyota 67771-01010
Door Trim Retainer, Size: 13mm, Stem: 11mm, Toyota 67771-30070

Refil	l Options
Refill Qty.	Clamshell Qty.
ABD607410	ABD6074RX5
ABD607510	ABD6075RX5
ABD6076 10	ABD6076RX4
ABD6077 10	ABD6077RX1
ABD6078 10	**
ABD6087 10	ABD6087RX4
ABD6118 10	ABD6118RX4
ABD6128 10	ABD6128RX2
ABD6150 10	ABD6150RX1
ABD6152 10	ABD6152RX2
ABD6171 10	**
ABD6174 10	**



ABD7750

ABD7850

75-piece Nissan Body Retainer Kit

Description	Kit Qty.
Panel Retainer, Size: 15/64" (6mm), Stem: 16mm, Nissan 76906-T3000	5
Hood Insulation Clip, Size: 3/16" (5mm), Stem: 9mm, Nissan 65846-30F00	5
Door Trim Retainer, Nissan 01553-S3500	5
Push-type Retainers, Black Nylon, Size: 10mm, Stem: 15mm, Head 18mm, Nissan 01553-09241	10
Cowl Panel Retainer, Size: 6mm, Stem: 16mm, Head: 14mm, Nissan 66860-01W01	5
Inner Fender Retainer, Size: 8mm, Stem: 18mm, Head: 20mm, Nissan 63844-01A00	10
Trim Retainer, Size: 7mm, Stem: 11mm, Head: 18mm, Nissan 6031390	5
Front/rear Bumper Retainer, Size: 8mm, Stem: 15mm, Head: 20mm, Nissan 01553-06721	5
Trim Retainer, Size: 8mm, Stem: 9mm, Head: 20mm, Nissan 01553-09321	10
Grill Retainer, Size: 15/64" (6mm), Stem: 8mm, Nissan 66814-01G00	5
Push-type Retainer, Size: 5/16" (8mm), Stem: 20mm, Nissan 76882-57A00	5
Fascia Retainer, Size: 7/16" (11mm), Stem: 14mm, Nissan 01553-03101	5

Refill Options		
Refill Qty.	Clamshell Qty.	
ABD609410	**	
ABD609510	**	
ABD609610	**	
ABD611710	**	
ABD612610	ABD6126RX 2	
ABD613210	ABD6132RX 4	
ABD614110	ABD6141RX 2	
ABD614310	ABD6143RX 2	
ABD615310	ABD6153RX 2	
ABD617210	**	
ABD617310	**	
ABD617510	**	



ABD7850

ABD6300

65-piece Push-type Retainer Kit (Ford, GM & Chrysler)

Description	Kit Qty
Mud Skirt Blind Rivets, Size: 1/4", Stem: 9/16", Head: 11/16", GM 14019205	10
Splash Shield Blind Rivet, Size: 1/4", Stem: 7/8", Head: 1", GM 140193088	10
Push-type Retainer, Size: 8mm, Stem: 20mm, Head: 20mm, GM 21030249	5
Push-type Retainer, Size: 10mm, Stem: 16mm, Head: 12mm, Ford XL3Z17E971-AA	5
Bumper Pad Blind Rivets, Size: 1/2" (12.7mm), Stem: 3/4", Head: 1/8", GM 5973400	10
Radiator Shroud Blind Rivet, Size: 1/4" (6.4mm), Stem: 15/16", Head: 11/16", Ford N804570S	5
Door Panel Retainers, Size: 1/4" (6.4mm), Stem: 41/64", Head: 9/16", GM 15960325	5
Push-type Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", Chrysler 6501925	3
Splash Shield/Fascia Retainer, Size: 5/16", Stem: 7/8", Head: 1", Ford N803421S	4
Trim Fascia Retainer, Size: 1/4", Stem: 21/32", Head: 15/32", Ford N803494S	4
Push-type Retainer, Size: 1/4" (6.4mm), Stem: 1", Head: 7/8", Chrysler 6506106	2
Push-type Retainer, Size: 1/2" (12.7mm), Stem: 1-1/16", Head: 7/8" x 1-25/32", Chrysler 4630253.	2

Refill	Options
Refill Qty.	Clamshell Qty.
ABD6101 10	ABD6101RX5
ABD6102 10	ABD6102RX4
ABD6103 10	ABD6103RX3
ABD6104 10	ABD6104RX2
ABD6105 10	ABD6105RX2
ABD6106 10	ABD6106RX4
ABD6107 10	ABD6107RX3
ABD6108 10	ABD6108RX3
ABD6109 10	**
ABD611010	**
ABD611110	ABD6111RX1
ABD611210	ABD6112RX1



ABD6300

ABD6900

100-piece Ergo Tuflok Retainer Kit

100-piece Ligo Tuliok Netalilei Kit	
Description	Kit Qty.
Fender Apron Retainer, Size: 8.5mm, Stem: 14mm, Head: 19mm, GM 11609417	10
Ergo Tuflok Retainer, Size: 6.5mm, Stem: 22mm, Head: 18mm, GM 11589291, Ford W713331S300	10
Ergo Tuflok Retainer, Size: 6.5mm, Stem: 17.5mm, Head: 18mm, GM 11589289, Chrysler 6508863AA	10
Bumper Fascia Retainer, Size: 6.5mm, Stem: 22mm, Head: 18mm, GM 11589290	10
Ergo Tuflok Retainer, Size: 8mm, Stem: 16mm, Head: 19mm, GM15296830, Chrysler 0516530AA	5
Ergo Tuflok Retainer, Size: 8.5mm, Stem: 20mm, Head: 20mm, GM 11589292	10
Panel Retainer, Size: 9mm, Stem: 23mm, Head: 19mm, GM 11589294	10
Cowl & Fender Retainer, Size: 8.5mm, Stem: 22mm, Head: 20mm, GM 11589293, Ford W712196S300	10
Fender/Wheel/Bumper Retainer., Size: 9.5mm, Stem: 20mm, Head: 18mm, GM 11561368, Chrysler 065008712	2AA10
Ergo Tuflok Retainer, Size: 10.5mm, Stem: 20mm, Head: 25mm, GM 11589295, Chrysler 5GUU9K11BA	5
Ergo Tuflok Retainer, Size: 10.5mm, Stem: 23mm, Head: 25mm, GM 11589296	10

Refill Options**
Refill Qty.
ABD616010
ABD616110
ABD616210
ABD616310
ABD616410
ABD616510
ABD616610
ABD616710
ABD616810
ABD616910
ABD617010



ABD6900



ABD7000

ABD7000 120-piece Master Kit GM Retainer Assortments

Description	Kit Qty.
Door Trim Panel Clips, Size: 1/4" (6.4mm), Stem: 3/4", Head: 7/8", GM 3065575	5
Panel Retainers, Size: 3/8" (9.5mm), Stem: 13/16", Head: 1", GM 1619321	5
Door Panel Clips, Size: 1/4" (6.4mm), Stem: 3/4", Head: 3/4" x 7/8", GM 20421800, 15600382	5
Panel Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 11/16", GM 332364	5
Shield Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", GM 1605396, GM 1595864	5
Dash Panel Retainers, Size: 3/16" (4.5mm), Stem: 13/16", Head: 7/16", GM 25016383, GM 20413107	5
Weatherstrip Retainer, Size: 3/16" (4.5mm), Stem: 3/8", Head: 3/8", GM 2964547	5
Weatherstrip Retainer, Size: 13/64" (5.3mm), Stem: 12mm, Head: 10mm, GM 20699808	5
Trim Panel Retainer, Size: 1/4" (6.4mm), Stem: 3/4", Head: 1/2", GM 411700	
Shield Retainers, Size: 1/4" (6.4mm), Stem: 1-1/16", Head: 11/16", GM 10121502	
Trim Panel Retainer, Size: 5/16" (7.8mm), Stem: 7/8", Head: 3/4", GM 21094146	
Hood Seal Retainer, Size: 5/16" (7.8mm), Stem: 1-3/8", Head: 3/4", GM 14074081	
Back Seat Shield Retainers, Black Nylon, Size: 17/64" (7mm), Stem: 15/16", Head: 25/32", GM 20319841	
Interior Trim Panel Retainer, Natural Nylon, Size: 17/64" (7mm), Stem: 11/16", Head: 15/16", GM 2048248	
Front End Stone Shield Retainers, Black Nylon, Size: 3/8" (9.5mm), Stem: 13/16", Head: 7/8", GM 22512276	
Trim Panel Retainer, Black Nylon, Size: 1/4" (6.4mm), Stem: 1-7/16", Head: 1", GM 14027471	
Hood Insulation Clips, Black Nylon, Size: 1/4" (6.4mm), Stem: 3/4", Head: 1-21/32", GM 20064875	
Hood Insulation Clips, Black Poly, Size: 1/4" (6.4mm), Stem: 3/4", Head: 2", GM 3078511	
Door Trim Panel Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 1/2", Head: 3/4", GM 796255	
Door Trim Panel Retainers, Natural Nylon, Size: 1/4" (6.4mm), Stem: 3/4", Head: 3/4", GM 12337920	
Weatherstrip Fastener, Black Nylon, Size: 3/16" (4.5mm), Stem: 5/8", Head: 7/16", GM 20413107	
Mud Shield Retainer, Black Nylon, Size: 1/4" (6.4mm), Stem: 1/2", Head: 3/4", GM 20413107	
Bumper, Fender, Seat & Carpet Retainer, Size: 6.3mm, Stem: 11mm, Head: 18.5mm, GM 10182300	
Door Trim Panel Retainer, Size: 7.5mm, Stem: 18mm, Head: 20mm, GM 21042045	5

		• "
		Options
y.	Refill Qty.	Clamshell Qty.
	ABD600110	ABD6001RX5
	ABD600210	ABD6002RX6
	ABD600310	ABD6003RX5
	ABD600410	ABD6004RX12
	ABD600510	ABD6005RX8
	ABD600610	ABD6006RX6
	ABD600710	ABD6007RX8
	ABD600810	ABD6008RX5
	ABD600910	ABD6009RX8
	ABD601010	ABD6010RX5
	ABD601110	ABD6011RX3
	ABD601210	ABD6012RX3
	ABD602010	ABD6020RX4
	ABD603010	ABD6030RX5
	ABD603210	ABD6032RX3
	ABD603310	**
	ABD603410	ABD6034RX4
	ABD603610	ABD6036RX2
	ABD603710	ABD6037RX2
	ABD603810	ABD6038RX5
	ABD603910	ABD6039RX2
	ABD604010	ABD6040RX3
	ABD604110	ABD6041RX3
	ABD604210	ABD6042RX2



ABD7100

ABD7100

Description

120-piece Master Kit Ford Retainer Assortments

···· P···	
Shield Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", Ford 388577-S	
Shield Retainers, Size: 7/32" (5.3mm), Stem: 11/16", Head: 3/4", Ford N80101994-S	5
Shield Retainers, Size: 7/32" (5.3mm), Stem: 25/32", Head: 1", Ford N808370-S	5
Trim Panel Retainers, Size: 1/4" (6.4mm), Stem: 1-1/16", Head: 1", Ford 388930-S	5
Interior Trim Retainers, Size: 9/32" (7.1mm), Stem: 20mm, Head: 25mm, Ford N802734S	5
Shield Retainers, Size: 23/64" (9mm), Stem: 3/4", Head: 5/8", Ford N807721-S	5
Fascia Bumper Retainers, Size: 25/64" (4.5mm), Stem: 28mm, Head: 22mm, Ford N804379S	5
Door Trim Panel Clips, Size: 1/4" (6.4mm), Stem: 5/8", Head: 25/32", Ford N801925-S	
Trim Panel Retainers, Size: 9/32" (7.1mm), Stem: 1-3/4", Head: 1", Ford E7EB5802354AAJABH	5
Hood Insulation Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 1/2" x 1-1/2", Ford D30Z-16776A	5
Door Trim Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Ford 385661-S	5
Trim Panel Retainers, Size: 1/4" (6.4mm), Stem: 15/16", Head: 15/16", Ford 387496-S	5
Weatherstrip Fastener, Black Nylon, Size: 3/16" (4.5mm), Stem: 5/8", Head: 7/16", Ford 388246S	5
Mud Shield Retainer, Black Nylon, Ford 76-on, Size: 1/4" (6.4mm), Stem: 1/2", Head: 3/4", Ford 387258-S	5
Bumper, Fender, Seat & Carpet Retainer, Size: 6.3mm, Stem: 11mm, Head: 18.5mm, Ford N803678-S	5
Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 3/4", Head: 1-3/16", Ford 386553-S	5
Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 3/4", Head: 1-3/4", Ford 388908-S	5
Door Trim Panel Retainers, Black Nylon, Size: 9/32" (7.1mm), Stem: 3/4", Head: 3/4", Ford N805155-S	5
Door Trim Panel Retainers, Natural Nylon, Size: 1/4" (6.4mm), Stem: 1", Head: 3/4", Ford N805612-S100	5
Door Trim Panel Retainers, White Nylon, Size: 9/32" (7.1mm), Stem: 9/16", Head: 3/4", Ford 387477-S	5
Seat Back Panel Retainers, Black Nylon, Size: 9/32" (7.1mm), Stem: 5/8", Head: 5/8", Ford 387182-S	5
Door Trim Panel Retainers, Natural Nylon, Size: 1/4" (6.4mm), Stem: 13/16", Head: 3/4", Ford 389144-S	5
Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 17mm, Head: 32mm, Ford N808842-S	5
Fascia Retainer, Black Nylon, Mustang 84-on, Size: 3/16" (4.5mm), Stem: 1/2", Head: 7/16", Ford N803170-S	5

Refill 0	ptions
Refill Qty.	Clamshell Qty.
ABD6005 10	ABD6005RX8
ABD6013 10	ABD6013RX2
ABD6014 10	ABD6014RX2
ABD6015 10	ABD6015RX8
ABD6016 10	ABD6016RX4
ABD6017 10	ABD6017RX3
ABD6018 10	ABD6018RX3
ABD6019 10	ABD6019RX4
ABD6021 10	ABD6021RX2
ABD6022 10	ABD6022RX6
ABD6023 10	ABD6023RX4
ABD6024 10	ABD6024RX3
ABD6039 10	ABD6039RX2
ABD6040 10	ABD6040RX3
ABD6041 10	ABD6041RX3
ABD6043 10	ABD6043RX7
ABD6044 10	ABD6044RX3
ABD6045 10	ABD6045RX2
ABD6046 10	ABD6046RX3
ABD6047 10	ABD6047RX3
ABD6048 10	ABD6048RX3
ABD6049 10	ABD6049RX4
ABD6050 10	ABD6050RX4
ABD6058 10	ABD6058RX5

Kit Qty.

ABD7200

120-piece Master Kit Chrysler Retainer Assortments

Description	Kit Qt
Panel Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 11/16", Chrysler 3691590	5
Shield Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", Chrysler 6030441	5
Trim Panel Retainers, Size: 5/16" (7.8mm), Stem: 7/8", Head: 3/4", Chrysler 6501301	5
Hood Insulation Retainers, Size: 1/4" (6.4mm), Stem: 5/8", Head: 1/2" x 1-1/2", Chrysler 6003351	5
Door Trim Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Chrysler 6032363	
Weatherstrip Retainers, Size: 13/64" (5.3mm), Stem: 5/8", Head: 3/8", Chrysler 4658673	
Shield Retainers, Size: 7/32" (5.5mm), Stem: 3/4", Head: 5/8", Chrysler 6501948	
Fascia Panel Retainers, Size: 1/4" (6.4mm), Stem: 20mm, Head: 25mm, Chrysler 6501067	
Shield Retainers, Size: 1/4" (6.4mm), Stem: 1-1/16", Head: 1", Chrysler 6502104	
Panel Retainers, Size: 5/16" (7.8mm), Stem: 11/16", Head: 1/2", Chrysler 34202335	
Door Trim Panel Retainers, Size: 11/32" (8.5mm), Stem: 8mm, Head: 20mm, Chrysler 6505292AA	
Interior Trim Panel Retainer, Natural Nylon, Size: 17/64" (7mm), Stem: 11/16", Head: 15/16", Chrysler 6003423	
Door Trim Panel Retainers, Size: 1/4" (6.4mm), Stem: 11/16", Head: 15/16", Chrysler 6003349	
Door Trim Panel Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 1/2", Head: 3/4", Chrysler 6033862	
Mud Shield Retainer, Black Nylon, Chrysler 76-on, Size: 1/4" (6.4mm), Stem: 1/2", Head: 3/4", Chrysler 3861577	
Bumper, Fender, Seat & Carpet Retainer, Size: 6.3mm, Stem: 11mm, Head: 18.5mm, Chrysler 6033018	
Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 17mm, Head: 32mm, Chrysler 6504098	
Hood Insulation/Fender Retainer, Black Nylon, Size: 1/4" (6.4mm), Stem: 3/4", Head: 1-5/16", Chrysler 4341060	
Weatherstrip Retainers, White Nylon, Size: 13/64" (5.3mm), Stem: 15/32", Head: 1/4" x 21/32", Chrysler 4696129.	
Door Panel Retainers, White Nylon, Size: 1/4" (6.4mm), Stem: 9/16", Head: 25/32", Chrysler 6504014	
Trim Panel Retainers, Natural Nylon, Size: 3/16" (4.5mm), Stem: 3/4", Head: 3/4", Chrysler 6503709 Trim Panel Retainers, Green Nylon, Size: 1/2" (12.7mm), Stem: 1/4", Head: 23/32", Chrysler 6503204	
Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 1/4", Head: 23/32", Chrysler 6503204	
Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 1/4", Head: 23/32", Chrysler 63/03/204 Hood Insulation Retainers, Black Nylon, Size: 1/4" (6.4mm), Stem: 12mm, Head: 30mm, Chrysler 48/78883AA	
nood insulation riciancis, black hylon, size. 1/4 (0.4min), sizin. 12min, ricad. Somith, oil yslet 40/0005AA	J

Refill	Options
Refill Qty.	Clamshell Qty.
ABD6004 10	ABD6004RX12
ABD6005 10	ABD6005RX8
ABD6011 10	ABD6011RX3
ABD6022 10	ABD6022RX6
ABD6023 10	ABD6023RX4
ABD6025 10	ABD6025RX4
ABD6026 10	ABD6026RX5
ABD6027 10	ABD6027RX3
ABD6028 10	ABD6028RX2
ABD6029 10	ABD6029RX2
ABD6031 10	ABD6031RX2
ABD6030 10	ABD6030RX5
ABD603510	ABD6035RX4
ABD6037 10	ABD6037RX2
ABD6040 10	ABD6040RX3
ABD6041 10	ABD6041RX3
ABD6050 10	ABD6050RX4
ABD6051 10	ABD6051RX3
ABD6052 10	ABD6052RX8
ABD6053 10	ABD6053RX5
ABD6054 10	ABD6054RX2
ABD6055 10	ABD6055RX3
ABD6056 10	ABD6056RX3
ABD6057 10	ABD6057RX3



ABD7200

ABD7500

120-piece Master Push-type Retainer Assortment

Description	Kit Qty.
Mud Skirt Blind Rivets, Size: 1/4", Stem: 9/16", Head: 11/16", GM 14019205	5
Splash Shield Blind Rivet, Size: 1/4", Stem: 7/8", Head: 1", GM 140193088	5
Push-type Retainer, Size: 8mm, Stem: 20mm, Head: 20mm, GM 21030249	
Push-type Retainer, Size: 10mm, Stem: 16mm, Head: 12mm, Ford XL3Z17E971-AA	
Bumper Pad Blind Rivets, Size: 1/2" (12.7mm), Stem: 3/4", Head: 1/8", GM 5973400	
Radiator Shroud Blind Rivet, Size: 1/4" (6.4mm), Stem: 15/16", Head: 11/16", Ford N804570S	5
Door Panel Retainers, Size: 1/4" (6.4mm), Stem: 41/64", Head: 9/16", GM 15960325	5
Push-type Retainers, Size: 1/4" (6.4mm), Stem: 13/16", Head: 11/16", Chrysler 6501925	
Splash Shield/Fascia Retainer, Size: 5/16", Stem: 7/8", Head: 1", Ford N803421S	5
Trim Fascia Retainer, Size: 1/4", Stem: 21/32", Head: 15/32", Ford N803494S	
Push-type Retainer, Size: 1/4" (6.4mm), Stem: 1", Head: 7/8", Chrysler 6506106	
Push-type Retainer, Size: 1/2" (12.7mm), Stem: 1-1/16", Head: 7/8" x 1-25/32", Chrysler 4630253	
Vent Panel Blind Rivets, Black Nylon, Size: 1/4" (6mm), Stem: 11mm, Head: 18mm, Honda 90688-SB0-003	
Push-type Retainers, Black Nylon, Size: 8mm, Stem: 11mm, Head: 20mm, Honda 91512-SX0-003	
Push-type Retainers, Black Nylon, Size: 8mm, Stem: 21mm, Head: 18mm, Honda 90505-SM4-003	
Radiator/Windshield Bottle Retainer, Black Nylon, Size: 5/16" (7.8mm), Stem: 9/16", Head: 21/32", GM 14071289	
Push-type Retainers, Black Nylon, Size: 10mm, Stem: 15mm, Head 18mm, Nissan 01553-09241	
Push-type Retainers, Black Nylon, Size: 7mm, Stem: 12mm, Head: 15mm, Toyota 90467-06017	
Bumper Cover/Blind Rivets, Black Nylon, Size: 23/64" (9mm), Stem: 27mm, Head: 15mm, Toyota 90467-09093	
Rocker Panel Retainers, Black Nylon, Size: 8mm, Stem: 20mm, Head: 15mm, GM 21075686	
Splash Shield Blind Rivets, Black Nylon, Size: 5/16" (8mm), Stem: 9mm, Head: 20mm, Honda 90675-SB3-003	
Fender Splash Shield Push-type Retainer, Size: 8mm, Stem: 9mm, Head: 20mm, Honda 91512-SM4-003	
Fascia Retainers, Black Nylon, Size: 3/8" (9.5mm), Stem: 23/32", Head: 1", GM 14045480, GM 8942981190	
Bumper Fascia Retainers, Black Nylon, Size: 10mm, Stem: 27mm, Head: 20mm, Honda 91502-SM4-000	5

Refill Options		
Refill Qty.	Clamshell Qty.	
ABD610110	ABD6101RX5	
ABD610210	ABD6102RX4	
ABD610310	ABD6103RX3	
ABD610410	ABD6104RX2	
ABD610510	ABD6105RX2	
ABD610610	ABD6106RX 4	
ABD610710	ABD6107RX3	
ABD610810	ABD6108RX3	
ABD610910	**	
ABD611010	**	
ABD611110	ABD6111RX1	
ABD611210	ABD6112RX1	
ABD611310	ABD6113RX4	
ABD611410	ABD6114RX2	
ABD611510	ABD6115RX2	
ABD611610	ABD6116RX3	
ABD611710	**	
ABD611810	ABD6118RX4	
ABD611910	ABD6119RX2	
ABD612010	ABD6120RX3	
ABD612110	ABD6121RX4	
ABD612210	ABD6122RX2	
ABD612310	ABD6123RX2	
ABD612410	**	



ABD7500

ABD6500

120-piece SEMS Screw Kit (all makes)

Description Kit Qty.	
Phillips Oval Head Trim Screw, Size: 10 X 3/4", Head Size: #8, Finish: Black Phosphate10	
Phillips Oval Head Trim Screw, Size: 10 x 1", Head Size: #8, Finish: Black Phosphate10	
Phillips Oval Head Trim Screw, Size: 8 x 1", Head Size: #6, Finish: Black Oxide10	
Phillips Oval Head Trim Screw, Size: 8 x 3/4", Head Size: #6, Finish: Chrome10	
Phillips Oval Head Trim Screw, Size: 8 x 3/4", Head Size: #6, Finish: Black Phosphate10	
Phillips Oval Head Trim Screw, Size: 10 x 3/4", Head Size: #8, Finish: Chrome10	
Phillips Oval Head Trim Screw, Size: 10 X 1", Head Size: #8, Finish: Chrome10	
Phillips Oval Head Trim Screw, Size: 10 x 5/8", Head Size: #6, Finish: Black Phosphate10	
Phillips Oval Head Trim Screw, Size: 8 x 3/4", Head Size: #6, Finish: Black Phosphate10	
Phillips Oval Head Trim Screw, Size: 8 x 1", Head Size: #6, Finish: Black Phosphate10	
Phillips Oval Head Trim Screw, Size: 8 x 3/4", Head Size: #6, Finish: Chrome10	
Phillips Oval Head Trim Screw, Size: 8 x 1", Head Size: #6, Finish: Chrome10	

Refill Options	
Refill Qty.	Clamshell Qty.
ABD6301 10	ABD6301RX5
ABD6302 10	ABD6302RX4
ABD6303 10	**
ABD6304 10	**
ABD6305 10	**
ABD6306 10	ABD6306RX3
ABD6307 10	ABD6307RX3
ABD6308 10	**
ABD6309 10	ABD6309RX4
ABD6310 10	ABD6310RX8
ABD6311 10	ABD6311RX3
ABD6312 10	ABD6312RX6



ABD6500

RETAINER KITS & ASSORTMENTS



ABD6700



ABD7400

ABD6700

39-piece Stainless Steel Capped Bumper Bolt Assortment

Description	Kit Qty.
Stainless Steel Bumper Bolt, Round Head, Size: 5/16"-18 x 1", Head: 3/4"	.8
Stainless Steel Bumper Bolt, Pan Head, Size: 3/8"-16 x 1", Head: 7/8", Chrysler 6026723	.8
Stainless Steel Bumper Bolt, Round Head, Size: 3/8"-16 x 1", Head: 7/8"	.5
Stainless Steel Bumper Bolt, Round Head, Size: 7/16"-14 x 1-1/2", Head: 29/32"	.5
Stainless Steel Bumper Bolt, Round Head, Size: 1/2"-13 x 1-1/2", Head: 1-3/32"	.5
Stainless Steel Bumper Bolt, Pan Head, Size: 8-1.25 x 25mm, Head: 19mm, GM 14003784	.8

Refill (Options
Refill Qty.	Clamshell Qty.
ABD636110	ABD6361RX1
ABD636210	ABD6362RX1
ABD636310	ABD6363RX1
ABD6364 10	ABD6364RX1
ABD6365 10	ABD6365RX1
ABD6366 10	ABD6366RX1

ABD7400

120-piece Master Body Bolt, Hex Nut, Extruded U-nut Assortment

Description Kit Qt Bolts Dog Point, Size: 6-1.00 x 22mm, Head: 8mm IND Hex, Finish: Black Phos., Ford N606676-S2	y.
Body Bolts CA Point, Size: 6-1.00 x 25mm, Head: 10mm IND Hex, Finish: Black Phos., GM 11505044	
Body Bolts CA Point, Size: 10-1.50 x 40mm, Head: 15mm IND Hex, Finish: Black Phos., GM 11501193	

Refill	Options
Refill Qty.	Clamshell Qty.
ABD633710	ABD6337RX4
ABD6338 10	ABD6338RX4
ABD6339 10	ABD6339RX3
ABD6340 10	ABD6340RX6
ABD6341 10	ABD6341RX3
ABD634210	ABD6342RX5
ABD634310	ABD6343RX3
ABD6344 10	ABD6344RX3
ABD6345 10	ABD6345RX4
ABD6346 10	ABD6346RX3
ABD6347 10	ABD6347RX3
ABD6348 10	ABD6348RX4
ABD6349 10	ABD6349RX2
ABD6350 10	ABD6350RX3
ABD6351 10	ABD6351RX4
ABD6352 10	ABD6352RX4
ABD6353 10	ABD6353RX2
ABD6354 10	ABD6354RX2
ABD6355 10	ABD6355RX2
ABD6356 10	ABD6356RX2
ABD6357 10	ABD6357RX1
ABD6358 10	ABD6358RX1
ABD635910	ABD6359RX4
ABD6360 10	ABD6360RX3



ABD7300

ABD7300

185-piece Master Universal Trim Screw Assortment

Description	Kit Qty.
Phillips Oval Head Wheel Opening Teks® Screws, Size: 8 x 1/2", 13/32" OD Washer, Finish: Chrome	5
Phillips Oval Head Wheel Opening Teks® Screws, Size: 8 x 1/2", 13/32" OD Washer, Finish: Black	5
Phillips Oval Head Teks® Screws, Size: 8 x 3/4", 13/32" OD Washer, Finish: Black	10
Indented Hex Head Teks® Screws, Size: 8 x 1/2", Head Size: 1/4", Finish: Zinc	5
Phillips Oval Head Sheet Metal Screws Size: 8 x 3/4", Head Size: #6, Finish: Chrome	10
Phillips Oval Head Sheet Metal Screws Size: 8 x 1", Head Size: #6, Finish: Chrome	10
Phillips Oval Head Sheet Metal Screws Size: 8 x 1-1/4", Head Size: #6, Finish: Chrome	10
Phillips Oval Head Sheet Metal Screws Size: 10 x 1", Head Size: #8, Finish: Chrome	10
Phillips Oval Head Sheet Metal Screws Size: 8 x 3/4", Head Size: #6, Finish: Black	10
Phillips Oval Head Sheet Metal Screws Size: 8 x 1", Head Size: #6, Finish: Black	10
Phillips Oval Pan Head Sheet Metal Screws Size: 8 x 3/4", Finish: Black	10
Phillips Oval Pan Head Sheet Metal Screws Size: 8 x 1", Finish: Black	
Torx® Oval Head Trim Screws, Size: 4.2-1.41 x 30mm, Head Size: 7mm, Finish: Chrome	5
Torx® Oval Head Trim Screws, Size: 4.2-1.41 x 30mm, Head Size: 7mm, Finish: Black Stainless Steel	5
Torx® Oval Head Trim Screws, Size: 4.2-1.41 x 25mm, Head Size: 8mm, Finish: Chrome	5
Torx® Oval Head Trim Screws, Size: 4.2-1.41 x 25mm, Head Size: 8mm, Finish: Black Stainless Steel	5
Hex Head Teks® Screws, Size: 4.2-1.41 x 20mm, Head Size: 7mm, Finish: Black	5
Hex Head Teks® Screws, Size: 4.2-1.41 x 20mm, Head Size: 7mm, Finish: Black	5
Phillips Flat Top Trim Screws, Size: 8 x 1/2", 13/32" OD Washer, Finish: Black	10
Phillips Flat Top Trim Screws, Size: 8 x 3/4", 13/32" OD Washer, Finish: Black	10
Phillips Flat Top Trim Screws, Size: 8 x 3/4", 1/2" OD Washer, Finish: Black	10
Phillips Flat Top Trim Screws, Size: 10 x 3/4", 1/2" OD Washer, Finish: Black	10
Indented Hex Head Teks® Screws, Size: 8 x 3/4", Head Size: 3/4", Finish: Zinc	5
Indented Hex/Slotted License Plate Screws, Size: 14 x 3/4", Head Size: 3/8" IND, Finish: Zinc	5

Refill (Options
Refill Qty.	Clamshell Qty.
ABD631310	**
ABD631410	**
ABD631510	**
ABD631610	ABD6316RX 6
ABD631710	ABD6317RX 10
ABD631810	ABD6318RX 10
ABD631910	ABD6319RX 10
ABD632010	ABD6320RX 10
ABD632110	ABD6321RX 10
ABD632210	ABD6322RX 10
ABD632310	ABD6323RX 10
ABD632410	ABD6324RX 10
ABD632510	**
ABD632610	**
ABD632710	**
ABD632810	**
ABD632910	**
ABD633010	ABD6330RX 4
ABD633110	ABD6331RX 6
ABD633210	ABD6332RX 10
ABD633310	**
ABD633410	ABD6334RX 10
ABD633510	ABD6335RX 10
ABD633610	ABD6336RX 5

RETAINER KITS & ASSORTMENTS

ABD6800

60-piece Hex Nut / Extruded U-nut Assortment

Description Kit Qt	ιy.
Hex Flange Nuts, Size: 580mm, Head Size: 8mm, Finish: Black Phos., GM 115027225	
Extruded U-nuts, Size: 6-1.00mm, Center to Edge: 17/32", Range: .010165, Finish: Black Phos., GM 11503957 5	
Extruded U-nuts, Size: 6-1.00mm, Center to Edge: 25/32", Range: .010165, Finish: Black Phos., GM 11503715 5	
Hex Flange Nuts, Size: 6-1.00mm, Head Size: 10mm, Finish: Black Phosphate, GM 115053295	
Extruded U-nuts, Size: 8-1.25mm, Center to Edge: 9/16", Range: .010165, Finish: Black Phos., GM 11500660 5	
Extruded U-nuts, Size: 8-1.25mm, Center to Edge: 13/16", Range: .010175, Finish: Black Phos., GM 11500661 5	
Metric Hex Nuts, Size: 8-1.25mm, Head Size: 13mm, Finish: Black Phos., GM 115036955	
Extruded U-nuts, Size: 10-1.50mm, Center to Edge: 3/4", Range: .035232, Finish: Black Phos., GM 11500662 5	
Hex Flange Nuts, Size: 10-1.25mm, Head Size: 15mm, Finish: Black Phosphate, GM 115018505	
Extruded U-nuts, Size: 1/4"-20, Center to Edge: 15/32", Range: .010165, Finish: Black Phos., GM 1494252 5	
Extruded U-nuts, Size: 5/16"-18, Center to Edge: 27/32", Range: .010170, Finish: Black Phos., GM 1494258 5	
Extruded U-nuts, Size: 3/8"-16, Center to Edge: 3/4", Range: .035205, Finish: Black Phos., GM 14942545	

Refill	Options
Refill Qty.	Clamshell Qty.
ABD6340 10	ABD6340RX6
ABD6346 10	ABD6346RX3
ABD6347 10	ABD6347RX3
ABD6348 10	ABD6348RX4
ABD6354 10	ABD6354RX2
ABD6355 10	ABD6355RX2
ABD6356 10	ABD6356RX2
ABD6358 10	ABD6358RX1
ABD635910	ABD6359RX4
ABD6367 10	ABD6367RX3
ABD6368 10	ABD6368RX2
ABD636910	ABD6369RX1



ABD6800

ABDDPC-60 60-piece Hood Prop Clip Assortment

Description	Kit Qty.
Hood Prop Clip, Rod Diameter: M8, Hole: 5 x 14mm, GM 10271128	5
Hood Prop Clip, Rod Diameter: 9mm, Hole: 10mm, Toyota 53455-33010, Toyota 53455-33011	5
Hood Prop Clip, Rod Diameter: 5/16", GM 21097292	5
Hood Prop Clip, Rod Diameter: 7mm, Hole: M10, Chrysler 5027550AB, GM 15021761	5
Hood Prop Clip, Ford D5ZZ-16828B	5
Hood Prop Clip, Rod Diameter: 5/16", Ford 386299-S	5
Hood Prop Clip, Rod Diameter: 5/16", Ford E83Z-16828A	5
Hood Prop Clip, Rod Diameter: 6mm, Hole: 7mm, Ford W702380-S300	5
Hood Prop Clip, Rod Diameter: 8mm, Honda 90677-SE0-003	5
Hood Prop Clip, Chrysler 4103276	5
Hood Prop Clip, Ford F2UZ-16828A	5
Hood Prop Clip, Rod Diameter: 1/4", Ford E1FZ-16828C	5


Refill	Options
Refill Qty.	Clamshell Qty.
ABDH1201 5	ABDH1201RX 1
ABDH1202 5	ABDH1202RX 1
ABDH1203 5	ABDH1203RX 2
ABDH1204 5	ABDH1204RX 1
ABDH1205 5	ABDH1205RX 2
ABDH1206 5	ABDH1206RX 2
ABDH1207 5	ABDH1207RX 2
ABDH1208 5	ABDH1208RX 1
ABDH1209 5	**
ABDH1210 5	ABDH1210RX 2
ABDH1211 5	ABDH1211RX 1
ABDH1212 5	ABDH1212RX 2



ABDDPC-60

ABDHPK-1 18-piece Door Hinge Pin Assortment

Description Door Hinge Pin Bushings, Application: GM Cars 1980-98, ID: 0.345, OD: 0.489, HT: 0.362, GM 20429500 Door Hinge Pin Bushings, Application: GM Cars 1980-98, ID: 0.345, OD: 0.419, HT: 0.295, GM 9721917	2
Door Hinge Pin Kit, Application: GM C- and K-series Trucks 1988-03	
Door Hinge Pin Kit, Application: GM Cars / Trucks 1960-98	
Door Hinge Pin Nt, Application: GM Cars / Trucks 1960-98	
Door Hinge Pin Kit, Application: Ford Mustang / Capri 1979-98	
Door Hinge Pin Kit, Application: Dodge Trucks 1984-97	1
Door Hinge Pin Kit, Application: Dodge Cars / Minivans 1984-92	





ABDHPK-1

QTY. PART NO. DESCRIPTION

6-RADIATOR APRON PANEL RET. ABD6002RX ABD6004RX 12-FENDER/BUMPER SHIELD RET ABD6005RX 8-RADIATOR YOKE AND FENDER BUMPER ABD6006RX 6-WEATHERSTRIP RET. GM/FORD 8-WEATHERSTRIP RET. CHRY 1977-ON ABD6007RX ABD6008RX 5-WEATHERSTRIP RET. GM 1974-ON ABD6009RX 8-TRIM PANEL RET. GM 1968-ON ABD6010RX 5-SPLASH SHIELD/RAD, AIR BAFFLE 3-TRIM PANEL SATURN 1991-ON/ CHRY MINI 2 ABD6011RX 2 ABD6012RX 3-REAR HOOD SEAL GM 1983-ON 2-FORD TRIM PANEL RET, 1982-ON ABD6013RX 2-TAURUS/SABLE CARPET RET. 1996-ON ABD6014RX ABD6015RX 8-FORD TRIM PANEL RET 1980-ON ABD6016RX 4-TRIM PANEL FORD 83-ON/ CHRY MINI VAN 2 2 3-TRIM PANEL FORD EXPL 93-ON / TRUNK ABD6017RX ABD6018RX 3-BUMPER FASCIA RET. GM 81-0N ABD6020RX 4-SEAT BACK RET. CAMARO/FIREBID 82-ON ABD6021RX 2-FORD TRIM PANEL RET. ABD6022RX 6-HOOD INS. RET. CHRY 72-ON / GRILLE TO ABD6025RX 4-WEATHERSTRIP RET. NEON/GM 96-ON ARD6026RX 5-CHRY FEND / BLIMP RET 1989-95 ABD6027RX 3-CHRY FASCIA RET. 1985-ON ABD6028RX 2-HEADLIGHT/PANEL RET. CHRY 93-0N

QTY. PART NO. DESCRIPTION

2	ABD6029RX	2-CHRY PANEL RET.
2	ABD6032RX	3-FRONT END STONE RET. GM 81-ON
2	ABD6034RX	4-H00D INS. RET GM 1980-0N
2	ABD6036RX	8-HOOD INS. RET GM 1964-ON
2	ABD6043RX	7-H00D INS. FORD 1975-0N
2	ABD6044RX	7-H00D INS. FORD 1975-0N
2	ABD6051RX	3-HOOD INS. / FENDER RET. CHRY 85-ON
2	ABD6052RX	8-WEATHERSTRIP RET. CHRY 93-0N
2	ABD6059RX	5-WEATHERSTRIP RET. HONDA/ACURA 92-ON
2	ABD6060RX	2-WEATHERSTRIP RET. HONDA CIVIC 95-ON
2	ABD6061RX	10-WEATHERSTRIP RET. GM
2	ABD6065RX	10-SHROUD VENT GRILLE TO PANEL RET
2	ABD6068RX	4-BUMPER FASCIA GM MINI VANS 93-0N
2	ABD6069RX	2-HONDA TRIM PANEL RET.
2	ABD6072RX	3-FIREWALL INS. RET. GM/AMC
2	ABD6074RX	5-HOOD SEAL RET. LEXUS.TOYOTA 85-ON

5-TOYOTA/NISSAN RET. CLIP

1-HOOD INS. RET. CAMRY/LEXUS 88-ON

4-TOYOTA RET. CLIP

OVERLAY FASTENERS

OVERLAY

H00KS

ABD1 SHIELD RETAINERS



QTY. PART NO. ABD6001RX ABD6003RX ABD6019RX ABD6023RX ARD6024RX 2 ABD6030RX ABD6031RX ABD6035RX ABD6037RX ABD6038RX 2 ARD6039RX ABD6040RX 2 ABD6041RX ABD6042RX ABD6045RX ABD6046RX ABD6047RX ABD6048RX ARD6049RX ABD6050RX ABD6053RX ABD6054RX ABD6055RX ABD6056RX

DESCRIPTION

5-DOOR TRIM PANEL RET. GM 78-ON 5-DOOR TRIM PANEL RET. GM 83-ON 4-DOOR TRIM PANEL RET. FORD 81-ON 4-DOOR TRIM PANEL RET. FORD 81-ON 3-TRIM PANEL RET. FORD/CHRY 75-ON 5-INT. TRIM PANEL RET. GM/CHRY 1977-ON 2-DOOR TRIM PANEL RET. CHRY. VANS 98-ON 4-DOOR PANEL RET. GM/CHRY 76-ON 2-DOOR PANEL RET. GM 81-88 JEEP 91-0N 5-DOOR PANEL RET. CAMARO/FIREBIRD 89-ON 2-WEATHERSTRIP FASTENER GM/FORD 3-MUD SHIELD RET, GM/FORD/CHRY 76-ON 3-BUMP, FENDER, SEAT, CARPET RET. 2-DOOR PANEL RETAINER SATURN 91-ON 2-TRIM PANEL RET. FORD 85-ON 3-TRIM PANEL RET. FORD/GM/JEEP 88-ON 3-INT. DOOR TRIM RET. FORD 77-ON 3-SEAT BACK PANEL RET. FORD 77-ON 4-TRIM PANEL RET. FORD 81-0N 4-HOOD INS. RET CHRY/FORD 96-ON 5-DOOR TRIM PANEL RET. CHRY 95-ON 2-TRIM PANEL RET. DODGE RAM 94-ON 3-TRIM PANEL RET. CHRY. 95-ON 3-HOOD INS. RET CHRY. CIRUS 1995-ON

ABD6075RX

ABD6076RX

ABD6077RX

ABDABDOL1

KTI-H00K2

KTI-01 F-04333

2

1

42

QTY. PART NO. ABD6057RX ABD6058RX 2 ABD6062RX ABD6064RX 2 ARD6070RX 2 ABD6071RX ABD6073RX ABD6082RX ABD6083RX 2 ABD6084RX 2 ARD6086RX 2 ABD6087RX 2 ABD6088RX ABD6089RX ABD6090RX ABD6091RX ABD6092RX 2

ARDARDOL 2 KTI-0LF-04333 KTI-H00K2

ABD6093RX

DESCRIPTION

OVERLAY FASTENERS

HOOKS

5-FASCIA RET MUSTANG/CAPRI 84-ON 7-WEATHERSTRIP RET. HONDA 2-SHIELD RET. HONDA 5-FASCIA TO BUMPER RET FORD 81-ON 5-DOOR FRAME SPACER RET. CHRY 85-ON 2-HONDA INS. RET. ACURA 91-ON 2-NISSAN RET. CLIP 3-DOOR TRIM PANEL RET. FORD 81-ON 5-TRIM PANEL RET. GMC TRK. 76-ON 3-TRIM PANEL RET. GM 87-ON 4-DOOR PANEL RET. TOYOTA 2-TRIM PANEL RET. HONDA 1990-ON 4-DOOR TRIM PANEL RET. GM 82-ON 4-TRIM PANEL RET. GM 97-ON 8-DOOR TRIM/HEADLINER RET. GM 71-ON 3-TRIM PANEL RET. GM TRUCK 76-ON 2-CHRYSLER PANEL RET. OVERI AY

3-HOOD INS. RET CHRY LN/LHS 1997-ON

ABD2 SHIELD & DOOR RETAINERS



AUTOMOTIVE FASTENERS FAST TURN / FAST PROFIT

- □ PROFESSIONAL, TURN-KEY MERCHANDISING
- SMALL FOOTPRINT MEASURES 36" X 36"
- MARKED FOR EASY SET-UP AND RE-STOCKING
- SHIPS WITH ALL REQUIRED HARDWARE
- DURABLE CASTERS FOR ADDED MOBILITY





ABD3 PUSH RETAINERS



ABD4 TRIM SCREWS

QTY.	PART NO.	DESCRIPTION			
2	ABD6101RX	5-MUD SKIRT AND FENDER LINER GM/CHRY 81-ON			
2	ABD6102RX	4-SPLASH SHIELD , FASCIA RET. GM/FORD 76-0N			
2	ABD6102RX	3-AIR BAFFLE RET. SATURN 91-ON			
2	ABD6103RX				
2	ABD6105RX	2-FRONT BUMPER COVER FORD TRK			
2	ABD6105RX	2-FASCIA RET. GM 79-0N			
2	ABD6100RX	4-RAD. SHROUD TRIM RET. GM/FORD 82-ON			
2	ABD6107RX ABD6108RX	3-DOOR TRIM PANEL GM TRK. C,K,1,2,3 95-ON			
2	ABD6100RX ABD6111RX	3-COOL RECOVERY TANK GM/CHRY 92-ON			
2	ABD6111RX ABD6112RX	1-TRIM RET. JEEP GRAND CHEROKEE			
2	ABD6112RX ABD6113RX	1-TRIM RET. CHRY.CONCORDE			
2		4-TRIM RET. HONDA			
2	ABD6114RX ABD6115RX	2-BUMPER RET. ACURA, HONDA 1994-ON 2-TRIM RETAINER HONDA ACCORD 90-ON			
2	ABD6115RX	3-WASHER/OVERFLOW BOTTLE RET. GM-81-0N			
2		4-TRIM RET. TOYOTA/MAZDA			
2	ABD6118RX	2-BUMPER COVER RET. MAZDA LS400			
2	ABD6119RX				
2	ABD6120RX	3-ROCKER PANEL/WHEELLINER RET. SATURN 91 ON			
	ABD6121RX	4-TRIM RET. HONDA, MAZDA, NISSAN			
2	ABD6122RX	2-TRIM RET. HONDA ACCORD 91-ON			
2	ABD6123RX	2-FASCIA RETAINER GM 1992 ON			
2	ABD6125RX	3-TRIM RET. GM, HONDA, MAZDA			
2	ABD6126RX	2-COWL PANEL RET. NISSAN 80-ON			
2	ABD6127RX	5-TRIM RET. HONDA, NISSAN, ISUZU			
2	ABD6128RX	2-BUMPER COVER RET. TOYOTA CAMRY 92-ON			
2	ABD6130RX	2-BUMPER COVER RET. MAZDA ES300 93-0N			
2	ABD6132RX	4-INNER FENDER RET. NISSAN 80-ON			
2	ABD6133RX	2-FRONT/REAR BUMPER RET. HONDA 90-ON			
2	ABD6134RX	2-BUMPER FASCIA RET. HONDA ACCORD 90-ON			
2	ABD6138RX	3-TAIL LIGHT RET. GM/CHRY			
2	ABD6141RX	2-TRIM RETAINER TOYOTA/NISSAN			
2	ABD6142RX	2-TRIM RET. HONDA, NISSAN			
2	ABD6143RX	2-FRONT/REAR BUMPER RET. NISSAN/INFINITY			
2	ABD6147RX	2-EXTERIOR BODY RET. GM 1994-ON			
2	ABD6149RX	2-FRONT BUMPER RET. GM LT. TRK/OLDS 90-ON			
2	ABD6150RX	1-REAR BUMP. COVER RET. TOYOTA TERCEL 88-ON			
2	ABD6152RX	2-FRONT FENDER LINER TOYOTA TERCEL 94-0N			
2	ABD6153RX	2-TRIM RET. NISSAN MAXIMA/300ZX			
2	ABD6154RX	2- BUMPER SUPPORT RET. HONDA CIVIC 93-ON			
2	ABD6155RX	2-FRONT BUMPER RET. ACURA/HONDA 96-ON			
2	ABD6156RX	2-BUMPER RET. HONDA ACCORD/ODYSSEY 96-ON			
2	ABD6158RX	3-SPLASH SHIELD, SEAT CUSH.,TIRE RET.			
2	ABD6159RX	3-BUMPER FASCIA RET. GM 1987 ON			
1	ABDABDOL3	OVERLAY			
1	KTI-0LF-04333	OVERLAY FASTENERS			
42	KTI-H00K2	HOOKS			

QTY.	PART NO.	DESCRIPTION				
2	ABD6205RX	8-7MM-SHEET METAL SCREWS BLACK 12MM WASHER				
2	ABD6207RX	4-7MM-SHEET METAL SCREWS BLACK 17MM				
2	ABD6208RX	10-5/16"-INDENTED HEX HEAD TEX SCREW				
2	ABD6209RX	5-1/2"-LIC PLATE SCREW SLOTTED TRUSS HD				
2	ABD6210RX	5-1/2"-LIC PLATE SCREW PHILIPS PAN WASH HD				
2	ABD6211RX	2-9/16"-LIC PLATE SCREW SLOTTED TRUSS HD				
2	ABD6215RX	5-5/16"-LIC PLATE SCREW BLK. O.D. WASH.				
2	ABD6216RX	8-9/16"-LIC PLATE SCREW SLOTTED TRUSS HD				
2	ABD6284RX	8-#8-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6301RX	5-#8-PHILIPS OVAL HEAD TRIM SCREW				
2	ABD6302RX	4-#8-PHILIPS OVAL HEAD TRIM SCREW				
2	ABD6306RX	3-#8-PHILIPS OVAL HD TRIM SCREW				
2	ABD6307RX	3-#8-PHILIPS OVAL HD TRIM SCREW				
2	ABD6309RX	4-#6-PHILIPS OVAL HEAD TRIM SCREW				
2	ABD6310RX	8-#6-PHILIPS OVAL HEAD TRIM SCREW				
2	ABD6311RX	3-#6-PHILIPS OVAL HD TRIM SCREW				
2	ABD6312RX	6-#6-PHILIPS OVAL HD TRIM SCREW				
2	ABD6316RX	6-1/4"-INDENTED HEX HEAD TEX SCREW				
2	ABD6317RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6318RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6319RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6320RX	10-#8-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6321RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6322RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6323RX	10—PHILIPS PAN HD SHEET METAL SCREW-BLACK				
2	ABD6324RX	10—PHILIPS PAN HD SHEET METAL SCREW-BLACK				
2	ABD6330RX	4—TEXS SCREW 12MM 0.D. LOOSE WASHER				
2	ABD6331RX	6—PHILIPS FLAT TOP WASHER HEAD-GM				
2	ABD6332RX	10—PHILIPS FLAT TOP WASHER HEAD				
2	ABD6334RX	10—PHILIPS FLAT TOP WASHER HEAD				
2	ABD6335RX	10-3/4"-INDENTED HEX HEAD TEX SCREW				
2	ABD6336RX	5-3/8"-LIC PLATE SCRW BLK. ZINC 1/2" WASH				
2	ABD6351RX	4-10MM-SHEET METAL SCREWS BLACK 17MM				
2	ABD6352RX	4-10MM-SHEET METAL SCREWS BLK 11/16" WASH ER				
2	ABD6380RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6382RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6383RX	10-#6-PHILIPS OVAL HD SHEET METAL SCREW				
2	ABD6384RX	10—PHILIPS PAN HD SHEET METAL SCREW-BLACK				
2	ABD6387RX	10—PHILIPS PAN HD SHEET METAL SCREW-BLACK				
2	ABD6388RX	10—PHILIPS PAN HD SHEET METAL SCREW-BLACK				
2	ABD6394RX	10—PHILIPS FLAT TOP WASHER HEAD				
2	ABD6398RX	10—PHILIPS FLAT TOP WASHER HEAD-CHRYSLER				
1	ABDABDOL4	OVERLAY				
1	KTI-0LF-04333	OVERLAY FASTENERS				
42	KTI-H00K2	HOOKS				



ABD5 BODY BOLTS & RIVETS



ABD6 NUTS & GROMMETS

QTY.	PART NO.	DESCRIPTION
2	ABD6337RX	4-6-1.00 X 22MM-MET DOG POINT BOLT 19MM
2	ABD6338RX	4-6-1.00 X 28MM-MET DOG POINT BOLT 19MM
2	ABD6339RX	3-1/4-20 X15/16"-MET DOG POINT BOLT 3/4"
2	ABD6341RX	3-6-1.00 X 20MM-MET TYPE CA BOLT 17MM
2	ABD6342RX	5-6-1.00 X 20MM-MET TYPE CA FLANGE BOLT 13MM
2	ABD6343RX	3-6-1.00 X 25MM-MET TYPE CA BOLT 24MM
2	ABD6344RX	3-6-1.00 X 35MM-MET TYPE CA BOLT 17MM
2	ABD6345RX	4-6-1.00 X 25MM-MET TYPE CA BOLT 17MM
2	ABD6349RX	2-8-1.25 X 25MM-MET TYPE CA BOLT 24MM
2	ABD6350RX	3-8-1.25 X 30MM-MET TYPE CA BOLT 17MM
2	ABD6353RX	2-8-1.25 X 30MM-MET TYPE CA BOLT 28MM
2	ABD6357RX	1-10-1.50 X 40MM-MET TYPE CA BOLT 28MM
2	ABD6360RX	3-8-1.25 X 25MM-MET TYPE CA BOLT 16MM
2	ABD6361RX	1-5/16-18 X 1"-BUMPER BOLT RD. 3/4"
2	ABD6362RX	1-3/8-16 X 1"-BUMPER BOLT PAN 7/8"
2	ABD6363RX	1-3/8-16 X 1-1/4"-BUMPER BOLT RD. 7/8"
2	ABD6364RX	1-7/16-14 X 1-1/4"-BUMPER BOLT RD. 29/32"
2	ABD6365RX	1-1/2-13 X 1-1/2"-BUMPER BOLT RD. 13/32"
2	ABD6366RX	1-8-1.25 X 25MM-BUMPER BOLT PAN 19MM
2	ABD6370RX	1-1/4-20 X 1"-OUTSIDE MIRROR MT. BOLT CHROME GM
2	ABD6374RX	1-3/8-16 X 1-1/2"-CA BODY BOLT OD LOOSE WASH, BLK
2	ABD6375RX	3-6-1.00 X 28MM-MET DOG POINT BOLT 19MM
2	ABD6501RX	3-13/64"(5MM)-BLK NYL BLIND RIV GM 15/32"
2	ABD6503RX	4-3/16"(5MM)-BLK NYL BLIND RIV GM 15/32"
2	ABD6504RX	4-3/16"(5MM)-BLK NYL BLIND RIV CHRYSLER 15/32"
2	ABD6507RX	3-1/4"(6.3MM)-BLK NYL BLIND RIV GM 1/2"
2	ABD6508RX	3-1/4"(6.3MM)-BLK NYL BLIND RIV GM 1/2"
2	ABD6509RX	3-17/64"(6.6MM)-BLK NYL BLIND RIV GM 45/64"
2	ABD6510RX	5-1/4"(6.3MM)-BLK NYL BLIND RIV GM 43/64"
2	ABD6511RX	2-1/4"(6.3MM)-BLK NYL BLIND RIV FORD 43/64"
2	ABD6513RX	10-1/8"-ALL ALUMINUM POP RIVETS
2	ABD6514RX	7-3/16"-ALL ALUMINUM POP RIVETS
2	ABD6515RX	6-3/16"-ALL ALUMINUM POP RIVETS
2	ABD6521RX	2-3/16"-ALUMINUM BLACK SPLIT-TYPE RIVET
2	ABD6524RX	4-3/16"-ALUMINUM BLACK GRILLE/FASCIA
2	ABD6527RX	2-1/4"-ALUMINUM RIVET-STEEL MANDREL WINDOW
2	ABD6529RX	3-1/4"-ALUMINUM RIVET-MANDREL BLACK OUTSIDE
2	ABD6530RX	2-1/4"-ALUMINUM RIVET-MANDREL BLACK OUTSIDE
2	ABD6532RX	2-1/4"-ALL STEEL BLACK BUMPER
2	ABD6533RX	4-1/4"-ALUMINUM RIVET-STEEL MANDREL WINDOW
2	ABD6534RX	2-1/4"-BLACK ALUMINUM SPLIT TYPE RIVET
2	ABD6535RX	3-1/4"-ALUMINUM RIVET-STEEL MANDREL GLASS
1	ABDABDOL5	OVERLAY
1	KTI-0LF-04333	OVERLAY FASTENERS
42	KTI-H00K2	HOOKS

QTY.	PART NO.	DESCRIPTION
2	ABD6220RX	10-#8 OR #10-GRILL SCREW NUTS NAT NYL
2	ABD6223RX	8-#6 OR #8-HEADLIGHT BEZEL NUTS NAT NYL GM
2	ABD6226RX	10-#8 OR #10-GRILL SCREW NUTS NAT NYL
2	ABD6227RX	8-#8 OR #10-HEADLIGHT BEZEL NUTS NAT NYL
2	ABD6228RX	3-#10-SCREW GROMMETS NAT NYL
2	ABD6232RX	8-1/4"(#14)-LIC PLATE NUTS WHITE PLASTIC GM
2	ABD6236RX	2-#6(14MM)-SCREW GROMMETS NAT NYL
2	ABD6238RX	5-#8(17MM)-SCREW GROMMETS NAT NYL HONDA
2	ABD6239RX	4-#10 18MM HD-SCREW GROMMETS NAT NYL TOYOTA
2	ABD6242RX	5-1/4"(#14) -SCREW GROMMETS BLACK NYL TOYOTA
2	ABD6244RX	3-6-1.00MM-MET HEX NUT BLK 19MM 0.D.
2	ABD6246RX	5-8-1.25MM-MET HEX FLANGE NUT BLK 19MM
2	ABD6247RX	6-1-1.00MM-MET HEX FLANGE NUT BLK 16MM
2	ABD6249RX	2-1/4"-20-RUBBER WELL NUT FOR 1/2" HOLE GM
2	ABD6254RX	7-8-WIDE RANGE U NUT BLACK CTR OF
2	ABD6255RX	6-8-WIDE RANGE U NUT BLACK CTR OF
2	ABD6256RX	6-14-WIDE RANGE U NUT BLACK CTR OF
2	ABD6258RX	2-10-U TYPE RETAINER BACK CTR OF
2	ABD6260RX	3-1/4"-20-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6261RX	1-3/8"-16-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6266RX	7-3/16"-THR CUT NUTS 5/8" FLANGE ZINC
2	ABD6267RX	7-1/4"-THR CUT NUTS 19/32" FLANGE ZINC
2	ABD6268RX	4-5/16" -THR CUT NUTS 7/8" FLANGE ZINC
2	ABD6269RX	6-5MM-THR CUT NUTS 15MM FLANGE ZINC
2	ABD6270RX	6-6.3MM-THR CUT NUTS 20M FLANGE ZINC GM
2	ABD6272RX	8-1/4"-THR CUT NUTS 11/16" FLANGE ZINC
2	ABD6278RX	10-5/16" BOLT-PUSH ON TYPE RETAIN ZINC FINISH
2	ABD6280RX	10-1/2" STUD-PUSH ON TYPE RETAIN BLACK FINISH
2	ABD6282RX	10-8-1.25MM BOLT-PUSH ON TYPE BUMP STRIP RET
2	ABD6283RX	6-10-1.25MM BOLT-PUSH ON TYPE BUMP RET
2	ABD6340RX	6-580MM-MET HEX FLANGE NUT BLK 11.8MM
2	ABD6346RX	3-6-1.00MM-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6347RX	3-6-1.00MM-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6348RX	4-6-1.00MM-MET HEX NUT BLK 16MM 0.D.
2	ABD6354RX	2-8-1.25MM-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6355RX	2-8-1.25MM-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6356RX	2-8-1.25MM-MET HEX NUT BLK 24MM 0.D.
2	ABD6358RX	1-10-1.50MM-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6359RX	4-10-1.50MM-MET HEX FLANGE NUT BLK 21MM
2	ABD6367RX	3-1/4"-20-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6368RX	2-5/16"-18-EXTRUDE U NUT BLACK CTR OF HOLE
2	ABD6369RX	1-3/8"-16-EXTRUDE U NUT BLACK CTR OF HOLE
1	ABDABDOL6	OVERLAY
1	KTI-0LF-04333	OVERLAY FASTENERS
42	KTI-H00K2	HOOKS



ABD7 HOOD / DOOR LOCK / WINDSHIELD



ABD8 HEADLIGHTS & MISC. BODY PARTS

QTY. PART NO. DESCRIPTION 2-REVEAL MOULDING CLIP REAR WIND. GM ABD6602RX 2 ABD6603RX 3—REVEAL MOULDING CLIP REAR WIND. GM 3—REVEAL MOULDING CLIP WINDSHIELD 2 ABD6604RX 2 ABD6609RX 2—REVEAL MOULDING CLIP WINDSHIELD 2 ABD6613RX 3—REVEAL MOULDING CLIP WINDSHIELD 3-7/64", 13/64"-WIND WASH HOSE RET. HONDA ABD6614RX 2 ABD6615RX 1—REVEAL MOULDING CLIP WINDSHIELD 2 ABD6616RX 1-HOSE CLIP WINDSHIELD WASH, HONDA 2 ABDH1201RX 1-5x14MM-HOOD PROP CLIP GM VENTURE VAN 97-UP 1-10MM-HOOD PROP CLIP TOYOTA CAMRY 1996-UP ABDH1202RX 2 2 ABDH1203RX 2—HOOD PROP CLIP SATURN 97-UP 2 1-M10-H00D PROP CLIP CHRY. PT CRUISER 2000-UP ABDH1204RX 2 ABDH1205RX 2—HOOD PROP CLIP FORD CARS 1975 TO 83 2 ABDH1206RX 2-HOOD PROP CLIP FORE/MERC. CARS 75-UP ABDH1207RX 2—HOOD PROP CLIP FORD 1998-ON 2 ABDH1208RX 1—HOOD PROP CLIP FORD CONTOUR ABDH1210RX 2—HOOD PROP CLIP CHRYSLER 1981-UP ABDH1211RX 1—H00D PROP CLIP FORD ECONOLINE 92-UP ABDH1212RX 2—H00D PROP CLIP FORD TOPAZ/TEMPO/ 2 2 ABDH1213RX 1—HOOS PROP CLIP CHRY. MINI VAN 97-UP 2 ABDH1214RX 2—DR LCK ROD CLIP FORD LEFT HAND SIDE 2 ABDH1215RX 2—DR LCK AND TAILGATE CLIP GM/FORD 2 ABDH1216RX 2—DR LCK ROD CLIP FORD PROD. 2 ABDH1217RX 1-DR LCK ROD CLIP FORD PROD. ABDH1218RX 2—DR LCK ROD CLIP GM/FORD RIGHT SIDE 2 ABDH1219RX 2—DR LCK ROD CLIP FORD RIGHT SIDE ABDH1220RX 2—DR LCK ROD CLIP GM/FORD 1972-ON 2 ABDH1221RX 2—DR LCK ROD CLIP CHRY/NEON/CIRRUS 2 ABDH1222RX 2—DR LCK ROD CLIP GM/CHRY LEFT SIDE ABDH1223RX 2—DR LCK ROD CLIP GM CARS 92-UP 2 ABDH1224RX 2—DR LCK ROD CLIP GM RIGHT/LEFT SIDE 2 ABDH1225RX 2—DR LCK ROD CLIP GM CARS RIGHT SIDE 2 ABDH1226RX 2—DR LCK ROD CLIP GM/CHRY RIGHT SIDE 2 ABDH1227RX 2—DR LCK ROD CLIP 92-UP LEFT SIDE ABDH1228RX 2—DOOR HANDLE ROD CLIP GM 91 UP 6MM HOLE 2 ABDH1229RX 2—DOOR HANDLE ROD CLIP CHRY 72 UP 2 ABDH1230RX 2—SLIDING DOOR LOCK ROD CLIP CHRY 2 ABDH1231RX 2— DOOR LOCK ROD CLIP CHRYSLER LEFT SIDE 2 ABDH1232RX 2—DOOR LOCK ROD CLIP CHRY/NEON/CIRRUS ABDH1233RX 2—DOOR LOCK ROD CLIP CHRY RIGHT SIDE 2 2 ABDH1234RX 2—DOOR LOCK ROD CLIP CHRY RIGHT SIDE ABDH1235RX 2—DOOR LOCK ROD CLIP CHRY 72 UP RT. SIDE 2 1 ABDABDOL7 **OVERLAY** KTI-OLF-04333 OVERLAY FASTENERS

42

KTI-H00K2

H00KS

QTY.	PART NO.	DESCRIPTION
2	ABD6701RX	2—1/4-28 X 2"-HEADLIGHT ADJ.SCREW GM 73-
2	ABD6702RX	2—1/4-28 X 2"-HEADLIGHT ADJ.SCREW BL NYL NUT
2	ABD6703RX	2—1/4-28 X 2"-HEADLIGHT ADJ.SCREW GR NYL NUT
2	ABD6704RX	6—1/4-28 X 2"-HEADLIGHT ADJ. SCREW CHRYSLER
2	ABD6705RX	2—1/4-28 X 2"-HEADLIGHT ADJ.SCREW PK NYL NUT
2	ABD6706RX	4—#8-HEADLIGHT PANEL RETAINERS
2	ABD6707RX	2—HEADLIGHT COMP. RET. CLIP FORD
2	ABD6708RX	2—#8-REAR LIGHT ASSEMBLEY RET. FORD
2	ABD6709RX	2—1/4-28 X 2"-HEADLIGHT ADJ. SCREW GM/TRUCKS
2	ABD6710RX	2—1/4-28 X 2"-HEADLIGHT ADJ. SCREW CHRY 78-94
2	ABD6712RX	1—HEADLIGHT BULB RET. 9004 BULB
2	ABD6713RX	1—HEADLIGHT BULB RET. 9004 / 9007 BULB
2	ABD6903RX	2—VINYL TOP MOULDING CLIP WHITE GM
2	ABD6904RX	4—QUARTER PANEL AND REVEAL
2	ABD6905RX	4—QUARTER PANEL DOOR AND REAR END
2	ABD6906RX	4—7/16"-QUARTER BELT REVEAL MOULD CLIP GM
2	ABD6907RX	4—BODY SIDE MOULDING CLIP GRAY GM
2	ABD6908RX	4—QUARTER BELT REVEAL MOULD CLIP
2	ABD6909RX	2—7/16"-ROCKER PANEL MOULD CLIP WHITE GM
2	ABD6910RX	2—ROCKER PANEL GROUND EFFECTS
2	ABD6911RX	2—BODY SIDE MOULDING CLIP HONDA WHITE
2	ABD6912RX	2—3/4"-ROCKER PANEL MOULD CLIP GREEN GM
2	ABD6914RX	1—BELT MOULDING CLIP WHITE HONDA
2	ABD6915RX	1—BELT MOULDING CLIP WHITE HONDA
2	ABD6917RX	2—17MM-FENDER MOULDING CLIP TOYOTA RED
2	ABD6919RX	1—10-24X3/4""-PLATE SIZE UNV, MOLD CLIP CHRY 1—10-24X3/4""-PLATE SIZE UNV, MOLD CLIP CHRY
2	ABD6920RX ABD6922RX	2—10-24X3/4PLATE SIZE UNV, MOLD CLIP FORD
2 2	ABD6922RX ABD6929RX	8—3/8"-FLUSH TYPE BLK PLASTIC HOLE PLUG 3/4"
2	ABD6930RX	8—1/2"-FLUSH TYPE BLK PLASTIC HOLE PLUG 7/8"
2	ABD6931RX	8—3/4"-FLUSH TYPE BLK PLASTIC HOLE PLUG 1"
2	ABD6937RX	4—1/16"-STEEL BODY SHIM BRIGHT ZINC
2	ABD69371X ABD6938RX	4—1/8"-STEEL BODY SHIM BRIGHT ZINC
2	ABD6939RX	4—1/8"-STEEL BODY SHIM BRIGHT ZINC
2	ABD6940RX	2—1/8"-STEEL BODY SHIM BRIGHT ZINC
2	ABD6946RX	2—5/8"-RUBBER BUMPERS GM
2	ABD6947RX	2—1/2"-RUBBER BUMPERS GM
2	ABD6948RX	1—RUBBER BUMPERS GM
2	ABD6950RX	1—RUBBER BUMPERS FORD
2	ABD6951RX	***No longer available***
2	ABD6952RX	1—1-1/4"-HOOD BUMPERS GM SMALL 1979 UP
2	ABD6953RX	1—1-29/32"-H00D BUMPERS LARGE 1980 UP
1	ABDABDOL8	OVERLAY
1	KTI-0LF-04333	OVERLAY FASTENERS
42	KTI-H00K2	HOOKS



Radiator Apron Panel Retainer GM 77-on

Hole size: 3/8" (9.5mm) **ABD6002 Qtv:** 10 Apps: GM 77-on

ABD6002RX Head diameter: 1" **Qty:** 6 ABD6002B **Qty:** 100 Stem length: 13/16"

Interchange no.: GM1619321



Fender/Bumper Shield Retainer GM/Ford/Chrysler

Qtv: 10 **Hole size**: 1/4" (6.4mm) ABD6004 Apps: GM/Ford/Chrysler ABD6004RX **Qty:** 12 Head diameter: 11/16" Interchange nos.: GM332364, ABD6004B **Qty:** 100 Stem length: 5/8" CHRY60313231, CHRY3691590, F389358



Radiator Yoke/Fender Bumper GM/Ford/Chrysler

ABD6005 Qty: 10 **Hole size:** 1/4" (6.4mm) Apps: GM/Ford/Chrysler ABD6005RX Qty: 8 Head diameter: 11/16" ABD6005B

Interchange nos.: GM 1595864, **Qty:** 100 Stem length: 13/16" GM1605396, CHRY6030441, F388577S



Weatherstrip Ret. GM/Ford

Qtv: 10 **ABD6006 Hole size:** 3/16" (4.5mm) Apps: GM/Ford **Qty:** 6 ABD6006RX Head diameter: 7/16" Interchange nos.: GM20413107,

GM25016383, F388246S ABD6006B **Qty:** 100 Stem length: 13/16"



Weatherstrip Ret. Chrysler 77-on

Qtv: 10 **ABD6007** Hole size: 3/16" (4.5mm) Head Apps: Chrysler

ABD6007RX Qtv: 8 diameter: 3/8" Interchange no.: CHRY2964547

ABD6007B **Qty:** 100 Stem length: 3/8"

Qty: 100



Weatherstrip Ret. GM 74-on/Chrysler 94-on

ABD6008 Qty: 10 Hole size: 13/64" Apps: GM/Chrysler

Qtv: 5 Head diameter: 10mm Interchange nos.: GM20699808. ABD6008RX

ABD6008B **Qty:** 100 Stem length: 12mm CHRY6502328



Trim Panel Ret. GM 68-on

ABD6009B

ABD6009 **Qty:** 10 Hole size: 1/4" (6.4mm) Apps: GM

ABD6009RX Qty: 8 Head diameter: 1/2" Interchange no.: GM411700



Battery Post Cable, Eng. Splash Shield/Rad. Air Baffle GM 80-on

Stem length: 3/4"

ABD6010 **Qtv:** 10 **Hole size:** 1/4" (6.4mm) Apps: GM

ABD6010RX Qty: 5 Head diameter: 11/16" Interchange nos: GM10121502,

ABD6010B Qty: 100 Stem length: 1-1/16" F390018S



Trim Panel Ret. Saturn 91-on/Slide Door and Lift Gate Chry Minivans 87-on

ABD6011 **Qty:** 10 Hole size: 5/16" (7.8mm) Apps: Saturn/Chrysler Head diameter: 3/4" ABD6011RX **Qty:** 3

Interchange nos: GM21094146. ABD6011B **Qtv:** 100 Stem length: 7/8" CHRY6501301

Rear Hood Seal Ret. GM 83-on

ABD6012 **Qty:** 10 Hole size: 5/16" (7.8mm) Head Apps: GM

ABD6012RX **Qty:** 3 diameter: 3/4" Interchange no.: GM14074081

ABD6012B Qty: 100 Stem length: 1-3/8"



Ford Trim Panel Ret. 82-on

ABD6013 **Qty:** 10 Hole size: 7/32" (5.3mm) Head Apps: Ford

Qtv: 2 ABD6013RX diameter: 3/4" Interchange no.: F-N8010994-S100

ABD6013B **Qtv:** 100 Stem length: 11/16"




Taurus/Sable Carpet Ret. 96-on


ABD6014 **Qty:** 10 Hole size: 7/32" (5.3mm) Head Apps: Taurus/Sable


ABD6014RX **Qty:** 2 diameter: 1" Interchange no.: F-N803370S

ABD6014B **Qty:** 100 Stem length: 25/32"











Hood Ins. Ret. Avalon/Camry/Lexus 88-on

ABD6077 **Qty:** 10 Hole size: 17/64" (7mm) Apps: Toyota

ABD6077RX Qty: 1 Head diameter: 30mm ABD6077B **Qty:** 100 Stem length: 17mm

Qty: 100

Interchange no.: T90467-9006



Toyota Ret. Clip

ABD6078 Qty: 10 Hole size: 17/64" (7mm) Apps: Toyota **ABD6078B**

Head diameter: 30mm

Stem length: 17mm

Interchange no.: T9046709008



Hood Ins. Ret. Clip Honda/Acura 90-on/Slider Door, Liftgate Chry Minivans 87-on

Qtv: 10 Apps: Honda/Acura, Chrysler **ABD6079** Hole size: 15/64" (6mm) ABD6079B **Qty:** 100 Head diameter: 10mm Interchange no.: H91520-SM4-C010

Stem length: 10mm

Hood Trunk Moulding Acura/Honda 94-on

ABD6080 **Qty:** 10 Hole size: 15/64" (6mm) Apps: Acura/Honda **ABD6080B Qty:** 100 Head diameter: 12mm Interchange no.: H91518-SM4-003

Stem length: 9mm



Cowl Top Ret. Clip Honda Accord 90-on

ABD6081 **Qty:** 10 Hole size: 15/64" (6mm) Apps: Honda ABD6081B **Qty:** 100 Head diameter: 14mm Interchange no.: H91501-SM4-003

Stem length: 16mm



Nissan Ret. Clip

ABD6093B

ABD6082 **Qty:** 10 Hole size: 10mm Apps: Nissan

ABD6082RX Head diameter: 20mm Qty: 2 Interchange no.: N01553-00051 **Qty:** 100 **ABD6082B** Stem length: 16mm



Chrysler Panel Fastener

ABD6093 **Qtv:** 10 Apps: Chrysler Hole size: 5/16"

Stem length:

ABD6093RX Qtv: 2 **Head diameter:** Interchange no.: C4114785

RETAINERS - DOOR RETAINERS

Qty: 100



Door Trim Panel Ret. GM 78-on

Qty: 10 ABD6001 Hole size: 1/4" Apps: GM

ABD6001RX Qtv: 5 Head diameter: 7/8" Interchange no: GM3065575 ABD6001B **Qty:** 100 Stem length: 3/4"



Door Trim Panel Ret. GM 83-on

ABD6003 **Qtv:** 10 Hole size: 1/4" Apps: GM ABD6003RX **Qty:** 5

Head diameter: 3/4" x 7/8" Interchange nos.: GM20421800,

ABD6003B **Qty:** 100 Stem length: 3/4" GM15600382



Door Trim Panel Ret. Ford 81-on

ABD6019 **Qtv:** 10 Hole size: 1/4" Apps: Ford ABD6019RX Qty: 4 Head diameter: 25/32" Interchange no: F-N8109925S

ABD6019B **Qty:** 100 Stem length: 5/8"

Door Trim Panel Ret. Ford/Chrysler 75-on




ABD6023 **Qty:** 10 Hole size: 1/4" Apps: Ford/Chrysler

ABD6023RX Qty: 4 Head diameter: 15/16" Interchange nos.: F-385661S,

ABD6023B **Qty:** 100 Stem length: 11/16" C6032363

RETAINERS - DOOR RETAINERS



RETAINERS - DOOR RETAINERS



Door Trim Panel Ret. Ford 81-on

ABD6083 Qty: 10 Hole size: 1/4"



Trim Panel Ret. GMC Truck

ABD6084 Qty: 10 **Hole size**: 1/4" **Apps:** GM



Conduit to Sheet Metal Door GM

y: 100 Head diameter: 15/16" Interchange nos.: GM20451401 Stem length: 1-1/18"

Apps: Ford



Trim Panel Ret. GM 87-on

ABD6086 Qty: 10 **Hole size:** 1/4" **Apps:** GM



Door Panel Ret. Toyota

ABD6087 Qty: 10 Hole size: 9mm Apps: Toyota

ABD6087RX Qty: 4 Head diameter: 18mm Interchange no.: T67771-01010
ABD6087B Qty: 100 Stem length: 14mm



Trim Panel Ret. Honda 90-on

ABD6088 Qty: 10 Hole size: 9mm Apps: Honda

 ABD6088RX
 Qty: 2
 Head diameter: 18mm
 Interchange no.: 91556-SP0-003

 ABD6088B
 Qty: 100
 Stem length: 14mm



Door Trim Panel Ret. GM 82-on

ABD6089 Qty: 10 Hole size: 7.5mm Apps: GM

ABD6089RX Qty: 4 Head diameter: 20mm Interchange no.: GM-10153057 ABD6089B Qty: 100 Stem length: 23mm



Trim Panel Ret. GM 97-on

ABD6090 Qty: 10 **Hole size:** 1/4" **Apps:** GM



Door Trim/Headliner Ret. GM 71-on

ABD6091 Qty: 10 **Hole size:** 1/4" **Apps:** GM



Trim Panel Ret. GM Truck 76-on

ABD6092 Qty: 10 **Hole size:** 1/4" **Apps:** GM



Door Trim Retainer (Nissan)

ABD6096 Qty: 10 **Hole size:** 5/16" (8mm) **Apps:** Nissan

ABD6096B Qty: 100 Head diameter: (13mm) Interchange nos.: 01553-S3500

Apps: GM / Toyota

Stem length: 17.5mm



Door Trim Retainer (GM / Toyota)

ABD6171 Qty: 10 Hole size: 9mm Interchange nos.: GM-9500564,

ABD6171 Qty: 10 Hole size: 9/1/11 T-67771-01010

ABD6171B Qty: 100 Stem length: 14mm



Door Trim Retainer (Toyota)

ABD6174 Qty: 10 Hole size: 13mm Apps: Toyota

ABD6174B Qty: 100 Stem length: 11mm Interchange nos.: 67771-30070



Mud Skirt and Fender Liner GM/Chrysler 81-on

ABD6101 Qty: 10 Hole size: 1/4" ABD6101RX **Qty:** 5 Head diameter: 11/16" ABD6101B **Qty:** 100 Stem length: 9/16"

Apps: GM/Chrysler Interchange nos.: GM-140499205, GM-14019206, C-34201621

Splash Shield, Fascia Ret. GM/Ford 76-on

ABD6102 ABD6102RX ABD6102B

Qty: 10 Hole size: 1/4" Head diameter: 1" Qtv: 4 **Qty:** 100 Stem length: 7/8"

Apps: GM/Ford

Interchange nos.: GM-14093088,

F-N802781-S



Air Baffle Ret. Saturn 91-on

ABD6103 Qty: 10 Hole size: 8mm ABD6103RX Head diameter: 20mm **Qty:** 3 Stem length: 20mm **ABD6103B Qty:** 100

Apps: GM Saturn Interchange nos.: GM-21030249,

C-6503598, F-807389S



Front Bumper Cover Ford Truck F-150, 250 99-on

ABD6104 Qty: 10 Hole size: 10mm Apps: Ford ABD6104RX

Qty: 2 Head diameter: 16mm **Qty:** 100 Stem length: 12mm

Interchange no.: F-XL3Z-17E971-AA



Fascia Ret. GM 79-on

ABD6104B

ABD6106B

ABD6105 **Qty:** 10 Hole size: 1/2" Head diameter: 1/8" ABD6105RX Qtv: 2 ABD6105B **Qty:** 100 Stem length: 3/4"

Apps: GM

Interchange no.: GM-5973400



Rad. Shroud Trim Ret. GM/Ford 82-on

Qty: 100

ABD6106 **Qty:** 10 Hole size: 1/4" ABD6106RX Qty: 4 Head diameter: 11/16"

Apps:GM/Ford

Interchange nos.: GM-20664092,

F-N804570S



Door Trim Panel GM Truck C, K, 1, 2, 3 95-on

ABD6107 Qty: 10 Hole size: 1/4" Apps: GM

ABD6107RX **Qty:** 3 Head diameter: 9/16" Stem length: 41/64" ABD6107B **Qty:** 100

Interchange no.: GM-15960325



Coolant Recovery Tank GM/Chrysler 92-on

ABD6108 Qty: 10 Hole size: 1/4" Apps: GM/Chrysler ABD6108RX **Qty:** 3 Head diameter: 11/16" Interchange nos: GM-101344707,

Stem length: 7/8"

ABD6108B Qty: 100 Stem length: 13/16"

C6501925



Fascia Ret., Splash Shield Ford/Chrysler

ABD6109 Qty: 10 Hole size: 5/16" Apps: Ford/Chrysler **ABD6109B Qty:** 100 Head diameter: 1" Interchange nos: N8034231-S,

Stem length: 7/8" C6501590



Fascia Ret., Trim, Grille Ford Aerostar/Escort/Lynx 85-on

ABD6110 Qty: 10 Hole size: 1/4" Apps: Ford

ABD6110B Qty: 100 Head diameter: 15/32" Interchange no.: N803494S

Stem length: 21/32"



Trim Ret. Jeep Grand Cherokee Laredo 94-on

ABD6111 Qty: 10 Hole size: 1/4" Apps: Chrysler Jeep

ABD6111RX Qty: 1 Head diameter: 1" Interchange no.: C-6503106

Qty: 100 Stem length: 1' ABD6111B




Trim Ret. Chrysler Concorde/Dodge Intrepid 93-on

ABD6112 **Qtv:** 10 Hole size: 1/2" ABD6112RX Qty: 1 Head diameter: 7/8"

ABD6112B **Qty:** 100 Stem length: 1-1/16" Apps: Chrysler

Interchange no.: C-4630253





Screw-type Ret. GM/Honda/Mazda

ABD6125 **Qty:** 10 Hole size: 7mm ABD6125RX **Qty:** 3 Head diameter: 14mm **Qty:** 100 Stem length: 11mm ABD6125B

Apps: GM/Honda/Mazda Interchange nos.: GM-94198687, 90657-SA6-0030, N304-13356A



Cowl Panel Ret. Nissan 80-on/Geo Storm 90-on

ABD6126 Qty: 10 Hole size: 6mm Apps: Nissan ABD6126RX Head diameter: 14mm Qtv: 2 Interchange nos.: GM-94051993,

ABD6126B **Qty:** 100 Stem length: 16mm


66860-01W01



Screw-type Ret. Honda/Nissan/Isuzu

ABD6127 Qty: 10 Hole size: 6mm Apps: Head diameter: 15mm ABD6127RX **Qty:** 5 Interchange no.: 90684-SA5-0030

Stem length: 11mm ABD6127B **Qty:** 100



Qty: 10 Hole size: 9mm Apps: Toyota Qty: 2 Head diameter: 15mm

ABD6128B **Qty:** 100 Stem length: 12mm

Interchange no.: 90467-09145



Push-type Ret. Mazda/Ford Aspire

ABD6129 Qty: 10 Apps: Mazda/Ford Hole size: 8mm ABD6129B **Qty:** 100

Head diameter: 18mm

Interchange nos.: F-B092-51-833, MB-455-56143

Stem length: 12mm



Bumper Cover Ret. Mazda ES300 93-on

ABD6130 **Qty:** 10 Hole size: 9mm Apps:Mazda

ABD6130RX Qty: 2 Head diameter: 18mm **ABD6130B** Qty:100 Stem length: 23mm

Interchange no.: 90467-09101



Front/Rear Bumper Ret. Acura Legacy 91-on

ABD6131 **Qty:** 10 Hole size: 10mm **ABD6131B Qty:** 100

Head diameter: 20mm Stem length: 15mm

Apps: Acura Interchange no.: 91503-SP0-003



Inner Fender Ret. Nissan 80-on

ABD6132 **Qty:** 10 Hole size: 8mm Apps: Nissan

ABD6132RX Qty: 4 Head diameter: 20mm **ABD6132B Qty:** 100 Stem length: 18mm

Interchange no.: 63844-01A00



Front/Rear Bumper Ret. Honda 90-on

ABD6133 **Qty:** 10 Hole size: 10mm Apps: Honda ABD6133RX

ABD6133B

Qty: 2 Head diameter: 20mm Interchange no.: 91502-SP0-003 **Qty:** 100 Stem length: 25mm



Bumper Fascia Ret. Honda Accord 90-on

ABD6134 Hole size: 10mm **Qty:** 10 Apps: Honda

ABD6134RX Qty: 2 Head diameter: 20mm Interchange no.: 91504-SM4-000

ABD6134B **Qty:** 100 Stem length: 24mm



Screw type Ret. Ford 87-on

ABD6136 Qty: 10 Hole size: 1/4" Apps: Ford

ABD6136B Qty: 100 Head diameter: 1" Interchange no.: N804837-S

Stem length: 29/32"



Bumper Cover Ret. Nissan

ABD6137 **Qtv:** 10 Hole size: 10mm Apps: Nissan

Qty: 100 **ABD6137B** Head diameter: 20 x 30mm Interchange no.: 01553-01393

Stem length: 18mm



Tail Light Ret. GM/Chrysler

ABD6138 Qty: 10 Hole size: 3/16" Apps: GM/Chrysler

ABD6138RX **Qty:** 3 Head diameter: 3/8" Interchange nos.: GM-16500308, **ABD6138B Qty:** 100 Stem length: 7/16" C-6500787



Truck Grille to Metal Ret. Ford 1978-on

ABD6139 Qty: 10 Hole size: 1/4" Apps: Ford

ABD6139B **Qty:** 100 Head diameter: 1/4" Interchange no.: 387944-S

Stem length: 11/16"



GM Weatherstrip Ret./Chrysler Fender Ret. 68-on

ABD6140 Qtv: 10 Hole size: 1/4" Apps: GM/Chrysler

Head diameter: 11/16" **Qty:** 100 Interchange nos.: GM472434,

Stem length: 5/8" G-6031390



Push-in Type Ret. Toyota/Nissan

ABD6141 Qty: 10 Hole size: 7mm Apps: Toyota/Nissan Qty: 2 Head diameter: 18mm Interchange nos.: 90467-07043, ABD6141RX

Qty: 100 80999-05N-07 ABD6141B

Stem length: 11mm



Trim Ret. Honda/Nissan

ABD6140B

ABD6143B

ABD6149B

ABD6142 **Qty:** 10 Hole size: 8mm Apps: Honda/Nissan

Head diameter: 20mm ABD6142RX Qty: 2 Interchange nos.: 91545SE0-0030,

ABD6142B **Qty:** 100 Stem length: 14mm 63848-01G00



Front/Rear Bumper Ret. Nissan/Infinity

Qty: 100

Qty: 10 ABD6143 Hole size: 8mm Apps: Nissan/Infinity

Qtv: 2 Head diameter: 20mm Interchange nos.: 0153-06721 ABD6143RX




Wheel Opening Moulding Ret. GM/Saturn 91-on

ABD6144 Qty: 10 Hole size: 1/4" Apps: GM Saturn **ABD6144B Qty:** 100 Head diameter: 19/32" Interchange no.: 21077123

Stem length: 3/4"

Stem length: 15mm



ABD6145 **Qtv:** 10 Hole size: 6mm Apps: GM

ABD6145B **Qty:** 100 Head diameter: 17mm Interchange nos.: GM15149708,

Stem length: 16mm C-6506008AA



Body Ret. GM/Chrysler 84-on

ABD6146 Qtv: 10 Hole size: 1/4" Apps: GM/Chrysler

ABD6146B **Qty:** 100 Head diameter: 11/16" Interchange nos.: GM20510029,

> Stem length: 7/8" C-34202672



Exterior Body Ret. GM 94-on

Qty: 10 **ABD6147** Hole size: 9/32" Apps: GM

ABD6147RX Qty: 2 Head diameter: 11/16" Interchange no.: GM-20590899

Qty: 100 Stem length: 7/8" **ABD6147B**

Qty: 100



Fascia Bumper Ret. GM Light Truck/Olds 90-on

ABD6148 Qtv: 10 Hole size: 3/8" (9.5mm) Apps: GM

ABD6148B **Qty:** 100 Head diameter: 18mm Interchange nos.: 10157900,

11517803, 15993201 Stem length: 23mm





Front Bumper Ret. GM Light Truck/Olds 90-on

Hole size: 3/8" (9.5mm) ABD6149 **Qty:** 10 Apps: GM

ABD6149RX Qty: 2 Head diameter: 18mm Interchange no.: 11517803

Stem length: 23mm





Head diameter: 18mm

Stem length: 22mm

Interchange no.: GM-11589291,

F-W713331S300



Ergo Tuflock Ret. GM/Chyrsler 02-on

ABD6162 **Qty:** 10 Hole size: 6.5mm Apps: GM/Chrysler

> Head diameter: 18mm Interchange nos.: GM-11589289,

Stem length: 17.5mm C-6508863AA



Bumper Fascia Ret. GM 02-on

ABD6163 Hole size: 6.5mm **Qty:** 10 Apps: GM

Head diameter: 18mm Interchange no.: 11589290

Stem length: 20mm

Ergo Tuflock Ret. GM/Chyrsler 07-on

ABD6164 Qty: 10 Hole size: 8mm Apps: GM/Chrysler

> Head diameter: 19mm Interchange no.: GM-15296830,

Stem length: 16mm C-0516530AA



Ergo Tuflock Ret. GM 07-on

ABD6165 **Qty:** 10 Hole size: 8.5mm Apps: GM

> Head diameter: 20mm Interchange no.: 11589292

Stem length: 20mm

Panel Ret. GM Hummer 06-on

ABD6166 Qtv: 10 Hole size: 9mm Apps: GM

Head diameter: 19mm Interchange no.: 11589294

Stem length:

Ergo Tuflock Cowl & Fender Ret. GM 05-on **ABD6167**

Hole size: 8.5mm **Qty:** 10 Apps: GM/Ford

Head diameter: 20mm Interchange no.: GM-11589293,

Stem length: 22mm F-W712196S300



Ergo Tuflock Ret. GM Impala/Solstice 06-07

ABD6168 Qty: 10 Hole size: 9.5mm Apps: GM/Chrysler

> Head diameter: 18mm Interchange no.: GM-11561368,

Stem length: 20mm C-065008712AA



Ergo Tuflock Ret. GM/Ford 05-on

ABD6169 Qty: 10 Hole size: 10.5mm Apps: GM/Chrysler

> Head diameter: 25mm Interchange nos.: GM-11589295,

Stem length: 20mm C-5GUU9K11BA



Ergo Tuflock Ret. GM 07-on

ABD6170 Qty: 10 Hole size: 10.5mm Apps: GM

Head diameter: 25mm Interchange nos.: 11589296

Stem length: 23mm

Push Type Retainer - Nissan

ABD6173 Qty: 10 **Hole size:** 5/16: (8mm) Apps: Nissan

Stem length: 20mm ABD6173B **Qty:** 100 Interchange nos.: 76882-57A00

CIA RETAINERS



ABD6175 Hole size: 7/16" (11mm) **Qty:** 10 Apps: Toyota

ABD6175B **Qty:** 100 Stem: 14mm Interchange nos.: 01553-03101

RETAINERS



ABD6172 **Qtv:** 10 **Hole size:** 15/64" (6mm) Apps: Nissan

ABD6172B Qty: 100 Stem: 8mm Interchange nos.: 66814-01G00

RETAINERS



ABD6094 Qty: 10 Hole size: 15/64" (6mm) Apps: Honda/Isuzu/Mazda/Nissan/Toyota **ABD6094B**

Qty: 100 Stem: 16mm Interchange nos.: H-90467-11005, I-89421-76980, M-9926-40-658, N-76906-T3000, T-90467-09069-06-20



Qty: 10

Qty: 10

Qty: 100

ABD6383

ABD6383RX

ABD6383B

Phillips Oval HD Sheet Metal Screw Undersize HD Black

Head size: #6

Screw size: 10 x 3/4"

Apps: Undersize HD black



Phillips Oval Head Black Finish Sheet Metal Screw

ABD6377 **Qty:** 10 Screw size: 8 x 3/4"

ABD6377B Qty: 100 Head size: #8



Phillips Oval Head Black Finish Sheet Metal Screw

ABD6378 Qty: 10 Screw size: 8 x 1" Apps: Black finish

Apps: Black finish

ABD6378B **Qty:** 100 Head size: #8



Phillips Pan Head Sheet Metal Screw Bright Zinc

Screw size: 8 x 1" ABD6385 **Qty:** 10 Apps: Bright zinc

Head size: #8 ABD6385B **Qty:** 100



Phillips Pan Head Sheet Metal Screw Bright Zinc

Screw size: 10 x 3/4" ABD6386 **Qtv:** 10 Apps: Bright zinc

ABD6386B **Qty:** 100 Head size:



Phillips Pan Head Sheet Metal Screw Bright Zinc

ABD6389 Qty: 10 Screw size: 12 x 3/4" Apps: Bright zinc

ABD6389B Qty: 100 Head size:



Phillips Pan Head Sheet Metal Screw Bright Zinc

ABD6390 **Qty:** 10 **Screw size:** 14 x 3/4" Apps: Bright zinc

ABD6390B **Qty:** 100 Head size:



Phillips Pan Head Sheet Metal Screw Black Finish

ABD6323 Screw size: 8 x 3/4" **Qty:** 10 Apps: Black finish ABD6323RX **Qty:** 10 Head size:

Qty: 100 ABD6323B



Phillips Pan Head Sheet Metal Screw Black Finish

ABD6324 **Qty:** 10 Screw size: 8 x 1" Apps: Black finish

ABD6324RX **Qty:** 10 Head size:

Qty: 100 **ABD6324B**



Phillips Pan Head Sheet Metal Screw Black Finish

ABD6384 Qtv: 10 Screw size: 8 x 1/2" Apps: Black finish

ABD6384RX **Qty:** 10 Head size:

Qty: 100 **ABD6384B**



Phillips Pan Head Sheet Metal Screw Black Finish

ABD6387 Screw size: 10 x 3/4" **Qty:** 10 Apps: Black finish ABD6387RX **Qty:** 10 Head size:

Qty: 100 **ABD6387B**



Phillips Pan Head Sheet Metal Screw Black Finish

Screw size: 10 x 1" **ABD6388 Qty:** 10 Apps: Black finish

ABD6388RX **Qty:** 10 Head size:

Qty: 100 **ABD6388B**



Phillips Oval Head Trim Screw SEMS Chrome

ABD6304 **Qtv:** 10 **Screw size:** 8 x 1-1/4" Apps: SEMS chrome

ABD6304B **Qty:** 100 Head size: #6



Phillips Oval Head Trim Screw SEMS Chrome

ABD6306 Qty: 10 ABD6306RX **Qty:** 3

ABD6306B

ABD6307B

ABD6311B

ABD6301B

Screw size: 10 x 3/4" Head size: #8

Apps: SEMS chrome



Phillips Oval Head Trim Screw SEMS Chrome

ABD6307 **Otv:** 10 Screw size: 10 x 1" ABD6307RX **Qtv:** 3 **Qty:** 100

Qty: 100

Head size: #8

Apps: SEMS chrome



Phillips Oval Head Trim Screw SEMS Chrome

ABD6311 **Qty:** 10 Screw size: 8 x 3/4" ABD6311RX **Qty:** 3 Head size: #6

Qty: 100

Qty: 100

Apps: SEMS chrome



Phillips Oval Head Trim Screw SEMS Chrome

ABD6312 Screw size: 8 x 1" **Qty:** 10 ABD6312RX Qty: 6 Head size: #6

ABD6312B **Qty:** 100 Apps: SEMS chrome



Phillips Oval Head Trim Screw SEMS Black

ABD6301 **Qty:** 10 Screw size: 10 x 3/4" Apps: SEMS black Head size: #8 ABD6301RX **Qty:** 5



Phillips Oval Head Trim Screw SEMS Black

ABD6302 **Qty:** 10 Screw size: 10 x 1" Apps: SEMS black ABD6302RX Qty: 4 Head size: #8

ABD6302B **Qty:** 100

Phillips Oval Head Trim Screw SEMS Black

ABD6308 Screw size: 8 x 5/8" **Qty:** 10 Apps: SEMS black **ABD6308B Qty:** 100 Head size: #6



Phillips Oval Head Trim Screw SEMS Black

ABD6309 Qty: 10 Screw size: 8 x 3/4" Apps: SEMS black Head size: #6

ABD6309RX Qty: 4 ABD6309B **Qty:** 100

Phillips Oval Head Trim Screw SEMS Black

Qty: 10 ABD6310 Screw size: 8 x 1" Qty: 8 ABD6310RX Head size: #6

Qty: 100 ABD6310B

Apps: SEMS black



Indented Hex Head Tek Screw Bright Zinc

ABD6316 **Qty:** 10 Screw size: 8 x 1/2" **Apps:** Bright zinc ABD6316RX Qty: 6 1/4" hex

ABD6316B **Qty:** 100

Indented Hex Head Tek Screw Bright Zinc

ABD6335 Qty: 10 Screw size: 8 x 3/4" Apps: Bright zinc

ABD6335RX **Qty:** 10 3/4" hex

ABD6335B **Qty:** 100



Indented Hex Head Tek Screw Bright Zinc

ABD6208 Screw size: 10 x 3/4" **Qty:** 10 Apps: Bright zinc

ABD6208RX **Qty:** 10 5/16" hex

ABD6208B **Qty:** 100



Phillips Flat Top Washer Head Black Trim Screw

ABD6393 Qty: 10 Screw size: 8 x 5/8"

ABD6393B Qty: 100 13/32 0.D. washer



Phillips Flat Top Washer Head Black Trim Screw

ABD6394 Qty: 10 Screw size: 8 x 1" ABD6394RX Qty: 10 13/32 0.D. washer

ABD6394B Qty: 100

-

Phillips Flat Top Washer Head Black Trim Screw

ABD6395 Qty: 10 Screw size: 8 x 1-1/4" Apps: Black

Apps: Black

Apps: Black

ABD6395B Qty: 100 13/32 0.D. washer



Phillips Flat Top Washer Head Black Trim Screw

ABD6332 Qty: 10 Screw size: 8 x 3/4" Apps: Black

ABD6332RX Qty: 10 13/32 0.D. washer ABD6332B Qty: 100

Phillips Flat Top Washer Head Black Trim Screw

ABD6333 Qty: 10 **Screw size:** 8 x 3/4" **Apps:** Black

ABD6333B Qty: 100 1/2 0.D. washer



Phillips Flat Top Washer Head Black Trim Screw

ABD6334 Qty: 10 **Screw size:** 10 x 3/4" **Apps:** Black

ABD6334RX Qty: 10 1/2 0.D. washer

ABD6334B Qty: 100



Tek Screw 12mm O.D. Loose Washer Black

ABD6329B Qty: 100 7mm IND hex washer HD



Tek Screw 12mm O.D. Loose Washer Black

ABD6330 Qty: 10 **Screw size:** 4.2-1.41 x 20mm **Apps:** Black

ABD6330RX Qty: 4 7mm IND hex washer HD

Qtv: 100

Phillips Flat Top Washer Head Black Trim Screw Chrysler

ABD6398 Qty: 10 Screw size: 8 x 1.2" Apps: Chrysler

ABD6398RX Qty: 10 Interchange no.: CHRY9422202

ABD6398B Qty: 100

ABD6330B



Phillips Flat Top Washer Head Black Trim Screw Ford

ABD6203 Qty: 10 **Screw size:** 8 x 3/4" **Apps:** Ford

ABD6203B Qty: 100 1/2 0.D. washer **Interchange no.:** F56912-S2



Phillips Flat Top Washer Head Black Trim Screw GM

ABD6331 Qty: 10 **Screw size:** 8 x 1/2" **Apps:** GM

ABD6331RX Qty: 6 13/32 0.D. washer **Interchange no.:** GM11505104

ABD6331B Qtv: 100



Phillips Oval Head Loose Washer Tek Screw Black

ABD6305 Qty: 10 **Screw size:** 8 x 3/4" **Apps:** Black

ABD6305B Qty: 100 #6



Phillips Oval Washer Head Wheel Opening Tek Screw Black GM

ABD6314 **Qty:** 10 Screw size: 8 x 1/2" Apps: GM

ABD6314B Qty: 100 13/32" O.D. washer Interchange no.: 2043550



Phillips Oval HD Wheel Opening Tek Screw Chrome

ABD6313 **Screw size**: 8 x 1/2" **Qty:** 10 ABD6313B

Apps: Chrome 13/32" O.D. washer **Qty:** 100



Phillips Oval HD Wheel Opening Tek Screw Bright Zinc GM

ABD6399 Screw size: 8 x 1/2" **Qtv:** 10 Apps: GM

ABD6399B **Qty:** 100 3/8" IND hex Interchange no.: 1689827



Phillips Oval Washer Head Mounting Tex Screw Black

ABD6315 Screw size: 8 x 3/4" **Qty:** 10 Apps: Black

ABD6315B **Qty:** 100 13/32" O.D. washer



Phillips Oval Washer Head Chrome GM

ABD6201 **Screw size:** 8 x 1/2" **Qty:** 10 Apps: GM

ABD6201B **Qty:** 100 1/4" hex head slot



Phillips Oval Washer Head Black Phosphate GM

ABD6204 **Qtv:** 10 Screw size: 8 x 3/4" Apps: GM

ABD6204B 13/32" O.D. washer **Qty:** 100 Interchange no.: 11501884



Phillips Oval Wheel Opening Moulding Bright Zinc Ford

ABD6396 Qty: 10 Screw size: 8 x 3/8" Apps: Ford

ABD6396B **Qty:** 100 Head size: #6 Interchange no.: 381671S



Metric Torx Trim Screws GM

ABD6326 Qty: 10 Screw size: 4.2-1.41 x 30mm Apps: GM

ABD6326B Qtv: 100 7mm oval head Interchange no.: 11504656



Metric Torx Trim Screws Black GM

ABD6328 Qtv: 10 Screw size: 4.2-1.41 x 25mm Apps: GM

ABD6328B Qty: 100 8mm pan head Interchange no.: 11504662



Metric Torx Trim Screws SS Chrome GM

ABD6325 **Qty:** 10 Screw size: 4.2-1.41 x 30mm Apps: GM

ABD6325B **Qty:** 100 7mm oval head Interchange no.: 11504522



Metric Torx Trim Screws SS Chrome GM

ABD6327 **Qtv:** 10 Screw size: 4.2-1.41 x 25mm Apps: GM

ABD6327B **Qty:** 100 8mm pan head Interchange no.: 11504661



Sheet Metal Screws Black 11/16" Loose Washer GM

ABD6352 **Qty:** 10 **Screw size:** 6.3-1.81 x 25mm Apps: GM

ABD6352RX Qty: 4 10mm IND hex wash HD Interchange no.: 11500996

ABD6352B **Qty:** 100



Sheet Metal Screws Black 12mm Loose Washer GM

ABD6202 Qty: 10 **Screw size:** 4.2-1.41 x 16mm **Apps:** GM

ABD6202B Qty: 100 7mm IND hex head Interchange no.: 11503395



Sheet Metal Screws Black 12mm Loose Washer GM

ABD6205 Qty: 10 Screw size: 4.2-1.41 x 20mm Apps: GM

ABD6205RX Qty: 8 7mm IND hex head Interchange no.: 11503396

ABD6205B Qty: 100

Sheet Metal Screws Black 12mm Loose Washer GM

ABD6206 Qty: 10 **Screw size:** 4.2-1.41 x 20mm **Apps:** GM

ABD6206B Qty: 100 7mm IND hex wash head HD Interchange no.: 11504056



Sheet Metal Screws Black 17mm Loose Washer Black GM

ABD6351 Qty: 10 **Screw size:** 6.3-1.81 x 20mm **Apps:** GM

ABD6351RX Qty: 4 10mm IND hex HD Interchange no.: 11505022

ABD6351B Qty: 100



Sheet Metal Screws Black 17mm Loose Washer Black GM

ABD6207 Qty: 10 **Screw size:** 4.2-1.41 x 20mm **Apps:** GM

ABD6207RX Qty: 4 7mm IND hex HD Interchange no.: 11503892

ABD6207B Qty: 100



Sheet Metal Screws Black 17mm Loose Washer GM

ABD6303 Qty: Screw size: 4.2-1.41 x 20mm Apps: GM

ABD6303B Qty: 100 7mm IND hex HD Interchange no.: 11503892



Phillips Pozidrive Chrome GM

ABD6397 Qty: 10 **Screw size:** 4.2-1.41 x 12mm **Apps:** GM

ABD6397B Qty: 100 13/32 0.D. washer **Interchange no.:** 11501794



License Plate Screw Black O.D. Washer Head Slotted

ABD6218 Qty: 10 **Screw size:** 1/4" (#14) x 3/4" **Apps:** Black

ABD6218B Qty: 100 3/8" IND hex



License Plate Screw Black O.D. Washer Head Slotted

ABD6215 Qty: 10 **Screw size:** 1/4" (#14) x 5/8" **Apps:** Black

ABD6215RX Qty: 5 5/16" IND hex

ABD6215B Qty: 100



License Plate Screw Zinc 1/2" Washer Head Slotted

ABD6336 Qty: 10 **Screw size:** 1/4" (#14) x 3/4" **Apps:** Zinc

ABD6336RX Qty: 5 3/8" IND hex

ABD6336B Qty: 100



License Plate Screw Kit Black Nylon with Hex Nut

ABD6213 Qty: 10 Screw size: 6-1.00 x 20mm Apps: Black nylon

ABD6213B Qty: 100



License Plate Screw Phillips Pan Wash Head Ford Contour 95-on

ABD6210 Qtv: 10 Screw size: M5-0.8 x 12mm Apps: Ford Contour

ABD6210RX Qtv: 5 1/2" (12.7mm)

ABD6210B Qty: 100

License Plate Screw Phillips Zinc Head Washer 19mm Honda 90-on



ABD6212 Qtv: 10 Screw size: M6-1.81 x 20mm Apps: Honda

ABD6212B Qty: 100 12mm (1/2") head **Interchange no.:** 93904-46320



License Plate Screw Slotted Truss HD Bright Zinc

ABD6216 Qty: 10 **Screw size**: 1/4" (#14) x 3/4" **Apps:** Bright zinc

ABD6216RX Qty: 8 9/16 head

ABD6216B Qty: 100



License Plate Screw Slotted Truss HD Bright Zinc GM

ABD6209 Qty: 10 **Screw size:** 10 x 5/8" **Apps:** GM

ABD6209RX Qty: 5 1/2" 0.D. washer **Interchange nos.:** 3783002

ABD6209B Qty: 100



License Plate Screw Slotted Truss Head Black

ABD6217 Qtv: 10 **Screw size:** 1/4" (#14) x 3/4" **Apps:** Black

ABD6217B Qty: 100 9/16 head

License Plate Screw Slotted Truss HD Black GM S&T Truck 98-on

ABD6211 Qty: 10 Screw size: #14 x 1-3/16" Apps: GM S&T Truck
ABD6211RX Qty: 2 9/16" head Interchange no.: 16502342

ABD6211B Qty: 100

License Plate Screw Duo Drive Truss Head Dacromet 360 GM

ABD6214 Qty: 10 **Screw size:** M6.3 3-1.81 x **Apps**: GM

ABD6214B Qty: 100 16mm, 14mm head

Dealer License Plate Thumb Screw

ABD6219 Qty: 10 **Screw size:** 1/4" (#14) x 1/2" **Apps:**

ABD6219B Qty: 100 1/2" length Interchange no.:

BODY BOLTS



ABD6372 Qty: 10 Screw size: 7/8" Apps: Black ABD6372B Qty: 100 56/16-18 x 1"

1/2" IND hex head



ABD6373 Qty: 10 Screw size: 1" Apps: Black ABD6373B Qty: 100 3/8" 16 x 1

9/16" IND hex head

CA Body Bolt O.D. Loose Washer Black

ABD6374 Qty: 10 Screw size: 1-1/8" Apps: ABD6374RX Qty: 1 3/8-16 x 1-1/2" Interc

BD6374RX Qty: 1 3/8-16 x 1-1/2" Interchange nos.:


ABD6374B Qty: 100 9/16" IND hex head

Metric-type CA Flange Bolt 13mm O.D. Washer Black GM

ABD6342 Qty: 10 Flange bolt: 13mm Apps: GM

RX indicates packaging suited for retail and merchandisers.

BODY BOLTS



BODY BOLTS






ABD6376 Qty: 10 Screw size: Apps: GM

ABD6376B Qty: 100 6-1.00 x 20mm Interchange no.: 11504570

10mm IND hex head



ABD6339RX Qty: 3 1/4"-20 x 15/16" **Interchange no.:** 57030-S2

ABD6339B Qty: 100 7/16" IND hex head

Mirror Mounting Screw and Jack Nut Assembly GM

ABD6371 Qty: 10 **Screw size:** 1/4"-20 x 1" **Apps: GM**

ABD6371B Qty: 100 **Interchange no.:** 367292

Outside Mirror Mt. Bolt Chrome GM

ABD6370 Qty: 10 **Screw size:** 1/4"-20 x 1" **Apps:** GM

ABD6370RX Qty: 1 Interchange no.: 367291

ABD6370B Qty: 100

Bumper Bolt Round-style Head SS Capped

ABD6361 Qty: 10 **Screw size:** 5/16"-18 x 1" **Apps:** SS

ABD6361RX Qty: 1 Head diameter: 3/4"

ABD6361B Qty: 100

Bumper Bolt Round-style Head SS Capped

ABD6363 Qty: 10 **Screw size:** 3/8"-16 x 1-1/4" **Apps**: SS

ABD6363RX Qty: 1 Head diameter: 7/8"

ABD6363B Qty: 100

Bumper Bolt Round-style Head SS Capped

ABD6364 Qty: 10 **Screw size:** 7/16"-14 x 1-1/4" **Apps:** SS

ABD6364RX Qty: 1 Head diameter: 29/32"

ABD6364B Qty: 100

Bumper Bolt Round-style Head SS Capped

ABD6365 Qty: 10 **Screw size:** 1/2"-13 x 1-1/2" **Apps:** SS

ABD6365RX Qty: 1 Head diameter: 1-3/32"

ABD6365B Qty: 100

Bumper Bolt Pan-style Head SS Capped Chrysler

ABD6362 Qty: 10 **Screw size:** 3/8"-16 x 1" **Apps:** Chrysler

ABD6362RX Qty: 1 Head diameter: 7/8" Interchange no.: 6026723

ABD6362B Qty: 100

Bumper Bolt Pan-style Head SS Capped GM

ABD6366 Qty: 10 **Screw size:** 8-1.25 x 25mm **Apps:** GM

ABD6366RX Qty: 1 Head diameter: 19mm Interchange no.: 14003784

ABD6366B Qty: 100

Extruded Nut Bright Zinc Center of Hole to Edge 15/32"



ABD6259 ABD6259B **Qty:** 10 **Qty:** 100 Screw size: 10-24 Range: .025"/.125"

Apps: Bright zinc



Extruded U-nut Black Center of Hole to Edge 17/32" GM

Extruded U-nut Black Center of Hole to Edge 25/32" Ford

ABD6367 Qty: 10 Screw size: 1/4"-20 Apps: GM ABD6367RX **Qty:** 3 Range: .010"-.165"

ABD6367B **Qty:** 100 Interchange no.: 1494252



ABD6260 ABD6260RX **Qty:** 10

Screw size: 1/4"-20

Range: .010"-.165"

Apps: Ford Interchange no.: 45267

Qty: 3 **ABD6260B Qty:** 100



ABD6368 ABD6368RX ABD6368B

Extruded U-nut Black Center of Hole to Edge 27/32" GM **Qty:** 10 Qty: 2

Qty: 100

Screw size: 5/16"-18 Range: .010"-.170"

Apps: GM

Interchange no.: 1494258



Extruded U-nut Black Center of Hole to Edge 3/4" Ford **ABD6369** ABD6369RX

Qty: 10 Qty: 1

Screw size: 3/8"-16 Range: .035"/.205"

Extruded U-nut Black Center of Hole to Edge 17/32" GM

Extruded U-nut Black Center of Hole to Edge 25/32" GM

Apps: Ford Interchange no.: 1494254

ABD6369B Qty: 100



Extruded U-nut Black Center of Hole to Edge 1-1/8" Ford ABD6261 ABD6261RX

Qty: 10 Qty: 1 **Qty:** 100 ABD6261B

Screw size: 3/8"-16 Range: .035"/.220"

Apps: Ford

Interchange no.: 45269



ABD6346 ABD6346RX **ABD6346B**

Qty: 10 **Qty:** 3 **Qty:** 100 Screw size: 6-1.00mm Range: .010"-.165"

Apps: GM

Interchange no.: 11503957



ABD6347 ABD6347RX **ABD6347B**

Qty: 10 **Qty:** 3 **Qty:** 100 Screw size: 6-1.00mm Range: .010"-.165"

Apps: GM

Interchange no.: 11503715



ABD6262 ABD6262B

Thread Cutting Nuts Zinc Finish 5/8" Flange

Qty: 10 Screw size: 6-3.10mm **Qty:** 100 Range: .010"-.165"

Apps: GM

Interchange no.: 11500658



Extruded U-nut Black Center of Hole to Edge 9/16" GM ABD6354 ABD6354RX

Qty: 10 Qty: 2 **Qty:** 100

Screw size: 8-1.25mm Range: .010"-.165"

Apps: GM

Interchange no.: 11500660



Extruded U-nut Black Center of Hole to Edge 13/16" GM ABD6355 ABD6355RX

ABD6355B

ABD6354B

Qty: 10 Qty: 2

Qty: 100

Screw size: 8-1.25mm Range: .010"-.175"

Apps: GM

Interchange no.: 11500661



Extruded U-nut Black Center of Hole to Edge 3/4" GM

ABD6358 **Qty:** 10 ABD6358RX Qty: 1

Screw size: 10-1.50mm Range: .035"/.232"

Apps: GM

Interchange no.: 11500662



ABD6358B

Qty: 100

Wide Range U-nut Center of Hole to Edge Black 3/8"



 ABD6245
 Qty: 10
 Screw size: 6
 Apps: Black

 ABD6245B
 Qty: 100
 Range: .025"/.125"
 Interchange no.:

Wide Range U-nut Center of Hole to Edge Black 3/8" GM

ABD6254 Qty: 10 Screw size: 8 Apps: GM
ABD6254RX Qty: 7 Range: .020"/.150" Interchange no.: 9424837

ABD6254B Qty: 100



Wide Range U-nut Center of Hole to Edge Black 5/8" GM
ABD6255 Qty: 10 Screw size: 8 Apps: GM

ABD6255RX Qty: 6 **Range:** .025"/.150" **Interchange no.:** 9433155

ABD6255B Qty: 100



Wide Range U-nut Center of Hole to Edge Black 3/8" GM

ABD6256 Qty: 10 Screw size: 14 Apps: GM

ABD6256RX Qty: 6 **Range:** .025"/.150" **Interchange no.:** 9431532 **ABD6256B Qty:** 100



U-type Speed Nut Ret. Center of Hole to Edge Black 9/16" GM

ABD6257 Qty: 10 **Screw size:** 1/4-20" **Apps:** GM

ABD6257B Qty: 100 **Range:** .064"/.125" **Interchange no.:** 9431647



U-type Ret. Center of Hole to Edge 11mm Black Toyota

ABD6258 Qty: 10 Screw size: 10 Apps: Toyota

ABD6258RX Qty: 2 Range: Up to 11mm Interchange nos.: 53879-14010A

ABD6258B Qty: 100



Metric Hex Flange Nut Black 11.8mm O.D. Washer GM

ABD6340 Qty: 10 Screw size: Apps: GM

 ABD6340RX
 Qty: 6
 5-.80mm
 Interchange no.:
 11502722

 ABD6340B
 Qty: 100
 8mm hex size

0-

Metric Hex Flange Nut Black 16mm O.D. Serrated Washer GM

ABD6247 Qty: 10 Screw size: Apps: GM
ABD6247RX Qty: 6 1-1.00mm Interchange no.:

ABD6247B Qty: 100 10mm hex size



Metric Hex Flange Nut Black 19mm O.D. Serrated Washer

ABD6246 Qty: 10 Screw size: Apps:

 ABD6246RX
 Qty: 5
 8-1.25mm
 Interchange nos:

 ABD6246B
 Qty: 100
 13mm hex size

Metric Hex Flange Nut Black 21mm O.D. Washer GM

 ABD6359
 Qty: 10
 Screw size: 10-1.50mm
 Apps: GM

 ABD6359RX
 Qty: 4
 15mm hex size
 Interchange no.: 11501850

ABD6359B Qty: 100

ABD6244B



Metric Hex Nut Black 16mm O.D. Loose Barbed Washer GM

ABD6348 Qty: 10 Screw size: Apps: GM

ABD6348RX Qty: 4 6-1.00mm **Interchange no.:** 11505329

ABD6348B Qty: 100 10mm hex size

Qty: 100



Metric Hex Nut Black 19mm O.D. Loose Barbed Washer Chrysler

ABD6244 Qty: 10 Screw size: Apps: Chrysler

10mm hex size

ABD6244RX Qty: 3 6-1.00 mm **Interchange no.:** 6100049



Metric Hex Nut Black 24mm O.D. Loose Barbed Washer GM

ABD6356 Qty: 10 Screw size: Apps: GM

ABD6356RX Qty: 2 8-1.25mm **Interchange no.:** 11503695

ABD6356B Qty: 100 13mm hex size

Hex Flange Nuts Bright Zinc 1/2" O.D. Serrated Washer

 ABD6273
 Qty: 10
 Screw size:
 Apps:

 ABD6273B
 Qty: 100
 10-24
 Interchange no.:

Abbo273b Qty: 100 10-24 Interchange no

Thread Cutting Nuts Zinc Finish 17/32" Flange

ABD6263 Qty: 10 Screw size: Apps: Zinc finish
ABD6263B Qty: 100 1/8" stud Interchange no.:

5/16" hex

Thread Cutting Nuts Zinc Finish 11/32" Flange

ABD6264 Qty: 10 Screw size: Apps: Zinc finish
ABD6264B Qty: 100 5/32" stud Interchange no.:

11/32" hex

Thread Cutting Nuts Zinc Finish 1/2" Flange

 ABD6265
 Qty: 10
 Screw size:
 Apps: Zinc finish

 ABD6265B
 Qty: 100
 3/16" stud
 Interchange no.:

3/8" hex

Thread Cutting Nuts Zinc Finish 5/8" Flange

ABD6266 Qty: 10 Screw size: Apps:Zinc finish
ABD6266RX Qty: 7 3/16" stud Interchange no.:

ABD6266B Qty: 100 3/8" hex

Thread Cutting Nuts Zinc Finish 19/32" Flange

ABD6267 Qty: 10 Screw size: Apps: Zinc finish
ABD6267RX Qty: 7 1/4" stud Interchange no.:

ABD6267B Qty: 100 7/16" hex

Thread Cutting Nuts Zinc Finish 11/16" Flange

ABD6272 Qty: 10 Screw size: Apps: Zinc finish
ABD6272RX Qty: 8 1/4" stud Interchange no.:

ABD6272B Qty: 100 7/16" hex

Thread Cutting Nuts Zinc Finish 7/8" Flange

ABD6268 Qty: 10 Screw size: Apps: Zinc finish
ABD6268RX Qty: 4 5/16" stud Interchange no.:

ABD6268B Qty: 100 1/2" hex

Thread Cutting Nuts Black Finish 15mm Flange

ABD6269 Qty: 10 Screw size: Apps: Zinc finish
ABD6269RX Qty: 6 5mm stud Interchange no.:

ABD6269B Qty: 100 10mm hex

Qty: 100

ABD6270B

Thread Cutting Nuts Zinc Finish 18mm Flange GM

ABD6271 Qty: 10 Screw size: Apps: Zinc finish

ABD6271B Qty: 100 8mm stud Interchange no.: GM11502507

13mm hex

11mm hex

Thread Cutting Nuts Zinc Finish 20mm Flange GM

ABD6270 Qty: 10 Screw size: Apps: Zinc finish

ABD6270RX Qty: 6 6.3mm stud Interchange no.: GM11501836

	Push-on Type ABD6274 ABD6274B	Ret. Zinc Qty: 10 Qty: 100	Finish Screw size: 1/8" stud 3/8" flange 0.D.	Apps: Zinc finish Interchange no.:
	Push-on Type ABD6275 ABD6275B	Ret. Zinc Qty: 10 Qty: 100	Finish Screw size: 5/32" stud 7/16" flange 0.D.	Apps: Zinc finish Interchange no.:
0	Push-on Type ABD6276 ABD6276B	Ret. Zinc Qty: 10 Qty: 100	Finish Screw size: 3/16" stud 7/16" flange 0.D.	Apps: Zinc finish Interchange no.:
0	Push-on Type ABD6277 ABD6277B	Ret. Zinc Qty: 10 Qty: 100	Screw size: 1/4" stud 1/2" flange 0.D.	Apps: Zinc finish Interchange no.:
0	Push-on Type ABD6278 ABD6278RX ABD6278B	Ret. Zinc Qty: 10 Qty: 10 Qty: 100	Finish Screw size: 5/16" bolt 5/8" flange 0.D.	Apps: Zinc finish Interchange no.:
0	Push-on Type ABD6279 ABD6279B	Ret. Blac Qty: 10 Qty: 100	ck Finish GM Screw size: 4mm stud 11mm flange 0.D.	Apps: GM Interchange no.: 11501937
0	Push-on Type ABD6280 ABD6280RX ABD6280B	Ret. Blac Qty: 10 Qty: 10 Qty: 100	ck Finish Screw size: 1/2" stud 15/16" flange 0.D.	Apps: Black finish Interchange no.:
	Push-on Type ABD6281 ABD6281B	Ret. Zinc Qty: 10 Qty: 100	Finish GM Screw size: 8-1.25mm bolt 16mm flange 0.D.	Apps: GM Interchange no.: 11502504
	Push-on Type ABD6282 ABD6282RX ABD6282B	-	Strip Ret. Dacromet Fir Screw size: 8-1.25mm bolt 24mm flange 0.D.	nish GM Apps: GM Interchange no.: 10009923
	Push-on Type ABD6283 ABD6283RX ABD6283B	Bumper Qty: 10 Qty: 6 Qty: 100	Ret. Dacromet Finish G Screw size: 10-1.50mm bolt 24mm flange 0.D.	M Apps: GM Interchange no.: 11501849
10	Light Nuts Sid ABD6221 ABD6221B	e Marker Qty: 10 Qty: 100	Natural Nylon Nissan Screw size: #8 screw	Apps: Nissan Interchange no.: 96706-B0700
	Headlight Bezon ABD6223 ABD6223RX ABD6223B	el Nuts N Qty: 10 Qty: 8 Qty: 100	atural Nylon GM Screw size: #6 to #8	Apps: GM Interchange no.: 380382



Headlight Bezel Nuts Natural Nylon GM

ABD6224 Qty: 10 **Screw size:** #6 **Apps:** GM

ABD6224B Qty: 100 Interchange no.: 1370853



Headlight Bezel Nuts Natural Nylon GM/Universal

ABD6227 Qty: 10 Screw size: #8 or #10 Apps: GM/Universal

ABD6227RX Qty: 8 Interchange no.: 14013246

ABD6227B Qtv: 100

Headlight Bezel and Grille Nuts Natural Nylon Toyota

ABD6230 Qty: 10 Screw size: #10 Apps: Toyota

ABD6230B Qty: 100 8mm x 9mm head **Interchange no.:** 90189-05013



Grille Screw Nuts Natural Nylon Ford/Universal

ABD6220 Qty: 10 Screw size: #8 or #10 Apps: Ford/Universal

ABD6220RX Qty: 10 Interchange no.: 379830S

ABD6220B Qty: 100



ABD6225 Qty: 10 **Screw size:** #8 or #10 **Apps:** GM

ABD6225B Qty: 100 **Interchange no.:** 3919773



Grille Screw Nuts Natural Nylon GM/Universal

ABD6226 Qty: 10 Screw size: #8 or #10 Apps:GM/Universal

ABD6226RX Qty: 10 Interchange no.: 3893980

ABD6226B Qty: 100

Grille and Side Marker Light Grommets Black Nylon Ford

 ABD6234
 Qty: 10
 Screw size:
 Apps: Ford

 ABD6234B
 Qty: 100
 10mm hole size
 Interchange no.: N807994-S



Screw Grommet Grille Attachment Natural Nylon GM

ABD6235 Qty: 10 Screw size: Apps: GM

ABD6235B Qty: 100 #6 or #8 screw **Interchange no.:** 14032291



License Plate Nuts White Plastic GM

ABD6232 Qty: 10 **Screw size:** 1/4" or #14 **Apps:** GM

ABD6232B Qty: 100

Nylon License Plate Nuts GM

ABD6233 Qty: 10 **Screw size:** 1/4" or #14 **Apps:** GM



Screw Grommets Natural Nylon Fits 8.5mm Square Hole Toyota

ABD6228 Qty: 10 Screw size: #10 Apps: Toyota

ABD6228RX Qty: 3 **Interchange no.:** 90189-06010

ABD6228B Qty: 100



ABD6229 Qty: 10 Screw size: #10 Apps: Toyota

ABD6229B Qty: 100 Interchange no.: 90189-06018

Interchange no.: 90662-693-0030



Screw Grommets Natural Nylon Fits 8.5mm x 8mm Hole Honda

Qty: 10 Screw size: #10 Apps: Honda

ABD6231B **Qty:** 100 Interchange no.: 90662-671-0030



Screw Grommets Natural Nylon Fits 7mm Square Hole Honda

ABD6236 Qty: 10 Screw size: Apps: Honda

ABD6236RX Qty: 2 #6 screw/14mm head

ABD6236B **Qty:** 100 10mm length

Screw Grommets Natural Nylon Fits 7mm Square Hole Honda

ABD6237 **Qty:** 10 Screw size: #6 screw Apps: Honda

ABD6237B Qty: 100 Interchange no.: 90662-671-8110M1



Screw Grommets Natural Nylon Honda

ABD6238 Qty: 10 Screw size: Apps: Honda

ABD6238RX **Qty:** 5 #8 screw/16mm head Interchange no.: 90661-SC7-0030

ABD6238B **Qty:** 100 17mm length



Screw Grommets Natural Nylon Toyota ABD6239 Qty: 10 Screw size: #10 screw

Apps: Toyota ABD6239RX Qty: 4 18mm head Interchange no.: 90189-06001

ABD6239B Qty: 100 17mm length



Screw Grommets Black Nylon Toyota

ABD6242 **Qty:** 10 Screw size: 1/4" (#14) screw Apps: Toyota

ABD6242RX **Qty:** 100 **ABD6242B** 17mm stem

Qty: 5 20mm head Interchange no.: 90189-06013



Screw Grommets Fender Liner Black Nylon Toyota

ABD6240 **Qty:** 10 Screw size: Apps: Toyota

ABD6240B Qty: 100 #12 screw Interchange no.: 90189-06028

10mm square hole



Screw Grommets Fender Liner Black Nylon Toyota

Qty: 10 ABD6241 Screw size: Apps: Toyota

Interchange no.: 90189-06157 ABD6241B **Qty:** 100 #12 screw

8mm square hole



Barrel Nuts Black Ford

ABD6250 **Qty:** 10 Screw size: Apps: Ford

ABD6250B Qty: 100 1/8" stud Interchange no.: 375480-S100

1/4" hole



Barrel Nuts Black Chrysler

ABD6251 **Qty:** 10 Screw size: **Apps:** Chrysler

ABD6251B **Qty:** 100 3/16" stud Interchange no.: 6000558

7/32" hole



Barrel Nuts Black Ford

ABD6252 **Qty:** 10 Screw size: Apps: Ford

ABD6252B 1/4" stud **Qty:** 100 Interchange no.: 354341-S

9/32" hole




Rubber Well Nut for 1/2" Hole GM

ABD6249 **Qty:** 10 Screw size: Apps: GM

ABD6249RX Qty: 2 1/4"-20 thread Interchange nos.: 528846 **ABD6249B Qty:** 100 9/16" long

DOOR HINGE PINS (APPLICATION BUSHINGS)



DOOR HINGE PINS (APPLICATION KITS)

Door Hinge Pin Bushings Kit GM C&K Series Truck 88-03 One-door **ABDHP1000 Qty:** 10 MM: 38416 Apps: ABDHP1000B **Qty:** 100 Interchange no.: Door Hinge Pin Bushings Kit S-10 Blazer/Jimmy 82-94 One-door ABDHP1001 **Qtv:** 10 MM: 38407 :sqqA ABDHP1001B **Qty:** 100 Interchange no.: Door Hinge Pin Bushings Kit GM Cars/Trucks 60-98 One-door ABDHP1002 **Qty:** 10 MM: 38400 Apps: **Qty:** 100 ABDHP1002B Interchange no.: Door Hinge Pin Bushings Kit Ford F Series Trucks 80-98 One-door **ABDHP1003 Qtv:** 10 MM: 38410 Apps: ABDHP1003B **Qty:** 100 Interchange no.: Door Hinge Pin Bushings Kit GM Cars/Trucks 60-98 One-door ABDHP1004 **Qtv:** 10 MM: 38402 Interchange no.: ABDHP1004B Qty: 100 Door Hinge Pin Bushings Kit Ford Mustang/Capri 79-98 One-door ABDHP1005 MM: 38395 **Qty:** 10 Apps: ABDHP1005B **Qty:** 100 Interchange no.: Door Hinge Pin Bushing Kit Dodge Vans 69-94 Side/Rear Door **ABDHP1006 Qty:** 10 MM: 38404 Apps: ABDHP1006B **Qty:** 100 Interchange no.: Door Hinge Pin Bushing Kit Dodge D/W P/U/Ramcharger 84-97 One-door ABDHP1007 **Qtv:** 10 MM: 38386 Apps: ABDHP1007B **Qty:** 100 Interchange no.: Door Hinge Pin Bushing Kit Chrysler Cars/Minivans 84-92 One-door **ABDHP1008 Qty:** 10 MM: 38388 Apps: ABDHP1008B Qtv: 100 Interchange no.: Door Hinge Pin Bushing Kit GMC/C&K Series P/Us 99-05 One-door **ABDHP1009** Apps: **Qty:** 10 MM: 38437 ABDHP1009B **Qty:** 100 **AUV: 20485** Interchange no.: Door Hinge Pin Bushing Kit GM S10/Jimmy Blazer 94-04 One-door **ABDHP1010 Qtv:** 10 MM: 38419 Apps: ABDHP1010B **Qty:** 100 Interchange no.: Door Hinge Pin Bushing Kit Jeep Grand Cherokee 94-98 One-door ABDHP1011 **Qty:** 10 MM: 38422 Apps: ABDHP1011B **Qty:** 100 Interchange no..: Door Hinge Pin Bushing Kit Dodge Ram Trucks 94-03 ABDHP1012 **Qty:** 10 MM: 38423 ABDHP1012B **Qty:** 100 Interchange no..:

RX indicates packaging suited for retail and merchandisers.

DOOR HINGE PINS (APPLICATION PINS)

Door Hinge Pin Long GM in Kit ABDHP-1009

 ABDHP0600
 Qty: 10
 Apps: GM

 ABDHP0600B
 Qty: 100
 Interchange no.:

Door Hinge Pin Short GM in Kit ABDHP-1009

 ABDHP0601
 Qty: 10
 Apps: GM

 ABDHP0601B
 Qty: 100
 Interchange no.:

Door Hinge Pins GM Compact Cars 78-95

ABDHP0602 Qty: 10 MM: 38407 Length: 4" Apps: GM

ABDHP0602B Qty: 100 AUV: 18193 HD O.D.: 7/16" Interchange no.: 20043351

Dia.: 11/32"

Door Hinge Pins GM Full-size Cars 72-93

ABDHP0603 Qty: 10 MM: 38401 Length: 4-1/16" Apps: GM

ABDHP0603B Qty: 100 AUV: 14559 HD O.D.: 9/16" Interchange no.: 6271989

Dia.: 11/32"

Door Hinge Pins GM S/T Trucks 94-on

ABDHP0604 Qty: 10 MM: Length: 4-1/8" Apps: GM

ABDHP0604B Qty: 100 **AUV:** 19781 **HD O.D.:** 1/2" **Interchange no.:** 15653790

Dia.: 11/32"

Door Hinge Pins Compact GM Trucks C&K 88-on

ABDHP0605 Qty: 10 **MM:** 38416 **Length:** 5-1/4" **Apps:** GM

ABDHP0605B Qty: 100 **AUV:** 19424 **HD O.D.:** 9/16" **Interchange no.:** 15591860

Dia.: 11/32"

Door Hinge Pins GM/Roller GM Light Trucks C&K 88-00

ABDHP0606 Qty: 10 **MM: Length:** 5-1/2" **Apps:** GM

ABDHP0606B Qty: 100 AUV: 19725 HD O.D.: 19/32" Interchange no.: 12540326

Dia.: 9/16"

Door Hinge Pins Ford Mustang/Tempo/Capri 79-93

ABDHP0607 Qty: 10 **MM:** 38395 **Length:** 3-3/18" **Apps:** Ford

ABDHP0607B Qty: 100 AUV: 19594 HD O.D.: 9/16" Interchange no.: D9ZZ-6643030-AA

Dia.: 11/32"

Door Hinge Pins Ford Trucks Ranger F-150, 250, 350 80-98

ABDHP0608 Qty: 10 **MM: Length:** 3-1/2" **Apps:** Ford

ABDHP0608B Qty: 100 **AUV:** 20346 **HD O.D.:** 9/16" **Interchange no.:** E8UZ1522840

Dia.: 11/32"

Door Hinge Pins Chrysler Dodge Van, Ramcharger, Trailduster 70-on

ABDHP0609 Qty: 10 **MM:** 38405 **Length:** 2-3/4" **Apps:**

ABDHP0609B Qty: 100 AUV: 14562 HD O.D.: 9/16" Interchange no.: 6028993

Dia.: 17/64"

DOOR LOCKS & HOOD PROP CLIPS



Hood Prop Clip GM Venture Van 97-on

ABDH1201 Qty: 10 Rod dia.: M8

Apps: GM ABDH1201RX Qty: 1 Hole sq.: 5 x 14mm Interchange no.: 10271128

Car: 97-7639





Hood Prop Clip Toyota Camry 96-on

Qty: 1

ABDH1202 Qty: 10 Rod dia.: 9mm Apps: Toyota ABDH1202RX

Hole sq.: 10mm Interchange no.: 53455-33010

AUV: 19529



Hood Prop Clip Saturn 97-on

Qty: 10 Rod dia.: 5/16" **ABDH1203** Apps: GM Saturn

ABDH1203RX **AUV:** 19902 Qty: 2 Interchange no.: 21097292





Hood Prop Clip Chrysler PT Cruiser 00-on/GM Cars/Trucks 90-on

ABDH1204 Qty: 10 Rod dia.: 7mm Car: 99-8115 Apps: Chrysler/GM

ABDH1204RX Qty: 1 Hole sq.: M10 Interchange nos.: 50227550AB,

> **AUV: 23031** 15021761

Hood Prop Clip Ford Cars 75-83/E Vans 80-81

ABDH1205 Qty: 10 **AUV: 17338** Apps: Ford

ABDH1205RX Qty: 2 Car: 80-5163 Interchange no.: D5ZZ-16828B





Hood Prop Clip Ford/Mercury Cars 75-on/E Vans 80-91/Escape 01-on

ABDH1206 Qty: 10 Rod dia.: 5/16" Apps: Ford/Mercury **AUV:** 16954 ABDH1206RX Qty: 2 Interchange no.: 386299S

Car: 78-4740





Hood Prop Clip Ford 98-on

Qty: 10 **ABDH1207** Rod dia.: 5/16" Apps: Ford ABDH1207RX

AUV: 16992

Interchange no.: E83Z-16828A

Car: 99-8072





ABDH1208RX

Hood Prop Clip Ford Contour, Mercury Mystique 95-on

ABDH1208 Qty: 10 Rod dia.: 6mm Car: 95-7371 **Apps:** Ford/Mercury

> Hole sq.: 7mm **AUV: 18504**





Hood Prop Clip Honda Accord 86-on

Qty: 1

Qty: 2

ABDH1209 Qty: 10 **AUV: 16950** Apps: Honda

Interchange no.: 90677-SE0-003

Interchange no.: W702380-S300





Hood Prop Clip Chrysler 81-on

ABDH1210 Qty: 10 Car: 80-5258 **Apps:** Chrysler

ABDH1210RX Qty: 2 Interchange no.: 4103276





Hood Prop Clip Ford Econoline 92-on

ABDH1211 Car: 91-6984 **Qty:** 10 Apps: Ford

ABDH1211RX Qty: 1 Interchange no.: F2UZ-16828A





Hood Prop Clip Ford Topaz/Tempo/Escort/Lynx 84-on

ABDH1212 Rod dia.: 1/4" **Qty:** 10 Apps: Ford

ABDH1212RX Qty: 2 Car: 84-5757 Interchange no.: E1FZ-16828C

DOOR LOCKS & HOOD PROP CLIPS

Hood Prop Clip Chrysler Minivans 97-on

ABDH1213RX Qty: 1 Rod dia.: 5/16" Apps: Chrysler

AUV: 20419 Interchange no.: J4007456

Door Lock Rod Clip Ford Products Left-hand Side

ABDH1214RX Qty: 2 **Rod size**: 5/32" **Apps:** Ford

Interchange no.: E6AZ-5421952A

Door and Tailgate Clip GM/Ford

ABDH1215RX Qty: 2 Rod size: 10-24" Apps: GM/Ford

Interchange no.:

Door Lock Rod Clip Ford Products

Apps: Ford Interchange no.: F85Z-152195BB

meronange nen rooz rozzoeza

Door Lock Rod Clip Ford Products

ABDH1217RX Qty: 1 Apps: Ford

Interchange no.: E6DZ-5421952A

Door Lock Rod Clip GM/Ford Right-hand Side

ABDH1218RX Qty: 2 Apps: GM Interchange no.:

interestange from

Door Lock Rod Clip Ford Right-hand Side

ABDH1219RX Qty: 2 Rod size: 5/32" Apps: Ford Interchange no.:

Door Lock Rod Clip GM/Ford 72-on

ABDH1220RX Qty: 2 Rod size: 5/32" Apps: GM/Ford

AUV: 14967 Interchange nos.: D2VZ-6521952A,

9815325

Door Lock Rod Clip Chry Neon/Cirrus/Stratus/Jeep Cherokee Left-hand Side 95-on

ABDH1221RX Qty: 2 Rod size: 1/8" Apps: Chrysler

AUV: 19190 **Interchange no.:** 4658445

Door Lock Rod Clip GM/Chrysler Left-hand Side

ABDH1222RX Qty: 2 Rod size: 5/32" Apps: GM/Chrysler Interchange no.:

Door Lock Rod Clip GM Cars Right-hand Side 92-on

 ABDH1223RX
 Qty: 2
 Rod size: 5/32"
 Apps: GM

 AUV: 18393
 Interchange no.: 20582533

Door Lock Clip GM Cars Right-hand Side

ABDH1224RX Qty: 2 Apps: GM Interchange no.:

DOOR LOCKS & HOOD PROP CLIPS



Door Lock Rod Clip GM Left/Right-hand Side

ABDH1225RX Qtv: 2 Rod size: Oblong hole Apps: GM

Interchange no.:



Door Lock Rod Clip GM/Chrysler Right-hand Side

Rod size: 5/32" ABDH1226RX Qty: 2 Apps: GM/Chrysler

Interchange no.:



Door Lock Rod Clip GM Cars 92-on Left-hand Side

ABDH1227RX Qtv: 2 Rod size: 5/32" Apps: GM

> **AUV:** 18392 Interchange no.: 20582532



Door Handle Rod Clip GM Cars 91-on 6mm Hole Size

ABDH1228RX Qty: 2 Rod size: 5/32" Apps: GM

> **AUV:** 19339 Interchange no.: 16609280



Door Handle Rod Clip Chrysler Products 72-on Left-hand Side

ABDH1229RX **Qty:** 2 Rod size: 5/32" Apps: Chrysler

> **AUV: 15674** Interchange no.: 4658677



Sliding Door Lock Rod Clip Chrysler Van 77-on Left-hand Side

ABDH1230RX Rod size: 5/32" Qty: 2 Apps: Chrysler Interchange no.:

AUV: 20307



Door Lock Rod Clip Chrysler Products Left-hand Side

ABDH1231RX Qty: 2 Rod size: 5/32" Apps: Chrysler

Interchange no.:



Door Lock Rod Chrysler Neon/Cirrus/Stratus/Jeep Cherokee 95-on Right-hand Side

ABDH1232RX **Qty:** 2 Rod size: 1/8" **Apps:** Chrysler

> **AUV:** 19191 Interchange no.: 4658444



Door Lock Rod Clip Chrysler Right-hand Side

ABDH1233RX Qtv: 2 Rod size: 5/32" Apps: Chrysler

Interchange no.:



Door Lock Rod Clip Chrysler Right-hand Side

ABDH1234RX **Qty:** 2 Rod size: 5/32" **Apps:** Chrysler

Interchange no.:




Door Lock Rod Clip Chrysler 72-on Right-hand Side

Qty: 2 ABDH1235RX Rod size: 5/32" **Apps:** Chrysler


AUV: 15673 Interchange no.: 4658676

RIVETS



2	All Aluminum I ABD6513 ABD6513RX ABD6513B	Rivets Qty: 10 Qty: 10 Qty: 100	Hole: 1/8" Panel/grip range: 3/16"-1/4" Flange size: 1/4"	Apps: Interchange no.: IND. #44
9	All Aluminum I ABD6514 ABD6514RX ABD6514B	Rivets	Hole: 3/16" Panel/grip range: 1/4"-3/8" Flange size: 3/8"	Apps: Interchange no.: IND. #66
	All Aluminum I ABD6515 ABD6515RX ABD6515B	Rivets Qty: 10 Qty: 6 Qty: 100	Hole: 3/16" Panel/grip range: 1/4"-3/8" Flange size: 5/8"	Apps: Interchange no.: IND. #66L
•	SS Rivet Mand ABD6516 ABD6516B	Irel Mould Qty: 10 Qty: 100	ding Ford Hole: 1/8" Panel/grip range: 3/16"-1/4" Flange size: 3/16"	Apps: Ford Interchange no.: 382298
	All Aluminum I ABD6517 ABD6517B	Black Clo Qty: 10 Qty: 100	sed End Pop Rivet Lugo Hole: 1/8" Panel/grip range: 3/16"-1/4" Flange size: 7/32"	gage Rack Ford Apps: Ford Interchange no.: N803933-S101
•	Aluminum Rive ABD6518 ABD6518B	et Steel M Qty: 10 Qty: 100	landrel Windshield Rail Hole: 15/64" Panel/grip range: 1/16"-1/8" Flange size: 3/8"	Black Ford Apps: Ford Interchange no.: N805759-S100
-	Aluminum Rive ABD6519 ABD6519B	et Steel M Qty: 10 Qty: 100	landrel Wheel Opening Mole: 5/32" Panel/grip range: 1/4"-3/8" Flange size: 15/32"	VW Apps: VW Interchange no.: N900-845-01
0	All Steel GM O ABD6520 ABD6520B	Outside Do Qty: 10 Qty: 100	Dor Handle Black GM Hole: 3/16" Panel/grip range: 1/16"-17/64" Flange size: 3/8"	Apps: GM Interchange no.: 22641917
-	Aluminum Spli ABD6521 ABD6521RX ABD6521B		Hole: 3/16"	Apps: Ford Interchange no.: N805592-S100
•	Aluminum Spli ABD6522 ABD6522B	t-type Riv Qty: 10 Qty: 100	vet Moulding Attachmer Hole: 3/16" Panel/grip range: 3/64"-11/32" Flange size: 3/8"	Apps: GM
	Aluminum Clos ABD6523 ABD6523B	sed End I Qty: 10 Qty: 100	Pop Rivet Black Ford Hole: 3/16" Panel/grip range: 3/8"-1/2" Flange size: 3/8"	Apps: Ford Interchange no.: 390428-S100
-	Aluminum Gril ABD6524 ABD6524RX ABD6524B	le/Fascia Qty: 10 Qty: 4 Qty: 100	Rivet Black Ford Hole: 3/16" Panel/grip range: 3/8"-1/2" Flange size: 9/16"	Apps: Ford Interchange no.: 388664-S100

RIVETS



WINDSHIELD PARTS



Reveal Moulding Clip Rear Window GM

ABD6601 Qty: 10 **Apps:** GM

ABD6601B Qty: 100 Interchange no.: 4523699



Reveal Moulding Clip Rear Window GM

ABD6602 Qty: 10 **Apps:** GM

ABD6602RX Qty: 2 Interchange no.: 9808241

ABD6602B Qty: 100

Reveal Moulding Clip Rear Window GM

ABD6603 Qty: 10 **Apps:** GM

ABD6603RX Qty: 3 Interchange no.: 8717859

ABD6603B Qty: 100



Reveal Moulding Clip Windshield and Rear Window GM

ABD6604 Qty: 10 **Apps:** GM

ABD6604RX Qty: 3 Interchange no.: 20603072

ABD6604B Qty: 100



Reveal Moulding Clip Windshield Upper/Lower GM

ABD6605 Qty: 10 **Apps:** GM

ABD6605B Qty: 100 **Interchange no.:** 7698976



Reveal Moulding Clip Windshield GM

ABD6606 Qty: 10 **Apps**: GM

ABD6606B Qty: 100 Interchange no.: 9895598



Reveal Moulding Clip Windshield, Skylight Quart and Rear Windshield GM

ABD6607 Qty: 10 **Apps:** GM

ABD6607B Qty: 100 **Interchange no.:** 7730788



Reveal Moulding Clip Rear Window GM

ABD6608 Qty: 10 **Apps:** GM

ABD6608B Qty: 100 **Interchange no:** 1654047



Reveal Moulding Clip Windshield and Backlite Ford

ABD6609 Qty: 10 **Apps:** GM

ABD6609RX Qty. 2 Interchange no.: E3SB6342413AB

ABD6609B Qty: 100



Reveal Moulding Clip Windshield and Rear Window GM

ABD6610 Qty: 10 **Apps:** GM

ABD6610B Qty: 100 **Interchange no.:** 7693140



Reveal Moulding Windshield to Panel GM

ABD6611 Qty: 10 **Apps:** GM

ABD6611B Qty: 100 **Interchange no.:** 9731301



Reveal Moulding Clip Rear Window Ford

ABD6612 Qty: 10 Apps: Ford

ABD6612B Qty: 100 **Interchange no.:** C6AB-6242413-A

WINDSHIELD PARTS



Reveal Moulding Clip Windshield and Rear Window Ford

ABD6613 Qty: 10 Apps: Ford

ABD6613RX Qty: 3 Interchange no.: C5ZZ-6543413-B

ABD6613B Qty: 100



Windshield Washer Hose Retainer Honda

ABD6614 Qty: 10 Hole size: 9/32" (7mm) Apps: Honda

ABD6614RX Qty: 3 Hose I.D.: 7/64" (3mm) Interchange no.: 90652-SB2-023

ABD6614B Qty: 100 Hose O.D.: 13/64" (5mm)

2

Reveal Moulding Clip Windshield and Backlite Chrysler

ABD6615 Qty: 10 Apps: Chrysler

ABD6615RX Qty: 1 Interchange no.: 6003752

ABD6615B Qty: 100



Hose Clips Windshield Washer Honda

ABD6616 Qty: 10 Apps: Honda

HEADLIGHT PARTS



Headlight Adjusting Screw GM 73-96

ABD6701 Qty: 10 **Size:** 1/4-28 x 2" **Apps:** GM

ABD6701RX Qty: 2 Dorman/MM: #42161 Interchange no.: 343543

ABD6701B Qty: 100



Headlight Adjusting Screw GM Blue Nylon Nut

ABD6702 Qty: 10 **Size:** 1/4-28 x 2" **Apps:** GM

ABD6702RX Qty: 2 Interchange no.: 556196

ABD6702B Qty: 100



Headlight Adjusting Screw GM Green Nylon Nut

ABD6703 Qty: 10 **Size:** 1/4-28 x 2" **Apps:** GM

ABD6703RX Qty: 2 Interchange no.: 365270

ABD6703B Qty: 100



Headlight Adjusting Screw Chrysler White Nylon Nut

ABD6704 Qty: 10 **Size:** 1/4-28 x 2" **Apps:** Chrysler

ABD6704RX Qty: 6 Interchange no.: 3574085

ABD6704B Qty: 100



Headlight Adjusting Screw GM Pink Nylon Nut

ABD6705 Qty: 10 **Size:** 1/4-28 x 2" **Apps:** GM

ABD6705RX Qty: 2 Interchange no.: 1606642

ABD6705B Qty: 100



Headlight Panel Retainers GM

ABD6706 Qty: 10 Size: #8 screw Apps: GM

ABD6706RX Qty: 4 Interchange no.: 25501771

ABD6706B Qty: 100

ABD6707

Headlight Component Retaining Clips Ford

Qty: 100

ABD6707 Qty: 10 **Apps:** Ford

ABD6707RX Qty: 2 Interchange no.: E9DB-13N0200AA

RX indicates packaging suited for retail and merchandisers.

HEADLIGHT PARTS



Rear Light Assembly Retainers Ford

Qty: 100

ABD6708 Qty: 10 Size: #8 screw Apps: Ford

ABD6708RX Qty: 2 Interchange no.: N806624-S191 ABD6708B



Headlight Adjusting Screw GM Trucks 75-05

ABD6709 **Qtv:** 10 Size: 1/4-28 x 2" Apps: GM ABD6709RX **Qty:** 2 Dorman/MM: #42119 Interchange no.:

ABD6709B **Qty:** 100



Headlight Adjusting Screw Chrysler Products 78-94

ABD6710 Size: 1/4-28 x 2" **Qty:** 10 Apps: Chrysler ABD6710RX **Qty:** 2 Dorman/MM: #42188 Interchange no.:

ABD6710B **Qty:** 100



Headlight Bulb Ret. 9004 Bulb Ford 85-on

ABD6711 **Qty:** 10 **Dorman/MM:** #42412 Apps: Ford ABD6711B **Qty:** 100 Interchange no.:



Headlight Bulb Ret. 9004 Bulb Ford/Toyota 86-on

ABD6712 **Qty:** 10 Dorman/MM: #42413 Apps: Ford/Toyota ABD6712RX Qty: 1 Interchange no.:

ABD6712B **Qty:** 100



Headlight Bulb Ret. 9004/9007 Bulb GM 86-05

ABD6713 **Qty:** 10 Dorman/MM: #42415 Apps: GM ABD6713RX Qty: 1 Interchange no.:

ABD6713B **Qty:** 100



Headlight Bulb Ret. 9004 Bulb Chrysler 87-on/Ford 82-on

ABD6714 **Qty:** 10 Dorman/MM: #42420 Apps: Chrysler/Ford **ABD6714B Qty:** 100 Interchange no.:

MISCELLANEOUS PARTS

Vinyl Top Moulding Clip White GM

ABD6903 **Qty:** 10 Apps: GM

ABD6903RX Qty: 2 Interchange no.: 1688094

ABD6903B **Qty:** 100



ABD6904 Qty: 10 Apps: GM

ABD6904RX Qty: 4 Interchange no.: 7731589

ABD6904B **Qty:** 100

Door, Quarter Panel and Rear End Moulding Clip White GM

ABD6905 **Qtv:** 10 Apps: GM

Interchange no.: 8799350 ABD6905RX Qtv: 4

ABD6905B Qty: 100

Quarter Belt Reveal Moulding Clip GM

ABD6906 Qty: 10 Size: 7/16" wide Apps: GM

ABD6906RX Qty: 4 Size: 31/32" long Interchange no.: 20199675

ABD6906B Qty: 100

Body Side Moulding Clip Gray GM

ABD6907 Qty: 10 Apps: GM

ABD6907RX Qty: 4 Interchange no.: 9838109 ABD6907B **Qty:** 100

RX indicates packaging suited for retail and merchandisers.





Quarter Belt Reveal Moulding Clip White GM

ABD6908 Qty: 10 **Apps:** GM

ABD6908RX Qty: 4 Interchange no.: 20175051

ABD6908B Qty: 100





ABD6909 Qty: 10 Hole size: 7/16" Apps: GM
ABD6909RX Qty: 2 Stem size: 9/16" Interchange no.: 10443956

ABD6909B Qty: 100

Rocker Panel Ground Effects Moulding Black Ford

ABD6910 Qty: 10 Apps: Ford

ABD6910RX Qty: 2 Interchange no.: F1TZ-7810182A

ABD6910B Qty: 100

Body Side Moulding Clip White Honda

ABD6911 Qty: 10 **Apps:** Honda

ABD6911RX Qty: 2 Interchange no.: 91534-SE0-000

ABD6911B Qty: 100

Rocker Panel Moulding Clip Green GM

ABD6912 Qty: 10 **Hole size:** 3/4" **Apps:** GM

ABD6912RX Qty: 2 Stem size: 9/16" Interchange no.: 10423553

ABD6912B Qty: 100

Rocker Panel Moulding Clip Green Acura

ABD6913 Qty: 10 Apps: Acura

ABD6913B Qty: 100 Interchange no.: 91501-S60-003

Belt Moulding Clip White Honda

ABD6914 Qty: 10 Apps: Honda

ABD6914RX Qty: 1 **Interchange no.:** 91510-SR3-003

ABD6914B Qty: 100

ABD6915B

ABD6919B

Belt Moulding Clip White Honda

ABD6915 Qty: 10 Apps: Honda

ABD6915RX Qty: 1 **Interchange no.:** 91527-SM4-003

Universal Wire-type Moulding Fastener

ABD6916 Qty: 10 **Size:** 5/16" to 1/2" **Apps:**

ABD6916B Qty: 100 Interchange no.:

Fender Moulding Clip Red Toyota

Qty: 100

 ABD6917
 Qty: 10
 Head size: 17mm
 Apps: Toyota

 ABD6917RX
 Qty: 2
 Stem size: 13mm
 Interchange no.: 90904-67037

ABD6917B Qty: 100

Front/Rear Door Universal Moulding Clip GM

ABD6918 Qty: 10 **Apps:** GM

ABD6918B Qty: 100 **Interchange no.:** 4759145

Plate Size Universal Moulding Clip Chrysler

Qty: 100

ABD6919 Qty: 10 **Size:** 10-24 x 3/4" **Apps:** Chrysler

ABD6919RX Qty: 1 **Size:** 11/32" x 23/32" **Interchange no.:** 1624705

Apps: Chrysler



Plate Size Universal Moulding Clip Chrysler

ABD6920 Qty: 10 Size: 10-24 x 3/4"

Size: 1/2" x 1-25/64" ABD6920RX Qty: 1 Interchange no.: 6000705

ABD6920B **Qty:** 100



Plate Size Universal Moulding Clip Ford

ABD6921 **Qty:** 10 Size: 10-24 x 3/4" Apps: Ford

ABD6921B **Qty:** 100 Size: 1/2" x 1-1/16" Interchange no.: 6358560



Moulding Clip GM

ABD6922 **Qty:** 10 **Size:** 10-24 x 1/2" Apps: GM

ABD6922RX Qty: 2 **Size:** 9/16" x 1-13/16" Interchange no.: 3744999

ABD6922B **Qty:** 100



Flush-type Nylon Locking Hole Plugs Black

ABD6923 Qty: 10 Hole size: 3/16" Apps:

ABD6923B Head size: 1/4" **Qty:** 100 Interchange no.:



Flush-type Nylon Locking Hole Plugs Black

ABD6924 Qty: 10 Hole size: 1/4" Apps: **ABD6924B** Head size: 5/16" **Qty:** 100 Interchange no.:

Flush-type Nylon Locking Hole Plugs Black

ABD6925 **Qty:** 10 Hole size: 3/8" Apps: ABD6925B **Qty:** 100 Head size: 15/32" Interchange no.:

Flush-type Nylon Locking Hole Plugs Black

Qty: 10 **ABD6926** Hole size: 1/4" Apps:

Head diameter: 37/64" ABD6926B **Qty:** 100 Interchange no.:



Flush-type Nylon Locking Hole Plugs Black

ABD6927 **Qty:** 10 Hole size: 3/4" Apps:

ABD6927B **Qty:** 100 Head diameter: 59/64" Interchange no.:



Flush-type Plastic Hole Plugs Black

ABD6928 Qty: 10 Hole size: 1/4" Apps: ABD6528B **Qty:** 100 Head size: 1/2"

Interchange no.:

Flush-type Plastic Hole Plugs Black

Qty: 100

ABD6929 Qty: 10 Hole size: 3/8" Apps:

ABD6929RX Qty: 8 Head size: 3/4" Interchange no.:

ABD6929B **Qty:** 100




Flush-type Plastic Locking Hole Plugs Black

ABD6930 **Qty:** 10 Hole size: 1/2" Apps:

ABD6930RX Qtv: 8 Head size: 7/8" Interchange no.:

Qty: 100 ABD6930B



ABD6931B

Qty: 10 Hole size: 3/4" Apps:

ABD6931RX Qty: 8 Head size: 1" Interchange no.:



Flush-type Plastic Hole Plugs Black

ABD6932 **Qty:** 10 Hole size: 1/4" Apps:

ABD6932B **Qty:** 100 Head size: 1/2" Interchange no.:



Flush-type Plastic Hole Plugs Black

ABD6933 **Qty:** 10 Hole size: 3/8" Apps:

ABD6933B **Qty:** 100 Head size: 3/4" Interchange no.:

Flush-type Plastic Hole Plugs Black

ABD6934 **Qty:** 10 Hole size: 1/2" Apps:

ABD6934B **Qty:** 100 Head size: 7/8" Interchange no.:



Flush-type Plastic Hole Plugs Black

ABD6935 **Qtv:** 10 Hole size: 3/4" Apps:

ABD6935B Qty: 100 Head size: 1" Interchange no.:



Steel Body Shims Bright Zinc 1-1/4" x 1-1/8"

ABD6936 **Qty:** 10 Size: 1/16" thick Apps:

ABD6936B **Qty:** 100 Size: 3/8" slot Interchange no.:



Steel Body Shims Bright Zinc 1-1/4" x 1-3/4"

ABD6937 **Qty:** 10 Size: 1/16" thick Apps:

ABD6937RX Qty: 4 Size: 1/2" slot Interchange no.:

ABD6937B **Qty:** 100

Steel Body Shims Bright Zinc 1-1/4" x 1-1/8" **ABD6938 Qty:** 10 Size: 1/8" thick

Apps: ABD6938RX Qtv: 4 Size: 3/8" slot Interchange no.:

ABD6938B **Qty:** 100

Steel Body Shims Bright Zinc 1-1/4" x 1-3/4"

ABD6939 **Qtv:** 10 Size: 1/8" thick Apps:

ABD6939RX Qtv: 4 Size: 1/2" slot Interchange no.:

ABD6939B **Qty:** 100

Steel Body Shims Bright Zinc 2" x 1-1/2"

ABD6940 Qty: 10 **Size:** 1/18" thick Apps:

ABD6940RX Size: 3/4" slot Qty: 2 Interchange no.:

ABD6940B Qty: 100

Chrome Plug Button ABD6941 **Qty:** 10 **Size:** 3/8"

Apps: ABD6941B

Qty: 100 Interchange no.:

Chrome Plug Button

ABD6942 **Qty:** 10 Size: 1/2" Apps:

ABD6942B Qty: 100 Interchange no.:

Chrome Plug Button

ABD6943 Qty: 10 **Size:** 5/8" Apps:

ABD6943B **Qty:** 100 Interchange no.:

Apps:



Chrome Plug Button

ABD6944 Qty: 10 **Si**

ABD6944B Qty: 100

Size: 3/4"

Apps:

Interchange no.:



Chrome Plug Button

ABD6945 Qty: 10 **Size:** 1"

ABD6945B Qty: 100 MM/D

MM/Dorman: #700-234 Inte

Interchange no.:



Rubber Bumpers GM

ABD6946 Qty: 10 **Length:** 5/8"

ABD6946RX Qty: 2 Diam.: 1/2" ABD6946B Qty: 100 Apps: GM

Interchange no.: 4081765



Rubber Bumpers GM

ABD6947 Qty: 10 Length: 1/2" ABD6947RX Qty: 2 Diam.: 3/4"

Qty: 100

Apps: GM

Interchange no.: 4137121



Rubber Bumpers GM

ABD6947B

ABD6948 Qty: 10 **ABD6948RX Qty:** 1

ABD6948B Qty: 100

Apps:

Interchange no.:



Hood Bumpers Ford

ABD6949 Qty: 10 **ABD6949B Qty:** 100

Apps:

Interchange no.:



Hood Bumpers Chrysler 81-on

ABD6950 Qty: 10 Length: 2-3/16" ABD6950RX Qty: 1 Diam.: 23/32"

ABD6950B Qty: 100

Apps: Chrysler

Interchange no.: 4103165



Hood Bumpers Chrysler Minivans 02-on

ABD6951 Qty: 10 Length: 2-3/16" ABD6951B Qty: 100 Diam.: 23/32" Apps: Chrysler Interchange no.:



Hood Bumpers GM SM 79-on

ABD6952 Qty: 10 **Length:** 1-1/4" **Apps:** GM

ABD6952RX Qty 1 Diam.: 11/16" Interchange no.: 1717924
ABD6952B Qty: 100



Hood Bumpers GM Large 80-on

ABD6953 Qty: 10 **Length:** 1-29/32" **Apps:** GM

ABD6953RX Qty: 1 Diam.: 15/16" Interchange no.: 472450
ABD6953B Qty: 100



Hood Insulation Clips

ABD6095 Qty: 10 **Size:** 3/16" (5mm) **Apps:** Nissan

ABD6095B Qty: 100 **Stem:** 9mm **Interchange no.:** 65846-30F00,

65832-F5000