# **MagicEzy**

## **SAFETY DATA SHEET**

**Version Number: 01** 

## SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Mega Fusion - Off White

Other Names Waterbased Primer, Product Code ABC

**Recommended Use** Waterborne touch up primer

**SECTION 3.** 

SECTION 2.	HAZARDS IDENTIFICATION
Hazard Classification	Classified as Non Hazardous according to the criteria of NOHSC
Risk Phrases	R20/21/22 Harmful by inhalation, in contact with the skin and if swallowed. R36/38 Irritating to eyes and skin. R41 Risk of serious damage to the eyes
Safety Phrases	S24/25 Avoid contact with skin and eyes. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Ingredients	Name	CAS	Proportion % (W/W)
_	Water	7732-18-5	30-60
	Urethane resin	Not known	10-30
	Zinc Phosphate	7779-90-0	< 10
	Ammonium hydroxide	1336-21-6	< 1

Mixed fungicide

Proprietary items

COMPOSITION/INFORMATION ON INGREDIENTS

Various

Various

< 1

Balance

SECTION 4.	FIRST AID MEASURES
Swallowed	Rinse mouth. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. <b>Seek medical attention immediately</b> .
Eye	Rinse cautiously with water for several minutes. Remove contact lenses, if preset and easy to do so. <b>Seek medical attention without delay.</b>
Skin	Remove all contaminated clothing and wash before re-use. Wash affected area thoroughly with soap and water. If skin irritation or rash occurs get medical advice or attention.
Inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aggravated medical conditions caused by	Can be irritating to skin with repeated or prolonged contact.
exposure. Chronic Health Effects	None anticipated with this product.

SECTION 5.	FIRE FIGHTING MEASURES
Extinguisher	Foam.
<u> </u>	Dry chemical powder.
	Carbon dioxide.
Hazards from combustion products	Oxides of Carbon and Nitrogen.
Special protective	Material can splatter above 100°C. Polymer film can burn.
precautions and	Do not allow contaminants and water from fire fighting to enter drains or
equipment for fire	water course.
fighters	
Hazchem code	Not assigned

SECTION 6.	ACCIDENTAL RELEASE MEASURES
<b>Emergency procedures</b>	In confined areas wear protective equipment. Keep spectators away and avoid breathing dust or vapours. Floor may be slippery, use care to avoid falling.
Methods and materials for containment and clean up.	Minor spills Contain and absorb small quantities with vermiculate or other absorbent material. Clean up spills immediately. Collect residues in a waste container.

#### Major spills

Prevent, by any means available, spillage from entering drains or water course

Contain spill with sand, earth or vermiculite.

Transfer liquid to containers for recovery or disposal.

#### SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid damaging containers/ tubes. Keep lids on containers/tubes when not in

use

People handling this product should wash their hands and face before eating

and/or smoking.

Handle containers/ tubes carefully to prevent damage and/or spillage.

Precautions for safe handling

Avoid damaging containers/ tubes. Keep lids on containers / tubes when not in

use.

People handling this product should wash their hands and face before eating

and/or smoking.

Handle containers/ tubes carefully to prevent damage and/or spillage.

Conditions for safe storage including any incompatibilities Storage temperatures: Max: 35°C, Min: 5°C. Avoid excessive changes in temperature.

Avoid storing with strong oxidizers, acids and alkalis

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure standards for mixture

From the NOHSC "Exposure Standards for Atmospheric Contaminants in

the Occupational Environment"

Component N/A

**Breathing Zone ppm** Breathing Zone mg/m<sup>3</sup>

Mixture conc. (%)

**Biological Limits** 

None allocated

**Personal Protection** 

**Eyes.** Safety glasses with side shields.

**Hands/Feet** Wear chemical protective gloves and wear safety footwear.

Other Protective suit. Eyewash unit

**Respirator** In a well-ventilated area and spray booths that maintain vapour levels below

the recommended standards, no respiratory equipment is required.

In confined spaces, or areas with limited ventilation, wear a suitable respirator.

AS1716.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceWhite colored liquidOdourMild amine odor

pH 7-10
Vapour pressure N/A
Vapour density N/A
Boiling point 100 ℃
Melting Point 0℃

**Solubility** Can be diluted with water

Density 1.120 Kg/L Percent Volatile by Vol < 50

#### SECTION 10. STABILITY AND REACTIVITY

**Chemical stability** Product is considered stable under normal storage and handling conditions.

**Conditions to avoid** Freezing, excessive heat, repaid changes in temperature and incompatible

materials.

**Incompatible materials** Strong oxidizers, acids and alkalis.

**Hazardous decomposition** 

products

**Hazardous reactions** 

Oxides of carbon and nitrogen, and smoke.

Hazardous polymerization will not occur.

#### SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product. .Refer to individual raw materials.

#### Polyamide resin

Oral LD<sub>50</sub> (rat):> 5,000 mg/Kg. Risk of serious damage to eyes

#### **ECOLOGICAL INFORMATION SECTION 12.**

No data available for this product.

This product should not be allowed to enter drains or water courses.

Polyamide resin

Biodegradability Not readily biodegradable.

Avoid subsoil penetration

Prevent product from entering drains Do not contaminate surface water.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods and

containers

Special precautions for

landfill or incineration

Incinerate residue at an approved site.

Water Based filler. Non Hazardous.

Recycle containers if possible, or dispose of in an approved landfill.

Consult State Land Waste Management Authority for disposal.

#### TRANSPORT INFORMATION **SECTION 14.**

Not specified

**UN Number** 

**UN Proper shipping name** 

Class

Not restricted

Subsidiary risk None

**Packing Group** 

N.O.S.

Special precautions for

user

The use of a quantity of material in an unventilated or confined space may result in increased exposure or an irritating atmosphere developing. Before commencing

consider the use of mechanical ventilation to control exposure.

**Hazchem Code** Not specified.

## SECTION 15. REGULATORY INFORMATION

Do not empty into drains. Keep away from food and drink.

## **SECTION 16. OTHER INFORMATION**

**Date of Preparation:** 7<sup>th</sup> February 2014

Date of Review: N/A

Literature references.

MSDS's for individual raw materials.

#### **Abbreviations:**

NOHSC National Occupational Health and Safety Commission

TWA Time weighted average

STEL Short term exposure limit

CAS Number Chemical Abstract Service registry number

TLV Threshold limit value

Safety data sheets are updated frequently. Please ensure that you have a current copy.

## **END OF SDS**