


EEL ShorePower™

One hand. A simple twist.
Full power.



Introducing EEL ShorePower™ by Marinco

Broken rings, cross-threaded rings, or no ring at all have been a problem when trying to create a weathertight seal for shore power connections. Misusing the threaded ring can create unsafe operating situations and ruin a pleasant day of boating. Marinco's new, patented locking system eliminates the need for the traditional locking ring, creates a watertight seal every time, and ensures a safer boating experience.



EEL ShorePower

EEL stands for **Easily Engaged Lock**, and just like a real eel, the EEL ShorePower clamps down and doesn't let go to create a safe shore power connection and a watertight seal.

Patented Jaw Clamp technology

- Designed for use with the boss ring on NEMA inlets
- Will not damage inlet boss ring
- No threaded ring required—jaws have threads
- Create a watertight seal every time

Proprietary built-in cord light

- Added safety—alert light indicates if you are still plugged in at the dock

Power Indicator Light on both ends

- Informs you that power is flowing through the cord

Secondary lock for added security

- When engaged, the jaws cannot release

Universal Connection

- Connects to any brand, NEMA configured inlet
- Meets and exceeds the rigorous UL testing standards



EEL ShorePower Cordsets

All EEL ShorePower Cordsets incorporate the highest quality, marine-grade construction for which Marincos is known:

- Watertight molded plug and connector ends for safety and durability
- Heavy-duty, super flexible marine grade cable (30 Amp 10 gauge, 50 Amp 6 gauge)
- Corrosion-resistant, nickel-plated contacts
- Available in yellow or white and a variety of lengths
- cULus approval



	Length	Color	Item #
 <p>NEMA L5-30R 30A 125V Locking</p>	30 Amp EEL Cordsets		
	12 ft	yellow	CS30-12
	25 ft	yellow	CS30-25
	50 ft	yellow	CS30-50
	50 ft	white	CS30-50W
 <p>NEMA SS-1 50A 125V Locking</p>	50 Amp 125 Volt EEL Cordsets (3-Wire)		
	25 ft	yellow	CS503-25
	50 ft	yellow	CS503-50
 <p>NEMA SS-2 50A 125/250V Locking</p>	50 Amp 125/250 Volt EEL Cordsets (4-Wire)		
	25 ft	yellow	CS504-25
	50 ft	yellow	CS504-50
	50 ft	white	CS504-50W



EEL ShorePower Pigtail Adapters

EEL ShorePower Pigtail Adapters enable you to connect from one dockside receptacle (or other power source receptacle) to one boatside inlet or equipment of dissimilar power configuration. In addition to the EEL ShorePower system, the Pigtail Adapters incorporate the highest quality, marine-grade construction for which Marincó is known:

- Sealing collar (where applicable) to create a weatherproof seal when joining cables together
- Heavy-duty, super flexible marine grade cable (30 Amp 10 gauge, 50 Amp 6 gauge)
- Watertight molded plug and connector ends for safety and durability.
- Corrosion-resistant, nickel-plated contacts
- Suitable for use in wet locations



Item #	BOAT SIDE		DOCK SIDE	
	FEMALE CONNECTOR Attaches to boat inlet or cordset		MALE PLUG Attaches to dockside receptacle or cordset	
P15-30				15A 125V Straight Blade w/ Locking Screw
P30-15				30A 125V Locking
P503-30				50A 125V Locking
P30-503				30A 125V Locking
P30-504				30A 125V Locking
P504-30				50A 125/250V Locking
P504-503				50A 125/250V Locking

EEL Y-Adapters

EEL ShorePower Y-Adapters enable you to split one dockside receptacle between two boat inlets of similar or dissimilar power configurations. In addition to the EEL ShorePower system, Y-Adapters incorporate the highest quality, marine-grade construction for which Marinc is known:

- Sealing collar to create a weatherproof seal when joining cables together
- Suitable for use in wet locations
- Watertight molded plug and connector ends for safety and durability.
- Heavy-duty, super flexible marine grade cable (30 Amp 10 gauge, 50 Amp 6 gauge)
- Corrosion-resistant, nickel-plated contacts



	BOAT SIDE		DOCK SIDE
	FEMALE CONNECTOR		MALE PLUG
Item #	Attaches to boat inlet or cordset		Attaches to dockside receptacle or cordset
Y503-2-30			
	2-30A 125V Locking w/ Sealing Collar System		50A 125V Locking
Y504-2-30			
	2-30A 125V Locking w/ Sealing Collar System		50A 125/250V Locking
Y504-2-503			
	2-50A 125V Locking w/ Sealing Collar System		50A 125/250V Locking
Y30-2-30			
	2-30A 125V Locking w/ Sealing Collar System		30A 125V Locking
Y504-2-504			
	2-50A 125/250V Locking w/ Sealing Collar System		50A 125/250V Locking



EEL ShorePower-Style Straight Adapters

EEL ShorePower-Style Straight Adapters are high-quality, one-piece adapters used much like Pigtail Adapters. However, they do not have sealing collars and are not recommended for use in wet locations. Use only in an enclosed, dry location, such as powering your boat from a 15A power receptacle inside your house. EEL ShorePower-style Straight Adapters add the following improved features:

- LED power indicator
- Ergonomic design for easier gripping



Item #	BOAT SIDE	DOCK SIDE
	FEMALE CONNECTOR Attaches to boat inlet or cordset	MALE PLUG Attaches to dockside receptacle or cordset
S20-15	 15 or 20A 125V Straight Blade	 20A 125V Locking
S30-15	 15 or 20A 125V Straight Blade	 30A 125V Locking
S15-30	 30A 125V Locking	 15A 125V Straight Blade
S20-30	 30A 125V Locking	 20A 125V Locking





new product:
EEL ShorePower®
One hand. A simple twist. Full power.

The EEL (Easily Engaged Lock) ShorePower Cordset has a patented, industry first, jaw-clamp design providing one-handed operation and a secure water-tight seal which completely eliminates the need for a locking ring. The EEL connection is built for the harshest environments and is UL approved. This easy-to-use cordset features a built-in cord light which ensures easy, accurate connections in the dark and serves as an alert to boaters when the cord is left plugged in. And, best of all, it works with your current inlet. In addition to cordsets with the EEL System, Marinco also has a full set of Pigtail and Y adapters all using the new EEL technology.

- New jaw clamp technology provides easy one hand operation
- Secure water-tight seal with inlets
- Built for harsh environments
- Full line of EEL cordsets, pigtail and Y adapters are available



5 YEAR WARRANTY



new product:
EEL ShorePower®

Specifications

EEL Part Number	Description
-----------------	-------------

30Amp 125V Cordsets	
---------------------	--

CS30-12	Cordset, 30 Amp 125V, 12' Yellow
CS30-25	Cordset, 30 Amp 125V, 25' Yellow
CS30-50	Cordset, 30 Amp 125V, 50' Yellow
CS30-50W	Cordset, 30 Amp 125V, 50' White

50Amp 125V Cordsets	
---------------------	--

CS503-25	Cordset, 50 Amp 125V, 25' Yellow
CS503-50	Cordset, 30 Amp 125V, 50' Yellow

50Amp 125/250V Cordsets	
-------------------------	--

CS504-25	Cordset, 50 Amp 125/250V, 25' Yellow
CS504-50	Cordset, 50 Amp 125/250V, 50' Yellow
CS504-50W	Cordset, 30 Amp 125/250V, 50' White

Pigtail Adapters	
------------------	--

P15-30	Pigtail Adapter, 15 Amp Male to 30 Amp Female
P30-15	Pigtail Adapter, 30 Amp Male to 15 Amp Female
P503-30	Pigtail Adapter, 50 Amp 125V Male to 30 Amp Female
P30-503	Pigtail Adapter, 30 Amp Male to 50 Amp 125V Female
P504-30	Pigtail Adapter, 50 Amp 125/250V Male to 30 Amp Female
P30-504	Pigtail Adapter, 30 Amp Male to 50 Amp 125/250V Female
P504-503	Pigtail Adapter, 50 Amp 125/250V Male to 50 Amp 125V Female

Y-Adapters	
------------	--

Y503-2-30	Y-Adapter 50 Amp 125V Male to 2-30 Amp Females
Y504-2-30	Y-Adapter 50 Amp 125V/250V Male to 2-30 Amp Females
Y504-2-503	Y-Adapter 50 Amp 125V/250V Male to 2-50 Amp 125V Females
Y30-2-30	Y-Adapter 30 Amp Male to 2-30 Amp Females
Y504-2-504	Y-Adapter 50 Amp 125/250V Male to 2-50 Amp 125/250V Females

