



*SeaSense*TM

Quality marine products that make sense.



volume 31



SeaSense has been developing quality marine and trailer products since 1984. We have spent over a quarter of a century rigorously testing and improving our entire line. This means you can offer better quality products to your customers at affordable prices. We are confident in our products and are proud to offer the industry best warranty.

Give Yourself Peace of Mind with SeaSense!
We Stand Behind Every Product We Sell!

**“Creating the best on-the-water
experience through innovation, passion,
and a dedication to our customers”**

We are proud members of:



Table of Contents

Rope & Cordage 1 - 12

Dock Line, Anchor Line, Multi-Purpose, Bulk Spools & Launch Line, Winch Rope & Fender Line

Anchors & Mooring 13 - 22

Fenders, Anchors, Chain & Mooring

Air Horns & Safety Products 23 - 30

Flags, Air Horns, Whistles, Horns & Key Floats

Fishing & Kayak Accessories 31 - 42

Paddles, Oars, Oarlocks, Canoe & Kayak Carriers, Rod Holders, Bait & Livewell Pumps

Hardware 43 - 66

Seat Hardware, General Hardware, Boat Covers & Accessories, Snaps, Hooks, Cleats & Hardware Kits

Plumbing 67 - 74

Solid-State Sensing Bilge Switch, Bilge Pumps, Fittings & Valves & Drain Plugs

Fuel & Motor Accessories 75 - 88

Fuel Tanks, Fuel Line Assemblies, Fuel Fittings & Filters, Motor Flushers, Motor Brackets, Oil Pumps & Trolling Motor Connectors

Lighting & Electrical 89 - 118

Navigational Lights, Cabin & Deck Lights, Marine Switches & Electrical Accessories

Trailer Accessories 119 - 142

Tail Lights, Clearance & Utility Lights, Trailer Harnesses & Connectors, Trailer Jacks, Trailer Winches & Straps, Panel Brackets, Rollers & Roller Shafts, Tie Down Straps & Chains, Trailer Couplers & Locks, Hub Kits & Spare Tire Carriers

Index 143 - 155

Model Number to Page Number & Alphabetical

What can I find in this catalog?

This catalog will show you the long line of marine products SeaSense has to offer. The Table of Contents displays how our products are divided into nine sections. Each page specifies the item's part number and image, dimensions, and a complete description explaining its features and uses. Charts are also printed to help you make quick comparisons between alike products.



Rope & Cordage

Product Name

100% Twisted Polypropylene Winch Rope

Twisted polypropylene winch rope with galvanized spring hook is used for winches rated up to 1200 lbs.



Product Specifications

Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013044	3/8"	20'	Spring Hook	Light	Twisted	Poly	Blue	1800	198

Product Description

Fender Line

3/8" twisted fender line specifically made for fenders. Pre-spliced fender line has small eye at one end.

Product Listings

Description	Model
3/8" x 4' Twisted Fender Line, White	50012810
3/8" x 6' Twisted Fender Line, White	50012811
3/8" x 4' Twisted Fender Line, Black	50012816
3/8" x 6' Twisted Fender Line, Black	50012817
3/8" x 4' Twisted Fender Line, Blue (Not shown)	50012822
3/8" x 6' Twisted Fender Line, Blue (Not shown)	50012823



Stretch Cord with Coated Hooks

- Vinyl coated hooks prevent scratching
- No knots to slip out
- Fray resistant cord
- Bonded to hook for secure connection

Product Image

Description	Model
48" Stretch Cord	50090148



Rope Cutting Gun

Lightweight rope cutting gun from SeaSense® provides boaters and campers with a simple way to make quick and clean cuts to any type of synthetic rope or line. 4' Cord.

- 120 V
- 150 W
- 1.5 amp
- 1-1/2 lbs.

Description	Model
Rope Cutting Gun	50014090



Portable Hot Knife Rope Cutter

The best choice for cutting rope, webbing, belts, ribbon, and cord. It cuts in 10 seconds and reaches temperatures up to 1112°F (600°C). When properly used, the portable rope hot knife is a very convenient tool. It charges by USB cable and is easy to carry anywhere. (charging cable included) The blade head swivels 360 degrees and can be easily removed for cleaning.

Description	Model
Portable Hot Knife Rope Cutter	50014091



Rope & Cordage

Anchors & Mooring

Air Horns & Safety Products

Fishing & Kayak Acc.

Hardware

Plumbing

Fuel & Motor Acc.

Lighting & Electrical

Trailer Acc.

Index

Rope & Cordage

Dock Line	5-7
Anchor Line	7-8
Multi-Purpose	9
Bulk Spools & Launch Line	10
Winch Rope & Fender Line	11



SeaSense™ SIMPLE SELECT

FOR BOATS UP TO 25'



FOR BOATS UP TO 35'



FOR BOATS UP TO 50'



Light Duty

POLYPROPYLENE

For Small Boats & Inland Waterways with Light Current & Multi-Purpose Applications

Floats because of its light weight. Poly has a moderate resistance to deterioration from sunlight (UV Stability), but storing it away from direct sunlight will increase life.

Standard

MFP Multi-Filament Polypropylene

Daytime Docking & Mooring

Soft and handles exceptionally well. Floats because of its light weight. Moderate resistance to deterioration from sunlight (UV Stability). Storing away from direct sunlight will increase life.

Premium

NYLON

Docking & Anchoring

Retains original length when stretched - best suited for absorbing shock loads. Excellent resistance to deterioration from sunlight. Very good resistance to abrasion & will last 4-5x longer than natural fiber ropes. Rot proof & not damaged by oils, gasoline, grease, marine growth or most chemicals.

ANCHOR RODE: Line or chain, or a combination of both, connecting an anchor to a vessel.

The Typical Combination Style Rode Consists Of:

ANCHOR LINE

The best all around line for anchoring is nylon in a three-strand twist, with a nylon or metal thimble spliced into one end. Three-strand twisted nylon line can absorb shock associated with anchoring.

ANCHOR SHACKLE

It is important to make sure you have selected the proper size for your application. Use shackles one size larger than the chain. (1/4" chain uses 5/16" shackle).


CHAIN

Galvanized chain is the most common. It is recommended to have one foot of chain for each foot of boat length. Small boats commonly use 4' or 6' of chain for temporary anchoring (lunch hook).

The amount of rode that you have out (scope) when at anchor depends generally on water depth and weather conditions. The deeper the water and the more severe the weather, the more rode you will put out. For recreational boaters, the minimum scope you should have is 5:1 for day anchoring and 7:1 to 8:1 for overnight.

All SeaSense® suggestions are under normal conditions.


DOCKING GUIDE



More Scope Equals More Holding Power

The greater the scope the better the holding power.

$$\text{SCOPE} = \frac{\text{LENGTH}}{\text{DISTANCE}}$$



Premium

NYLON - Premium Material, Docking & Anchoring

Nylon is the best material commonly used for lines. It has a "memory" for retaining its original length when stretched. This makes it best suited for absorbing shock loads. Nylon has excellent resistance to deterioration from sunlight (U.V. Stability). Due to its elasticity, nylon can absorb sudden shock loads that would break ropes of other fibers. It has very good resistance to abrasion and will last four to five times longer than natural fiber ropes. Nylon rope is rot proof and not damaged by oils, gasoline, grease, marine growth or most chemicals other than acids.

Rope Construction Guide	Mtrl.	Construction	Spliceable	Strength To Weight	Flexibility	Flattens Under Load	Mechanical Elongation	Abrasion Resistance
Double Braid 	Nylon	Superior	Yes	High	High	No	Moderate	High
3 Strand Twisted 	Nylon	Premium	Yes	Moderate	High	No	High	Moderate
Solid Braid 	Nylon	Multipurpose	No	Low	Moderate	No	Moderate	High
Diamond Braid 	Nylon	Multipurpose	No	Low	Low	Yes	Moderate	Moderate

Standard

Multi-Filament Polypropylene (MFP) - Daytime Docking & Mooring

Multi-filament Polypropylene (MFP) - Soft and handles exceptionally well. Floats because of its light weight. MFP has a moderate resistance to deterioration from sunlight (UV Stability). Storing away from direct sunlight will increase life.

Rope Construction Guide	Mtrl.	Construction	Spliceable	Strength To Weight	Flexibility	Flattens Under Load	Mechanical Elongation	Abrasion Resistance
Double Braid 	MFP	Premium	Yes	Moderate	Moderate	No	Medium	High
Solid Braid MFP 	MFP	Standard	No	Low	Moderate	No	Medium	Moderate

Light Duty

POLYPROPYLENE - For small boats & inland waterways with light current & multi-purpose applications

Polypropylene (Poly) - Polypropylene floats because of its light weight. Poly has a moderate resistance to deterioration from sunlight (UV Stability), but storing it away from direct sunlight will increase life.



Rope Construction Guide	Mtrl.	Construction	Spliceable	Strength To Weight	Flexibility	Flattens Under Load	Mechanical Elongation	Abrasion Resistance
Hollow Braid 	Poly	General Use/ Light Duty	Yes	Moderate	Low	Yes	Low	Low

Do You Know The Difference Between Rope, Line & Cord?

"Rope" is cordage above 1/8" diameter but once it is in use onboard, it is called "Line" or by the name of the rigging part that it has become. Anything below 1/8" diameter is labeled "Cord".

Dock lines are commonly separated by two categories, transient and permanent. Transient mooring lines need to be more flexible in length due to different size of lines which should be carried for each purpose. Permanent mooring lines can be sized to fit a specific mooring pattern. This allows them to be ready for use when you approach the dock. Common rope size and mooring patterns change in severe weather conditions. Double the amount of lines or larger sizes are recommended as an option to ride out a storm. Severe weather conditions are a common cause for extreme abrasion to lines. If you choose the correct line, the only other concern for failure would be from abrasion. Protect your lines from chafe in the eyes and any contact point. This will considerably increase your line's life and reduce breakage risk.

Recommended Dock Line Chart

	Boat Length	Line Diameter	Min. Qty./ Size	Daytime/Transient Docking	Overnight/Permanent Mooring
Anchors & Mooring	 Up to 12'	3/8"	2 @ 10'	MFP/Twisted Nylon	Twisted Nylon/ Double Braid
	 UP to 17'	3/8"	3 @ 15'	MFP/Twisted Nylon	Twisted Nylon/ Double Braid
Air Horns & Safety Products	 Up to 20'	3/8"	2 @ 15' 2 @ 20'	MFP/Twisted Nylon	Twisted Nylon/ Double Braid
Fishing & Kayak Acc.	 Up to 25'	3/8"	2 @ 20' 2 @ 25'	MFP/Twisted Nylon/ Double Braid	Twisted Nylon/ Double Braid
	 Up to 30'	1/2"	2 @ 20' 2 @ 25'	MFP/Twisted Nylon/ Double Braid	Twisted Nylon/ Double Braid
Hardware	 35' to 50'	1/2-5/8"	2 @ 25' 2 @ 30'	MFP/Twisted Nylon/ Double Braid	Twisted Nylon/ Double Braid
Plumbing					

WARNING: (Applies to all ropes in this catalog)

- This product should be used only as intended. Do not use as a towline. Damage may occur to the line, which may result in failure.
- When tensioned rope is released or breaks, the rope and/or its attachments can snap back into the boat or in unpredictable directions with extreme force, resulting in injury or death.
- Inspect the rope and its attachments before use. Replace when signs of deterioration are indicated by discoloration, broken filaments, unraveling or other obvious signs of wear.
- When securing ropes to cleats, pillings, etc., be aware that fingers and hands can become caught between rope and fixed objects due to unexpected movement of the boat. Never have any part of the body between rope and fixed objects as it may result in injury.
- Knots will decrease breaking strength of a rope up to 50% and will increase the risk of breakage during use.

NOTE: Use one size larger or double the amount of lines used for storm conditions.

STRENGTH RATINGS:

Breaking Strength

The load, in pounds of "pull" at which the rope would begin to break or part.

Safe Working Load

Laid line should not exceed 11% of its tensile strength.

NOTE: All SeaSense® suggestions are under normal conditions.

Premium Double Braid Dock Line, 100% Nylon

Two ropes in one! Superior cover and core construction manufactured from the highest quality marine grade nylon, giving you the strongest and easiest dock line to handle. This line has some stretch but less than three-strand twisted lines. The eye is professionally spliced and whipped for a secure, clean and attractive splice and also whipped at the bitter end to prevent fraying. Line is comprised of many small strands that allow wear to be distributed and makes line very flexible, easy to coil, and virtually kink free.

Model No.	Dia.	Length	Eye	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013232	3/8"	10'	10"	Light	Braid on Braid	Nylon	White	3900	410
50013210	3/8"	15'	10"	Light	Braid on Braid	Nylon	White	3900	410
50013211	3/8"	20'	10"	Light	Braid on Braid	Nylon	White	3900	410
50013212	3/8"	25'	10"	Light	Braid on Braid	Nylon	White	3900	410
50013219	1/2"	15'	12"	Med	Braid on Braid	Nylon	White	7100	750
50013220	1/2"	20'	12"	Med	Braid on Braid	Nylon	White	7100	750
50013221	1/2"	25'	12"	Med	Braid on Braid	Nylon	White	7100	750
50013222	1/2"	35'	12"	Med	Braid on Braid	Nylon	White	7100	750
50013236	5/8"	25'	15"	Heavy	Braid on Braid	Nylon	White	9800	1030
50013234	5/8"	30'	15"	Heavy	Braid on Braid	Nylon	White	9800	1030
50013235	5/8"	35'	15"	Heavy	Braid on Braid	Nylon	White	9800	1030
50013060	3/8"	15'	10"	Light	Braid on Braid	Nylon	Gld/Wht	3900	410
50013061	3/8"	20'	10"	Light	Braid on Braid	Nylon	Gld/Wht	3900	410
50013062	3/8"	25'	10"	Light	Braid on Braid	Nylon	Gld/Wht	3900	410
50013064	1/2"	15'	12"	Med	Braid on Braid	Nylon	Gld/Wht	7100	750
50013065	1/2"	20'	12"	Med	Braid on Braid	Nylon	Gld/Wht	7100	750
50013066	1/2"	25'	12"	Med	Braid on Braid	Nylon	Gld/Wht	7100	750
50013067	1/2"	35'	12"	Med	Braid on Braid	Nylon	Gld/Wht	7100	750
50013069	5/8"	20'	15"	Heavy	Braid on Braid	Nylon	Gld/Wht	9800	1030
50013070	5/8"	25'	15"	Heavy	Braid on Braid	Nylon	Gld/Wht	9800	1030
50013071	5/8"	30'	15"	Heavy	Braid on Braid	Nylon	Gld/Wht	9800	1030
50013072	5/8"	35'	15"	Heavy	Braid on Braid	Nylon	Gld/Wht	9800	1030
50013092	3/8"	15'	10"	Light	Braid on Braid	Nylon	Black	3900	410
50013093	3/8"	20'	10"	Light	Braid on Braid	Nylon	Black	3900	410
50013094	3/8"	25'	10"	Light	Braid on Braid	Nylon	Black	3900	410
50013096	1/2"	15'	12"	Med	Braid on Braid	Nylon	Black	7100	750
50013097	1/2"	20'	12"	Med	Braid on Braid	Nylon	Black	7100	750
50013098	1/2"	25'	12"	Med	Braid on Braid	Nylon	Black	7100	750
50013099	1/2"	35'	12"	Med	Braid on Braid	Nylon	Black	7100	750
50013101	5/8"	20'	15"	Heavy	Braid on Braid	Nylon	Black	9800	1030
50013102	5/8"	25'	15"	Heavy	Braid on Braid	Nylon	Black	9800	1030
50013103	5/8"	30'	15"	Heavy	Braid on Braid	Nylon	Black	9800	1030
50013104	5/8"	35'	15"	Heavy	Braid on Braid	Nylon	Black	9800	1030
50013076	3/8"	15'	10"	Light	Braid on Braid	Nylon	Blue	3900	410
50013077	3/8"	20'	10"	Light	Braid on Braid	Nylon	Blue	3900	410
50013078	3/8"	25'	10"	Light	Braid on Braid	Nylon	Blue	3900	410
50013080	1/2"	15'	12"	Med	Braid on Braid	Nylon	Blue	7100	750
50013081	1/2"	20'	12"	Med	Braid on Braid	Nylon	Blue	7100	750
50013082	1/2"	25'	12"	Med	Braid on Braid	Nylon	Blue	7100	750
50013083	1/2"	35'	12"	Med	Braid on Braid	Nylon	Blue	7100	750
50013085	5/8"	20'	15"	Heavy	Braid on Braid	Nylon	Blue	9800	1030
50013086	5/8"	25'	15"	Heavy	Braid on Braid	Nylon	Blue	9800	1030
50013087	5/8"	30'	15"	Heavy	Braid on Braid	Nylon	Blue	9800	1030
50013088	5/8"	35'	15"	Heavy	Braid on Braid	Nylon	Blue	9800	1030



Multi-Filament Pre-Spliced Double Braid Dock Line

Round, firm and floats. Whipped on the splice. Ideal for trailerable boats.



Model No.	Dia.	Length	Eye	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013270	3/8"	15'	10"	Light	Braid on Braid	MFP	Black	3000	314
50013271	3/8"	15'	10"	Light	Braid on Braid	MFP	Blue	3000	314
50013274	3/8"	15'	10"	Light	Braid on Braid	MFP	Red	3000	314
50013276	1/2"	15'	12"	Med	Braid on Braid	MFP	Black	5100	1020
50013277	1/2"	15'	12"	Med	Braid on Braid	MFP	Blue	5100	1020
50013278	1/2"	15'	12"	Med	Braid on Braid	MFP	Red	5100	1020
50013280	1/2"	25'	12"	Med	Braid on Braid	MFP	Black	5100	1020
50013289	1/2"	25'	12"	Med	Braid on Braid	MFP	Blue	5100	1020
50013290	1/2"	25'	12"	Med	Braid on Braid	MFP	Red	5100	1020

Multi-Filament Pre-Spliced Solid Braid Dock Line with Chafe Guard

Round, firm and floats. Whipped on the splice. Ideal for trailerable boats.



Model No.	Dia.	Length	Eye	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013108	3/8"	15'	10"	Light	Solid Braid	MFP	Red	1350	144
50013109	3/8"	15'	10"	Light	Solid Braid	MFP	Blue	1350	144
50013110	3/8"	15'	10"	Light	Solid Braid	MFP	Black	1350	144
50013107	3/8"	15'	10"	Light	Solid Braid	MFP	White	1350	144
50013113	1/2"	15'	12"	Med	Solid Braid	MFP	Black	1400	288
50013114	1/2"	15'	12"	Med	Solid Braid	MFP	Blue	1400	288
50013115	1/2"	15'	12"	Med	Solid Braid	MFP	Red	1400	288
50013105	1/2"	15'	12"	Med	Solid Braid	MFP	White	1400	288
50013116	1/2"	25'	12"	Med	Solid Braid	MFP	Black	1400	288
50013117	1/2"	25'	12"	Med	Solid Braid	MFP	Blue	1400	288
50013118	1/2"	25'	12"	Med	Solid Braid	MFP	Red	1400	288
50013106	1/2"	25'	12"	Med	Solid Braid	MFP	White	1400	288

Economy Twisted Nylon Dock Line

Pre-spliced three-strand twisted nylon dock lines are manufactured using nylon fibers and professionally hand spliced. Packed in our new poly bag.



Model No.	Dia.	Length	Eye	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012980	3/8"	10'	10"	Light	Twisted	Nylon	White	2700	290
50012981	3/8"	15'	10"	Light	Twisted	Nylon	White	2700	290
50012982	3/8"	20'	10"	Light	Twisted	Nylon	White	2700	290
50012983	3/8"	25'	10"	Light	Twisted	Nylon	White	2700	290

100% Twisted Nylon Dock Line

Beware of cheap imitations! This "Premium" construction is manufactured from three strand nylon fibers giving you elasticity that can absorb sudden shock loads including harbor surges and boat wakes. This line has high resistance to abrasion, chafing, oil, rot and mildew along with superior UV resistance making an excellent dock line. Rope will not stiffen or curl. Suited to the harshest marine environment, it stays flexible when rope is wet or dry, has minimal shrinkage and has a professionally spliced eye on one end.



Model No.	Dia.	Length	Eye	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012998	3/8"	10'	10"	Light	Twisted	Nylon	White	3150	330
50013000	3/8"	15'	10"	Light	Twisted	Nylon	White	3150	330
50013001	3/8"	20'	10"	Light	Twisted	Nylon	White	3150	330
50013002	3/8"	25'	10"	Light	Twisted	Nylon	White	3150	330
50013009	1/2"	15'	12"	Med	Twisted	Nylon	White	5200	550
50013010	1/2"	20'	12"	Med	Twisted	Nylon	White	5200	550
50013011	1/2"	25'	12"	Med	Twisted	Nylon	White	5200	550
50013012	1/2"	35'	12"	Med	Twisted	Nylon	White	5200	550
50013018	5/8"	25'	15"	Heavy	Twisted	Nylon	White	8100	850
50013019	5/8"	30'	15"	Heavy	Twisted	Nylon	White	8100	850
50013020	5/8"	35'	15"	Heavy	Twisted	Nylon	White	8100	850

Three-Strand Twisted Nylon Anchor Line

Three-strand twist anchor line features excellent elongation properties and is designed to handle the shock loads caused by boat motion. Made with special high quality nylon fibers that will not shrink or stiffen due to moisture. Each line is factory eye-spliced with a non-corrosive, chrome plated nylon thimble in one end. Conveniently packaged on spools.



Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013052	5/16"	75'	Thimble	Light	Twisted	Nylon	White	2295	230
50013025	3/8"	50'	Thimble	Light	Twisted	Nylon	White	2700	290
50013026	3/8"	100'	Thimble	Light	Twisted	Nylon	White	2700	290
50013027	3/8"	150'	Thimble	Light	Twisted	Nylon	White	2700	290
50013030	1/2"	100'	Thimble	Med	Twisted	Nylon	White	5200	550
50013031	1/2"	150'	Thimble	Med	Twisted	Nylon	White	5200	550
50013032	1/2"	200'	Thimble	Med	Twisted	Nylon	White	5200	550



Solid Braid Multi-Filament Polypropylene Anchor Line

Solid braid multi-filament anchor line is designed primarily for boats under 16'. Includes spliced in steel spring hook.

Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013056	3/8"	50'	Spring Hook	Light	Solid Braid	MFP	White	1800	198
50013057	3/8"	50'	Spring Hook	Light	Solid Braid	MFP	Red	1800	198
50013058	3/8"	50'	Spring Hook	Light	Solid Braid	MFP	Blue	1800	198
50013059	3/8"	50'	Spring Hook	Light	Solid Braid	MFP	Black	1800	198

Solid Braid Nylon Anchor Line



Solid braid nylon anchor line is designed primarily for boats under 16' in protected waters. Zinc plated steel snap-hook with large 3/4" mouth to accommodate any anchor design. Not for overnight use. Packed in poly bags for easy display.

Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013049	3/16"	75'	Spring Hook	Light	Solid Braid	Nylon	White	580	63
50013050	3/16"	100'	Spring Hook	Light	Solid Braid	Nylon	White	580	63
50013055	3/8"	35'	Spring Hook	Light	Solid Braid	Nylon	White	1650	177

Hollow Braid Polypropylene Anchor Line



Economy anchor line for smaller boats. Made from 100% polypropylene fibers. Line floats and is rot proof. Zinc plated steel snap-hook with large 3/4" mouth to accommodate any anchor design. Packed poly bags for easy display. Not for overnight use.

Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013042	1/4"	50'	Spring Hook	Light	Hollow Braid	Poly	White	850	90
50013043	1/4"	100'	Spring Hook	Light	Hollow Braid	Poly	White	850	90
50013046	3/8"	75'	Spring Hook	Light	Hollow Braid	Poly	White	1420	150
50013047	3/8"	100'	Spring Hook	Light	Hollow Braid	Poly	White	1420	150

Recommended Anchor Line Chart

Boat Length	Line Dia.	Daytime/Transient Mooring	Overnight/Long Term Mooring	Anchor Chain	Anchor Line
Up to 12'	1/4"	HB PP/SB Nylon	Twisted Nylon	4'	50'
Up to 17'	3/8"	HB PP/SB Nylon	Twisted Nylon	6'	100'
Up to 20'	3/8"	Twisted Nylon	Twisted Nylon	8'	150'
Up to 25'	1/2"	Twisted Nylon	Twisted Nylon	12'	150'
Up to 30'	1/2"	Twisted Nylon	Twisted Nylon	16'	200'
35' to 50'	5/8"	Twisted Nylon	Twisted Nylon	20'	200'

* Both anchor chain and anchor line are listed at recommended minimum length. Be sure to use anchor chain when using anchor line.

Multi-Purpose Cordage

Economical, general use cordage great for boating, camping, hunting or fishing.



Braid Over Core, Assorted Colors

1 inner pack containing 2 blue, 2 red, 1 yellow, & 1 black MFP 3/8" x 25' rope. (Sold as a 6 Pack)



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012896	3/8"	25'	Braid Over Core	MFP	Assort.	650	68

Braid Over Core, Camouflage



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012902	3/8"	50'	Braid Over Core	MFP	Camo.	850	85

Diamond Braid, Camouflage



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012897	1/8"	50'	Diamond Braid	MFP	Camo.	200	22
50012898	1/8"	100'	Diamond Braid	MFP	Camo.	200	22
50012899	1/4"	50'	Diamond Braid	MFP	Camo.	200	66



Diamond Braid, White



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013120	3/16"	50'	Diamond Braid	Nylon	White	480	53
50013121	3/16"	150'	Diamond Braid	Nylon	White	480	53
50013125	1/4"	50'	Diamond Braid	Nylon	White	800	85
50013126	1/4"	100'	Diamond Braid	Nylon	White	800	85
50013132	3/8"	50'	Diamond Braid	Nylon	White	2470	260

Diamond Braid, Assorted Neon Colors

1 inner pack with each pack containing 1 blue, 1 yellow, 1 green, & 1 orange MFP 1/8" x 45' rope. (Sold as a 4 Pack)



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012916	1/8"	45'	Diamond Braid	MFP	Neon	550	58

Twisted Nylon, White



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50012890	1/4"	50'	Twisted	Nylon	White	800	170



Hollow Braid, Assorted Colors



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013139	1/4"	40'	Hollow Braid	Poly	Yellow	650	71
50013140	1/4"	50'	Hollow Braid	Poly	Yellow	850	90
50013141	1/4"	100'	Hollow Braid	Poly	Yellow	850	90
50013143	3/8"	20'	Hollow Braid	Poly	Yellow	1500	159
50013144	3/8"	15'	Hollow Braid	Poly	Blue/White	1800	217
50013142	3/8"	10'	Hollow Braid	Poly	Red/White	1800	217

Bulk Spools

Save yourself time, money, and energy by buying our rope in bulk! Bulk buying gives you the opportunity to get any project done on time without having to worry about running out of material. This cost-efficient and flexible way of buying rope also benefits our environment by allowing us to condense packaging, requiring less material.

Anchors & Mooring



100% Twisted Nylon

Premium Material, Docking & Anchoring



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50014002	3/8"	600'	Twisted (3 Strand)	Nylon	White	3100	330
50014004	1/2"	300'	Twisted (3 Strand)	Nylon	White	5200	500
50014005	1/2"	600'	Twisted (3 Strand)	Nylon	White	5200	500
50014006	5/8"	300'	Twisted (3 Strand)	Nylon	White	8070	850

Air Horns & Safety Products

Fishing & Kayak Acc.

Hardware

Plumbing

Fuel & Motor Acc.

Lighting & Electrical

Trailer Acc.

Index



Diamond Braid Nylon

Premium Material, Docking & Anchoring



Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50014050	1/4"	200'	Solid Diamond Braid	Nylon	White	850	90
50014051	3/16"	500'	Solid Diamond Braid	Nylon	White	580	63
50014052	1/4"	500'	Solid Diamond Braid	Nylon	White	850	90
50014053	3/8"	250'	Solid Diamond Braid	Nylon	White	1600	177
50014055	1/2"	250'	Solid Diamond Braid	Nylon	White	2900	300



Hollow Braid Multi-Filament Polypropylene

Daytime Docking & Mooring




Model No.	Dia.	Length	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50014033	1/4"	1000'	Hollow Braid	Poly	Red/White	850	90
50014032	1/4"	1000'	Hollow Braid	Poly	Blue/White	850	90
50014043	1/2"	500'	Hollow Braid	Poly	White	2700	290

Solid Braid Multi-Filament Polypropylene

Launch Line with Foam Handle

Solid braid multi-filament launch line with handle and steel spring hook is designed to help launch and load by assisting in steering your boat.



Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013240	5/16"	30'	Spring Hook	Light	Solid Braid	MFP	Blue	1200	198

100% Twisted Polypropylene Winch Rope

Twisted polypropylene winch rope with galvanized spring hook is used for winches rated up to 1200 lbs.



Model No.	Dia.	Length	Spliced End	Load	Construction	Fiber	Color	Break Strength (lbs.)	Safe Working Load (lbs.)
50013044	3/8"	20'	Spring Hook	Light	Twisted	Poly	Blue	1800	198

Fender Line

3/8" twisted fender line specifically made for fenders. Pre-spliced fender line has small eye at one end.

Description	Model
3/8" x 4' Twisted Fender Line, White	50012810
3/8" x 6' Twisted Fender Line, White	50012811
3/8" x 4' Twisted Fender Line, Black	50012816
3/8" x 6' Twisted Fender Line, Black	50012817
3/8" x 4' Twisted Fender Line, Blue (Not shown)	50012822
3/8" x 6' Twisted Fender Line, Blue (Not shown)	50012823



Stretch Cord with Coated Hooks

- Vinyl coated hooks prevent scratching
- Fray resistant cord
- No knots to slip out
- Bonded to hook for secure connection

Description	Model
48" Stretch Cord	50090148



Rope Cutting Gun

Lightweight rope cutting gun from SeaSense® provides boaters and campers with a simple way to make quick and clean cuts to any type of synthetic rope or line. 4' Cord.

- 120 V • 150 W • 1.5 amp • 1-1/2 lbs.

Description	Model
Rope Cutting Gun	50014090



Portable Hot Knife Rope Cutter

The best choice for cutting rope, webbing, belts, ribbon, and cord. It cuts in 10 seconds and reaches temperatures up to 1112°F (600°C). When properly used, the portable rope hot knife is a very convenient tool. It charges by USB cable and is easy to carry anywhere. (charging cable included) The blade head swivels 360 degrees and can be easily removed for cleaning.

Description	Model
Portable Hot Knife Rope Cutter	50014091



Anchors & Mooring

Fenders	14
Anchors	15-19
Chain	19-20
Mooring	21-22



SeaSense Superior Quality Boat Fenders & Accessories

24" Mooring Snubber

Highly elastic rubber provides maximum protection against stress caused by wind, waves and wakes on boat's cleats, chocks, and lines. Prevents mooring line breakage along with compensating for sudden jolting and excess stretching of lines beyond parting strength. No tools needed to install. Locks lines safely and securely.




Description	Model
24" Mooring Snubber Black	50072306

EPDM Mooring Snubber

High-tensile rubber resists saltwater, fuels & acids, and provides maximum protection against stress caused by wind, waves and wakes on boat's cleats, chocks, and lines. Prevents mooring line breakage along with compensating for sudden jolting and excess stretching of lines beyond parting strength. No tools needed to install.



Description	Model
17" EPDM Mooring Snubber, for 3/8" Line, Black	50072305
19-1/2" EPDM Mooring Snubber, for 1/2" Line, Black	50072308



Fender Holder

Installs in seconds and keeps fender lines securely attached to railings and cleats. Easily adjust fender height from 6" to 24".

Description	Model
Fender Holder	50072340

Deluxe Ribbed Inflatable Boat Fender

Marine grade vinyl construction. Ribbed sides to help minimize roll. Superior strength to provide max protection with unsurpassed softness that is gentle on your gelcoat. Rubber football needle valve for easy inflation and long life.



Description	Model	Description	Model
4" x 16" Deluxe Fender, White	50072314	6" x 22" Deluxe Fender, White	50072326
4" x 16" Deluxe Fender, Blue	50072317	6" x 22" Deluxe Fender, Blue	50072328
4" x 16" Deluxe Fender, Black	50072318	6" x 22" Deluxe Fender, Black	50072329
5" x 18" Deluxe Fender, White	50072323	8" x 26" Deluxe Fender, White	50072330
5" x 18" Deluxe Fender, Blue	50072324	8" x 26" Deluxe Fender, Blue	50072331
5" x 18" Deluxe Fender, Black	50072325	8" x 26" Deluxe Fender, Black	50072332

Ribbed Inflatable Boat Fender

Premium grade vinyl construction. Will not burst for long lasting protection from the bumps and grinds of everyday boating. Includes UV inhibitors. Soft, flexible feel. Can be inflated with standard inflation needle (not included).



Description	Model
4" x 16" Fender, White	50072316
4" x 16" Fender, Blue	50072315
4" x 16" Fender, Black	50072333
5" x 20" Fender, Blue	50072319
5" x 20" Fender, Black	50072335
5" x 20" Fender, White	50072320
6" x 22" Fender, White	50072322
6" x 22" Fender, Blue	50072321
6" x 22" Fender, Black	50072337


Understanding Scope

Scope is the ratio between anchor line paid out and depth of water. Most anchors achieve maximum holding power at a scope of 7:1. Any reduction of scope should be made up by using larger anchors and chain.

- Lightweight boats should use 1/8" diameter for every 10' of boat total length
- Most standard boats should use 1/8" diameter for every 9' of boat total length
- Extra heavy boats or boats subject to high wind should use 1/8" diameter for every 8' of boat length
- Chain size should equal half of the diameter of the rope (1/2" line should pair up with 1/4" chain)
- Always use a shackle one size larger than the chain

More Scope Equals More Holding Power

The greater the scope the better the holding power.




Galvanized Slip-Ring Economy Anchor

Corrosion resistant meets strong holding power. Great second anchor or lunch hook. Slip ring provides easy release for anchors caught on bottom. Must use anchor chain and shackles for proper holding.

Description	Boat Size	A	B	C	Model
4 lb. Slip Ring Anchor	12' to 15'	15"	9-1/4"	15-1/2"	50074563
5 lb. Slip Ring Anchor	15' to 17'	15"	9"	15-1/2"	50074565
6 lb. Slip Ring Anchor	17' to 19'	18"	13-3/8"	15-1/4"	50074567
8 lb. Slip Ring Anchor	19' to 21'	21"	14"	18"	50074569
9 lb. Slip Ring Anchor	21' to 23'	25"	15"	18"	50074575

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	✓




Fluke Style Anchor, Anti-Foul Mechanics

SeaSense® penetrating fluke style anchor features simple, yet valuable anchor retrieval methods that provide not only ways to save your anchor and time but also your safety. Listed are a couple of suggested methods to rigging a foul-free anchor.

Break Trip Line


Use anchor's retrieval ring as a fastener for your anchor's chain. Direct length of chain flush with shank, fastening with zip ties along and securing at the tip. **(A)** Simply take up excess rode and slowly motor in the opposing direction anchored, zip ties will break under pressure. **(B)**



This reference is to serve as a guide only. Recommended for sandy and muddy bottoms. Do not use a zip tie when encountering rough weather/water conditions. Always have a second anchor available in case of bad weather or loss of first anchor.

Floating Trip Line

Using a 3/8" polypropylene line, attach one end to the anchor's retrieval ring and the other to a small buoy (P/N 50071016). In case of a snag, take in anchor rode as approaching float, bow-first. Pull in the opposite direction of which the anchor has penetrated.



Penetrating Galvanized Fluke Style Anchor

Maintain a firm hold with a modern classic. The SeaSense® galvanized penetrating fluke style anchor is designed to penetrate sand, mud, gravel and grassy bottoms quickly while maintaining a firm hold. Arc welded oversized flukes pivot downward into bottom to set fast, stow flat and provide years of reliable service. Excellent weight-to-holding power ratio compared to cast anchors. Must use anchor chain and shackles for proper holding.

Description	Boat Size	A	B	C	Model
8 lb. Penetrating Fluke Style Anchor	10' to 17'	26"	11-1/4"	14-1/2"	50073771
10 lb. Penetrating Fluke Style Anchor	17' to 20'	27-1/4"	13-3/8"	15-1/4"	50073772
16 lb. Penetrating Fluke Style Anchor	20' to 25'	29"	16"	22-3/4"	50073774
32 lb. Penetrating Fluke Style Anchor	25' to 30'	35-1/4"	23-1/2"	27"	50073776

Usage Guide



Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	✓

Comes with ring at the end for easy retrieval.

Stainless Steel Fluke Style Anchor

Maintain a firm hold with a modern classic. The SeaSense[®] galvanized penetrating fluke style anchor is designed to penetrate sand, mud, gravel and grassy bottoms quickly while maintaining a firm hold. Arc welded oversized flukes pivot downward into bottom to set fast, stow flat and provide years of reliable service. Excellent weight-to-holding power ratio compared to cast anchors. Also comes with a ring at the end for easy retrieval.

SeaSense
STAINLESS STEEL



Description	Boat Size	A	B	C	Model
8 lb. Penetrating Stainless Steel Fluke Anchor	10' to 17'	25"	11-3/4"	14-1/2"	50074461
10 lb. Penetrating Stainless Steel Fluke Anchor	17' to 20'	27"	13"	15-1/4"	50074462
22 lb. Penetrating Stainless Steel Fluke Anchor	25' to 30'	35-3/4"	20"	26"	50074468



Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	✓

Galvanized Claw Anchor

Patterned after the anchors used to keep North Sea offshore oil platforms in place!

The claw anchor performs great in hard to set bottom areas such as grass, weeds and rocks. Commercially proven under a wide variety of conditions.



Description	Boat Size	A	B	C	Model
11 lb. Claw Anchor	17' to 23'	18"	12"	9"	50074594
33 lb. Claw Anchor	30' to 40'	24-5/8"	13"	16-9/16"	50074601
44 lb. Claw Anchor	40' to 50'	27-9/16"	13-5/16"	18-1/8"	50074602

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	✓

Lock Box Anchor

The lock box anchor provides maximum control in any condition with its downward designed flukes that maintain a secure hold preventing any obstruction. Maintains a 45° angle from boat to bottom surface. Anchor locks while closed or open. Metal thickness: 10 mm/1 cm.



Locks & Folds

SeaSense
NEW




Description	Boat Size	Model
Small Lock Box Anchor	18' - 30'	50074705
Large Lock Box Anchor	30' - 40'	50074710

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	✓

Folding Grappling Anchor

More holding power per pound. Great for all small boats, dinghies, kayaks, inflatables, canoes and PWC. Quickly fold and unfold in seconds and stow in very small compartments. Galvanized iron.



Description	Boat Size	A	B	Model
1-1/2 lb. Grappling Anchor	5' - 10'	7"	6"	50074552
3 lb. Grappling Anchor	5' - 12'	9"	9-1/2"	50074553
5 lb. Grappling Anchor	5' - 14'	14"	12"	50074555

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	



PWC Grappling Anchor Kit

The 3-1/3 lb. 4-fluke painted folding anchor will hold in mud, sand, gravel and rock. Designed for personal watercraft, inflatable boats, canoes, kayaks and float tubes. Includes convenient storage bag, 25' line, stainless steel snap hook and bouy.

Description	Model
3 lb. PWC Grappling Anchor Kit	50074550

Painted/Vinyl Coated Navy Anchor

Ideal for small boats. Great for rocky or weedy bottoms. Combines weight with flukes and a penetrating swivel action to dig in and hold firmly in a wide range of water floors.



Description	Boat Size	A	B	C	D	Model
5 lb. Painted Navy Anchor	Up to 12'	9"	4-3/4"	6"	3/8"	50073767
10 lb. Painted Navy Anchor	12' to 15'	12-1/2"	7"	8"	3/8"	50073768
15 lb. Painted Navy Anchor	15' to 17'	12-1/2"	7"	8-1/2"	3/8"	50073769
20 lb. Painted Navy Anchor	17' to 19'	12-1/2"	7"	8-1/2"	3/8"	50074530
10 lb. Black Vinyl Coated Navy Anchor	12' to 15'	12-1/2"	7"	8"	3/8"	50074534
15 lb. Black Vinyl Coated Navy Anchor	15' to 17'	12-1/2"	7"	8-1/2"	3/8"	50074536
20 lb. Black Vinyl Coated Navy Anchor	17' to 19'	12-1/2"	7"	8-1/2"	3/8"	50074538
28 lb. Black Vinyl Coated Navy Anchor	19' to 21'	13"	9"	10-1/2"	3/8"	50074540

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current		Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	✓


Black Vinyl Coated River Anchor

Great for pontoons and bass boats. Combines the features of a traditional mushroom anchor with flukes for better bottom penetration. Designed for rivers and mud bottom lakes. Cast iron with black vinyl coating to help protect boat gel coat. For protected inland waters.

Description	Boat Size	A	B	C	D	Model
12 lb. Black Vinyl Coated River Anchor	Up to 10'	2"	7-1/4"	9-1/4"	7/8"	50074542
15 lb. Black Vinyl Coated River Anchor	Up to 15'	2-1/4"	7-1/2"	10"	7/8"	50074544
20 lb. Black Vinyl Coated River Anchor	Up to 20'	2-3/4"	8-1/8"	11"	7/8"	50073770
30 lb. Black Vinyl Coated River Anchor	Up to 25'	3-3/4"	9-1/2"	12-1/2"	7/8"	50074548

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current	✓	Mud Bottom	✓
Tidal Flow	✓	Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	




Black Vinyl Coated Mushroom Anchor

Ideal size for skiffs, canoes and inflatables. Wide area mushroom cap with drains in the base provide excellent holding power in mud or weedy bottoms. One piece cast iron and black vinyl coating to help protect boat gel coat. For protected inland waters.

Description	Boat Size	A	B	C	D	Model
8 lb. Black Vinyl Coated Mushroom Anchor	Up to 10'	7-3/8"	1-7/8"	1-5/8"	7/8"	50074570
10 lb. Black Vinyl Coated Mushroom Anchor	Up to 15'	7-1/2"	2"	1-13/16"	7/8"	50074571
15 lb. Black Vinyl Coated Mushroom Anchor	Up to 20'	8"	2-5/16"	1-7/8"	7/8"	50074581
20 lb. Black Vinyl Coated Mushroom Anchor	Up to 25'	8-1/2"	2-1/2"	2"	7/8"	50074583

Usage Guide

Condition	Applicable	Condition	Applicable
Strong Current		Mud Bottom	✓
Tidal Flow		Sand Bottom	✓
Weed Bottom	✓	Rocky Bottom	




Anchor Chain

Galvanized and stainless. Hot dipped galvanized anchor chain uses 3/8" shackles. Stainless steel anchor chain is 5/16" chain with a polished stainless look even after being exposed to the harshest conditions. Bulk anchor chain available in 2-1/2 gallon buckets.

Description	A	B	Safe Working Load (lbs.)	Break Strength (lbs.)	Model
(A) 1/4" x 4' Hot Dipped Gal. Anchor Chain	1.06"	.44"	1300	5200	50074742
(A) 5/16" x 6' Hot Dipped Gal. Anchor Chain	1.29"	.44"	1700	6800	50074762
(B) 5/16" x 6' Stainless Steel Anchor Chain	1.29"	.44"	2000	8000	50074775
(C) 1/4" x 70' Gal. Anchor Chain, Bulk	1.06"	.44"	1300	5200	50074733
(C) 5/16" x 45' Gal. Anchor Chain, Bulk	1.29"	.44"	1700	6800	50074735




Anchors & Mooring



Vinyl Coated Anchor Chain

Heavy-duty, fully vinyl coated, hot dipped galvanized anchor chain protects decks and gunwales.

- Includes oversized links on each end



Description	A	B	Safe Working Load (lbs.)	Break Strength (lbs.)	Model
White Vinyl Anchor Chain 1/4" x 4'	1.06"	.44"	1300	5200	50074743
White Vinyl Anchor Chain 5/16" x 6'	1.29"	.44"	1700	6800	50074763

SeaSense
**STAINLESS
STEEL**



Quick Link

Available in 316 stainless steel and zinc.

Description	Safe Working Load (lbs.)	Model
3/16" Stainless Steel Quick Link	660	50011422
1/4" Stainless Steel Quick Link	880	50011423
5/16" Stainless Steel Quick Link	1540	50011425
3/8" Stainless Steel Quick Link	2200	50011427
3/16" Zinc Quick Link	660	50011520
1/4" Zinc Quick Link	880	50011522
5/16" Zinc Quick Link	1540	50011524
3/8" Zinc Quick Link	2200	50011526

Anchor Shackle

Hot dipped galvanized and stainless steel anchor shackles with screw pin assembly. Measured by pin thread. Anchor shackles make connecting and disconnecting from all sides of the shackle chain to an anchor easy while keeping it secure.

SeaSense
**STAINLESS
STEEL**



Description	Shank Opening	Safe Working Load (lbs.)	Break Strength (lbs.)	Model
1/4" Galvanized Anchor Shackle	1/2"	880	4400	50074604
5/16" Galvanized Anchor Shackle	9/16"	1320	6600	50074612
3/8" Galvanized Anchor Shackle	11/16"	1920	9600	50074622
7/16" Anchor Shackle, Bulk Only	3/4"	2200	11000	50074627
5/8" Anchor Shackle, Bulk Only	1-1/16"	5000	25000	50074635
5/16" Stainless Steel Anchor Shackle	1/2"	520	2600	50011415
3/8" Stainless Steel Anchor Shackle	3/4"	2200	10000	50011417

Did You Know?

Using a section of chain 6 to 8 feet long to connect your line to the anchor can protect your anchor under normal conditions. This nylon/chain combination creates a lower angle of pull due to increased weight. Sand does not stick to or chafe the chain and your line is preserved with the increased distance.

All SeaSense® Suggestions Are Under Normal Conditions.

Stainless Steel Straight D Anchor Shackle

Made of stainless steel with screw pin. Measured by pin thread. Straight D anchor shackles make connecting and disconnecting from one side of the shackle chain to an anchor easy while keeping it secure.



Description	Shank Opening	Safe Working Load (lbs.)	Break Strength (lbs.)	Model
5/16" Stainless Steel Straight D Anchor Shackle	9/16"	520	2600	50011411
3/8" Stainless Steel Straight D Anchor Shackle	11/16"	800	4000	50011413

Anchor Roller

Easily raise and lower the anchor without scarring the hull of your vessel. Designed for boats 20' to 30' with anchors up to 35 lbs. Handles line up to 1" diameter and chain up to 3/8". 304 stainless steel mount with nylon roller.



Description	Height	Length	Width	Model
Stainless Steel Anchor Roller, Small	2-15/16"	7-3/4"	2-5/16"	50074605
Stainless Steel Anchor Roller, Small	2-15/16"	9-3/4"	2-5/16"	50074615

NOTE: Not intended as an anchor keeper, anchor must be removed once drawn in.


Locking Anchor Control

The locking anchor control pulley allows for easy and safe setting of a mushroom or river anchor, typically from a small freshwater fishing boat. Easy operation allows the operator to set and retrieve the anchor from a sitting position. Zinc plated steel.

- Holds up to a 20 lb. anchor
- Accommodates 1/4" to 7/16" rope




Description	A	B	C	Model
Locking Anchor Control	1-1/16"	6"	2"	50074440



Anchor Retrieval Ring

First mates best friend!

Just add a buoy, snap and short line. A large fender can be substituted for the buoy. Great to keep onboard in case of an anchor windlass failure. 5-1/2" diameter, stainless ring with 1-1/4" diameter loops.




Description	Model
Anchor Retrieval Ring	50074600



Down Rigger Weight

Finned weight for tracking underwater or trolling currents. Prevents cable twisting. Silver reflective label adhered to both sides of each vinyl color coated weight to draw more attention to lure.



Description	A	B	C	D	Model
4 lb. Finned Weight, Black	3-1/2"	3/8"	3/8"	4-1/2"	50074484



Float Buoy

Perfect for trot lines & traps!

Commonly used as a marker for trot lines and traps. 1/2" diameter hole.


Description	Model
3" x 5" Float Buoy	50071016



Heavy-Duty Utility Magnet

Extremely strong, rubber coated utility magnet includes a convenient handle allowing for the magnet to be attached to a rope for metal object retrieval without getting wet.

- Over 35 lbs. of lifting power




Description	A	B	C	Model
Heavy-Duty Utility Magnet	4"	3-1/2"	2-1/2"	50063030

Air Horns & Safety Products

Flags	24 - 25
Air Horns	26 - 27
Whistles & Horns	28 - 29
Key Floats	30



Air Horns & Safety Products



Signal Flags

Our Distress Flag has a black square and circle printed on an international orange flag. It is a U.S.C.G. approved daytime distress signal. Our quarantine flag is a vibrant yellow flag.

- Meets U.S.C.G. requirements
- 4 Grommets with lanyards

Description	Model
(A) Distress Flag 36" x 36"	50073766
(B) Quarantine Flag 12" x 18"	50071054
(C) Skiers Down Flag 12" x 18" with 24" PVC Pole	50071006




Nylon Dive Flag

U.S.C.G. regulation size. This nylon flag is 20" x 24" in size. Complete with two grommets and a removable three piece fiberglass stiffener. Held into place in a sewn sleeve with a Hook and loop fastener™ sealed opening.

- Removable carbon stiffener allows for minimum storage and display space

Description	Model
Dive Flag w/Three Piece Stiffener	50071039



Telescopic Flag Pole

Use with our locking stern light base featured below. Make use of your stern light base during the day. This 3/4" diameter telescopic flag pole mounts into most two prong stern light bases. Ideal for dive, national and nautical flags. Telescoping feature allows the pole to be raised for maximum visibility. Clam pack with or without 12" x 18" reinforced nylon U.S. Flag. Recommended speed < 35 mph.

- Telescopes from 26" to 48" to fit most flags
- Comes with flag attachments
- * Base Not Included

Removable sure-fit collar

Ensures a good fit in a wide range of base designs

Description	Model
Flag Pole Telescopic	50071024
Flag Pole w/U.S. Flag	50071027


NOTE: Fits Most Existing Stern Pole Light Bases!



Locking Stern Light Base

Works with telescopic flag pole. Also fits SeaSense® telescopic stern lights and plug-in combination light. Each base is capped to help keep water out when not in use.

- Includes sure-fit locking collar
- Accepts most navigational lights on the market today



Description	A	B	C	Model
Round Light Base w/Locking Collar	2-1/8"	1-1/14"	1-5/16"	50023957

National Flags

Made of reinforced 2-ply nylon. Durable brass grommets connect to the fly and halyard. Country flags are 12" x 18". Superior sun and water fade resistant print dyed nylon.




Description	Model	Description	Model	Description	Model
United States	50071030	Colombia	50071070	Jamaica	50071076
Canada	50071050	Costa Rica	50071071	Martinique	50071077
Anguilla	50071066	Cuba	50071051	Mexico	50071078
Antigua	50071067	Dominica	50071072	Nicaragua	50071079
Bahamas	50071052	Dominican Republic	50071088	Panama	50071089
Barbados	50071068	El Salvador	50071087	Puerto Rico	50074053
Belize	50071065	England	50071090	St. Lucia	50071082
Bermuda	50071069	France	50071091	Trinidad & Tobago	50071084
Brazil	50074054	Guatemala	50071073	U.S. Virgin Islands	50071085
British Virgin Islands	50071064	Haiti	50071074	Venezuela	50071086
Cayman Islands	50071063	Honduras	50071075		

Flagstaffs

Corrosion resistant flagstaffs of 14", 15-1/2", 17" and 19" heights. Each staff includes built-in rings for attaching flags.

- 316 stainless steel
- Easy to mount
- Includes rings
- Removable

Description	Model
(A) Stainless Steel Flagstaff, 14" - Fits 7/8" Rail	50071057
(A) Stainless Steel Flagstaff, 19" - Fits 7/8" Rail	50071059
(B) Flagstaff and Socket, 15-1/2" w/Clips - Fits 7/8" - 1" Rail	50071061
(B) Flagstaff and Socket, 17" w/Clips - Fits 7/8" - 1" Rail	50071062



Flag Clips

Spring loaded clips for hanging your flags from halyards, antennas and outrigger lines. Made from 304 stainless steel. Easy to use.

Description	Model
(A) Stainless Steel Deluxe Flag Clip, Stern Light or Flag Pole, Pair	50071000
(B) Stainless Steel Flag Clip, Antenna, Pair	50071080
(C) Stainless Steel Flag Clip, Halyard, Pair	50071083



Air Horns & Safety Products



Air Horns

SeaSense uses the safest cans with safety release points to prevent damage. The tops are removable and feature: easy “push button” for quick sounding, strong diaphragm that produces the proper sound every time, a trumpet body that is impact resistant, weather resistant and designed specially to amplify the safety signal.

- Our full line includes multiple sizes and refill options
- Can be heard up to 1 mile away
- Meets EPA & USCG standards



Jumbo 8 oz.

Horn is great for boating, kayaking, sports officials, coaches and referees. 127 dB



Large 3.5 oz.

Palm size allows for usages from small craft signaling to protection. 118 dB



Sport 1.4 oz.

Loud enough to be heard up to one mile away, but small enough to stow anywhere. 115 dB



Pocket .88 oz.

Fits in your pocket or can be placed in your backpack. 115 dB

Air Horn Refills

(Horn Not Included)

Description	Model
Air Horn Jumbo Refill, 8 oz.	50074008
Air Horn Large Large, 3.5 oz.	50074036

Description	Model
Air Horn Jumbo, 8 oz.	50074080
Air Horn Large, 3.5 oz.	50074035
Air Horn Sport, 1.4 oz.	50074041
Air Horn Pocket, .88 oz.	50074007

From U.S.C.G. Auxiliary Vessel Safety Check List:




Sound Producing Device:

A boat less than 12 meters (39.4 ft.) in length must have "an efficient sound signaling device." This may be a whistle, horn, or other means to signal their intentions and/or position in periods of reduced visibility.

Eco-Blast Refillable Air Horn

Save Money While Protecting the Environment!

This horn emits 115 dB signal that meets all U.S.C.G. requirements. Unlike chemical horns, the ECO-BLAST is environmentally safe and operates in all weather and temperature extremes. This powerful horn works in any position.



Can be recharged using a
mini air pump, bicycle pump
or an air compressor!

Description	Model
Eco-Blast Horn	50074066
Eco-Blast Horn w/Pump	50074068

ECO friendly

Air Horns & Safety Products



Original SeaSense® Safety Blaster

Great for kayaking!

Extremely loud! Screams 115 dB of sound that can be heard for over a mile away. Meets U.S.C.G. regulations. Easily replaceable diaphragm. Works when wet and it floats.

- Great replacement for traditional whistles
- Comes with lanyard
- Waterproof
- 4-1/2" tall

Description	Model
Safety Blaster	50074062



Pea-Less Flat Whistle

Identical to the one developed for the U.S. Navy, used by NASA, major airlines and shipping companies. Can be attached to life jackets, foul weather gear, ring buoys, rafts and keychains. Meets U.S.C.G. regulations. Includes lanyard. 115 dB of sound.

Description	Model
Pea-Less Flat Whistle	50074027



Pea-Less Safety Whistle

Made of orange injection molded ABS plastic with a stainless split ring. Our "pea-less" design means there is no "pea" to stick when it gets wet, allowing for a loud sound every time. Meets U.S.C.G. regulations. Includes lanyard. 115 dB of sound.

Description	Model
Pea-Less Safety Whistle	50074032
Pea-Less Safety Whistle PDQ 36 Piece Box	50074030



Dry Box

This large capacity, heavy-duty dry box measures 12" wide by 6" deep by 10" high and comes with a rugged water tight seal. Features a heavy-duty steel latch & hinge and a 2" deep storage tray.

Description	Model
Dry Box	50074125



Electronics Dry Pouches

- Full device functionality when inside pouch.
- Keeps your device dry and safe on the water
- Includes security lanyard
- Water resistant
- Perfect worry free option for your tablet and small items
- Lock seal is simple to use and secure against the elements
- Talk and hear directly through the pouch
- **50074122:** For tablets up to 12" diagonal size
- **50074124:** For phones up to 6" diagonal size

Description	Model
Tablet Pouch with Security Lanyard	50074122
Phone Pouch with Security Lanyard	50074124

Stainless Steel 12-Volt Trumpet Horn

This stainless steel trumpet horn looks sharp and will be heard from a long distance. Available in single-trumpet and dual-trumpet models.

- Produces a powerful sound that is sure to be heard
- Both models feature adjustable sliding front mount
- Corrosion-proof stainless steel construction
- 105 decibels




Description	Model
Stainless Steel 12-Volt Trumpet Horn - Single (15-7/8" L)	50031910
Stainless Steel 12-Volt Trumpet Horn - Dual (18-1/2" L)	50031911

Stainless Steel 12-Volt Horn

Stainless steel cover. 12 volt DC. Comes complete with mounting pad and wire harness. Meets U.S.C.G. regulations. 120 dB of sound.

- Mounting Dimensions:
 - Hole to hole: 1-5/8"
 - Depth: 1-1/2"
 - Width: 2"



Description	Model
Stainless Steel 12-Volt Horn	50031902

Stainless Steel Dual 12-Volt Horn

12 volt DC. Comes complete with mounting pad and wire harness. 110 dB of sound.

- Mounting Dimensions:
 - Hole to hole: 1"
 - Base: 2"



Description	Model
Stainless Steel Dual 12-Volt Horn	50031913

Boat Bailer Safety Kit

This bailer safety kit has a screw top lid with O-ring gasket that makes the perfect dry storage for essential emergency gear. 1-1/2 liter capacity.

- 50' of rope
- Float buoy
- Emergency whistle
- Model 50074117 comes with LED flashlight

Description	Model
Boat Bailer	50074110
Boat Bailer Safety Kit	50074115
Boat Bailer Safety Kit w/LED Flashlight (shown)	50074117

NOTE: Flashlight takes AA batteries. Batteries not included.

Boat Bailer

This is just the bailer bucket from the bailer safety kit. Includes lid and 1-1/2 liter bailer bucket which can be used for dry storage and bailing out your vessel.

- Model 50074110
- W 6" x H 8-1/2"





15' Coiled Hose with Nozzle

Non-corrosive, wash down hose with stylish, pistol-grip nozzle. 1/2" hose diameter. Coiled design returns to original shape for easy storage.

- Durable, spray nozzle included
- Coiled design prevents crimping
- Can be used for many applications
- Weather resistant

Description	Model
1/2" x 15' Coiled Hose w/Nozzle	50091295
Replacement Nozzle	50091296



SeaSense® Garboard Plug Key Chain

Doubles as a reminder and a temporary emergency replacement!

Never be without a plug again! Put it on your boat keys as a reminder to check your plug. This temporary 1/2" NPT plug is small, light and includes a premium key ring.

- Use as an emergency temporary replacement
- Reinforced, fiber filled nylon
- Fits all 1/2" NPT drains



Description	Model
Emergency Garboard Plug Key Chain	50032277
Emergency Garboard Plug Key Chain (36 Piece PDQ)	50032276



Key Float

Key Float with chamber inside to store many things like registration, money, fuses and tackle. Splashproof design. W 1-1/2" x H 4"

Description	Model
Key Float Assorted Colors (Sold as a 6 Pack)	50091622



Foam Key Float

SeaSense® soft foam floating key chains are very buoyant and help to keep your boat keys from sinking to the bottom. Three assorted colors. Available in a 24 piece box or individual hang tag.

Description	Model
Foam Key Float (Sold as a 6 Pack)	50091620
Foam Key Float (24 Piece PDQ box)	50091624
Garboard Foam Key Float (Sold as a 6 Pack)	50091625

Fishing & Kayak Accessories

Paddles & Oars	32 - 37
Oarlocks	38
Canoe & Kayak Carriers	39
Rod Holders	40 - 42
Bait & Livewell Pumps	42




SeaSense™ XTREME² Kayak Paddles

Manufactured with a fiberglass filled nylon blade making them "x-tremely" lightweight and durable. Each blade is lightweight and reinforced making it more efficient in the water. Shaft is lightweight aluminum with ergonomic foam grips for added comfort and strength.


- Feathered blade design
- Two piece construction for easy storage
- Adjustable drip rings
- Lightweight & floats
- Support ridge for added strength
- Asymmetrical design with 3 locking positions
- Ergonomic foam rubber grips

ECO-FRIENDLY
ALUMINUM
 WILL NOT ROT



Description	Model
X-II Kayak Paddle, Black, 84" (213 cm)	008681
X-II Kayak Paddle, Black, 96" (244 cm)	008682
X-II Kayak Paddle, Red/Black, 84" (213 cm)	008663
X-II Kayak Paddle, Red/Black, 96" (244 cm)	008673
X-II Kayak Paddle, Blue/White, 84" (213 cm)	008676
X-II Kayak Paddle, Blue/White, 96" (244 cm)	008677
X-II Kayak Paddle, Orange/Yellow, 84" (213 cm)	008678
X-II Kayak Paddle, Orange/Yellow, 96" (244 cm)	008679
X-II Kayak Paddle, White/Black, 84" (213 cm)	008683
X-II Kayak Paddle, White/Black, 96" (244 cm)	008686
X-II Kayak Paddle, Military Green, 84" (213 cm)	008675
X-II Kayak Paddle, Military Green, 96" (244 cm)	008674
X-II Kayak Paddle, Yellow w/Blue Shaft, 84" (213 cm)	008691
X-II Kayak Paddle, Yellow w/Blue Shaft, 96" (244 cm)	008689

Asymmetrical Design



SeaSenseTM XTREME₁ Kayak Paddles

This popular SeaSense® original is the first choice in value and comfort.

- Two piece construction for easy storage
- Black molded plastic blades
- Adjustable drip rings
- Lightweight & floats
- Ergonomic foam hand grips
- Asymmetrical design with 3 locking positions

ECO-FRIENDLY
ALUMINUM
WILL NOT ROT



Description	Model
X-I Kayak Paddle, Black, 84" (213 cm)	008680
X-I Kayak Paddle, Black, 96" (244 cm)	008690



SeaSense **EXOBLADE** Stand-Up Paddles



Ex-O-Blade II Stand-Up Paddles

- Adjustable from 63" to 82" (160 to 208 cm)
- ABS reinforced blade (9.2" x 21")

Description	Model
Ex-O-Blade II Adjustable Stand-up Paddle, Black Shaft 63" to 82"	008990

Ex-O-Blade Stand-Up Paddles

- Adjustable from 72" to 92" (183 to 234 cm)
- Lightweight aluminum shaft
- Comfort grip knob
- Water slicing performance

ECO-FRIENDLY
ALUMINUM
 WILL NOT ROT

Description	Model
Ex-O-Blade Adjustable Stand-up Paddle, Silver Shaft 72" to 92"	008991
Ex-O-Blade Adjustable Stand-up Paddle, Pink Blade 72" to 92"	008992
Ex-O-Blade Adjustable Stand-up Paddle, Red Shaft 72" to 92"	008996
Ex-O-Blade Adjustable Stand-up Paddle, Blue Shaft 72" to 92"	008998




Economy Kayak Paddle

Lightweight anodized aluminum shaft with black molded plastic blades.

- Breaks down into two pieces for easy transport
- Lightweight anodized aluminum shaft
- Asymmetrical design with 3 locking positions

Description	Model
Economy Kayak Paddle, Black, 84" (213 cm)	008684

ECO-FRIENDLY ALUMINUM WILL NOT ROT




Mighty Mite Youth Kayak Paddle

- Lightweight anodized aluminum shaft
- Breaks down into three pieces for easy transport
- Asymmetrical design with 3 locking positions
- Lightweight & floats

Description	Model
Mighty Mite Youth Kayak Paddle, Red Shaft, 60" (152 cm)	008661
Mighty Mite Youth Kayak Paddle, Blue Shaft, 60" (152 cm)	008662
Mighty Mite Youth Kayak Paddle, Black Shaft, 60" (152 cm)	008672

ECO-FRIENDLY ALUMINUM WILL NOT ROT



Fishing & Kayak Accessories



Aluminum Paddle

Durable, lightweight and comfortable. Corrosion resistant aluminum shaft with high impact polypropylene blade and t-grip.

Description	Model
3' Aluminum Paddle, Palm Grip	008430
4' Aluminum Paddle	008440
4-1/2' Aluminum Paddle	008445
5' Aluminum Paddle	008450
5-1/2' Paddle	008455



Aluminum Oar

Excellent durability and lightweight. Advanced blade design is molded to provide maximum power and minimum slippage for efficiency. 1-1/4" shaft diameter.

- Will not warp
- Corrosion resistant aluminum shaft
- High impact, cupped & molded blade

Description	Model
6' Aluminum Oar	008660
7' Aluminum Oar	008670



Adjustable Telescopic Aluminum Oar

Adjustable oar telescopes from 5'-1/2" to 6' and to 6'-1/2"

- Will not warp
- Corrosion resistant aluminum shaft
- High impact, cupped & molded blade

Description	Model
5'1/2" - 6'1/2" Adjustable Telescopic Aluminum Oar	008671



Adjustable Telescopic Mini Paddle

Dual telescopic locking devices work without hassle.

- Adjusts from 22" To 42"
- Twist pole to tighten
- Corrosion resistant aluminum shaft
- High impact molded blade & hand grips

Description	Model
22" - 42" Adjustable Telescoping Mini Paddle	008327

Adjustable Telescopic Paddle & Hook

This paddle extends from 48" to 72". Quality telescopic locking mechanism that works without hassle. Handle doubles as a boat hook. Handle built in to the blade for a better grip.

Description	Model
48" - 72" Adjustable Telescoping Paddle & Hook	008240



Adjustable Telescopic Paddle with Hook

Perfect for PWC, kayaks, emergencies and small boats alike. This durable two piece telescopic aluminum paddle extends from 32" to 42". The handle doubles as a convenient boat hook using a hole in the blade as a handle. It floats if dropped into the water. Detachable blade for an ultra compact storage length of only 18".

Description	Model
32" - 42" Adjustable Telescoping Paddle w/ Hook	008235



Heavy Duty Telescopic Boat Hook

Heavy-duty telescopic handle has a positive, non-slip, cam lock designed for secure use and easy stowing. Removable hook for mounting attachments such as brushes and mop heads. Constructed of anodized aluminum.

- Pole diameter 3/4"
- 2 tier extends from 48" - 84"
- 3 tier extends from 56" - 96"
- Telescopic from 56" - 144"




Description	Model
48" - 84" 2 Tier Telescopic Boat Hook	50091201
56" - 96" 3 Tier Telescopic Boat Hook	50091208
56" - 144" Telescopic Boat Hook	50091202
60" Fixed Boat Hook	50091200
Threaded Replacement Hook	50091207



Paddle Keeper

Space saving hardware mounts either in a vertical or horizontal position.

- Two piece hardware
- Black finish
- Convenient storage
- Easy installation



Description	A	B	C	Model
Paddle Keeper (Screws Included)	3"	7-1/2"	2"	50091165





Oarlock Socket Insert

Converts 5/8" oarlock sockets to 1/2". Nylon construction for ease of use.

Description	Model
Oarlock Socket Insert (Pair)	50091121



Oarlock Sockets

Made of chrome plated zamak. Requires #10 screws for installation. Accepts any oarlock with a 1/2" shank.




Description	A	B	C	D	E	Model
Oarlock Sockets (Pair)	3-5/8"	4-5/8"	1-1/2"	3-3/16"	1-7/16"	50091152




Oarlock Sockets

Made of zinc-plated steel. Accepts any oarlock with a 1/2" shank. Requires #10 screws.



Description	A	B	C	D	E	Model
Oarlock Sockets (Pair)	2-7/8"	1-1/2"	3-1/2"	2-1/8"	2"	50091125



Clamp-On Oarlock

Made of bright zinc-plated steel, these oarlocks fasten securely to oars with adjustable bolts. No drilling required. Shaft measures 1/2" x 2". Clamp opening 1-5/16" to 2-1/8".

Description	Model
Oar Clamps (Pair)	50091162
Shank Shaft, 1/2" x 2" (Bulk Pack, Shaft Only)	91162S



Clamp-On Oarlock

Made of bright zinc-plated steel, these oarlocks fasten securely to oars with adjustable bolts. No drilling required. Shaft measures 9/16" x 2". Clamp opening 1-5/16" to 2-1/8".

Description	Model
Oar Clamps (Pair)	50091135



Oarlock Horns

Made of chrome-plated zamak. Fits 1-3/4" diameter oar shaft. 1/2" diameter shank.

Description	Model
Oarlock Horns w/Pins (Pair)	50091142

Pole Storage Clips

Soft rubber holds light pole snugly without scratching or denting. Easy to mount along any flat surface. Fits 3/4" tubing. #10 fastener (Not Included).



Description	Model
Pole Storage Clips (Pair)	50091032

Storage Clips

Rubber storage clips are ideal for storing anything from fishing poles to stern lights. Easy to mount along any flat surface. Sold in pairs. #4 fastener (Not Included).



Description	Model
3/8" Storage Clips	50091025
5/8" Storage Clips	50091027
1" Storage Clips	50091029

Kayak & Canoe Carriers

- Kayak Kit: Includes two foam blocks, two straps w/adjustable buckles, 40' of rope.
- Standard Canoe Kit: Includes four foam blocks, four gutter hooks and 55' of rope.
- Deluxe Canoe Kit: Includes four foam blocks, two straps w/adjustable buckles, 40' of rope and storage bag.

Description	Model
Kayak Carrier	008260
Standard Canoe Carrier	008265
Deluxe Canoe Carrier	008270



Kayak Carrier



Standard Canoe Carrier



Deluxe Canoe Carrier



LED Rod Holder Accent Bezel

Now Find Your Fishing Rod Quickly!

The SeaSense® LED rod holder accent bezels add to any boat while beautifully illuminating an evening boating experience. Designed to fit most popular existing flush mounted rod holders.

- UV and crush-resistant
- LED strips and wires are waterproof
- Low, 0.65 amp draw
- Corrosion resistant
- Mounts at 30° angle
- Measures 9-1/2" tall
- Requires a 2" installation and three #12 screws (Not Included).
- Available in blue, white, green and red

Description	Model
LED Rod Holder Accent Bezel, White	50091520
LED Rod Holder Accent Bezel, Green	50091521
LED Rod Holder Accent Bezel, Blue	50091522
LED Rod Holder Accent Bezel, Red	50091523
LED Rod Holder Accent Bezel w/Stainless Steel Rod Holder, Blue	50091525



Nylon Rod Holders

Flush Mounted

This light weight and corrosion proof rod holder is great for any angler. Durable made with nylon construction.

- Durable, economical and corrosion free
- Mounts at 30° angle
- Measures 9-1/2" tall
- Requires a 2" installation and three #12 screws (Not Included).

Description	Model
Rod Holder Flush, Black	50091432
Rod Holder Flush, White	50091433



Metal Rod Holders

Flush Mounted

Durable metal construction and corrosion resistant rod holder is great for any angler.

- Built-in rubber cap keeps water out
- Corrosion resistant
- Mounts at 30° angle
- Measures 9-1/2" tall
- Requires a 2" installation and three #12 screws (Not Included).

SeaSense
STAINLESS STEEL

Description	Model
Stainless Steel Rod Holder w/Cap	50091437
Aluminum Rod Holder w/Cap	50091415

50091437

50091415

Stainless Steel Rod Holder With Cast Weld-on Head

Mounts at a 30° angle and requires a 2-3/8" installation hole. Constructed from 316 stainless steel. Three #12 screws required for mounting. (not included)

- Built-in rubber cap keeps water out
- Corrosion resistant
- Weld on head
- Heavy-duty construction




Description	Model
Stainless Steel Rod Holder w/Cap and Cast Weld-on Head	50091375

Single Construction Tube Rod Holders

Storage racks for a handy place to store your pliers and fillet knives. Made of white polypropylene that resists cracks and can be cleaned up with soap and water. UV stabilizers add durability to our rod holders.

- Single construction
- All-in-one design
- Easy installation
- Mounting hardware included

Description	A	B	C	D	Model
Single Construction 2 Rod Holder	8-3/4"	2-1/2"	4"	10-7/8"	50091419
Single Construction 3 Rod Holder	12-1/2"	2-1/2"	4"	10-7/8"	50091429




Tube Rod Holders

The two or three rod holder and storage racks have a handy place to store your pliers and fillet knives. Made of black or white polypropylene that resists cracks and can be cleaned up with soap and water. UV stabilizers add durability to our rod holders.

- Mounting hardware included
- Snaps together for easy assembly

Description	A	B	C	D	Model
9 Piece Single Tube, PDQ	N/A	N/A	N/A	12"	50091403
2 Rod Holder White	10-3/4"	1-3/4"	6-9/16"	12"	50091420
2 Rod Holder Black	10-3/4"	1-3/4"	6-9/16"	12"	50091421
3 Rod Holder White	17-1/4"	1-3/4"	6-9/16"	12"	50091430
3 Rod Holder Black	17-1/4"	1-3/4"	6-9/16"	12"	50091431



50091403
9 Piece Display of Single Rod Holders
Hardware Not Included



 Base Rotates
360°

Tournament Rod Holder

The SeaSense® tournament rod holder pivots up and down and swivels 360 degrees. The unique locking system secures spinning, bait cast and closed face rods and reels. The stainless steel hardware allows for 3/4" rail mounting.

- Pivots up and down
- Swivels 360°
- Unique locking system
- Stainless Steel


Deck Mount



Description


Tournament Rod Holder - Deck Mount

Model

50091412


Horizontal Aluminum Rod Rack

Easily store up to 6 rods horizontally in your gunnel, inside your cabin, or even at home. Foam inserts ensure a secure fit every time. Be ready for the water with built in sealing cap and water-proof gasket under the lip. Mounts at 30° angle and requires a 2" installation hole. Includes three #12 screws.



Description

Aluminum 3 Rod Storage Rack

A

1"

B

7-13/16"

C

3-1/4"

Model

50091425


50010312

50010313

Fisherman's Live Bait Aerator

Protects your bait! The most versatile aerator pump on the market! For coolers, buckets and livewells. Salt or fresh water. Super strong suction cups. No drilling, no screws. Completely portable. Adjustable spray control and telescopic nozzle height keep bait alive longer.

- Works on any 12V power source
- Impact resistant ABS housing
- 30" marine grade tinned wire
- Telescopes from 9-1/4" to 13-3/4"



Description

600 GPH Fisherman's Live Bait Aerator w/Cartridge

600 GPH Fisherman's Live Bait Aerator

Model

50010312
50010313


Thru-Hull Livewell Pump

This ignition protected thru-hull pump runs dry with no damage. Includes both straight and angled thru-hull fittings. Meets ABYC and U.S.C.G. specifications.

- Submersible
- 12V DC motor
- Draws only 1.8 amps
- Ignition protected
- 3/4" outlet
- 4A fuse

Description

800 GPH Thru-Hull Livewell Pump, 4-1/2" x 8-1/4" x 3"

Model

50010403

Hardware

Seat Hardware	44 - 45
General Hardware	46 - 56
Boat Covers & Accessories	57
Snaps & Hooks	58 - 59
Cleats	60 - 61
Hardware Kits	62 - 65

Tidy Boat


For More Info. See Page 57





Seat Pedestal

Steel constructed, fixed seat pedestal. Use with swivel base mounted on top for a complete seat mounting system with a slotted bolt pattern for a universal fit.




Description	A	B	C	D	Model
7-3/4" Seat Pedestal	7"	7"	3"	7-3/4"	50012641
13-3/4" Seat Pedestal	7"	7"	3"	13-3/4"	50012643



Adjustable Seat Pedestal

Features slotted bolt pattern for a universal fit with adjustable seat pedestal. Adjusts to four settings in 2" increments. 11-1/2", 13-1/2", 15-1/2" and 17-1/2". High strength steel with black EDC coating for corrosion resistance and long lasting finish.



Description	A	B	C	D	E	Model
Adjustable Seat Pedestal	7"	7"	3"	11-1/2"	17-1/2"	50012645



Swivel Seat Base

Slotted bolt pattern for a universal fit. Swivels 360°. Fits most standard seats and pedestals. Available in black EDC and stainless steel.




Description	A	B	C	D	Model
Stainless Steel Swivel Base	7"	5-5/8"	7/8"	7"	50012649
Black Swivel Base	7"	5-5/8"	7/8"	7"	50012648



Clamp-On Seat Bracket

Adjustable slotted bolt pattern for a universal fit with an EDC clamp-on seat bracket with 360° swivel base. Great for jon boats and canoes. Vinyl coated clamps.




Description	A	B	C	D	Model
Clamp-On Seat Bracket	7"	5-5/8"	7/8"	7"	50012646



3 Piece Seat Kit

Kit includes:


- Item# 50012622 - 11" aluminum seat post
- Item# 50012636 - zinc seat mount
- Item# 50012638 - stainless steel seat base



Description	Model
3 Piece Seat Kit	50012639

Seat Bases


Aluminum, stainless steel, or mirror finish base plates are welded with reinforcing washers for strength and durability. Comes standard with six countersunk mounting holes. 3/4" Pin, 5/16" bolt



Description	A	B	C	D	E	Model
Aluminum Base	6-7/8"	6-7/8"	5/8	2-3/4"	5-1/2"	50012637
Stainless Steel Base	6-7/8"	6-7/8"	5/8	2-3/4"	5-1/2"	50012638
Mirror Finish Base	6-7/8"	6-7/8"	5/8	2-3/4"	5-1/2"	50012679

Seat Deck Bases


Nylon bushings assure long life and provide the best bearing surface available. Comes standard with six countersunk mounting holes. 5/16" bolt, 3/4" pin



Description	A	B	C	D	E	Model
Mirror Finish 4" x 8" Deck Base	8"	4"	5/8"	3-3/8"	2-3/4"	50012682

Seat Mounts

Features heavy-duty aluminum and zinc plated constructions for extra corrosion protection. Our 3/4" pin-type seat mounts are welded with reinforcing washers at all stress points. Rotates a full 360°.




Description	A	B	C	D	Model
Zinc Seat Mount w/Spring	6-3/4"	6-3/4"	5-3/8"	3/4"	50012636
Aluminum Seat Mount w/Spring	6-3/4"	6-3/4"	5-3/8"	3/4"	50012692

Seat Post

Improved seat post includes spring-loaded device to ensure post remains locked into base while in use. Fits all 3/4" pin-type bases.

Adjustable extension post 24" to 31". Five adjustment positions for the most desired height. Also available in fixed 11" and 13" models.

Description	Model
24" to 31" Adjustable Aluminum Seat Post	50012624
11" Aluminum Seat Post	50012622
11" Stainless Steel Seat Post	50012672
13" Stainless Steel Seat Post	50012674





50091172

50091173



Turning Knobs

Stainless steel turning knobs fit most steering wheels with a diameter between 5/8" and 1"



Description	Model
Stainless Steel Turning Knob, Std.	50091172
Stainless Steel Turning Knob, Large	50091173



Panoramic Boat Mirror

Special wide design lens made of polycarbonate provides a larger viewing angle with minimum distortion. Easy installation with 1" thick base tightener.

Description	Model
Panoramic Boat Mirror, 10" x 4"	50091181



Trash Trapper

Leave nothing behind but your wake!

- Handy trash bag for your boat, camper or RV
- Zipper on bottom for easy emptying
- Marine grade mounting tape included
- 14" x 13.5" mesh material bag

Description	Model
Trash Trapper - White	50091250
Trash Trapper - Black	50091253



Cooler Mount

Keep your cooler secure!

- Corrosion proof
- Accommodates most cooler sizes
- Can also be used with aerator and livewell
- Use #8 screws for fastening (Not Included)
- Includes four durable corner mounts and two stretch cords



Description	Model
Cooler Mount	50090989



Recessed Cup Holder

Self-draining, recessed cup holder. Install almost anywhere. Table, counter top, dashboard, seat back, etc. Durable nylon construction.

Description	Hole	Depth	Model
2" Black Cup Holder	3"	2"	50091005
3" White Cup Holder	3"	3"	50091006
3" Black Cup Holder	3"	3"	50091007
4" White PDQ Display	3-3/4"	3 1/4"	50091008
4" Black PDQ Display	3-3/4"	3 1/4"	50091009

LED Cup Holder Accent Bezel

The patent-pending SeaSense LED cup holder accent bezel adds to any boat while beautifully illuminating an evening boating experience.

- For 4" cupholders
- UV and crush-resistant
- LED strips & wires are waterproof
- Low, 0.65 amp draw
- 12-Volt DC

Description	Model
LED Cup Holder Accent Bezel- Blue	50091072
LED Cup Holder Accent Bezel- White	50091070
LED Cup Holder Accent Bezel- Green	50091073
LED Cup Holder Accent Bezel- Red	50091071
LED Cup Holder and Bezel Kit- Blue	50091075



Stainless Steel LED Lighted Cup Holder

LED lighting offers a subtle hint of color onboard and an easy way to find or place your drink. Installation requires a 3-3/4" hole with 3-3/4" depth.



- Holds up to can sized drinks
- Easy wire hook up
- 12-Volt DC
- Low, 0.0013 amp draw

Description	Model
LED Stainless Steel, Recessed, Drop-In Cup Holder- Red	50091044
LED Stainless Steel, Recessed, Drop-In Cup Holder- Blue	50091042



Stainless Steel Recessed Cup Holder

Stainless steel self-draining recessed cup holder. Replaces plastic drop-in cup holders with ease. Includes drain with hose barb, mounting gasket and internal pad. Installation requires a 3-3/4" hole with 3-3/4" depth.



Description	Model
Stainless Steel Recessed Cup Holder	50091038



Stainless Steel Drink Holder

Corrosion resistant 304 stainless steel. Adjustable drink holder prevents spills, saves space and holds most types of containers. Great for boats, cars and RVs. Expands from 2-1/4" to 3-1/2". Includes stainless steel mounting hardware.



Description	Model
Stainless Steel Drink Holder	50091020





Drink Holder

Made of reinforced nylon. Features pop-up adjustable arms. Folds up when not in use. Holds a variety of containers. Includes stainless steel mounting screws. Expands from 2-1/4" to 3-1/2"

Description	Model
Drink Holder, White	50091012
Drink Holder, Grey	50091013
Drink Holder, Black	50091015



Mug Holder

- Holds insulated coolers and mugs
- Ideal for boats and most vehicles
- Chrome plated brass holder with foam insulator
- Easily detachable and swings freely



Description	Model
Mug Holder	50091003



Nylon Thumb Screw

Replacement thumbscrew for bimini mounting brackets. 1/4" thread.

Description	Model
Thumb Screw Black	50061222
Thumb Screw White	50061223



Nylon Deck Mounting Bracket

Bimini replacement fittings manufactured from high impact, super tough nylon. Offers superior performance.

Description	Model
Deck Mounting Bracket Black	50061218
Deck Mounting Bracket White	50061219



Nylon Adjustable Tube Clamp

Replacement tube clamp made of high impact, molded nylon. Mounts vertically on side walls.

Description	Model
Adjustable Tube Clamp Black 3/4"	50061214
Adjustable Tube Clamp White 3/4"	50061215



Nylon Jaw Slide

Replacement jaw slide made of high impact molded nylon.

Description	Model
Jaw Slide 3/4" Black	50061250
Jaw Slide 3/4" White	50061251
Jaw Slide 7/8" Black	50061254
Jaw Slide 7/8" White	50061255

Nylon Angle Hinge

Made of high impact, super tough nylon. Offers superior performance.



Description	Model
Angle Hinge Black	50061234
Angle Hinge White	50061235

Nylon Side/Top Bracket

Made of high impact, molded nylon. Mounts vertically on side walls.



Description	Model
Side/Top Bracket Black	50061238
Side/Top Bracket White	50061239

Nylon Outside Eye End

Replacement outside eye end fitting made of high impact, molded nylon.



Description	Model
Outside Eye End 3/4" Black	50061242
Outside Eye End 3/4" White	50061243
Outside Eye End 7/8" Black	50061246
Outside Eye End 7/8" White	50061247

Nylon Inside Eye End

Replacement tube end fitting made of high impact, molded nylon.



Description	Model
Inside Eye End 3/4" Black	50061226
Inside Eye End 3/4" White	50061227

Stainless Steel Top Slide

Replacement top slide made of marine grade 316 stainless steel. Mounts vertically on side walls.



Description	Model
Adjustable Top Slide (Stainless Steel) 7/8"	50012734
Adjustable Top Slide (Stainless Steel) 1"	50012735

Stainless Steel Outside Eye End

Replacement outside eye end fitting made of marine grade 316 stainless steel.



Description	Model
Outside Eye End (Stainless Steel) 7/8"	50012730



Stainless Steel Deck Hinge

Made of marine grade 316 stainless steel. Offers superior performance



Description	Model
Angle Hinge (Stainless Steel) 7/8" X 2"	50012740



Stainless Steel Mounting Bracket

Bimini replacement fittings manufactured from marine grade 316 stainless steel. Offers superior performance. Available with or without quick release pin.



Description	Model
Mounting Bracket/Hinge (Stainless Steel) 7/8"	50012739
Mounting Bracket/Hinge (Stainless Steel) 7/8" (w/Quick Release Pin)	50012742

50012742

50012739



Replacement Bimini Strap

Adjustable straps. 1" x 96" nylon webbing, ring and buckle are corrosion resistant.

Description	Model
Replacement Bimini Strap Black	50061210
Replacement Bimini Strap White	50061211



90° Rectangular Base Rail Mount

These rectangular base rail mounts feature a 90 degree angle and 2 set screws for easy and secure installation. These support bases are constructed of 316 grade stainless steel for maximum corrosion protection and are ideal for sail/powerboat railings. Available for 7/8" O.D. rail.



- 4 hole mounting
- 90° angle

Description	Model
Rectangular Base Rail Mount (Stainless Steel) 7/8"	50012714



60° Rectangular Base Rail Mount

These rectangular base rail mounts feature a 60 degree angle and 2 set screws for easy and secure installation. These support bases are constructed of 316 grade stainless steel for maximum corrosion protection and are ideal for sail/powerboat railings. Available for 7/8" and 1" O.D. rail.



- 4 hole mounting
- 60° angle

Description	Model
Rectangular Base Rail Mount (Stainless Steel) 7/8"	50012712
Rectangular Base Rail Mount (Stainless Steel) 1"	50012713

45° Rectangular Base Rail Mount

These rectangular base rail mounts feature a 45 degree angle and 2 set screws for easy and secure installation. These support bases are constructed of 316 grade stainless steel for maximum corrosion protection and are ideal for sail/powerboat railings. Available for 7/8" and 1" O.D. rail.

- 4 hole mounting
- 45° angle



Description	Model
Rectangular Base Rail Mount (Stainless Steel) 7/8"	50012710

60° Round Base Rail Mount

These round base rail mounts feature a 60 degree angle and 2 set screws for easy and secure installation. These support bases are constructed of 316 grade stainless steel for maximum corrosion protection and are ideal for sail/powerboat railings. Available for 7/8" O.D. rail.

- 3 hole mounting
- 60° angle



Description	Model
Round Base Rail Mount (Stainless Steel) 7/8"	50012704

45° Round Base Rail Mount

These round base rail mounts feature a 45 degree angle and 2 set screws for easy and secure installation. These support bases are constructed of 316 grade stainless steel for maximum corrosion protection and are ideal for sail/powerboat railings. Available for 7/8" and 1" O.D. rail.

- 3 hole mounting
- 45° angle



Description	Model
Round Base Rail Mount (Stainless Steel) 1"	50012703

Hinge

Durable, corrosion resistant 316 stainless steel construction, 3"x1-1/2" (6 Hole)

- 6 hole mounting




Description	Model
Hinge (Stainless Steel)	50062213



Stamped Strap Hinge

Made of 304 stainless steel for corrosion resistance. Accommodates #8 screws.



Description

Stamped Strap Hinge (Stainless Steel) (Pair)


Model

50062285



Butt Hinge

Stainless steel, chrome-plated for corrosion resistance. Accommodates #8 screws.



Description

Butt Hinge (Stainless Steel) (Pair)

Model

50062266



Ring Pull

Flush ring lifting pull. Chrome plated.

Description

Ring Pull 1-3/4" x 1-1/2"

Model

50045436



Hideaway Ring Pull

This sleek ring pull rotates neatly out of the way. When needed, simply press on the grooved end and the pull rotates back into use. Measuring 3-1/4"L x 1-1/2"W x 3/4"D

- Chrome plated, excellent corrosion resistance
- Requires only 2 mounting screws

Description

Hideaway Ring Pull

Model

50045493



Cabin Elbow Catch

Secure cabin storage areas with this easy-to-install elbow catch. Includes striker plate and catch. Screws not included. 316 stainless steel. Measuring 1" L x 1/2" W x 1" H.



Description

Cabin Elbow Catch (Stainless Steel)


Model

50074609

Stainless Steel Hatch Lift Spring

Deflecting spring holds hatch or motor box open.

- 11-1/8" spring
- For hatches under 20 lbs.





Description	Model
Hatch Lift Spring (Stainless Steel) 11-1/8"	50045450

Flush Pull

Injection molded faceplate. Great for small spaces and available in a more accommodating larger size.

- Available in black and white
- Great for cabinets and small compartments




Description	Model
Flush Pull, White	50045424
Flush Pull, Black	50045422
Large Flush Pull, White	50045429
Large Flush Pull, Black	50045427

Waterproof Deck Plates

Watertight access points without the use of tools. Great for access to shut off valves or back-fastenings, inspection ports, and the ability to clean out compartments.

- UV stabilized plastic construction
- Twist-n-lock and screw-in style plates




Description	A	B	C	D	E	Model
White Deck Plate 5" (Twist-N-Lock)	5-3/4"	4-1/2"	5-1/8"	2-9/16"	2-9/16"	50031054
Black Deck Plate 6" (Screw-in)	6-7/8"	5-1/2"	6-1/8"	3-1/8"	3-1/8"	50031082

Twist-N-Lock Inspection Plate

Clear ABS deck plate. Access spaces for inspection of valves and deck vents. Easy opening, screw-out design with a clear screw top.

- Weather resistant
- Pre-drilled flange for 6 screws




Description	A	B	C	D	E	Model
Twist-N-Lock Inspection Plate 6"	6-7/8"	5-3/8"	6-1/8"	3-1/8"	3-1/8"	50031075
Twist-N-Lock Inspection Plate 8"	8-1/4"	6-1/2"	7-1/4"	3-5/8"	3-5/8"	50031076

Mini Clam Shell Vent

304 stainless steel clam shell vent.

- Perfect for cable exit




Description	A	B	C	Model
Clam Vent (Pair)	3/8"	1-9/16"	1-13/16"	50063321
Clam Vent (Pair)	9/16"	2-1/8"	2-1/4"	50063325



Stainless Steel Bow/Stern Eye

50011453: Work Load: 3500 lbs. Bolt Dia. 3/8"

50011457: Work Load: 6000 lbs. Bolt Dia. 1/2"


Description	A	B	C	D	E	Model
3/8" Bow/Stern Eye	4-7/8"	1-7/16"	2"	3-9/16"	3/8"	50011453
1/2" Bow/Stern Eye	5-1/4"	1-7/8"	2-9/16"	3-9/16"	1/2"	50011457



Dual Size Bow/Stern Eye

Chrome plated, die cast zamak eye. Includes both 5" and 3-1/4" cadmium plated 3/8" diameter shanks, nut and washer included.

- Work Load: 500 lbs.
- Break: 2500 lbs.




Description	A	B	C	Model
Dual Size Bow/Stern Eye	1-13/16"	2"	3-1/4" & 5"	50062722



Stainless Steel Eye Straps

Pre-drilled, stainless steel eye straps with inset holes for a flush mount.





Description	A	B	C	D	Model
Stainless Steel Eye Straps (Pair)	1-5/6"	1-13/16"	5/16"	1/2"	50062698



Eye Straps

White molded plastic eye straps with inset holes for a flush mount.




Description	A	B	C	D	Model
Plastic Eye Straps (4 Pieces)	1-7/6"	1-7/8"	5/16"	1/2"	50062692



Stainless Steel Pad Eyes

Pre-drilled, stainless steel pad eyes with inset holes for a flush mount.

Description	A	B	C	D	Model
Stainless Steel Pad Eyes (Pair)	1-3/4"	2-3/16"	1"	3/4"	50062695

Rope Ladder

5-step rope ladder is great for watersports and diving from ladder-less boats. Top loop secures your ladder to a cleat or railing easily.

- 5, 11-3/4" blow molded steps
- UV resistant PVC
- Durable nylon rope
- 200 lb. weight capacity



Description	Model
5 Step Rope Ladder	008702

Portable Boat Ladder

Portable boat ladder. Adjustable leg support extensions to fit most boats. Great for watersports and diving from ladder-less boats. Step design provides improved traction for stability once wet. Available in both 3 and 4 steps.

- Quickly and easily hooks over the side of the boat
- Plastic coated hooks prevent marring
- Heavy walled aluminum tubing for extra strength
- Fold flat for easy storage on boat
- HDPE injection molded steps w/UV inhibitors
- Fits most boats (10.5" Hooks)
- 250 lb. weight capacity



Description	A	B	C	Model
3-Step Portable Boat Ladder	7-1/2"	10-1/2"	12-1/2"	008703
4-Step Portable Boat Ladder	7-1/2"	10-1/2"	12-1/2"	008704

Stainless Steel Telescopic Ladder

Heavy-duty, 4-step, 10" wide boarding ladder telescopes (45-5/8") and folds directly to boat platform for convenient storage (15-5/8") with 250 lbs. weight capacity. Nylon locking strap included.



Description	Model
Stainless Steel Telescopic Ladder	008710





Padlock

Solid brass body and hasp with two keys. Two sizes to fit many applications.

Description	Model
1-1/4" Padlock	50063002
1-1/2" Padlock	50063012



Rope Thimble

Stainless steel thimbles resist rust and eliminate chaffing on anchor lines.



Description	Model
Rope Thimble 3/8"	50011389
Rope Thimble 1/2"	50011396



Hammock Hooks

Multi-purpose, easy mount hook works perfectly with our gear hammock, as well as anywhere a light duty hook is needed. Constructed of 304 stainless steel.




Description	Model
Hammock Hooks (Stainless Steel) (Pairs)	50031071



White Nylon Gear Hammock

5 feet of handy storage for your stuff.

Description	Model
White Nylon Gear Hammock	50031064



Boat Registration Set

Four suction cups and supplied adhesive allows for registration placement on inflatable boats. Includes two registration plates, 4" x 24".



Description	Model
Boat Registration Set	50091190



Letter Kits

Contains four of each 3" letter and numbers and 16 dashes. Waterproof. Just peel off back and press on. Meets all regulations.

Description	Model
3" Assorted Hot Colors Letter Kit	50073815
3" Black Letter Kit	50073820
3" White Letter Kit	50073825
3" Red Letter Kit	50073841
3" Blue Letter Kit	50073842
3" Yellow Letter Kit	50073843

V-Hull Boat Covers

- Mildew resistant & water repellent
- Reinforced bow & stern
- Heavy duty tie downs
- Elastic bow strap (Non-Trailerable)



Description	Model
V-Hull Fishing 14'-16'	50011113
V-Hull/Tri-Hull/Alum. Bass 14'-16'	50011114
V-Hull Fish Ski Pro 16'-18.5'	50011115
V-Hull Runabout 17'-19'	50011116
V-Hull Runabouts 20'-22'	50011117

Jon Boat Cover

- Mildew, UV resistant & water repellent
- Tie down loop & braided rope
- Use for seasonal storage (Non-Trailerable)
- Elastic cord for a "custom like" fit
- Opener corners for flexibility



Description	Model
Jon Boat Cover 12'-14'	50017213

PWC Cover

- Heavy-duty tie downs
- Elastic bow strap for easy installation
- Water resistant
- Web loop reinforcements
- Air vent system included
- Non-trailerable



Description	Model
PWC Cover 106"-115"	50017112

Telescoping Boat Cover Support Poles

Supports boat cover to prevent pockets that collect water and debris. Two sizes: 28"-48" and 33.5"-59".

- Aluminum tube, anodized
- 3.5" diameter cup




Description	Model
Boat Cover Support Pole (28"-48")	50010042
Boat Cover Support Pole (33.5"-59")	50010043

Tidy Boat

- Keeps birds & their messes off your boat
- Easy no tool installation
- 100' spool of UV stable line
- 6 snap on clamps
- Accommodates up to 30' boats
- **FITS:** Round: 7/8", 1", & 1-1/4"
Square: 7/8", & 1"




Description	Model
Tidy Boat (Bird Deterrent)	50091182



Universal Snap

Plated steel with a spring loaded feature.


Description	A	B	C	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
4" Universal Snap	3/4"	1/2"	4"	1200	240	50063162



Utility Snap Hook

Great for heavy-duty applications made of carbon steel.


Description	A	B	C	D	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
4" Snap Hook	5/8"	2-3/8"	4"	3/4"	5000	1500	50063172



Utility Spring Loaded Hook

Zinc-plated steel with spring loaded closures.

Description	A	B	C	D	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
3-3/8" Utility Spring Loaded Hook	1/2"	1-13/16"	3-3/8"	11/16"	2400	480	50063176




Stainless Steel Eye Hook

Made of 316 stainless steel and precision cast.



Description	A	B	C	D	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
4" Stainless Steel Eye Hook	5/8"	2-1/8"	4"	7/8"	3250	650	50011439




Stainless Steel Swivel Eye Snap

Spring loaded snap.



Description	A	B	C	D	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
3-3/4" Stainless Steel Swivel Eye Snap	1/2"	13/16"	3-3/4"	13/16"	500	100	50011437



Chrome Plated Brass Swivel Eye Snap

Spring loaded snap.

Description	A	B	C	D	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
3-3/4" Chrome Plated Brass Swivel Eye Snap	7/16"	5/8"	3-1/4"	5/8"	300	60	50063262



Brass Swivel Eye Snap

Polished brass. Spring loaded snap.

Description	A	B	C	D	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
3-1/4" Brass Swivel Eye Snap	7/16"	5/8"	3-1/4"	5/8"	300	60	50063232
3-3/4" Brass Swivel Eye Snap	9/16"	13/16"	3-3/4"	13/16"	400	80	50063242
4-1/2" Brass Swivel Eye Snap	5/8"	7/8"	4-1/2"	3/4"	1000	200	50063252

Safety Spring Hook

Spring loaded feature.


Description	A	B	C	D	E	Break Strength (lbs.)	Safe Working Load (lbs.)	Model
3-1/8" Safety Spring Hook - Zinc	3/8"	5/16"	1-5/8"	3-1/8"	1/2"	625	300	50063152
3-5/16" Safety Spring Hook - Zinc	1/2"	3/8"	2"	3-5/16"	9/16"	1000	770	50063154
2-3/8" Safety Spring Hook - Stainless Steel	5/16"	1/4"	1-1/8"	2-3/8"	3/8"	350	140	50011431
3-1/8" Safety Spring Hook - Stainless Steel	3/8"	5/16"	1-5/8"	3-1/8"	1/2"	625	200	50011435
3-5/16" Safety Spring Hook - Stainless Steel	1/2"	3/8"	2"	3-5/16"	9/16"	1000	400	50011436




Portable Dock Ring

Conveniently and quickly tie-up up your boat anywhere. Hassle-free installation includes inserting unit between dock boards, turning 90° and sliding to the edge.


- Added convenience when docking
- Great for inflatables




Description	A	B	C	D	E	F	Model
Portable Dock Ring	1"	2-3/4"	2-1/2"	6"	2-1/2"	7-1/8"	50072344



1 Insert Between Dock Planks



2 Turn 90° (Secures under dock)



3 Slide to edge (Tie rope)

Mooring Ring

Stainless steel thimbles resist rust and eliminates chaffing on anchor lines.



Description	Model
2" x 1/4" Stainless Steel Mooring Ring	50072355
2" x 1/4" Galvanized Mooring Ring	50072353





Zigzag Fender Hanger

- Keeps fenders in place without knots in your line
- With 4' fender line • 3-1/2"

Description	Model
3-1/2" Zigzag Fender Hanger (Pair)	50062372



Zigzag Cleat

Great for boats, canoes, kayaks, on docks, trailers and more

- Easy-to-use lace back design • Accepts ropes up to 3/8" diameter
- Used to secure items without any knots


Description	Model
3-1/2" Zigzag Cleat, Nylon (Pair)	50062370
3" Zigzag Cleat, Diecast (Pair)	50062374




Stainless Steel Lift Ring Cleat

Multi-purpose design functions as a light-duty cleat with a 1" diameter lift ring. Marine grade stainless steel provides the ultimate in corrosion resistance. Offers the convenience of a quick, secure tie-up.

SeaSense
STAINLESS STEEL




Description	A	B	C	D	Model
Stainless Steel Lift Ring Cleat	5-13/16"	1"	5/8"	1"	50062467



Chrome Plated Zamak Cleat

Open base cleat with 20 micron minimum plating thickness for maximum corrosion resistance.

Description	A	B	C	D	E	Model
4-1/2" Zamak Cleat (Single)	1-1/8"	4-1/2"	1-5/8"	1-5/8"	1-1/8"	50062422
4-1/2" Zamak Cleat (Pair)	1-1/8"	4-1/2"	1-5/8"	1-5/8"	1-1/8"	50062421
6" Zamak Cleat (Single)	1-5/16"	5-15/16"	2-3/16"	2-1/16"	1-1/2"	50062432



Stainless Steel Cleat

Highly polished 316 stainless steel cleat. Heavy-duty solid stainless cast cleat will stay corrosion free through the harshest marine environment.

SeaSense
STAINLESS STEEL

Description	A	B	C	D	E	Model
6" Stainless Steel Cleat	1-1/4"	6"	2-1/4"	1-3/4"	1-1/8"	50062402
8" Stainless Steel Cleat	1-1/2"	8"	2-13/16"	2"	1-3/8"	50062404




Chrome Plated Zinc Cleat

Chrome plated zinc open base design.

Description	A	B	C	D	E	Model
4" Open Base Cleat, Chrome Plated	1-1/4"	4"	1-5/8"	1-1/2"	1-1/8"	50062393
6" Open Base Cleat, Chrome Plated	1-1/2"	6"	2-1/4"	1-3/4"	1-1/4"	50062395

Soft Point Stainless Steel Cleat

Highly polished 316 stainless steel cleats are designed to replace nylon cleats with the same bolt pattern.




Description	A	B	C	D	E	Model
4-1/2" Soft Point Stainless Steel Cleat	4-1/2"	1"	3/4"	1-1/2"	1-1/8"	50062415
6" Soft Point Stainless Steel Cleat	6"	1-1/4"	1"	2"	1-1/2"	50062417

Galvanized Cleat

Cast iron galvanized cleats are great for dock cleats.

Description	A	B	C	D	E	Model
4" Galvanized Cleat	4"	1-1/8"	15/16"	3/4"	7/8"	50062482
6" Galvanized Cleat (Bulk)	6"	1-1/4"	7/8"	2"	1-1/4"	50062484
6" Galvanized Cleat	6"	1-1/4"	7/8"	2"	1-1/4"	50062485
8" Galvanized Cleat (Bulk)	8"	1-7/8"	1-1/8"	3"	1-11/16"	50062486
10" Galvanized Cleat	10"	2-3/8"	1-1/2"	4"	2-7/16"	50062488
12" Galvanized Cleat (Bulk)	12"	2-7/8"	1-7/8"	5-1/4"	3-1/4"	50062490




Black Nylon Cleat

Durable, high impact, open base cleats. UV resistant.

- Perfect for docks


Description	A	B	C	D	E	Model
4-1/2" Single Black Nylon Cleat	4-1/2"	1-1/16"	7/8"	1-5/8"	1-1/8"	50062442
6" Single Black Nylon Cleat	6"	1-5/16"	1"	2-1/8"	1-1/2"	50062452
8" Single Black Nylon Cleat (Bulk)	8"	1-11/16"	1-1/2"	4-1/4"	2-1/4"	50062455
10" Single Black Nylon Cleat (Bulk)	10"	2"	1-5/8"	4-7/8"	3"	50062457



Light-Duty Nylon Cleat

Black nylon cleats are perfect for light loads such as camping cord and fender lines. Not for use with dock lines.

Description	A	B	C	D	E	Model
Light-Duty Nylon Cleat 3" (Pair)	3"	3/4"	1/2"	1-3/4"	1"	50062371
Light-Duty Nylon Cleat 4" (Pair)	4"	3/4"	9/16"	2-1/8"	1-1/8"	50062373
Light-Duty Nylon Cleat 6-1/2"	6-1/2"	1-1/4"	13/16"	3"	1-3/4"	50062378



Bow Chocks

Pair of chrome plated zamak bow chocks, starboard and port. Screw holes measure 2-1/2" apart on center. 5/8" chock opening for easy line positioning.

Description	Model
3-3/8" Bow Chocks (Pair)	50062463



Do-It-Yourself Hardware

Our vast assortment of DIY hardware covers many areas of marine improvement or repair. Whether you're looking for a quick fix for a canvas cover or a more complete rigging project, SeaSense® has you covered.



Tool Also Available Separately



47 Piece Canvas Fastener Kit

Canvas Snap Repair Kit: For repairing canvas covers, tarps, boat covers, sail covers or any heavy fabric.

Kit includes:

• Metal Snap Tool & Die Set	1	• Sockets	10
• #8 x 5/8" Wood Screw Studs	6	• Studs	10
• Caps	10	• Eyelets	10

Description	Model
47 Canvas Fastener Kit	50048250
Metal Snap Tool & Die Set (Tool Only)	50048249



Pan Head

Oval Head

68 Piece Stainless Steel Screw Kits

Assortment of Phillips self-tapping stainless steel screws.

Phillips Pan Head

Kit Includes:

• #6 x 1"	24
• #8 x 3/4"	18
• #8 x 1-1/4"	8
• #10 x 1-1/2"	10
• #12 x 2"	8

Phillips Oval Head

Kit Includes:

• #6 x 1"	24
• #8 x 3/4"	18
• #8 x 1-1/4"	8
• #10 x 1-1/2"	10
• #12 x 2"	8



Description	Model
68 Piece Pan Head Stainless Steel Screw Kit	50048101
68 Piece Oval Tapping Stainless Steel Screw Kit	50048102



Tool Also Available Separately



73 Piece Canvas Fastener Snap Kit

Comes with everything you need to replace snaps, eyelets and studs.

Kit includes button barrels, sockets, barrel eyelets, barrel studs and heavy-duty canvas snap pliers.

Kit Includes:

• Canvas Snap Plier	1
• Caps	18
• Sockets	18
• Studs	18
• Posts	18

Description	Model
73 Piece Canvas Fastener Snap Kit	50048258
Canvas Snap Plier (Tool Only)	50048257

81 Piece Stainless Steel Machine Screw Kit

Oval head stainless steel screw assortment. 81 screws, washers and nuts.

Kit Includes:

- #10-24 x 1" Machine Screw 9
- #10-24 x 1-1/2" Machine Screw 9
- #10-24 x 2" Machine Screw 9
- #10 Finishing Washer 27
- #10-24 Hex Nut 27



Description	Model
81 Piece Stainless Steel Machine Screw Kit	50048100

101 Piece Canvas Fastener Kit

Chrome plated nickel fasteners.

Kit Includes:

- Caps 20
- Studs 20
- Stud Wood Screws 20
- Sockets 20
- Eyelets 20
- Button Hand Tool 1

Description	Model
101 Piece Canvas Fastener Kit	50048253



168 Piece Stainless Steel Deluxe Fastener Kit

Kit Includes:

- | | | | | | |
|---------------------------|----|------------------------------|----|-----------------|---|
| Phillips Oval Head | | Finishing Washers | | Hex Nuts | |
| • #4 x 1/2" | 8 | • #6 | 12 | • #6-32 | 8 |
| • #6 x 3/4" | 8 | • #8 | 28 | • #8-32 | 8 |
| • #8 x 1" | 8 | • #10 | 8 | • #10-24 | 8 |
| Phillips Pan Head | | Phillips Machine Oval | | | |
| • #6 x 1/2" | 8 | • #8-32 x 3/4" | 8 | | |
| • #8 x 3/4" | 12 | • #10-24 x 1" | 8 | | |
| Phillips Flat Head | | Phillips Machine Flat | | | |
| • #6 x 3/4" | 8 | • #6-32 x 3/4" | 10 | | |
| • #8 x 1" | 8 | • #8-32 x 1" | 8 | | |



Description	Model
168 Piece Stainless Steel Deluxe Fastener Kit	50048210

270 Piece Stainless Steel Hardware Assortment

Deluxe Phillips head hardware assortment in convenient storage case.

Kit Includes:

- | | | | |
|----------------------------|----|-------------------------|----|
| Self-Tapping - Oval | | • Finishing Washer | 30 |
| • #6 x 1" | 30 | • Hex Nut 10-24 | 30 |
| • #8 x 3/4" | 28 | • 1-1/2" x 1/4" | 10 |
| • #8 x 1-1/4" | 12 | • 2" x 1/4" | 10 |
| • #10 x 1-1/2" | 12 | • Flat Washer 1/4" | 22 |
| • #12 x 2" | 12 | • Finishing Washer 1/4" | 22 |
| Machine Screw | | • Hex Nut 1/4" | 22 |
| • #10-24 x 1" | 10 | | |
| • #10-24 x 1-1/2" | 10 | | |
| • #10-24 x 2" | 10 | | |



Description	Model
270 Piece Stainless Steel Hardware Assortment	50048214

Hardware



450 Piece Canvas Fastener Kit

Do it yourself and save money!

Quickly clinch grommets, snaps, rivets and more. Replace grommets and snaps on boat and camper tops. Kit includes 14 time saving vise plier attachments, a special four-piece hole punch set, a complete variety of over 450 assorted fasteners including clinch grommets, snaps, rivets and one 10" vise grip. All of this in a handy, durable shop kit.

Kit Includes:

• 1/8" Rivet	75	• Eyelet	20
• 3/16" Rivet	50	• Stud	20
• 5/32" Rivet	65	• 1/4" Grommet	40
• 3/8" Eyelet Screw	10	• 1/4" Punch	40
• 5/8" Eyelet Screw	10	• 5/16" Grommet	40
• Cap	20	• 5/16" Punch	40
• Socket	20		

Description

450 Piece Canvas Fastener Kit

Model

50048263

SeaSense
**STAINLESS
STEEL**



800 Piece Stainless Steel Deluxe Screw/Fastener Kit

800 popular sizes of screws, nuts, bolts and washers.

Kit Includes:

Phillips Pan Tapping

• #6 x 3/4"	35
• #8 x 3/4"	35
• #8 x 1"	35
• #8 x 1-1/4"	22
• #8 x 1-1/2"	22
• #10 x 1"	22
• #10 x 1-1/2"	12

Phillips Oval Tapping

• #6 x 3/4"	35
• #8 x 3/4"	35
• #8 x 1"	35
• #8 x 1-1/4"	22
• #8 x 1-1/2"	22
• #10 x 1"	22
• #10 x 1-1/2"	12

Finishing Cup Washers

• #10	35
• 1/4"	35

Phillips Pan Machine Screw

• #10-24 x 1"	20
• #10-24 x 1-1/2"	12
• 1/4-20 x 1-1/2"	12
• 1/4-20 x 1"	8

Phillips Oval Machine Screw

• #10-24 x 1"	20
• #10-24 x 2"	12
• #10-24 x 2"	12
• 1/4-20 x 1-1/2"	12
• 1/4-20 x 2"	8

Flat Washers

• #10	35
• 1/4"	35

Lock Washers

• #10	40
• 1/4"	25

Finishing Hex Nuts

• #10-24	75
• 1/4-20	50

Description

800 Piece Screw/Fastener Kit

Model

50048219

1120 Piece Stainless Steel Deluxe Screw/Fastener Kit

Immense stainless steel hardware assortment with handy carrying case. 1120 popular sizes of screws, nuts, bolts and washers ensure you always have the right hardware for any project and saves money!

Kit Includes:

Phillips Pan Tapping

• #6 x 3/4"	50
• #8 x 3/4"	50
• #8 x 1"	50
• #8 x 1-1/4"	30
• #8 x 1-1/2"	30
• #10 x 1"	30
• #10 x 1-1/2"	20

Phillips Oval Tapping

• #6 x 3/4"	50
• #8 x 3/4"	50
• #8 x 1"	50
• #8 x 1-1/4"	30
• #8 x 1-1/2"	30
• #10 x 1"	30
• #10 x 1-1/2"	20

Finishing Cup Washers

• #10	50
• 1/4"	50

Phillips Pan Machine Screw

• #10-24 x 1"	30
• #10-24 x 1-1/2"	20
• 1/4-20 x 1-1/2"	20
• 1/4-20 x 1"	10

Phillips Oval Machine Screw

• #10-24 x 1"	30
• #10-24 x 2"	20
• 1/4-20 x 1-1/2"	20
• 1/4-20 x 2"	10

Flat Washers

• #10	50
• 1/4"	50

Lock Washers

• #10	50
• 1/4"	30

Finishing Hex Nuts

• #10-24	100
• 1/4-20	60



Description	Model
1120 Piece Screw/Fastener Kit	50048220



Side A



Side B

Plumbing

Solid-State Sensing Bilge Switch	68
Bilge Pumps	68 - 70
Fittings & Valves	71 - 72
Drain Plugs	73



Plumbing

SeaSense® Solid-State Sensing Bilge Switch with LED





With our SeaSense® Solid-State Bilge Switch, you can know at a glance if your bilge system is functioning properly. If the green LED is illuminated, the switch is in stand-by mode. If both the LEDs are illuminated, the bilge pump should be active. If not, it is a clear indication that further troubleshooting is required. The SeaSense Solid-State Sensing Bilge Switch is designed to eliminate the problems associated with old-style float switches. Our switch has sensors that activate automatically when water reaches the installed height of switch in the bilge. It conserves energy by running only when water activates the pump. When the water reaches the preset level, the switch senses it and turns on the attached bilge pump (not included). When the water level drops, the switch turns the pump off. It's that simple! We designed our switch to be mounted in small spaces.

*Patent No. 13/486,475

Description	Model
Solid-State Sensing Bilge Switch (LED indication)	50010338

- Converts any manual bilge pump to automatic
- LED lights let you know when the pump/switch is active
- No moving parts, doesn't pulse
- Smallest bilge switch
- Completely waterproof unit, multiple mounting positions
- Works in salt and fresh water even when stray current present
- Meets ABYC and U.C.S.G. standards
- Save battery power, consumes only .05 amps in stand-by.
- Supplied with 22" of #16 gauge marine grade tinned wire, stainless steel mounting screws and 7.5 Amp fuse/holder

Smart Technology!



LED Bilge Pump Dash Switches

Comes standard with a red indicator light which lets you know when the bilge is turned on and off. 3-way switch with auto-off-manual and a spring return from the manual position. Plate measures 3.5" x 2" x 0.04".

Description	Model
Toggle with LED indication Bilge Switch	50010320

Bilge Float Switch

Universal switch can be used with any submersible 12 - volt pump. 1-3/4" W x 1-7/8" T x 4-3/8" L.

- Environmentally friendly "snap switch" uses no mercury
- 30" tinned marine grade wire leads
- Impact resistant ABS housing
- Stainless steel mounting screws
- Ignition protected



Description	Model
Bilge Float Switch	50010330

SeaSense® Replaceable Cartridge Bilge Pump & Float Switch Combo

Includes either 50010348 500 GPH or 50010353 800 GPH bilge pump and 50010330 float switch.

- 360° swivel outlet (removable)
- Ignition Protected
- Replaceable cartridge
- Stainless steel mounting screws
- Submersible

Description	Model
500 GPH Combo w/Float Switch	50010347
800 GPH Combo w/Float Switch	50010354



SeaSense® Bilge Pumps

The SeaSense® submersible bilge pumps are tough enough for any bilge. The 600 GPH and 800 GPH use 3/4" hose and the 1100 GPH uses 1-1/8" hose with the overall size measuring at only 4" tall x 2-1/2" diameter. Meets ABYC specification H-22.

- Universal mounting hole positions
- 30" tinned marine grade wire leads
- Quick release strainer base for easy cleaning
- Impact resistant ABS housing
- Stainless steel shaft and mounting screws
- Certified flow rates at 0' head
- Ignition protected

Description	Outlet Size	Draws Only	Fuse Size	Model
600 GPH Bilge Pump	3/4"	3.0 Amps@13.8VDC	3 Amp	50010410
800 GPH Bilge Pump	3/4"	4.0 Amps@13.8VDC	5 Amp	50010420
1100 GPH Bilge Pump	1-1/8"	4.0 Amps@13.8VDC	5 Amp	50010430



SeaSense® Bilge Pump & Float Switch Combo

Complete kit with stainless steel mounting screws. Includes 50010410 600 GPH bilge pump and 50010330 float switch.

Description	Model
600 GPH Combo w/Float Switch	50010423



SeaSense® Fully Automatic Bilge Pump

The SeaSense® submersible bilge pump comes with built in Float Switch. Uses 3/4" hose with the overall size measuring at only 4-7/8" tall x 3-3/4" wide x 2-1/2" deep. Meets ABYC specification H-22.

- Built-in float switch
- Certified flow rates at 0' head
- Impact resistant ABS housing
- 30" tinned marine grade wire leads
- Ignition protected

Description	Outlet Size	Draws Only	Fuse Size	Model
800 GPH Automatic Bilge Pump	3/4"	4.0 Amps@13.8VDC	5 Amp	50010425





SeaSense® Bilge Pump for Larger Boats

Uses 1-1/8" hose. Meets U.S.C.G./ABYC standards.

- 36" tinned marine grade wire leads
- Quick release strainer base for easy cleaning
- Ignition protected

Description

1500 GPH Bilge Pump


Model

50010435

SeaSense® Hand Bilge Pump

Our self-priming hand pump was designed in conjunction with the agricultural industry for large scale water removal. This same design has been scaled down for evacuating small boats, canoes, kayaks, bilges or any place water collects. Removable hose length of 20", 36" or 72".

- Light weight
- Anti-leak design
- Removable hose for easy storage
- Self-priming
- Corrosion resistant
- Reaches small, compact areas with ease



Description

Hand Bilge Pump 18" Length x 20" Hose

Model

50002320

Hand Bilge Pump 24" Length x 36" Hose

50002323

Hand Bilge Pump 24" Length x 72" Hose

50002326

Hand Bilge Pump 36" Length x 36" Hose

50002328

- (A) Large ergonomic, easy grip, high impact handle.
- (B) Tube cap. Caps the tube and forces the water out of the outlet and also supports the plunger shaft.
- (C) Plunger spacer keeps the shaft from coming up too far and damaging the plunger washer.
- (D) Plunger washer forces water up and thru the outlet.
- (E) Intake foot filters water coming in. Screws off for easy cleaning.
- (F) Washer seal eliminates any leaking from the top of the pump.
- (G) Outlet features improved threads for a more secure hold on the hose and eliminates leaking.
- (H) Corrosion proof plastic construction.
- (I) Plunger stop supports plunger washer when being pulled up allowing better water flow.

Dual-Bilge Y-Valve

Add a Second Bilge Pump with the SeaSense® Dual-Bilge Y-Valve to your Existing Discharge Hose

Always on the leading edge of innovation in the marine industry, SeaSense is proud to bring you a product that boats of any size can appreciate.


Now a secondary bilge pump can be added to your vessel without the need for adding another hole in your boat's hull. Now you can easily use your existing through-hull hose. Our Y-Valve consists of two one-way check valves that allow for the use of either bilge pump individually, or both simultaneously without the risk of back flow. It will accept both 3/4" and/or 1-1/8" bilge hose.

Easily add a secondary bilge pump to your vessel to back up your existing system or add a smaller pump to drain your bilges dry. Use in conjunction with our solid-state sensing bilge switch and you will have a bilge system that will take the worry away while you're away!

- Easy installation
 - Accepts 3/4" and 1-1/8" bilge hose
 - Durable construction
 - Built-in check valves (to prevent back-flow)
 - Easily connect to the existing discharge hose
- * Upgrade your existing discharge hose with check valve


*Patented
*Includes 2 check valves to prevent back flow

Description	Model
Dual-Bilge Y-Valve	50052444



Thru-Hull Fitting

High impact, white, corrosion proof nylon thru-hull fitting. For use above waterline only.



Description	A	B	C	D	Model
3/4" Thru-Hull Fitting	3-1/2"	1-11/16"	3/4"	1-1/16"	50010234
1-1/8" Thru-Hull Fitting	3-1/2"	1-11/16"	1-1/8"	3/4"	50010218

Bilge Pump Plumbing Kit

Includes plastic bilge hose, plastic thru-hull fitting and two stainless steel clamps. For use above waterline only.

Description	Model
3/4" x 5' Bilge Pump Plumbing Kit	50002344
1-1/8" x 6' Bilge Pump Plumbing Kit	50002343





Kayak Hand Pump

Specially designed for kayaks and canoes. Our convenient pump includes a floating collar keeping pump afloat if dropped overboard.



- Floating collar
- Removable 12" hose
- Mesh storage bag included

Description	Model
Kayak Hand Pump 12" Length x 12" Hose	50002309



Cockpit Scupper Valve

Flap allows water to exit and not re-enter boats with self-bailing cockpits. Mounts just above the water line (screw holes must be drilled for installation). 2-7/8" dia. requires #6 Fasteners.



Description	Model
Cockpit Scupper Valve	50032150



Drain Tube

Drain tubes for 1" diameter drain plugs. For use in transoms, motor wells, livewells, baitwell and other operations. (.035 wall thickness).

Description	Model
1-7/8" Drain Tube	50032260
3" Drain Tube	50032265



SeaSense® Garboard Plug Key Chain

Doubles as a reminder and a temporary emergency replacement!

Never be without a plug again! Put it on your boat keys as a reminder to check your plug. This temporary 1/2" NPT plug is small, light and includes a premium key ring.


- Use as an emergency temporary replacement
- Reinforced, fiber filled nylon
- Fits all 1/2" NPT drains

Description	Model
Emergency Garboard Plug Key Chain	50032277
Emergency Garboard Plug Key Chain (36 Piece PDQ)	50032276



Garboard Drain Plug Kits





Threaded drain plug made of brass or stainless steel. Kit includes female drain plug receptacle and standard brass plug. 1/2" NPT.



Description	A	B	C	Model
Garboard Drain Plug - Brass	N/A	N/A	N/A	50032272
Garboard Drain Plug Kit - Brass	1"	2"	1-1/4"	50032282

One-Way Safety Plug

Patented one way safety plug lets water out of your bilge but not back in. Ideal for every boater who has ever forgotten to put in the plug. 1/2" NPT. Features our exclusive EZ-IN garboard plug. See below.



EZ-IN Garboard Plug

Our EZ-IN garboard plug features our exclusive plug handle which allows the plug to be tightened and loosened with a wrench, screwdriver or even a nail. 1/2" NPT female plug.

*Patent No. 6,357,376

Description	A	B	C	Model
One Way Plug Kit	1"	2"	1-1/4"	50032270
EZ-IN Garboard Plug Only	N/A	N/A	N/A	50032269

Twist Drain Plug

Twist plug. Tightens in place with a clockwise rotation of the "T" handle. 1" diameter. Made of corrosion resistant brass, aluminum or stainless steel.

Description	Model
1" Brass Twist Drain Plug	50032312
1" Aluminum Twist Drain Plug	50032286
1" Stainless Steel Twist Drain Plug	50032172



Snap Drain Plug

Snap plug. Simply snaps in the drain tube for a secure fit. Made of corrosion resistant brass, aluminum or stainless steel. Brass model available in two popular sizes.

Description	Model
1" Brass Snap Drain Plug	50032292
1-1/4" Brass Snap Drain Plug	50032314
1" Aluminum Snap Drain Plug	50032288
1" Stainless Steel Snap Drain Plug	50032162



Baitwell/Bailer Plug

Brass livewell/baitwell drain plugs snap shut to form a secure seal. Brass construction. See below for most common sizes.

Description	Model
1/2" Baitwell/Bailer Plug (Pair)	50032332
5/8" Baitwell/Bailer Plug (Single)	50032341
5/8" Baitwell/Bailer Plug (Pair)	50032342
3/4" Baitwell/Bailer Plug (Pair)	50032352



Fuel & Motor Accessories

Fuel Tanks	76 - 77
Fuel Line Assemblies	78 - 79
Fuel Fittings & Filters	80 - 81
Motor Flushers	82 - 83
Motor Brackets	84 - 85
Oil Pumps & Trolling Motor Connectors	86 - 87



Fuel &
Motor Acc.

Fuel & Motor Accessories



Fuel Tanks

- For use with 2 or 4 cycle blended fuels
- Easy-to-carry design
- 90°, 1/4 FNPT fuel withdrawal rotates 360°
- Compounded with UV inhibitors
- Above deck use only

Description	Dimensions	Model
3 Gal. Fuel Tank	15" L x 10-3/4" W x 8" H	50052503
6 Gal. Fuel Tank	20" L x 13" W x 9" H	50052506
12 Gal. Fuel Tank	22-1/4" L x 14-1/8" W x 13" H	50052512

50052503

SecureStack 6 Gallon Stackable Fuel Tank

An innovative fuel tank for today's boater. Allows for 2 tanks to strap together for easy transportation.

- Handles on either end for easy transportation.
- Two 1-1/2" wide grooves for secure tie down eliminates shifting while underway (50052023)
- Meets U.S.C.G./ABYC/EPA requirements
- Stackable design replaces standard 12 gallon
- Built-in 5% vapor volume expansion chamber
- Made of durable, high density polyethylene
- Low permeation fuel tank, cap, and improved fuel valve
- Leak resistant FKM gaskets on pickup assembly and cap
- Each tank is 20" L x 13-1/2" W x 9-1/2" H



Description	Model
SecureStack Six Gallon Tank, EPA, Qty.1	50052017
SecureStack Tie Down Kit	50052023
Pick-Up Tube Assembly	52017P
Replacement Fuel Cap	52017CAP

All-In-One Fuel System Kit

- 6 gallon fuel tank
- Tank fitting
- 6' fuel line assembly with primer bulb
- Hose clamps and tank connectors for Mercury, OMC, and Yamaha engines
- Above deck use only



Description	Model
All-In-One Fuel System Kit	50052500

Shake & Flow Siphon Hose

- Safely transfers up to 2-1/2 gallons of liquids per minute
- Brass nipple
- Saves time and trouble
- Use for gasoline, oil, diesel fuel, kerosene, water or any liquid



Description	Model
Shake & Flow Siphon Hose (1/2" x 6')	50071297

Shut-Off Valves

Brass shut-off valves for 1/4" and 3/8" fuel lines provide a quick and easy way to connect one or more tanks to your motor.

Description	Model
1/4" Female/Female Shut Off Valve	50052441
1/4" NPT Three-Way Valve Click	50052445
3/8" NPT Female Three-Way Valve	50052449
1/4" NPT Female Four-Way Valve	50052452



Stainless Steel Hose Clamps

Easily installed with a flat head screwdriver.

Description	Model
1/4" to 5/8" (Pair)	50073863
3/8" to 7/8" (Pair)	50073866
7/16" to 1" (Pair)	50073867
1/2" to 1-1/16" (Pair)	50073868
1/2" to 1-1/4" (Pair)	50073869
3/4" to 1-1/2" (Pair)	50073870



50' Low Permeation Fuel Line

- 3/8" I.D. low permeation fuel line
- U.S.C.G. type B1-15 SAE J1527
- Use with ABYC compliant system fittings (from hose) only

Description	Model
50' X 3/8" Low Permeation Fuel Line	50052660



Low Permeation Fuel Line Requirements

In an effort to reduce smog-forming emissions, the EPA has put requirements in place to limit the amount of gasoline that permeates (vapor escapes) through fuel handling and fuel system components. Many of the fuel system components permeate as gas vapors over time. The changes will benefit your customers by decreasing gasoline consumption and benefit the environment by reducing the amount of gas vapors lost to the atmosphere plus benefit from safer fuel systems for both the boater and the environment.

SeaSense™ SIMPLE SELECT

Now Includes
Color Guide on package!




Mercury
MARINER




BRP
OMC, J/E



Yamaha




Honda



Universal
CREATE
YOUR OWN

- Meets EPA & CARB requirements
- Stainless steel hose clamps
- Made with UV protected materials
- For 2 & 4 cycle engines
- Gasoline & alcohol resistant

SUPERIOR FLO For High Performance Applications



SeaSense® Low Permeation Fuel Line Assemblies

SeaSense® fuel line assemblies are designed specifically for use with portable fuel systems and come complete with a primer bulb, fuel line hose, stainless steel hose clamps, engine connectors and tank fittings. Our 3/8" I.D. fuel hose provides the highest flow rate for large and small engines. The new packaging is informative to help minimize questions and help the consumer make their own decision by providing bold graphics to quickly see engine type and provided connectors. **See Our Complete Selection on the Next Page.**



50073811
50073812

Primer Bulbs

- E.P.A./C.A.R.B. compliant
- Large I.D. for highest flow rate
- Double check valves to hold prime longer
- Oversized bulb works for most HP outboards
- UV inhibitors protect from exposure to sunlight



50073804

All-In-One Primer Bulb

All-In-One Primer Bulb has threaded ends and changeable fittings to accommodate 1/4", 5/16" or 3/8" I.D. fuel hose in a single product. Consumers can no longer purchase the incorrect size bulb, eliminating retail returns while reducing your number of primer bulb SKUs.

Description

All-In-One Primer Bulb, Low Permeation
Primer Bulb 5/16"
Primer Bulb 3/8"

Model

50073804
50073811
50073812

Tank/Hose Fuel Fittings



Mercury Fittings	OEM	Model
Male 2 Prong Clip Style Tank Connector 1/4" NPT, Brass	99105-00193	50052220
Female 2 Prong Clip Style Fuel & Tank Connector 3/8" Barb, Resin - 1998 & Older	22-13563A7	50052218
Female 2 Prong Clip Style Tank Connector 3/8" Barb, Resin	22-13563A3	50052212



Mercury/Mariner Fittings	OEM	Model
Male Fuel Line Connector with 3/8" Barb, Die Cast Alum.	30185A3	50052322
3 Pc. Female Tank Connector with 1/4" NPT & 3/8" Barb Connectors, Die Cast Alum.	N/A	50052312



BRP/OMC/Johnson/Evinrude Fittings	OEM	Model
Male Tank Connector with Male 1/4" NPT, Brass	502867/772681	50052282
Female Fuel Line Connector with 3/8" Barb, Resin	176445	50052272



Yamaha Fittings	OEM	Model
Male Tank Connector with Male 1/4" NPT, Brass	30185A3	50052302
Female Fuel Line Connector with 3/8" Barb, Resin	6E5-24305-05/6Y2-24305-05	50052292



Honda Fittings	Model
Male Tank Fitting, 1/4" NPT, Chrome Plated Brass	50052213
Female Fuel Line Connector with 3/8" Barb, Chrome Plated Brass, with Lock	50052215
Female Fuel Line Engine Connector with 3/8" Barb, Resin	50052217
Male 2 Prong Clip Style Tank Connector, 1/4" NPT, Brass	50052214



Chrysler/Force Fittings	OEM	Model
Male Tank Connector with Male 1/4" NPT, Chrome Plated Brass	23-F213238-2	50052342
Female Fuel Line Connector with 3/8" Barb, Chrome Plated Brass	197787-3	50052332



Suzuki Fittings	OEM	Model
Male Tank Connector with Male 1/4" NPT, Chrome Plated Brass	99105-00193	50052256
Female Fuel Line Connector with 3/8" Barb, Chrome Plated Brass	65750-95510	50052254



Tohatsu/Nissan Fittings	Model
Male Tank Connector with Male 1/4" NPT, Chrome Plated Brass	50052239
Female Fuel Line Connector with 3/8" Barb, Chrome Plated Brass	50052237
Male Tank Connector with Male 1/4" NPT, Chrome Plated Brass 2.5-90 hp	50052245
Female Fuel Line Connector with 3/8" Barb, Chrome Plated Brass 2.5-90 hp	50052243



Fuel Hose Brass Barb Fittings	Model
1/4" NPT x 3/8" Male Barb, Brass	50052372
1/4" NPT x 5/16" Male Barb, Brass	50052374
1/4" NPT x 1/4" Male Barb, Brass	50052376
3/8" Barb Bulkhead, Brass (Up to 1/2" Thick Bulkhead & Requires 5/8" Diameter Hole for Installation)	50052380

50052372
50052374
50052376

50052380

Universal Water Separating Fuel Filter with Water Collecting Bowl (2 & 4 Cycle)

Designed for the suction side of the pump, our 10 micron filtration protects from water, dirt and other contaminants. High grade aluminum filter head withstands the harshest marine environments. Quick drain release valve and reusable plastic bowl allow for easy visual inspection and removal of water build-up. 11/16"-16 thread size.

- 50052119 replaces RACOR B32013
- For outboard use only
- Includes Mercury filter
- Gasoline use only

50052116 Kit includes:	1 Reusable Bowl	2 3/8" Plugs
1 Heavy-Duty Aluminum Head	1 10 Micron Filter	2 Hose Clamps
<i>Protects against saltwater corrosion</i>	2 3/8" Hose Barbs	



Description	Model
Universal Water Separating Fuel Filter Complete Kit	50052116
Universal Water Separating Fuel Filter & Bowl (use with P/N 50052116)	50052119

Water Separating Fuel Filter (2 & 4 Cycle)

Designed for the suction side of the pump, our 10 micron filtration protects from water, dirt and other contaminants. 11/16"-16 Thread size.

- For outboard use only
- Gasoline use only

Description	Model
Fuel Filter (Replaces: Mercury 35-809097, RACOR S3213)	50052117
Fuel Filter, (Replaces: Yamaha HiCap 6" MAR-FUELF-IL-TR)	50052115



Fuel Filter/Water Separator Kit

Kit comes complete with reusable, corrosion resistant filter head, water separating fuel filter and three plugs.

- Filtration capability - 10 micron

Fuel/Water Canister

- **50052103 Replacement filter for:** Mercury 35-60494A4, 35-802893A4/Q4
- **50052113 (11/18"-16) Replacement filter for:** Mercury 35-802893Q, 35-807172, 35-60494A4, 35-802893A4/Q4 - black
- **50052144 (1"-12) Replacement filter for:** OMC 502905, white

Description	Model
Fuel Filter/Water Separator Kit	50052103
Canister (See Above for OEM Replacement)	50052113
Canister (See Above for OEM Replacement)	50052144



Fuel Filter Kit

Universal in-line filter. Clear body permits visual inspection. Protects all fuel systems from pollutants and is easily replaced. Fits 1/4", 5/16" and 3/8" I.D. fuel lines. 260 micron filter element.

Replacement filters for Universal in-line filter (50052125). 260 micron filter element. Three filters per pack. Not for use on inboard engines.

Description	Model
Fuel Filter Kit	50052125



SeaSense® Proudly Offers the Industry's Best Selection of Motor Flushers

Increases Engine Life!

SeaSense® motor flushers are perfect for washing away dirt, mud, sand and salt after a trip on the water or just to keep your motor cool while servicing. Our large selection of motor flushers cover outboards, dual outboards, inboards and stern drives from small kickers to large performance motors.



15 HP or Less Outboard Motor Flusher

Fits motors up to 15 HP. Slip on design allows easy installation without removal of prop. Allows the cooling system to be flushed out using a garden hose. Patent #6,830,493

- Fits most motors 15 HP and under
- Test your motor before heading onto the water
- Easy slip-on design
- Slides onto cavitation plate



Description

Small Outboard Motor Flusher

Model

50073745



Dual Flow Motor Flusher

Protect your investment by flushing the motor every time you use your boat. Motor flushers flush salt, silt and sand out of the cooling system of your motor.

- Easy to use
- No tools required
- For engines with side water inlets
- Great for larger motors 50 HP & up
- Extend your engine life

Description

Dual Flow Motor Flusher (Round)

Model

50073757

Dual Flow Motor Flusher (Rectangle)

50073750



Universal Motor Flusher

Universal motor flusher allows the cooling system to be flushed out using a garden hose. Works on most outboards and inboard/outboards. Also a great way to test run your boat before heading for the water.

- Increases the life of all outboard engines
- Cups rotate for easy application
- Soft, rubber cups for proper circulation and to prevent scratching

Description

Universal Motor Flusher (Round)

Model

50073755

Universal Large Motor Flusher (Rectangle)

50073756

Inboard Motor Flusher

Perfect for inboard engine flushing or running an inboard engine out of the water for maintenance. Place plunger over flush port and extend handle until it supports it firmly against the hull.

- Adjusts from 15-1/2" to 30"
- No tools required, installs in seconds
- Telescoping handle provides precise alignment
- Flush away sand, silt, salt or mud with ease
- Perform engine maintenance while boat is out of water
- Large cup for a secure fit and prevents water blow-by

Fits Hard to Reach Areas



Description

Inboard Motor Flusher

Model

50073761

Volvo Motor Flusher

Protect your investment by flushing the motor every time you use your boat. Motor flushers flush salt, silt and sand out of the cooling system of your motor.

- Great for tune-ups and other maintenance that require running an outboard engine out of the water
- Fits Volvo marine engines



Description

Volvo Motor Flusher

Model

50073749

Universal Kill Switch with Coiled Lanyard

Universal kill switch contains 7 keys to fit Johnson, Evinrude, Mercury, Yamaha, Suzuki, Tohatsu and Honda kill switches. If you lose or break your original kill switch key, this spare set of keys will save your day!

- Swivel snap hook prevents tangling
- Corrosion resistant
- Tangle-free coiled lanyard
- 7-1/2' Long



Description

Universal Kill Switch w/Coiled Lanyard

Model

50031952

Outboard Motor Lock

Great for dinghies and small outboards!

Provides security for transom mounted outboards, works on all outboards with wing type screws. EDC coated steel brackets lock over the screws making them inaccessible to theft. Includes a pad lock that fits inside the tube making it difficult to cut.

- Locks most outboard motors up to 40 HP
- Marine grade brass lock
- Hardened steel tube



Description

Outboard Motor Lock

Model

50073730

Aluminum
50072375


20 HP Universal Motorbracket

Aluminum or Stainless Steel


Spring-loaded outboard motor lift provides universal design for all styles of motors. Four position locking arm easily raises or lowers motor into up or down position. 11-1/2" wide mounting pad.

- Locks motor into an up or down position for propulsion
- HP rating - 20 HP/115 LBS
- Mounting size - 5-1/4" x 9" (Aluminum)
- Mounting size - 8" x 8-5/8" (Stainless Steel)
- Vertical travel of 11-1/4", designed to accommodate lower HP engines
- Wide, black poly mounting board for extra support
- Stainless steel hardware included
- Weight not to exceed 115 lbs.

50072375



50072377



 SeaSense
**STAINLESS
 STEEL**
 50072377

Description	A	B	C	D	E	F	Model
Aluminum Motorbracket, Bulk	7-3/4"	8"	5-1/8"	6-11/16"	1-3/16"	1-9/16"	50072375
Stainless Steel Motorbracket, Bulk	5-1/4"	9"	1-1/4"	6-3/4"	1-1/4"	2-3/8"	50072377



15-20 HP Stationary Outboard Motorbracket

Stationary height works ideal with trolling motors up to 15 and 20 HP. 304 stainless steel brackets and hardware.




Description	A	B	C	D	E	Model
Stationary Outboard Motorbracket	8-1/4"	6-1/4"	5-1/8"	7-3/8"	5"	50072379



Universal Premium Motor Support Bracket

Protects transom, motor and steering components from road shock while trailer is in use. Our universal fit bracket adjusts from 34" to 46" and comes with both roller and trailer mounting hardware. The cast aluminum head has side pads as well as a skeg pad for lower unit protection. Easy to install and comes with a 10" motor strap and 5" trailer strap.

- Universal mount
- Includes 2 rubber straps
- Made of aluminum
- Adjustable from 34" To 46"
- Includes bolt on trailer adapter
- Mounts over roller or bolts on



Description	Model
Premium Motor Support Bracket	50073733

Aluminum Motor Support Bracket

Protects transom, motor and steering from road shock while trailer is in use.

- Universal mount
- Includes 1 rubber strap
- Mounts over roller or bolts on
- Shock absorber


Description	Model
Aluminum Motor Support Bracket	50073731



Universal Hydrofoil

Reduce your fuel consumption and get your boat on plane quickly by increasing the lift generated by the engine. Easy to install on the cavitation plate of all outboards.

- Reduce drag, increase speed



Description	A	B	C	Model
Hydrofoil	8-1/2"	10-3/8"	2-3/8"	50073740

Deck Plate Key

Stainless pocket tool designed to fit all deck plate caps. Includes shackle key, screwdriver, bottle opener and common hex sizes 5/16" & 7/16".



Description	Model
Deck Plate Key	50045488

Prop Wrench

High impact plastic construction. Will not corrode.

- Durable construction
- Fits 1-1/16" prop nuts

Description	Model
Prop Wrench (1-1/16")	50073716



Motor Well Boot

Motor well boot is adjustable to fit over hoses or cables to keep water out, organize cables and improve the looks of any rigging job. PVC cover, mounting ring (nylon 66), cable tie (nylon 66).

- Split for easy installation

Description	Model
3" Motor Well Boot	50032146
4" Motor Well Boot	50032148





12 Volt Oil Changer

Change oil the easy way. Completely self contained 12V electric rotary pump. Drains five quarts of oil through the dip-stick hole in just three minutes! Comes with on/off switch, battery clips with eight foot leads, one small pick-up tube (I.D. 1/8" & O.D. 1/4") and discharge hose (I.D. 5/16" & O.D. 1/2").

- Drains oil in minutes
- Saves time and money
- Built-in storage for electrical cord

Description

12 Volt Oil Changer

Model

50091450



Portable Oil Change Kit

The SeaSense® portable oil change kit is versatile for all applications including boats, RVs, motorcycles, automobiles and industrial use.

Kit Includes:

- 1-1/2 gallon (6 liter) plastic container
- Hand pump stored on the container
- 2 black pump tubes, 1/4" O.D. & 3/8" O.D. X 47" long
- A clear drainage tube 5/8" O.D. X 96" long
- Tight seal cap
- Spark plug boot

* Not for use with gasoline.



Description

Portable Oil Change Kit

Model

50091446



Fluid Extractor

Empty oil from inboard and I/O engines. This innovative design enables manual and pneumatic oil extracting, automatically alternated, suitable for boats or vehicle maintenance.

- Holds up to 6.5 liters
- Equipped with one 39-3/8" hose and two 33 7/16" hoses for draining

* Not for use with gasoline.

Description

Fluid Extractor

Model

50091449



Brass Oil Transfer Pump

Empty oil from inboard and I/O engines. Brass construction with removable tubing for ease of use and cleaning. Designed to fit engine dipstick tube.

Description

Brass Oil Transfer Pump

Model

50091447

Universal Gear Lube Pump

Allows for mess free lube changes. Simply thread the fitting in the lower drain hole and pump until filled. Fits 3/8", M10 & M8 - 16" thread drain screw.

- 3/8" adapter for Johnson/Evinrude, Mercury/Mariner, OMC, Mercruiser, Speedmaster, & Volvo
- M10 & M8 adapter for Suzuki, Honda, Mercury, Nissan & Tohatsu.



Description	Model
Universal Gear Unit Pump	50091462

Lower Unit Lube Pump

Fits quart bottles of lower unit lubricant and allows for mess free lube changes. Simply thread the fitting in the lower drain hole and pump until filled. Fits any 3/8" - 16" thread drain screw.

- Includes adapter fitting for yamaha and nissan lower units.
- Also for Tohatsu and Honda (2-50 HP) engines.



Description	Model
Lower Unit Pump	50091461

Oil Mixing Bottle

Makes mixing two-cycle oil into your gas easy and accurate. A large mouth, oil resistant 32 oz plastic bottle that is easy to pour into any size container. Has all of the most popular oil to gas ratios for a clean and exact mix every time. Also can be used to store unused oil.



Description	Model
Oil Mixing Bottle	50091443

Trolling Motor Connectors

- Quick connection between trolling motor and the power source
- Boat side trolling motor connectors feature an integrated weather cover
- Boat side trolling motor connectors offer a face plate for flat surface mount
- Motor side trolling motor connectors offer easy pull-wing tabs for easy installation and removal
- Includes butt connectors



Model	Description						Mates To
(A) 50052211	Trolling Motor Connector	Female	Boat Side	12 Volt	2 Wire		50052216
(B) 50052216	Trolling Motor Connector	Male	Motor Side	12 Volt	2 Wire		50052211
(C) 50052219	Trolling Motor Connector	Male	Boat Side	12 Volt	2 Wire		50052221
(D) 50052221	Trolling Motor Connector	Female	Motor Side	12 Volt	2 Wire		50052219
(E) 50052223	Trolling Motor Connector	Female	Boat Side	24 Volt	3 Wire		50052224
(F) 50052224	Trolling Motor Connector	Male	Motor Side	24 Volt	3 Wire		50052223
(G) 50052225	Trolling Motor Connector	Male	Boat Side	24 Volt	3 Wire		50052226
(H) 50052226	Trolling Motor Connector	Female	Motor Side	24 Volt	3 Wire		50052225

Lighting & Electrical

Navigational Lights	90 - 96
Cabin & Deck Lights	97 - 107
Marine Switches	108 - 112
Electrical Accessories	113 - 118



Lighting &
Electrical


All-Round Light, Height Regulation

The United States Coast Guard requires boats under 12 meters (39.4') to have an all-round light at a minimum height of one meter above the combination bow light. Non-glare lens directs light's focus upward, out of the driver's vision. 360° light visibility distinguishes the boater's location in the water from any direction.

Give your customers the ability to customize their pole height while reducing the amount of items on your shelf with our exclusive LED telescopic all-round light.

On some of today's boats, stern lights can be up to 6' long. With SeaSense's 3 SKU program, that 6' bow can be stored collapsed in a 3' 4" space!

1 METER = 39-3/8"



SeaSense
EXCLUSIVE DESIGN

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

LED Stowable, Telescopic All-Round Light

Our telescopic, stowable stern light demonstrates the next generation in user-friendly boating products. This innovative adaptation of a standard stow away stern light allows for increased user applications, effectiveness, versatility and convenience. Can be stored in less space than conventional stern lights. Removes quickly from easy-to-install, standard 2 pin base. Aluminum pole, with a 360° light that can be seen for up to two nautical miles. Don't be fooled by cheap imitations! US Patent 6,155,195

- Sizes ranging from 26" to 72"
- Meets U.S.C.G. and ABYC Requirements
- Only .35 amp draw for longer battery life
- Perfect for boats up to 39'
- Water resistant
- Low heat



Description	Model
26"-48" LED Stern Light, Chrome (Light Only)	50023961
34"-60" LED Stern Light, Chrome (Light Only)	50023963
40"-72" LED Stern Light, Chrome (Light Only)	50023965
26"-48" LED Stern Light, Black EDC (Light Only)	50023967
34"-60" LED Stern Light, Black EDC (Light Only)	50023969
40"-72" LED Stern Light, Black EDC (Light Only)	50023971

Standard 12V Telescopic All-Round Light

Telescopic, stowable stern light demonstrates the next generation in user-friendly boating products. This innovative adaptation of a standard stow away stern light allows for increased user applications, effectiveness, versatility and convenience. Can be stored in less space than conventional stern lights. Removes quickly from easy to install standard base. Aluminum pole, with a 360° light that can be seen for up to 2 miles. 12 volt, 15 candle power bulb.

- Sizes ranging from 26" to 72"
- Perfect for boats up to 39'
- Can be seen for 2 nautical miles
- Meets U.S.C.G. requirements
- Water resistant
- Standard 2 pin base




Description	Model
26"-48" Stern Light, Chrome (Light Only)	50023949
34"-60" Stern Light, Chrome (Light Only)	50023954
40"-72" Stern Light, Chrome (Light Only)	50023956
26"-48" Stern Light, Chrome w/Round Base	50023943
26"-48" Stern Light, Black (Light Only)	50023946
26"-48" Stern Light, Black w/Black Nylon Base	50023947

LED Telescopic Folding All-Round Light

Compact design gives you maximum visibility without obstructing your view. 360° light meets U.S.C.G. regulations. Telescopic ability gives boaters varying height. Fold-down base mounts easily and conveniently folds out of the way. Specially designed for boats with t-top or tower mounted navigational lighting regulations.

- Can be seen for 2 nautical miles
- Only .35 amp draw for longer battery life
- Water resistant
- Low heat



Description	A	B	C	D	E	F	Model
LED Telescopic All-Round Light, Folding	2-1/4"	2-1/4"	7/8"	3/4"	1-5/8"	1"	50023982


LED Fixed & Folding All-Round Lights

Our designs give you maximum visibility without sacrificing clearance. The lens capsule is water resistant. Our glare-proof LED meets U.S.C.G. and ABYC regulations and is visible for 2 NM. Aluminum shaft with UV stabilized plastic fittings. Only .35 amp draw for longer battery life.



50023976
50023978

50023975
50023977



Description	A	B	C	D	E	F	Model
10" LED Fixed All-Round Light	2-3/8"	1"	5/16"	3/8"	7/8"	N/A	50023975
10" LED Fixed All-Round Light, EDC	2-3/8"	1"	5/16"	3/8"	7/8"	N/A	50023977
12" LED Folding All-Round Light	2-1/4"	2-1/4"	7/8"	3/4"	1-5/8"	1"	50023976
12" LED Folding All-Round Light, EDC	2-1/4"	2-1/4"	7/8"	3/4"	1-5/8"	1"	50023978







Standard 12V Fixed & Folding All-Round Lights

Our fixed and folding all-round lights are designed for t-tops, hardtops or any other higher mounting spots. Complete with clear, sealed lenses for 360° light visibility.

- Perfect for boats up to 39'
- Can be seen for 2 NM
- Fold down base adjusts to any angle
- Comes with hardware
- Water resistant



Description	A	B	C	D	E	F	Model
10" All-Round Fixed Light	2-3/8"	1"	5/16"	3/8"	7/8"	N/A	50023919
12" All-Round Folding Light	2-1/4"	2-1/4"	7/8"	3/4"	1-5/8"	1"	50023922
12" All-Round Folding Light, Black	2-1/4"	2-1/4"	7/8"	3/4"	1-5/8"	1"	50023927



LED Clamp-On All-Round Light

Water resistant, 360° all-round light with two position aluminum clamp. 24" pole length. Highly visible LED bulb provides navigational light anytime, any place.

- Includes two position aluminum clamp for a vertical or horizontal mount
- Superior design
- Low amp draw for longer battery life
- Compact size
- Impact resistant
- Water resistant
- Low heat
- Requires three AAA batteries (Not Included)

Description	Model
LED Clamp-On All-Round Light	50073852



LED Clamp-On Combination Light

This 24" tall highly visible LED clamp on combination light provides navigational light at anytime or any place.

- Quick release
- Compact size for portable use and storage
- Horizontal and vertical mounting options
- Water resistant
- Uses three AAA batteries (Not Included)



Description	Model
LED Clamp-On Combination Light	50023874
LED Clamp-On Combination Light, Camo	50023876

Plug-In Bow Light

Stowaway red/green combination light features convenient plug-in base that enables the light to be activated or removed quickly and easily.


- 14" height raises running light above obstacles like trolling motors
- Use SeaSense stern light base with your plug-in bow light (50023957)
- Standard 2 pin base
- Anodized aluminum pole

Description	Model
Plug-In Side-Marker Light	50023884
Plug-In Side-Marker Light, EDC	50023885



Ultra Corrosion Resistant Nylon Stern Light Base

Tired of your base corroding? Protect your socket from the elements with our corrosion resistant, black nylon design. Sliding cover keeps water out when not in use.



- Fits 2 prong stern lights
- No rust, no corrosion



Description	A	B	C	D	E	F	Model
Nylon Stern Light Base	3-7/8"	2"	1"	1-1/8"	3-3/16"	1/2"	50023953



Chrome Stern Light Bases

Fits SeaSense® telescopic stern lights and plug-in combination light. Also works with telescoping flag pole! Each base is capped to keep water out when not in use.

- 2 pin round light base accepts most navigational lights
- Fits 2 prong stern lights
- 50023957 includes sure-fit collar
- Requires #8 mounting screws (Not Included)



Description	A	B	C	D	E	F	Model
Chrome Classic Stern Light Base	3-7/8"	2"	1"	1-1/8"	3-3/16"	1/2"	50023952
Round Light Base w/Sure-Fit Collar	2-1/8"	1-1/4"	1-5/16"	N/A	N/A	N/A	50023957



LED Clamp-On Combination Light

Water resistant red/green portable bow light with three position aluminum clamp now available as a highly visible LED model.

- Superior design
- Compact size
- Water resistant
- Requires three AAA batteries (Not Included)
- Low amp draw for longer battery life
- Impact resistant
- Low heat

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

Description	Model
LED Clamp-On Combo Light	50073853






LED Mast Light

Compact housing and lens offers convenient installation on low clearance areas including the top of your mast, towers or t-top.

- High intensity LED can be seen for 2 nautical miles
- Meets U.S.C.G. requirements
- Water resistant
- Only .06 amp draw
- Low heat

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	A	B	C	D	E	Model
LED Mast Light 4"	3-7/8"	2"	1"	1-1/8"	3-3/16"	50023911




LED Combination Bow Light

Stainless steel combination navigation light now available in new technology. Not only brighter and more appealing but they save power with a lower amp draw.

- Corrosion resistant stainless steel housing with a PVC structure
- Meets U.S.C.G. regulations
- Removable housing
- Contains 20 bright LEDs
- 2 NM, 225° visibility
- Low profile
- Water resistant

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT




Description	A	B	C	D	E	F	G	Model
LED Combination Bow Light	3-1/2"	3"	1"	3/8"	1/4"	1-1/2"	2"	50023875



Combination Bow Light

Corrosion resistant, zamak housing with red and green lenses. Uses #90 bulb, included.




Description	A	B	C	D	Model
Combination Side-Marker Light, EDC	2-7/8"	2-1/2"	2"	1-7/16"	50023870
Combination Side-Marker Light, Chrome	2-7/8"	2-1/2"	2"	1-7/16"	50023872

Boats Underway

Navigational lighting required by U.S.C.G. regulations.

Boats less than 39.4 feet

Comb. Bow - 1 NM, All-Round - 2 NM




SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

Filament-free lighting known as LED (Light Emitting Diode) provides many benefits in addition to conserving battery power. SeaSense® LED marine lighting is competitively priced and time-tested. LED lighting is less draw on the batteries, and lasts 50 times longer than traditional bulbs.

Large Combination Bow Light

Triple chrome-plated zamak housing with a low profile black plastic base, mounts with two #8 countersunk screws. Uses festoon bulb, not included.




Description	A	B	C	D	Model
Large Combination Side-Marker Light, EDC	1-11/16"	4-1/16"	2-5/8"	3-1/6"	50023880
Large Combination Side-Marker Light, Chrome	1-11/16"	4-1/16"	2-5/8"	3-1/6"	50023882

Teardrop Bow Lights

Stainless steel recessed housing with rubber gasket and colored lens. Incandescent lights seen for 1 nautical mile.

Description	Model
Teardrop Bow Lights	50023887




LED Teardrop Bow Lights

Stainless steel housing LED lights seen for 2 nautical miles.



Description	Model
LED Teardrop Bow Lights	50023886



LED Combination Bow Light

- Rating: 12V DC
- Housing: PVC, stainless cover
- 3-1/2" L x 2-3/4" W x 1-1/2" D
- Meets ABYC-A16/USCG 2 NM
- Power consumption: 1.1 W
- Water resistant



Description	Model
LED Combo Bow Light, PVC	50023889
LED Combo Bow Light, Stainless Steel	50023890



Deck Mount LED Navigation Light

- Rating: 12V DC
- Housing: PVC, stainless cover
- 3-1/2" L x 2-3/4" W x 1-1/2" D
- Meets ABYC-A16/USCG 2 NM
- Power consumption: 0.7 W
- Water resistant



Description	Model
Deck Mount LED Red, PVC	50023891
Deck Mount LED Green, PVC	50023893
Deck Mount LED Red, Stainless Steel	50023892
Deck Mount LED Green, Stainless Steel	50023894



Lighting & Electrical



Side Mount LED Navigation Light

- Rating: 12V DC
- Housing: PVC, stainless cover
- 3" L x 1-1/8" W x 1-3/4" D
- Meets ABYC-A16/USCG 2 NM
- Power consumption: 0.7 W
- Water resistant

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT


Description	Model
Side Mount LED Red, PVC	50023895
Side Mount LED Green, PVC	50023897
Side Mount LED Red, Stainless Steel	50023896
Side Mount LED Green, Stainless Steel	50023898



LED Flush Mount Stern Light

- Water resistant
- Stainless steel cover
- Meets USCG/ABYC

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	Model
Stern Light LED, Stainless Steel Cover/Plastic Body	50023993



LED Flush Mount Transom Light

- Power consumption: 0.32 watts
- Corrosion resistant stainless housing with acrylic cover
- Meets ABYC-A16/USCG 2 NM

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

Description	Model
Transom Light LED (Round, 3-1/4" Dia. x 1"D)	50023899
Transom Light LED (Rectangle, 4-7/8" L x 2-7/8" W x 1"D)	50023900



LED Flexible Strip Light

The LED flexible strip light is 17-1/2" long with 27 LEDs that work great for tool boxes, truck beds, boating, kayaks, coolers, cars, motorcycles, ATVs and more.

- 135 lumens
- Installs easily
- Water resistant
- No wiring required
- Adhesive strip installation
- Uses three AAA batteries (Included)

SeaSense
NEW

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

Battery Operated



Description	Model
LED Flexible Strip Light, White	50023810
LED Flexible Strip Light, Blue	50023812

LED Snap 'N' Connect 7" Strip Light

Same benefits and construction as our standard LED strip utility lights, but can be customized to any length (up to 6 units) through the unique snap-to-fit terminals.

- Low amp draw
- 100% waterproof
- Low heat
- Great for any condition
- Impact resistant
- Stainless steel hardware
- Marine grade tinned wires
- Includes screw covers



Snap-to-Fit Terminals!



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



SeaSense
EXCLUSIVE DESIGN

Description	Model
LED Snap Strip Light, White	50023581
LED Snap Strip Light, Red	50023582
LED Snap Strip Light, Amber	50023583
LED Snap Strip Light, Blue	50023584
LED Snap Strip Light, Green	50023585

Multi-Purpose Utility Strip Lights


LED strip lights are great for anything! Place around your console unit, cabinets, bath stall, cabin, galley, gunwale, bridge or cockpit. Our lights are also perfect for night diving and night fishing. Red and amber strip lights are D.O.T. approved.

- Low amp draw
- 100% waterproof
- Low heat
- Great for any condition
- Select models available with chrome bezel
- Impact resistant
- Stainless steel hardware
- Marine grade tinned wires
- Includes screw covers

Chrome Bezel
→
*Select Models



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	A	B	C	Model
LED Strip Light (6 White LEDs)	7/8"	3/4"	3-7/8"	50023838
LED Strip Light (6 Red LEDs)	7/8"	3/4"	3-7/8"	50023840
LED Strip Light (6 Amber LEDs)	7/8"	3/4"	3-7/8"	50023841
LED Strip Light (6 Blue LEDs)	7/8"	3/4"	3-7/8"	50023842
LED Strip Light (6 Green LEDs)	7/8"	3/4"	3-7/8"	50023843
LED Strip Light - Chrome (6 Red LEDs)	7/8"	3/4"	3-7/8"	50023601
LED Strip Light - Chrome (6 Amber LEDs)	7/8"	3/4"	3-7/8"	50023602
LED Strip Light (12 White LEDs)	7/8"	3/4"	6"	50023781
LED Strip Light (12 Red LEDs)	7/8"	3/4"	6"	50023783
LED Strip Light (12 Amber LEDs)	7/8"	3/4"	6"	50023785
LED Strip Light (12 Blue LEDs)	7/8"	3/4"	6"	50023784
LED Strip Light - Chrome (12 Red LEDs)	7/8"	3/4"	6"	50023615
LED Strip Light - Chrome (12 Amber LEDs)	7/8"	3/4"	6"	50023616
LED Strip Light (18 White LEDs)	7/8"	3/4"	8"	50023786
LED Strip Light (18 Red LEDs)	7/8"	3/4"	8"	50023787
LED Strip Light (18 Amber LEDs)	7/8"	3/4"	8"	50023789
LED Strip Light (18 Blue LEDs)	7/8"	3/4"	8"	50023788





LED Spot Light

- 5W LED with trigger switch
- DC12V cigarette lighter plug
- 350 lumens seen over 3000ft
- Impact resistant

Description	Model
LED Spot Light	50024253



Rechargeable LED Spot Light

- Rechargeable with 5W LED
- Lithium battery, 1500mAh
- 2.5-3 hours on full charge
- 350 lumens seen over 3000ft
- AC & DC12V cigarette lighter plug

Description	Model
Rechargeable LED Spot Light	50024251



Rechargeable Halogen Spot Light

- Rechargeable with 6V20W halogen bulb
- AC & DC12V cigarette lighter plug
- 6V4Ah lead acid battery
- 30 minutes on full charge

Description	Model
Rechargeable Halogen Spot Light	50024250




SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT

LED Cabin Reading Light

Chrome plated, solid brass construction. Includes one bright white, LED light. Easy to install. 12V, 1W.

- Excellent reading light
- Swivel joint for easy adjustment
- Great for interior cabin lighting
- Low amp draw for longer battery life
- Heavy-duty, durable construction
- Low heat




Description	A	B	C	D	Model
LED White Reading Light	2"	1-7/16"	5/8"	3/4"	50023861

LED Crystal & Frosted Livewell Light

Designed for livewells, lockers or compartments. Can be used above or below water level with through wall mounting.

- Low amp draw for longer battery life
- Available in blue, red & white
- Only .02 amp draw at 13.8 volts
- Compact size mounts anywhere
- Impact resistant
- Waterproof
- Low heat

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT




Description	Model
White Livewell Light (Crystal)	50023827
Blue Livewell Light (Crystal)	50023823
Red Livewell Light (Crystal)	50023825
White Livewell Light (Frosted)	50030003
Blue Livewell Light (Frosted)	50030001
Red Livewell Light (Frosted)	50030002

LED Surface Mount Courtesy Light

Three LED surface mount courtesy light can be mounted almost anywhere. Surface mounted LED light available in white, red or blue. Great for RV's, trailers and boats.

- Low amp draw for longer battery life
- Stainless steel mounting screws
- Water resistant
- Low heat




Description	Model
Surface Mount LED Courtesy Light, Red	50023506

360 Degree Cool White LED Interior Light

Perfect for all-around illumination. The rotating eye enables you to direct the light to any desired area.

- Provides ultra-bright 60 lumens of cool, white light
- Water resistant
- 360 degrees eye-balled rotation
- Easy-touch on/off switch
- Chrome finish



Description	Model
360 Degree LED Interior Light	50024288

Lighting & Electrical




SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

LED Recessed Mount Cabin Light

Low profile LED allows you to add light in places that are generally limited in depth such as ceilings and passageways. Built-in switch for simplistic operation.

- Low amp draw for longer battery life
- Brushed stainless steel face plate
- Super bright LEDs
- Impact resistant lens
- Water resistant
- Low heat



Description

LED Recessed Mount Cabin Light


Model

50023813

LED Recessed Accent Light

Great light for interior compartments. Consists of bright white LEDs Measures 3" x 3". Requires 2" hole diameter.

- Low amp draw for longer battery life
- Available in chrome bezel
- Toggle switch included in some models
- 50,000 hr lifespan
- Impact resistant
- Bright white LEDs
- Water resistant
- Low heat



Description

3" LED Recessed Mount Accent Light


Model

50023809

LED Recessed Mount Accent Light

12V LED light available in all white, red or combination. Great for RV's, trailers, boats or anywhere accent lighting is needed.

- Low amp draw for longer battery life
- Stainless steel mounting screws



Description

LED Recessed Accent/Ceiling Light, Stainless Steel (White)

Model

50023420


LED Recessed Accent/Ceiling Light, Stainless Steel (Red)

50023421

LED Recessed Mount Accent Light

12V LED light available in all white, red or combination. Great for RV's, trailers, boats or anywhere accent lighting is needed.

- Low amp draw for longer battery life
- Premium chrome plated bezel



Description

LED Recessed Accent/Ceiling Light, Chrome

Model

50023412


LED Recessed Accent/Ceiling Light, Chrome

50023413

LED Recessed Mount Accent Light

12V LED light available in all white, red or combination. Great for RV's, trailers, boats or anywhere accent lighting is needed.

- Low amp draw for longer battery life
- Switch easily from red to white LEDs!



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	Model
LED Recessed Accent Light (18 White LEDs)	50023851
LED Recessed Accent Light (12 White LEDs)	50023828
LED Recessed Accent Light (12 White, 9 Red LEDs)	50023836

LED "Instant Touch" Accent Light

Six LED surface mount accent "instant touch" light can be mounted anywhere.

- Two-sided tape included for mounting.
- Transparent poly carbonate lens.
- Dimensions, 2-3/4" round x 7/8" H.
- Uses three AAA batteries (not included).



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT

One Light - Three Modes




Description	Model
LED "Instant Touch" Three-Way Accent Light	50023888

LED Surface Mount Puck Lights

LED lighting with attractive lens design and stainless steel bezel. Great lighting under cabinets, cockpits, headliners, and compartments.

- Low amp draw for longer battery life
- Stainless steel bezel
- Water resistant
- Low heat

SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	Model
3" LED Puck Light, Stainless Steel	50023804
4" LED Puck Light, Stainless Steel	50023805


LED Surface Mount Dome Light

Surface mounted LED light available in all white or combination white and red. Soft white light version provides a warmer feel than traditional "white" LEDs. Great for RVs, trailers and boats.

- Stainless steel mounting screws
- White bezel with built-in switch
- Available in red/white combo



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	Model
LED Surface Mount Dome Light (18 White LEDs)	50023850
LED Surface Mount Dome Light (18 Soft White LEDs)	50023856
LED Surface Mount Dome Light (12 White LEDs)	50023814
LED Surface Mount Dome Light (9 Red LEDs)	50023818
LED Surface Mount Dome Light (12 White, 9 Red LEDs)	50023822



50023749

50023751


LED Dome Light

Classic look with a modern twist. Now comes in a wider beam angle. Available in all white or a red / white combination for improved night vision applications. Switch is on / off / on for combo (red / white) lights and on/off for white light only. Includes stainless steel mounting hardware.

- Low amp draw for longer battery life
- Improved beam angle
- Water resistant
- Low heat



SeaSense™
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



50023752

50023754



50023756

Description	Model
LED Dome Light, Cool White Stainless Steel (18 LEDs / 5-1/2" Diameter)	50023749
LED Dome Light, Red/White Stainless Steel (18 LEDs / 5-1/2" Diameter)	50023750
LED Dome Light, Cool White LED Brass (20 LEDs / 5-1/2" Diameter)	50023751
LED Dome Light, Red/White Titanium Nitride (18 LEDs / 5-1/2" Diameter)	50023752
LED Dome Light, White Stainless Steel (24 LEDs / 7" Diameter)	50023754
LED Dome Light, Red/White Stainless Steel (36 LEDs / 6-3/4" Diameter)	50023755
LED Dome Light, White Titanium Nitride (24 LEDs / 6-3/4" Diameter)	50023756
LED Dome Light, Red/White Titanium Nitride (36 LEDs / 6-3/4" Diameter)	50023757



50023735


50023733

LED Bright & Slim Ceiling Light (with Motion Sensor*)


This bright & slim LED ceiling light has an attractive lens and stainless steel bezel. Great for low profile ceilings, cockpits, and any interior compartments.

- Motion-sensor in center of 50023735*, illuminates when motion is detected
- 68.5 lumens output
- 50,000 hour lifespan
- 120 degrees beam angle
- Warm white LEDs

SeaSense™
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



Description	Model
LED Ceiling Light (With 16 LEDs)*	50023735
LED Ceiling Light (With 16 LEDs)	50023733




LED Mini Ceiling Light

Ultra-bright three-watt LED provides over 130 lumens in a 110 degree angle beam, using only .2 amps of power. Its aluminum-anodized plated exterior looks sharp and resists the elements.

- 1-1/2" diameter
- Flush mount
- Over 50,000 hour lifespan
- Cool white LEDs

SeaSense™
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT




Description	Model
LED Mini Ceiling Light	50023485

LED Interior Light

You can select from white or red at the push of a button. It's your choice! The red light makes nighttime operations more effective by cutting down glare.

- Surface mount
- Impact resistant lens
- Water resistant




Description	Model
LED Interior Light, Dual White/Red	50023766
LED Interior Light, White	50023765

LED Auto-Sensor Light

This LED light with auto-sensor is made with safety in mind. The 8 lumen LED provides adequate lighting on boarding areas, stairwells, or any place safety is a concern.

- Photo-cell illuminates automatically under low-light conditions
- Draws only .02 amps
- Surface mount
- Cool white light
- Durable ABS plastic




Description	Model
LED Auto-Sensor Light	50024296

LED Recessed Companion Way Light

Economical, water resistant 3 LED accent light.

- Low amp draw for longer battery life
- Great illumination
- Impact resistant
- Water resistant
- Low heat




Description	Model
LED Recessed Companion Way Light (Stainless Steel/Red LED)	50023621

LED Recessed Companion Way Light

Economical, water resistant 3 LED accent light.

- Low amp draw for longer battery life
- Great illumination
- Impact resistant
- Water resistant
- Low heat



Description	Model
LED Recessed Companion Way Light (Clear/White LED)	50023632
LED Recessed Companion Way Light (Black/Red LED)	50023633





LED Recessed Companion Way Light

Economical, water resistant 3 LED accent light.

- Requires 1-5/8" hole diameter, measures 2-1/4" x 2-1/4"
- Low amp draw for longer battery life
- Great illumination
- Impact resistant
- Water resistant
- Low heat



SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



Description

Model


LED Recessed Companion Way Light (Black Cover/White LED)	50023831
LED Recessed Companion Way Light (Black Cover/Red LED)	50023832
LED Recessed Companion Way Light (White Cover/White LED)	50023833
LED Recessed Companion Way Light (White Cover/Red LED)	50023834



LED Mini Accent Light

Extremely bright LED light (2) can be mounted virtually anywhere. Measures 2-5/8" L x 3/4" H x 1-1/4" D.

- Great for stairway lighting
- Constructed of durable UV stabilized plastic



Description

Model

LED Mini Accent Light (White Cover/White LED)	50023865
LED Mini Accent Light (White Cover/Red LED)	50023866
LED Mini Accent Light (Black Cover/White LED)	50023867
LED Mini Accent Light (Black Cover/Red LED)	50023868

SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT




LED Surface Mount Courtesy Light

LED surface mount courtesy light made of UV stabilized plastic can be mounted almost anywhere.

- Low amp draw for longer battery life
- Water resistant
- Low heat



SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



Description

Model

LED Surface Mount Courtesy Light (2 White LEDs)	50023516
LED Surface Mount Courtesy Light (2 Red LEDs)	50023517




LED Surface Mount Angled Courtesy Light

LED surface mount angled courtesy light made of UV stabilized plastic can be mounted almost anywhere.

- Low amp draw for longer battery life
- Water resistant
- Low heat



SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



Description


Model

LED Surface Mount Angled Courtesy Light (2 Red LEDs)	50023510
--	-----------------

LED Surface Mount Courtesy Light

LED surface mount courtesy light made of UV stabilized plastic can be mounted almost anywhere.

- Low amp draw for longer battery life
- Water resistant
- Low heat




Description	Model
LED Surface Mount Courtesy Light (White Cover/3 White LEDs)	50023806
LED Surface Mount Courtesy Light (Black Cover/3 White LEDs)	50023807



LED Rail Light

LED fixture is the ideal solution for upgrading older fluorescent fixtures with the latest power saving technology. Its linear LED lighting delivers a wide angle of high intensity bright white light that rotates, for focused light where needed. No more delicate fluorescent bulbs to change. Its attractive design and rugged construction make it perfect for on board, interior living spaces.

- Easy flip switch
- Easy mounting for boat or rv use
- Covers conceal all mounting hardware





Description	A	B	C	Model
LED Rail Light 6"	6-1/4"	1-1/16"	5-3/4"	50023710
LED Rail Light 12"	11-3/4"	1-1/16"	11-3/4"	50023712
LED Rail Light 18"	18-1/16"	1-1/16"	17-5/8"	50023718



LED Portable Bimini Light

No wires, battery operated. Efficient lighting for your bimini top, t-top, rail or any application where power is a problem. The light installs easily with hook & loop straps. Easy push-on switch offers light in inconvenient areas that would seem impossible with hard wire lighting. 8-1/4" L.

- Uses three AAA batteries (Not Included)
- Convenient push-on switch
- 9 Bright white leds
- Water resistant
- Low heat




Description	Model
LED Bimini Light	50023570

LED Step Light

The LED step light maximizes battery life by drawing only .05 amps while providing light where it is needed most.

- Provides 9.5 lumens
- Water resistant
- Cool white LEDs
- 50,000 hour lifespan



Description	Model
LED Step Light	50023637




Lighting & Electrical



LED Dot Light

Add confirmation lighting to non lighted switches. Its small diameter can easily be added to most helms with limited space.

- Available in white or red
- Water resistant
- 50,000hr lifespan
- Only draws .02 amp



Description	Model
LED Dot Light, White	50024298
LED Dot Light, Red	50024299



LED Bulbs

Replace your existing "power hungry" incandescent light bulbs with more efficient, longer lasting LED bulbs.

- Single element "1156" style bulb
- Rated at 50,000 hr lifespan



Description	Model
(A) MR-16 LED Bulb	50091715
(B) MR-16 LED Bulb	50091717
(C) Festoon Type LED Bulb	50091700
(D) Festoon Type LED Bulb	50091705
(E) Festoon Type LED Bulb	50091708
(F) Festoon Type LED Bulb	50091701



LED Replacement For Trailer Incandescent Bulbs

Replace your existing "power hungry" incandescent light bulbs with more efficient, longer lasting brighter LED bulbs.

- Dual element "1157" style bulb
- Rated at 50,000 hr lifespan
- Uses innovative dual stage LED's



Description	Model
360° LED Bulb (White)	50091741



12 Volt Replacement Bulbs

Assortment pack consists of one each: #90 bulb, #1157, #85 2.5 volt bulb, #1004

Description	Model
Bulb Pack - Assortment Pack #90, #1157, #85 (2.5V), #1004 (1 ea.)	50091723
#1157 Bulb - Replacement for Auto Park, Tail & Signal Lights (2 per pack)	50091725
#90 Bulb - Replacement for Interior or Bow Lights (2 per pack)	50091727
#906 Bulb - Replacement for All-Round Lights (2 per pack)	50091729
#71 Bulb (2 per pack)	50091731



12 Volt 75 Watt Light Bulb


This C-6 screw base, 75 watt bulb is made for 12 volt applications. The filament inside the frosted white bulb will last for approximately 2500 hours.

Description	Model
12 Volt, 75Watt Light Bulb	50091823

LED Rod Holder Accent Bezel

The fishing rod holder LED accent light can be mounted virtually anywhere on your boat where a fishing rod holder can be mounted. The accent light has many LED lights to not only provide extra light during the night time fishing expeditions but to add mild enhancement to your already complimented LED upgrades. Fits most standard rod holders.

- LED Strips and wires are waterproof
- Draws only 0.65 amps
- UV and crush-resistant
- Fits all SeaSense and most standard rod holders on the market
- US patent pending




Description	Model
LED Rod Holder Accent Bezel, White	50091520
LED Rod Holder Accent Bezel, Green	50091521
LED Rod Holder Accent Bezel, Blue	50091522
LED Rod Holder Accent Bezel, Red	50091523

LED Cup Holder Accent Bezel

The cup holder LED accent bezel can be mounted virtually anywhere on your boat where a cup holder can be mounted. The accent bezel has many LED lights to not only provide extra light during the evening hours to easily locate your beverage but to add mild enhancement to your already complimented LED upgrades. Fits 3-1/2" diameter cup holders.

- LED strips and wires are waterproof
- Draws only 0.65 amps
- UV and crush resistant
- Fits both SeaSense's stainless steel and plastic cup holders
- US patent pending



Description	Model
LED Cup Holder Accent Bezel, White	50091070
LED Cup Holder Accent Bezel, Red	50091071
LED Cup Holder Accent Bezel, Blue	50091072
LED Cup Holder Accent Bezel, Green	50091073

Lighting & Electrical



50031290



50031291



50031295



50031297

Wave Design Switch Panels

Our innovative wave faceplate series of switch panels features full 20A switches with 15A fuses. Waterproof power sockets on the 3 and 5 gang panels are rated for 16 amps.

- Outer size is 4-1/4" L x 3-3/4" W.
- Cut-out size is 3-3/8" L x 3-1/2" W.
- Reinforced corners prevent cracking
- Gasket for water tight seal
- Two fuses: 1 in use and 1 backup
- Each water resistant fuse holder
- Label set supplied
- Mounting screws and gasket included

Description	Model
3 Gang Toggle Switch w/12V outlet	50031290
4 Gang Toggle Switch	50031291
5 Gang Toggle Switch w/12V outlet	50031295
6 Gang Toggle Switch	50031297



50031298



50031299

LED Wave Design USB Switch Panels

Our LED wave faceplate series of switch panels feature full 20A switches with 15A fuses. Waterproof USB sockets are rated for 16 amps.

- Outer size is 4-1/4" L x 3-3/4" W.
- Reinforced corners prevent cracking
- Two fuses: 1 in use and 1 backup
- Label set supplied
- Cut-out size is 3-3/8" L x 3-1/2" W.
- Gasket for water tight seal
- Each water resistant fuse holder
- Mounting screws and gasket included

Description	Model
3 Gang Toggle Switch w/USB outlet	50031298
5 Gang Toggle Switch w/USB outlet	50031299



LED Wave Design Switch Panel

Our unique wave faceplate offers style and functionality for this 8 gang switch panel. Bright LED indicator lights glow for visual reference. 35 amp total. Individual Circuits: (1) 10 amps, (2) 8 amps, (2) 6 amps, (2) 5 amps, and (1) 4 amps.

- Reinforced corners prevent cracking from screw holes
- Waterproof panel
- Mounting screws included
- Label set supplied
- Requires: 2-7/8" x 7-7/8" cut-out




Description	Model
8 Gang LED Switch Panel	50031288

Standard 12 Volt Rocker Switch Panels


Replace that jumble of in-line fuses and unswitched circuits with a 4 or 6 gang switch panel. Comes complete with illuminated rocker switches, pop out fuse holders and marine grade tinned wire. 12 volt, 40 amp total. Individual circuit 10 amps. Fuses and extra labels included for different applications. Corrosion-free aluminum panel.

50031273: 2-7/8x 3-3/4" cut-out

50031275: 3 x 5/14" cut-out



50031273



50031275


Description	Model
4 Gang Rocker Switch	50031273
6 Gang Rocker Switch	50031275

LED Switch Panels

Complete with push button reset breakers, toggle switches, and LED indicator lights. Rating: 12 Volt, 40 amp total. Individual circuit 10 amps. Stainless mounting hardware included. Corrosion-free aluminum panel.

50031284: 2-7/8x 3-3/4" cut-out

50031286: 3 x 5/14" cut-out



50031284





50031286

Description	Model
4 Gang LED Switch Panel	50031284
6 Gang LED Switch Panel	50031286

Bilge Pump Switch Panel

Our new upgraded pump switch made of corrosion proof aluminum back plate offers boaters a better way to manage their bilge system. The fuse access is conveniently located on the front of the switch panel. Comes standard with a red indicator light which lets you know when the bilge is turned on and off. 3-way switch with auto-off-momentary. Individual circuit 10 amps.



- Waterproof construction
- Easy to mount
- Requires: 2-1/2" x 1-3/8" cut-out
- Constructed of solid cast aluminum sheets



Description	Model
Toggle with LED indication Bilge Switch	50010320

Easy Touch Illuminated & Regular Switches

Sealed front panel components for protection against dust, moisture and spray. Features stamped grips to keep fingers from slipping off. Built for dependability and resistance to vibration and shock.



1. A Load (-)
2. Negative Supply (-)
3. B Load (-)
4. A Load (+)
5. Positive Supply, Fused (+)
6. B Load (+)



Description	A	B	C	Model
(A) 4 Pole Easy Touch Splash-Proof Switch ON/OFF	1-1/16"	2-1/16"	3/4"	50031253
(B) 3 Pole Easy Touch Splash-Proof Switch ON/OFF/ON	1-1/16"	2-1/16"	3/4"	50031255
(C) Easy Touch Switch MM ON/OFF/MM-ON	1-1/16"	2-1/16"	3/4"	50031257
(D) Illuminated Easy Touch Switch ON/OFF/ON	1-1/16"	2-1/16"	3/4"	50031262
(E) 6 Pole Illuminated Easy Touch Switch MM ON/OFF/MM-ON	1-1/16"	2-1/16"	3/4"	50031263
(F) 6 Pole Splash-Proof Switch without LED	1-1/16"	2-1/16"	3/4"	50031019
(G) 4 Pole Splash-Proof Switch without LED	1-1/16"	2-1/16"	3/4"	50031040
(H) 3 Pole Splash-Proof Switch with LED (Labels Included)	1-1/16"	2-1/16"	3/4"	50031020
(I) 5 Pole Splash-Proof Switch with LED (Labels Included)	1-1/16"	2-1/16"	3/4"	50031021
(J) 6 Pole Splash-proof Switch with LED (Labels Included)	1-1/16"	2-1/16"	3/4"	50031260



Terminal Block

6 terminal power/ground distribution block.

- Constructed of bakelite for electrical insulation
- Brass terminal for corrosion resistance

Description	Model
6 Gang Terminal Block	50031230

Switch Frame

Made of plastic for waterproof switch.


- Frame for rocker switch
- Add additional pieces for custom switch panel.



Description	Model
Switch Frame (Center)	50031254
Switch Frame (Side)	50031256

Rocker Switch 2 & 3 Position


Rocker switch allows for a low profile look in a black matte finish plastic housing. Uses standard female disconnect wire terminals. Snap mounts in a 13/16" x 1-7/16" hole.



Description	A	B	C	D	Model
ON/OFF/ON Rocker Switch	1-9/16"	1-7/16"	1"	1-3/4"	50031247
OFF/MOM Rocker Switch	1-9/16"	1-7/16"	1"	1-3/4"	50031249

Rocker Switch 2 Position

Illuminated in the on position, uses standard female disconnect wire terminals. Snap mounts in a 13/16" x 1-7/16" hole.



Description	A	B	C	D	Model
ON/OFF Illuminated Rocker Switch	1-9/16"	1-7/16"	1"	1-3/4"	50031251

Push Button Switch

Corrosion resistant housing with copper alloy contacts. Great for horn activation. Fits panels up to 1-3/8" thick. 15 amps at 12 volts.

Description	Length	Diameter	Model
Push Button Switch w/Rubber Boot	2-5/16"	5/8"	50031160



Momentary Switch

Brass, waterproof momentary switch with cap is perfect for use as a start switch or for a horn. Requires a 5/8" installation hole. Rated 20A.

Description	Length	Diameter	Model
Momentary Switch	1-1/4"	5/8"	50031183



Push-Pull Switches

These two and three position switches have a brass body with a chrome-plated plastic knob, brass face nut, washer and backup nut. Stainless steel spring for long life. Requires a 3/8" installation hole. Fits into panels up to 1" thick. Also available with red or green pilot light indication.

Description	Length	Diameter	Model
2 Position ON/OFF Switch	1-1/4"	3/8"	50031162
3 Position ON/ON/OFF Switch	1-1/4"	3/8"	50031172
Push/Pull w/Red Pilot Lamp			50031032






Toggle Switch Boot

Fits standard toggle switches with a 7/16" thread. Protects against moisture and dirt. Brass threads resist corrosion.

Description	Model
Toggle Switch Boot	50031200
Toggle Switch Boot (EPDM)	50031047




50031202
50031222

Toggle Switches 2 & 3 Position

Black, plastic toggle with lock-nut and knurled cap nut. On/Off for lights, blowers and aerators (P/N 50031202). On/Off / On for running lights and anchor lights separately (P/N 50031222). Momentary switches are ideal for starter and horn. Depth behind panel 1". Requires 1/2" installation hole. MAX 15 amp.

Unique "wave" faceplate offers style and functionality for this 8 gang switch panel.

- Reinforced corners prevent cracking from screw holes
- Waterproof panel
- Label set supplied
- Template, mounting screws included



50031206


Description	A	B	C	D	Model
ON / OFF Toggle Switch	1/2"	1/2"	1-1/16"	1-1/8"	50031202
MOM / OFF / MOM Toggle Switch	1/2"	7/16"	1-1/4"	1-3/8"	50031206
ON / OFF / ON Toggle Switch	1/2"	1/2"	1"	1-1/8"	50031222

Illuminated Toggle Switch

The perfect switch for any place a visual reference is helpful. Complete with locking ring and cap nut. 3-Way switch illuminates Red (On) / White (Off) / Green (On). Requires 1/2" installation hole. MAX 15 amp. Bright LED indicator lights glow for visual reference.



Description	A	B	C	D	Model
ON / OFF Illuminated Toggle Switch	7/16"	7/16"	1-1/4"	1-3/8"	50031215
ON / OFF / ON Illuminated Toggle Switch	7/16"	7/16"	1-1/4"	1-3/8"	50031217



Brass Toggle Switch


Chrome-plated brass handle, stem and face nut with clearly marked on/off positions. Two screw terminals for easy installation and 1/2" installation hole.

Description	Model
ON / OFF Toggle Switch	50031242

Ignition Starter Switch

Three position switch: OFF / IGNITION / START. Six screw terminals.

- 12V DC, 10A rating
- Weatherproof cap
- Includes two keys



Description	Model
Ignition Starter Switch, Merc Screw	50031153
Ignition Starter Switch, Push to Choke	50031154



50031153



50031154



High Amp Waterproof Circuit Breaker


- Voltage: 42VDC
- Interrupt rating: 3000A @ 30 VDC

Description	Model
Manual Switch Reset (Surface Mount)	50031090
Manual Reset (Surface Mount)	50031091
Manual Switch Reset (Panel Mount)	50031092
Manual Reset (Panel Mount)	50031093



Waterproof Fuse Holder

Waterproof fuse holder includes 20 amp fuse. In-line fuse protects on-board equipment from shorts and electrical problems. Excellent in harsh conditions. Takes up to 30 amp fuse. Available in yellow for high visibility.




Description	Model
Fuse Holder	50031482

Polarized Watertight Power Outlet

Made with durable chrome brass construction. Pins are polarized to ensure a steady flow of current and resist corrosion. Equipped with cap to keep water, dirt, dust and debris out.

- 3amp 12V DC
- White thermoplastic rubber
- Water resistant cover
- 1-1/2" chrome-plated brass base



Description	Model
Polarized Watertight Power Outlet	50031190

USB 2 Port Charger Socket

USB charger with 2 ports for charging multiple devices. Made with flame retardant nylon so it is secured to prevent overheating and short circuiting. It is equipped with a water-resistant rubber cap.

- Output: DC 5V 2.1A
- Quick connect terminals

Description	Model
2 Port Charger	50031740



Accessory Plug & Socket

Nylon and nickel plated. Numerous applications and uses. Includes weather resistant weather-seal flap and o-ring gasket. Supplied with #8 x 3/4" stainless steel screws. 1.52" depth x 1.08" diameter.



Description	Model
Accessory Plug & Socket	50031732
Plug Only	50031737
Socket Only	50031739




Lighting & Electrical



Chart Light Socket/Cigarette Lighter

Includes stainless spring and plate. Push on wires. 12 volt. Lighter handle contains on/off switch for chart light. Requires 2-1/4" behind dash. Extends 1" from dash.



Description	A	B	C	D	E	Model
Chrome Chart Light/Cigarette Lighter	1-1/8"	2-1/4"	2-1/8"	1-1/2"	1-11/16"	50031802



Battery Clip Extension

Made of corrosion resistant materials. Copper plated and plastic with 12" of wire and two 30 amp battery clips; allows 12 volt accessories to be connected directly to the battery at 8 amp load max.

Description	Model
Battery Clip Extension	50031772



Heavy-Duty Battery Clips

Copper plated, 20 amp clips. Ideal for use on aerators and portable lights. Pair includes one black and one red. Up to 10 gauge wire.

Description	Model
Heavy Duty Battery Clips	50031703



Battery Clips

Copper plated, 30 amp clips measure 3" long with a 1" jaw opening. Ideal for use on aerators and portable lights. Pair includes one black and one red.

Description	Model
Battery Clips	50031702



Battery Meter

Helps eliminate dead batteries that can leave you stranded!

Accurately measures the remaining charge in any 12 volt battery. Bright LED readout can be easily read in sunlight. Easily fits in pocket or tackle box. Coiled wire rest in channel for storage.

Description	Model
Battery Meter	50031042



Hand Held Battery Tester

Easy-to-read backlit gauge determines charge state of a 12V battery. This handy device can be used any time, anywhere.

Description	Model
Hand Held Battery Tester (Analog)	50031044
Hand Held Battery Tester 5-30 VDC (Digital)	50031046

Battery Switches

Protect all of your electronics with this vapor proof and ignition protected battery switch. Constructed of durable polyethylene and non-corrosive marine grade metals. Can be surface or flush mounted.

- Sealing keyhole cap
- Reflective on/off label
- Can be surface mounted or panel mounted

Description	L	W	H	Model
Mini Master Battery Switch OFF/1/BOTH/2 (300 Amps, Up to 48 VDC)	2-3/4"	2-3/4"	3"	50031132
Battery Disconnect Switch ON/OFF (300 Amps, Up to 48 VDC)	2-3/4"	2-3/4"	3"	50031124
Heavy-Duty Battery Disconnect Switch OFF/1/BOTH/2 (310 Amps, Up to 36 VDC)	6-1/4"	6-1/4"	2-3/4"	50031136



Heavy-Duty Marine Battery Terminals

Marine battery terminals made of lead with vinyl coated steel wing nuts. These allow for the use of automotive style batteries. The terminals convert the post style battery to the wing nut style for easy marine connections to battery. Negative 5/16" positive 3/8".

Description	Model
Marine Battery Terminals (Pair)	50031700



Battery Tie Down

Universal 54" tie downstrap. Works great for batteries, fuel tanks and other small accessories. Includes stainless steel mounting screws.

Description	Model
Battery Tie Down	50080400



Battery Tray

Plastic tray keeps batteries secure and snug to prevent damage to passengers, boat, equipment and battery. Includes mounting hardware.

Description	L	W	H	Model
Battery Tray Series 24	11"	7"	8-3/4"	50090621
Battery Tray Series 27	12-5/8"	7"	8-3/4"	50090631



Deluxe Power Station Battery Box

#1 in the industry! Determine battery condition at the touch of a button. Easy accessory hook-up with the external terminals. No more hassles opening a standard box to get at terminals. 12 volt accessory socket allows use of common accessories. Charge directly from the external terminals. No need to open the battery box until the battery needs to be replaced. Ideal for small boats with no DC system.

Patent # D449,578

- Batter tester: built-in LED
- Wing nuts: vinyl coated steel
- Power socket: built-in cap
- Short protection: built-in circuit breaker
- Packaging: color display box



Description	Inside Dimensions			Outside Dimensions			Model
	L	W	H	L	W	H	
Deluxe Power Station	12-3/4"	7-1/4"	7-3/4"	16-1/4"	9-3/4"	11-3/4"	50090682

Battery Box

Ultimate battery protection. Exclusive vented top with cover keeps battery completely safe and dry. Available in four sizes to accommodate your battery.


- Stainless steel mounting hardware included
- Durable black polyethylene frame
- Battery strap included



Description	Inside Dimensions			Outside Dimensions			Model
	L	W	H	L	W	H	
Battery Box 6 Volt	10-1/2"	5-1/2"	10"	14"	9-3/4"	12-1/2"	50090641
Battery Box Series 24	10-3/4"	7"	8-1/2"	14"	9-1/2"	10-3/4"	50090651
Battery Box Series 27	13"	7-1/2"	8-1/4"	16-1/2"	9-1/2"	10-3/4"	50090671
Battery Box Series 31	13-1/2"	7-9/16"	9"	16-1/2"	9"	11-3/8"	50090675

Antenna Base

White nylon antenna base. Ratchet allows for full fold down. Lock to any position. Stainless steel hardware. Fits most VHF antennas.



Description	Model
Deck Mount Antenna Base	50041102
Rail Mount Antenna Base (Fits 7/8" or 1" Rail)	50031065

42 Piece Waterproof Connector Electrical Kit

Assortment includes all the necessary connectors in a waterproof fashion.

Kit Includes:

- | | | | |
|----------------------------|----|------------------------------|---|
| • Butt Connectors 16-14 | 12 | • Eye Connector 16-14, 3/8" | 6 |
| • Butt Connectors 22-18 | 6 | • Eye Connector 16-14, 5/16" | 6 |
| • Eye Connector 16-14, #10 | 6 | • Eye Connector 22-18, 5/16" | 6 |

Description	Model
42 Piece Waterproof Connector Electrical Kit	50031114



112 Piece Marine Grade Electrical Kit

Huge assortment includes all the necessary connectors and terminals to do a professional repair or installation on any 12/24 volt electrical system. Includes heat shrink tubing for water resistant connections.

Kit Includes:

- | | | | |
|------------------------------|----|-------------------------------|----|
| • Butt Connectors 16-14 | 18 | • Flanged Spade Connect 16-14 | 16 |
| • Butt Connectors 12-10 | 12 | • Disconnects Male 16-14 | 12 |
| • Ring Connector 12-10, #10 | 12 | • Disconnects Female 16-14 | 12 |
| • Ring Connector 16-14, 1/4" | 18 | • Cable Clamps 1/4" | 12 |



Description	Model
112 Piece Marine Grade Electrical Kit	50031113

338 Piece Marine Grade Electrical Kit

Huge assortment includes all the necessary connectors and terminals to do a professional repair or installation on any 12/24 volt electrical system. Includes heat shrink tubing for water resistant connections.

Kit Includes:

- | | | | |
|-------------------------------|----|----------------------------|----|
| • Butt Connectors 16-14 | 36 | • Disconnects Female 16-14 | 12 |
| • Butt Connectors 12-10 | 22 | • Wire Ties 4" Red | 40 |
| • Ring Connector 16-14, #10 | 24 | • Wire Ties 4" Green | 40 |
| • Ring Connector 12-10, #10 | 14 | • Wire Ties 4" Black | 40 |
| • Ring Connector 16-14, 1/4" | 18 | • Shrink Tubing 3/8" | 6 |
| • Ring Connector 16-14, 3/8" | 18 | • Shrink Tubing 1/4" | 6 |
| • Flanged Spade Connect 16-14 | 20 | • Shrink Tubing 1/4" | 6 |
| • Ring Connector 16-14, #10 | 24 | • Cable Clamps 1/4" | 12 |
| • Disconnects Male 16-14 | 12 | • Cable Clamps 1/2" | 12 |



Upgrade Kit Includes:

- Butane Torch
- Wire Tool



Description	Model
338 Piece Marine Grade Electrical Kit	50031121
338 Piece Marine Grade Electrical Kit Upgrade	50031117

Wire Tool

Universal wire tool with non-slip vinyl cushioned handles.

- Strips
- Cuts
- Crimps

Description	Model
Wire Tool	50031108






Marine Grade Wire

Marine grade wire available in 25' spools.

- Available in black & brown
- 14 & 16 gauge marine grade wire

Description	Model
14 Gauge Tinned Wire, Brown	50031061
16 Gauge Tinned Wire, Black	50031077
16 Gauge Tinned Wire, Brown	50031078



Waterproof Cable Labels

A MUST HAVE for any boat wiring job!

Custom label your wiring job to save time and confusion. Lets you find the correct wire easily. Three sets of 34 printed labels plus 21 blank, waterproof peel and stick vinyl labels.

Description	Model
Waterproof Cable Labels	50031107



Cable Clamp Kit

Plastic cable clamp assortment helps keep wires and cables organized and out of the way. Pack of 5 each 1/2" and 1/4". 100% nylon.

Description	Model
Cable Clamps	50031104



Electrical Tape

3 colored spools of electrical tape. Red, black and green. 12' each spool. UL Listed.


Description	Model
Electrical Tape	50031101

Trailer Accessories

Tail Lights	120 - 121
Clearance & Utility Lights	122 - 123
Trailer Harnesses & Connectors	124
Trailer Jacks	125 - 128
Trailer Winches & Straps	129 - 132
Panel Brackets	133
Rollers & Roller Shafts	134 - 137
Tie Down Straps & Chains	138 - 139
Trailer Couplers & Locks	140
Hub Kits & Spare Tire Carriers	141



Trailer Accessories



- Hardware Kit Includes:**
- (2) PVC Caps
 - (2) "L" Tubes 17" L x 19-3/4" H x 1-1/2" D
 - (2) 1-1/2" "L" Tube Brackets
 - (2) 5/16" x 3" Hex Bolts
 - (2) 5/16" Hex Nuts
 - (4) 3/8" x 5-3/4" U-Bolts
 - (8) 3/8" Lock Nuts
 - (8) 3/8" Flat Washers

Guide Pole Kits

Includes guide poles and galvanized mounting hardware.


Description	Model
40" Guide Pole Only Kit	50080280
48" Guide Pole Only Kit	50080283
60" Guide Pole Only Kit	50080284
Red PVC Cap	80281RED
White PVC Cap	80281WHT
Hardware Kit	80281P

50080257



LED Round Tail Lights

Completely sealed and potted, waterproof, submersible.



50080258




Description	Pigtail	A	B	C	Model
Round Flange Mount LED Tail Light	10-1/2"	5-1/2"	4-7/16"	1-7/8"	50080257
Round Grommet Mount LED Tail Light	10-1/2"	5-1/2"	4-7/16"	1-7/8"	50080258

50080254



LED Oval Tail Lights

Completely sealed and potted, waterproof, submersible.




50080225



Description	Pigtail	A	B	C	D	Model
Oval Flange Mount LED Tail Light	3-1/4"	3-1/4"	7-1/2"	1-7/8"	6-3/4"	50080254
Oval Grommet Mount LED Tail Light	7-1/2"	3-1/4"	7-1/2"	1-7/8"	6-3/4"	50080225

“The Original” SeaSense® LED Submersible Tail Lights

Each LED tail light consists of super bright, bi-frequency LEDs on the front panel and on the side markers. Kits contain two multi-function tail lights (driver side and passenger side), license plate bracket, heat shrink connectors, 25' wishbone trailer harness, 48" trunk connector, S.S. mounting hardware and installation instructions. For trailers under 80" wide.




Description	Model
Square LED Tail Light Kit	50080250

Over 80" Standard 12V Submersible Tail Light Kit

Over 80" wide kit contains two multi-function tail lights (RH & LH), license plate bracket, 25' wishbone trailer harness, 48" trunk connector, 2 - amber clearance lights, S.S. mounting hardware and installation instructions.

6 functions: Stop, turn, tail, side marker light, plus side and rear reflectors. Kit measures 5-1/16" W with side light x 4-9/16" H x 2-13/16" D x 2-13/16" RH, 5" pigtail.



Description	Model
Square Incandescent Tail Light Kit	50080261

Over 80" Low Profile LED Tail Lights


The kit includes right and left multi-function tail lights, 25' wishbone wiring harness, 48" trunk connector, wire connectors, license plate bracket, S.S. mounting hardware, instructions and galvanized wire harness clips. Low profile LED tail lights measure at 8-1/8" L x 2-1/8" D x 3" H - 7" Pig Tail.



Description	Model
Low Profile LED Tail Light Kit	50080291
Low Profile LED Tail Light Kit Driver	50080292
Low Profile LED Tail Light Kit Passenger	50080293

Standard 12V Submersible Tail Light Kits

Completely sealed lights work under water just as well as out of the water. The kits include right and left multi-function tail lights, 25' wishbone wiring harness, 48" trunk connector, wire connectors, license plate bracket, S.S. mounting hardware, instructions and galvanized wire harness clips. All square kits measure 5 1/16" W with side light x 4-9/16" H x 2-13/16" D x 2-13/16" RH. Low profile measures 8-1/8" L x 2-1/8" D x 3" H - 7" Pig Tail.




Description	Model
Square Incandescent Tail Light Kit	50080253
Square Incandescent Tail Individual Light Driver	50080241
Square Incandescent Tail Individual Light Passenger	50080251
Low Profile Incandescent Tail Light Kit (Over 80" Wide)	50080256



LED Clearance Lights

Six super bright LEDs



Description

LED Clearance Lights (Amber), 6-1/2" Pigtail
 LED Clearance Lights (Red), 6-1/2" Pigtail


Model

50080277
50080279



LED Chrome Bezel Clearance Lights

Three super bright LEDs



Description

LED Chrome Bezel Clearance Lights (Amber), 17-1/2" Pigtail
 LED Chrome Bezel Clearance Lights (Red), 17-1/2" Pigtail


Model

50023846
50023845



LED Stud Mount Clearance Light

Six super bright LEDs single stud mount



Description

LED Stud Mount Clearance Lights (Red), 5" Pigtail

Model

50080286

LED Dual Mount Indicator Tri-Bar

Fits virtually on any trailer because of its unique adjustable pivot design. Includes three sealed red LED strip marker lights. Great for v-hull trailers. When properly installed, meets D.O.T. requirements for red clearance lights on trailers over 80" wide.

SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



Description

LED Dual Mount Indicator Bar (19-7/8" x 2-1/8")

Model

50080275




LED "Hot Stick" Indicator Guide Lights

Our "hot stick" LED Indicator guide lights attach to your trailer and guide the way with five bright red LEDs. Helps to back up tricky trailers and provides better visibility and safety. Can be attached directly to trailer or guide posts.

- Flexible mount prevents breaking
- Stainless steel hardware
- Lower amp draw
- Longer battery life
- Water resistant

SeaSense
LED SMART
 ULTRA BRIGHT & ULTRA EFFICIENT



Description

LED Hot Stick Indicator Guide Lights

Model

50080276

LED Snap 'N' Connect 7" Strip Light

Same benefits and construction as our standard LED strip utility lights, but can be customized to any length (up to 6 units) through the unique snap-to-fit terminals.

- Low amp draw
- 100% waterproof
- Low heat
- Great for any condition
- Impact resistant
- Stainless steel hardware
- Marine grade tinned wires
- Includes screw covers



Snap-to-Fit Terminals!



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



SeaSense
EXCLUSIVE DESIGN

Description	Model
LED Snap Strip Light, White	50023581
LED Snap Strip Light, Red	50023582
LED Snap Strip Light, Amber	50023583
LED Snap Strip Light, Blue	50023584
LED Snap Strip Light, Green	50023585

Multi-Purpose Utility Strip Lights


LED strip lights are great for anything! Place around your console unit, cabinets, bath stall, cabin, galley, gunwale, bridge or cockpit. Our lights are also perfect for night diving and night fishing. Red and amber strip lights are D.O.T. approved.

- Low amp draw
- 100% waterproof
- Low heat
- Great for any condition
- Select models available with chrome bezel
- Impact resistant
- Stainless steel hardware
- Marine grade tinned wires
- Includes screw covers

Chrome Bezel
→
*Select Models



SeaSense
LED SMART
ULTRA BRIGHT & ULTRA EFFICIENT



Description	A	B	C	Model
LED Strip Light (6 White LEDs)	7/8"	3/4"	3-7/8"	50023838
LED Strip Light (6 Red LEDs)	7/8"	3/4"	3-7/8"	50023840
LED Strip Light (6 Amber LEDs)	7/8"	3/4"	3-7/8"	50023841
LED Strip Light (6 Blue LEDs)	7/8"	3/4"	3-7/8"	50023842
LED Strip Light (6 Green LEDs)	7/8"	3/4"	3-7/8"	50023843
LED Strip Light - Chrome (6 Red LEDs)	7/8"	3/4"	3-7/8"	50023601
LED Strip Light - Chrome (6 Amber LEDs)	7/8"	3/4"	3-7/8"	50023602
LED Strip Light (12 White LEDs)	7/8"	3/4"	6"	50023781
LED Strip Light (12 Red LEDs)	7/8"	3/4"	6"	50023783
LED Strip Light (12 Amber LEDs)	7/8"	3/4"	6"	50023785
LED Strip Light (12 Blue LEDs)	7/8"	3/4"	6"	50023784
LED Strip Light - Chrome (12 Red LEDs)	7/8"	3/4"	6"	50023615
LED Strip Light - Chrome (12 Amber LEDs)	7/8"	3/4"	6"	50023616
LED Strip Light (18 White LEDs)	7/8"	3/4"	8"	50023786
LED Strip Light (18 Red LEDs)	7/8"	3/4"	8"	50023787
LED Strip Light (18 Amber LEDs)	7/8"	3/4"	8"	50023789
LED Strip Light (18 Blue LEDs)	7/8"	3/4"	8"	50023788



Trailer Accessories

Trailer Adapters & Connectors

Use our new set of adapters to customize your trailer's wiring system.


- Easy plug-in use
- Fits most trailers
- 5th pin prevents brake lockout in reverse



Description	Model
Trailer Connector Kit, 7-Way	50080343
Trailer Adapter 7-Way to 4-Way	50080335
Trailer Adapter 7-Way to 5-Way	50080337
Trailer Adapter 7-Way to 5-Way with 18" Cable	50080347

Trailer Light Wire Harness

25' wishbone trailer harness. Color coded marine tinned wires with 4' vehicle side connector, 4-pole. Frame clips included.



Description	Model
Trailer Light Harness	50080302

Trailer Light Connectors

Male 4-pole flat trailer-end connector with 12" color coded lead wires. Female 4-pole flat vehicle-end connector with 48" color coded lead wires. 6, 12, and 24 volt capacity.



Description	Model
(A) Trailer Light Connector (Trailer End)	50080312
(B) Trailer Light Connector (Vehicle End)	50080322
(A & B) Trailer & Vehicle End Light Connectors Kit	50080300

EZ Troubleshooter 4-Way Circuit Tester

Plug tester into vehicle's conventional 4-prong flat towing plug. Operate vehicle's turn signals, lights and brakes. When power is present, circuit's green light will glow. Waterproof PVC material.



Description	Model
EZ Troubleshooter Circuit Tester	50080304

Deluxe EZ Troubleshooter II 4-Way Circuit Tester

Plug tester into vehicle's conventional 4-prong flat towing plug. Operate vehicle's turn signals, lights and brakes. When power is present, circuit's green light will glow. Built-in male and female ends so it never has to be removed. Waterproof PVC material.

Save time de-bugging trailer light problems!

- Turn signals
- Tail lights
- Brake lights




Description	Model
EZ Troubleshooter II Circuit Tester	50080310


Trailer Jacks

1. Cap can be easily removed to grease gears.
2. Handle has positive lock mechanism for better stability and strength.
3. Built-in grease fitting helps keep worm gear and shaft well lubed for continuous, smooth performance.
4. Bevel gear retained by squared gear shaft for superior strength and maximum torque.
5. Ergonomically designed power grip handle for supreme comfort. (*A)
6. Worm gear with grease retaining bevel for continuous lubrication.
7. Fully plated worm gear for corrosion protection. Cold formed from a single piece of steel. Is stronger than a welded or bolted design.
8. Large diameter pivot washers for reduced stress and increased surface contact, strength and safety.
9. Dual pin locking mechanism for added safety and strength.
10. Galvanized hardware and components for excellent corrosion resistance. (*B, *C)
11. Proprietary SEACOAT™ coating inside and out for superior corrosion resistance. (*B)
12. Large stamped flare to increase strength.
13. Stamped ribs for added strength.
14. Wheel has large cross sectional area and spoke design for added strength. (*A)

Industry Leading



Swing-Up Jack Tongue Mount Measurement



- A. Except 50017541
- B. SEACOAT™ Jacks
- C. EDC Jacks
- D. Stainless Jacks

Model	Capacity	A	B	Lift	Travel	Wheel	Handle	Finish	Grease Fitting
50017541	1000 lb	16"	23"	21"	10"	6" x 1-3/4"	Standard	Zinc Plated	NO
50017544	1200 lb	13"	23-1/2"	21"	10"	8" x 1-3/4"	Standard	Zinc Plated	YES
50017547	1500 lb	13"	24.1/2"	21"	10"	8" x 1-3/4"	Standard	Zinc Plated	YES
50017545	1500 lb	13"	24.1/2"	21"	10"	6" x 1-3/4"	Power-Grip	Zinc Plated	YES
50017530	800 lb	20-1/2"	34-1/4"	21"	10"	6" x 1-3/4"	Power-Grip	Seacoat	YES
50080161	800 lb	20-1/2"	30"	21"	10"	6" x 1-3/4"	Power-Grip	EDC	YES
50017573	1500 lb	15"	29"	25"	14"	8" x 2"	Power-Grip	Seacoat	YES
50017584	1500 lb	15"	29"	27"	14"	8" x 4"	Power-Grip	Seacoat	YES
50017594	2500 lb	15"	29"	27"	14"	8" x 4"	Power-Grip	Seacoat	YES



Zinc Plating involves an electrolysis application of zinc by immersing clean steel parts in a zinc salt solution and applying an electric current. This process applies a layer of pure zinc.



EDC (Electrostatic Discharge Coating) is the process of using an electrical current to deposit the finish smoothly onto metal surface. The process produces a smooth coat of uniform thickness, is able to coat awkward areas, and is more adhesive and rustproof than normal sprayed paint.



SEACOAT™ is a proprietary process and ONLY available from SEASENSE®. SEACOAT™ consists of dispersed zinc particles which are laminated in several dozen layers. The layers are bonded together then heated to chemically bond with the metal surface. SEACOAT™ delivers significantly better rust resistance than electro-galvanizing, hot dip galvanizing, nickel or zinc plating.

Stainless Steel is a ferrous alloy with a minimum of 10.5% chromium content and provides the ultimate in corrosion protection.



1000 lb. Zinc Plated Trailer Jack

Trailer jack provides quality and durability at an affordable price. Ideal for lighter boats. Fits on tongues up to 3" x 5". Zinc mounting hardware included.

- Zinc plated mounting hardware included



Description	Lift	Travel	A	B	Model
SS1000 Zinc, 1000 lb.	21"	10"	16"	23"	50017541



1200 & 1500 lb. Zinc Plated Trailer Jack

Trailer jack provides quality and durability at an affordable price. Fits on tongues up to 3" x 5". 8" wheel provides easy maneuverability on most types of terrain. Zinc mounting hardware included.

- Power grip handle
- Built-in grease fitting



Description	Lift	Travel	A	B	Model
SS1200 Zinc, 1200 lb.	21"	10"	13"	23-1/2"	50017544
SS1500 Zinc, 1500 lb.	21"	10"	13"	24-1/2"	50017547



1500 lb. Dual Wheel Zinc Plated Trailer Jack

Trailer jack provides quality and durability at an affordable price. Fits on tongues up to 3" x 5". 6" dual wheels provide easy maneuverability on most types of terrain. Zinc mounting hardware included.

- Power grip handle
- Built-in grease fitting



Description	Lift	Travel	A	B	Model
SS1550 Zinc, 1500 lb.	21"	10"	13"	24-1/2"	50017545



800 lb. SEACOAT™ Weight Indicator Safety Swing-Up Trailer Jack

The SEACOAT™ safety jack has lifting capacity of 800 lbs to withstand the harshest marine environments. Fits on tongues up to 3" x 5" with a 6" all-terrain wheel. Galvanized mounting hardware included.

- Built-in scale
- Power grip handle
- Built-in grease fitting




Description	Lift	Travel	A	B	Model
800 lb. SEACOAT™ Safety Trailer Jack	21"	10"	20-1/2"	34-1/4"	50017530

1500 lb. SEACOAT™ Swing-Up Trailer Jack

Fits on tongues up to 3" x 5" with a large 8" all-terrain wheel. Includes a built-in grease fitting for long lasting smooth performance. SEACOAT™ for superior protection against the harshest environments. Galvanized mounting hardware included.

- Power grip handle
- Galvanized mounting hardware included




Description	Lift	Travel	A	B	Model
1500 lb. SEACOAT™ Trailer Jack	25"	14"	15"	29"	50017573

1500 & 2500 lb. SEACOAT™ "Mighty Wheel™" Swing-Up Trailer Jack

Our patented mighty wheel trailer jack is available in 1500 lbs & 2500 lbs lifting capacity with SEACOAT™ finish to withstand the harshest marine environments. The mighty wheel is 4" wide by 8" tall to help increase your trailer's maneuverability on any surface. This side crank swivel trailer jack features dual locking pins for added strength. Fits on tongues up to 3" x 5" and provides 27" of lift and 14" of travel. Galvanized mounting hardware included.

US Patent #D501,975.




Description	Lift	Travel	A	B	Model
1500 lb. SEACOAT™ Mighty Wheel/Brake	27"	14"	15"	29"	50017584
2500 lb. SEACOAT™ Mighty Wheel	27"	14"	15"	29"	50017594

800 lb. Tongue Weight Indicator Safety Swing-Up Trailer Jack

The only device of its kind that instantly tells you when your trailer is safely loaded! Galvanized mounting hardware included. Two products in one - a trailer jack & a built-in scale. Available in Black EDC (Electrostatic Discharge Coating) finish.

- Built-in scale
- Award winning, exclusive design
- Lock and go collar reduces spring wear



Description	Lift	Travel	A	B	Model
800 lb. EDC Safety Trailer Jack	21"	10"	20-1/2"	30"	50080161

2500 lb. Zinc Plated Square Tube Trailer Jack

Trailer jack fits tongue sizes up to 3" x 5". Zinc plated steel construction for corrosion resistance. Heavy-duty fixed mount bracket. Provides 30" of lift from the bottom of mounting bracket to the foot plate and 13-3/4" of travel. Quick release pin for easy foot plate adjustments.

- Power grip handle
- Built-in grease fitting



Description	Lift	Travel	Height	Model
2500 lb. Zinc Square Tube	30"	13-3/4"	24-3/4"	50017630



2000 lb. EDC A-Frame Trailer Jack

Top-wind a-frame jack. Electrostatic discharge coated for the ultimate corrosion resistance. Easy installation. Built-in grease fitting to keep gears and shaft well lubed for long lasting performance.



Description	Lift	Travel	Height	Model
2000 lb. EDC A-Frame	26"	14"	21"	50017621
Optional Foot Plate				50017683



300 lb. Zinc PWC Jack Stand

A space saver for small trailers. Ideal for any small utility trailer. "Swing-Away" design mounts under, not beside, trailer tongue. Solid wheel locks in down position and pivots out of the way for trailering. Tongue size 3" x 3".


- Perfect for: PWC, snowmobile & motorcycle trailers

Description	Clearance	Model
300 lb. Zinc PWC Jack Stand	15"	50017506



Easy Lift Jack

Lifts and holds boat and camper trailers and other single axle vehicles with wheels from 8"-16". All aluminum construction, polished and sand-shot. 2 Tons. 9-3/4" W x 4-1/2" H



Description	Model
Easy Lift Jack	50017515



Wheel Chock

Hitch and unhitch your vehicle and trailer with confidence. These solidly constructed wheel chocks will insure that nothing rolls anywhere. Made of durable hard plastic with UV inhibitors. 8-1/2" L x 4-7/8" W x 4" H

Description	Model
Wheel Chock	50080559



Trailer Jack Wheel Stop

UV protected wheel stop to keep your trailer from moving around or putting dents in driveway. 100% HDPE (high-density polyethylene).

Description	Model
Trailer Wheel Stop 6-1/4"	50080555







Replacement Jack Wheel

6" x 2" nylon jack replacement wheel fits most quality 800 lb. capacity jacks. Includes axle pin and nut.

Description	Model
6" Replacement Jack Wheel	50017680

Trailer Winches

1. Available in four premium finishes: Black EDC, SEACOAT™, zinc & stainless steel
2. Solid gear construction provides smooth operation and greater strength than laminated gears
3. Ergonomically designed power grip handle for supreme comfort (most models)
4. The reinforced cap distributes the load from the nut to the handle drive for added strength
5. Universal mounting base fits most trailers
6. Solid Pawl for greater strength. EZ SHIFT thumb bar on select winch models.



*All mounting hardware included for each model

Model	Capacity	Strap	Hook	Ratio	Drive	Ratchet	Handle	Finish	A	B	C	D
50017800	600 lb.	N/A	N/A	3:1	Single	1 Way	Standard	Zinc Plated	3"	2"	4-7/8"	3-1/2"
50017802	1000 lb.	N/A	N/A	4.1:1	Single	2 Way	Standard	Zinc Plated	3-5/8"	2"	5-1/2"	3-1/2"
50017803	1000 lb.	20'	Steel	4.1:1	Single	2 Way	Standard	Zinc Plated	3-5/8"	2"	5-1/2"	3-1/2"
50017804	1600 lb.	20'	Steel	4:1	Single	2 Way	Standard	Zinc Plated	3-1/4"	1-3/4"	6-1/8"	3-7/8"
50017805	2000 lb.	20'	Steel	4:1 & 8:1	Single	2 Way	Standard	Zinc Plated	4-1/4"	1-3/4"	7-5/8"	4"
50018009	900 lb.	12'	Zinc	4.1:1	Single	1 Way	Standard	Zinc Plated	3-1/8"	2"	4-7/8"	3-1/2"
50017830	1200 lb.	N/A	N/A	4:1	Single	2 Way	Power-Grip	Zinc Plated	3-1/2"	2"	5-1/2"	3-1/2"
50017831	1200 lb.	20'	Zinc	4:1	Single	2 Way	Power-Grip	Zinc Plated	3-1/2"	2"	5-1/2"	3-1/2"
50017835	1200 lb.	20'	Zinc	4:1	Single	2 Way Thumb Bar	Power-Grip	EDC	3-1/2"	2"	5-1/2"	3-1/2"
50017834	1200 lb.	20'	Zinc	4:1	Single	2 Way	Power-Grip	EDC	3-1/2"	2"	5-1/2"	3-1/2"
50018053	2500 lb.	25'	Zinc	5:1 & 12:1	Single	2 Way w/ Brake	Power-Grip	Seacoat	4-3/8"	2-3/4"	7"	5-3/4"
50017953	1600 lb.	20'	SeaCoat	3:1:6	Dual	2 Way	Power-Grip	Seacoat	3-1/8"	2"	5"	3-1/2"
50017965	2000 lb.	25'	SeaCoat	4:1	Dual	2 Way	Power-Grip	Seacoat	3-1/2"	2"	5"	3-1/2"

Trailer Accessories



600 lb. Zinc Plated Trailer Winch

This 3 to 1 gear ratio winch has a smooth turning roller grip handle. It has up to 600 lb. capacity with solid gear construction, zinc plated. One-way ratchet free wheels in off position. Use with 2" winch strap or cable. Weight: 4.41 lbs.

- 3:1 gear ratio
- Solid gear construction
- One way ratchet with free spool

Description	Model
600 lb. Zinc Plated Trailer Winch	50017800



900 lb. Zinc Plated PWC Trailer Winch

This 4.1 to 1 gear ratio winch has a smooth turning power-grip handle. It has up to 900 lb. capacity with solid gear construction, zinc plated. With 12' bow loop strap and zinc plated hook.

- 4.1:1 gear ratio
- Two way ratchet with free spool
- Solid gear construction
- 2" x 12' strap with bow loop & hook

Description	Model
900 lb. Zinc Plated Trailer Winch	50018009



1000 lb. Zinc Plated Trailer Winch

This 4.1 to 1 gear ratio winch has a smooth turning comfort grip handle. It has up to 1000 lb. capacity with solid gear construction, corrosion resistant zinc plated finish.

- 4.1:1 gear ratio
- Two way ratchet with free spool
- Solid gear construction
- Mounting hardware included

Description	Model
1000 lb. Zinc Plated Trailer Winch	50017802



1000 lb. & 1600 lb. Zinc Plated Trailer Winch

- **50017803:** 4.1:1 gear ratio
- Solid gear construction
- Mounting hardware included
- **50017804:** 4:1 gear ratio
- Two way ratchet with free spool
- 2" x 20' strap with steel hook

Description	Model
1000 lb. Zinc Plated Trailer Winch	50017803
1600 lb. Zinc Plated Trailer Winch	50017804



1200 lb. Zinc Plated Trailer Winch

This 1200 lb. capacity SeaSense® trailer winch has a 4 to 1 gear ratio, solid gear construction, zinc plating and a smooth turning power grip handle. Available with or without winch strap.

- 4:1 gear ratio
- Two way ratchet with free spool
- Solid gear construction
- 2" x 20' strap with hook (50017831)

Description	Model
1200 lb. Zinc Plated Trailer Winch	50017830
1200 lb. Zinc Plated Trailer Winch w/20' Strap	50017831

2000 lb. Zinc Plated Trailer Winch, 2 Speed with Brake

- 4:1 & 8:1 gear ratio
- Solid gear construction
- Mounting hardware included
- 2 speeds with brake
- Two way ratchet with free spool
- 2" x 20' strap with steel hook



Description	Model
2000 lb. Zinc Plated Trailer Winch, 2 Speed w/Brake & 2" x 20' Strap	50017805

1600 lb. & 2000 lb. SEACOAT™ Dual Drive Trailer Winch

Heavy-duty dual drive winch features one piece solid steel gears and gear pawl. The use of two gears allows for even load distribution eliminating frame torque. The power grip handle and three way pawl allows for easy and safe operation ratchet in/out and neutral.

- **50017953:** 3.5:1 gear ratio
- Solid gear construction
- **50017965:** 4:1 gear ratio
- Two way ratchet with free spool



Description	Model
1600 lb. SEACOAT™ Trailer Winch w/2" x 20' Strap	50017953
2000 lb. SEACOAT™ Trailer Winch w/2" x 25' Strap	50017965

2500 lb. SEACOAT™ Trailer Winch, 2 Speed with Brake

Multiple application heavy-duty 2500 lb. brake winch. Brake holds load for controlled descent. Great for lifting heavy loads safely. Two speeds: 12 to 1 low gear ratio for maximum power and 5 to 1 gear ratio for faster speed. Includes a smooth turning ergonomic power grip handle. Weight: 16.31 lbs.

- 12:1 & 5:1 gear ratio
- Two way ratchet with free spool
- Solid gear construction
- 2" x 25' strap with heavy-duty hook



Description	Model
2500 lb. SEACOAT™ Trailer Winch, 2 Speed w/Brake & 2" x 25' Strap	50018053

1200 lb. EDC Trailer Winch

This 1200 lb. capacity SeaSense® trailer winch has a 4 to 1 gear ratio, solid gear construction, black electrostatic discharge coating that resists rust and a smooth turning power grip handle. Two-way ratchet.

- 4:1 gear ratio
- Two way ratchet with free spool
- Solid gear construction
- 2" x 20' strap with heavy-duty hook



Description	Model
1200 lb. EDC Trailer Winch	50017834

1200 lb. EDC Trailer Winch with EZ Shift

This trailer winch has one piece solid gear construction and black electrostatic discharge coating that resists rust and a smooth turning power grip handle.

- 4:1 gear ratio
- Two way ratchet with free spool
- Solid gear construction
- 2" x 20' strap with heavy-duty hook



Description	Model
1200 lb. EDC Trailer Winch w/EZ Shift	50017835



- Safely Switch Directions with Ease
- No Slip Grip
- Neutral Center Position Free Spool
- Increased Leverage


Trailer Accessories



Heavy-Duty Winch Strap with Hook

Heavy-duty, high strength polyester webbing winch strap with 8000 lbs. breaking strength and 2400 lbs. working load. Looped end.

- 2-1/2" x 24' strap
- Zinc plated safety hook
- Fits SeaSense® 2500 lb. Winches
- Includes bolt




Description	A	B	C	Model
24' Heavy-Duty Winch Strap w/Hook	1"	3-1/2"	2-1/2"	50018110

Winch Strap with Hook

Wide polyester webbing. Heavy-duty zinc plated safety hook attaches to webbing. Works on standard trailer winches. 3000 lbs. breaking strength and 900 lbs. working load. For use with all SeaSense® winches rated for 2000 lbs. and under. Fits 2" winch spools. Looped end.

- 2" x 12', 15' or 20'
- Polyester webbing
- Zinc plated safety hook
- Includes bolt



Description	A	B	C	Model
12' PWC Winch Strap w/Hook	1"	3-1/2"	2"	50018107
15' Winch Strap w/Hook	1"	3-1/2"	2"	50018100
20' Winch Strap w/Hook	1"	3-1/2"	2"	50018102




50080200
*Cable keeper sold separately.



Heavy-Duty Winch Cable with Hook

Made of galvanized aircraft cable. Comes with heavy-duty galvanized snap hook. Works on standard trailer winches.



Description	Break Strength (lbs.)	Model
1/8" x 20' Winch Cable w/Hook	2000	50018121
3/16" x 25' Winch Cable w/Hook	4000	50018123
3/16" x 50' Winch Cable w/Hook	4200	50018125
7/32" x 50' Winch Cable w/Hook	5600	50018127
5/16" Cable Keeper		50080200

Replacement Winch Handle

This universal fit (SeaSense® Winches & Many Others) replacement winch handle is corrosion resistant and features the ergonomic power-grip handle. Mounting hardware included (3/4" nut). Dimensions: 7.5" from bolt to bolt; overall 8.2"



Description	Model
Replacement Winch Handle	50018090



Winch Cover

Made of ABS plastic. Protects gears and helps prevent injuries.

Description	Model
600 lb. Winch Cover	50080101
1200 lb. Winch Cover	50080108

One Piece Galvanized Panel Brackets

One piece, heavy-duty hot dipped galvanized steel, designed to support keel rollers. Slots accept 7/16" or 1/2" diameter bolts and provide vertical roller adjustment.

Description	A	B	C	D	E	Model
10" One Piece Panel Bracket	8-1/4"	4-1/4"	5/8"	10"	8"	50081010
12" One Piece Panel Bracket	8-1/4"	4-1/4"	5/8"	12"	10"	50081012



One Piece Galvanized Panel Bracket Assemblies

Assemblies include heavy-duty hot dipped galvanized steel bracket, zinc plated roller shaft, and a black rubber keel roller. Slots accept 7/16" or 1/2" diameter bolts and provide vertical roller adjustment. Available in 8", 10" and 12" roller widths.

Description	A	B	C	D	Keel Roller	Model
8" Panel Bracket Assembly	8"	4"	8"	6"	50080882	50081009
12" Panel Bracket Assembly	8-1/4"	4-1/4"	12"	10"	50080895	50081013



Split Galvanized Panel Brackets

These brackets are heavy-duty hot dipped galvanized and sold in pairs (right and left) to accommodate any size roller length. Slot allows vertical adjustment for stabilizing boat on trailer. Slots accept 7/16" or 1/2" bolts.

Description	Model
Galvanized Split Bracket	50081017



10" Galvanized Bolster Bracket

Bolster brackets are heavy-duty hot dipped galvanized. Designed to support bolster or bunk boards. Slotted for vertical adjustments and feature non-slip dimples to avoid movement and increase load capacity.

Description	Model
10" Bolster Bracket	50081018



Axle Tie Galvanized Plate Kit

These brackets are heavy-duty hot dipped galvanized and sold in pairs (right and left) to accommodate 2" square axles. Slot allows vertical adjustment for stabilizing boat on trailer. Kit includes four U-bolts, eight locknuts, and two five hole tie plates.

Description	Model
Axle Tie Plate Kit	50081060



Galvanized & Zinc Plated Square U-Bolts


U-bolts are ideal for attaching roller brackets, guide posts, winch uprights, and various other hardware to your trailer. Select models include strap.



Description	A	B	C	Model
Galvanized U-Bolt	3-1/16"	3-3/16"	1/2"	50089711
Galvanized U-Bolt	2-1/16"	4-13/16"	1/2"	50089712
Galvanized U-Bolt	1-9/16"	3-9/16"	7/16"	50089713
Galvanized U-Bolt	1-5/8"	3-9/16"	3/8"	50089714
Zinc U-Bolt	2-1/8"	4"	7/16"	50089722
Zinc U-Bolt	3-1/8"	4"	7/16"	50089723
Zinc U-Bolt	4-1/8"	3"	7/16"	50089725
Zinc U-Bolt w/Strap	2-1/8"	4"	7/16"	50089731
Zinc U-Bolt w/Strap	3-1/8"	3"	7/16"	50089732
Zinc U-Bolt w/Strap	3-1/8"	4"	7/16"	50089733
Zinc U-Bolt w/Strap	4-1/8"	3"	7/16"	50089734

Stainless Steel & Zinc Plated Greaseable Roller Shafts

Outlasts any conventional shaft. Patented design with grease fitting on each end allows rollers to be properly lubricated per manufacturer's recommendations without the trouble of removing the roller from the trailer. For keel, spool or bow rollers. Includes E-clips. Patent # D390167.



Description	Fits	Model
1/2" x 5-1/4" Greasable Roller Shaft, Zinc Plated	4" Roller	50089810
1/2" x 6-1/4" Greasable Roller Shaft, Zinc Plated	5" Roller	50089816
1/2" x 5-1/4" Greasable Roller Shaft, Stainless Steel	4" Roller	50089775
1/2" x 6-1/4" Greasable Roller Shaft, Stainless Steel	5" Roller	50089778
5/8" x 5-1/4" Greasable Roller Shaft, Zinc Plated	4" Roller	50089822
5/8" x 6-1/4" Greasable Roller Shaft, Zinc Plated	5" Roller	50089826
5/8" x 9-1/4" Greasable Roller Shaft, Zinc Plated	8" Roller	50089833
5/8" x 11-1/8" Greasable Roller Shaft, Zinc Plated	10" Roller	50089836
5/8" x 13-1/2" Greasable Roller Shaft, Zinc Plated	12" Roller	50089843
5/8" x 19" Greasable Roller Shaft, Zinc Plated	18" Roller	50089848
5/8" x 5-1/4" Greasable Roller Shaft, Stainless Steel	4" Roller	50089788
5/8" x 6-1/4" Greasable Roller Shaft, Stainless Steel	5" Roller	50089790
5/8" x 11-1/8" Greasable Roller Shaft, Stainless Steel	10" Roller	50089794
5/8" x 19" Greasable Roller Shaft, Stainless Steel	18" Roller	50089797
1/2" E-Clip, 6 Pc. Per Pack	1/2" Shaft	50089801
5/8" E-Clip, 6 Pc. Per Pack	5/8" Shaft	50089800

Zinc Plated Roller Shafts with Pal Nuts

Perfect for keel rollers and bunk rollers. Zinc plated steel for corrosion resistance. Includes pal nuts.



Description	Fits	Model
1/2" x 5-1/4"	4" Roller	50081020
1/2" x 12-3/4"	4" Roller	50081028
5/8" x 6-1/4"	5" Roller	50081036
5/8" x 9-1/4"	8" Roller	50081039
5/8" x 11-1/8"	10" Roller	50081041
5/8" x 13-1/2"	12" Roller	50081043
1/2" Pal Nuts, 4 Pc. Per Pack	1/2" Shaft	50081047
5/8" Pal Nuts, 4 Pc. Per Pack	5/8" Shaft	50081048



Features & Benefits

Black Rubber

- Traditional
- Economical
- UV Resistant
- Ozone Resistant



Poly Vinyl

- UV Resistant
- Ozone Resistant
- Chemical Resistant
- Non-Marring
- Long Life



Polyurethane

- UV Resistant
- Ozone Resistant
- Chemical Resistant
- Non-Marring
- Large Temperature Range
- Long Life



Guide-On Roller


Replacement roller for roller style guide-on. Molded black rubber.

Description	Model
Black Rubber Guide-On Roller, 2" dia. x 9" L x 1/2" Shaft	50080829
Black Rubber Guide-On Roller, 2-1/2" dia. x 12" L x 5/8" Shaft	50080834



The "ORIGINAL" Self Centering Roller

This innovative roller takes the guess work out of centering your boat on the trailer. Embedded grooves to automatically center the boat while the boat rolls forward. Resilient and non-marking.



Description	A	B	C	Model
Poly Vinyl Self Centering Roller	5/8"	2-3/4"	11-1/2"	50080992
Polyurethane Self Centering Roller	5/8"	2-3/4"	11-1/2"	50089991



Keel Pad

This 15" x 3-1/2" keel pad protects boat keel while on trailer. Poly vinyl construction. Fits 3" beams.

Description	Model
Poly Vinyl Keel Pad	50081051




Trailer Accessories



Keel Roller End Cap

Installs on the outside of the keel roller bracket to keep the boat protected from the bracket. Available in non-marring poly vinyl.



Description	A	B	C	Model
Poly Vinyl Keel Roller End Cap	5/8"	3"	1"	50080970

Keel Roller


Allows boat to roll smoothly on the trailer. Spins freely to reduce drag while launching your boat. 5/8" shaft size. Available in standard black rubber, non-marring poly vinyl and polyurethane.



Description	A	B	C	Model
Black Rubber 8" Keel Roller	5/8"	3-1/4"	7"	50080882
Black Rubber 10" Keel Roller	5/8"	3-1/2"	9-1/2"	50080887
Black Rubber 12" Keel Roller	5/8"	3-1/2"	11-1/2"	50080895
Poly Vinyl 8" Keel Roller	5/8"	3"	7-3/4"	50080958
Poly Vinyl 10" Keel Roller	5/8"	3"	10"	50080960
Poly Vinyl 12" Keel Roller	5/8"	3"	11-1/2"	50080962
Polyurethane 8" Keel Roller	5/8"	3"	7-3/4"	50089957
Polyurethane 10" Keel Roller	5/8"	3"	10"	50089959
Polyurethane 12" Keel Roller	5/8"	3"	11-1/2"	50089961

Spool Roller


Allows boat to roll smoothly on the trailer. Spins freely to reduce drag while launching your boat. Available in standard black rubber, non-marring poly vinyl and polyurethane.



Description	A	B	C	Model
Black Rubber 4" Spool for 1/2"shaft	1/2"	3"	4"	50080782
Black Rubber 4" Spool for 5/8"shaft	5/8"	3"	4"	50080871
Black Rubber 5" Spool for 1/2"shaft	1/2"	3"	5"	50080792
Black Rubber 5" Spool for 5/8"shaft	5/8"	3"	5"	50080872
Poly Vinyl 4" Spool for 5/8"shaft	5/8"	3"	4"	50080933
Poly Vinyl 5" Spool for 5/8"shaft	5/8"	3"	5"	50080935
Polyurethane 4" Spool for 5/8"shaft	5/8"	3"	4"	50089932
Polyurethane 5" Spool for 5/8"shaft	5/8"	3"	5"	50089934

Wobble Roller


Allows boat to roll smoothly on the trailer. Spins freely to reduce drag while launching your boat. Available in standard black rubber, non-marring poly vinyl and polyurethane.



Description	Shaft	A	B	C	Model
Black Rubber 4" Wobble for 3/4"shaft, smooth	1/4"	3/4"	4"	2-3/4"	50080861
Black Rubber 4" Wobble for 3/4"shaft	1-5/8"	3/4"	4"	2-3/4"	50080862
Poly Vinyl 4" Wobble for 3/4"shaft	5/8"	3/4"	4"	2-3/4"	50080940
Poly Vinyl 4" Wobble for 1"shaft	5/8"	1"	4"	2-3/4"	50080941
Polyurethane 4" Wobble for 3/4"shaft	5/8"	3/4"	4"	2-3/4"	50089939
Polyurethane 4" Wobble for 1"shaft	5/8"	1"	4"	2-3/4"	50089942

Bow Stop


Allows boat to be snugged down on the trailer. Available in standard black rubber, non-marring poly vinyl and polyurethane.



Description	A	B	C	D	Model
Black Rubber 2" Bow Stop for 5/8" shaft	5/8"	2"	3-3/4"	2"	50080772
Black Rubber 2" Bow Stop for 1/2" shaft	1/2"	2"	3-3/4"	2"	50080774
Black Rubber 3" Bow Stop for 1/2" shaft	1/2"	3"	6-3/4"	2-7/8"	50080812
Black Rubber 4" Bow Stop for 1/2" shaft	1/2"	4"	6-3/4"	3-7/8"	50080815
Poly Vinyl 3" Bow Stop for 1/2" shaft	1/2"	1-1/2"	4-5/8"	2-7/8"	50080922
Poly Vinyl 4" Bow Stop for 1/2" shaft	1/2"	4"	6-3/4"	3-7/8"	50080925
Polyurethane 4" Bow Stop for 1/2" shaft	1/2"	4"	6-3/4"	3-7/8"	50089923

3" Bow Roller


Allows boat to be snugged down on trailer. Spins freely to reduce drag while launching your boat. Available in black rubber, non-marring poly vinyl and polyurethane.



Description	A	B	C	Model
Black Rubber 3" Bow Roller	1/2"	3"	3"	50080762
Poly Vinyl 3" Bow Roller	1/2"	3"	3"	50080912
Polyurethane 3" Bow Roller	1/2"	3"	3"	50089911

3" & 4" Bow Roller


Allows boat to be snugged down on the trailer. Spins freely to reduce drag while launching your boat. Available in black rubber and non-marring poly vinyl.



Description	A	B	C	Model
Poly Vinyl 3" Bow Roller	1/2"	2-5/8"	3"	80911
Black Rubber 4" Bow Roller	1/2"	3-5/8"	4"	50080764
Poly Vinyl 4" Bow Roller	1/2"	3-5/8"	4"	50080916

Super Bow Roller

Allows boat to be snugged down on the trailer. Spins freely to reduce drag while launching your boat. Comes in three pieces for maximum protection. Available in non-marring poly vinyl and polyurethane. Shaft and mounting hardware included.




Description	A	B	C	Model
Poly Vinyl 4" Super Bow Roller	1/2"	4"	5"	50080946
Poly Vinyl 5" Super Bow Roller	1/2"	5"	7"	50080948
Polyurethane 4" Super Bow Roller	1/2"	4"	5"	50089945



12' Roll Of Bunk Carpet

Durable, weather resistant Poly Pro marine carpet material with durable acrylic backing. Easy to cut and custom fit. Charcoal color. Grips surface of trailer bunk boards, has no excessive fuzz, is static-free, and is made for minimal water retention. Available in 8" or 12" widths. Cut to fit.




Description	Model
Bunk Carpet 8" x 12'	50073871
Bunk Carpet 12" x 12'	50073872



Transom Tie Down Straps

2" x 4' polyester transom tie downs; secures the transom of the boat to the trailer. Vinyl-coated "S" hooks. Common on bass and high performance boats. Center locking buckle, Hook and loop fastener™ hold downs for added protection. Sold as a pair. Working load: 300 Lbs. Rated capacity: 1,000 lbs. each



Description	Model
Transom Tie Down Straps (Pair)	50080482



Cam Tie Down Straps

Two 1" x 6' polyester cam style tie downs with vinyl coated hooks. Works great for small boats, personal watercraft and many other general uses.

Description	Model
Cam Tie Down Straps (Pair)	50080484



Ratchet Tie Down Strap

2" x 14' yellow polyester ratchet tie down strap. Vinyl coated hooks.

Description	Model
Ratchet Tie Down Strap	50080390



Tie Down Straps

2" black polyester webbed quick release straps with cadmium plated "J" hooks attached. Use as gunwale tie-downs. Available in two sizes. Triangular hook allows for multiple attaching options.



Description	Model
Tie Down Strap 10'	50080402
Tie Down Strap 13'	50080462

Zinc Trailer Safety Chains

27" zinc plated welded link chain. Keeps trailer attached if hitch fails. Class 1 is a single chain with a hook on each end. Class 3 is two chains with a hook on each chain. Class 2 measures 36" long. Closed, spring loaded hooks meet D.O.T. regulations.

Description	Rating (lbs.)	Model
Zinc Class 1 Trailer Safety Chain (Single)	2000	50080212
Zinc Class 2 Trailer Safety Chain (Pair)	3500	50080221
Zinc Class 3 Trailer Safety Chain (Pair)	5000	50080213



Stainless Steel Trailer Safety Chains

24" stainless steel welded link chain. Keeps trailer attached if hitch fails. Class 1 is a chain with a quick link on vehicle end. Class 3 is two chains with quick links on vehicle end.




Description	Rating (lbs.)	Model
Stainless Steel Class 1 Trailer Safety Chain (Single)	2000	50080217
Stainless Steel Class 3 Trailer Safety Chain (Pair)	5000	50080219



Chrome & Stainless Steel Trailer Balls

Chrome plated, solid steel machined ball with 3/4" grade 8 nut, and lock washer. Includes 1" sleeve. Stainless model features exclusive locking system to finally close the gapping hole in trailer security.



Description	A	B	C	Rating (lbs.)	Model
Chrome Trailer Ball 1-7/8" x 1-1/2"	1-7/8"	1-1/2"	3/4"	2000	50017140
Chrome Trailer Ball 1-7/8" x 2"	1-7/8"	2"	3/4"	2000	50017143
Chrome Trailer Ball 2" x 1-1/2"	2"	1-1/2"	3/4"	3500	50017152
Chrome Trailer Ball 2" x 2"	2"	2"	3/4"	3500	50017154
Stainless Steel Trailer Ball 1-7/8" x 2-1/4"	1-7/8"	2-1/4"	3/4"	2000	50080511
Stainless Steel Trailer Ball 2" x 2-1/4"	2"	2-1/4"	3/4"	3500	50080513



Trailer Ball Covers

Made of form fitted flexible black PVC. Fits 1-7/8" and 2" trailer balls. 12 covers packaged in pop-up display box. Sold in a full color display box of 12.

Description	Model
Trailer Ball Covers	50080233



License Plate Holder

ABS plastic license plate holder mounts behind trailer light with existing hardware.


Description	Model
License Plate Holder	50080234






Trailer Hitch Coupler

Heavy gauge steel constructed. Pre-drilled bolt holes make installation easy. Can also be welded to tongue. Works with SeaSense® trailer balls. Snap down lock and release handle.



Description	A	B	Model
Trailer Hitch Coupler For 2" Ball	3"	10-15/16"	50017126



EZ Lift Coupler Handle

Zinc plated with rubber coating on the handle. Handle attaches to coupler mounting bolts. Allows for convenient lifting of the trailer tongue. For use with small trailers. Lift with caution.

Description	Model
EZ Lift Coupler Handle	50017115



Coupler Repair Kits

Solid metal construction, made for durability and routine usage. Fits 2" & 3" trailer hitch couplers. 2,000 lb. weight capacity.

Description	Model
1-7/8" Coupler Repair Kit	50017130
2" Coupler Repair Kit	50017131



Brass Trailer Coupler Lock

Made of solid brass with stainless steel shackle pin for maximum trailer security. Two keys included.

Description	Model
Brass Trailer Coupler Lock	50080754



Trailer Hitch Lock

Solid construction, heat treated for ultimate toughness. Will not corrode, rust or clog. Lock can be used while trailer is on or off the vehicle. Opens as two piece for easy installation. Fits most receiver pins. Two keys included.

Description	Model
Trailer Hitch Lock	50017202



Trailer Lock & Receiver Pin

Lock receiver to trailer hitch. Solid construction, heat treated for ultimate toughness. Will not corrode, rust or clog. Two keys included.

Description	Model
Trailer Lock & Receiver Pin	50017204
Receiver Pin w/Cotter Pin	50017200

Universal Locking Pin

Zinc plated quick connect. Keeps coupler from accidental disengagement. Fits 2" and 3" couplers, seat mounts and canopies. 2-1/4" W x 1-5/8" L

Description	Model
Universal Locking Pin	50080755



Wheel Hub Bearing Kits

Inner and outer bearings with races. One grease seal and one cotter pin. Each hub requires one kit.

Description	Model
Bearing Kit 1"	50080612
Bearing Kit 1-1/16" to 1-3/8" Tapered	50080620



Wheel Hub Bearing Protectors & Covers

Provides permanent protection against damage from water and dirt entering the wheel bearings. Triple chrome plated housing with stainless steel internal parts. Replacement cover available separately. Sold as a pair.

Description	Model
Wheel Hub Bearing Protector 1.781" w/cover (Pair)	50080663
Wheel Hub Bearing Protector 1.98" w/cover (Pair)	50080665
Replacement Cover 1.781" For Hub Protector (Pair)	50080658
Replacement Cover 1.98" For Hub Protector (Pair)	50080660



Offset Spare Tire Carrier

Holds a spare tire 4-3/4" up and 4-1/2" out from your trailer's frame. Adjusts to fit both four and five hole wheels. Fits all trailer tongues up to 3" W x 4" H. Steel construction with galvanized finish for corrosion resistance. Hardware included.


Description	Model
Offset Spare Tire Carrier	50017106



U-Bolt Spare Tire Carrier

Spare tire carrier. Galvanized to resist corrosion. Includes two nuts. Fits 8" to 14" tires, 4 or 5 hole.

Description	Model
U-Bolt Spare Tire Carrier	50017105



Index

Model Number to Page Number 144 - 154
Alphabetical 155



Index

Model	Page	Description
008235	37	32" - 42" ADJUSTABLE TELESCOPING PADDLE W/HOOK
008240	37	48" - 72" ADJUSTABLE TELESCOPING PADDLE & HOOK
008260	39	KAYAK CARRIER
008265	39	STANDARD CANOE CARRIER
008270	39	DELUXE CANOE CARRIER
008327	36	22" - 42" ADJUSTABLE TELESCOPING MINI PADDLE
008430	36	3' ALUMINUM PADDLE, PALM GRIP
008440	36	4' ALUMINUM PADDLE
008445	36	4-1/2' ALUMINUM PADDLE
008450	36	5' ALUMINUM PADDLE
008455	36	5-1/2' PADDLE
008660	36	6' ALUMINUM OAR
008661	35	MIGHTY MITE YOUTH KAYAK PADDLE, RED SHAFT, 60"
008662	35	MIGHTY MITE YOUTH KAYAK PADDLE, BLUE SHAFT, 60"
008663	32	X-II KAYAK PADDLE, RED/BLACK, 84"
008670	36	7' ALUMINUM OAR
008671	36	5 1/2" - 6 1/2" ADJUSTABLE TELESCOPIC ALUMINUM OAR
008672	35	MIGHTY MITE YOUTH KAYAK PADDLE, BLACK SHAFT, 60"
008673	32	X-II KAYAK PADDLE, RED/BLACK, 96"
008674	32	X-II KAYAK PADDLE, MILITARY GREEN, 96"
008675	32	X-II KAYAK PADDLE, MILITARY GREEN, 84"
008676	32	X-II KAYAK PADDLE, BLUE/WHITE, 84"
008677	32	X-II KAYAK PADDLE, BLUE/WHITE, 96"
008678	32	X-II KAYAK PADDLE, ORANGE/YELLOW, 84"
008679	32	X-II KAYAK PADDLE, ORANGE/YELLOW, 96"
008680	33	X-I KAYAK PADDLE, BLACK, 84"
008681	32	X-II KAYAK PADDLE, BLACK, 84"
008682	32	X-II KAYAK PADDLE, BLACK, 96"
008683	32	X-II KAYAK PADDLE, WHITE/BLACK, 84"
008684	35	ECONOMY KAYAK PADDLE, BLACK, 84"
008686	32	X-II KAYAK PADDLE, WHITE/BLACK, 96"
008689	32	X-II KAYAK PADDLE, YELLOW W/BLUE SHAFT, 96"
008690	33	X-I KAYAK PADDLE, BLACK, 96"
008691	32	X-II KAYAK PADDLE, YELLOW W/BLUE SHAFT, 84"
008702	55	5 STEP ROPE LADDER
008703	55	3-STEP PORTABLE BOAT LADDER
008704	55	4-STEP PORTABLE BOAT LADDER
008710	55	STAINLESS STEEL TELESCOPIC LADDER
008990	34	EX-0-BLADE II ADJUSTABLE STAND-UP PADDLE, BLACK SHAFT 63" TO 82"
008991	34	EX-0-BLADE ADJUSTABLE STAND-UP PADDLE, SILVER SHAFT 72" TO 92"
008992	34	EX-0-BLADE ADJUSTABLE STAND-UP PADDLE, PINK BLADE 72" TO 92"
008996	34	EX-0-BLADE ADJUSTABLE STAND-UP PADDLE, RED SHAFT 72" TO 92"
008998	34	EX-0-BLADE ADJUSTABLE STAND-UP PADDLE, BLUE SHAFT 72" TO 92"
80911	137	BOW ROLLER POLY VINYL
50002309	72	KAYAK HAND PUMP
50002320	70	HAND BILGE PUMP 18" LENGTH X 20" HOSE
50002323	70	HAND BILGE PUMP 24" LENGTH X 36" HOSE
50002326	70	HAND BILGE PUMP 24" LENGTH X 72" HOSE
50002328	70	HAND BILGE PUMP 36" LENGTH X 36" HOSE
50002343	71	1-1/8" X 6' BILGE PUMP PLUMBING KIT

Model	Page	Description
50002344	71	3/4" X 5' BILGE PUMP PLUMBING KIT
50010042	57	BOAT COVER SUPPORT POLE (28"-48")
50010043	57	BOAT COVER SUPPORT POLE (33.5"-59")
50010218	71	1-1/8" THRU-HULL FITTING
50010234	71	3/4" THRU-HULL FITTING
50010312	42	600 GPH FISHERMAN'S LIVE BAIT AERATOR W/ CARTRIDGE
50010313	42	600 GPH FISHERMAN'S LIVE BAIT AERATOR
50010320	68, 109	TOGGLE WITH LED INDICATION BILGE SWITCH
50010330	68	BILGE FLOAT SWITCH
50010338	68	SOLID-STATE SENSING BILGE SWITCH (LED INDICATION)
50010347	69	500 GPH COMBO W/FLOAT SWITCH
50010354	69	800 GPH COMBO W/FLOAT SWITCH
50010403	42	800 GPH THRU-HULL LIVEWELL PUMP
50010410	69	600 GPH BILGE PUMP
50010420	69	800 GPH BILGE PUMP
50010423	69	600 GPH COMBO W/FLOAT SWITCH
50010425	69	800 GPH AUTOMATIC BILGE PUMP
50010430	69	1100 GPH BILGE PUMP
50010435	70	1500 GPH BILGE PUMP
50011113	57	V-HULL FISHING 14'-16'
50011114	57	V-HULL/TRI-HULL/ALUM. BASS 14'-16'
50011115	57	V-HULL FISH SKI PRO 16'-18.5'
50011116	57	V-HULL RUNABOUT 17'-19'
50011117	57	V-HULL RUNABOUTS 20'-22'
50011389	56	ROPE THIMBLE 3/8"
50011396	56	ROPE THIMBLE 1/2"
50011411	21	5/16" STAINLESS STEEL STRAIGHT D ANCHOR SHACKLE
50011413	21	3/8" STAINLESS STEEL STRAIGHT D ANCHOR SHACKLE
50011415	20	5/16" STAINLESS STEEL ANCHOR SHACKLE
50011417	20	3/8" STAINLESS STEEL ANCHOR SHACKLE
50011422	20	3/16" STAINLESS STEEL QUICK LINK
50011423	20	1/4" STAINLESS STEEL QUICK LINK
50011425	20	5/16" STAINLESS STEEL QUICK LINK
50011427	20	3/8" STAINLESS STEEL QUICK LINK
50011431	59	2-3/8" SAFETY SPRING HOOK - STAINLESS STEEL
50011435	59	3-1/8" SAFETY SPRING HOOK - STAINLESS STEEL
50011436	59	3-5/16" SAFETY SPRING HOOK - STAINLESS STEEL
50011437	58	3-3/4" STAINLESS STEEL SWIVEL EYE SNAP
50011439	58	4" STAINLESS STEEL EYE HOOK
50011453	54	3/8" BOW/STERN EYE
50011457	54	1/2" BOW/STERN EYE
50011520	20	3/16" ZINC QUICK LINK
50011522	20	1/4" ZINC QUICK LINK
50011524	20	5/16" ZINC QUICK LINK
50011526	20	3/8" ZINC QUICK LINK
50012622	45	11" ALUMINUM SEAT POST
50012624	45	24" TO 31" ADJUSTABLE ALUMINUM SEAT POST
50012636	45	ZINC SEAT MOUNT W/SPRING
50012637	45	ALUMINUM BASE
50012638	45	STAINLESS STEEL BASE
50012639	44	3 PIECE SEAT KIT
50012641	44	7-3/4" SEAT PEDESTAL
50012643	44	13-3/4" SEAT PEDESTAL

Model	Page	Description
50012645	44	ADJUSTABLE SEAT PEDESTAL
50012646	44	CLAMP-ON SEAT BRACKET
50012648	44	BLACK SWIVEL BASE
50012649	44	STAINLESS STEEL SWIVEL BASE
50012672	45	11" STAINLESS STEEL SEAT POST
50012674	45	13" STAINLESS STEEL SEAT POST
50012679	45	MIRROR FINISH BASE
50012682	45	MIRROR FINISH 4" X 8" DECK BASE
50012692	45	ALUMINUM SEAT MOUNT W/SPRING
50012703	51	ROUND BASE RAIL MOUNT (STAINLESS STEEL) 1"
50012704	51	ROUND BASE RAIL MOUNT (STAINLESS STEEL) 7/8"
50012710	51	RECTANGULAR BASE RAIL MOUNT (STAINLESS STEEL) 7/8"
50012712	50	RECTANGULAR BASE RAIL MOUNT (STAINLESS STEEL) 7/8"
50012713	50	RECTANGULAR BASE RAIL MOUNT (STAINLESS STEEL) 1"
50012714	50	RECTANGULAR BASE RAIL MOUNT (STAINLESS STEEL) 7/8"
50012730	49	OUTSIDE EYE END (STAINLESS STEEL) 7/8"
50012734	49	ADJUSTABLE TOP SLIDE (STAINLESS STEEL) 7/8"
50012735	49	ADJUSTABLE TOP SLIDE (STAINLESS STEEL) 1"
50012739	50	MOUNTING BRACKET/HINGE (STAINLESS STEEL) 7/8"
50012740	50	ANGLE HINGE (STAINLESS STEEL) 7/8" X 2"
50012742	50	MOUNTING BRACKET/HINGE (STAINLESS STEEL) 7/8" (W/QUICK RELEASE PIN)
50012810	11	3/8" X 4' TWISTED FENDER LINE WHITE
50012811	11	3/8" X 6' TWISTED FENDER LINE WHITE
50012816	11	3/8" X 4' TWISTED FENDER LINE BLACK
50012817	11	3/8" X 6' TWISTED FENDER LINE BLACK
50012822	11	3/8" X 4' TWISTED FENDER LINE BLUE
50012823	11	3/8" X 6' TWISTED FENDER LINE BLUE
50012890	9	1/4" X 50' NYLON TWISTED ROPE WHITE
50012896	9	3/8" X 25' MFP BRAIDED ROPE ASSORTED COLORS
50012897	9	1/8" X 50' MFP DIAMOND BRAID ROPE CAMO
50012898	9	1/8" X 100' MFP DIAMOND BRAID ROPE CAMO
50012899	9	1/4" X 50' MFP DIAMOND BRAID ROPE CAMO
50012902	9	3/8" X 50' MFP BRAID ROPE CAMO
50012916	9	1/8" X 45' MFP DIAMOND BRAID ROPE ASSORTED NEON COLORS
50012980	7	3/8" X 10' NYLON DOCK LINE WHITE
50012981	7	3/8" X 15' NYLON DOCK LINE WHITE
50012982	7	3/8" X 20' NYLON DOCK LINE WHITE
50012983	7	3/8" X 25' NYLON DOCK LINE WHITE
50012998	7	3/8" X 10' NYLON TWISTED DOCK LINE WHITE
50013000	7	3/8" X 15' NYLON TWISTED DOCK LINE WHITE
50013001	7	3/8" X 20' NYLON TWISTED DOCK LINE WHITE
50013002	7	3/8" X 25' NYLON TWISTED DOCK LINE WHITE
50013009	7	1/2" X 15' NYLON TWISTED DOCK LINE WHITE
50013010	7	1/2" X 20' NYLON TWISTED DOCK LINE WHITE
50013011	7	1/2" X 25' NYLON TWISTED DOCK LINE WHITE
50013012	7	1/2" X 35' NYLON TWISTED DOCK LINE WHITE
50013018	7	5/8" X 25' NYLON TWISTED DOCK LINE WHITE
50013019	7	5/8" X 30' NYLON TWISTED DOCK LINE WHITE
50013020	7	5/8" X 35' NYLON TWISTED DOCK LINE WHITE
50013025	7	3/8" X 50' NYLON TWISTED ANCHOR LINE WHITE

Model	Page	Description
50013026	7	3/8" X 100' NYLON TWISTED ANCHOR LINE WHITE
50013027	7	3/8" X 150' NYLON TWISTED ANCHOR LINE WHITE
50013030	7	1/2" X 100' NYLON TWISTED ANCHOR LINE WHITE
50013031	7	1/2" X 150' NYLON TWISTED ANCHOR LINE WHITE
50013032	7	1/2" X 200' NYLON TWISTED ANCHOR LINE WHITE
50013042	8	1/4" X 50' POLY HOLLOW BRAID ANCHOR LINE WHITE
50013043	8	1/4" X 100' POLY HOLLOW BRAID ANCHOR LINE WHITE
50013044	11	3/8" X 20' POLY TWISTED WINCH ROPE BLACK
50013046	8	3/8" X 75' POLY HOLLOW BRAID ANCHOR LINE WHITE
50013047	8	3/8" X 100' POLY HOLLOW BRAID ANCHOR LINE WHITE
50013049	8	3/16" X 75' NYLON SOLID BRAID ANCHOR LINE WHITE
50013050	8	3/16" X 100' NYLON SOLID BRAID ANCHOR LINE WHITE
50013052	7	5/16" X 75' NYLON TWISTED ANCHOR LINE WHITE
50013055	8	3/8" X 35' NYLON SOLID BRAID ANCHOR LINE WHITE
50013056	8	3/8" X 50' MFP SOLID BRAID ANCHOR LINE WHITE
50013057	8	3/8" X 50' MFP SOLID BRAID ANCHOR LINE RED
50013058	8	3/8" X 50' MFP SOLID BRAID ANCHOR LINE BLUE
50013059	8	3/8" X 50' MFP SOLID BRAID ANCHOR LINE BLACK
50013060	5	3/8" X 15' NYLON DOUBLE BRAID DOCK LINE G/W
50013061	5	3/8" X 20' NYLON DOUBLE BRAID DOCK LINE G/W
50013062	5	3/8" X 25' NYLON DOUBLE BRAID DOCK LINE G/W
50013064	5	1/2" X 15' NYLON DOUBLE BRAID DOCK LINE G/W
50013065	5	1/2" X 20' NYLON DOUBLE BRAID DOCK LINE G/W
50013066	5	1/2" X 25' NYLON DOUBLE BRAID DOCK LINE G/W
50013067	5	1/2" X 35' NYLON DOUBLE BRAID DOCK LINE G/W
50013069	5	5/8" X 20' NYLON DOUBLE BRAID DOCK LINE G/W
50013070	5	5/8" X 25' NYLON DOUBLE BRAID DOCK LINE G/W
50013071	5	5/8" X 30' NYLON DOUBLE BRAID DOCK LINE GOLD
50013072	5	5/8" X 35' NYLON DOUBLE BRAID DOCK LINE GOLD
50013076	5	3/8" X 15' NYLON DOUBLE BRAID DOCK LINE BLUE
50013077	5	3/8" X 20' NYLON DOUBLE BRAID DOCK LINE BLUE
50013078	5	3/8" X 25' NYLON DOUBLE BRAID DOCK LINE BLUE
50013080	5	1/2" X 15' NYLON DOUBLE BRAID DOCK LINE BLUE
50013081	5	1/2" X 20' NYLON DOUBLE BRAID DOCK LINE BLUE
50013082	5	1/2" X 25' NYLON DOUBLE BRAID DOCK LINE BLUE
50013083	5	1/2" X 35' NYLON DOUBLE BRAID DOCK LINE BLUE
50013085	5	5/8" X 20' NYLON DOUBLE BRAID DOCK LINE BLUE
50013086	5	5/8" X 25' NYLON DOUBLE BRAID DOCK LINE BLUE
50013087	5	5/8" X 30' NYLON DOUBLE BRAID DOCK LINE BLUE
50013088	5	5/8" X 35' NYLON DOUBLE BRAID DOCK LINE BLUE
50013092	5	3/8" X 15' NYLON DOUBLE BRAID DOCK LINE BLACK
50013093	5	3/8" X 20' NYLON DOUBLE BRAID DOCK LINE BLACK
50013094	5	3/8" X 25' NYLON DOUBLE BRAID DOCK LINE BLACK
50013096	5	1/2" X 15' NYLON DOUBLE BRAID DOCK LINE BLACK
50013097	5	1/2" X 20' NYLON DOUBLE BRAID DOCK LINE BLACK
50013098	5	1/2" X 25' NYLON DOUBLE BRAID DOCK LINE BLACK
50013099	5	1/2" X 35' NYLON DOUBLE BRAID DOCK LINE BLACK
50013101	5	5/8" X 20' NYLON DOUBLE BRAID DOCK LINE BLACK
50013102	5	5/8" X 25' NYLON DOUBLE BRAID DOCK LINE BLACK
50013103	5	5/8" X 30' NYLON DOUBLE BRAID DOCK LINE BLACK
50013104	5	5/8" X 35' NYLON DOUBLE BRAID DOCK LINE BLACK
50013105	6	1/2" X 15' MFP SOLID BRAID ROPE CHAFE GUARD WHITE
50013106	6	1/2" X 25' MFP SOLID BRAID ROPE CHAFE GUARD WHITE
50013107	6	3/8" X 15' MFP SOLID BRAID ROPE CHAFE GUARD WHITE

Index

Model	Page	Description	Model	Page	Description
50013108	6	3/8" X 15' MFP SOLID BRAID ROPE CHAFE GUARD RED	50014090	11	ROPE CUTTING GUN
50013109	6	3/8" X 15' MFP SOLID BRAID ROPE CHAFE GUARD BLUE	50014091	11	PORTABLE HOT KNIFE ROPE CUTTER
50013110	6	3/8" X 15' MFP SOLID BRAID ROPE CHAFE GUARD BLACK	50017105	141	U-BOLT SPARE TIRE CARRIER
50013113	6	1/2" X 15' MFP SOLID BRAID ROPE CHAFE GUARD BLACK	50017106	141	OFFSET SPARE TIRE CARRIER
50013114	6	1/2" X 15' MFP SOLID BRAID ROPE CHAFE GUARD BLUE	50017112	57	PWC COVER 106"-115"
50013115	6	1/2" X 15' MFP SOLID BRAID ROPE CHAFE GUARD RED	50017115	140	EZ LIFT COUPLER HANDLE
50013116	6	1/2" X 25' MFP SOLID BRAID ROPE CHAFE GUARD BLACK	50017126	140	TRAILER HITCH COUPLER FOR 2" BALL
50013117	6	1/2" X 25' MFP SOLID BRAID ROPE CHAFE GUARD BLUE	50017130	140	COUPLER REPAIR KIT 1-7/8"
50013118	6	1/2" X 25' MFP SOLID BRAID ROPE CHAFE GUARD RED	50017131	140	COUPLER REPAIR KIT 2"
50013120	9	3/16" X 50' NYLON DIAMOND BRAID ROPE WHITE	50017140	139	CHROME TRAILER BALL 1-7/8" X 1-1/2"
50013121	9	3/16" X 150' NYLON DIAMOND BRAID ROPE WHITE	50017143	139	CHROME TRAILER BALL 1-7/8" X 2"
50013125	9	1/4" X 50' NYLON DIAMOND BRAID ROPE WHITE	50017152	139	CHROME TRAILER BALL 2" X 1-1/2"
50013126	9	1/4" X 100' NYLON DIAMOND BRAID ROPE WHITE	50017154	139	CHROME TRAILER BALL 2" X 2"
50013132	9	3/8" X 50' NYLON DIAMOND BRAID ROPE WHITE	50017200	140	RECEIVER PIN W/ COTTER PIN
50013139	9	1/4" X 40' POLY HOLLOW BRAID ROPE YELLOW	50017202	140	TRAILER HITCH LOCK
50013140	9	1/4" X 50' POLY HOLLOW BRAID ROPE YELLOW	50017204	140	TRAILER LOCK & RECEIVER PIN
50013141	9	1/4" X 100' POLY HOLLOW BRAID ROPE YELLOW	50017213	57	JON BOAT COVER 12'-14'
50013142	9	3/8" X 10' POLY HOLLOW BRAID ROPE RED/WHITE	50017506	128	PWC JACK STAND 300 LB. ZINC
50013143	9	3/8" X 20' POLY HOLLOW BRAID ROPE YELLOW	50017515	128	EASY LIFT JACK
50013144	9	3/8" X 15' POLY HOLLOW BRAID ROPE BLUE/WHITE	50017530	125, 126	SAFETY TRAILER JACK 800 LB. SEACOAT TM
50013210	5	3/8" X 15' NYLON DOUBLE BRAID DOCK LINE WHITE	50017541	125, 126	TRAILER JACK SS1000 ZINC, 1000 LB.
50013211	5	3/8" X 20' NYLON DOUBLE BRAID DOCK LINE WHITE	50017544	125, 126	TRAILER JACK SS1200 ZINC, 1200 LB.
50013212	5	3/8" X 25' NYLON DOUBLE BRAID DOCK LINE WHITE	50017545	125, 126	TRAILER JACK SS1500 ZINC, 1500 LB.
50013219	5	1/2" X 15' NYLON DOUBLE BRAID DOCK LINE WHITE	50017547	125, 126	TRAILER JACK SS1500 ZINC, 1500 LB.
50013220	5	1/2" X 20' NYLON DOUBLE BRAID DOCK LINE WHITE	50017573	125, 127	TRAILER JACK 1500 LB. SEACOAT TM
50013221	5	1/2" X 25' NYLON DOUBLE BRAID DOCKLINE WHITE	50017584	125, 127	TRAILER JACK 1500 LB. SEACOAT TM MIGHTY WHEEL/BRAKE
50013222	5	1/2" X 35' NYLON DOUBLE BRAID DOCK LINE WHITE	50017594	125, 127	TRAILER JACK 2500 LB. SEACOAT TM MIGHTY WHEEL
50013232	5	3/8" X 10' NYLON DOUBLE BRAID DOCK LINE WHITE	50017621	128	TRAILER JACK 2000 LB. EDC A-FRAME
50013234	5	5/8" X 30' NYLON DOUBLE BRAID DOCK LINE WHITE	50017630	127	TRAILER JACK 2500 LB. ZINC SQUARE TUBE
50013235	5	5/8" X 35' NYLON DOUBLE BRAID DOCK LINE WHITE	50017680	128	6" REPLACEMENT JACK WHEEL
50013236	5	5/8" X 25' NYLON DOUBLE BRAID DOCK LINE WHITE	50017683	128	OPTIONAL FOOT PLATE (A-FRAME TRAILER JACK)
50013240	10	5/16" X 30' MFP SOLID BRAID ROPE BLUE	50017800	129, 130	TRAILER WINCH 600 LB. ZINC PLATED
50013270	6	3/8" X 15' MFP BRAIDED ROPE BLACK	50017802	129, 130	TRAILER WINCH 1000 LB. ZINC PLATED
50013271	6	3/8" X 15' MFP BRAIDED ROPE BLUE	50017803	129, 130	TRAILER WINCH 1000 LB. ZINC PLATED W/STRAP
50013274	6	3/8" X 15' MFP BRAIDED ROPE RED	50017804	129, 130	TRAILER WINCH 1600 LB. ZINC PLATED W/STRAP
50013276	6	1/2" X 15' MFP BRAIDED ROPE BLACK	50017805	129, 131	TRAILER WINCH 2000 LB. ZINC PLATED, 2 SPEED W/BRAKE & STRAP
50013277	6	1/2" X 15' MFP BRAIDED ROPE BLUE	50017830	129, 130	TRAILER WINCH 1200 LB. ZINC PLATED
50013278	6	1/2" X 15' MFP BRAIDED ROPE RED	50017831	129, 130	TRAILER WINCH 1200 LB. ZINC PLATED W/STRAP
50013280	6	1/2" X 25' MFP BRAIDED ROPE BLACK	50017834	129, 131	TRAILER WINCH 1200 LB. EDC W/STRAP
50013289	6	1/2" X 25' MFP BRAIDED ROPE BLUE	50017835	129, 131	TRAILER WINCH 1200 LB. EDC W/EZ SHIFT & STRAP
50013290	6	1/2" X 25' MFP BRAIDED ROPE RED	50017953	129, 131	TRAILER WINCH 1600 LB. SEACOAT TM W/STRAP
50014002	10	3/8" X 600' NYLON TWISTED WHITE	50017965	129, 131	TRAILER WINCH 2000 LB. SEACOAT TM W/STRAP
50014004	10	1/2" X 300' NYLON TWISTED WHITE	50018009	129, 130	TRAILER WINCH 900 LB. ZINC PLATED
50014005	10	1/2" X 600' NYLON TWISTED WHITE	50018053	129, 131	TRAILER WINCH 2500 LB. SEACOAT TM , 2 SPEED W/BRAKE & STRAP
50014006	10	5/8" X 300' NYLON TWISTED WHITE	50018090	132	REPLACEMENT WINCH HANDLE
50014032	10	1/4" X 1000' POLY HOLLOW BRAID BLUE/WHITE	50018100	132	WINCH STRAP 15'
50014033	10	1/4" X 1000' POLY HOLLOW BRAID RED/WHITE	50018102	132	WINCH STRAP 20'
50014043	10	1/2" X 500' POLY HOLLOW BRAID WHITE	50018107	132	PWC WINCH STRAP 12'
50014050	10	1/4" X 200' NYLON SOLID DIAMOND BRAID WHITE	50018110	132	HEAVY-DUTY WINCH 24' STRAP W/HOOK
50014051	10	3/16" X 500' NYLON SOLID DIAMOND BRAID WHITE	50018121	132	WINCH CABLE 1/8" X 20' W/HOOK
50014052	10	1/4" X 500' NYLON SOLID DIAMOND BRAID WHITE	50018123	132	WINCH CABLE 3/16" X 25' W/HOOK
50014053	10	3/8" X 250' NYLON SOLID DIAMOND BRAID WHITE			
50014055	10	1/2" X 250' NYLON SOLID DIAMOND BRAID WHITE			

Model	Page	Description
50018125	132	WINCH CABLE 3/16" X 50' W/HOOK
50018127	132	WINCH CABLE 7/32" X 50' W/HOOK
50023412	100	LED RECESSED ACCENT/CEILING LIGHT, CHROME
50023413	100	LED RECESSED ACCENT/CEILING LIGHT, CHROME
50023420	100	LED RECESSED ACCENT/CEILING LIGHT, STAINLESS STEEL (WHITE)
50023421	100	LED RECESSED ACCENT/CEILING LIGHT, STAINLESS STEEL (RED)
50023485	102	LED MINI CEILING LIGHT
50023506	99	SURFACE MOUNT LED COURTESY LIGHT, RED
50023510	104	LED SURFACE MOUNT COURTESY LIGHT (2 WHITE LEDS)
50023516	104	LED SURFACE MOUNT COURTESY LIGHT (2 RED LEDS)
50023517	104	LED SURFACE ANGLED COURTESY LIGHT (2 RED LEDS)
50023570	105	LED BIMINI LIGHT
50023581	97, 123	LED SNAP STRIP LIGHT, WHITE
50023582	97, 123	LED SNAP STRIP LIGHT, RED
50023583	97, 123	LED SNAP STRIP LIGHT, AMBER
50023584	97, 123	LED SNAP STRIP LIGHT, BLUE
50023585	97, 123	LED SNAP STRIP LIGHT, GREEN
50023601	97, 123	LED STRIP LIGHT - CHROME (6 RED LEDS)
50023602	97, 123	LED STRIP LIGHT - CHROME (6 AMBER LEDS)
50023615	97, 123	LED STRIP LIGHT - CHROME (12 RED LEDS)
50023616	97, 123	LED STRIP LIGHT - CHROME (12 AMBER LEDS)
50023621	103	LED RECESSED COMPANION WAY LIGHT (STAINLESS STEEL/RED LED)
50023632	103	LED RECESSED COMPANION WAY LIGHT (CLEAR/WHITE LED)
50023633	103	LED RECESSED COMPANION WAY LIGHT (BLACK/RED LED)
50023637	105	LED STEP LIGHT
50023710	105	LED RAIL LIGHT 6"
50023712	105	LED RAIL LIGHT 12"
50023718	105	LED RAIL LIGHT 18"
50023733	102	LED CEILING LIGHT
50023735	102	LED CEILING LIGHT W/MOTION
50023749	102	LED DOME LIGHT, COOL WHITE STAINLESS STEEL
50023750	102	LED DOME LIGHT, RED/WHITE STAINLESS STEEL
50023751	102	LED DOME LIGHT, COOL WHITE LED BRASS
50023752	102	LED DOME LIGHT, RED/WHITE TITANIUM NITRIDE
50023754	102	LED DOME LIGHT, WHITE STAINLESS STEEL
50023755	102	LED DOME LIGHT, RED/WHITE STAINLESS STEEL
50023756	102	LED DOME LIGHT, WHITE TITANIUM NITRIDE
50023757	102	LED DOME LIGHT, RED/WHITE TITANIUM NITRIDE
50023765	103	LED INTERIOR LIGHT, WHITE
50023766	103	LED INTERIOR LIGHT, DUAL WHITE/RED
50023781	97, 123	LED STRIP LIGHT (12 WHITE LEDS)
50023783	97, 123	LED STRIP LIGHT (12 RED LEDS)
50023784	97, 123	LED STRIP LIGHT (12 BLUE LEDS)
50023785	97, 123	LED STRIP LIGHT (12 AMBER LEDS)
50023786	97, 123	LED STRIP LIGHT (18 WHITE LEDS)
50023787	97, 123	LED STRIP LIGHT (18 RED LEDS)
50023788	97, 123	LED STRIP LIGHT (18 BLUE LEDS)
50023789	97, 123	LED STRIP LIGHT (18 AMBER LEDS)
50023804	101	3" LED PUCK LIGHT, STAINLESS STEEL
50023805	101	4" LED PUCK LIGHT, STAINLESS STEEL
50023806	105	LED SURFACE MOUNT COURTESY LIGHT WHITE

Model	Page	Description
50023807	105	LED SURFACE MOUNT COURTESY LIGHT BLACK
50023809	100	3" LED RECESSED MOUNT ACCENT LIGHT
50023810	96	LED FLEXIBLE STRIP LIGHT, WHITE
50023812	96	LED FLEXIBLE STRIP LIGHT, BLUE
50023813	100	LED RECESSED MOUNT CABIN LIGHT
50023814	101	LED SURFACE MOUNT DOME LIGHT (12 WHITE LEDS)
50023818	101	LED SURFACE MOUNT DOME LIGHT (9 RED LEDS)
50023822	101	LED SURFACE MOUNT DOME LIGHT (12 WHITE, 9 RED LEDS)
50023823	99	BLUE LIVEWELL LIGHT (CRYSTAL)
50023825	99	RED LIVEWELL LIGHT (CRYSTAL)
50023827	99	WHITE LIVEWELL LIGHT (CRYSTAL)
50023828	101	LED RECESSED ACCENT LIGHT (12 WHITE LEDS)
50023831	104	LED RECESSED COMPANION WAY LIGHT (BLACK COVER/WHITE LED)
50023832	104	LED RECESSED COMPANION WAY LIGHT (BLACK COVER/RED LED)
50023833	104	LED RECESSED COMPANION WAY LIGHT (WHITE COVER/WHITE LED)
50023834	104	LED RECESSED COMPANION WAY LIGHT (WHITE COVER/RED LED)
50023836	101	LED RECESSED ACCENT LIGHT (12 WHITE, 9 RED LEDS)
50023838	97, 123	LED STRIP LIGHT (6 WHITE LEDS)
50023840	97, 123	LED STRIP LIGHT (6 RED LEDS)
50023841	97, 123	LED STRIP LIGHT (6 AMBER LEDS)
50023842	97, 123	LED STRIP LIGHT (6 BLUE LEDS)
50023843	97, 123	LED STRIP LIGHT (6 GREEN LEDS)
50023845	122	LED CHROME BEZEL CLEARANCE LIGHTS RED
50023846	122	LED CHROME BEZEL CLEARANCE LIGHTS AMBER
50023850	101	LED SURFACE MOUNT DOME LIGHT (18 WHITE LEDS)
50023851	101	LED RECESSED ACCENT LIGHT (18 WHITE LEDS)
50023856	101	LED SURFACE MOUNT DOME LIGHT (18 SOFT WHITE LEDS)
50023861	98	LED WHITE READING LIGHT
50023865	104	LED MINI ACCENT LIGHT (WHITE COVER/WHITE LED)
50023866	104	LED MINI ACCENT LIGHT (WHITE COVER/RED LED)
50023867	104	LED MINI ACCENT LIGHT (BLACK COVER/WHITE LED)
50023868	104	LED MINI ACCENT LIGHT (BLACK COVER/RED LED)
50023870	94	COMBINATION SIDE-MARKER LIGHT, EDC
50023872	94	COMBINATION SIDE-MARKER LIGHT, CHROME
50023874	92	LED CLAMP-ON COMBINATION LIGHT
50023875	94	LED COMBINATION BOW LIGHT
50023876	92	LED CLAMP-ON COMBINATION LIGHT, CAMO
50023880	95	LARGE COMBINATION SIDE-MARKER LIGHT, EDC
50023882	95	LARGE COMBINATION SIDE-MARKER LIGHT, CHROME
50023884	93	PLUG-IN SIDE-MARKER LIGHT
50023885	93	PLUG-IN SIDE-MARKER LIGHT, EDC
50023886	95	LED TEARDROP BOW LIGHTS
50023887	95	TEARDROP BOW LIGHTS
50023888	101	LED "INSTANT TOUCH" THREE-WAY ACCENT LIGHT
50023889	95	LED COMBO BOW LIGHT, PVC
50023890	95	LED COMBO BOW LIGHT, STAINLESS STEEL
50023891	95	DECK MOUNT LED RED, PVC
50023892	95	DECK MOUNT LED RED, STAINLESS STEEL
50023893	95	DECK MOUNT LED GREEN, PVC
50023894	95	DECK MOUNT LED GREEN, STAINLESS STEEL

Model	Page	Description
50023895	96	SIDE MOUNT LED RED, PVC
50023896	96	SIDE MOUNT LED RED, STAINLESS STEEL
50023897	96	SIDE MOUNT LED GREEN, PVC
50023898	96	SIDE MOUNT LED GREEN, STAINLESS STEEL
50023899	96	LED TRANSOM LIGHT ROUND
50023900	96	LED TRANSOM LIGHT RECTANGLE
50023911	94	LED MAST LIGHT 4"
50023919	92	10" ALL-ROUND FIXED LIGHT
50023922	92	12" ALL-ROUND FOLDING LIGHT
50023927	92	12" ALL-ROUND FOLDING LIGHT, BLACK
50023943	91	26"-48" STERN LIGHT, CHROME W/ROUND BASE
50023946	91	26"-48" STERN LIGHT, BLACK (LIGHT ONLY)
50023947	91	26"-48" STERN LIGHT, BLACK W/BLACK NYLON BASE
50023949	91	26"-48" STERN LIGHT, CHROME (LIGHT ONLY)
50023952	93	CHROME CLASSIC STERN LIGHT BASE
50023953	93	NYLON STERN LIGHT BASE
50023954	91	34"-60" STERN LIGHT, CHROME (LIGHT ONLY)
50023956	91	40"-72" STERN LIGHT, CHROME (LIGHT ONLY)
50023957	24, 93	ROUND LIGHT BASE W/LOCKING COLLAR
50023961	90	26"-48" LED STERN LIGHT, CHROME (LIGHT ONLY)
50023963	90	34"-60" LED STERN LIGHT, CHROME (LIGHT ONLY)
50023965	90	40"-72" LED STERN LIGHT, CHROME (LIGHT ONLY)
50023967	90	26"-48" LED STERN LIGHT, BLACK EDC (LIGHT ONLY)
50023969	90	34"-60" LED STERN LIGHT, BLACK EDC (LIGHT ONLY)
50023971	90	40"-72" LED STERN LIGHT, BLACK EDC (LIGHT ONLY)
50023975	91	10" LED FIXED ALL-ROUND LIGHT
50023976	91	10" LED FIXED ALL-ROUND LIGHT, EDC
50023977	91	12" LED FOLDING ALL-ROUND LIGHT
50023978	91	12" LED FOLDING ALL-ROUND LIGHT, EDC
50023982	91	LED TELESCOPIC ALL-ROUND LIGHT, FOLDING
50023993	96	LED STERN LIGHT ROUND
50024250	98	RECHARGEABLE HALOGEN SPOT LIGHT
50024251	98	RECHARGEABLE LED SPOT LIGHT
50024253	98	LED SPOT LIGHT
50024288	99	360 DEGREE LED INTERIOR LIGHT
50024296	103	LED AUTO-SENSOR LIGHT
50024298	106	LED DOT LIGHT, WHITE
50024299	106	LED DOT LIGHT, RED
50030001	99	BLUE LIVEWELL LIGHT (FROSTED)
50030002	99	RED LIVEWELL LIGHT (FROSTED)
50030003	99	WHITE LIVEWELL LIGHT (FROSTED)
50031019	110	6 POLE SPLASH-PROOF SWITCH WITHOUT LED
50031020	110	3 POLE SPLASH-PROOF SWITCH WITH LED
50031021	110	5 POLE SPLASH-PROOF SWITCH WITH LED
50031032	111	PUSH / PULL W/RED PILOT LAMP
50031040	110	4 POLE SPLASH-PROOF SWITCH WITHOUT LED
50031042	114	BATTERY METER
50031044	114	HAND HELD BATTERY TESTER (ANALOG)
50031046	114	HAND HELD BATTERY TESTER 5-30 VDC (DIGITAL)
50031047	112	TOGGLE SWITCH BOOT (EPDM)
50031054	53	WHITE DECK PLATE 5" (TWIST-N-LOCK)
50031061	118	14 GAUGE TINNED WIRE, BROWN
50031064	56	WHITE NYLON GEAR HAMMOCK

Model	Page	Description
50031065	116	RAIL MOUNT ANTENNA BASE
50031071	56	HAMMOCK HOOKS (STAINLESS STEEL) (PAIRS)
50031075	53	TWIST-N-LOCK INSPECTION PLATE 6"
50031076	53	TWIST-N-LOCK INSPECTION PLATE 8"
50031077	118	16 GAUGE TINNED WIRE, BLACK
50031078	118	16 GAUGE TINNED WIRE, BROWN
50031082	53	BLACK DECK PLATE 6" (SCREW-IN)
50031090	113	MANUAL SWITCH RESET (SURFACE MOUNT)
50031091	113	MANUAL RESET (SURFACE MOUNT)
50031092	113	MANUAL SWITCH RESET (PANEL MOUNT)
50031093	113	MANUAL RESET (PANEL MOUNT)
50031101	118	ELECTRICAL TAPE
50031104	118	CABLE CLAMPS
50031107	118	WATERPROOF CABLE LABELS
50031108	117	WIRE TOOL
50031113	117	112 PIECE MARINE GRADE ELECTRICAL KIT
50031114	116	42 PIECE WATERPROOF CONNECTOR ELECTRICAL KIT
50031117	117	338 PIECE MARINE GRADE ELECTRICAL KIT UPGRADE
50031121	117	338 PIECE MARINE GRADE ELECTRICAL KIT
50031124	115	BATTERY DISCONNECT SWITCH ON/OFF (300 AMPS, UP TO 48 VDC)
50031132	115	MINI MASTER BATTERY SWITCH OFF/1/BOTH/2 (300 AMPS, UP TO 48 VDC)
50031136	115	HEAVY-DUTY BATTERY DISCONNECT SWITCH OFF/1/BOTH/2 (310 AMPS, UP TO 36 VDC)
50031153	112	IGNITION STARTER SWITCH, MERC SCREW
50031154	112	IGNITION STARTER SWITCH, PUSH TO CHOKE
50031160	111	PUSH BUTTON SWITCH W/RUBBER BOOT
50031162	111	2 POSITION ON / OFF SWITCH
50031172	111	3 POSITION ON / ON / OFF SWITCH
50031183	111	MOMENTARY SWITCH
50031190	113	POLARIZED WATERTIGHT POWER OUTLET
50031200	112	TOGGLE SWITCH BOOT
50031202	112	ON / OFF TOGGLE SWITCH
50031206	112	MOM / OFF / MOM TOGGLE SWITCH
50031215	112	ON / OFF ILLUMINATED TOGGLE SWITCH
50031217	112	ON / OFF / ON ILLUMINATED TOGGLE SWITCH
50031222	112	ON / OFF / ON TOGGLE SWITCH
50031230	110	6 GANG TERMINAL BLOCK
50031242	112	ON / OFF TOGGLE SWITCH
50031247	111	ON / OFF / ON ROCKER SWITCH
50031249	111	OFF / MOM ROCKER SWITCH
50031251	111	ON / OFF ILLUMINATED ROCKER SWITCH
50031253	110	4 POLE EASY TOUCH SPLASH-PROOF SWITCH ON/OFF
50031254	111	SWITCH FRAME (CENTER)
50031255	110	3 POLE EASY TOUCH SPLASH-PROOF SWITCH ON/OFF/ON
50031256	111	SWITCH FRAME (SIDE)
50031257	110	EASY TOUCH SWITCH MM ON/OFF/MM-ON
50031260	110	6 POLE SPLASH-PROOF SWITCH WITH LED
50031262	110	ILLUMINATED EASY TOUCH SWITCH ON/OFF/ON
50031263	110	6 POLE ILLUMINATED EASY TOUCH SWITCH MM ON/OFF/MM-ON
50031273	109	4 GANG ROCKER SWITCH
50031275	109	6 GANG ROCKER SWITCH

Model	Page	Description
50031284	109	4 GANG LED SWITCH PANEL
50031286	109	6 GANG LED SWITCH PANEL
50031288	108	8 GANG LED SWITCH PANEL
50031290	108	3 GANG TOGGLE SWITCH W/12V OUTLET
50031291	108	4 GANG TOGGLE SWITCH
50031295	108	5 GANG TOGGLE SWITCH W/12V OUTLET
50031297	108	6 GANG TOGGLE SWITCH
50031298	108	3 GANG TOGGLE SWITCH W/USB OUTLET
50031299	108	5 GANG TOGGLE SWITCH W/USB OUTLET
50031482	113	FUSE HOLDER
50031700	115	MARINE BATTERY TERMINALS (PAIR)
50031702	114	BATTERY CLIPS
50031703	114	HEAVY DUTY BATTERY CLIPS
50031732	113	ACCESSORY PLUG & SOCKET
50031737	113	PLUG ONLY
50031739	113	SOCKET ONLY
50031740	113	2 PORT CHARGER
50031772	114	BATTERY CLIP EXTENSION
50031802	114	CHROME CHART LIGHT/CIGARETTE LIGHTER
50031902	29	STAINLESS STEEL 12-VOLT HORN
50031910	29	STAINLESS STEEL 12-VOLT TRUMPET HORN - SINGLE
50031911	29	STAINLESS STEEL 12-VOLT TRUMPET HORN - DUAL
50031913	29	STAINLESS STEEL DUAL 12-VOLT HORN
50031952	83	UNIVERSAL KILL SWITCH W/COILED LANYARD
50032146	85	3" MOTOR WELL BOOT
50032148	85	4" MOTOR WELL BOOT
50032150	72	COCKPIT SCUPPER VALVE
50032162	73	1" STAINLESS STEEL SNAP DRAIN PLUG
50032172	73	1" STAINLESS STEEL TWIST DRAIN PLUG
50032260	72	1-7/8" DRAIN TUBE
50032265	72	3" DRAIN TUBE
50032269	73	EZ-IN GARBOARD PLUG ONLY
50032270	72	ONE WAY PLUG KIT
50032272	73	GARBOARD DRAIN PLUG - BRASS
50032276	30, 72	EMERGENCY GARBOARD PLUG KEY CHAIN (36 PIECE PDQ)
50032277	30, 72	EMERGENCY GARBOARD PLUG KEY CHAIN
50032282	72	GARBOARD DRAIN PLUG KIT - BRASS
50032286	73	1" ALUMINUM TWIST DRAIN PLUG
50032288	73	1" ALUMINUM SNAP DRAIN PLUG
50032292	73	1" BRASS SNAP DRAIN PLUG
50032312	73	1" BRASS TWIST DRAIN PLUG
50032314	73	1-1/4" BRASS SNAP DRAIN PLUG
50032332	73	1/2" BAITWELL/BAILER PLUG (PAIR)
50032341	73	5/8" BAITWELL/BAILER PLUG (SINGLE)
50032342	73	5/8" BAITWELL/BAILER PLUG (PAIR)
50032352	73	3/4" BAITWELL/BAILER PLUG (PAIR)
50041102	116	DECK MOUNT ANTENNA BASE
50045422	53	FLUSH PULL BLACK
50045424	53	FLUSH PULL WHITE
50045427	53	LARGE FLUSH PULL BLACK
50045429	53	LARGE FLUSH PULL WHITE
50045436	52	RING PULL 1-3/4" X 1-1/2"
50045450	53	HATCH LIFT SPRING (STAINLESS STEEL) 11-1/8"

Model	Page	Description
50045488	85	DECK PLATE KEY
50045493	52	HIDEAWAY RING PULL
50048100	63	81 PIECE STAINLESS STEEL MACHINE SCREW KIT
50048101	62	68 PIECE PAN HEAD STAINLESS STEEL SCREW KIT
50048102	62	68 PIECE OVAL TAPPING STAINLESS STEEL SCREW KIT
50048210	63	168 PIECE STAINLESS STEEL DELUXE FASTENER KIT
50048214	63	270 PIECE STAINLESS STEEL HARDWARE ASSORTMENT
50048219	64	800 PIECE SCREW/FASTENER KIT
50048220	65	1120 PIECE SCREW/FASTENER KIT
50048249	62	METAL SNAP TOOL & DIE SET (TOOL ONLY)
50048250	62	47 CANVAS FASTENER KIT
50048253	63	101 PIECE CANVAS FASTENER KIT
50048257	62	CANVAS SNAP PLIER (TOOL ONLY)
50048258	62	73 PIECE CANVAS FASTENER SNAP KIT
50048263	64	450 PIECE CANVAS FASTENER KIT
50052017	76	SECURESTACK SIX GALLON TANK, EPA, QTY:1
50052023	76	SECURESTACK TIE DOWN KIT
50052103	81	FUEL FILTER/WATER SEPARATOR KIT
50052113	81	CANISTER (SEE ABOVE FOR OEM REPLACEMENT)
50052115	81	FUEL FILTER, (REPLACES: YAMAHA HICAP 6" MAR-FUELF-IL-TR)
50052116	81	UNIVERSAL WATER SEPARATING FUEL FILTER COMPLETE KIT
50052117	81	FUEL FILTER (REPLACES: MERCURY 35-809097, RACOR S3213)
50052119	81	UNIVERSAL WATER SEPARATING FUEL FILTER & BOWL (USE WITH P/N 50052116)
50052125	81	FUEL FILTER KIT
50052144	81	CANISTER (SEE ABOVE FOR OEM REPLACEMENT)
50052211	87	12 VOLT FEMALE TROLLING MOTOR CONNECTOR
50052212	80	MERCURY FEMALE 2 PRONG CLIP STYLE TANK CONNECTOR 3/8" BARB, RESIN
50052213	80	HONDA MALE TANK FITTING
50052214	80	HONDA MALE 2 PRONG CLIP STYLE TANK CONNECTOR
50052215	80	HONDA FEMALE FUEL LINE CONNECTOR
50052216	87	12 VOLT MALE TROLLING MOTOR CONNECTOR
50052217	80	HONDA FEMALE FUEL LINE ENGINE CONNECTOR
50052218	80	MERCURY FEMALE 2 PRONG CLIP STYLE FUEL & TANK CONNECTOR
50052219	87	12 VOLT MALE TROLLING MOTOR CONNECTOR
50052220	80	MERCURY MALE 2 PRONG CLIP STYLE TANK CONNECTOR
50052221	87	12 VOLT FEMALE TROLLING MOTOR CONNECTOR
50052223	87	24 VOLT FEMALE TROLLING MOTOR CONNECTOR
50052224	87	24 VOLT MALE TROLLING MOTOR CONNECTOR
50052225	87	24 VOLT MALE TROLLING MOTOR CONNECTOR
50052226	87	24 VOLT FEMALE TROLLING MOTOR CONNECTOR
50052237	80	TOHATSU/NISSAN FEMALE FUEL LINE CONNECTOR
50052239	80	TOHATSU/NISSAN MALE TANK CONNECTOR
50052243	80	TOHATSU/NISSAN FEMALE FUEL LINE CONNECTOR
50052245	80	TOHATSU/NISSAN MALE TANK CONNECTOR
50052254	80	SUZUKI FEMALE FUEL LINE CONNECTOR
50052256	80	SUZUKI MALE TANK CONNECTOR
50052272	80	BRP/OMC/JOHNSON/EVINRUDE FEMALE FUEL LINE CONNECTOR
50052282	80	BRP/OMC/JOHNSON/EVINRUDE MALE TANK CONNECTOR

Index

Model	Page	Description
50052292	80	YAMAHA FEMALE FUEL LINE CONNECTOR
50052302	80	YAMAHA MALE TANK CONNECTOR
50052312	80	MERCURY/MARINER 3 PC. FEMALE TANK CONNECTOR
50052322	80	MERCURY/MARINER MALE FUEL LINE CONNECTOR
50052332	80	CHRYSLER/FORCE FEMALE FUEL LINE CONNECTOR
50052342	80	CHRYSLER/FORCE MALE TANK CONNECTOR
50052372	80	1/4" NPT X 3/8" MALE BARB, BRASS
50052374	80	1/4" NPT X 5/16" MALE BARB, BRASS
50052376	80	1/4" NPT X 1/4" MALE BARB, BRASS
50052380	80	3/8" BARB BULKHEAD
50052441	77	1/4" FEMALE/FEMALE SHUT OFF VALVE
50052444	71	DUAL-BILGE Y-VALVE
50052445	77	1/4" NPT THREE-WAY VALVE CLICK
50052449	77	3/8" NPT FEMALE THREE-WAY VALVE
50052452	77	1/4" NPT FEMALE FOUR-WAY VALVE
50052500	76	ALL-IN-ONE FUEL SYSTEM KIT
50052503	76	3 GAL. FUEL TANK
50052506	76	6 GAL. FUEL TANK
50052512	76	12 GAL. FUEL TANK
50052660	77	50" X 3/8" LOW PERMEATION FUEL LINE
50052667-1	79	UNIVERSAL FUEL LINE ASSEMBLY
50052670	79	HONDA FUEL LINE ASSEMBLY
50052679-1	79	YAMAHA FUEL LINE ASSEMBLY
50052686-1	79	OMC FUEL LINE ASSEMBLY
50052689-1	79	MERCURY FUEL LINE ASSEMBLY
50052693-1	79	MERC/MARINER FUEL LINE ASSEMBLY
50061210	50	REPLACEMENT BIMINI STRAP BLACK
50061211	50	REPLACEMENT BIMINI STRAP WHITE
50061214	48	ADJUSTABLE TUBE CLAMP
50061215	48	ADJUSTABLE TUBE CLAMP
50061218	48	DECK MOUNTING BRACKET BLACK
50061219	48	DECK MOUNTING BRACKET WHITE
50061222	48	THUMB SCREW BLACK
50061223	48	THUMB SCREW WHITE
50061226	49	INSIDE EYE END 3/4" BLACK
50061227	49	INSIDE EYE END 3/4" WHITE
50061234	49	ANGLE HINGE BLACK
50061235	49	ANGLE HINGE WHITE
50061238	49	SIDE/TOP BRACKET BLACK
50061239	49	SIDE/TOP BRACKET WHITE
50061242	49	OUTSIDE EYE END 3/4IN ROUND
50061243	49	OUTSIDE EYE END 3/4IN ROUND
50061246	49	OUTSIDE EYE END 7/8IN ROUND
50061247	49	OUTSIDE EYE END 7/8IN ROUND
50061250	48	JAW SLIDE 3/4IN BLACK
50061251	48	JAW SLIDE 3/4IN WHITE
50061254	48	JAW SLIDE 7/8IN BLACK
50061255	48	JAW SLIDE 7/8IN WHITE
50062213	51	HINGE (STAINLESS STEEL)
50062266	52	BUTT HINGE (STAINLESS STEEL) (PAIR)
50062285	52	STAMPED STRAP HINGE (STAINLESS STEEL) (PAIR)
50062370	60	3-1/2" ZIGZAG CLEAT, NYLON (PAIR)
50062371	61	LIGHT-DUTY NYLON CLEAT 3" (PAIR)

Model	Page	Description
50062372	60	3-1/2" ZIGZAG FENDER HANGER (PAIR)
50062373	61	LIGHT-DUTY NYLON CLEAT 4" (PAIR)
50062374	60	3" ZIGZAG CLEAT, DIECAST (PAIR)
50062378	61	LIGHT-DUTY NYLON CLEAT 6-1/2"
50062393	60	4" OPEN BASE CLEAT, CHROME PLATED
50062395	60	6" OPEN BASE CLEAT, CHROME PLATED
50062402	60	6" STAINLESS STEEL CLEAT
50062404	60	8" STAINLESS STEEL CLEAT
50062415	61	4-1/2" SOFT POINT STAINLESS STEEL CLEAT
50062417	61	6" SOFT POINT STAINLESS STEEL CLEAT
50062421	60	4-1/2" ZAMAK CLEAT (SINGLE)
50062422	60	4-1/2" ZAMAK CLEAT (PAIR)
50062432	60	6" ZAMAK CLEAT (SINGLE)
50062442	61	4-1/2" SINGLE BLACK NYLON CLEAT
50062452	61	6" SINGLE BLACK NYLON CLEAT
50062455	61	8" SINGLE BLACK NYLON CLEAT (BULK)
50062457	61	10" SINGLE BLACK NYLON CLEAT (BULK)
50062463	61	3-3/8" BOW CHOCKS (PAIR)
50062467	60	STAINLESS STEEL LIFT RING CLEAT
50062482	61	4" GALVANIZED CLEAT
50062484	61	6" GALVANIZED CLEAT (BULK)
50062485	61	6" GALVANIZED CLEAT
50062486	61	8" GALVANIZED CLEAT (BULK)
50062488	61	10" GALVANIZED CLEAT
50062490	61	12" GALVANIZED CLEAT (BULK)
50062692	54	PLASTIC EYE STRAPS (4 PIECES)
50062695	54	STAINLESS STEEL PAD EYES (PAIR)
50062698	54	STAINLESS STEEL EYE STRAPS (PAIR)
50062722	54	DUAL SIZE BOW/STERN EYE
50063002	56	1-1/4" PADLOCK
50063012	56	1-1/2" PADLOCK
50063030	22	HEAVY-DUTY UTILITY MAGNET
50063152	59	3-1/8" SAFETY SPRING HOOK - ZINC
50063154	59	3-5/16" SAFETY SPRING HOOK - ZINC
50063162	58	4" UNIVERSAL SNAP
50063172	58	4" SNAP HOOK
50063176	58	3-3/8" UTILITY SPRING LOADED HOOK
50063232	58	3-1/4" BRASS SWIVEL EYE SNAP
50063242	58	3-3/4" BRASS SWIVEL EYE SNAP
50063252	58	4-1/2" BRASS SWIVEL EYE SNAP
50063262	58	3-3/4" CHROME PLATED BRASS SWIVEL EYE SNAP
50063321	53	CLAM SHELL VENT 3/8"
50063325	53	CLAM SHELL VENT 9/16"
50071000	25	STAINLESS STEEL DELUXE FLAG CLIP, STERN LIGHT OR FLAG POLE, PAIR
50071006	24	SKIERS DOWN FLAG 12" X 18" WITH 24" PVC POLE
50071016	22	3" X 5" FLOAT BUOY
50071024	24	FLAG POLE TELESCOPIC
50071027	24	FLAG POLE W/U.S. FLAG
50071030	25	USA FLAG
50071039	24	DIVE FLAG W/THREE PIECE STIFFENER
50071050	25	CANADIAN FLAG
50071051	25	CUBA FLAG
50071052	25	BAHAMAS FLAG

Model	Page	Description
50071054	24	QUARTANTINE FLAG 12" X 18"
50071057	25	SS FLAGSTAFF 14IN
50071059	25	SS FLAGSTAFF 19IN
50071061	25	STAINLESS STEEL FLAGSTAFF, 14"
50071062	25	STAINLESS STEEL FLAGSTAFF, 19"
50071063	25	CAYMAN ISLANDS FLAG
50071064	25	BRITISH VIRGIN ISLANDS FLAG
50071065	25	BELIZE FLAG
50071066	25	ANGUILLA FLAG
50071067	25	ANTIGUA FLAG
50071068	25	BARBADOS FLAG
50071069	25	BERMUDA FLAG
50071070	25	COLUMBIA FLAG
50071071	25	COSTA RICA FLAG
50071072	25	DOMINICA FLAG
50071073	25	GUATEMALA FLAG
50071074	25	HAITI FLAG
50071075	25	HONDURAS FLAG
50071076	25	JAMAICA FLAG
50071077	25	MARTINIQUE FLAG
50071078	25	MEXICO FLAG
50071079	25	NICARAGU FLAG
50071080	25	STAINLESS STEEL FLAG CLIP, ANTENNA, PAIR
50071082	25	ST LUCIA FLAG
50071083	25	STAINLESS STEEL FLAG CLIP, HALYARD, PAIR
50071084	25	TRINIDAD FLAG
50071085	25	US VIRGIN ISLANDS FLAG
50071086	25	VENEZULA FLAG
50071087	25	EL SALVADOR FLAG
50071088	25	DOMINICAN REPUBLIC FLAG
50071089	25	PANAMA FLAG
50071090	25	ENGLAND FLAG
50071091	25	FRANCE FLAG
50071297	77	SHAKE & FLOW SIPHON HOSE (1/2" X 6')
50072305	14	EPDM SNUBBER 3/8"
50072306	14	MOORING SNUBBER BLACK 24"
50072308	14	EPDM SNUBBER 1/2"
50072314	14	4" X 16" DELUXE FENDER, WHITE
50072315	14	4" X 16" FENDER, BLUE
50072316	14	4" X 16" FENDER, WHITE
50072317	14	4" X 16" DELUXE FENDER, BLUE
50072318	14	4" X 16" DELUXE FENDER, BLACK
50072319	14	5" X 20" FENDER, BLUE
50072320	14	5" X 20" FENDER, WHITE
50072321	14	6" X 22" FENDER, BLUE
50072322	14	6" X 22" FENDER, WHITE
50072323	14	5" X 18" DELUXE FENDER, WHITE
50072324	14	5" X 18" DELUXE FENDER, BLUE
50072325	14	5" X 18" DELUXE FENDER, BLACK
50072326	14	6" X 22" DELUXE FENDER, WHITE
50072328	14	6" X 22" DELUXE FENDER, BLUE
50072329	14	6" X 22" DELUXE FENDER, BLACK
50072330	14	8" X 26" DELUXE FENDER, WHITE
50072331	14	8" X 26" DELUXE FENDER, BLUE

Model	Page	Description
50072332	14	8" X 26" DELUXE FENDER, BLACK
50072333	14	4" X 16" FENDER, BLACK
50072335	14	5" X 20" FENDER, BLACK
50072337	14	6" X 22" FENDER, BLACK
50072340	14	FENDER HOLDER
50072344	59	PORTABLE DOCK RING
50072353	59	2" X 1/4" GALVANIZED MOORING RING
50072355	59	2" X 1/4" STAINLESS STEEL MOORING RING
50072375	84	ALUMINUM MOTORBRACKET, BULK
50072377	84	STAINLESS STEEL MOTORBRACKET, BULK
50072379	84	STATIONARY OUTBOARD MOTORBRACKET
50073716	85	PROP WRENCH
50073730	83	OUTBOARD MOTOR LOCK
50073731	85	ALUMINUM MOTOR SUPPORT BRACKET
50073733	84	PREMIUM MOTOR SUPPORT BRACKET
50073740	85	HYDROFOIL
50073745	82	SMALL OUTBOARD MOTOR FLUSHER
50073749	83	VOLVO MOTOR FLUSHER
50073750	82	DUAL FLOW MOTOR FLUSHER (RECTANGLE)
50073755	82	UNIVERSAL MOTOR FLUSHER (ROUND)
50073756	82	UNIVERSAL LARGE MOTOR FLUSHER (RECTANGLE)
50073757	82	DUAL FLOW MOTOR FLUSHER (ROUND)
50073761	83	INBOARD MOTOR FLUSHER
50073766	24	DISTRESS FLAG 36" X 36"
50073767	18	5 LB. PAINTED NAVY ANCHOR
50073768	18	10 LB. PAINTED NAVY ANCHOR
50073769	18	15 LB. PAINTED NAVY ANCHOR
50073770	19	20 LB. BLACK VINYL COATED RIVER ANCHOR
50073771	16	8 LB. PENETRATING FLUKE STYLE ANCHOR
50073772	16	10 LB. PENETRATING FLUKE STYLE ANCHOR
50073774	16	16 LB. PENETRATING FLUKE STYLE ANCHOR
50073776	16	32 LB. PENETRATING FLUKE STYLE ANCHOR
50073804	78	ALL-IN-ONE PRIMER BULB, LOW PERMEATION
50073811	78	PRIMER BULB 5/16"
50073812	78	PRIMER BULB 3/8"
50073815	56	3" ASSORTED HOT COLORS LETTER KIT
50073820	56	3" BLACK LETTER KIT
50073825	56	3" WHITE LETTER KIT
50073841	56	3" RED LETTER KIT
50073842	56	3" BLUE LETTER KIT
50073843	56	3" YELLOW LETTER KIT
50073852	92	LED CLAMP-ON ALL-ROUND LIGHT
50073853	93	LED CLAMP-ON COMBO LIGHT
50073863	77	HOSE CLAMP 1/4" TO 5/8" (PAIR)
50073866	77	HOSE CLAMP 3/8" TO 7/8" (PAIR)
50073867	77	HOSE CLAMP 7/16" TO 1" (PAIR)
50073868	77	HOSE CLAMP 1/2" TO 1-1/16" (PAIR)
50073869	77	HOSE CLAMP 1/2" TO 1-1/4" (PAIR)
50073870	77	HOSE CLAMP 3/4" TO 1-1/2" (PAIR)
50073871	138	BUNK CARPET 8" X 12'
50073872	138	BUNK CARPET 12" X 12'
50074007	26	AIR HORN POCKET, .88 OZ.
50074008	26	AIR HORN JUMBO REFILL, 8 OZ.
50074027	28	PEA-LESS FLAT WHISTLE

 Rope &
 Cordage

 Anchors &
 Mooring

 Air Horns
 & Safety
 Products

 Fishing &
 Kayak Acc.

Hardware

Plumbing

 Fuel &
 Motor Acc.

 Lighting &
 Electrical

Trailer Acc.

Index

Index

Model	Page	Description
50074030	28	PEA-LESS SAFETY WHISTLE PDQ 36 PIECE BOX
50074032	28	PEA-LESS SAFETY WHISTLE
50074035	26	AIR HORN LARGE 3.5 OZ.
50074036	26	AIR HORN LARGE REFILL 3.5 OZ.
50074041	26	AIR HORN SPORT, 1.4 OZ.
50074053	25	PUERTO RICO FLAG
50074054	25	BRAZIL FLAG
50074062	28	SAFETY BLASTER
50074066	27	ECOBLAST SPORT HORN
50074068	27	ECOBLAST SPORT HORN W/PUMP
50074080	26	AIR HORN JUMBO, 8 OZ.
50074110	29	BOAT BAILER
50074115	29	BAILER SAFETY KIT
50074117	29	BAILER SAFETY KIT W/LED FLASHLIGHT
50074122	28	TABLET POUCH
50074124	28	PHONE POUCH
50074125	28	DRY BOX
50074440	21	LOCKING ANCHOR CONTROL
50074461	17	8 LB. PENETRATING STAINLESS STEEL FLUKE ANCHOR
50074462	17	10 LB. PENETRATING STAINLESS STEEL FLUKE ANCHOR
50074468	17	22 LB. PENETRATING STAINLESS STEEL FLUKE ANCHOR
50074484	22	4 LB. FINNED WEIGHT, BLACK
50074530	18	20 LB. PAINTED NAVY ANCHOR
50074534	18	10 LB. BLACK VINYL COATED NAVY ANCHOR
50074536	18	15 LB. BLACK VINYL COATED NAVY ANCHOR
50074538	18	20 LB. BLACK VINYL COATED NAVY ANCHOR
50074540	18	28 LB. BLACK VINYL COATED NAVY ANCHOR
50074542	19	12 LB. BLACK VINYL COATED RIVER ANCHOR
50074544	19	15 LB. BLACK VINYL COATED RIVER ANCHOR
50074548	19	30 LB. BLACK VINYL COATED RIVER ANCHOR
50074550	18	3 LB. PWC GRAPPLING ANCHOR KIT
50074552	18	1-1/2 LB. GRAPPLING ANCHOR
50074553	18	3 LB. GRAPPLING ANCHOR
50074555	18	5 LB. GRAPPLING ANCHOR
50074563	15	4 LB. SLIP RING ANCHOR
50074565	15	5 LB. SLIP RING ANCHOR
50074567	15	6 LB. SLIP RING ANCHOR
50074569	15	8 LB. SLIP RING ANCHOR
50074570	19	8 LB. BLACK VINYL COATED MUSHROOM ANCHOR
50074571	19	10 LB. BLACK VINYL COATED MUSHROOM ANCHOR
50074575	15	9 LB. SLIP RING ANCHOR
50074581	19	15 LB. BLACK VINYL COATED MUSHROOM ANCHOR
50074583	19	20 LB. BLACK VINYL COATED MUSHROOM ANCHOR
50074594	17	11 LB. CLAW ANCHOR
50074600	21	ANCHOR RETRIEVAL RING
50074601	17	33 LB. CLAW ANCHOR
50074602	17	44 LB. CLAW ANCHOR
50074604	20	1/4" GALVANIZED ANCHOR SHACKLE
50074605	21	ANCHOR ROLLER (NON-CAPTIVE)
50074609	52	CABIN ELBOW CATCH (STAINLESS STEEL)
50074612	20	5/16" GALVANIZED ANCHOR SHACKLE
50074615	21	ANCHOR ROLLER LARGE S.S.
50074622	20	3/8" GALVANIZED ANCHOR SHACKLE
50074627	20	7/16" ANCHOR SHACKLE, BULK ONLY

Model	Page	Description
50074635	20	5/8" ANCHOR SHACKLE, BULK ONLY
50074705	17	SMALL LOCK BOX ANCHOR
50074710	17	LARGE LOCK BOX ANCHOR
50074733	19	1/4" X 70' GAL. ANCHOR CHAIN, BULK
50074735	19	5/16" X 45' GAL. ANCHOR CHAIN, BULK
50074742	19	1/4" X 4' HOT DIPPED GAL. ANCHOR CHAIN
50074743	20	WHITE VINYL ANCHOR CHAIN 1/4" X 4'
50074762	19	5/16" X 6' HOT DIPPED GAL. ANCHOR CHAIN
50074763	20	WHITE VINYL ANCHOR CHAIN 5/16" X 6'
50074775	19	5/16" X 6' STAINLESS STEEL ANCHOR CHAIN
50080101	132	600 LB. WINCH COVER
50080108	132	1200 LB. WINCH COVER
50080161	125, 127	SAFETY TRAILER JACK 800 LB. EDC
50080200	132	CABLE KEEPER 5/16"
50080212	139	ZINC CLASS 1 TRAILER SAFETY CHAIN (SINGLE)
50080213	139	ZINC CLASS 3 TRAILER SAFETY CHAIN (PAIR)
50080217	139	STAINLESS STEEL CLASS 1 TRAILER SAFETY CHAIN (SINGLE)
50080219	139	STAINLESS STEEL CLASS 3 TRAILER SAFETY CHAIN (PAIR)
50080221	139	ZINC CLASS 2 TRAILER SAFETY CHAIN (PAIR)
50080225	120	OVAL GROMMET MOUNT LED TAIL LIGHT
50080233	139	TRAILER BALL COVERS
50080234	139	LICENSE PLATE HOLDER
50080241	121	SQUARE INCANDESCENT TAIL INDIVIDUAL LIGHT DRIVER
50080250	121	SQUARE LED TAIL LIGHT KIT
50080251	121	SQUARE INCANDESCENT TAIL INDIVIDUAL LIGHT PASSENGER
50080253	121	SQUARE INCANDESCENT TAIL LIGHT KIT
50080254	120	OVAL FLANGE MOUNT LED TAIL LIGHT
50080256	121	LOW PROFILE INCANDESCENT TAIL LIGHT KIT (OVER 80" WIDE)
50080257	120	ROUND FLANGE MOUNT LED TAIL LIGHT
50080258	120	ROUND GROMMET MOUNT LED TAIL LIGHT
50080261	121	SQUARE INCANDESCENT TAIL LIGHT KIT (OVER 80" WIDE)
50080275	122	LED DUAL MOUNT INDICATOR BAR
50080276	122	LED HOT STICK INDICATOR GUIDE LIGHTS
50080277	122	LED CLEARANCE LIGHTS AMBER
50080279	122	LED CLEARANCE LIGHT RED
50080280	120	40" GUIDE POLE ONLY KIT
50080283	120	48" GUIDE POLE ONLY KIT
50080284	120	60" GUIDE POLE ONLY KIT
50080286	122	LED STUD MOUNT CLEARANCE LIGHTS
50080291	121	LOW PROFILE LED TAIL LIGHT KIT
50080292	121	LOW PROFILE LED TAIL LIGHT KIT DRIVER
50080293	121	LOW PROFILE LED TAIL LIGHT KIT PASSENGER
50080300	124	TRAILER & VEHICLE END LIGHT CONNECTORS KIT
50080302	124	TRAILER LIGHT HARNESS
50080304	124	EZ TROUBLESHOOTER CIRCUIT TESTER
50080310	124	EZ TROUBLESHOOTER II CIRCUIT TESTER
50080312	124	TRAILER LIGHT CONNECTOR (TRAILER END)
50080322	124	TRAILER LIGHT CONNECTOR (VEHICLE END)
50080335	124	TRAILER ADAPTER 7-WAY TO 4-WAY
50080337	124	TRAILER ADAPTER 7-WAY TO 5-WAY
50080343	124	TRAILER CONNECTOR KIT, 7-WAY

Model	Page	Description
50080347	124	TRAILER ADAPTER 7-WAY TO 5-WAY WITH 18" CABLE
50080390	138	RATCHET TIE DOWN STRAP
50080400	115	BATTERY TIE DOWN
50080402	138	TIE DOWN STRAP 10'
50080462	138	TIE DOWN STRAP 13'
50080482	138	TRANSOM TIE DOWN STRAPS (PAIR)
50080484	138	CAM TIE DOWN STRAPS (PAIR)
50080511	139	STAINLESS STEEL TRAILER BALL 1-7/8" X 2-1/4"
50080513	139	STAINLESS STEEL TRAILER BALL 2" X 2-1/4"
50080555	128	TRAILER WHEEL STOP
50080559	128	WHEEL CHOCK
50080612	141	BEARING KIT 1"
50080620	141	BEARING KIT 1-1/16" TO 1-3/8" TAPERED
50080658	141	REPLACEMENT COVER 1.781" FOR HUB PROTECTOR (PAIR)
50080660	141	REPLACEMENT COVER 1.98" FOR HUB PROTECTOR (PAIR)
50080663	141	WHEEL HUB BEARING PROTECTOR 1.781" W/COVER (PAIR)
50080665	141	WHEEL HUB BEARING PROTECTOR 1.98" W/COVER (PAIR)
50080754	140	BRASS TRAILER COUPLER LOCK
50080755	141	UNIVERSAL LOCKING PIN
50080762	137	BOW ROLLER BLACK RUBBER
50080764	137	BOW ROLLER BLACK RUBBER
50080772	137	BOW STOP BLACK RUBBER
50080774	137	BOW STOP BLACK RUBBER
50080782	136	SPOOL ROLLER BLACK RUBBER
50080792	136	SPOOL ROLLER BLACK RUBBER
50080812	137	BOW STOP BLACK RUBBER
50080815	137	BOW STOP BLACK RUBBER
50080829	135	BLACK RUBBER GUIDE-ON ROLLER
50080834	135	BLACK RUBBER GUIDE-ON ROLLER
50080861	136	WOBBLE ROLLER SMOOTH BLACK RUBBER
50080862	136	WOBBLE ROLLER BLACK RUBBER
50080871	136	SPOOL ROLLER BLACK RUBBER
50080872	136	SPOOL ROLLER BLACK RUBBER
50080882	136	KEEL ROLLER BLACK RUBBER
50080887	136	KEEL ROLLER BLACK RUBBER
50080895	136	KEEL ROLLER BLACK RUBBER
50080912	137	BOW ROLLER POLY VINYL
50080916	137	BOW ROLLER POLY VINYL
50080922	137	BOW STOP POLY VINYL
50080925	137	BOW STOP POLY VINYL
50080933	136	SPOOL ROLLER POLY VINYL
50080935	136	SPOOL ROLLER POLY VINYL
50080940	136	WOBBLER ROLLER POLY VINYL
50080941	136	WOBBLER ROLLER POLY VINYL
50080946	137	SUPER BOW ROLLER POLY VINYL
50080948	137	SUPER BOW ROLLER POLY VINYL
50080958	136	KEEL ROLLER POLY VINYL
50080960	136	KEEL ROLLER POLY VINYL
50080962	136	KEEL ROLLER POLY VINYL
50080970	136	KEEL END CAP POLY VINYL
50080992	135	SELF-CENTER ROLLER POLY VINYL
50081009	133	PANEL BRACKET ASSEMBLY 8"
50081010	133	PANEL BRACKET 10" (ONE PIECE)
50081012	133	PANEL BRACKET 12" (ONE PIECE)

Model	Page	Description
50081013	133	PANEL BRACKET ASSEMBLY 12"
50081017	133	SPLIT BRACKET GALVANIZED
50081018	133	BOLSTER BRACKET 10"
50081020	134	ZINC ROLLER SHAFT W/NUTS
50081028	134	ZINC ROLLER SHAFT W/NUTS
50081036	134	ZINC ROLLER SHAFT W/NUTS
50081039	134	ZINC ROLLER SHAFT W/NUTS
50081041	134	ZINC ROLLER SHAFT W/NUTS
50081043	134	ZINC ROLLER SHAFT W/NUTS
50081047	134	ROLLER SHAFT 1/2" PAL NUTS
50081048	134	ROLLER SHAFT 5/8" PAL NUTS
50081051	135	KEEL PAD
50081060	133	AXLE TIE PLATE KIT
50089711	134	GALVANIZED U-BOLT
50089712	134	GALVANIZED U-BOLT
50089713	134	GALVANIZED U-BOLT
50089714	134	GALVANIZED U-BOLT
50089722	134	ZINC U-BOLT
50089723	134	ZINC U-BOLT
50089725	134	ZINC U-BOLT
50089731	134	ZINC U-BOLT W/ STRAP
50089732	134	ZINC U-BOLT W/ STRAP
50089733	134	ZINC U-BOLT W/ STRAP
50089734	134	ZINC U-BOLT W/ STRAP
50089775	134	STAINLESS STEEL ROLLER SHAFT
50089778	134	STAINLESS STEEL ROLLER SHAFT
50089788	134	STAINLESS STEEL ROLLER SHAFT
50089790	134	STAINLESS STEEL ROLLER SHAFT
50089794	134	STAINLESS STEEL ROLLER SHAFT
50089797	134	STAINLESS STEEL ROLLER SHAFT
50089800	134	5/8" E-CLIPS
50089801	134	1/2" E-CLIPS
50089810	134	ZINC ROLLER SHAFT
50089816	134	ZINC ROLLER SHAFT
50089822	134	ZINC ROLLER SHAFT
50089826	134	ZINC ROLLER SHAFT
50089833	134	ZINC ROLLER SHAFT
50089836	134	ZINC ROLLER SHAFT
50089843	134	ZINC ROLLER SHAFT
50089848	134	ZINC ROLLER SHAFT
50089911	137	BOW ROLLER POLY-U
50089923	137	BOW STOP POLY-U
50089932	136	SPOOL ROLLER POLY-U
50089934	136	SPOOL ROLLER POLY-U
50089939	136	WOBBLER ROLLER POLY-U
50089942	136	WOBBLER ROLLER POLY-U
50089945	137	SUPER BOW ROLLER POLY-U
50089957	136	KEEL ROLLER POLY-U
50089959	136	KEEL ROLLER POLY-U
50089961	136	KEEL ROLLER POLY-U
50089991	135	SELF CENTERING ROLLER POLY-U
50090148	11	48" STRETCH CORD
50090621	115	BATTERY TRAY SERIES 24
50090631	115	BATTERY TRAY SERIES 27

Index

Model	Page	Description
50090641	116	BATTERY BOX 6 VOLT
50090651	116	BATTERY BOX SERIES 24
50090671	116	BATTERY BOX SERIES 27
50090675	116	BATTERY BOX SERIES 31
50090682	116	DELUXE POWER STATION
50091003	48	MUG HOLDER
50091005	46	2" BLACK CUP HOLDER
50091006	46	3" WHITE CUP HOLDER
50091007	46	3" BLACK CUP HOLDER
50091008	46	4" WHITE PDQ DISPLAY
50091009	46	4" BLACK PDQ DISPLAY
50091012	48	DRINK HOLDER ADJUST WHITE
50091013	48	DRINK HOLDER ADJUST GREY
50091015	48	DRINK HOLDER ADJUST BLACK
50091020	47	STAINLESS STEEL DRINK HOLDER
50091025	39	3/8" STORAGE CLIPS
50091027	39	5/8" STORAGE CLIPS
50091029	39	1" STORAGE CLIPS
50091032	39	POLE STORAGE CLIPS
50091038	47	STAINLESS STEEL RECESSED CUP HOLDER
50091042	47	LED STAINLESS STEEL, RECESSED, DROP-IN CUP HOLDER- BLUE
50091044	47	LED STAINLESS STEEL, RECESSED, DROP-IN CUP HOLDER- RED
50091070	47, 107	LED CUP HOLDER ACCENT BEZEL, WHITE
50091071	47, 107	LED CUP HOLDER ACCENT BEZEL, RED
50091072	47, 107	LED CUP HOLDER ACCENT BEZEL, BLUE
50091073	47, 107	LED CUP HOLDER ACCENT BEZEL, GREEN
50091075	47	LED CUP HOLDER AND BEZEL KIT- BLUE
50091125	38	OARLOCK SOCKETS
50091135	38	OAR CLAMPS (PAIR)
50091142	38	OARLOCK HORNS W/PINS (PAIR)
50091152	38	OARLOCK SOCKETS
50091162	38	OAR CLAMPS (PAIR)
50091165	37	PADDLE KEEPER
50091172	46	STAINLESS STEEL TURNING KNOB, STD.
50091173	46	STAINLESS STEEL TURNING KNOB, LARGE
50091181	46	PANORAMIC BOAT MIRROR
50091182	57	TIDY BOAT (BIRD DETERRENT)
50091190	56	BOAT REGISTRATION SET
50091200	37	60" FIXED BOAT HOOK
50091201	37	48" - 84" 2 TIER TELESCOPIC BOAT HOOK
50091202	37	56" - 144" TELESCOPIC BOAT HOOK
50091207	37	THREADED REPLACEMENT HOOK
50091208	37	56" - 96" 3 TIER TELESCOPIC BOAT HOOK
50091250	46	TRASH TRAPPER - WHITE
50091253	46	TRASH TRAPPER - BLACK
50091295	30	1/2" X 15' COILED HOSE W/NOZZLE
50091296	30	REPLACEMENT NOZZLE
50091375	41	STAINLESS STEEL ROD HOLDER W/CAP AND CAST WELD-ON HEAD

Model	Page	Description
50091403	41	9 PIECE SINGLE TUBE, PDQ
50091412	42	TOURNAMENT ROD HOLDER - DECK MOUNT
50091415	40	ALUMINUM ROD HOLDER W/CAP
50091419	41	SINGLE CONSTRUCTION 2 ROD HOLDER
50091420	41	2 ROD HOLDER WHITE
50091421	41	2 ROD HOLDER BLACK
50091425	42	ALUMINUM 3 ROD STORAGE RACK
50091429	41	SINGLE CONSTRUCTION 3 ROD HOLDER
50091430	41	3 ROD HOLDER WHITE
50091431	41	3 ROD HOLDER BLACK
50091432	40	ROD HOLDER FLUSH, BLACK
50091433	40	ROD HOLDER FLUSH, WHITE
50091437	40	STAINLESS STEEL ROD HOLDER W/CAP
50091443	87	OIL MIXING BOTTLE
50091446	86	PORTABLE OIL CHANGE KIT
50091447	86	BRASS OIL TRANSFER PUMP
50091449	86	FLUID EXTRACTOR
50091450	86	12 VOLT OIL CHANGER
50091461	87	LOWER UNIT PUMP
50091462	87	UNIVERSAL GEAR UNIT PUMP
50091520	40, 107	LED ROD HOLDER ACCENT BEZEL, WHITE
50091521	40, 107	LED ROD HOLDER ACCENT BEZEL, GREEN
50091522	40, 107	LED ROD HOLDER ACCENT BEZEL, BLUE
50091523	40, 107	LED ROD HOLDER ACCENT BEZEL, RED
50091525	40	LED ROD HOLDER ACCENT BEZEL W/STAINLESS STEEL ROD HOLDER, BLUE
50091620	30	FOAM KEY FLOAT (SOLD AS A 6 PACK)
50091622	30	KEY FLOAT
50091624	30	FOAM KEY FLOAT (24 PIECE PDQ BOX)
50091625	30	GARBOARD FOAM KEY FLOAT (SOLD AS A 6 PACK)
50091700	106	FESTOON TYPE LED BULB
50091701	106	FESTOON TYPE LED BULB
50091705	106	FESTOON TYPE LED BULB
50091708	106	FESTOON TYPE LED BULB
50091715	106	MR-16 LED BULB
50091717	106	MR-16 LED BULB
50091723	106	BULB ASSORTMENT 12VOLT
50091725	106	#1157 REPLACEMENT BULB PACK
50091727	106	#90 REPLACEMENT BULB PACK
50091729	106	#906 REPLACEMENT BULB PACK
50091731	106	#71 REPLACEMENT BULB PAIR
50091741	106	360° LED BULB
50091823	106	12 VOLT, 75 WATT LIGHT BULB
52017CAP	76	REPLACEMENT FUEL CAP
52017P	76	PICK-UP TUBE ASSEMBLY
80281P	120	HARDWARE KIT
80281RED	120	RED PVC CAP
80281WHT	120	WHITE PVC CAP
91162S	38	SHANK SHAFT, 1/2" X 2" (BULK PACK, SHAFT ONLY)

Description	Page
A	
AIR HORNS	26-27
ANCHOR LINE	7-8
ANCHORS	15-19
B	
BAIT PUMPS	42
BILGE PUMPS	68-70
BOAT COVERS & ACCESSORIES	57
BULK SPOOLS	10
C	
CABIN LIGHTS	97-107
CANOE CARRIERS	39
CHAIN	19-20
CLEARANCE LIGHTS	122-123
CLEATS	60-61
D	
DECK LIGHTS	97-107
DOCK LINE	5-7
DRAIN PLUGS	73
E	
ELECTRICAL ACCESSORIES	113-118
F	
FENDERS	14
FENDER LINE	11
FITTINGS	71-72
FLAGS	24-25
FUEL FITTINGS & FILTERS	80-81
FUEL LINE ASSEMBLIES	78-79
FUEL TANKS	76-77
H	
HARDWARE	46-56
HARDWARE KITS	62-65
HOOKS	58-59
HORNS	28-29
HUB KITS	141
K	
KAYAK CARRIERS	39
KEY FLOATS	30
L	
LAUNCH LINE	10
LIVEWELL PUMPS	42

Description	Page
M	
MARINE SWITCHES	108-112
MOORING	21-22
MOTOR BRACKETS	84-85
MOTOR FLUSHERS	82-83
MULTI-PURPOSE ROPE	9
N	
NAVIGATIONAL LIGHTS	90-96
O	
OARS	32-37
OARLOCKS	38
OIL PUMPS	86-87
P	
PADDLES	32-37
PANEL BRACKETS	133
R	
ROD HOLDERS	40-42
ROLLERS & ROLLER SHAFTS	134-137
S	
SEAT HARDWARE	44-45
SNAPS	58-59
SOLID-STATE SENSING BILGE SWITCH	68
SPARE TIRE CARRIERS	141
T	
TAIL LIGHTS	120-121
TIE DOWN STRAPS & CHAINS	138-139
TRAILER COUPLERS & LOCKS	140
TRAILER HARNESSSES & CONNECTORS	124
TRAILER JACKS	125-128
TRAILER WINCHES & STRAPS	129-132
TROLLING MOTOR CONNECTORS	87
U	
UTILITY LIGHTS	122-123
V	
VALVES	71-72
W	
WHISTLES	28-29
WINCH ROPE	11



The SeaSense marine assortment consists of high margin, innovative boating products that recreational boaters need and want. Products are continuously tested and improved by SeaSense quality control staff members to ensure that customers always receive the best value. SeaSense manufacturers make unique, innovative, patented products that will not be found anywhere else.

Freight/Delivery Claims

We are not responsible for damaged or lost merchandise in transit. This becomes the responsibility of the carrier. It is essential that a signature is obtained from the driver prior to accepting damaged or short shipments. We are unable to accept responsibility for these shipments once the bill is signed, relieving the carrier. Please contact us immediately if you have received a short or damaged shipment so that we can assist you.

Customer Satisfaction Guarantee

We encourage the end user of SeaSense products to contact us directly. The feedback that we receive has proven to be invaluable over the years for evolving and improving products and packaging. If our products do not perform or enhance the boating experience, we will do whatever it takes to satisfy the customer.

Technical Specifications

These catalog features technical specifications designed around OEM requirements and general product knowledge. All unit measurements are in inches.

UPC Codes (Bar Codes)

All products include a UPC code for your convenience.

Product Improvements

SeaSense reserves the right to make alterations to the items in this catalog when deemed necessary. We are continually modifying our product mix to provide our customers with the most innovative quality marine products in the industry.

Breaking Strength & Safe Working Load

Breaking strength and safe working load are ratings which are applied to SeaSense products. Usually this type of rating will not apply to a cast part, regardless of the material, since there may be air voids and other inconsistencies due to the process of casting which may affect structural integrity and cannot be seen without cutting the part open. It is up to the end user to determine if the part may cause personal injury, using a common sense evaluation of the part. Unless specifically stated otherwise in the product description, no product in this catalog is intended to lift humans or tow where personal or property damage may result from such an application. SeaSense accepts no responsibility for damage or injury resulting from the misuse or "use other than intended" of any product.

Warning

Items shown in this catalog may contain lead, a substance known to the State of California to cause cancer, birth defects or other reproductive harm. There are NO items manufactured by SeaSense which are intended for human or animal consumption. Some items may have a lead warning although they may not contain lead as this warning also pertains to packaging materials.

Due to current economic uncertainty, SeaSense reserves the right to adjust pricing and apply shipping and handling charges as necessary. "We reserve the right to correct printing errors. Possession of this catalog does not constitute an intent to sell"