



Fellow boaters, fishermen, & industry partners,

welcome to our 2021 boating accessories catalog. Last year unfortunately caused major impacts on the recreational boating industry. It was a good year for retail boat sales, online aftermarket accessory sales, and fishing tackle sales, but unfortunately, it was a tough year for boat builders and brick & mortar boating and fishing accessory stores.

We are hoping 2021 will be a recovery year for the boat builders, accessory suppliers, and the economy in general. The pandemic has motivated people to rethink how they spend their time, and data shows that a large number of first time boat buyers entered the market, that were younger and more diverse than ever.

Thankfully, boating is a fun, outdoor, socially-distanced activity for family and friends. Our industry of boating is all about family and fun, and we love being a part of it! We are looking forward to a great 2021 and we are thankful to all of our devoted customers and fans.

We appreciate your interest in this catalog and thank you for allowing T-H Marine to be a part of your success and fun, both in the factory, and on the water. Be sure to check out our ever-growing website for new products, as we have more coming your way!

Sincerely, Jeff Huntley President & CEO

2020-2021 New! PRODUCTS

| HCE-K-DP | HYDRA® Battery Cable Extender Kit | 131 |
|-------------------|---|-----|
| FSRK-3-DP | Flapper Scupper Replacement Kit | 69 |
| GFEL-GF-BK-DP | G-FORCE® ELIMINATOR PROP NUT® - Garmin Force (Black) | 54 |
| GFEL-GF-R-DP | G-FORCE® ELIMINATOR PROP NUT® - Garmin Force (Red) | 54 |
| GFEL-LG-BK-DP | G-FORCE® ELIMINATOR PROP NUT® - Lowrance Ghost (Black) | 54 |
| GFEL-LG-R-DP | G-FORCE® ELIMINATOR PROP NUT® - Lowrance Ghost (Red) | 54 |
| GFEL-MGT-BK-DP | G-FORCE® ELIMINATOR PROP NUT® - Motorguide Tour Pro (Black) | 54 |
| GFEL-MGT-R-DP | G-FORCE® ELIMINATOR PROP NUT® - Motorguide Tour Pro (Red) | 54 |
| GFEL-MK-W-DP | G-FORCE® ELIMINATOR PROP NUT® - MinnKota (White) | 54 |
| HYBT-320-DP | HYDRA® Battery Terminal Multiplier Kit | 131 |
| LED-32484-DP | Mini Stainless Steel Underwater Light (RGBW LED) | 77 |
| LED-32485-DP | Mini Stainless Steel Underwater Light (Blue LED) | 77 |
| LED-32487-DP | Mini Stainless Steel Underwater Light (Green LED) | 77 |
| LED-71000-DP | Oval Utility/Courtesy Light, Linear Beam (White LED) | 97 |
| LED-72000-DP | Oval Utility/Courtesy Light, Linear Beam (Blue LED) | 97 |
| LED-GHBSS | Grab Handle (Blue LED) | 139 |
| LED-NAV-50621-DP | 24" Nylon Base Stern Light - Snapflex Shaft | 99 |
| LED-RGBCONT-4R-DP | LED RGBW Light Controller | 85 |
| RFK-2-DP | Rigging Flange Hose Kit - 2" Hose (White) | 68 |
| RFK-2.5Y-1-DP | Rigging Flange Hose Kit - 2.5" Diameter Hose (Black) | 68 |
| RFK-2.5Y-2-DP | Rigging Flange Hose Kit - 2.5" Diameter Hose (White) | 68 |
| RFK-2.5Y-3-DP | Rigging Flange Hose Kit - 2.5" Diameter Hose (Gray) | 68 |
| RMC-102MG-DP | Troll-Tamer® Trolling Motor Stabilizer Lock, Motorguide | 55 |
| TT-FLH-1-DP | TACKLE TITAN® Foam Lure Holders (Black) | 154 |
| TT-FLH-2-DP | TACKLE TITAN® Foam Lure Holders (White) | 154 |
| LCH-SS-XL | XL Tumbler Cupholder (no pad) | 125 |
| LCH-SS-XL-P | XL Tumbler Cupholder (with molded TPR pad) | 125 |

PERFORMANCE

HATCHES, PLATES, & LIDS

PLUMBING & DRAIN

TROLLING MOTOR ACCESSORIES

ROD ORGANIZATION

Jo

RIGGING

LED LIGHTING

BOATING & MARINE ACCESSORIES

1/

FISHING ACCESSORIES

INDEX

158

BASS BOAT AT-A-GLANCE

170

BAY BOAT AT-A-GLANCE

172

PONTOON BOAT AT-A-GLANCE

173

ORDERING INSTRUCTIONS

174







ATLAS® Series Hydraulic Jack Plate Hydraulic Rise: 5.75" Total Rise: 8.25" - 9.75" Weight Limit: 625 lbs HP: 300 max

| Polished Aluminum Finish | | |
|--------------------------|---------|--|
| Product Number | Setback | |
| AHJ-4V-DP | 4" | |
| AHJ-6V-DP | 6" | |
| AHJ-8V-DP | 8" | |
| AHJ-10V-DP | 10" | |
| AHJ-12V-DP | 12" | |
| AHJ-14V-DP | 14" | |

| Anodized Black Coating | |
|------------------------|-----|
| Product Number Setback | |
| AHJ-4V-B-DP | 4" |
| AHJ-6V-B-DP | 6" |
| AHJ-8V-B-DP | 8" |
| AHJ-10V-B-DP | 10" |
| AHJ-12V-B-DP | 12" |



ATLAS® Heavy Duty Hydraulic Jack Plate Hydraulic Rise: 5.75" Total Rise: 8.25" - 9.75" HP: 475 max

| Polished Aluminum Finish | | |
|--------------------------|---------|--|
| Product Number | Setback | |
| AHJ-4VHD-DP | 4" | |
| AHJ-6VHD-DP | 6" | |
| AHJ-8VHD-DP | 8" | |
| AHJ-10VHD-DP | 10" | |
| AHJ-12VHD-DP | 12" | |
| AHJ-14VHD-DP | 14" | |

| Anodized Black Coating | |
|------------------------|---------|
| Product Number | Setback |
| AHJ-4VHD-B-DP | 4" |
| AHJ-6VHD-B-DP | 6" |
| AHJ-8VHD-B-DP | 8" |
| AHJ-10VHD-B-DP | 10" |
| AHJ-12VHD-B-DP | 12" |

ATLAS® Replacement Parts

| Product Number | Description |
|-----------------------|--------------------------------------|
| AHJACT-3-DP | Replacement Actuator |
| AHJRELAYKIT-2-DP | Replacement Wiring Harness |
| AHJSWITCH-1-DP | Replacement Switch |
| AHJMTR-1-DP | Replacement Electric Motor (plastic) |
| AHJMTR-2-DP | Replacement Electric Motor (metal) |

ALL JACK PLATES COME PRE-DRILLED FOR HOT SHOT™ HOLE SHOT PLATES, SHALLOW WATER ANCHORS, AND EMERGENCY RE-BOARDING LADDERS.



ATLAS® Digital Position Gauge Kit

- All Digital Readout
- Each Number Indicates 1/4" Rise
- Numbers from 0 to 20
- · All ATLAS® Jacks are Pre-drilled to fit

| Product Number | Description | Dimensions |
|-----------------------|---|---------------------------------|
| FAGK-1-DP | ATLAS [®] Gauge Kit - Black Face | Fits 4" & 8" Models |
| FAGK-2-DP | ATLAS® Gauge Kit - Black Face | Fits 6", 10" , 12" & 14" Models |
| FAGK-1SS-DP | ATLAS® Gauge Kit - SS Face | Fits 4" & 8" Models |
| FAGK-2SS-DP | ATLAS® Gauge Kit - SS Face | Fits 6", 10", 12" & 14" Models |



ATLAS[®] Hot Shot[™] Hole Shot Plates

- Models to fit all ATLAS® Jacks
- Provides Improved Hole Shot
- Reduces Water Drag at Take Off

| Product Number | Description |
|-----------------|--|
| AHJHSP-4V-DP | Fits ATLAS° AHJ-4V-DP - 4" |
| AHJHSP-6V-DP | Fits ATLAS° AHJ-6V-DP - 6" |
| AHJHSP-8V-DP | Fits ATLAS° AHJ-8V-DP - 8" |
| AHJHSP-T-8V-DP | Fits ATLAS® AHJ-8V-DP - 8" - with transducer cut out |
| AHJHSP-10V-DP | Fits ATLAS° AHJ-10V-DP - 10" |
| AHJHSP-T-10V-DP | Fits ATLAS® AHJ-10V-DP - 10" - with transducer cut out |
| AHJHSP-12V-DP | Fits ATLAS° AHJ-12V-DP - 12" |
| AHJHSP-T-12V-DP | Fits ATLAS° AHJ-12V-DP - 12" - with transducer cut out |
| AHJHSP-14V-DP | Fits ATLAS° AHJ-14V-DP - 14" |



ATLAS® MICRO JACKER®

- Perfect for Shallow Water Skiffs and Flat Boats
- Lightweight 23 lbs
- Smallest Footprint Available 14 5/8" x 11-1/2" H
- Fast Actuator 8 Seconds Top to Bottom
- 115 HP Max and 425 lbs Max
- Optional Clamp-on Motor Adapter

| Product Number | Description |
|-----------------------|--------------------------------------|
| AHJM-4-DP | ATLAS° MICRO JACKER° |
| AHJM-CMA-DP | MICRO JACKER® Clamp-on Motor Adapter |
| ELCT0163 | Replacement Actuator (Model #7342) |
| 7014G | Replacement Wiring Harness |

*ATLAS® MICRO JACKER® NOT COMPATIBLE WITH ANY GAUGE KIT



Z-LOCK® Manual Jack Plates

- Provides Maximum Strength
- Prevents Side Slippage and Movement
- · Easily Adjusts Up or Down with Center Bolt
- 6061-T6 1/2" Aluminum Material for Strength
- 300HP Max
- · Vertical Rise 5"

| Product Number | Description | Setback |
|-----------------------|--------------------------------|---------|
| JPZ-4-DP | Z-LOCK° Jack Plate | 4" |
| JPZ-6-DP | Z-LOCK° Jack Plate | 6" |
| JPZ-8-DP | Z-LOCK° Jack Plate | 8" |
| JPZ-10-DP | Z-LOCK° Jack Plate | 10" |
| JPZ-12-DP | Z-LOCK [®] Jack Plate | 12" |



Z-LOCK® Hole Shot Plates

- Models to fit all Z-LOCK® Jacks
- Provides Improved Hole Shot
- Reduces Water Drag at Take Off

| Product Number | Description | Fits |
|-----------------------|-------------------------|-----------|
| JPZHSP-6 | Z-LOCK® Hole Shot Plate | JPZ-6-DP |
| JPZHSP-8 | Z-LOCK° Hole Shot Plate | JPZ-8-DP |
| JPZHSP-10 | Z-LOCK° Hole Shot Plate | JPZ-10-DP |



Pro HI-JACKER® Jack Plates

- High Strength Aluminum 3/8" Thick
- · One-Piece Design Top Adjust
- · Locking Bars Allow One Wrench Adjust
- Maximum 175HP Outboards
- 4" Vertical Adjustment

| Product Number | Description |
|----------------|---|
| JP-6PW-DP | Pro HI-JACKER® Jack Plates - 6" setback (minimum) |



HI-JACKER® Jack Plate

- 3/8" Aluminum Two Piece Design
- Dual Stainless Steel Adjustment Rods
- Maximum 150HP Outboards
- 5" Setback 4" Vertical Lift


| Product Number | Description |
|----------------|-----------------------------|
| JP-1A-DP | HI-JACKER® Fixed Jack Plate |



HI-JACKER® Fixed Jack Plate

- Solid Aluminum Extrusion
- 3 Engine Mount Holes 2 Transom Mount Holes
- Total Vertical lift of 5-1/2" 4" Setback

| Product Number | Description |
|----------------|---|
| JP-4FA-DP | HI-JACKER® Fixed Jack Plate - Max 150HP |
| JP-4FAHD-DP | HI-JACKER° Fixed Jack Plate - Max 300HP |



MINI JACKER®

- "Clamp Style" Small Outboard Jack Plate
- Cast Aluminum Bracket
- Marine Grade Wood Transom Block
- 4" Setback 3" Vertical
- Max Wt 150lbs Max HP-35

| Product Number | Description |
|----------------|-----------------------------------|
| MJ-1-DP | MINI JACKER® - for Outboards Only |



Bolt Kit for Jack Plates

- For Mounting Outboards to Plate
- Kit Contains:
- 4 each 1/2" x 2-3/4" Stainless Steel Long Bolts
- 4 each 1/2" x lock nuts Brass with Nylon Insert
- 8 each 1/2" flat washers Stainless Steel

| Product Number | Description |
|----------------|---|
| BK-1-DP | Brass Nut w/ nylon insert - Fine Thread - 1/2"-20 |





Emergency Re-boarding Ladder

- Easily Rotates and Drops Down Into Ladder Position
- Meets NMMA Regs for Re-boarding Ladders
- Strong All-Aluminum Design
- Snaps Up Securely into Slot When not in Use
- Non-slip Material on Both Steps

| Product Number | Description |
|-----------------------|--|
| EBL-1-DP | Re-boarding Ladder - Fits All Outboards - Universal |
| EBL-3 | Re-boarding Ladder - Fits All Outboards - Port Side for Dual Power |
| | |




Steering Wheel Trim Control

Not for Use with Hydraulic Steering

- Rugged Urethane Coiled Cord
- Weatherproof Rubber Booted Switches
- Mount Easily to Steering Wheel Spokes

| Product Number | Description |
|-----------------------|-------------------------------------|
| ST-1-DP | Steering Wheel Trim Control - 50AMP |





FOOT TRIM® Floor Mounted Trim Control

- Foot Operated Tilt & Trim Control
- Pre-wired Matte Black Unit
- · Weather Resistant Control Switches

| Product Number | Description |
|-----------------------|---|
| HT-1-DP | FOOT TRIM® Floor Mounted Trim Control - 50AMP |



Trim Handle

- Puts Tilt & Trim Control Directly Onto Throttle Lever
- Weather Resistant 50 AMP Switches
- Fits pre-1979 OMC Control Handles

| Product Number | Description |
|----------------|----------------------|
| EJT-1-DP | Trim Handle - 50 AMP |



HOT FOOT® Foot Throttle

Number ONE Throttle on the Market for Over 20 Years

- Provides Added Safety & Performance
- All Cast Aluminum Stainless Steel Hardware
- Nylon & Teflon Bushings on all Critical Pivot Points
- Patented Idle Stop for FICHT & Optimax Engines
- Accepts All Engine Manufacturer Throttle Cables
- Cable not Included

| Product Number | Description |
|-----------------------|---|
| HF-1-DP | HOT FOOT [®] Universal Model - Fits All Marine Engines |
| HFS-1-DP | HOT FOOT® Replacement Spring (all models) |



HOT FOOT® Pro Top Load Foot Throttle

- Improved Safety & Throttle Control
- Topside Cable Connections
- Patented Idle Stop for FICHT & Optimax
- Stainless Steel Hardware with Teflon Brushings
- Cable not Included

| Product Number | Description |
|-----------------------|---|
| HF-1T-DP* | HOT FOOT [®] Fits Johnson, Evinrude, Mercury & Mariner |
| HF-1CT-DP | HOT FOOT [®] Fits Honda, Yamaha, Chrysler & Suzuki |
| HFS-1-DP | HOT FOOT® Replacement Spring (all models) |

*COMPATIBLE WITH THE 3.8L V6 AND 4.6L V8 PRO XS



HOT FOOT® Slide Mount

- Easy Adjustment of HOT FOOT®
- Stainless Steel Fasteners & Release Pin
- Allows 5" of Slide Adjustment

| Product Number | Description |
|-----------------------|-----------------------|
| HFM-1-DP | HOT FOOT' Slide Mount |



Transom Wedges

- Fits All Standard B.I.A. Bolt Patterns
- Full Contact Between Engine & Transom
- 2-1/4" W 11-1/4" L 1-1/16" to 3/16" Thickness
- Cast Aluminum


| Product Number | Description |
|-----------------------|---|
| TW-2-DP | Transom Wedges - 1 Pair - 5 Degree Negative Tuck |
| TW-3-DP | Reverse Transom Wedge - 1 Pair - 5 Degree Positive Tilt |



CMC® Wedges/Set Back Spacers

- 2 Degree Wedges Provide Extra Positive or Negative Trim
- Designed to be Stacked Together to Act as Set Back Spacers
- 1/2" x 4" x 11 1/4" Size

| Product Number | Description |
|-----------------------|------------------------------------|
| 20122 | 2 Degree Reversible Transom Wedges |



Replacement Skegs

- Solid Cast Aluminum
- Welds to Lower Units
- Easily Cut to Shape

| Product Number | Description | Α | В | C | D |
|----------------|-------------|--------|--------|---------|---------|
| RS-1-DP | OMC V6 | 5-1/2" | 6" | 10-1/4" | 9" |
| RS-2-DP | OMC V4 | 4-1/2" | 5-3/4" | 9-1/2" | 10" |
| RS-3-DP | OMC 40-80HP | 4" | 4-1/4" | 7-1/2" | 7" |
| RS-4-DP | Mercury V6* | 3-1/2" | 6-1/2" | 9-1/4" | 10-1/2" |

*Mercury V6 Outboards and Mercruiser Stern Drives



Torque Tab

- Counters Torque Pressure on Wheel
- Easy to Install
- Cast Aluminum Stainless Hardware

| Product Number | Description |
|----------------|-------------|
| TAB-1-DP | Torque Tab |




SAF-T-STOP® Ignition Kill Switches

- Meets All Requirements of Emergency Stop Switches
- Coiled Lanyard
- Isolated Circuits on Dual Units to Prevent Feedback
- Mounts Anywhere Requires 1-1/2" Hole

| Product Number | Description |
|-----------------------|--|
| KS-1-DP | SAF-T-STOP* Ignition Kill Switch - Single Outboard |
| KS-2-DP | SAF-T-STOP* Ignition Kill Switch - Single I/O |
| KS-12 | SAF-T-STOP® Ignition Kill Switch - Dual Outboard |
| KS-22-DP | SAF-T-STOP® Ignition Kill Switch - Dual I/O |
| L-4-DP | SAF-T-STOP® Ignition Kill Switch - Replacement Lanyard |





Transom Support Plates

- Distributes Stress of Engine Bolts
- High Quality Cast Aluminum
- All Plates 3/8" Thick
- Call for Customizing Program

| Product Number | Description | Α | В | C |
|-----------------------|--------------------------------------|---------|--------|---------|
| TSP-1-DP | Top Bolt Holes - Standard | 15" | 2" | 13" |
| TSP-2-DP | Lower Bolt Holes - Standard | 12" | 2" | 10" |
| TSP-7-DP | For Yamaha and Verado - 4 Bolt Holes | 15-1/4" | 3-3/4" | 12-3/8" |



PERFORMANCE

Transom Washer Plates

- Made of 3/8" 6061 T6 extruded alloy aluminum
- Eliminates bolts "biting" into transoms
- Distributes loads on high performance engines
- Hole center
 - Top plate 12 7/8"
 - Bottom plate 9 7/8"

| Product Number | Description |
|-----------------------|---------------------|
| 20022 | Top Washer Plate |
| 20032 | Bottom Washer Plate |



Custom Washer Plates

- Made of 3/8" 6061 T6 extruded alloy aluminum
- Top washer can be custom engraved with minimum order
- Up to 16 characters can be engraved

| Product Number | Description |
|-----------------------|----------------------|
| 20000 | Custom Washer Plates |





Position Indicator Gauge Kit

- · Sealed and drip proof
- Mounts in the dash for safe and convenient height determination
- · Indicator features an up and down toggle switch

| Product Number | Description |
|-----------------------|------------------------------|
| 6077 | Position Indicator Gauge Kit |



Transom Trim Control

- Puts Tilt & Trim Control Anywhere
- Weather Resistant Control Switches
- Can Also Operate Power Jack Plates

| Product Number | Description |
|-----------------------|-------------------------------|
| TTC-1-DP | Transom Trim Control - 50 AMP |





Hydraulic POWER-LIFT® Transom Jacks

Ideal for high speed positioning of outboard motor

- PL-65HS will raise V-6 300 HP in approx 8 secs
- PL-65 has been in the market since 1982

| Product Number 5.5" MODEL PL-65HS | Description |
|---|---------------|
| 65301 | with gauge |
| 65302 | without gauge |
| 5.5" MODEL PL-65* | Description |
| 65001 | with gauge |
| 65002 | without gauge |
| 6" HD MODEL PL-65* | Description |
| 65501 | with gauge |
| 65502 | without gauge |
| 10" MODEL PL-65-10HS | Description |
| 61301 | with gauge |
| 61302 | without gauge |
| 10" MODEL PL-65-10 | Description |
| 61001 | with gauge |
| 61002 | without gauge |

*MOUNTING HARDWARE INCLUDED WITH CMC LIFTS. *THE MODEL PL-65 IS RATED V-6 AND SMALLER MOTORS. NOT DESIGNED FOR V-8 MOTORS OR RACING APPLICATIONS.



PERFORMANCE

Manual POWER-LIFT® Transom Jacks

One-Piece Design

- Made of 6061 T6 extruded aluminum alloy
- Stainless steel fasteners for maximum strength and durability
- Centrally located adjustment screw for positive alignment
- 5" Vertical adjustment

| Product Number | Description |
|-----------------------|--------------------------------|
| 61012 | 10" Set Back - Manual Model |
| 65012 | 5 1/2" Set Back - Manual Model |
| 65013 | 2" Set Back - Manual Model |
| 65512 | 5 3/4" HD Manual Model |



Two-Piece Design

 Adjustable manual has 5" of slot adjustment at the motor mounting bracket and 1/2" inches of adjustment at transom bracket

| Product Number | Description |
|-----------------------|-----------------|
| 55012 | 5 1/2" Set Back |
| 40012 | 4" Set Back |

NOTE: ML-65 AND THE 4" & 5 1/2" SET BACK PLATES ARE RATED V-6



7" Static Set Back Plate

- Has 1 1/2" of adjustment at the transom bracket
- 1" of adjustment on the motor bracket
- Dimension from top of transom to top of motor side 3 1/2"

| Product Number | Description |
|-----------------------|--------------------------|
| 70012* | 7" Static Set Back Plate |



9" Static Set Back Plate

- 1 1/2" of adjustment at the transom bracket
- 1" of adjustment on the motor bracket
- Dimension from top of transom to top of motor side 3 1/2"

| Product Number | Description |
|----------------|--------------------------|
| 90012* | 9" Static Set Back Plate |



5" Vertical Extension

- Allows the motor to be mounted 5" higher than the standard mounting on transom
- A must for conversion from prop to jet drive

| Product Number | Description |
|----------------|----------------------|
| 50012* | 5"Vertical Extension |



2 1/2" Static Set Back Plate

- 1 1/2" of adjustment at the transom bracket
- · Most commonly used in conjunction with manual or hydraulic Power-Lift

| Product Number | Description |
|-----------------------|------------------------------|
| 65213* | 2 1/2" Static Set Back Plate |

Transom Jack Specifications

| ITEM | DESCRIPTION | HP RATING | TRAVEL | SET BACK | OPERATION | DIMENSIONS |
|--------|--------------------|-----------------|--------|----------|-----------------------|-------------------------------|
| 61002 | PL-65-10 | up to V-6** | 5" | 10" | 12V Elec Hydraulic | 18-1/8″W x 16 1/2″H |
| 65002 | PL-65 | up to V-6** | 5" | 5 1/2" | 12V Elec Hydraulic | 18-1/8"W x 16 1/2"H |
| 65213* | 2-1/2" Set Back | up to V-6** | 1-1/2" | 2 1/2" | Static | 15-1/8"W x 13-5/8"H |
| 65012 | ML-65 | up to V-6** | 5" | 5 1/2" | Manual | 18-1/8"W x 15 1/2"H |
| 61012 | ML-65-10 | up to V-6** | 5" | 10" | Manual | 18-1/8"W x 15 1/2"H |
| 55012 | 2-PC | up to V-6 | 5" | 5 1/2" | Manual | 18-1/8"W x 15 1/2"H (Mounted) |
| 40012 | 2-PC | up to V-6 | 5" | 4" | Manual | 18-1/8"W x 15 1/2"H (Mounted) |
| 70012* | Static Set Back | up to V-6** | 3 1/2" | 7" | Static | 18-1/8"W x 15 1/2"H (Mounted) |
| 90012* | Static Set Back | up to V-6** | 5 3/4" | 9" | Static | 18-1/8"W x 15 1/2"H (Mounted) |
| 50012 | 5"Vertical Ext | up to V-6 | 5" | 1/2" | Static | 5"W x 20 1/2" H (Mounted) |
| 65501 | PL-65 HD | up to V-8/400HP | 5" | 6" | Hydraulic | 18-1/8"W x 16 1/2"H |
| 65502 | PL-65 HD | up to V-8/400HP | 5" | 6" | Hydraulic | 18-1/8"W x 16 1/2"H |
| 65512 | ML-65 HD | up to V-8/400HP | 5" | 6" | Manual | 18-1/8"W x 15 1/2"H |

*MOUNTING HARDWARE INCLUDED **RATED FOR 4.6L V-8 PRO XS



PERFORMANCE

Electric Hydraulic Tilt N' Trim

PT-I30 Features

- Rated for 130 HP and Smaller Motors
- 6" Set Back to enhance boat stability and performance
- 20° of trim and a total of 90° of tilt and trim
- 1/2" 6061 T6 Extruded aluminum construction with SS fasteners
- Electric hydraulic actuator rated at 7853 lbs of thrust
- Four SS motor mounting bolts included


| Product Number | Description |
|----------------|---------------|
| 13001 | with gauge |
| 13002 | without gauge |



PT-35 Features

- Rated for 35 HP and Smaller Motors
- 5 1/2" Set back to enhance boat stability and performance
- · 84°of trim and tilt
- 1/4" 6061 T6 extruded aluminum construction with SS fasteners
- Electric hydraulic actuator rated at 7853 lbs of thrust
- Accommodates clamp-on/bolt-on motors without the need of an adapter
- Weighs only 24 pounds

| Product Number | Description |
|-----------------------|---------------------------------|
| 52100 | Electric Hydraulic Tilt N' Trim |



NOTE: THE INSIDE DIMENSION OF THE MOTOR MOUNTING AREA OF THE PT-35 IS 11". BEFORE ORDERING, PLEASE MAKE SURE THAT THE MAXIMUM WIDTH OF THE CLAMP MOUNTING FEET AND/OR MOUNTING BOLTS OF THE MOTOR THAT MUST FIT INTO THIS AREA DOES NOT EXCEED THE 11" LIMIT. REFER TO THE TRANSOM VIEW DRAWINGS. MOUNTING BOLTS ARE NOT INCLUDED WITH THE PT-35.



Transom Clamp Motor Adapter

- Made for quick and easy installation
- For installation of motors mounted with transom clamps

| Product Number | Description |
|----------------|-----------------------------|
| 13022 | Transom Clamp Motor Adapter |



Transom Spacer for Pontoon Boat

• The transom spacers are 1" thick allowing you to mount the PT-130 with the 1/2" to 3/4" lip around the transom

| Product Number | Description |
|-----------------------|---------------------------------|
| 13032 | Transom Spacer for Pontoon Boat |



CMC® Breakaway Unit

- Rated for outboard motors up to a maximun 130 HP
- Mounted between the boat transom and the outboard motor
- It allows small boats and motors to slide over submerged logs
- Designed to minimize damage to the outboard motor
- The unit is pre-drilled with the standard B.I.A hole pattern

| Product Number | Description | | | | |
|--|---------------------|--|--|--|--|
| 13003 | CMC® Breakaway Unit | | | | |
| NOTE: DESIGNED FOR ENCOUNTERS WHILE RUNNING AT SPEEDS OF 5MPH IN THE FORWARD DIRECTION | | | | | |

Tilt N' Trim Specifications

| ITEM | DESCRIPTION | HP RATING | TRAVEL | SET BACK | OPERATION | MATERIAL | FASTENERS | WEIGHT |
|-------|----------------------|------------------|-----------------|----------|-----------------------|--------------------------|-----------------|--------|
| 13001 | PT-130 With gauge | 10HP to 130HP | 90° Tilt & Trim | 6" | 12V Elec Hydraulic | Extruded 6061-T6 Alum | Stainless Steel | #40 |
| 13002 | PT-130 w/o gauge | 10HP to 130HP | 90° Tilt & Trim | 6" | 12V Elec Hydraulic | Extruded 6061-T6 Alum | Stainless Steel | #39 |
| 52100 | PT-35 | 35HP & Smaller | 84° Tilt & Trim | 5 1/2" | 12V Elec Hydraulic | Extruded 6061-T6 Alum | Stainless Steel | #24 |





Anchor Handle Locks

- Easy Grip "Two Finger" Handle
- For Lids up to 3/4" Thick
- Fits 2-3/8" to 2-1/2" Hole
- · Waterproof "O" Ring Seals

| Product Number | Description | Body Color | Handle Color |
|-----------------------|--------------------------------|-------------------|--------------|
| AL-1 -DP | Locking | Black | Black |
| AL-2-DP | Locking | White | White |
| ALC-1 -DP | Locking | Black | Chrome |
| ALCN-1-DP | Non-Locking | Black | Chrome |
| ALC-2-DP | Locking | White | Chrome |
| ALCN-2-DP | Non-Locking | White | Chrome |
| ALS-1 | Anchor Lock Mounting Spacer | Black | |

| Cams/Zinc | Description | A (in) | B (in) |
|-----------|--------------------------------|----------|--------|
| CAM-ZA | Straight | 2 - 1/4" | |
| CAM-ZCXL | Offset | 3 1/4" | 1" |
| KEY-2 | Replacement Key for ALL Models | | |



Deck Lid Slam Latches

- Web strap pull release with 32" strap
- Unit ships complete with striker
- · Models to orient in 4 directions

| Product Number | Description |
|-----------------------|-----------------------------|
| DLSL-1N | Deck Lid Slam Latch - North |
| DLSL-1S | Deck Lid Slam Latch - South |
| DLSL-1E | Deck Lid Slam Latch - East |
| DLSL-1W | Deck Lid Slam Latch - West |



Nautical Slam Latches

- · Low Profile Oval Design
- UV Stable Corrosion Resistant
- Stainless Steel Striker Plate
- Fits 2" Round Hole

| Product Number | Description | Color |
|-----------------------|---------------|-------|
| NFSL-5-1-DP | 1/16" to 7/8" | Black |
| NFSL-5-2-DP | 1/16" to 7/8" | White |





Designer Series[™] Access Hatches

- · Cam Style Locks Hold Lid Securely
- Positive Lid Seal for Water Tight Fit
- Stainless Steel Hinges

Removable Door

HDSS-1013-"X"-REM 10" x 13"

• Height Above Deck - 5/8"

| Non-Locking | Locking | Outside | Inside | Cut-Out |
|----------------------|------------------|------------------|------------------|------------------|
| HDSS-0714-"X"-DP | HDSSL-0714-"X" | 7-1/2" x 14-1/4" | 4-5/8" x 11-1/4" | 5-1/8" x 11-7/8" |
| HDSS-1115-"X"-DP | HDSSL-1115-"X" | 11"x 15" | 7-5/8" x 11-5/8" | 8-1/4" x 12-1/8" |
| HDSS-1119-"X"-DP | HDSSL-1119-"X" | 10-7/8"x 18-7/8" | 7-5/8" x 15-1/2" | 8-1/4" x 16-1/8" |
| HDSS-1317-"X"-DP | HDSSL-1317-"X" | 12-7/8"x 16-7/8" | 9-5/8" x 13-1/2" | 10-1/8"x 14-1/8" |
| HDSS-1324-"X"-DP | HDSSL-1324-"X" | 12-7/8"x 23-3/4" | 9-5/8" x 20-1/2" | 10-1/8"x 21-1/8" |
| HDSS-1330-"X"-DP | HDSSL-1330-"X" | 12-7/8"x 29-3/4" | 9-5/8"x 26-3/8" | 10-1/8"x 27" |
| HDSS-1620-"X" | | 16" x 20" | 12-5/8"x16-5/8" | 13-1/8" x 17" |
| Non-Locking With Dec | k Seal | | | |
| HDSS-1119-1-DS | 10-7/8"x 18-7/8" | 7-5/8" x 15-1/2" | 8-1/4" x 16-1/8" | |
| HDSS-1317-"X"-DS | 12-7/8"x 16-7/8" | 9-5/8" x 13-1/2" | 10-1/8"x 14-1/8" | |
| HDSS-1324-"X"-DS | 12-7/8"x 23-3/4" | 9-5/8" x 20-1/2" | 10-1/8"x 21-1/8" | |
| HDSS-1330-1-DS | 12-7/8"x 29-3/4" | 9-5/8"x 26-3/8" | 10-1/8"x 27" | |

6-3/4" x 9-3/4" 7-1/8" x 10-1/8"

"X" DENOTES COLOR CODE: 1=BLACK 2=POLAR WHITE 3=SAND SHELL 7=LIGHT GRAY



SURE-SEAL® Access Hatches

HDSS-1119-"X"-REM 10-7/8"x 18-7/8" 7-5/8" x 15-1/2" 8-1/4" x 16-1/8"

HDSS-1317-"X"-REM 12-7/8"x 16-7/8" 9-5/8" x 13-1/2" 10-1/8"x 14-1/8" HDSS-1324-"X"-REM 12-7/8"x 23-3/4" 9-5/8" x 20-1/2" 10-1/8"x 21-1/8"

- Easy Access to Horizontal or Vertical Storage
- Watertight, Dual seals Lid and Frame
- 180 Degree Door Opening

| Non-Locking Models | Locking Models | Outside | Inside | Cut-Out |
|--------------------|-----------------------|-------------------|------------------|-------------------|
| HAT-1115-"X"-DP | HATL-1115-"X"-DP | 10-3/4" x 15" | 7-3/8" x 11-1/4" | 8-3/4" x 12-5/8" |
| HAT-1317-"X"-DP | HATL-1317-"X"-DP | 12-7/8" x 16-7/8" | 9-5/8" x 13-1/2" | 10-1/8" x 14-1/8" |
| HAT-1324-"X"-DP | HATL-1324-"X"-DP | 13"x 23-1/4" | 9-1/2" x 19-5/8" | 11" x 20-7/8" |
| HAT-1330-"X"-DP | HATL-1330-"X"-DP | 13-1/8" x 30-7/8" | 9-3/4" x 27" | 11 x 28-1/4" |

"X" DENOTES COLOR CODE: 1=BLACK 2=POLAR WHITE 3=SAND SHELL



Earth Magnetic Latches

- Powerful Magnetic Attraction
- · Holds Lids and Doors Securely
- Encased in Plastic Won't Rust or Corrode

| Product Number | Description |
|-----------------------|-------------------------------|
| MAGHL-2-DP | Earth Magnetic Latch - 1 pair |



Molded Glove Box

Black

- Stainless Steel Lid
- Locking Latch
- Dual USB Connection installed

| Product Number | Product Number Outside Dim | | Cut-Out Dim |
|-----------------------|----------------------------|-----------------------|--------------------|
| GF4-B-SS | 6.25"x 5.9375" x 6.5" | 4.75" x 4.375" x 6.5" | 4.75" x 4.75" |



Designer Series[™] Glove Boxes

- Cam Lock Holds lid securely
- Positive Lid Seal for Water Tight
- Stainless Steel Hinges
- Push Button Lock with Lift Tab

| Product Number | Description | Outside Dim | Inside Dim | Cut-Out Dim |
|-----------------------|-------------|----------------|--------------------|--------------------|
| GDSS4-0714-"X"-DP | Non-Locking | 7-1/2"W x 14"L | 4-5/8"W x 11-1/4"L | 5-1/2"W x 12"L |
| GDSLPB4-0714-"X" | Locking | 5-1/2" Deep | | |

"X" DENOTES COLOR CODE: 1 = BLACK 2 = POLAR WHITE



Designer Series[™] Tackle Centers Locking Versions Available

| Product Number | Description |
|------------------|--|
| TDSS-0714-2T-"X" | 7" x 14" Tackle Center - Includes (2) 3600 Trays - 10" Deep |
| TDSS-1115-3T-"X" | 11" x 15" Tackle Center - Includes (3) 3600 Trays - 10" Deep |
| TDSS-1317-4T-"X" | 13" x 17" Tackle Center - Includes (4) 3600 Trays - 10" Deep |

"X" DENOTES COLOR CODE: 1 = BLACK 2 = POLAR WHITE



Designer Series[™] Vertical Access

Vertical Access Door with Vent

- Slam Latch for Easy Opening and Closing
- Slotted Vent for Air Flow
- · Stainless or Molded Latches Available

| Product Number | Outside Dim | Inside Dim | Cut-Out Dim |
|---------------------|-------------|-------------------|--------------------|
| HDSS-1620-"X"-"X"LV | 16" x 20" | 12-5/8" x 16-5/8" | 13-1/8" x 17" |

"X" DENOTES COLOR CODE: 2 = POLAR WHITE 3 = SAND



Quick Release Deck Plate

- · Cam Hatch Holds Secure
- Gripper in Lid Prevents Rotation
- · Easy Opening and Closing

| Product Number | Outside Dim | Inside Dim | Cut-Out Dim |
|-----------------------|-------------|------------|--------------------|
| DPCAM-6-"X"-DP | 8" | 5-1/8" | 6-1/4" |
| DPCAM-8-"X"-DP | 10" | 7-1/8" | 8-1/4" |

"X" DENOTES COLOR CODE: 1 = BLACK 2 = POLAR WHITE 3 = SAND SHELL



Low Profile Twist-Out Deck Plates

- Quick Twist-Out Lid
- Smooth Low Profile Lid Overlaps Frame
- "O" Ring for Watertight Design

| Textured | Smooth | Description | Outside Dim | Cut Out |
|----------------|-----------------|-------------|-------------|---------|
| DPSLP-4-"X"-DP | DPSLP-4S-"X"-DP | 4" | 5-5/8" | 4-1/2" |
| DPSLP-5-"X"-DP | DPSLP-5S-"X"-DP | 5" | 6-7/8" | 5-1/2" |
| DPSLP-6-"X"-DP | | 6" | 8" | 6-1/4" |
| DPSLP-8-"X"-DP | | 8" | 10" | 8-1/4 |

"X" DENOTES COLOR CODE: 1 = BLACK 2 = POLAR WHITE 3 = SAND SHELL (available in select products)



SURE-SEAL® Tackle Tray Boxes

- Vacuum Formed Tackle Centers
- Includes SURE-SEAL Hatch
- Popular Plano Style Trays

| Product Number | Description |
|---------------------|---|
| TBOX-1115-3T-"X"-DP | Box with 11" x 15" Hatch - Includes (3) Trays - 9" Deep |

"X" DENOTES COLOR CODE: 1P = BLACK 2P = POLAR WHITE 3P = SAND SHELL



SURE-SEAL® Deck Plates

- Watertight Lid Overlaps Frame
- · Positive "O" Ring Seal
- Total UV & Chemical Stability

| Product Number Screw-Out Style | Pry-Out Style | Outside Dim | Inside Dim | Cut Out |
|-----------------------------------|---------------|-------------|------------|---------|
| DPS-4-"X"-DP | | 5-3/4" | 4" | 4-1/2" |
| DPS-6-"X"-DP | DPP-6-"X"-DP | 8" | 6" | 6-1/4" |
| DPS-8-"X"-DP | DPP-8-"X"-DP | 10" | 8" | 8-1/4" |

"X" DENOTES COLOR CODE: 1 = BLACK 2 = POLAR WHITE 3 = SAND SHELL JAVA = LIGHT TAN (available in select products)



SURE-SEAL® Oval Deck Plates

- Covers the Space of Two Deck Plates
- Watertight Pry-Out Lid Overlaps Frame
- Quick & Easy Access to Valves, Batteries or Fire Extinguishers

| Product Number | Outside Dim | Inside Dim | Cut-Out Dim |
|------------------|------------------|------------------|------------------|
| DPOVAL-6D-"X"-DP | 15-3/8" x 8-1/3" | 13-1/8" x 6-1/8" | 14-1/8" x 7-1/8" |

"X" DENOTES COLOR CODE: 1 = BLACK 2 = POLAR WHITE 3 = SAND



Designer Series™Screw Down Deck Plates

- Tough Non-Corrosive Poly Material
- Textured Top-Smooth Tapered Edges

| Black | White | Description | Dimensions |
|--------------|--------------|-------------|------------|
| DSSDP-1-1-DP | DSSDP-1-2-DP | 6" | 4-1/2" |
| DSSDP-2-1-DP | DSSDP-2-2-DP | 8" | 6-1/4" |



Screw Down Deck Plates

| Black | Off-White | Fish White | Outside Dim |
|----------|-----------|------------|-------------|
| SDP-1-DP | SDP-1W-DP | SDP-1FW-DP | 5-5/8" |
| SDP-2-DP | SDP-2W-DP | SDP-2FW-DP | 8" |
| SDP-3-DP | | SDP-3FW-DP | 10" |



SURE-SEAL® VERSATUBE® Low Profile

- · New, Lower Profile Deck Plate Storage Compartment
- Larger 5" Diameter for More Room
- · Quick Open, Quarter-Turn Lid

| Product Number | Description |
|-----------------------|-----------------|
| VTLP-8-1 | 8" Deep - Black |
| VTLP-8-2 | 8" Deep - White |



Lid & Hatch Support Springs

- Stainless Steel Spring
- Supports 10 to 20 lb. Lids

| Product Number | Dimensions | Description | Supports |
|-----------------------|------------------|------------------------|----------|
| LS-2-DP | 7/16" x 8-1/2" L | Molded Nylon Ends | 10lbs |
| LS-2C-DP | 7/16" x 8-1/2" L | LS-2 w/Restraint Cable | 10lbs |
| LS-3-DP | 7/16"x 8-1/2"L | Offset Stainless Steel | 10lbs |
| HS-1 | 5/8" x 12" L | Molded Nylon Ends | 20lbs |





LLR-1

Lid Lifts

- Bottom Cup Prevents Water from Entering Box
- Large 3-Finger Opening on LLR's
- Easy to Install

| Product Number | Outside Dim | Hole Size |
|----------------|-----------------|------------|
| LL-1 | 2-3/4" x 2-3/4" | 2-1/8" |
| LLR-1 | 3-1/2" x 2-1/4" | 2ea 1-1/2" |

Door Restraint Straps • Restrains Doors, Hatches & Lids

- PVC Coated Stainless Steel Cable
- Stainless Steel "Eye" Ends
- Supports up to 250lbs, 750lbs for Heavy Duty



| Product Number | Heavy Duty | Description | Length |
|----------------|------------|----------------------|--------|
| DRS-4 | | Door Restraint Strap | 4" |
| DRS-5 | | Door Restraint Strap | 5" |
| DRS-7 | | Door Restraint Strap | 7" |
| DRS-9 | | Door Restraint Strap | 9" |
| DRS-1-DP | DRS-1HD | Door Restraint Strap | 13" |
| DRS-16 | DRS-16HD | Door Restraint Strap | 16" |
| DRS-20 | | Door Restraint Strap | 20" |





PRO-AIR SYSTEM® Livewell Aeration

- Dual Outlets Can Aerate Two Livewells at Once
- 12 Volt DC Pump
- Fine Mesh Screen or Air Stones
- Pump Capacity Approx. 30 Gals

| Product Number | Description |
|-----------------------|----------------------------------|
| PAS-1-DP | Complete Kit - With Air Stones |
| PAS-2 | PAS-1 - No Switch |
| PAP-1 -DP | Pump Only |
| T-1 | System Tubing - 500' Roll - 1/8" |



MAX-AIR® Livewell Venturi

- · Injects Air into Livewell
- Fits 3/4" Hose

| Product Number | Description |
|----------------|--|
| MAV-2 | MAX-AIR® Venturi Fitting Only |
| MAV-2K-DP | MAX-AIR* Venturi Kit with Face Plate |
| MAV-2KT-DP | MAX-AIR* Venturi with Face Plate and 6' Tubing |
| MAV-FACEPLATE | Replacement Face Plate |



Water Scoop

- Provides Fresh Water to Livewells While Underway
- Pressure Relief Holes Prevent Overpowering Pumps
- · Can Be Used with Standard Aerator Pump

| Product Number | Description |
|-----------------------|-------------|
| WS-1 | Water Scoop |




Automatic Aerator Control

- Fully Adjustable Timer
- 10 Amp, Fully Waterproof
- Requires 3" Round or 2-1/2" Square Hole
- Auto Spray (On) Time 45 Seconds
- Auto Delay (Off) Time 45 Seconds (min) 5-1/2 min (max)

| Product Number | Description |
|-----------------------|---------------------------|
| AAC-1-DP | Automatic Aerator Control |







EZ-WHT-2-DP

EZ-PUMPTM

- UV Stable and Poly Material
- Easy Installation No Drilling or Running Hoses
- Prevents Livewell System Air Lock

| Product Number | Length | Intake | Size | Color |
|-----------------------|--------|--------------|--------|-------|
| EZ-BLK-1-DP | 4-3/4" | 1" to 3-1/2" | Long | Black |
| EZ-WHT-1DP | 4-3/4" | 1" to 3-1/2" | Long | White |
| EZ-SND-1 | 4-3/4" | 1" to 3-1/2" | Long | Sand |
| EZ-BLK-2-DP | 3-3/8" | 1" to 2-1/2" | Medium | Black |
| EZ-WHT-2-DP | 3-3/8" | 1" to 2-1/2" | Medium | White |




Bait Tank Plumbing Kit

- Complete Kit for Plumbing Fixed or Portable Tanks
- Detailed Installation Instructions Included
- Kit Contains:

ODT-190 90° Overflow Drain Tube, 12"
TH-1202-B 1-1/8" Thru-Hull Drain Fitting
AHV-2 Aerator Spray Head for Current

TEE-3/4 Tee Fitting to Connect Both Heads to Pump

| Product Number | Description |
|----------------|---------------------|
| BWK-2-DP | Complete Baitwell K |



Aerator Pump Bracket

- Molded Aerator Pump Support
- 1-1/8" Pump Mounting Hole

| Product Number | Description |
|-----------------------|---------------------|
| PB-90 | Right Angle Bracket |



Aerator Spray Head/ Wash Down Combo

- Adapts from hose fitting to spray head
- Multi-Directional
- · Manual Shut-Off Valve

| Product Number | Description |
|-----------------------|-------------|
| AHVWD-90-DP | Black |
| AHVWD-92-DP | White |



WDV-1-DP

Wash Down Fittings

- Injection Molded Rust Proof
- Standard Garden Hose Threads
- Protective Cap with Retainer
- Flange is 2-1/4" dia. Fits 1-1/4" Hole
- Fits 3/4" Hose

| Product Number | Fits | Color |
|-----------------------|----------------------------------|--------|
| WDV-1-DP | Straight with Shut-off Valve | Black |
| WDV-1CP-DP | Straight with Shut-off Valve | Chrome |
| WDV-90-DP | 90 Degree with Shut-off Valve | Black |
| WD-1 | Straight without Shut -off Valve | Black |
| WD-1CP-DP | Straight without Shut-off Valve | Chrome |

SEE PAGE 133 & 134 FOR HOSES AND WASH DOWN STATIONS



Chrome Plated Fitting

- Strong Plating Process Strengthens Parts
- For Above Waterline Use

| Product Number Straight | 90 Degree | Extended Length | Description | Hose Size |
|----------------------------|--------------|-----------------|-------------------|-----------|
| TH-750CP-DP | TH-7590CP-DP | TH-750XLCP-DP | Thru-Hull | 3/4" |
| TH-1200CP-DP | TH-1290CP-DP | TH-1200XLCP-DP | Thru-Hull | 1-1/8" |
| | TH-1890CP-DP | | Thru-Hull Short | 1-1/8" |
| TH-1500CP-DP | TH-1590CP-DP | TH-1500XLCP-DP | Thru-Hull | 1-1/2" |
| RFTH-2BCP-DP | | | Scupper Thru Hull | 1-1/2" |
| RF-1CP-DP | | | Rigging Flange | |

SEE PAGE 46 FOR DIMENSIONS. RECOMMENDED USE OF SILICONE SEALANT OR NEOPRENE GASKET ONLY.



Directional Livewell Fill Fitting

- Provides Directional Current
- 90 Degree Design
- Allows Full Flow from Pump

| Product Number | Description | | |
|-----------------------|-----------------|--|--|
| TH-DFR-1292 | 1/8" Barb - Whi | | |



DAHI-118

Directional Flow Aerator Heads

- Creates Circular Current
- Max Wall Thickness 5/8"

| Product Number | Description | Hose Dia. |
|-----------------------|-----------------------------------|-----------|
| DAH-90 | Directional Flow Head, 90 Degrees | 3/4" |
| DAH-45 | Directional Flow Head, 45 Degrees | 3/4" |
| DAHI-118 | Adjustable Flow Head | |
| DAHIK-118-DP | Adjustable Flow Head with Fitting | 1-1/8" |
| DAHIK-750-DP | Adjustable Flow Head with Fitting | 3/4" |
| APD-190FT | Fitting for DAHI-118 | 3/4" |
| TH-1890T-DP | Fitting for DAHI-118 | 1-1/8" |






Aerator Spray Heads

| Product Number | Description | Shut-off | Barb | Hole Size | Thread Length |
|----------------|--------------------------------|----------|------|--------------|------------------|
| AH-90 | Double Nut - Black | No | 3/4" | 1-1/16 | 5/8" |
| AH-92 | Fixed Flange - White | No | 3/4" | 1-1/16 | 5/8" |
| AHV-1-DP | Fixed Flange - Black | Yes | 3/4" | 1-1/16 | 3/8" |
| AHV-90-DP | Adjustable Flow/ Valve - Black | Yes | 3/4" | 1-1/16 | 3/4" |
| AHV-92-DP | Adjustable Flow/ Valve - White | Yes | 3/4" | 1-1/16 | 5/8" |





Cockpit Drains

- Tapered or Flat Head Designs
- Flush Fit Drop-in Screens
- 90 Degree & White Only

| Product Number | Style | Head | Α | В | C | D |
|-----------------------|-------------------|---------|--------|--------|----|----|
| TH-1992 | Open Drain | Tapered | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992S | Removable Screen | Tapered | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992BH | Drain No Screen | Flat | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992BHS | Drain with Screen | Flat | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992R | Debris Bar Insert | Tapered | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992FH | Open Drain | Flat | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992FHS | Removable Screen | Flat | 1-1/2" | 2-3/8" | 3" | 1″ |
| TH-1992FHR | Debris Bar Insert | Flat | 1-1/2" | 2-3/8" | 3″ | 1" |



Deck Drain Thru-Hulls with Grille

| Product Number | Description |
|-----------------------|----------------------------|
| TH-1502G-B | Straight - White |
| TH-1592G-B | 90 Degree - White |
| FG-150 | Grill for 1-1/2" Thru Hull |



FLOW-MAX® Ball Scuppers

- Twist-Off Feature for Clearing Debris
- Retrofits all Hole Patterns
- Stainless Steel Lock for Safety
- Seal Slotted to fit Over 1-1/4" Motorwell Tube

| Product Number | Description | Size |
|-----------------------|--------------------------------|--------------------|
| FMS-1-0-DP | FLOW-MAX® Ball Scupper - Clear | 3" dia. x 2-1/2" H |



Cockpit Scupper Drains

- · Check Ball Inside Prevents Water Backup
- Top Screen Removable for Cleaning

| Product Number | Description | Color | Hose Dia. |
|-----------------------|---------------------------------|--------|-----------|
| CSD-92-DP | 90 Degree Outlet | White | 1-1/2" |
| CSD-92WO | 90 Degree Outlet w/o Check Ball | White | 1-1/2" |
| CSD-90 | 90 Degree Outlet | Oyster | 1-1/2" |



Inline Scupper

- Prevents Backwash
- · Chemical Resistant

| Product Number | Description | Hose Size |
|-----------------------|------------------------------------|-----------|
| ILS-750-DP | Double Barb Inline Scupper - Black | 3/4" |
| ILS-1200-DP | Double Barb Inline Scupper - Black | 1-1/8" |
| ILS-1500-DP | Double Barb Inline Scupper - Black | 1-1/2" |



Large Rectangular Scupper

- Quickly Drains Decks
- For Decks Above Waterline
- Maximum Drainage for Larger Boats
- Easily Clears Debris

| Product Number | Description | Dimensions |
|----------------|-------------------------|-------------|
| LRS-2-DP | Regular Scupper - White | 2" x 5-1/2" |



Duckbill Scuppers

- Tough Thermoplastic Flapper
- Seals Tight Under Water Pressure
- Easy to Install Over Drain Tubes
- 1-13/16" ID and 2-3/4" OD

| Product Number | Description |
|-----------------------|------------------------|
| DBS-2B-DP | Duckbill - Black/White |



Flush Mount Scupper Adapters

- Mounts Over 1" to 1-1/4" Drain Tubes
- Grooved Inside to Fit Over Drain Flange

| Product Number | Color |
|----------------|---------------------|
| SA-1-DP | Black/Black Flapper |
| SA-2-DP | White/White Flapper |
| SA-2B-DP | White/Black Flapper |
| SA-3 | Sand/Sand Flapper |



Flapper Scupper Repair Kit

- Repairs Most Scuppers
- Kit Contains:
 - 2 each 1-5/8" & 1-7/8" Flappers
 - Keepers and Stainless Fasteners

| Product Number | Description | |
|-----------------------|------------------------------------|------|
| FSRK-3-DP | Flapper Scupper Repair Kit - Black | New! |



Push-Together Scuppers

- · Mating Rib Design Snaps Together
- Outside Flange Diameter 2-15/16"
- Install in 1-7/8"

| Product Number | Description | Hull Thickness | Color |
|-----------------------|-----------------------|-----------------------|-------|
| RFS-1 | Push-Together Scupper | 1-1/2" to 3-5/8" | Black |
| RFS-2-DP | Push-Together Scupper | 1-1/2" to 3-5/8" | White |



Recessed Threaded Thru-Hull Scuppers

• Fits Hulls Up to 3-1/2" Thick (XS Models Fit 1-3/8" Hulls)

| Product Number | Description | Color |
|-----------------------|------------------------|----------------------|
| RFTH-2B-DP | Fits 1-1/2" or 2" Hose | White/Black Flapper |
| RFTH-2BCP-DP | Fits 1-1/2" or 2" Hose | Chrome/Black Flapper |
| RFTH-1XS | Fits 1-1/2" or 2" Hose | Black Short Thread |
| RFTH-2XS | Fits 1-1/2" or 2" Hose | White Short Thread |



Flex Flange Thru-Hull Drain

- Unique Flexible Flange
- 1-1/2" Hose Barb
- · Easily Connects to Scuppers

| Product Number | Description |
|-----------------------|--------------------------|
| TH-1502FF-DP | Flex Flange Drain 1-1/2" |



Splash Well Drains

- Push Together for Secure Fit
- · Flexible to Prevent Breakage

| Product Number Black White Fish White Chrome CMax Thickness Hole | | | | | | |
|--|-----------|----------|----------|------------------|--------|--|
| SWD-1-DP | SDW-1W-DP | | | 1-7/8" to 3-1/8" | 1" | |
| SWD-3 | SDW-3W-DP | | SDW-3WCP | 2-3/4" to 4-1/2" | 1-1/4" | |
| | SDW-4W | | SWD-4WCP | 1/2" to 3" | 1-1/4" | |
| SWD-5 | | SWD-5-FW | | 2-3/4" to 12" | 1-1/4" | |



All Purpose Drains/Hatch Drains

- Low Profile Flat or Concave Head for Complete Drainage
- Requires 1-3/8" Hole

| Product Number Black | Wh | nite | Description | Α | В | c | D |
|-------------------------|----|----------------|--------------------|--------|------|--------|-------|
| APD-1-DP | AP | D-2-DP | Straight - Concave | 1-3/4" | 3/4" | 3/4" | 2" |
| APD-1F | | | Straight - Flat | 1-3/4" | 3/4" | 3/4" | 2" |
| APD-190-DP | AP | D-290-DP | 90° - Concave | 1-3/4" | 1/2" | 3/4" | 2" |
| APD-190F | AP | D-290F-DP | 90° - Flat | 1-7/8" | 7/8" | 3/4" | 2.25" |
| APD-118 | | | Straight - Concave | 1-3/4" | 3/4" | 1-1/8" | 2" |
| PP-118-DP | | Plug for All F | Parts Above | | | | |



Impact & Push-In Drains

- Low Profile Head for Complete Drainage
- Easily Push Into Place

| Product Number | Description | Dia. | Length | Color |
|----------------|---------------|------|---------|-------|
| PD-1 | Push-In Drain | 3/8" | 1-1/16" | Black |
| PD-2 | Push-In Drain | 3/8" | 1-1/16" | White |
| IPD-580 | Impact-Drain | 5/8" | 1/2" | Black |
| IPD-582 | Impact-Drain | 5/8" | 1/2" | White |
| IPD-1000 | Impact-Drain | 1" | 3/4" | Black |
| IPD-1000-5 | Impact-Drain | 1" | 5-1/8" | Black |
| IPD-1002 | Impact-Drain | 1" | 3/4" | White |
| DBAS-1W | Push-In Drain | 3/8" | 1-1/2" | White |
| DBBS-1W | Push-In Drain | 3/8" | 1-1/2" | White |
| DBBS-1G | Push-In Drain | 3/8" | 1-1/2" | Gray |





Seat Pedestal Drains

- Marine Grade Vinyl Slide On
- Requires 1/4" Tubing

| Product Number | Description | Fits |
|-----------------------|---------------------|-----------------|
| SPD-1 | Seat Pedestal Drain | 1-1/4" Pedestal |



Floor Drain Lid Pulls

- Combination Drain with Lid Pull
- 5-1/4" Dia Fits 3-3/4" Hole
- Perfect for Ski Lockers & Hatches

| Product Number | Description |
|----------------|------------------------------------|
| FDP-4WS | Floor Drain/Pull - Off White, Sand |



Floor Drains

• Drain with Flange for Secure Fit

| Product Number | | | |
|----------------|----------|--------|---------|
| Black | White | OD Dia | Cut Out |
| FD-2-DP | FD-2W-DP | 4-1/8" | 2-1/4" |
| FD-4-DP | FD-4W-DP | 5-1/4" | 3-3/4" |



Louvered Vent Covers

| Product Number | Outside Diameter | Cut Out | Color |
|-----------------------|-------------------------|---------|-------|
| LV-1-DP | 5-1/4" | 3-3/4" | Black |
| LV-1FW-DP | 5-1/4" | 3-3/4" | White |



Overflow Drains With Filter

- · Filter Prevents Baitfish or Debris from Passing Thru
- Thru-Hull Style Overflow Fits 1-1/2" Hose

| Product Number | Description |
|-----------------------|-----------------------------------|
| TH-1502F-B | Overflow Drain - Straight, White |
| TH-1592F-B | Overflow Drain - 90 Degree, White |
| FF-150 | Overflow Drain - Filter Only |



Push-In Plug for Drains

- · Stops Water in Livewell or Baitwell Drains
- Double rings for Positive Seal
- Marine Grade Molded Vinyl

| Product Number | Description |
|-----------------------|--|
| PP-150-DP | Push-In Plug for 1-1/2" Thru-Hull Drains |
| PP-118-DP | Push-In Plug for 1-1/8" Thru-Hull and All Purpose Drains |
| PP-125 | Push-In Plug for 1-1/4" Thru-Hull Drains |



Drain Plugs

- Screw-In Plug Stays Attached
- Tough Nylon Material "O" Ring Seal
- Flange 1-1/2" x 2" Fits 1" Hole

| Product Number | Description | Color |
|-----------------------|----------------------------|-------|
| DP-1-DP | Drain Plug | Black |
| DP-2-DP | Drain Plug | White |
| DP-1FS | Drain Plug - Flexible Stem | Black |



Garboard Drain Plug & Base

- 9/16" Plug, Fits 1" Hole
- · Salt Water & UV Resistant

| Product Number | Description |
|-----------------------|----------------------------|
| GDP-1-CB-DP | Garboard Drain Plug & Base |



Aerator Filter

- Protects Pumps From Debris
- · Screws On Over Pump Intake Fitting
- · Available with Snap-On Mount

| Product Number | Description | Fits Fittings |
|-----------------------|---------------------------|----------------|
| AF-1-DP | Aerator Filter | 3/4" or 1-1/8" |
| AFM-1-DP | Aerator Filter with Mount | 3/4" |



Baitwell Filter with Mount

- Fits Over Bait Well Drains
- · Mounts Behind Drain Fitting

| Product Number | Description |
|-----------------------|--|
| BWF-1-DP | Baitwell Filter - Fits 1-1/2"Thru-Hull |



Stainless Steel Wire Mesh Strainers

- Protects Pump from Debris or Bait Fish
- Formed Wire Mesh Molded PVC Threaded Base

| Product Number | Description | Threads |
|-----------------------|------------------------------|-----------|
| AS-1-DP | Aerator Pump Intake | 3/4" - 14 |
| AS-2-DP | TH-1, 1XL, 90, 92 Thru-Hulls | 1"-8 |



Miniature Stainless Aerator Screen

- Pushes Snug Into Thru-Hull Fittings
- For Recirculated Systems or Drains
- Easily Removed for Cleaning

| Product Number | Description | |
|-----------------------|---|--|
| ASM-5-DP | Fits 1-1/8"Thru-Hull Fittings & All APD's | |



Thru-Hull Strainer Mounts

- Threaded to Fit AS-1 Stainless Screen
- Flange Allows Flush Fit No Outside Nut
- Fits 3/4" Hose

| Product Number | Description | A | В |
|-----------------------|----------------|--------|--------|
| THSM-1-DP | Fitting Mount | 1-3/4" | 4" |
| THSM-1XL | Long Fitting | 3" | 4-1/2" |
| THSM-1KIT-DP | Mount & Screen | 1-3/4" | 4" |
| AS-1-DP | Screen Only | | |

Overflow Drain Tubes

Push-In Tubes

| Description |
|---|
| Fits All T-H Marine 1-1/8"Thru Hulls - Straight - 12" L |
| Fits All T-H Marine 1-1/8"Thru Hulls - 90 Degree - 12" L |
| Filter Screen for ODT-1 & ODT-190 |
| Fits All T-H Marine 1-1/2"Thru Hulls - Straight - 18" L w/screen |
| Fits All T-H Marine 1-1/2"Thru Hulls - 90 Degree - 18" L w/screen |
| Filer Screen for ODT-2 & ODT-290 |
| |

Screw In Tubes

| Product Number | Description | |
|-----------------------|---|--|
| ODT-1-12TW* | Fits 1-1/8" Threaded Drain - Straight - 12" L | |
| ODT-1-12GSTW-DP | Fits 1-1/8"Threaded Drain - with Top Screen Glued - 12" L | |
| ODT-2T** | Fits 1-1/2"Threaded Drain - with Screen - Straight - 18"L | |

* AVAILABLE IN CUSTOM SIZING UP TO 18" ** AVAILABLE IN CUSTOM SIZING UP TO 24"

Threaded Drains

| Product Number | Description | Fitting |
|----------------|--|---------|
| TH-1200T-DP | Thru-Hull Drain - 1-1/8" Barb Straight | |
| TH-1200XL-DP | Thru-Hull Drain - 1-1/8" Barb Extra Long | |
| TH-1290T | Thru-Hull Drain - 1-1/8" Barb 90 Degrees | |
| TH-1890T-DP | Thru-Hull Drain - 1-1/8" Barb Short 90 Degree | |
| TH-1502T | Thru-Hull Drain - 1-1/2" Barb Straight - White | |
| TH-1592T | Thru-Hull Drain - 1-1/2" Barb 90 Degree - Whit | |



Livewell Overflow Tube/ Utility Storage Clips

- Two sizes to fit 7/8" or 1-1/2" Tubes
- Mounts Anywhere Holds Securely
- · Holds Nav Light Poles, Overflow Tubes, Etc

| Product Number | Description | Fits |
|----------------|------------------------------|-------------------------|
| ULC-1 | Utility Storage Clips | ODT-1 or any 7/8"Tube |
| UC-1 | Utility Storage Clips | ODT-2 or any 1-1/2"Tube |
| RUSC-1 | Rubber Utility Storage Clips | ODT-1 or any 7/8"Tube |



Chrome Plated Pass Thru Deck Seal

- Provides water tight seal with transom
- Prevents wire/hose chaffing
- Two piece design allows installation around hose

| Product Number | Description | Size |
|-----------------------|---------------------|----------|
| CDS-MCP-DP | Pass Thru Deck Seal | Straight |



Aerator Filter Domes

- Protects Pumps From Debris
- Twist-Off to Clean
- Mounts Behind Standard Thru-Hulls

| Product Number | Description | Hole I.D. | Application |
|-----------------------|---------------------|-----------|-------------------------|
| AFD-2-DP | Aerator Filter Dome | 1" | 3/4"Thru-Hull or Pump |
| AFD-118-DP | Aerator Filter Dome | 1-5/8" | Top of 1-1/2" Thru-Hull |
| AFD-118P-DP | Aerator Filter Dome | 1-3/8" | 1-1/8" Thru-Hull |



CeaCap™ Bulkhead Pass Thru Fitting

- Watertight Seal for Cables, Tubing or Wires
- · Self-Attaching No hardware Needed
- Turn Down Washer Included

| Product Number | Slot Size | Hole Size | Flange Size | Color |
|-----------------------|-----------|-----------|-------------|-------|
| TH-CC-1-DP | 1/4" | 3/4" | 1-1/4" | Black |
| TH-CC-2-DP | 1/4" | 3/4" | 1-1/4" | White |
| TH-CCL-1-DP | 9/32" | 1" | 1-1/2" | Black |
| TH-CCL-2-DP | 9/32" | 1" | 1-1/2" | White |



Overflow Fittings with Filters

- Prevents Drain Clogs
- Twist-Off to Clean
- Fits 1-1/2" ID Hose

| Product Number | Description | Size |
|-----------------------|------------------------|----------------|
| TH-1500AFD | Overflow Fitting | Straight |
| TH-1500XSFAFD | Overflow Fitting | Straight Short |
| TH-1590AFD | Overflow Fitting | 90 Degree |
| PP-150-DP | Push Plug for Overflow | |



Thru-Hull Washer/Gaskets

- Water Tight Seals for Thru-Hulls
- · Eliminates Need for Messy Sealant
- · Gaskets Compress Flat/Almost Invisible

Product Number


| THW-750 | Gasket | Closed Cell Neoprene Foam | 3/4" |
|----------|--------|---------------------------|--------|
| THW-1200 | Gasket | Closed Cell Neoprene Foam | 1-1/8" |
| THW-1500 | Gasket | Closed Cell Neoprene Foam | 1-1/2" |



Seacock Remote Operation Arm

- · Operate Seacock from Deck
- Stainless Steel Arm

| Product Number | Length |
|----------------|------------|
| SEACOCK-14 | 14" |
| SEACOCK-15.5 | 15.5" |
| SEACOCK-18.5 | 18.5" |
| SEACOCK-20 | 20" |
| SEACOCK-28 | 28" |
| SEACOCK-36 | 36" |
| SEACOCK-40 | 40" |
| SEACOCK-48 | 48" |
| SCB-527 | 4" bracket |




Thru-Hull Fittings

- · Sized to fit all marine hoses
- 90 degree features head & pass-around nut


Straight Fitting

| Product Number | | | | | | |
|----------------|--------------|--------|---------|--------|--------|--------|
| Black | White | Α | В | C | D | E |
| TH-650-DP | TH-652-DP | 1-3/8" | 3-3/8" | 1-3/4" | 5/8" | 1" |
| TH-750-DP | TH-752-DP | 1-3/8" | 3-1/16" | 1-3/4" | 3/4" | 1" |
| TH-1000 | TH-1002-DP | 1-7/8" | 3-1/2" | 1-5/8" | 1 | 1-3/8" |
| TH-1200-DP | TH-1202-DP | 1-7/8" | 3-1/2" | 1-3/4" | 1-1/8" | 1-3/8" |
| TH-1500-DP | TH01502-DP | 2-7/8" | 3-1/2" | 1-5/8" | 1-1/2" | 2" |
| TH-1500XS | TH-1502XS-DP | 2-7/8" | 2-3/4" | 1" | 1-1/2" | 2" |
| TH-750XL-DP | TH-752XL-DP | 1-3/8" | 4-1/2" | 3" | 3/4" | 1" |
| TH-1200XL-DP | TH-1202XL-DP | 1-7/8" | 5-3/8" | 3-3/8" | 1-1/8" | 1-3/8" |
| TH-1500XL-DP | TH-1502XL-DP | 2-7/8" | 5-3/8" | 3-1/4" | 1-1/2" | 2" |




90 Degree Fitting

| Product Number Black | White | A | В | c | D | E |
|-------------------------|------------|--------|--------|--------|--------|--------|
| TH-7590-DP | TH-7592-DP | 1-3/8" | 2-1/2" | 1" | 3/4" | 1" |
| TH-1290-DP | TH-1292-DP | 1-7/8" | 3-1/2" | 1-1/8" | 1-1/8" | 1-3/8" |
| TH-1890 | TH-1892-DP | 1-7/8" | 2-1/4" | 3/4" | 1-1/8" | 1-3/8" |
| TH-1590-DP | TH-1592-DP | 2-7/8" | 4-1/4" | 1-5/8" | 1-1/2" | 2" |




- Flat Head
- Total Drainage
- Requires No Sump

| Product Number | Size |
|----------------|-------|
| APD-190F | Black |
| APD-290F | White |



- Spanner Head
- Low Clearance

| Product Number | Color |
|----------------|-------|
| TH-7590S-DP | Black |
| TH-1292S | White |



Specialty Thru-Hull Fittings

1-5/8"

2-3/8"

3-3/4"

2-3/8"

3/4"

3/4"

White

TH-92-DP

TH-1292S

APD-290F

TH-1502S2 2-7/8"

TH-1502SN 2-7/8"

- Fixed Flange
- Outside Nut

Product Number

Black

TH-3S

TH-1XL-B


TH-90-DP

TH-90XL-B

APD-190F

TH-7590S-DP

| Product Number | Size |
|----------------|------|
| TH-1XL-B | Long |



D

3/4"

3/4"

3/4"

3/4"

3/4"

1-1/8"

1-1/2"

1-1/2"

3/4"

Е

1-3/8"


1-7/8"

1-7/8"

1-3/8"


- Flat Head
- Total Drainage
- Requires No Sump

| Product Number | Color |
|-----------------------|-------|
| TH-3S | Black |




- Double Nut
- 90 Degree

| Product Number | Color |
|-----------------------|-------|
| TH-90-DP | Black |
| TH-92-DP | White |



- Fixed Flange
- 90 Degree

| Product Number | Color |
|----------------|-------|
| TH-90XL-B | Black |



- Tight Clearance
- Two Piece Fitting
- · With or w/o Jam Nut

| Product Number | Color |
|----------------|---------|
| TH-1502S2 | White |
| TH-1502S2N | Jam Nut |



Plumbing Fittings

| Product Number | Description | Color | Hose I.D. | Threads |
|-----------------------|----------------------------|-------|-----------|-----------|
| FA-3/4 | Female Adapter - Straight | Gray | 3/4" | 3/4" - 14 |
| FA-90 | Female Adapter - 90 Degree | White | 3/4" | 3/4" - 14 |



"T" Fittings

| Product Number | Description |
|-----------------------|-------------------------------|
| MS-3TT34 | "T" Fitting - 3 way 3/4" FNPT |
| MS-3TT100 | "T" Fitting - 3 way 1" FNPT |
| MS-3TT112 | "T" Fitting - 3 way 1-FNPT |



90 Degree Elbows

| Product Number | Hose I.D |
|-----------------------|----------|
| ELL-3/8 | 3/8" |
| ELL- 3/4-DP | 3/4" |
| ELL-118-DP | 1-1/8" |
| ELL-112-DP | 1-1/2" |



Adapter Fittings

- Converts from Pipe Threads to Hose Barbs
- Tough Glass Filler Polymers

| Product Number | Description |
|-----------------------|---|
| MS-3A100 | Adapter Fitting - 1" MPT to 1" Barb |
| MS-3A11434 | Adapter Fitting - 1-1/4" MPT to 3/4" Barb |
| MS-3A112 | Adapter Fitting - 1-1/2" MPT to 1-1/2" Barb |
| MS-FPT38 | Straight drain fitting, 3/8" hose barb fits T-H stainless steel cup holders |
| | |



Tee-Reducing

| Product Number | Color | Hose I.D. | | |
|-----------------------|-------|-----------|--------|--------|
| TEE-150-DP | Black | 1-1/2" | 3/4" | 1-1/2" |
| TEE-250-DP | Black | 1-1/8" | 3/4" | 1-1/8" |
| TEE-350-DP | Black | 1-1/2" | 1-1/8" | 1-1/2" |



Nipple Fittings

- · Connects Sea Cocks to Manifolds
- Male National Pipe Threads on Each End

| Product Number | Description |
|----------------|-----------------------------------|
| MS-3M100 | Nipple Fitting - 1" MPT to 1" MPT |
| | |



Tees

| Product Number | Description - Black | Hose I.D. |
|-----------------------|---------------------|-----------|
| TEE-3/8 | TEE - 3 way | 3/8" |
| TEE-5/8 | TEE - 3 way | 5/8" |
| TEE-3/4-DP | TEE - 3 way | 3/4" |
| TEE-118-DP | TEE - 3 way | 1-1/8" |
| TEE-112-DP | TEE - 3 way | 1-1/2" |



Reducer Fittings

- Reduces from Male to Female National Pipe Threads
- Connects Pumps to Manifolds

| Product Number | Description |
|-----------------------|--|
| MS-3RB10034 | Reducer Fitting - 1" MPT to 3/4" FPT |
| MS-3RB11234 | Reducer Fitting - 1-1/2" MPT to 3/4" FPT |



Y-Fitting

| Product Number | Size | Color |
|-----------------------|-----------------------------------|-------|
| Y-118-DP | Y - Fitting - 3 way - 1/1" Hose | Black |
| Y-750-DP | Y - Fitting - 3 way - 3/4" Hose | Black |
| Y-112-DP | Y - Fitting - 3 way - 1-1/2" Hose | Black |



90 Degree Elbow Fittings

| Product Number | Description |
|----------------|--|
| MS-3EL1234 | Elbow Fitting - 1/2" MPT to 3/4" Hose Barb |
| MS-3EL34 | Elbow Fitting - 3/4" MPT to 3/4" Hose Barb |
| MS-3EL100 | Elbow Fitting - 1" MPT to 1" Hose Barb |







G-FORCE® TROLL JACKET®

Heavy duty cable cover

- Wraps, velcros, and secures motor cables
- Eliminates the need for zip ties
- Protective & stylish
- US Patent Pending

Product Number Description

GFTJ-1-DP TROLL JACKET®



G-FORCE® TROLL PERFECT®

Trolling motor control enhancer

Provides adjustable tension to control the effects of motor steering torque, high waves, heavy current, and excessive foot pedal play.

| Product Number | Description | Product Number | Description |
|-----------------------|----------------------------------|-----------------------|------------------------|
| GFTP-MG-BK-DP | MotorGuide (black) | GFTP-MK-BK-DP | Minn Kota (black) |
| GFTP-MG-R-DP | MotorGuide (red) | GFTP-MK-R-DP | Minn Kota (red) |
| GFTP-MG-LG-DP | MotorGuide (lime green) | GFTP-MK-LG-DP | Minn Kota (lime green) |
| GFTP-MGX-BK-DP | MotorGuide X3/X5 (black) | GFTP-MK-BU-DP | Minn Kota (blue) |
| GFTP-MGX-R-DP | MotorGuide X3/X5 (red) | | |
| GFTP-MGX-LG-DP | MotorGuide X3/X5 (lime green) | | |



G-FORCE® Grass Goat™

Trolling motor weed control

- Keeps your trolling motor clear of debris
- · Stainless steel cutting-blade
- Reduces strain on batteries and heat on trolling motor

| Product Number | Description |
|----------------|-------------------|
| GFGG-MG-DP | MotorGuide |
| GFGG-MKS-DP | Minn Kota (small) |
| GFGG-MKL-DP | Minn Kota (large) |



G-FORCE® ELIMINATOR PROP NUT™

- Built to make your trolling motor perform better, longer, and quieter.
- Stabilizes the prop by providing a larger contact point.
- Reduces the operating temperature for longer battery and trolling motor life.

| Fits | Black | Blue | Silver | Red | White |
|-----------------------|-------------------|----------------|---------------|------------------|------------------|
| MotorGuide | GFEL-MG-BK-DP | GFEL-MG-BU-DP | GFEL-MG-C-DP | GFEL-MG-R-DP | |
| MotorGuide Tour Pro | GFEL-MGT-BK-DP Ne | ew! | | GFEL-MGT-R-DP Ne | w! < |
| Minn Kota 80+ | GFEL-MK-BK-DP | GFEL-MK-BU-DP | GFEL-MK-C-DP | GFEL-MK-R-DP | GFEL-MK-W-DP New |
| Minn Kota 75+ | GFEL-MKS-BK-DP | GFEL-MKS-BU-DP | GFEL-MKS-C-DP | GFEL-MKS-R-DP | |
| Garmin Force | GFEL-GF-BK-DP Ne | ew! | | GFEL-GF-R-DP Ne | w! < |
| Lowrance Ghost | GFEL-LG-BK-DP Ne | ew! | | GFEL-LG-R-DP Ne | w! < |





G-FORCE® Silencer™

Trolling Motor Vibration Pads

- Extends life of trolling motor
- · Reduces noise and vibration
- · Eliminates metal to metal contact

| Product Number | Description |
|-----------------------|----------------------------|
| GFES-RED-DP | G-FORCE® Silencer™ - Red |
| GFES-BLK-DP | G-FORCE® Silencer™ - Black |



G-FORCE® Equilizer™

Trolling Motor Lift Assist

- Reduce lift weight by 50% +
- For MotorGuide trolling motor
- Sold in a pair

| Product Number | Fits | Color |
|----------------|---------------------------------|-------|
| GFEQ-MG-BK-DP | G-FORCE® Sliencer™ (MotorGuide) | Black |
| GFEQ-MG-BU-DP | G-FORCE® Sliencer™ (MotorGuide) | Blue |
| GFEQ-MG-R-DP | G-FORCE® Sliencer™ (MotorGuide) | Red |



RMC-108



RMC-109

G-FORCE® TROLL TAMER®

- Locks TROLLING motor to deck TO Prevent damage
- FITS most Minn Kota & MotorGuide units
- All stainless steel, no rust or corrosion

| oduct Number | Trolling Motor Type | Fits | Motor to Deck |
|--------------|---------------------|---|-------------------|
| MC-101MG-DP | Foot Controlled | MotorGuide 109 & X5 | 5" to 8" |
| MC-101MK-DP | Foot Controlled | Minn Kota - Maxxum | 5" to 8" |
| MC-101FMK-DP | Foot Controlled | Minn Kota - Fortrex Minn Kota - Ultrex Lowrance - Ghost | 5" to 8" |
| MC-102MG-DP | Foot Controlled | Motorguide Tour Pro | One size fits all |
| MC-104MK-DP | Foot Controlled | Minn Kota - Maxxum | 3-1/2" to 5" |
| MC-105FMK-DP | Foot Controlled | Minn Kota - Maxxum | 2-3/4" to 4-1/2" |
| MC-108-DP | Wireless | Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5 | 5" to 8" |
| MC-109-DP | Wireless | Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5 | 8" to 12" |



G-FORCE® Handle

Patented Trolling Motor Replacement Lift & Release Cord

- Stops cord & handle breakage
- Full grip cushioned handle
- · 42" Stainless steel cable Nylon jacket
- · Fits most trolling motors
- Hook & loop restraint strap



| Product Number | Description | Color |
|----------------|---------------------------------|-------|
| GFH-1R-DP | Replacement Trolling Motor Cord | Red |
| GFH-1G-DP | Replacement Trolling Motor Cord | Black |
| GFH-CA1R-DP | Clamp On for Wireless Motor | Red |



LANE BLASTER™

LED Trolling Motor Headlight

- Mounts directly to trolling motor mount
- Waterproof IP68 Rated LED Headlight
- Shockproof
- 50,000 Hour Life
- · Corrosion proof aluminum and stainless steel
- 10W Single LED, 1000 Lumens



| Product Number | Description |
|----------------|--|
| LED-TMHL-DP | Trolling Motor Headlight - Black Housing |



Trolling Motor Mount

- Cast aluminum bracket Marine wood mounting block
- Designed for clamp-on type electric trolling motors

| Product Number | Description |
|----------------|----------------------|
| TMM-1-DP | Trolling Motor Mount |

Important: Maximun trolling motor thrust of **36 pounds**. Motor must be removed and stowed before operating boat or trailering. Not designed for outboards of any horsepower.



Trolling Motor & Charger Power Plugs

- · Heavy duty use Handles High Amps
- · Watertight seal Gold contacts
- Original Equipment on Ranger Boats
- Easily handles 12 or 24 Volt Systems

| Product Number | Description |
|----------------|----------------------------------|
| TMBMP-1-DP | Trolling Motor Male Plug - Black |



Trolling Motor Circuit Breaker Kit

- Protect trolling motor from damage
- 3' of 8-Gauge wire to battery
- 50 AMP Circuit Breaker
- Works with 12 or 24 Volt Motors

| Product Number | Description |
|-----------------------|------------------------------------|
| CBBK-1-DP | Trolling Motor Circuit Breaker Kit |





Bounce Buster Coaster

- · Protects decks from bounce buster damage
- Fits Minn Kota bow mount stabilizer rods
- · Stand-Off model fits into deep carpet with pad
- Protects carpeted decks from damage

| Product Number | Description |
|-----------------------|---|
| BBC-1-DP | Bounce Buster Coaster |
| BBC-1P | Bounce Buster Coaster (with Stand-Off) |



SURE FOOT® Trolling Motor Switches

- Foot control switch for electric Trolling Motors
- Rated to 50 AMPS D.C
- 15" Tilt Angle for ease of operation

| Product Number | Description |
|-----------------------|---|
| FCS-2-DP | Trolling Motor Switch with Flip Lever for "ON" |
| FCS-1-DP | Trolling Motor Switch with Flip Lever for "ON" (with cover) |










Rod Tubes

- Rod Tubes Available in Oval and Round Shapes
- Various Mounting Flange Available
- Vinyl Caps Available to Fit All Tubes

| Product Number | Description | Dia. | Hole Dim | Max L. |
|----------------|---------------------------------------|-------|----------|--------|
| TEO-2.50-1-"X" | Med. Oval Rod Tube w/Black Flange | 2.30" | 2-1/2" | 80" |
| TEO-2.50-2-"X" | Med. Oval Rod Tube w/White Flange | 2.30" | 2-1/2" | 80" |
| TEO-2.50-3-"X" | Med. Oval Rod Tube w/Sand Flange | 2.30" | 2-1/2" | 80" |
| TEO-3.00-1-"X" | Lg. Oval Rod Tube w/Black Flange | 3.00" | 3" | 80" |
| TEO-3.00-2-"X" | Lg. Oval Rod Tube w/White Flange | 3.00" | 3" | 80" |
| TEO-3.00-3-"X" | Lg. Oval Rod Tube w/Sand Flange | 3.00" | 3" | 80" |
| TE-1GT-"X" | Round 2.250" Dia. Tube w/Black Flang | e | | |
| TE-1FWGT-"X" | Round 2.250" Dia. Tube w/White Flange | | | |
| TE-1SGT-"X" | Round 2.250" Dia. Tube w/Sand Flange | | | |
| PH-3FWGT-"X" | Round 2.60" Dia. Tube w/White Flange | | | |
| PH-3SGT-"X" | Round 2.60" Dia. Tube w/Sand Flange | | | |

"X" = LENGTH OF TUNE DESIRED IN INCHES ADD "WCI" = WITH CAP INCLUDED



Gunwale Mount



ROD TAMER® Rod Straps

- Holds Rods Securely Will Not Snag Hooks
- Non-Corrosive Molded Ends and Hooks

Gunwale Mount

- Retracts Into Gunwale When Not in Use
- Requires 3/4" Hole

Deck Mount

Strap Ends Mount Directly to Deck


| Product Number | Description |
|-----------------------|---------------------------------------|
| RHDN-1 | 12" Gunwale Mount, Small Hook |
| RHDN-2 | 18" Gunwale Mount, Small Hook |
| RHD-1-DP | 12" Gunwale Mount, Holds up to 3 Rods |
| RHD-2-DP | 18" Gunwale Mount, Holds up to 6 Rods |
| RT-14-DP | 14" Deck Mount, Holds up to 4 Rods |
| RT-18-DP | 18" Deck Mount, Holds up to 7 Rods |



Rod Tubes & Vinyl Caps

| Product Number | Description | Dia. | Hole Dim | Lgth |
|-----------------------|------------------|----------|----------|------|
| GT-1.375-"X" | Small | 1.375" | 1-3/8" | 43" |
| GT-1.700-"X" | Medium | 1.70" | 1-3/4" | 60" |
| GT-2.250-"X" | Large | 2.25" | 2-1/4" | 80" |
| VCAP-1.375 | Small Vinyl Cap | 1-3/8" | | |
| VCAP-1.697 | Medium Vinyl Cap | 1-11/16" | | |
| VCAP-2.125 | Large Vinyl Cap | 2-1/8" | | |

X = LENGTH OF TUBE DESIRED IN INCHES



Rod Storage Holders

- Mounts Horizontally or Vertically
- Foam Insert Holds Rod Securely
- Holds up to 6 Rods

| Product Number | Description |
|-----------------------|---------------------------------|
| FRH-1P-DP | Foam Rod Holder - Packaged Pair |



Rod Tube Ends

- Tapered Inside to Protect Rod Tips
- Opening is 1-7/8", Requires 2" Hole

| Product Number | Description | Color | Fits |
|-----------------------|------------------------|------------|----------|
| TE-1 | Tube End | Black | GT-2.250 |
| TE-1W | Tube End | Oyster | GT-2.250 |
| TE-1FW | Tube End | Fish White | GT-2.250 |
| TE-1S | Tube End | Sand | GT-2.250 |
| PH-3 | 2-1/2" Pedestal Holder | Black | GT-2.60 |

Rod Grommets

- Flexible Marine Vinyl
- Protects Rod Tips Or Butts
- · Also Great for Boat Hooks, Gaffs, etc.

| Product Number Black | White | Fish White | O.D. | Max Hole Size |
|-------------------------|----------|------------|--------|---------------|
| UG-1-DP | UG-1W | UG-1FW-DP | 3-3/8" | 2-3/8" |
| UG-2-DP | UG-2W-DP | UG-2FW-DP | 2-3/4" | 1-3/4" |
| UG-3-DP | UG-3W | UG-3FW-DP | 4" | 3" |





Pedestal Base Plug

- · Seals Pedestal Base when Seat is Removed
- Fits 1.77" Bases
- Slide Pin for Easy Removal
- Molded Material Won't Rust or Corrode

| Product Number | Description |
|-----------------------|--------------------|
| PBP-1-DP | Pedestal Base Plug |



Molded Rod Racks

- Rugged One-Piece PolyUV Stable to Resist Fading
- Knife, Pliers & Lure Slots

| Product Number | | | |
|-----------------------|------------------|-------|--------|
| RHRM-2B-DP | Molded Rod Racks | Black | 2 Rods |
| RHRM-2W-DP | Molded Rod Racks | White | 2 Rods |
| RHRM-3B-DP | Molded Rod Racks | Black | 3 Rods |
| RHRM-3W-DP | Molded Rod Racks | White | 3 Rods |



Rod Holder Drain Caps

- Molded Marine Vinyl Drain Cap
- Accepts 3/8" Tubing (Not Included)

| Product Number | Fits |
|-----------------------|--|
| RHBD-1-DP | All T-H Rod Holders |
| RHBD-2SS | Most Stainless Steel Rod Holders |
| RHBD-2SST | Most Stainless Steel Rod Holders w/Tee |



Rod Racks

- UV Stabilized Polypro Tubes with Reel Slots
- Knife and Pliers Holders on all racks
- Stainless Steel Mounting Hardware

| Product Number | Tube Color |
|-----------------------|------------|
| RHRB-3B | Black |
| RHRFW-3FW | Fish White |



Rod Holders

- One-Piece Design for Easy Installation
- Rod Index in Bottom of All Models
- Fits 1-7/8" Hole

| Black | White | Off-White | Description | Length |
|---------|-------------|------------|-------------------------------------|---------|
| RH-1-DP | RH-1FW-DP | | Angled 30° | 8-3/4" |
| RH-2-DP | RH-2FW-DP | | Flat Top | 8-3/4" |
| | RH-3FW | RH-3W | No Standoffs | 11-7/8" |
| RHSF-3B | RHSF-3FW-DP | RHSF-3W-DP | Fixed Standoffs | 11-7/8" |
| RH-4-DP | | | Angled Top Oval Head (Fits 2" hole) | 8-1/8" |
| RH-5-DP | RH-5FW | | Angled Top Oval Head (Fits 2"hole) | 9-7/8" |





Utility Flanges

- Great for running wiring, hoses, fuel lines or plumbing
- Prevents damage to stringers and bulkheads
- Protects hoses and wires

| Product Number Black | White | Sand | Size (ID) |
|-------------------------|-------|-------|-----------|
| PH-1 | | | 1-1/2" |
| PH-2 | | | 1-3/4" |
| | | PH-3S | 2-1/2" |
| TE-1 | TE-1W | TE-1S | 2-1/4" |



Zippered Rigging Sleeves

- Zips On & Off to protect cables and hoses
- Rugged sunbrella Weather & UV Resistant
- Ends are secured with cable ties

| Product Number | Description | Size - Color |
|-----------------------|-------------------------|--------------|
| ZRS-1-DP | Zippered Rigging Sleeve | 48" Black |



T-H Flex™ Sleeving

- Lightweight sleeving Protects wire, cables and hoses
- Braided from high temperature yarns
- Expands up to four times its normal diameter

| OEM# | Spool Size | Distributor # | Spool Size | Diameter |
|------------|------------|---------------|------------|----------|
| | | FLX-25-DP | 100′ | 1/4" |
| FLXB-50 | 500′ | FLX-50-DP | 100′ | 1/2" |
| FLXB-75 | 500′ | FLX-75-DP | 100′ | 3/4" |
| FLXB-125 | 500′ | FLX-125-DP | 50′ | 1-1/4" |
| FLXB-150 | 500′ | FLX-150-DP | 50′ | 1-1/2" |
| FLXB-150FR | 500′ | | | 1-1/2" |
| | | FLX-200-DP | 50' | 2" |





Rigging Flange with Fuel Hose Port & Rigging Flange Hose Union

- Completes professional rigging installation
- Complies with ABYC-NMMA Specs
- Split design of Union allows installation on Pre-Rigged boats
- Fuel Hose Ports ID = 3/4"
- Install with 2" ID T-H Marine Rigging Hose



| Product Number Black | White | Description |
|-------------------------|---------|------------------------------------|
| RFHU-1-DP | RFHU-2 | Rigging Flange Hose Union |
| RFFHP-1-DP | RFFHP-2 | Rigging Flange with Fuel Hose Port |


*TYPICAL INSTALLATION SHOWN. FUEL HOSE NOT INCLUDED.



Tri-Shape Rigging Flange

- · Hose fits over flange and into base
- Designed to prevent water leaks
- Fits 2" Hole

| Product Number | Description |
|----------------|-------------------------------|
| RFT-1-DP | Rigging Flange Only |
| RFT-1KIT | Triangular Rigging Flange Kit |







Rigging Hose, Flange, & Kits

- Protects cables, hoses and wiring from elements
- Molded polypropylene flange threaded to retain hose
- Vinyl cap provides closure for the engine end of hose
- Kit includes flange & 4' of rigging hose


| Black | White | Chrome | Gray | Component |
|--------------|--|-----------|---------------|------------------------------------|
| RF-1-DP | RF-2-DP | RF-1CP-DP | | Flange (Fits 2"ID Hose) |
| RF-2.5-1-DP | | | | Flange (Fits 2-1/2"ID Hose) |
| RF-1A-DP | RF-2A | | | Flange/Angled (Fits 2" ID Hose) |
| RFHR-1-125 | | | | Hose (1-1/4"x 60' roll) |
| | | | RFHR-3-150 | Hose (1-1/2"x 60' roll) |
| RFH-1-DP | RFH-2-DP | | RFH-3-DP | Hose (2"x 50' roll) |
| RFH-2.5-1 | | | | Hose (2.5" x 50' roll) |
| RFH-HD1-DP | | | | Heavy Duty Hose |
| RFH-HD2.5-DP | | | | HD Hose (2.5"x50'roll) |
| | RFH-2HD2.5-DP | | | HD Hose (2.5"x50'roll) |
| | | | RFH-3HD2.5-DP | HD Hose (2.5"x50'roll) |
| RF-2.5Y-1 | | | | Flange (Fits 2-1/2"ID Hose) |
| | RF-2.5Y-2 | | | Flange (Fits 2-1/2"ID Hose) |
| RFK-1CP-DP | Chrome 2" Rigging Flange & 4' Black Hose | | | |



Rigging Hose Kit

- Protects cables, hoses, and wiring from elements
- Molded polypropylene threaded flange to retain hose
- Kit includes rigging hose and flange

| Product Number | Description | |
|-----------------------|---|------|
| RFK-1-DP | 4' Rigging Hose and 2" Flange - Black | |
| RFK-2-DP | 4' Rigging Hose and 2" Flange - White | New! |
| RFK-2.5Y-1-DP | 4' Long, 2.5" Diameter Rigging Hose - Black | New! |
| RFK-2.5Y-2-DP | 4' Long, 2.5" Diameter Rigging Hose - White | New! |
| RFK-2.5Y-3-DP | 4' Long, 2.5" Diameter Rigging Hose - Gray | New! |



Oetiker® Stepless® Ear Hose Clamps

- Forms a full 360 degree circle
- Tongue and groove interlock design
- Fast Clamping with tool
- No leaks around hose
- Stainless Steel
- 100 each per bag





| Product Number | Size | Included in Kit | Retail 10-Pack |
|-----------------------|----------------------------|-----------------|----------------|
| 16700001 | 5.8 - 7.0 mm | Υ | 16700001X-DP |
| 16700004 | 7.8 - 9.5 mm | Υ | 16700004X-DP |
| 16700006 | 8.8 - 10.5 mm (3/8) | Υ | 16700006X-DP |
| 16700007 | 9.6 - 11.3 mm | Υ | 16700007X-DP |
| 16700010 | 10.8 - 13.3mm | Υ | 16700010X-DP |
| 16700011 | 11.0 - 13.8 mm | | |
| 16700012 | 11.5 - 14.0 mm | Υ | 16700012X-DP |
| 16700013 | 12.0 - 14.5 mm | Υ | 16700013X-DP |
| 16700016 | 13.2 - 15.7 mm | Υ | 16700016X-DP |
| 16700017 | 14.5 - 17.0 mm (5/8) | Υ | 16700017X-DP |
| 16700020 | 15.3 - 18.5 mm | Υ | 16700020X-DP |
| 16700024 | 17.8 - 21.0 mm (3/4) | Υ | 16700024X-DP |
| 16700031 | 22.4 - 25.6 mm (1) | Υ | 16700031X-DP |
| 16700037 | 26.9 - 30.1 mm (1-1/8") | Υ | 16700037X-DP |
| 16700040 | 28.4 - 31.6 mm | Υ | 16700040X-DP |
| 16705000 | 34.9 - 38.1 mm (1-1/2) | | |
| 16705989 | 37.8 - 41.0 mm | Υ | 16705989X-DP |
| 14100396 | Standard Jaw Pincer Pliers | Υ | |



Bulkhead Strain Relief Hose Kit

- · Distributes strain from bends in hose
- Water tight
- Great for hydraulic steering hose
- Flange is 2-3/4" Dia. & Requires 1-1/4" Installation hole

| Product Number | Description |
|-----------------------|---|
| BSR-1-FH | Bulkhead Strain Relief for .250 OD to .485 OD Fuel Hose |
| BSR-1K-DP | Bulkhead Strain Relief Hose Kit |
| BSR-1K-CB-DP | Bulkhead Strain Relief - Chrome Brass Base |

*MUST BE INSTALLED PRIOR TO ATTACHING END FITTINGS



Flapper Scupper Repair Kit

- Repairs Most Scuppers
- Kit Contains:
- 2 each 1-5/8" & 1-7/8" Flappers
- Keepers and Stainless Fasteners

| Product Number | Description |
|-----------------------|------------------------------------|
| FSRK-3-DP | Flapper Scupper Repair Kit - Black |



Nylon Cable Ties

| Product Number 100 Pack | 1000 Pack | Length | Description |
|----------------------------|---------------|--------|-----------------------|
| 004B-C-DP | 004B-M-DP | 4" | Cable Tie |
| 055B-C-DP & 055B | 005B-M-DP | 5-5/8" | Cable Tie |
| 007B-C-DP | 007B-M-DP | 7-1/2" | Heavy Duty Cable Tie |
| 075B-RAD-C-DP | 075B-RAD-M-DP | 7-1/2" | Radiused Cable Tie |
| 008B-C-DP | 008B-M-DP | 8" | Cable Tie |
| 011B-C-DP | 011B-M-DP | 11" | Cable Tie |
| 014B-C-DP | 014B-M-DP | 14" | Cable Tie |
| 145B-C-DP | | 14" | Screw Mount Cable Tie |



Chrome Plated Pass Thru Deck Seal

- Provides water tight seal with transom
- Prevents wire/hose chaffing
- Two piece design allows installation around hose

| Product Number | Description | Size |
|-----------------------|---------------------|----------|
| CDS-MCP-DP | Pass Thru Deck Seal | Straight |



Oetiker® Stepless® Ear Clamp Kit

- Complete with crimping tool
- Contains 10 ea. of the 15 most needed sizes

| Product Number | Description | |
|-----------------------|---|--|
| 18500000 | Stepless® Clamp Rigging Kit (pliers included) | |



Oetiker® Hose Clamps

- Clamp On Quick & Secure
- Single Ear All stainless steel
- Full size range for all marine hose

| Product Number | Description | Nominal Size |
|----------------|-------------|------------------|
| 15500070 | 101R | 26/64" |
| 15500003 | 133R | 1/2" |
| 15500006 | 140R | 35/64" |
| 15500007 | 145R | 9/16" |
| 15500008 | 157R | 5/8" |
| 15500009 | 170R | 11/16" |
| 15500010 | 185R | 23/32" |
| 15500011 | 198R | 3/4" |
| 15500012 | 210R | 13/16" |
| 15500014 | 241R | 15/16" |
| 15500015 | 256R | 1" (3/4") |
| 15500016 | 271R | 1-1/16" |
| 15500022 | 361R | 1-7/16" (1-1/8") |
| 15500023 | 376R | 1-15/32" |
| 15500024 | 381R | 1-1/2" |
| 15500031 | 485R | 1-7/8" |
| 15500032 | 500R | 1-15/16" |
| 15500033 | 615R | 2" |

Oetiker® Clamp Installation Tools

| Product Number | Description |
|----------------|--|
| 14100396 | Standard Jaw Pincers (formerly 14100118) |
| 14100387 | Standard Jaw Pincers (formerly 14100083) |





Clam Shell Vents

| Product Number Black | White | Stainless Steel | Dimensions |
|-------------------------|----------|-------------------|-----------------|
| CS-1-DP | CS-2-DP | CS-1SS | 9/16 x 1-7/8" |
| CSS-1-DP | CSS-2-DP | CSS-1SS-DP | 7/16 x 7/8" |
| | | CS-SS-3 | 1-5/8" x 2-1/2" |
| | | CS-SS-3-B (black) | 1-5/8" x 2-1/2" |



Stainless Steel Hose Clamps (Pair)

| Product Number | Hose Size (ID) |
|-----------------------|------------------|
| HC-4-DP | 7/32" to 5/8" |
| HC-6-DP | 3/4" to 7/8" |
| HC-8-DP | 7/16" to 1" |
| HC-10-DP | 7/16" to 1-1/16" |
| HC-12-DP | 7/16" to 1-1/4" |
| HC-16-DP | 11/16" to 1-1/2" |
| HC-24-DP | 1" to 2" |
| HC-28-DP | 1-1/4" to 2-1/4" |



Wire Cover

- Covers wire pass-thru holes
- Provides a finished look for wiring

| Product Number | Description |
|----------------|-----------------------|
| DWC-1-DP | Decorative Wire Cover |



Vent Hose Flanges

- Fits 3" or 4" I.D. wire supported vent hose
- · Barbs prevent hose from slipping off

| Product Number Black | Sand | Description |
|-------------------------|---------|----------------------|
| VHF-3 | VHF-3WS | Vent Hose Flange, 3" |
| VHF-4 | VHF-4WS | Vent Hose Flange, 4" |



Cable Boot Grommets

- · Protects cables, hoses and wires from chafing
- Flange fits into pass-thru hole
- Cable boot snaps into grommet

| Product Number | Fits |
|-----------------------|------|
| CBG-2-DP | CB-2 |
| CBG-1-DP | CB-1 |
| CBG-4-DP | CB-4 |



Chafing Ring Insert

- Installs over the base flange of T-H Marine cable boots
- Reinforces cable boot and provides clean trim (color and sized matched with T-H Marine cable boots)

| Product Number | Fits |
|----------------|---|
| CRI-1-DP | 2.375" Chafing Ring Insert - Black |
| CRI-1FW-DP | 2.375" Chafing Ring Insert - Fish White |



Reinforcing Rings for Cable Boots

| Product Number | Fits |
|-----------------------|------|
| CBR-1-DP | CB-1 |
| CBR-2-DP | CB-2 |
| CBR-4-DP | CB-4 |





- Finishes & Protects pass thru hole for wires & cables
- Rugged marine vinyl resists UV, Gasoline and Oil
- Cable tie snugs around wires and cables

| | | (|
|----|--|---|
| | | (|
| -1 | | (|
| | | (|
| | | (|
| | | |

| Product Number Black | White | Fish White | Size |
|-------------------------|----------|------------|-------------------|
| CB-2-DP | CB-2W-DP | CB-2FW | 2"Boot |
| CB-1-DP | CB-1W-DP | CB-1FW-DP | 3"Boot |
| CB-4-DP | CB-4W-DP | CB-4FW | 4-1/2" Boot |
| CBO-1 | | | 3" x 6" Oval Boot |
| CBO-4 | | | 6" x 9" Oval Boot |




Rope Grommets

- Fits 3" hole
- Molded Poly
- Flange Diameter 3-7/8"

| Product Number | Description |
|----------------|-------------|
| RG-1 | Black |





Utility Grommets

- Protects items passing thru-bulkheads, braces or stringers
- Marine grade flexible vinyl



Oval Grommet

Provides protection for cables and wiring

| Product Number | | Description |
|-----------------------|-------|---------------|
| OG-1-DP | Small | 3.83" x 2.32" |
| OGL-1 | Large | 3"x 9" |



Wire Harness Hanger

- Keeps wires safe and secure
- Unique arms creates superior contact with adhesives and glues
- Screw holes pre-drilled for strong installation
- Available tape version for convenient installation

| Product Number | Description |
|-----------------------|--------------------------|
| WHH-1 | Black Nylon |
| WHH-1T | Black Nylon- W/ PSA Tape |



Oblong Angled Cable Cover

- Great for routing cables or wires
- UV Weather resistant
- Covers steering cables or other rigging components
- Easy installation

| Product Number | Description |
|----------------|---------------------------|
| OACC-1 | Oblong Angled Cable Cover |






Rubber Seat Chock

- Prevents seat cushions from moving during transport or use
- Durable UV Resistant Thermoplastic Rubber
- Easy installation

| Product Number | Description |
|----------------|--------------------------|
| TPRSC-1 | Rubber Seat Chock/Bumper |





T-H Marine Catalog 2021 | Proudly serving the marine industry for 45 years.

Max Hole Size 2-3/8" 1-3/4"



UNDERWATER LIGHTS





BLUE WATER® LED Afterburner Underwater

• Dimensions: 3.65" round x .75" thick

| COLOR OPTION | | | | | | |
|--------------|----------|------|----------|-----|--|--|
| RED | WHITE | BLUE | GREEN | RGB | | |
| | \circ | | | • | | |
| | | / | | | | |
| | | | √ | | | |
| 1 | | | | | | |
| | | | | 1 | | |
| | √ | | | | | |
| | RED V | | | | | |



Premium LED

• Six high intensity LED's

• Stainless steel bezel - no rust

| | COLOR OPTION | | | | | | | |
|----------------|--------------|----------|----------|----------|-----|--|--|--|
| | RED | WHITE | BLUE | GREEN | RGB | | | |
| Product Number | | | | | | | | |
| LED-39060-DP | | √ | | | | | | |
| LED-39061-DP | | | √ | | | | | |
| LED-39062-DP | | | | ✓ | | | | |





GEN 1 - Underwater LED

- 12 Super bright high output LED's
- Built in thermal overheat protection
- Mounting hole diameter: 1/4"
- Dimensions: 3-7/8" x 7/8"

| | | | | | | HOUSING | |
|-----------------------|-----|-------|----------|-------|------|----------|----------|
| | | COL | COLOR | | | | |
| | RED | WHITE | BLUE | GREEN | RGBW | BRONZE | SS |
| Product Number | | 0 | | | • | | \circ |
| LED-33258-DP | | ✓ | | | | ✓ | |
| LED-33259-DP | | | ✓ | | | √ | |
| LED-33260-DP | | | | ✓ | | ✓ | |
| LED-32539-DP | | | ✓ | | | | ✓ |
| LED-32540-DP | | | | ✓ | | | ✓ |
| LED-32711-DP | | ✓ | ✓ | | | | ✓ |
| LED-32712-DP | | ✓ | | ✓ | | | ✓ |
| LED-32713-DP | | | ✓ | ✓ | | | ✓ |
| LED-32714-RGBW-DP | | | | | 1 | | ✓ |

HOHEING




Mini Underwater LED Light

- · Cast 316 Stainless Steel
- Glass lens
- · Auto-sensing, no controller required
- Change LED colors by continuous powering
- IP68 rated

| | 10 | | |
|---|--------|---|---|
| 1 | | H | |
| 6 | (hisso | | 6 |
| 1 | 1 | = | |
| | - | | |

| | | COLOR OPTION | | | | | | ISING LOR |
|-----------------------|------|--------------|---------|----------|----------|----------|--------|--------------|
| | | RED | WHITE | BLUE | GREEN | RGBW | BRONZE | SS |
| Product Number | | | \circ | | | • | | 0 |
| LED-32484-DP | New! | | | | | √ | | √ |
| LED-32485-DP | New! | | | √ | | | | √ |
| LED-34287-DP | New! | T | | | ✓ | | | ✓ |

2-wire RGB can be wired directly to toggle switch. Full spectrum of colors scroll automatically at start. Simple off/on again pauses on selected color.







High Intensity LED

- 6 Super bright LED's
- Stainless steel hardware included
- Surface size 3.5" x 1/5"
- H -1.2" with mounting spacer
- H 0.7" spacer w/out spacer

| | COLOR OPTION | | | | | | |
|------------------|--------------|---------|----------|-------|-----|--|--|
| | RED | WHITE | BLUE | GREEN | RGB | | |
| roduct Number | | \circ | | | Ç | | |
| ED-51866-DP | | ✓ | | | | | |
| ED-51867-DP | | | √ | | | | |
| ED-51868-DP | | | | ✓ | | | |
| ED-32696-RGBW-DP | | | | | ✓ | | |
| | | | | | | | |



Stainless Steel LED

- 316 Stainless steel bezel
- Six bright LED's
- No high heat

| | COLOR OPTION | | | | | | |
|------------------|---------------------|-------|------|-------|-----|--|--|
| | RED | WHITE | BLUE | GREEN | RGB | | |
| Product Number | | 0 | | | • | | |
| ED-51900-DP | | ✓ | | | | | |
| .ED-51901-DP | | | ✓ | | | | |
| ED-32696-RGBW-DP | | | | | 1 | | |



Extreme LED

- 20% Brighter than our standard LED
- Fully waterproof
- Polarity and thermal protection

| Product Number |
|-----------------------|
| LED-SM171COB-W-DP |
| LED-SM172COB-B-DP |
| LED-SM173COB-G-DP |

| COLOR OPTION | | | | | | | | |
|--------------|---------|------|-------|-----|--|--|--|--|
| RED | WHITE | BLUE | GREEN | RGB | | | | |
| | \circ | | | | | | | |
| | 1 | | | | | | | |
| | | ✓ | | | | | | |
| | | | / | | | | | |



Stainless Steel Oval LED

- Waterproof IP68 Rated
- Size 5.7" x 1.7"
- Six (6) super bright LED diodes

| LED | COLOR OPTION | | | | | | |
|-------------------|--------------|---------|----------|----------|-----|--|--|
| | RED | WHITE | BLUE | GREEN | RGB | | |
| Product Number | | \circ | | | | | |
| LED-SM7815-W-DP | | ✓ | | | | | |
| LED-SM7815-B-DP | | | √ | | | | |
| LED-SM7815-G-DP | | | | ✓ | | | |
| LED-SM7815-RGB-DP | | | | | 1 | | |

| SEE | AND BE SEEN |
|-----|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

SPREADER LIGHTS





Oval Recessed Spreader LED

- · Powder coated aluminum case
- Recessed mounting
- 5-7/8"L x 1-3/4"W x 1-5/8"D

| | | | COI | LOR |
|--------------|-----------------------|----------------|---------|----------|
| | | | BLACK | WHITE |
| | Product Number | | | \circ |
| | LED-39120-DP | | | ✓ |
| LED-39122-DP | | ✓ | | |
| LED-3 | 9112SB | Stainless Stee | l Bezel | Cover |

HOUSING



Recessed Flush Mount LED

Powder coated aluminum

• Wide 145 degree angle light spread

4 Watts

IP67 Rating

• 4-7/8"L x 1-3/4"W x 1-5/8" D

| D | | LOR |
|----------------|------------|-------|
| Product Number | BLACK | WHITE |
| LED-51905-DP | ✓ / | |
| LED-51913-DP | | ✓ |



LED Mini Spreader

- 2" Docking Light
- Die-Cast Aluminum body
- 1000 Lumens
- IP68 Rated
- Draws 1.3A at 12V

| | HOU | SING LOR |
|----------------|-------|-------------|
| Product Number | BLACK | WHITE |
| LED-39690-DP | | 1 |
| LED-39691-DP | 1 | |



LED Super Spreader Light

- 1W LED Lights
- Die-cast aluminum housing powder coated
- Optical grade PMMA lens
- IP67 rating
- Voltage 10-30V DC

| | SING LOR |
|-------|-------------|
| BLACK | WHITE |
| | |
| | |



LED Side Docking Light

Low profile design

• Extreme output LED lighting for docking at night

| | | LOR |
|--------------|-------|----------|
| | BLACK | SS |
| oduct Number | | |
| D-319DL-DP | | √ |

Product Number

LED-51914-DP



LED Docking Light

· High intensity, 3 LED Light for low light profile

| Connects to deutsch connector housing | Product Number |
|---|-----------------------|
| | LED-4093DL-PLG -D |

| | | SING LOR |
|----|-------|-------------|
| | BLACK | SS |
| DP | | 1 |



BLUE WATER® LED Cyberlite

- 1,100 Lumens
- 12W
- Spot or Flood
- IP68
- 9-32V DC
- 3.25" x 3.5"

| | | USING OLOR | | |
|------------------------|-------|---------------|--|--|
| Product Number SPOT | BLACK | WHITE | | |
| LEDBW-901-2-BLK-DP | / | | | |
| LEDBW-901-2-W-DP | | 1 | | |
| FLOOD | | | | |
| LEDBW-901-2-BLK-FLD-DP | / | | | |

TRIM COLOR











BLUE WATER® LED Cyber 400S

• 4,100 Lumens

• 30° High intensity hybrid beam

- 9-32V DC
- · 3.2" x 3.8"

| | Product Number SPOT | GOLD | BLUE | SILVER | BLACK | RED |
|---|------------------------|------|------|--------|-------|-----|
| | LEDBW-908-2-B-DP | | 1 | | | |
| m | LEDBW-908-2-BLK-DP | | | | ✓ | |
| | LEDBW-908-2-GLD-DP | / | | | | |
| | LEDBW-908-2-R-DP | | | | ✓ | |
| | LEDBW-908-2-SVR-DP | | | / | | |
| | | | | | | |

LEDBW-901-2-W-FLD-DP

LIGHT KITS





LED Lighting Kit for Boats

Kit includes:

- (3) 4" Slim Line LED Utility Lights
- (4) 12" Flex Strip LED Lights
- (2) 24" Flex Strip Lights

| oats | | COI | LOR O | PTION | |
|-----------------------|-----|-------|-------|----------|-----|
| | RED | WHITE | BLUE | GREEN | RGB |
| Product Number | | 0 | | | |
| LED-BTKIT-WHT | | ✓ | | | |
| LED-BTKIT-BLUE | | | ✓ | | |
| LED-BTKIT-RED | ✓ | | | | |
| LED-BTKIT-GREEN | | | | √ | |
| | | | | | |



LED Lighting Kit for Trailers

- Attaches to any trailer frame
- High bond 3M adhesive on flex strips
- Kit includes:
- (2) 24" Flex Strip LED Lights
- (2) 48" Flex Strip Lights

| | | COL | .OR OI | TION | |
|-----------------------|----------|----------|--------|----------|-----|
| | RED | WHITE | BLUE | GREEN | RGB |
| Product Number | | \circ | | | |
| LED-TRLKIT-WHT | | ✓ | | | |
| LED-TRLKIT-BLUE | | | ✓ | | |
| LED-TRLKIT-RED | √ | | | | |
| LED-TRLKIT-GREEN | | | | ✓ | |



Oval Courtesy Light/Rock Light Kits

- Extreme high output lights
- · Waterproof and shockproof
- 6 Pack kits are available in single or two colors



6 Pack Kit Includes

- 6 LED Lights

- 1 Switch

- 6 Flat Rubber

- Mounting Gaskets - 24 Mounting Screws

- 12 Bolts

2 Pack Kit Includes

- 2 LED Lights

- 1 Switch

- 2 Flat Rubber - 2 30 Rubber Mounting Gaskets

- 8 Mounting Screws

- 4 Bolts





| | | (| COLOR | OPTIO | N | | BEZ | ZEL |
|-----------------------------|----------|-------|-------|----------|----------|----------|----------|-------|
| Product Number 6-LED KIT | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE |
| LED-33255-6KT-DP | | ✓ | | | | | 1 | |
| LED-33256-6KT-DP | | | 1 | | | | 1 | |
| LED-33257-6KT-DP | √ | | | | | | 1 | |
| LED-33308-6KT-DP | | | | √ | | | / | |
| LED-33309-6KT-DP | | | | | √ | | 1 | |
| LED-32650-6KT-RGB-DP | | | | | | √ | / | |
| LED-32651-6KT_RGB-DP | | | | | | 1 | | 1 |
| LED-RKRW-6KT-DP | ✓ (4) | ✓ (2) | | | | | / | |
| LED-RKBW-6KT-DP | | ✓ (2) | ✓ (4) | | | | √ | |
| LED-RKGW-6KT-DP | | √ (2) | | √ (4) | | | 1 | |
| | | | | | | | / | |

| | | (| BE | ZEL | | | | |
|-----------------------------|-----|-------|------|-------|-------|-----|-------|-------|
| Product Number 2-LED KIT | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE |
| LED-33255-2KT-DP | | 1 | | | | | / | |
| LED-33256-2KT-DP | | | 1 | | | | 1 | |
| LED-33257-2KT-DP | / | | | | | | 1 | |
| LED-33308-2KT-DP | | | | 1 | | | 1 | |
| LED-33309-2KT-DP | | | | | 1 | | 1 | |
| LED-32651-2KT-RGB-DP | | | | | | / | | / |



| | .156 Female 12in | .156 Female Y12in in 36 | .156 Female Y12in | ,156 Female Y12in in 34 | .156 Female Y12in | |
|-----|---------------------|-------------------------------|----------------------|-------------------------------|----------------------|---------------------------|
| No. | | | 24n .156 f | 26in 4 | Samp 12 Fuse 12 | 12in To the Battery |
| | 12in | 12in | 12in | 12in | 12in | |

| Product Number | Description |
|----------------|---------------------------------|
| LED-RGBRL-HRN | RGB Rock Light Harness |
| LED-SCRL-HRN | Single Color Rock Light Harness |

PONTOON LIGHT KITS





*FLUSH MOUNT LED-RGBCONT-2F-DP

Pontoon Light Kit (RGB)

- Control RGB Lights with your choice of controller
- IP68 Fully waterproof
- Includes: RGB Controller, RGB Light Strips, Mounting Channels, Hardware & Instructions

| Product Number | Description |
|-----------------------|------------------------------|
| LED-PBDK20RGB-FC-DP | 20' - Flush Mount Controller |
| LED-PBDK25RGB-FC-DP | 25' - Flush Mount Controller |
| LED-PBDK20RGB-DP | 20' - Wireless Controller |
| LED-PBDK25RGB-DP | 25' - Wireless Controller |



LED-RGBCONT-1-DP

Pontoon Light Kit (Blue)

- IP68 Fully waterproof and submersible
- Includes: (2) 20' or 25' LED Light Strips, Waterproof Wiring Harness, & Mounting Channels

Product Number

| LED-PBDK20B-DP | 20' Pontoon Light Kit (Blue) |
|----------------|------------------------------|
| LED-PBDK25B-DP | 25' Pontoon Light Kit (Blue) |



LED Module String Light Kit

- IP68 Fully waterproof and submersible
- Includes: (2) 25' LED Module Strings, 24 3-LED modules per string
- · Strings Include: Additional 20' of wire pigtail to route control to switch

| Product Number | Description |
|----------------------|-------------|
| i i oduct i tullibel | Description |

LED Modual String Light Kit (blue)



GEN-1 RGBW LED Controller

- Flush mount multi-color LED light controller
- Requires 3/4" hole for routing
- 4 Channel 20 different modes 5 speed settings

| Product Number | Descriptio |
|----------------------|------------|
| i i oddet i tallibei | Descriptio |

LED-RGBCONT-2F-DP GEN-1 - RGB LED Light Controller



* LED-RGBCONT-3F-DP



* LED-RGBCONT-4R-DP

RGBW LED Light Controller

- Touch screen technology
- Illuminated power button
- · Controls RGBW light color and intensity
- Water resistant

| Product Number | Description | |
|-----------------------|--|------|
| LED-RGBCONT-3F-DP | RGBW LED Touch Screen Light Controller | |
| LED-RGBCONT-4R-DP | RGBW LED Touch Screen Light Controller | New! |







Wireless RF Controller

- · Wireless RF remote for RGB changing lights
- · IP68 Fully waterproof
- 43 Dynamic Color Modes
- 30 Static Color Modes

Product Number Description

LED-RGBCONT-1-DP RGB LED Light Controller

LINEAR LIGHTING





- Moisture & Water Resistant
- Strong 3M mounting tape on back
- Available in 1'ft, 2'ft, 4'ft & 6'ft strips
- IP-65 Rated



| Product Number Length RED WHITE BLUE GREEN RGB LED-51946-DP 12" ✓ ✓ ✓ LED-51948-DP 12" ✓ ✓ LED-51949-DP 12" ✓ ✓ LED-51950-DP 24" ✓ ✓ LED-51951-DP 24" ✓ ✓ LED-51952-DP 24" ✓ ✓ LED-51959-DP 24" ✓ ✓ LED-51953-DP 48" ✓ ✓ LED-51954-DP 48" ✓ ✓ LED-51955-DP 48" ✓ ✓ LED-51956-DP 72" ✓ ✓ LED-51957-DP 72" ✓ ✓ LED-51963-DP 72" ✓ ✓ LED-RLC Mounting Channel - No Tape - 6'ft | | | COLOR OF HOR | | | | | |
|---|----------------|------------|------------------------------------|----------|----------|-------|---|--|
| LED-51946-DP 12" | | | RED | WHITE | BLUE | GREEN | | |
| LED-51947-DP 12" | Product Number | Length | | 0 | | | • | |
| LED-51948-DP 12" | LED-51946-DP | 12" | | ✓ | | | | |
| LED-51949-DP 12" | LED-51947-DP | 12" | | | 1 | | | |
| LED-51950-DP 24" ✓ LED-51951-DP 24" ✓ LED-51952-DP 24" ✓ LED-51959-DP 24" ✓ LED-51965-DP 24" ✓ LED-51953-DP 48" ✓ LED-51954-DP 48" ✓ LED-51955-DP 48" ✓ LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51948-DP | 12" | 1 | | | | | |
| LED-51951-DP 24" ✓ LED-51952-DP 24" ✓ LED-51959-DP 24" ✓ LED-51965-DP 24" ✓ LED-51953-DP 48" ✓ LED-51954-DP 48" ✓ LED-51955-DP 48" ✓ LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51949-DP | 12" | | | | ✓ | | |
| LED-51952-DP 24" ✓ ✓ LED-51959-DP 24" ✓ ✓ LED-51965-DP 24" ✓ ✓ LED-51953-DP 48" ✓ ✓ LED-51954-DP 48" ✓ ✓ LED-51955-DP 48" ✓ ✓ LED-51966-DP 48" ✓ ✓ LED-51957-DP 72" ✓ ✓ LED-51963-DP 72" ✓ ✓ LED-RLC Mounting Channel - No Tape - 6'ft | LED-51950-DP | 24" | | 1 | | | | |
| LED-51959-DP 24" ✓ ✓ LED-51965-DP 24" ✓ ✓ LED-51953-DP 48" ✓ ✓ LED-51954-DP 48" ✓ ✓ LED-51955-DP 48" ✓ ✓ LED-51966-DP 48" ✓ ✓ LED-51956-DP 72" ✓ ✓ LED-51963-DP 72" ✓ ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51951-DP | 24" | | | 1 | | | |
| LED-51965-DP 24" ✓ LED-51953-DP 48" ✓ LED-51954-DP 48" ✓ LED-51955-DP 48" ✓ LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6'ft | LED-51952-DP | 24" | / | | | | | |
| LED-51953-DP 48" ✓ LED-51954-DP 48" ✓ LED-51955-DP 48" ✓ LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51959-DP | 24" | | √ | √ | | | |
| LED-51954-DP 48" ✓ LED-51955-DP 48" ✓ LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51965-DP | 24" | | | | 1 | | |
| LED-51955-DP 48" ✓ LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6'ft | LED-51953-DP | 48" | | 1 | | | | |
| LED-51966-DP 48" ✓ LED-51956-DP 72" ✓ LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51954-DP | 48" | | | √ | | | |
| LED-51956-DP 72" ✓ LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51955-DP | 48" | 1 | | | | | |
| LED-51957-DP 72" ✓ LED-51963-DP 72" ✓ LED-RLC Mounting Channel - No Tape - 6' ft | LED-51966-DP | 48" | | | | ✓ | | |
| LED-51963-DP 72" | LED-51956-DP | 72" | | 1 | | | | |
| LED-RLC Mounting Channel - No Tape - 6' ft | LED-51957-DP | 72" | | | 1 | | | |
| · · · · · · · · · | LED-51963-DP | 72" | | 1 | 1 | | | |
| LED DIC WIT | LED-RLC | Mounting C | Mounting Channel - No Tape - 6' ft | | | | | |
| LED-RLC-WT Mounting Channel - With Tape - 6'ft | LED-RLC-WT | Mounting C | Channel | - With T | ape - 6' | ft | | |

COLOR OPTION





LED Flat Rope Lights

- Bright LED continuous rope light
- IP67 Fully waterproof Silicone sleeve only
- Lengths from 14ft to 28ft
- Mounting channel has 3M high tenacity tape

| | | RED | WHITE | BLUE | GREEN | RGB |
|-----------------------|--------|-----|----------|------|-------|-----|
| Product Number | Length | | 0 | | | |
| LED-SM14-B-DP | 14' | | | ✓ | | |
| LED-SM20-B-DP | 20′ | | | 1 | | |
| LED-SM22-B-DP | 22′ | | | 1 | | |
| LED-SM24-B-DP | 24′ | | | 1 | | |
| LED-SM26-B-DP | 26′ | | | 1 | | |
| LED-SM28-B-DP | 28′ | | | 1 | | |
| LED-SM14-W-DP | 14' | | ✓ | | | |
| LED-SM18-W-DP | 18′ | | √ | | | |
| LED-SM20-W-DP | 20′ | | ✓ | | | |
| LED-SM24-W-DP | 24′ | | ✓ | | | |
| LED-SM26-W-DP | 26′ | | √ | | | |
| LED-SM28-W-DP | 28′ | | 1 | | | |
| | | | | | | |

COLOR OPTION

LED-SMSLC-6WT* Flat Rope Light Mounting Channel - 6ft

*NOT COMPATIBLE WITH RGB ROPE LIGHTS



LED Flat Rope Lights - RGB

- Bright LED RGB continuous rope light
- IP68 Fully waterproof Silicone sleeve with silicone gel fill
- 12V DC, 7.2 Watts per Meter, 0.6 Amps per Meter
- 423 Lumens per meter

| | | COLOR OPTION | | | | |
|-----------------------|--|--------------|----------|--------|----------|---------|
| | | RED | WHITE | BLUE | GREEN | RGB |
| Product Number | Length | | \circ | | | |
| LED-SM16-RGB-DP | 5m/16′ | | | | | ✓ |
| LED-SM20-RGB-DP | 6m/20' | | | | | ✓ |
| LED-SM25-RGB-DP | 7.5m/25′ | | | | | ✓ |
| LED-RGBCONT-1-DP | RGB Contr | oller (IP | 68) with | n Remo | te Contr | ol |
| LED-RGBCONT-2F-DP | RGB Contr | oller (IP | 68) with | n Remo | te Contr | ol |
| LED-RGBCONT-3F-DP | RGBW LED Touch Screen Light Controller | | | | | |
| LED-SMSLC50-4WT-DP | Flat Rope Light Mounting Channel - 4ft | | | | | |
| LED-SMSLC-RGBW-4WT | RGBW Flat | Rope L | ight Mo | unting | Channe | l - 4ft |

LED Flex Strip Light with Track

• Includes low profile and easy to mount track

| | · | | • | | | (| COLOR | OPTIO | N |
|---|------------------------------------|--------|-----------------------------------|-----------------|--------|-----|-------|-------|-------|
| | Product Number Battery Operated | Length | Product Number WHITE PCB STRIP | BLACK PCB STRIP | Length | RED | WHITE | BLUE | GREEN |
| | LED-39308-DP* | 2x18" | | LED-33279-DP | 4" | | 1 | | |
| | LED-39310-DP* | 2x18" | | LED-33280-DP | 4" | | | 1 | |
| | LED-39312-DP* | 2x18" | LED-39330-DP | | 4" | | | | / |
| | *USES (3) AA BATTERIES | | LED-39331-DP | LED-33282-DP | 4" | / | | | |
| | | | LED-39320-DP | LED-33275-DP | 6" | | / | | |
| 9 | | | LED-39321-DP | LED-33276-DP | 6" | | | 1 | |
| Q | | | | LED-33277-DP | 6" | | | | / |



| 1 | WHITE PCB STRIP | BLACK PCB STRIP | Length | | \cup | | |
|---|-----------------|-----------------|--------|----------|----------|---|---|
| | | LED-33279-DP | 4" | | ✓ | | |
| | | LED-33280-DP | 4" | | | ✓ | |
| | LED-39330-DP | | 4" | | | | 1 |
| | LED-39331-DP | LED-33282-DP | 4" | √ | | | |
| | LED-39320-DP | LED-33275-DP | 6" | | √ | | |
| | LED-39321-DP | LED-33276-DP | 6" | | | ✓ | |
| | | LED-33277-DP | 6" | | | | 1 |
| | | LED-33278-DP | 6" | 1 | | | |
| | LED-33267-DP | LED-33271-DP | 12" | | ✓ | | |
| | LED-33268-DP | LED-33272-DP | 12" | | | ✓ | |
| | LED-33269-DP | LED-33273-DP | 12" | | | | / |
| | LED-33270-DP | LED-33274-DP | 12" | 1 | | | |
| | | | | | | | |



LED Flex Strip Lights

Battery Operated

- Water resistant battery box
- Uses three (3) AA batteries
- 18" Strips available in (3) color

| ors | | RED | WHITE | BLUE | GREEN | UV |
|-----------------------|--------|-----|-------|------|----------|----|
| Product Number | Length | | 0 | | | |
| LED-39275-DP | 18" | | ✓ | | | |
| LED-39276-DP | 18" | | | ✓ | | |
| LED-39277-DP | 18" | | | | √ | |

COLOR OPTION



Mounting Track & Track Ends

• For use with T-H Marine LED Flex Strip Ligi

• Track available in clear, black & white

Adhesive strip for mounting

| ghts | IKA | ICK CO | LOR | |
|-----------------------|--------|----------|----------|---------|
| jiits | | BLACK | WHITE | CLEAR |
| Product Number | Length | | \circ | \circ |
| LED-39536 | 6′ | | | 1 |
| LED-39537 | 6′ | √ | | |
| LED-39538 | 6′ | | √ | |
| | | | | |

Track Ends (100 pack) - White Track Ends (100 pack) - Black



Flexible LED Light Bar

• Flexible silicon housing, mount on curved surfaces

• 100% waterproof

| | | | RED | WHITE | BLUE | Ι' |
|-----------------------|--------|------|-----|---------|------|----|
| Product Number | Length | LEDs | | \circ | | |
| LED-39685-DP | 10.34" | 9 | | 1 | | |
| LED-39686-DP | 10.34" | 9 | | | 1 | |
| LED-39687-DP | 12.93" | 12 | | ✓ | | |
| LED-39688-DP | 12.93" | 12 | | | / | |



LED Module Pod Light Strings

)% waterproof ree super bright LEDs per pod

| UV |
|----|
| |
| |
| |
| |
| |
| |



Ultraviolet LED Strip Light

Product Number LED-UV24TRK-DP 27.25"

| | COLOR OPTION | | | | | | | | | | |
|-----|--------------|------|-------|----|--|--|--|--|--|--|--|
| RED | WHITE | BLUE | GREEN | UV | | | | | | | |
| | \circ | | | | | | | | | | |
| | | | | / | | | | | | | |

COLOR OPTION

COLOR OPTION

COURTESY LIGHTS





Stainless LED Puck Lights

- Polished stainless steel bezel
- Available in three colors White, Blue and Red

| -, | | | | | | | |
|-----------------------|------|-----|----------|------|-------|-------|-----|
| | | RED | WHITE | BLUE | GREEN | AMBER | RGB |
| Product Number | Dia. | | \circ | | | | • |
| LED-51827-DP | 3" | | ✓ | | | | |
| LED-51828-DP | 3" | | | 1 | | | |
| LED-51897-DP | 3" | / | | | | | |
| LED-51831-DP | 4" | | √ | | | | |
| LED-51832-DP | 4" | | | ✓ | | | |

COLOR OPTION



LED Surface Mount Dome Light

- On/Off Rocker switch of bezel
- Super flux (P4) Type LEDs

|)s | | (| COLOR | OPTIO | V | | |
|-----------------------|------|----------|----------|-------|-------|-------|-----|
| | | RED | WHITE | BLUE | GREEN | AMBER | RGB |
| Product Number | Dia. | | \circ | | | | |
| LED-51829-DP | 4" | | ✓ | | | | |
| LED-51830-DP | 4" | √ | √ | | | | |
| | | | | | | | |



Recessed LED Puck Lights

- Epoxy to resist water, corrosion and vibration
- Requires 2" Diameter Hole
- Black, White & Chrome Bezel come with each light
- 6 LEDs per Light

| 1 | - | 1 | 1 |
|---|---|---|---|
| | | 1 | 4 |
| 1 | | 2 | 4 |

| | | COLOR OPTION | | | | | |
|-----------------------|------|--------------|-------|------|-------|-------|------|
| | | RED | WHITE | BLUE | GREEN | AMBER | RGBW |
| Product Number | Dia. | | 0 | | | | • |
| LED-51847-DP | 3" | | ✓ | | | | |
| LED-51848-DP | 3" | 1 | | | | | |
| LED-51849-DP | 3″ | | | 1 | | | |
| LED-32658-RGBW-DP | 3" | | | | | | 1 |



Push-In LED Utility Light

- · Stainless steel bezel
- Simple Push-In Installation
- Fits into a 3/4" hole

| | | RED | WHITE | BLU |
|-------------------|--------|-----|-------|-----|
| Product Number | Dia. | | | |
| LED-51976 | 1-1/8" | | | |
| LED-51977-DP | 1-1/8" | | ✓ | |
| LED-51978-DP | 1-1/8" | | | 1 |
| LED-39113-FB-RGB | 1-1/8" | | | |
| LED-39115-FB-RGBW | 1-1/8" | | | |

| | COLOR OPTION | | | | | | | | | | | |
|---|--------------|-------|----------|-------|----------|----------|------|--|--|--|--|--|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB | RGBW | | | | | |
| , | | | | | √ | | | | | | | |
| , | | ✓ | | | | | | | | | | |
| , | | | √ | | | | | | | | | |
| , | | | | | | √ | | | | | | |
| , | | | | | | | 1 | | | | | |



Mini LED Dual Mount

- 3 Bright LEDs
- Very low amp draw
- Dimensions: 2-1/8"L x 5/8"H x 1/2"W
- · Stainless steel fasteners included

| roduct Number | RED | WHITE | BLUE | GREEN | AMBER | RGB |
|---------------|-----|-------|----------|-------|-------|-----|
| Todactivamber | | | | | | |
| ED-51880-DP | | ✓ | | | | |
| ED-51898-DP | | | √ | | | |
| | | | | | | |



Push-In LED Cockpit Light

- White RGB (69500-RGB)
- Lumens 2.58
- Wattage RGB 0.6W
- Voltage 12V
- 3/4" hole

Product Number LED-14044-RGB-DP

| | (| COLOR | OPTIO | N | |
|-----|-------|-------|-------|-------|-----|
| RED | WHITE | BLUE | GREEN | AMBER | RGB |
| | | | | | 1 |

COLOR OPTION



Automatic LED Lid Light

- · Automatic On/Off LED light when lid is raised or lowered
- · Stainless steel ball switch

| COLOR OPTION | | | | | | | | | | | |
|--------------|----------|------|-------|-------|-----|--|--|--|--|--|--|
| RED | WHITE | BLUE | GREEN | AMBER | RGB | | | | | | |
| | √ | | | | | | | | | | |

COLOR OPTION

COLOR OPTION



Livewell/Courtesy Lights

- Waterproof
- Neoprene scaling gasket included
- Bright 3-Element LED Bulb

| | | | RED | WHITE | BLUE | GREEN | AMBER | RGB |
|-----------------------|--------|------|------|------------|----------|--------|----------|------|
| | | | INLL | WIIIL | DLUL | GILLIN | AIVIDEIX | INGD |
| Product Number | O.Dia. | Hole | | \bigcirc | | | | • |
| LWL-1P-LED-DP | 1-7/8" | 1" | | ✓ | | | | |
| LWL-1P-LED-B-DP | | | | | ✓ | | | |
| LWLM-1P-LED-DP | 1" | 5/8" | | ✓ | | | | |
| LWLM-1P-LED-BLUE | 1" | 5/8" | | | √ | | | |



Flush Head LED Livewell Lights

- Great for livewell illumination Waterproof
- Requires 1" Hole
- 1 LED with diffuser lens
- Pigtail connection 12V

| Product Number | Dia. | RED | WHITE | BLUE | GREEN | AMBER | |
|----------------|--------|-----|-------|------|-------|-------|---|
| LED-51874-DP | 1-1/4" | | 1 | | | | ĺ |
| LED-51875-DP | 1-1/4" | | | 1 | | | |





LED Companion Way Lights

- Opaque PC lens produces warm glow
- · Sealed in epoxy to resist water, corrosion & vibration



| | | COLOR OPTION | | | | | | BLACK WHITE CHROM | | | BEZEL | | | |
|-----------------------|----------|--------------|----------|-------|-------|-----|----------|-------------------|--------|--|-------|--|--|--|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE | CHROME | | | | | |
| Product Number | | 0 | | | | | | \circ | | | | | | |
| LED-51816-DP | | 1 | | | | | ✓ | | | | | | | |
| LED-51819-DP | | 1 | | | | | | ✓ | | | | | | |
| LED-51818-DP | √ | | | | | | | √ | | | | | | |
| LED-51822-DP | | 1 | | | | | | | ✓ | | | | | |
| LED-51820-DP | | | √ | | | | | | ✓ | | | | | |
| LED-51892-DP | | | √ | | | | √ | | | | | | | |
| LED-51895-DP | | | 1 | | | | | 1 | | | | | | |



LED Oval Lights with Push-In Button Lens

- Built in switch push in for "On/Off"
- Flange Overall 5" x 3-1/8"
- Oval Hole 3-1/4" x 2-1/8"

| BLUE | GREEN | AMBER | RGB | BLACK | | |
|------|-------|-------|-----|-------|----------|--------|
| | | | _ | DLACK | WHITE | CHROME |
| | | | | | \circ | |
| | | | | ✓ | | |
| | | | | | √ | |
| | | | | ✓ | | |
| | | | | | √ | |
| | | | | | | |
| | | | | ✓ | | |
| | | | | | ✓ | |
| | | | | | | Г |
| | | | | ✓ | | |
| | | | | | ✓ | |
| | | | | | | |



LED Courtesy Companion Way Lights

- LED Square 2.25" x 2.25"
- Frosted PC lens 3 LEDS
- Hardware in

| C lens - 3 LEDS included | | (| COLOR | ОРТІО | N | | | BEZEL | |
|-----------------------------|-----|----------|-------|-------|-------|-----|-------|----------|----------|
| iriciuded | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE | SAND |
| Product Number | | \circ | | | | | | \circ | |
| LED-51894-DP* | | ✓ | | | | | | \ | |
| LED-51891-DP* | | ✓ | | | | | ✓ | | |
| LED-51899* | | ✓ | | | | | | | ✓ |
| LED-51876-DP | | √ | | | | | | \ | |
| LED-39050** | | √ | | | | | ✓ | | |
| LED-32660-RGBW-DP | | | | | | 1 | | | |

*HIDDEN FASTENERS **HARDWARE NOT INCLUDED, NO COVER



LED Courtesy/Accent Light

- · Great for hatches, storage, compartment, etc
- Illuminate entries & steps

| | | • | COLOR | OPTIO | N | | | REZEL | |
|-----------------------|-----|-------|-------|-------|-------|------|-------|-------|----------|
| | RED | WHITE | BLUE | GREEN | AMBER | RGBW | BLACK | WHITE | CHROME |
| Product Number | | 0 | | | | • | | 0 | |
| LED-39024-DP | | 1 | | | | | | | ✓ |
| LED-39027 | | 1 | | | | | 1 | | |
| LED-39034-DP | | | 1 | | | | | | √ |
| LED-32665-RGBW-DP* | | | | | | / | | | |

*W/O BEZEL



LED Mini Accent Light

- Versatile accent LED light
- Stainless steel bezel
- Two bright LEDs



| | | (| OLOR | OPTIO | N | | | BEZEL | | |
|-----------------------|-----|----------|----------|-------|-------|------|----------|---------|----------|--|
| | RED | WHITE | BLUE | GREEN | AMBER | RGBW | BLACK SS | WHITE | SS | |
| Product Number | | \circ | | | | • | | \circ | | |
| LED-39216-DP | | √ | | | | | | | ✓ | |
| LED-39217-DP | | | ✓ | | | | | | ✓ | |
| LED-39218-DP | 1 | | | | | | | | √ | |
| LED-39224-DP | | ✓ | | | | | - | - | - | |
| LED-32667-RGBW-DP | | | | | | 1 | | | √ | |



LED Oblong Courtesy Lights

- · Great for accent lighting, step, task, compartment, etc
- 1.25" W x 3" L
- Sealed with epoxy to resist water corrosion & vibration



| | | C | OLOR | OPTIO | N | |
|-----------------------|----------|-------|------|-------|-------|------|
| | RED | WHITE | BLUE | GREEN | AMBER | RGBW |
| Product Number | | 0 | | | | • |
| LED-51823-DP | | | ✓ | | | |
| LED-51824-DP | √ | | | | | |
| LED-51825-DP | | ✓ | | | | |
| LED-32661-RGBW-DP | | | | | | ✓ |



LED Utility Strip Light - Slim Line

- · Great for lighting or decorating interior and exterior of boats, RVs, etc
- Low amp draw
- 100% Waterproof

| • 100% | Waterproo | f | | COLOR OPTION | | | V | # OF LIGHTS | | |
|------------------------------------|-----------|-----------------------------|--------|--------------|-------|------|------|-------------|------------|------------|
| Product Number BATTERY OPERATED | Length | Product Number WIRED 12V | Length | RED | WHITE | BLUE | RGBW | 6 LEDs | 12 LEDs | 18 LEDs |
| | | LED-51800-DP | 4" | | 1 | | | 1 | | |
| LED-39672-DP | 4" | LED-51801-DP | 4" | | | 1 | | 1 | | |
| | | LED-51803-DP | 4" | 1 | | | | √ | | |
| | | LED-32670-RGBW-DP | 4" | | | | / | 1 | | |
| | | LED-51805-DP | 6" | | 1 | | | | √ | |
| | | LED-51806-DP | 6" | | | 1 | | | √ | |
| | | LED-32674-RGBW-DP | 6" | | | | / | | 1 | |
| | | LED-51810-DP | 8" | | 1 | | | | | ✓ |
| | | LED-51811-DP | 8" | | | 1 | | | | ✓ |
| | | LED-32675-RGBW-DP | 8" | | | | ✓ | | | / |



LED Rail Lights

- · Light rotates to direct where desired
- Low amp draw
- · Powder coated alum

| ninum | | | RED | WHITE | BLUE | GREEN | AMBER | RGB |
|-----------------------|-------------|--------|-----|---------|------|-------|-------|-----|
| Product Number | # of Lights | Length | | \circ | | | | |
| LED-51857-DP | 12 | 6" | | 1 | | | | |
| LED-51858-DP | 24 | 24" | | ✓ | | | | |



Stainless Steel Indirect LED

- IP67 Compliant, interior and exterior
- Lumens 50
- 12v DC Amps: 45mA
- Mounting hole 5/16"
- 1"W x 1"H x 1/2"D
- 5.5"

| or | COLOR OPTION | | | | | | | | |
|-----------------------|--------------|------------------------------|--|--|----------|---|--|--|--|
| | RED | RED WHITE BLUE GREEN AMBER I | | | | | | | |
| Product Number | | \circ | | | | | | | |
| LED-33240-DP | | \ | | | | | | | |
| LED-33242-DP | ✓ | | | | | | | | |
| LED-33320-DP | | | | | ✓ | | | | |
| LED-32648-RGB-DP | | | | | | / | | | |

COLOR OPTION



LED Round Companion Light

- Chrome cover with accent slit
- Waterproof
- Provides ambient lighting

| | COLOR OPTION | | | | | | | |
|-----------------------|--------------|-------|------|-------|-------|----------|--|--|
| | RED | WHITE | BLUE | GREEN | AMBER | RGBW | | |
| Product Number | | 0 | | | | <u> </u> | | |
| LED-39100-DP | | / | | | | | | |
| LED-39101-DP | | | 1 | | | | | |
| LED-32660-RGBW-DP | | | | | | 1 | | |



Single LED Module Light

- IP68 Waterproof
- · Low power 12V DC, 0.2 Watts/0.017 Amps per LED
- Dimensions: 1.56"L x 1.11"W x 0.34"H
- · Contains one LED

| Product Number | |
|----------------|--|
| LED-34190-DP | |

| COLOR OPTION | | | | | | | | |
|--------------|---------|----------|-------|-------|-----|--|--|--|
| RED | WHITE | BLUE | GREEN | AMBER | RGB | | | |
| | \circ | | | | | | | |
| | | √ | | | | | | |



Triple LED Storage Light

- IP68 Waterproof
- Low power 12V DC
- Dimensions: 4-1/8"L x 1-5/16"W x 3/8"H
- Ignition protected

| Product Number | |
|----------------|--|
| LED-SM361PLG | |

| COLOR OPTION | | | | | | | | |
|--------------|---------|------|-------|-------|-----|--|--|--|
| RED | WHITE | BLUE | GREEN | AMBER | RGB | | | |
| | \circ | | | | | | | |
| | 1 | | | | | | | |
| | | | | | | | | |



TRIPLE LED Module Light

- IP68 Fully waterproof
- · Low power 12V DC, 0.2 Watts / 0.017 Amps per LED
- Dimensions: 3.21"L x 0.52"W x 0.42" H
- Contains three LEDs

Product Number

| COLOR OPTION | | | | | | | | |
|--------------|---------|------|-------|-------|----------|--|--|--|
| RED | WHITE | BLUE | GREEN | AMBER | RGB | | | |
| | \circ | | | | 6 | | | |
| | 1 | | | | | | | |



QUAD LED Module Light

- IP68 Fully waterproof
- Low power 12V DC, 0.2 Watts / 0.017 Amps per LED
- Contains four LEDs

Product Number LED-34185-DP

| COLOR OPTION | | | | | | | | |
|--------------|---------|------|-------|-------|-----|--|--|--|
| RED | WHITE | BLUE | GREEN | AMBER | RGB | | | |
| | \circ | | | | | | | |
| | 1 | | | | | | | |



LED Low Profile Round Dome

- Aluminum housing round dome
- Powder coated white
- Touch switch 100%/50%/25%

| | COLOR OPTION | | | | | | | | | |
|----------------|--------------|---------|-------|-------|-------|-----|--|--|--|--|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB | | | | |
| Product Number | | \circ | | | | | | | | |
| LED-39857-DP | | √ (6) | √ (6) | | | | | | | |
| LED-39859-DP | √ (6) | √(6) | | | | | | | | |



LED Low Profile Dome Light

- Mounting Diameter 3/4"
- Lumens 250
- 12v DC Amps: 410mA
- 6.75" dia. x 1.13"
- IP67

| | COLOR OPTION | | | | | | BEZEL | |
|----------------|--------------|----------|------|-------|-------|-----|-------|----|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | SS |
| Product Number | | \circ | | | | | | |
| LED-33249-DP | | ✓ | | | | | | 1 |
| LED-33250-DP | | ✓ | ✓ | | | | | 1 |
| LED-33251-DP | ✓ | √ | | | | | | 1 |



LED Dome Light - Round

- Dome light for indirect lighting
- Dimmable
- Push button light setting

| Product Number | |
|-----------------------|--|
| LED-32628-DP | |

| COLOR OPTION | | | | | | BEZEL | | |
|--------------|----------|------|-------|-------|-----|-------|-------|--|
| RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE | |
| | ○ | | | | | | ✓ | |



Oval Courtesy Light

- Narrow beam pattern
- Operates on 12V DC / 18 AWG wire / 0.2W power consumption
- Weatherproof design IP65

| Product Number | Description | |
|----------------|--|------|
| LED-71000-DP | Oval Courtesy Light, Linear Beam (white) | New! |
| LED-72000-DP | Oval Courtesy Light, Linear Beam (blue) | New! |



LED Dome Light - Oblong

- Dome light for indirect lighting
- Dimmable
- Push button light setting

| a | COLOR OPTION | | | | | | BEZEL | |
|-----------------------|--------------|---------|------|-------|-------|-----|-------|---------|
| 5 | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE |
| Product Number | | \circ | | | | | | \circ |
| LED-32636-DP | | / | | | | | | 1 |



LED Dome Light - Motion Activated

- Dome light for indirect lighting
- Dimmable

| | COLOR OPTION | | | | | | BEZEL | |
|-----------------------|--------------|----------|------|-------|-------|-----|-------|----------|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE |
| Product Number | | \circ | | | | | | \circ |
| LED-32638-DP | | √ | | | · | | | √ |

COLOR OPTION



Oval Courtesy Light/Rock Light

- Extreme high output lights
- Waterproof and shockproof
- 3"W x 1.625"H

| - | |
|---|---|
| 1 | |
| | 6 |
| | 1 |

| | RED | WHITE | BLUE | GREEN | AMBER | RGB | BLACK | WHITE |
|-----------------------|-----|---------|----------|-------|-------|-----|----------|-------|
| Product Number | | \circ | | | | | | |
| LED-33255-DP | | ✓ | | | | | / | |
| LED-33256-DP | | | ✓ | | | | ✓ | |
| LED-33257-DP | ✓ | | | | | | ✓ | |
| LED-33308-DP | | | | ✓ | | | ✓ | |
| LED-33309-DP | | | | | ✓ | | 1 | |
| LED-32650-RGB-DP | | | | | | 1 | 1 | |
| LED-32651-RGB-DP | | | | | | 1 | | 1 |

T-H Marine Catalog 2021 \mid Proudly serving the marine industry for 45 years.

BEZEL

NAVIGATION LIGHTS



LED Combination Bow Navigation Light Flush Mount

- · 316 Stainless steel housing
- 2 Nautical mile USCG Certification
- Meets ABYC-16

| Meets Ab 10-10 | | | | 110051110 | | |
|----------------|------------------|-------------------------|-----------------------------|-----------|----|--|
| | | | | BLACK | SS | |
| | Product Number | Description | Dimensions | | | |
| | LED-BNAVC-1-DP | Bow Nav Light | 2-3/8"L x 2-1/16"W x 7/8" H | | ✓ | |
| | LED-BNAVC-2C-DP | Low Profile Combination | 2-3/8"L x 1-7/8"W x 2-1/8"H | | ✓ | |
| | LED-BNAVC-1BK-DP | Bow Nav Light | 2-3/8"L x 2-1/16"W x 7/8" H | 1 | | |
| | LED-LPBNAV-1-DP | Low Profile Combination | 2-3/8"L x 1-7/8"W x 1"H | | ✓ | |



LED-BNAVC-2C

LED Low Profile Round Dome Pole Mount

- Stamped stainless steel pole
- 2 Nautical mile USCG Certification
- Standard Nav Light plug-in base
- Meets ABYC-16

| Length |
|----------------|
| 20" - Angled |
| 20" - Straight |
| 12" - Straight |
| 12" - Angled |
| |

HOUSING





LED Single Side Bow Navigation Lights Tear Shape/Low Profile

316 Stainless steel housing

2 Nautical mile USCG Certification

Product Number LED-BNAVS-1

Dimensions 2-3/8"L x 1-7/8" x 7/8"H

Meets ABYC-16

Mounts horizontally



LED-LPNAV-1-DP LED-LPNAV-1-DP

LED Single Side Bow Navigation Lights Bullet Shape/Smallest Footprint

- 316 Stainless housing
- 1 Nautical Mile USCG Certification
- 2-1/4"L x 1"W x 11/16"H
- Patented
- Meets ABYC-16

| Product Number | Mounting Application |
|-----------------------|--|
| LED-LPNAV-1-DP | Horizontal Deck Mount |
| LED-LPNAV-2-DP | Vertical Angled Gunnel Mount (Shark-Eye) |
| LED-LPNAV-3-DP | Vertical Straight Mount (Console/T-Top) |



LED Single Side Bow Navigation Lights Compact Shark-Eye

- 316 Stainless housing
- 2 Nautical Mile USCG Certification
- Meets ABYC-16

Product Number LED-BNAVSSEYE-1



LED Single Side Bow Navigation Lights Traditional Shark-Eye

- 2 Nautical mile USCG Certification
- Meets ABYC-16
- NMMA Type accepted
- · Stainless steel base
- Dimensions 7-1/2" L x 2-1/4"W

| Product Number | Description |
|----------------|--------------------|
| SEL-1LED-DP | LED - 2NM |
| SEL-1-DP | Incandescent - 1NM |



LED Flex Strip Bow Light

- · Ideal for kayaks & small boats for visibility
- · Not tested for USCG certification
- · Waterproof battery pack (optional)

| Product Number | Length | Power Option |
|-----------------------|--------|---------------------|
| LED-52000-DP | 6" | 12V |
| LED-39306-DP | 6" | (3) AA Batteries |





24" SNAP FLEX NAV LIGHT

- UV Stable fiberglass shaft
- 2 Nautical Mile USCG Certification
- Meets ABYC-16
- Nylon base

| Product Number | Description | |
|------------------|-----------------------------|------|
| LED-NAV-50621-DP | Snap Flex Navigatioin Light | New! |



LED Stern Light - Fixed Lengths

- LED Lighting for maximun visibility
- Low amp draw
- USCG Certified

| Product Number | Length | Product Number | Length |
|-----------------------|--------|-----------------------|--------|
| LED-NAV-39503-DP | 24" | LED-NAV-39510-DP | 54" |
| LED-NAV-39507-DP | 36" | LED-NAV-39759-DP | 5" |
| LED-NAV-39509-DP | 48" | LED-NAV-34222-DP | 60" |



LED Stern Light - Adjustable Length

- · LED Lighting for maximun visibility
- Low amp draw
- · Fits in standard light base
- Adjustable lengths
- USCG Certified

| Product Number | Length |
|------------------|----------|
| LED-NAV-39757-DP | 28"- 48" |
| LED-NAV-39513-DP | 37"- 67" |



LED Folding Stern Light Aluminum Pole/Plastic or Stainless Base

- · LED Lighting for maximun visibility
- 2 Nautical mile USCG Certification
- Low amp draw
- Folding light for storage
- USCG Certified

| Product Number | Base | Length | Mount |
|------------------|-----------|---------|--------|
| LED-NAV-39758-DP | Plastic | 10-1/2" | 3 hole |
| LED-NAV-34228-DP | Plastic | 24" | 2 hole |
| LED-NAV-34228-SB | Stainless | 24" | 2 hole |
| LED-NAV-32433 | | 36" | |



LED Folding Stern Light Fiberglass Pole/Stainless Base

- LED Fold down
- 2 Nautical mile USCG Certification
- Meets ABYC-16
- 3/16" stainless base
- Mounts on 1-1/4" square tubing
- Mounts on 3/4" round tubing

| Product Number | Length |
|-----------------------|--------|
| LED-BTSL-24-DP | 24" |
| LED-BTSL-36-DP | 36" |



LED Low Profile Snap Flex Nylon Base

- UV Stable Fiberglass Shaft
- 2 Nautical Mile USCG Certification
- Meets ABYC-16

| Product Number | Length |
|-----------------------|--------|
| LED-NAV-50621-DP | 24" |



Flexible Pole Stern Light

- 2 Nautical mile USCG Certification
- Meets ABYC-16
- Patent Pending design
- UV stable fiberglass flexible pole
- · Universally fits all nav light bases
- Includes 3 locking collar options







| | Product Number | Length |
|------|-------------------|--------|
| | LED-NAV-USL-48-DP | 48" |
| New! | LED-NAV-USL-54-DP | 54" |
| New! | LED-NAV-USL-60-DP | 60" |



Snap Flex Stern Light

- · Patent Pending design
- UV stable fiberglass
- USCG approved 2 mile
- Spring-Loaded locking RC/ACAM



| Product Number | Length |
|-----------------------|----------------------------|
| LED-NAVSFSL-48-DP | 48" |
| LED-NAVSFSL-60-DP | 60" |
| LED-NAVSFK-48-DP* | 48" |
| LED-NAVSFK-60-DP* | 60" |
| LED-NAVSFSB-DP | Snap Flex Stern Light Base |
| | |

*INCLUDES BASE





LED-NAV-39522-DP



LED-NAV-39524-DP

Nav Light Bases - 2 Prong

- Pre-Wired pigtail wiring harness
- Rubber or tethered cover keeps inside base clean

| Product Number | Description |
|-----------------------|----------------------------------|
| LED-NAV-39522-DP | Nylon Low Profile - 2 Prong |
| LED-NAV-39524-DP | Nylon Low Profile - 2 Prong |
| LED-NAV-39525-DP | Stamped SS - Round |
| LED-NAV-39526-DP | Swivel Top - Nylon |
| LED-NAV-39762-DP | Base with Cover - Zamack 2 Prong |









LED-NAV-39762-DP

ACCESSORY LIGHTS





LED Lighted Drink Holder Stainless Steel Rim

- · Robust UV stable molded housing
- Corrosion resistant
- 316 stainless steel rim
- Wired for 12V applications

| | COLOR OPTION | | | | | |
|-----------------------|--------------|-------|------|-------|--|--|
| | RED | WHITE | BLUE | GREEN | | |
| Product Number | | 0 | | | | |
| LED-LCH-BU-DP | | | ✓ | | | |
| LED-LCH-G-DP | | | | 1 | | |
| LED-LCH-R-DP | ✓ | | | | | |
| LED-LCH-W-DP | | 1 | | | | |

COLOR OPTION



LED Lighted Drink Holder No Step Stainless Steel

- 304 stainless steel
- Corrosion resistant
- Mounts in 3-5/8" hole
- Wired for 12V applications

| | RED | WHITE | BLUE | GREEN | AMBER | RGB |
|---------------------|-----|----------|------|----------|-------|-----|
| Product Number | | \circ | | | | |
| LED-LCHSS-NS-B-DP | | | ✓ | | | |
| LED-LCHSS-NS-G-DP | | | | √ | | |
| LED-LCHSS-NS-R-DP | 1 | | | | | |
| LED-LCHSS-NS-RGB-DP | | | | | | 1 |
| LED-LCHSS-NS-W-DP | | ✓ | | | | |



LED Lighted Drink Holder No Step Stainless Steel with Insert

- Holder with rubber insert provides secure fit for the beverage
- Mounts in standard 3-5/8" Hole
- Includes drain hole & nipple for routing drainage
- Padded bottom
- Wired for 12V applications
- Patent Pending

| or routing aramago | | | | | | |
|-----------------------|-----|---------|----------|-------|-------|-----|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB |
| Product Number | | \circ | | | | |
| LED-LCHSS-NSRI-B | | | ✓ | | | |
| LED-LCHSS-NSRI-G-DP | | | | ✓ | | |
| LED-LCHSS-NSRI-R-DP | ✓ | | | | | |
| LED-LCHSS-NSRI-RGB-DP | | | | | | 1 |
| LED-LCHSS-NSRI-W-DP | | ✓ | | | | |
| | | | | | | |

COLOR OPTION



LED Cup Holder Accent Ring

- Fits cup holder from 3-1/4" to 3-1/2" Diameter
- Ring contains 18 attractive LEDs

| | | COLOR OF HON | | | | | | | | |
|----------------|----------|--------------|----------|-------|-------|-----|--|--|--|--|
| | RED | WHITE | BLUE | GREEN | AMBER | RGB | | | | |
| Product Number | | \circ | | | | | | | | |
| .ED-SMCHR-B-DP | | | √ | | | | | | | |
| .ED-SMCHR-R-DP | √ | | | | | | | | | |



LED Cup Holder Insert

- Add color to your cup holder
- · Snug secure fit eliminated rattle wh

| hen in motion | RED | WHITE | BLUE | GREEN | AMBER | RGB |
|-----------------------|-----|--------|----------|-------|---------|-----|
| | NED | WHILE | BLUE | GREEN | AIVIDEN | NGB |
| Product Number | | \cup | | | | |
| LED-CHI-W-DP | | ✓ | | | | |
| LED-CHI-B-DP | | | √ | | | |
| LED-CHI-R-DP | 1 | | | | | |
| LED-CHI-G-DP | | | | ✓ | | |
| LED-CHI-RGB-DP | | | | | | 1 |
| | | | | | | |

COLOR OPTION

COLOR OPTION



LED Speaker Accent Ring

- Light up your boat speakers
- Ring contains 30 attractive LEDs

| Product Number 5" diameter | 6-1/2" diameter | RED | WHITE | BLUE | GREEN | AMBER | RGB |
|-------------------------------|------------------|-----|-------|----------|----------|-------|----------|
| LED-SMSKR-5B-DP | LED-SMSKR-B-DP | | | ✓ | | | |
| LED-SMSKR-5R-DP | LED-SMSKR-R-DP | ✓ | | | | | |
| LED-SMSKR-5G-DP | | | | | √ | | |
| | LED-SMSKR-RGB-DP | | | | | | √ |

BLUEWATERLED® **LIGHT KITS**



Compartment Boat Kit

LEDBW-105-"X"-DP

- (2) 30 LED/20" Light Strips for Rod Lockers (4) 15 LED/10" Light Strips for Compartments
- (2) 4 LED Submersible for Livewells
 (1) 4 LED Submersible for Cooler



Pro Boat Kit

LEDBW-120-"X"-DP

- (2) 30 LED/20" Light Strips for Rod Lockers (1) 30 LED/20" Light Strips for Battery Locker (4) 15 LED/10" Light Strips for Compartments (2) 18 LED/12" Light Strips for Front Deck

- (2) 12 LED/8" Light Strips for Rear Deck(2) 4 LED Submersible for Livewells
- (1) 4 LED Submersible for Cooler



Total Boat Kit

LEDBW-107-2-"X"-DP

- (2) 30 LED/20" Light Strips for Rod Lockers
 (1) 30 LED/20" Light Strips for Battery Locker
 (4) 15 LED/10" Light Strips for Compartments
 (2) 18 LED/12" Light Strips for Front Deck
 (2) 12 LED/8" Light Strips for Rear Deck

- (2) 4 LED Submersible for Livewells(1) 4 LED Submersible for Cooler





Rod Locker Kit

LEDBW-108-"X"-DP

(2) 30 LED/20" Light Strips for Rod Lockers



Elite Lid Kit

LEDBW-109-"X"-DP

(2) 60 LED/40" Light Strips for Trailer Lighting (2) Surface Mount Push-Button Switches



Elite Lid Light

LEDBW-109-1-"X"-DP

- (1) 60 LED/40" Light Strips (1) Surface Mount Push-Button Switch



Front & Rear Deck Kit


LEDBW-98-4-"X"-DP

(2) 18 LED/12" Light Strips (2) 12 LED/8" Light Strips



Front Deck Kit LEDBW-98-1-"X"-DP

(2) 18 LED/12" Light Strips



Ultimate Deck Kit

LEDBW-107-"X"-DP

(8) 30 LED/20" Light Strips (1) Dimmer Control



Night Blaster Deck Kit

LEDBW-106-"X"-DP


- (2) 30 LED/20" Light Strips(4) 15 LED/10" Light Strips(1) Waterproof Push-Button Switch



Extreme Pro X6 Deck Kit

LEDBW-80-2-"X"-DP

(6) Extreme Pro Deck Lights



Extreme Pro X2 Deck Kit

LEDBW-81-"X"-DP

(2) Extreme Pro Deck Lights



Extreme Pro Deck Light

LEDBW-82-2-"X"-DP

(1) Extreme Pro Deck Light



Extreme Pro X2 Motorglow

LEDBW-81-2-"X"-DP

(2) Extreme Pro Deck Lights



Small Space Light Pair

LEDBW-403-"X"-DP

(2) Tri-Beam with 3M™ Industrial

BLUEWATERLED BOATING APPLICATIONS




Livewell/Cooler Light Pair
LEDBW-402-"X"-DP

(2) Quad-Beam with 3M™ Industrial Waterproof Adhesive Backing




Bow Lighting Kit
LEDBW-100-"X"-DP

(1) 15 LED/10" Red Light Strip (1) 15 LED/10" Green Light Strip Male Connectors & T-Tap Connectors



High Output Blacklight Kit
LEDBW-101-UV-DP

(2) 60 LED/40" High Output UV Light Strips (1) Mini-Rocker on/off Power Switch (1) 10'-18/2 Gauge Installation Wire Male Connectors & T-Tap Connectors



Trailer Kit
LEDBW-111-"X"-DP

(2) 60 LED/40" Light Strips Male Connectors & T-Tap Connectors Submersible



Pro Trailer Kit
LEDBW-111-1-"X"-DP

(2) 60 LED/40" Light Strips (1) Waterproof Push-Button Switch Male Connectors & T-Tap Connectors 20' of wire Submersible



Ultimate Trailer Kit

LEDBW-110-"X"-DP

(4) 60 LED/40" Light Strips (2) 30 LED/20" Light Strips

40' of wire Submersible



Replace "X" with color code above. See website or call for different color combinations and their part numbers.



Trailer Cutout Step Light

LEDBW-113-"X"-DP

(2) 30 LED/20" Light Strips Male Connectors & T-Tap Connectors



Power Pole Lighting Kit

LEDBW-121-"X"-DP

(2) 45 LED/30" Light Strips (1) Waterproof Push-Button Switch Male Connectors & T-Tap Connectors 10' of 18/2 wire



Afterburner Underwater Light

LEDBW-700-2-"X"-DP

Dimensions: 3.65" round x .75" thick 60W // IP Rating: IP68 // Stainless Steel



Low Impact Blacklight Kit

LEDBW-103-UV-DP

(2) 60 LED/40" Low Output UV Light Strips (1) Mini-Rocker on/off Power Switch (1) 10'-18/2 gauge Installation Wire Male Connectors & T-Tap Connectors



High or Low Blacklight Strips

LEDBW-102-UV-DP LEDBW-104-UV-DP

(1) 60 LED/40" High or Low Output UV Light Strip



Trailer Reverse Light Strips

LEDBW-112-W-DP


(2) 30 LED/20" Light Strips Male Connectors & T-Tap Connectors



Center Console Kit

LEDBW-152-"X"-DP


(4) Tri-Beam with 3M[™] Adhesive Backing (1) Waterproof Switch



Deluxe Salt Water Deck Kit

LEDBW-151-"X"-DP

(6) 60 LED/40" Light Strips (1) Dimmer Control



Ultimate Salt Water Deck Kit

LEDBW-150-"X"-DP

(4) 60 LED/40" Light Strips (1) Dimmer Control

106

BLUEW/ATERLED RUGGED APPLICATIONS





CyberLite Lighting System

| • | • | • | • |
|---------------------------------|----------|-------|--------------------|
| 1,100 |) Lumens | / 12V | / |
| IP 68 / 9-32V DC / 3.25" x 3.5" | | | |
| | | | |
| Product Numbe | r | | Description |
| LEDDW OOL 2 | DLK DE | | District Co. 14 |
| LEDBW-901-2- | -RFK-DE | • | Black Spot |
| LEDBW-901-2- | BLK-FL | D-DP | Black Flood |
| LEDBW-901-2- | -W-DP | | White Spot |
| | | | |
| LEDBW-901-2- | W-FI D | DP | White |
| | | - | Flood |





CyberMite Lighting System

1,250 Lumens / 15W IP 68 / 9-32V DC / 5.5" x 1.3"

| Product Number | Description |
|--------------------|-------------|
| LEDBW-905-2-BLK-DP | Black |
| LEDBW-905-2-W-DP | White |
| | |









Cyber 400S Lighting System

4,100 Lumens / 30° High Intensity Hybrid Beam IP 68 / 9-32V DC / 3.2" x 3.8" / 40W

| Product Number | Description |
|--------------------|-------------|
| LEDBW-908-2-B-DP | Blue |
| LEDBW-908-2-BLK-DP | Black |
| LEDBW-908-2-GLD-DP | Gold |
| LEDBW-908-2-R-DP | Red |
| LEDBW-908-2-SVR-DP | Silver |



Cyber HP7
Lightbar / 2,590 Lumens / 30W
IP 68 / 9-32V DC / 7.3" x 3" x 1.75

| Product Number | Descriptio |
|--------------------|------------|
| LEDBW-HP-7-BLK-DP | Black |
| LEDBW-HP-7-CAMO-DP | Camo |
| LEDBW-HP-7-W-DP | White |



Cyber HP10

Lightbar / 4,300 Lumens / 50W IP 68 / 9-32V DC / 10.5" x 3" x 1.75

| Product Number | Description |
|---------------------|-------------|
| LEDBW-HP-10-BLK-DP | Black |
| LEDBW-HP-10-CAMO-DP | Camo |
| LEDBW-HP-10-W-DP | White |



Cyber HP13

Lightbar / 5,160 Lumens / 60W IP 68 / 9-32V DC / 13" x 3" x 1.75

| Product Number | Description |
|---------------------|-------------|
| LEDBW-HP-13-BLK-DP | Black |
| LEDBW-HP-13-CAMO-DP | Camo |
| LEDBW-HP-13-W-DP | White |



Cyber HP20
Lightbar / 5,160 Lumens / 60W
IP 68 / 9-32V DC / 19" x 3" x 1.75

| Product Number | Description |
|---------------------|-------------|
| LEDBW-HP-20-BLK-DP | Black |
| LEDBW-HP-20-CAMO-DP | Camo |
| LEDBW-HP-20-W-DP | White |



Cyber HP25 Lightbar / 9,600 Lumens / 120W IP 68 / 9-32V DC / 25" x 3" x 1.75

| Product Number | Description |
|---------------------|-------------|
| LEDBW-HP-25-BLK-DP | Black |
| LEDBW-HP-25-CAMO-DP | Camo |
| I EDRW-HP-25-W-DP | White |



Cyber HP30

Lightbar / 12,000 Lumens / 150W IP 68 / 9-32V DC / 31" x 3" x 1.75

| Product Number | Description |
|---------------------|-------------|
| LEDBW-HP-30-BLK-DP | Black |
| LEDBW-HP-30-CAMO-DP | Camo |
| LEDBW-HP-30-W-DP | White |



Cyber HP40

Lightbar / 13,500 Lumens / 180W IP 68 / 9-32V DC / 37" x 3" x 1.75

| IP 68 / 9-32V DC / 37" x 3" x 1.75 | | |
|------------------------------------|--|--|
| Description | | |
| Black | | |
| Camo | | |
| White | | |
| | | |



Cyber Mounting Brackets

1.5" / 1.75" / 2" / 2.25" / 2.5" / 2.75" / 3"

LEDBW-916-BRM-S-DP (single)
LEDBW-916-BRM-P-DP (pair)




Cyber Angle Mounting Brackets

1.5" / 1.625" / 1.75" / 2" / 2.25" / 2.5" / 3"

LEDBW-917-BAM-S-DP (single)
LEDBW-917-BAM-P-DP (pair)

BLUEWATERLED CAR & TRUCK APPLICATIONS





Undercarriage Lighting

LEDBW-303-"X"-DP

- (2) 60 LED/40" Light Strips (1) 30 LED/20" Light Strips (1) Surface Mount Push-Button (1) Fuse Holder with 3 amp fuse



Hard Tonneau Cover Lighting

LEDBW-605-"X"-DP

(1) Powder-Coated Steel Tonneau Cover Bracket with attached 60 LED/40" Light Strip T-tap Connectors

10' of Positive/Negative Wire



Truck Bed Lighting

LEDBW-601-"X"-DP

(2) 30 LED/20" Light Strips (1) Waterproof Push-Button Switch Mounting Bases & Cable Ties T-tap & Male Connectors 10' of Positive/Negative Wire



Extreme Truck Bed Lighting

LEDBW-602-"X"-DP

(3) 30 LED/20" Light Strips
(1) Waterproof Push-Button Switch
Mounting Bases & Cable Ties
T-tap & Male Connectors 10' of Positive/Negative Wire



Truck Bed Blaster

LEDBW-603-"X"-DP

(2) 60 LED/40" Light Strips (1) Waterproof Push-Button Switch Mounting Bases & Cable Ties T-tap & Male Connectors 10' of Positive/Negative Wire



Truck Topper Lighting

LEDBW-604-"X"-DP

(1) 60 LED/40" Light Strips (1) Waterproof Push-Button Switch Mounting Bases & Cable Ties T-tap & Male Connectors 10' of Positive/Negative Wire


BLUEWATERLED SPECIALTY APPLICATIONS



Deluxe Utility Trailer Lighting

LEDBW-171-"X"-DP


- (6) 15 LED/10" Light Strips (for sides)
 (2) 15 LED/10" Light Strips (for front)
 (6) 30 LED/20" Light Strips
 (1) Waterproof Push-Button Switch



Utility Trailer Lighting

LEDBW-123-"X"-DP

(8) 15 LED/10" Light Strips (1) Waterproof Push-Button Switch



Standard Utility Trailer Lighting

LEDBW-122-"X"-DP

(8) 12 LED/8" Light Strips (1) Waterproof Push-Button Switch



Motorcycle Lighting

LEDBW-301-"X"-DP

(2) 12 LED/8" Light Strips (4) 9 LED/6" Light Strips



Deluxe Motorcycle Lighting

LEDBW-302-"X"-DP

- (2) 15 LED/10" Light Strips (2) 12 LED/8" Light Strips (6) 9 LED/6" Light Strips 20' of Installation Wire & Ties



Standard Kayak Lighting

LEDBW-400-2-"X"-DP

(6) 12 LED/8" Light Strips (1) Waterproof Push Button Switch



BLUE

-B-





-G-



ORANGE

-0-



RED

-R-



WHITE -W-


Replace "X" with color code above. See website or call for different color combinations and their part numbers.



Night Blaster Kayak Lighting

LEDBW-106-2-"X"-DP

- (4) 15 LED/10" Light Strips (2) 30 LED/20" Light Strips
- (1) Waterproof Push Button Switch



Extreme Kayak Lighting

LEDBW-401-"X"-DP

- (2) 60 LED/40" High Output UV Lights (1) Red/Green Bow Strips (2) 15 LED/10" Light Strips (2) Green Small-Space Lights (1) 10' Wire with T-taps and Male

Connectors



Deluxe Star Bus Lighting

LEDBW-1001-"X"-DP

- (4) 10' Light Strips
- (5) Tri-Beam Pairs (2) 30 LED/20" Light Strips (1) W60 LED/40" Light Strips



Star Bus Lighting

LEDBW-1000-"X"-DP

(4) 10' Light Strips (5) Tri-Beam Pairs



Star Bus Awning Lighting

LEDBW-1002-"X"-DP

(4) 235" Light Strips with 3M™ Industrial Waterproof Adhesive Backing



Standard Golf Cart Kit

LEDBW-600-"X"-DP

(4) 15 LED/10" Light Strips (1) Waterproof Push Button Switch T-taps and Male Connectors



Houseboat Patio Lighting

LEDBW-353-"X"-DP

(2) 10' Light Strips (1) Dimmer Control

Houseboat Patio Plus LEDBW-354-"X"-DP

(3) 10' Light Strips (1) Dimmer Control

BLUEW/ATERLED SPECIALTY APPLICATIONS



Houseboat Party Top Deck LEDBW-355-"X"-DP


(5) 10' Light Strips (1) Dimmer Control



Pontoon Interior Deck Lighting

LEDBW-352-"X"-DP


(2) 60 LED/40" Light Strips (4) 30 LED/20" Light Strips (1) Dimmer Control



Pontoon Boat Floor Lighting

LEDBW-350-"X"-DP

(8) 30 LED/20" Light Strips (1) Mini-Rocker Switch 20' of 18/2 (Pos/Neg) Installation Wire Inline Fuse Holder with 3 Amp Fuse



Pontoon Awning Lighting LEDBW-351-"X"-DP

(2) 30 LED/20" Light Strips



Utility Truck - 8 Tool Boxes

LEDBW-308-"X"-DP

(6) 15 LED/10" Light Strips (2) 30 LED/20" Light Strips (2) Waterproof Push Button Switch (1) 25' of Wire



Utility Truck - 6 Tool Boxes

LEDBW-506-"X"-DP

(4) 15 LED/10" Light Strips (2) 30 LED/20" Light Strips (2) Waterproof Push Button Switch (1) 25' of Wire



Utility Truck - 4 Tool Boxes

LEDBW-508-"X"-DP

(4) 15 LED/10" Light Strips(2) Waterproof Push Button Switch(1) 25' of Wire



Enclosed Trailer Lighting

LEDBW-160-DP


(4) 30 LED/20" Light Strips (1) Waterproof Push Button Switch



Overland Trailer Lighting

LEDBW-175-2-"X"-DP

(6) 15 LED/10" Light Strips(2) Waterproof Push Button Switch



BLUEWATERLED INSTALLATION APPLICATIONS



Individual Light Strips





Custom length available: CL-LED











Product Number Description LEDBW-118-"X"-DP 12 LED/8" Light Strips LEDBW-114-"X"-DP 15 LED/10" Light Strips LEDBW-115-"X"-DP 18 LED/12" Light Strips LEDBW-116-"X"-DP 30 LED/20" Light Strips LEDBW-117-"X"-DP 60 LED/40" Light Strips



Installation Kit LEDBW-501-DP

(20) T-Tap Connectors (20) Male Plug-Ins (10) Mounting Bases (10) Cable Ties (1) 20'+/- Wire



Dimmer On/Off Control

LEDBW-200-2-DP Waterproof / 12 Volts DC / Up to 5 amps



Push Button Switch

LEDBW-203-DP

3M[™] Industrial Waterproof Adhesive Backing



Mini Rocker On/Off Switch

LEDBW-202-DP

Simple to Install / Plugin Style Rear Connection 13/16" Diameter Mounting Hole Female Plug-In Connectors Included



Quick Wire Splice (10 Pack)

LEDBW-502-DP

Wire splice for 22/18 Gauge Wire makes wire splicing a quick and easy process.



T-Tap & Male Connectors

LEDBW-503-DP 10 Pack LEDBW-504-DP 100 Pack



Male Connector (100 Pack)

LEDBW-505-DP



LED Connection Wire

LEDBW-506-DP

18/2 Shielded (25 feet)



Inline Fuse Holder

LEDBW-500-DP

3 amp fuse included



Cyber Wiring Harness/Switch

LEDBW-915-DP Single

LEDBW-916-DP Dual





Z-Launch™

Watercraft Launch Cord

- All stainless hardware
- Attaches easily
- Expands to more than 2x the length
- · Unlike rope, will not jerk your watercraft
- · Great for ramps with "no power" laws

| Product Number | Length | Boat Type |
|-----------------------|--------|---------------------|
| ZL-10-DP | 10' | Boats to 16' |
| ZL-15-DP | 15' | Boats to 17' to 22' |
| ZL-20-DP | 20' | Boats 23' to 35' |



LOC-R-BAR® Boat Security System

- Strong adjustable stainless steel bar prevents theft
- Locks rod locker boxes securely
- Unique alarm padlock alerts for intruders

| Product Number | Description |
|-----------------------|--------------------------------------|
| LB-LRBS113S | LOC-R-BAR® Complete Alarm System |
| LB-LCK110DBA | LOC-R-BAR® Alarm Padlock Only |
| LB-ADAPTER/1A-DP | LOC-R-BAR® Front Compartment Adapter |
| LB-SET-BKS-03A-03B | Set of Mounting Brackets |
| | |

*SHOWN WITH OPTIONAL COMPARTMENT ADAPTER ** CANNOT BE USED ON ALUMINUM BOATS



BANSHEE® Alarm Padlock

- Great for trailer couplers, gear boxes, rod lockers, etc.
- Vibration activated as alarm increases
- Can be de-activated for trailering

| Product Number | Description |
|----------------|------------------------|
| LB-TLRLCK-DP | BANSHEE® Alarm Padlock |



Two-Way Boat Alarm System™

- · Alerts you up to 3000 yards when activated
- Two way remote alerts with sound, light & vibration
- · Shock sensor with sensitivity adjustment

| Product Number | Description |
|-----------------------|--|
| TWA-1-DP | Two Way Alarm System - Complete Set |
| TWAR-1-DP | Two Way Alarm - Additional Remote Control Unit |
| TWA-DIS-5 | Counter Display with 5 Alarm Kits |



Light Clips

- Secure and stow navigation lights
- Fits all standard 7/8" navigation light poles

| Product Number | Description |
|----------------|----------------------------|
| RUSC-1 | Rubber Light Clips - Black |







QUICK FLUSH®

- · Snaps On Quickly flushes salt or sand from outboard
- Slide valve stays on engine "O" Ring Sealed
- Kit Includes: Slide valve, Quick connect, Rubber Washer

| Product Number | Description | |
|----------------------------------|---------------------|--|
| QF-1K-DP | Johnson - Evinrude* | |
| QF-2K-DP | Merc/Yamaha/Other | |
| *INSPECTION STREAM HOLE IN VALVE | | |



Motor Stik®

- Fits over trim rams
- Supports your outboard while trailering
- Takes the pressure off of hydraulic system
- Most outboards 150hp and up

| Product Number | Description | |
|-----------------------|-------------------------------|--|
| MSS-1-DP | Outboard Motor Support (pair) | |



Evinrude G2 Motor Support

- Protects Evinrude G2 motor and boat transom while trailering
- Protects boat steering system and releases pressure on engine hydraulic system

| Product Number | Width | Base Width | Total Length |
|-----------------------|-------|------------|--------------|
| MS-EG2-DP | 7.5" | 12" | 18" |





STEER STOP® Steering Lock

- Locks hydraulic steering when trailering
- Clips onto hydraulic steering rams
- Keeps engine straight and prevents damage to transom

| Product Number | Description |
|----------------|------------------------------------|
| SS-3-DP | STEER STOP® Steering Lock Set - 4" |



Trailering Clips

- Protects stern drive units while trailering or storing
- Increase the life of the O-Rings, internal seals, and valve in the hydraulic system
- Resistant to UV Rays, Gasoline, Oil and Other Marine Chemicals
- Fits all stern drives with 3/4" Hydraulic Rams


| Product Number | Description |
|-----------------------|-------------------------------------|
| TC-1-DP | Trailering Clips, Pair - 12" Length |



Folding Drink Holder

- Opening measures 3.75" across
- Stainless steel mounting hardware

| Product Number | Description |
|-----------------------|-------------|
| LCH-52012-DP | White |
| LCH-52016-DP | Black |



Cup Holder

- Resistant to UV, breakage and chemicals
- · Short cup holder has drain holes on bottom
- Large cup holder accepts 3/8" ID hose for drainage

| Product Number | Color | Α | В | C |
|----------------|-------|--------|---------|--------|
| LCH-1-DP | Black | 4-1/4" | 4-5/16" | 4-1/4" |
| LCH-1W-DP | White | 4-1/4" | 4-5/16" | 4-1/4" |
| LCH-1WS-DP | Sand | 4-1/4" | 4-5/16" | 4-1/4" |



Stainless Steel Cup Holder

- Top quality 304 stainless steel
- Requires 3-5/8" hole
- Drain fits 3-5/8" hose

| Product Number | Α | В | C |
|----------------|---|--------|--------|
| LCH-1SS-DP | 4" | 4-1/8" | 3-5/8" |
| MS-FPT38 | straight drain fitting, 3/8" hose barb fits T-H stainless steel cup holders | | |



Removable Cup Holder

- Locking plastic insert for molded cup holder
- Patent Pending
- · Easily removable for cleaning
- · No drain hose needed

| Product Number | Description |
|-----------------------|---|
| LCH-1RC-DP | Removable Cup Holder |
| LCH-1SSRC-DP | Removable Cup Holder with Stainless Steel Rim |



Stainless Steel No Step Cup Holder

- Top quality 304 stainless steel
- No step, straight side design for larger beverage containers
- Peel and stick mounting gasket
- Mounts in standard 3-5/8" hole
- Includes drain hole and nipple for routing drainage

| Product Number | Description |
|-----------------------|---|
| LCH-1SS-NS-DP | Stainless Steel No Step Cup Holder |
| LCH-SSNS-RI-DP | Stainless Steel No Step Cup Holder with Rubber Insert |



Molded Drink Holders with SS Rim

- Robust plastic drink holder with built-in drainage hole and nipple
- · Corrosion resistant 316 stainless steel rim for a sleek finished look
- · Installs in a standard 3.625" cutout
- Stepped cup to accommodate various drink sizes
- Depth (4") Rim Dia. (4-1/8") Hole Cut (3-5/8")

| Product Number | Description |
|-----------------------|--|
| LCH-1SR-DP | Molded Drink Holder with Fixed SS Rim |
| LCH-1SRREM-DP | Molded Drink holder with Removable SS Rim, Screw Mount |



Premium Flexible Cup Holder Drink Stabilizer

- · Soft and flexible molded inserts
- Fits snugly into drink holders to stabilize drinks of different sizes
- Prevent rattling sounds and drink spillage

| Product Number | Fits |
|----------------|---|
| LCH-DKS-1 | LED Lighted and Stainless Steel Rim Cup Holders |
| I CH-DKS-2 | Stainless Steel Cun Holders |





XL Tumbler Cupholder

- Made from 304 grade stainless steel
- Comes with threaded hose fitting and;
 can be bought with no pad, or a molded TPR pad
- Threaded hose fitting fits 3/8" barb adapter
- Fits 4 1/8" hole saw cutout

| Product Number | Description | |
|----------------|--|------|
| LCH-SS-XL | XL tumbler cupholder (no pad) | New! |
| ICH-SS-XL-P | XL tumbler cupholder (with molded TPR pad) | New! |







A: Height 5.375"

- B: Width Outside of Rim 4.547
- C: Width Under Rim 4.0625"
- D: Width Bottom 2.875"
- E: Width Inside Rim 4.000'



Fuel Container Hold-Down Kit

- · Securely holds portable fuel tanks up to 62" circumference
- · Quick release buckles for quick & easy removal
- Kits Includes: (2) 62" Poly Strap, (4) Footman Loops w/ hardware

| Product Number | Description |
|----------------|---------------------------------------|
| FCH-1-DP | Fuel Container Hold-Down Complete Kit |



Cooler Mounting Kits

- · Secures any size cooler to deck
- · Recessed fasteners allow full in-corner mounting
- Nylon bungee straps stainless steel center hook
- Kit includes: (4) Corner brackets, (2) Bungee straps

| Product Number | Description |
|----------------|-----------------------------------|
| CMK-1-DP | Complete Cooler Mounting Kit |
| STRAP-12BWS | Single Cooler Mount Bungee Straps |



Suction Cup Lever Tie Down

- Spring locking D hook
- · Quick locking and releasing lever

| Product Number | Description |
|----------------|-------------------------------------|
| TD-54778-DP | Suction Cup Lever Tie Down - 4 pack |



All Purpose Holding Strap Kits

- Tough 62" polypropylene strap secure any loose article
- · Quick release buckle makes removal a snap
- Two footman loops and stainless hardware included

| Product Number | Description |
|-----------------------|--|
| APS-1-DP | Kit w/Plastic Buckle & 2 Molded Foo tm an Loops |
| BSK-1SS-DP | Kit w/Stainless Steel Buckle & 2 Molded Foo tm an Loops |



Prop Stop™ Spare Prop Retainer

- Secures spare propeller in any location
- Holds any size propeller and its thrust washers
- Tough graphite retaining rod

| Product Number | Description |
|----------------|---------------------|
| PRR-1 | Prop Stop™ Rod Only |



Paddle Keeper

- · Unique concept for paddle storage
- · Holds paddle either vertical, horizontal or overhead

| Product Number | Description |
|----------------|---------------|
| PK-1-DP | Paddle Keeper |



Windshield Fastener

· Makes installing and removing the windshield simple

| Product Number | Description |
|-----------------------|--|
| WSH-1 | Windshield Fastener - Wing Nut Head |
| WSH-1F | Windshield Fastener - Flush Mount Slotted Head |
| WSH-1PR-DP | Windshield Holder Clips (pair) |



Battery Holder Tray for Optima® Batteries

- Shaped inserts fit both z® D27M & D32M Series
- Rugged poly tray with 8 mounting slots
- · Poly strap with stainless steel buckle
- · Resistant to UV and corrosion

| Product Number | Description |
|-----------------------|------------------------------------|
| NBH-31-SSC-OPT | Battery Tray for Optima® Batteries |
| NBHIOPT-31 | Battery Tray Insert Only |



24/27 Series Combo Battery Tray

- Holds either 24 or 27 series deep cycle batteries
- Rugged poly tray with 8 mounting slots
- Poly strap with quick release buckle
- Resistant to UV and corrosion

| Product Number | Description |
|-----------------------|--|
| NBHC-247P-DP | 24/27 Series Combo Battery Tray |
| NBHC-247P-20B | 24/27 Series Combo Battery Tray - 20 pack - Bulk |



Battery Holder Replacement Straps

| BS-1-DP R | Replacement Strap w/poly Buckle |
|--------------|---|
| BS-1-42SS-DP | Replacement Strap w/SS Buckle - 42" |
| BS-1-54SS-DP | Replacement Strap w/SS Buckle - 54" |
| BSK-1SS | Replacement Strap w/SS Buckle, 2 SS Footman Loops |



Dual Battery Holder Tray

- · Holds Two Series 27 Deep Cycle Batteries
- Patented poly strap with quick release buckle
- Meets NMMA & ABYC specs for battery retention

| Product Number | Description | Outside Diameter | Inside Diameter |
|-----------------------|----------------|-------------------------|-----------------|
| DBH-27P-DP | Plastic Buckle | 14-1/2" | 12-3/4" |
| DBH-27-SC-DP | SS Buckle | 14-1/2" | 12-3/4" |



Battery Holder Tray

Stainless Steel Buckle

- · Quality 316 stainless buckle
- Meets all NMMA & ABYC Specs
- · Recessed mounts no tabs

| Product Number | Series | Length | Width (inside) | Width (Outside) | Height |
|----------------|------------|-----------------|-------------------|--------------------|--------|
| NBH-24-SSC-DP | 24 | 10-5/8" | 7" | 8" | 1′ |
| NBH-27-SSC-DP | 27 | 12-1/2" | 7" | 8-1/2" | 1′ |
| NBH-31-SSC-DP | 29/31 | 13" | 7" | 8-1/8" | 1′ |
| BS-1-42SS-DP | Replacemen | nt Strap w/Stai | nless Steel Bu | ckle | |



Frame Top Battery Tray

Frame Top Holds Batteries Securely

- Top frame encompasses entire battery perimeter
- Thick base holds heaviest batteries
- Recessed fasteners

| Product Number | Fits Series | Inside Diameter | Outside Diameter |
|-----------------------|-------------|--------------------|--------------------|
| BHF-24S-DP | 24 | 6-7/8"W x 10-3/8"L | 7-1/2"W x 12-7/8"L |
| BHF-27S-DP | 27 | 6-7/8"W x 12"L | 7-1/2"W x 14-1/4"L |
| BHF-31S-DP | 31 | 7-1/2"W x 13-3/4" | 7-1/2"W x 15-1/2"L |



Space Saver Battery Holder Trays

- Meets all NMMA & ABYC Specs
- · Recess mounting wells
- · Poly strap models or stainless steel rod models

| Product Number | Stainless Rods | Battery Series | Length (inside) | Width (inside) | Width (Outside) |
|----------------|-------------------|-------------------|--------------------|-------------------|--------------------|
| NBH-24P-DP | NBH-24S | 24 | 10-5/8" | 7" | 8" |
| NBH-27P-DP | NBH-27S | 27 | 12-1/2" | 7" | 8-1/2" |
| NBH-31P-DP | NBH-31S | 29/31 | 13" | 8" | 8-1/8" |
| BS-1-DP | Replacemen | it Strap w/Poly | Buckle | | |







Bungee/Shock Cords

- Parts needed to construct custom straps for any application
- Parts offered separately or can be purchased as a custom part

| Product Number STRAPS | Description | Size | Color |
|--------------------------|---------------------|-------------|---------------|
| BCORD-14B | Bungee/Shock Cord | 1/4" x 500' | Black |
| BCORD-14BW | Bungee/Shock Cord | 1/4" x 500' | Black & White |
| PCORD-14B | Polyurethane Cord | 1/4" x 280' | Black |
| HOOKS | | | |
| RTHOOK-1 | Hook | For 1/4" | Black |
| RTSM-1 | Screw Mount | For 1/4" | Black |
| EYES | | | |
| EYE-1 | Molded Eye Strap | 1/2"ID | Black |
| EYESS-1 | Stainless Steel Eye | 3/8" ID | Stainless |





Bimini Top Strap

- Universal strap 96" Length
- · Stainless steel hardware

| Product Number | Description |
|----------------|-------------|
| TD-55130-DP | Black Strap |
| TD-55132-DP | White Strap |



T-Top Rod Pass-Through

Grommet Set

- Concentric ring design locks the assembly securely
- Chafe guard for wire runs

| Product Number | Outside Diameter | Inside Diameter | Length |
|-----------------------|-------------------------|-----------------|--------|
| TTRP-2-DP | 3" | 1.625" | 2" |






- Entire unit installs on gate only
- Molded nylon for strength no rattle
- Operates on right or left hinged gates
- Fits 1", 1-1/8" & 1-1/4" square tubing

| Product Number | Description |
|-----------------------|-------------|
| GL-1-DP | Black |
| GL-2-DP | Gray |

*NOT DESIGNED AS A SAFETY OR LOAD BEARING DEVICE



HYDRA® Battery Terminal Multiplier

- Easily manage individual connections at the battery
- Lead-free, marine-grade zinc construction
- Zinc terminal provides improved conductivity
- Resistance to corrosion with stainless steel connections
- Color-coded insulated wing nuts
- 3 Way and 5 Way options available



| Product Number | Description |
|-----------------------|---|
| HVRT-320-DP | Kit contains one pair of HYDRA® 3-Way one |


New!

HYDRA° Cover

- Provides protection for HYDRA® Battery Terminal Multiplyer
- Prevents battery arcing
- PVC material made for wet/harsh environments

| Product Number | Description |
|----------------|---|
| HYBT-3C-DP | HYDRA® 3-Way Battery Terminal Cover (shown above) |
| HYBT-5C-DP | HYDRA® 5-Way Battery Terminal Cover |





HYDRA° Cable Extender

- Extend the length of your cables
- Stainless steel hardware, 5/16-18 stud
- Simple design that solves electrical rigging problems

| Product Number | Description | |
|-----------------------|-----------------------|------|
| HCE-K-DP | HYDRA® Cable Extender | New! |





2 Piece Keyed Fender Holder

Stainless Steel

- 316 cast stainless steel, high polished
- Easy to install
- Keyed feature to hold securely in place
- Moves from one side of the boat to the other using same mounting plate

| Product Number | Description |
|----------------|-----------------------------|
| FH-SSC-DP | 2 Piece keyed fender holder |
| | |






2 Piece Keyed Fender Holder Nylon 2pk

- Keyed feature to hold securely in place
- · Easy moves from one side of the boat to the other
- Packaged as a pair

| Product Number | Description |
|----------------|---|
| QRFH-1-DP | 2 Piece keyed fender holder - 2 pk, black |
| QRFH-2-DP | 2 Piece keyed fender holder - 2 pk, white |
| QRFH-7-DP | 2 Piece keyed fender holder - 2 pk, gray |
| | |



Pontoon Fender Hanger Clips

- Easily snaps onto pontoon rails
- Convenient way to attach docking fenders
- Stylish gray composite material
- · Adjustable mount or fixed tie-down mounts available

| Product Number | Description |
|-----------------------|---------------------------------|
| PFAC-1-DP | Adjustable Tie-Down Clip - Gray |
| PFH-1G | Fixed Tie-Down Clip - Gray |



Molded Nylon Cleats

| Product Number | Description |
|-----------------------|----------------|
| CLEAT-4.5-DP | 4 - 1/2" Black |
| CLEAT-6-DP | 6" Black |
| CLEAT-8-DP | 8" Black |
| CLEAT-10 | 10" Black |



Pontoon Door Stops

- Molded anti-rattle stop
- Fits up to 1-1/4" square tubing

| Product Number Gray | Black | Туре | Hinge |
|------------------------|--------|---------|-------|
| DS-1R-DP | DS-1RB | W/ribs | Right |
| DS-1L-DP | DS-1LB | W/ribs | Left |
| DS-2R | DS-2RB | No ribs | Right |
| DS-2L | DS-2LB | No ribs | Left |



Pontoon Rail Shims

- Uniformly raises rails off of the deck
- Unique slotted design for easy installation

| Product Number Gray | Black | Tan | Thickness | |
|------------------------|----------|-----------|-----------|--|
| SPA-250G | SPA-250B | | 1/4" | |
| SPA-375G | SPA-375B | | 3/8" | |
| SPA-500G | SPA-500B | SPA-500LB | 1/2" | |



Pontoon Splash Guard Deflector

- · Prevents water from entering floor
- Fits between deck boards
- Tough Poly Extrusion
- 5 Foot Length

| Product Number | Description |
|-----------------------|--------------------------------|
| PDSD-1 | Pontoon Splash Guard Deflector |



Pontoon Finger Guard

| Product Number | Description |
|----------------|-------------|
| PFPG-1B | Black |
| PFPG-1G | Gray |
| PFPG-1LB | Light Brown |



Pontoon Gate Holders

- Holds gates in open position
- Fits up to 1-1/4" square tubing

| Product Number | Description |
|----------------|-------------|
| GH-1G | Gray |

*NOT DESIGNED AS A SAFETY OR LOAD BEARING DEVICE



Gate/Door Stop

- Prevents gates from swinging open while at anchor
- · Easy to install, Includes mounting hardware

| Product Number | Description |
|----------------|-------------|
| GS-1-DP | Gate Stop |



Rub Rail Fittings

- Fits aluminum or rubber rails
- Non-corrosive molded ends

| Product Number | Description | Color |
|-----------------------|--|-------|
| EC-15ON | For 1-1/2" Wide Aluminum Molding w/Vinyl Insert | Black |
| ECR-1-DP | For 1-1/2" Wide Rubber Molding w/Insert | Black |
| ECR-2-DP | For 1-1/3" Wide Rubber Molding w/Insert | Black |
| SR-1-DP | Butt Splice for 1-1/4" to 1-1/2" Rub Rail. 2-1/4" Long | Black |
| ECMW-2 | End Cap Motor Well for 1-3/4" Wide Molding | Black |
| TEC-1 | Trim End Cap - 1/2" to 5/8"Trim | Black |
| TEC-1L | Trim End Cap - Left - 1/2" to 5/8"Trim | Black |
| TEC-1R | Trim End Cap - Right - 1/2" to 5/8"Trim | Black |
| TTEC-1 | End Cap - 1"W x 1-1/4" L x 3/8"T | Black |
| SMEC-1 | End Cap - 1-1/4" W x 1-3/8" x 5/16"T | Black |












Dual USB outlet

- Ignition protected for safety
- Dual Ports: 5V @ 1Amp and 5V @ 2.1Amp
- Replacement for standard USB outlets
- Dual USB outlet with blue LED
- Replacement for standard USB outlets

| Product Number | Description |
|-----------------------|--------------------------------------|
| DUSB-1-DP | Dual USB Outlet (ignition protected) |
| DUSB-2-DP | Dual USB Outlet |



Throttle Control Mount

- Solid .090 aluminum
- · Great for aluminum boats

| Product Number | Description |
|----------------|------------------------|
| CM-1-DP | Throttle Control Mount |



Steering Console Mount

- .090 Welded Aluminum
- · Wood reinforced wheel mount area
- Adjustable height 10" to 20"

| Product Number | Description |
|----------------|------------------------|
| SCM-2-DP | Steering Console Mount |



Wash Down Hose Holder Station

- Surface mount affixes anywhere on deck
- Complete 25" wash down hose and nozzle
- Comes with 5' of supply hose to attach to wash down fitting

| Product Number | Description |
|-----------------------|--------------------------------------|
| WDHH-25B-C-DP | Hose Holder with Blue Hose & Nozzle |
| WDHH-25W-C-DP | Hose Holder with White Hose & Nozzle |

134

135



Station includes storage tube & screw-out cover

Wash Down Station & Hose

- 1/2" Coiled poly hose
- UV & Chemical Resistant
- Non-Corrosive hose fittings & nozzle

| Product Number | Description |
|-----------------------|---|
| WDSB-"X"-"Y"-DP | Wash Down Station w/15' Blue Hose & Choice of Color & Nozzle |
| WDSW-"X"-"Y" | Wash Down Station w/15' White Hose & Choice of Color & Nozzle |
| WDH-15B-"Y"-DP | Wash Down Hose Only - 15' Blue Hose & Choice of Nozzle |
| WDH-25B-"Y" | Wash Down Hose Only - 25' Blue Hose & Choice of Nozzle |
| WDH-15W-"Y" | Wash Down Hose Only - 15' White Hose & Choice of Nozzle |
| WDH-25W-"Y" | Wash Down Hose Only - 25' White Hose & Choice of Nozzle |
| WDN-1-DP | Nozzle Only - Pistol Grip Style |
| WDN-2 | Nozzle Only - Straight Style |

[&]quot;X" DENOTES COLOR CODE: 1=BLACK 2=WHITE

Product Number

FSG-1XL

FSG-2

FSG-3

FSG-2XL

FSG-3XL

FSG-8C

FSG-10

FSG-10XL

FSGG2-11

FSGG2-11XL

Fuel Splash Guards

Fill Type

Round Fill

Round Fill

Round Fill

Round Fill

Vent or Round

Fits Perko #139

Fits Perko #139

Round Carbon Fill System















4-1/4"

4-1/4"

4-1/4"

4-1/4"

4-1/4"

6-5/8"

6-1/8"

7-5/8"

6-1/8"

7-5/8"

7-5/8"

5-1/4"

7-1/2"


4-13/16"

2"

2-1/4"

2-1/4"

1-1/4"



PROP MASTER® Propeller Wrench



| Product Number | Description |
|----------------|------------------|
| PMW-1-DP | Propeller Wrench |

- Fits all 1-1/16" Prop Nuts (40HP+)
- Rugged nylon resists stripping
- 9/16" Garboard drain socket
- Non-Corrosive in salt environment

PROP MASTER® Propeller Stop



| Product Number | Description |
|-----------------------|----------------|
| PMPS-1-DP | Propeller Stop |

- Simple to use
- Securely holds prop while changing



ANCHOR MASTER®

Anchor Retrieval System

- Use boat's power to raise anchor
- Slip ring onto anchor line attach buoy line
- Run boat into current away from anchor set
- Buoy provides resistance Anchor raises
- 12" Buoy Stainless ring & snap Rope

| Product Number | Description | Rope Type |
|-----------------------|---------------------------------|-----------|
| AR-1-DP | Complete ANCHOR MASTER® System* | Poly |
| AR-1N-DP | Complete ANCHOR MASTER® System* | Tw Poly |
| AR-0-DP | ANCHOR MASTER® Without Buoy | Poly |
| AR-ON-DP | ANCHOR MASTER® Without Buoy | Tw Poly |
| AR0-1-DP | Stainless Steel Ring Only | |

^{*} HANDLES 20LB FLUKE STYLE ANCHOR



Marine Grade Vinyl Cap

- Protects bolt & screw threads
- Large sizes fit rod tubes

| Product Number | Description | Length |
|-----------------------|-------------|--------|
| VCAP375 | 3/8" | 1/2" |
| VCAP-1.687 | 1-11/16" | 1-1/2" |
| VCAP-2.125 | 2-1/8" | 1-1/2" |
| VCAP-2.25 | 2-1/4" | 1-1/2" |
| VCAP-2.625 | 2-5/8" | 1-1/2" |



AQUA CLIPS®

- Holds items securely
- Rugged poly & stainless steel spring resists sun & salt
- Fits standard 7/8" rail

| Product Number | Description |
|-----------------------|---------------------------|
| AUC-2 | White - Bulk Each |
| AUC-9 | Blue - Bulk Each |
| AUC-2PR-DP | White - Packaged - 1 Pair |
| AUC-9PR-DP | Blue - Packaged - 1 Pair |



Soft Molded Grab Handle

- Molded, UV resistant grab handles
- · Stainless Steel accent rings
- · Soft overmold on firm handle

| Product Number | Description |
|----------------|---|
| GHB-1-SS-DP | Soft Molded Grab Handle - Black |
| GHB-1G-SS | Soft Molded Grab Handle - Graphite Gray |



Grab Handles

- · Molded UV Resistant
- Textured for sure grip
- Hidden fasteners

| Product Number | Description |
|-----------------------|-------------|
| GHB-1-DP | Black |
| GHB-1FW-DP | Fish White |



LED Grab Handle

- Fits standard T-H Marine Grab Handle footprint
- Coating is TRP rubber over a poly-blended structure
- Blue LED light
- Passed 400# pull test

| Product Number | Description | |
|----------------|------------------------|------|
| LED-GHBSS-B | LED Grab Handle - Blue | New! |



Pedal Paddle

- Keeps your trolling motor pedal accessible
- Takes the work out of controlling your boat
- Adjustable for maximum comfort

| Product Number | Description |
|-----------------------|--------------|
| PEDP-1-DP | Pedal Paddle |



MinnKota Trolling Motor HDWR0458 8x7/8 Phillips Oval Head SS Screw (4x)



Motorguide Trolling Motor HDWR0675 1/2 - 20 x 1-1/4" Phillips Flat Machine Screw (3x)

138





YOLOtek® **PowerStick Gen2**

Hold & power your GoPro, VIRB, or other action camera. Plugs right into your navigation light port on back or front of your boat with adjustable height. Multiple accessories available.

Product Number

YO-ASPV1-DP* 53"

YO-PS20VI-DP* 20"

*GOPRO NOT INCLUDED



YOLOtek® PowerLight 53"

Over 500 lumen lights up your entire boat. Great for rigging tackle at early morning tournaments, unloading/ loading boat on the trailer or night fishing to light up the shore.

Product Number

YO-PWLT1-DP Light & PowerStick



YOLOtek® Rainproof Putty

Keep rain and dust out of your USB port on PowerStick-53" and GoPro, VIRB or other action camera. SEAL-IT and FORGET-IT! Removable & reusable.

Product Number Description

YO-SRP-12-V1-DP Silicone Rainproof Putty



YOLOtek® QuadCord 12"

Standard USB on one side and USB-C, Micro, Mini & Apple Lighting on the other. Multi-adapter to power/charge GoPro Hero 7, 6, 5, 4, 3 Session, VIRB and virtually all action cameras. Also powers/ charges most iPhones, Android, iPad, and all other cell phones/tablets.

Product Number

Description

YO-QCORD-12-4-V1-DP QuadCord - 12"



YOLOtek® DoubleBarrel


Mount 2-GoPros, 1-GoPro & 1-PowerLight to keep filming in the dark or 2-PowerLights to give you over 1,000 lumen to light up the deck of your boat and your truck.

Product Number YO-DB-V1-DP

DoubleBarrel

Description







- Allows quicker culling
- Uses a stronger plastic clip to hold tight around the lip
- Buoy holder for quick and easy storage of each cull ball

| Product Number | Description |
|----------------|---------------------------|
| GFC-CCSG2-DP | CONSERVATION CULL® System |



MinnowMaker™

Specially concentrated solution designed to keep minnows healthy after the hatching process. This liquid concentrate dilutes perfectly for all minnow storage conditions: Minnow holding tanks, minnow transport, bait wells, bait buckets.

| Product Number | Size |
|-----------------------|-------|
| U2MM1-DP | 1 oz |
| U2MM16-DP | 16oz |
| U2MM128-DP | 128oz |



Mr. Crappie® Care

- Specially formulated for Crappie, Panfish, Minnows & other Baitfish
- · Replaces slime coat and helps stop bleeding
- Non-toxic to humans, pets and aquatic life

| Product Number | Size |
|----------------|------------------|
| U2C1-FW-DP | 1 oz |
| U2C8-FW-DP | 8 oz |
| U2C64-FW-DP | 64 oz |
| U2C128-FW-DP | 128 oz |
| U23FW-12PK-DP | 1/3 oz (12 pack) |



OXYGENATOR®

- Produces 100% Pure Oxygen in Live Wells
- Keeps Catch Alive and Healthy
- 12 Volts Less Than 1 Amp


| Product Number | Size |
|-----------------------|----------|
| O2-BK3-DP | Packaged |
| O2-BKM3 | Bulk OEM |



Mr. Crappie® Bait Blaster Fishing Light

- 18' Weighted Power Cable
- 360-degree Illumination

| Product Number | Color | |
|-----------------------|-------|--|
| LED-34143-DP | Green | |





KONG® Extreme Endorsed by Kevin VanDam

- Tames the largest beast of marine electronics
- Zero movement in the roughest water conditions
- Marine grade mount for freshwater or saltwater
- All 6061 T6 aircraft aluminum & SS

Product Number

SKLK-KONG-1-DP KONG® Extreme









KONG® Wave Tamer

- · Heavy gauge aluminum construction
- Protects electronics from extreme conditions
- Universal hole pattern, fits most electronic brackets

| Product Number | Description |
|----------------|--------------------------|
| SKTM-F-BK-DP | KONG® Wave Tamer - Black |
| SKTM-F-R-DP | KONG® Wave Tamer - Red |



Mini KONG®

- Unique "DOWEL PIN LOCK" no slip joints
- · Quick release spring loaded base
- Multi-position pivot points in base
- Four models to fit any electronic unit
- · Anodized aluminum stainless steel

| Product Number | Description |
|-----------------------|-----------------------------------|
| SKLK-LAST-DP | Mini KONG® 5" arm - 6" top plate |
| SKLK-LALT-DP | Mini KONG® 5" arm - 12" top plate |
| SKLK-NAST-DP | Mini KONG® No arm - 6" top plate |
| SKLK-SAST-DP | Mini KONG® 3" arm - 6" top plate |





HYDROWAVE® KVD

Product Number HW-PKG-H2KVD

- HYDROWAVE® is shock and water resistant
- Play or pause sounds easily
- **Control volume**
- Gain advantage in catching more fish

Kevin VanDam exclusive sound patterns:

Shallow Power Off Shore Schooling Shallow Finesse Off Shore Finesse Vegetation Marinas/Docks Top Water Schooling Crawfish Off Shore Structure

16 original sound patterns: Power Pattern

Bait Blitz

Surface Bait

Ultra Finesse

Finesse

Feeding Frenzy Deep Bait
Crawfish on Gravel Finesse Delayed Schooling Schooling Blitz Crawfish on Sand Finesse Blue Back Finesse Blue Back Frenzy Spawning Bait Bream Bed Active Pads



HYDROWAVE® H2 Walleye

Product Number HW-PKG-H2WALL

9 sound patterns:

Shad Frenzy Shad Schooling Shad Spawning Perch Passive

Perch Bedding Perch Frenzy Crawfish Passive Crawfish Frenzy



HYDROWAVE® H2 Bass Edition

Product Number HW-100038-11P

16 original sound patterns:

Power Pattern Bait Blitz Delayed Schooling Schooling Blitz Surface Bait Spawning Bait Ultra Finesse Finesse

Feeding Frenzy Deep Bait Crawfish on Gravel Finesse Crawfish on Sand Finesse Blue Back Finesse Blue Back Frenzy Bream Bed Active Pads




HYDROWAVE® Inshore Saltwater Edition

Product Number HW-PKG-H2INSH

16 sound patterns:

Baitfish Frenzy Baitfish Passive **Baitfish Schooling Baitfish Finesse** Baitfish Ultra Finesse Baitfish Blitz Herring Frenzy Herring Passive

Croaker Frenzy Croaker Passive Crab Frenzy Crab Passive Mullet Frenzy Mullet Passive Shrimp Frenzy Shrimp Passive



HYDROWAVE® Mr. Crappie

Product Number HW-PKG-H2MRCRAP

8 sound patterns: Brushpile Majic Spider Rigging Frenzy Tight Line Finesse **Bait Balls**

Busting Shad Finesse Power Trolling Frenzy Vertical Structure



HYDROWAVE® Mini Mr. Crappie

Product Number HW-PKG-MINIMRCRAP

This portable version of the HYDROWAVE includes two signature Mr. Crappie sounds, is shock and water resistant just like the original. Powered by a 9-volt battery, this unit lasts up to



HYDROWAVE® Mini

Product Number Color HW-PKG-MINI Gray **HW-PKG-ICEMINI** White (pictured) **HW-PKG-MINICAT HW-PKG-MINIWALL** Black

ALL UNITS INCLUDE: Expansion port for additional sounds, waterproof speaker, 14' cord, mounting hardware

T-H Marine Catalog 2021 | Proudly serving the marine industry for 45 years.



Accessory Bag HW-ASSY-2.OBAG

Includes everything needed to mount your existing HYDROWAVE® system on a new boat



12 Volt Kit

HW-ASSY-MINI12VK

Allows your HYDROWAVE® mini to perform for a longer period of time on a larger power supply



H2 2nd Boat Package

HW-PKG-2.OBOAT

Everything necessary for anglers to pre rig each individual boat with all the needed components to run a HYDROWAVE®



KVD Signature Series

HW-EXP-KVD

Kevin Van Damn lays out his most productive loops. Features 6 exclusive sound loops



Bream Module

HW-EXP-BREAM

When the bluegills are popping and the frogs are hopping, the bass are most definitely chomping



Crawfish Module

HW-EXP-CRAW

Finely tuned to emit the sounds and vibrations that fish, feel, hear & sense. Features 4 exclusive loops



Transom Bracket HW-ASSY-SPKRTRM

Allows to mount the HYDROWAVE® speaker to the transom





Striper Thump Module

HW-EXP-STRIP

No fish out there is more of a schooling feeder than a striped bass. Features 5 exclusive sound loops.



H2 Replacement Speaker HW-ASSY-2.OSPKR

bit speaker offers CD quality sound



Mini Mounting Bracket HW-BKT-MINI-DP

Mounts the HYDROWAVE® MINI to any surface and allows easy removal when not

in use



H2 Mounting Bracket

HW-MNT-DP

allows easy removal when not in use



Herring Module

HW-EXP-HERR

The herring module holds 3 specific sounds perfectly emulating baitfish



Bait Fish Module

HW-EXP-BAIT

Tricking dominate fish like these into biting requires the angler to stumble into an active environment




Mr Crappie Module

HW-EXP-MRCRP

Features 8 extra sound loops to plug into H2

The HYDROWAVE® H2 Omni Directional 16

Mounts the HYDROWAVE® to any surface and





TACKLE TITAN® Mega Magnetic Lure Management System

The patented TACKLE TITAN® MEGA includes four pairs of Lure Hangers plus a galvanized metal mounting plate. Mount your system to the inside of a storage lid or sidewall to keep your lure collection safe and organized like never before.

Dimensions: 13"L x 1.75"H x 1.25"D

Stores 20 lures

Product Number Description TT-TLMS1-DP TACKLE TITAN® Management System



TACKLE TITAN® Original

Magnetic Lure Holder & Organizer

The TACKLE TITAN® can hold your lures and tools firmly, and release easily when pressure is applied. Mounts on any flat surface with included 3M tape or fasteners.

Dimensions: 13"L x 1.75"H x 1.25"D Stores up to 9 lures + magnetic shelf

| Product Number | Description |
|-----------------------|---------------------------------|
| TT-TITAN1-DP | TACKLE TITAN® Organizer (Black) |
| TT-TITAN2-DP | TACKLE TITAN® Organizer (White) |



TACKLE TITAN® Mini

Magnetic Lure Holder & Organizer

Dimensions: 6"L x 1.25"H x 1.25"D Holds: Up to 4 lures + magnetic top shelf

| Product Number | Description |
|-----------------------|----------------------------|
| TT-MINI1-DP | TACKLE TITAN® Mini (Black) |
| TT-MINI2-DP | TACKLE TITAN® Mini (White) |





TACKLE TITAN® GO-TO FISHING LURE SYSTEM

TT-CGTTS1-DP Black TT-CGTTS2-DP

Dimensions: 12"L x 1"H x 1"D Includes: 2 racks, 12 rings, mounting hardware



TACKLE TITAN® DUO MAGNETIC LURE HOLDER (PAIR)

TT-TLMAN1-DP Black

Dimensions: 13"L x 1.75"H x 1.25"D Holds: Up to 10 lures + magnetic top shelf



TACKLE TITAN® HOLDER KNIFE & PLIER HOLDER (WITH SUCTION CUPS)

TT-52071-DP White

Dimensions: 4-1/8"W x 8-15/16"H x 3"D Holds 1 set of pliers and caribiners, 2 knives & 13 hook and lure holders



TACKLE TITAN® SINGLE ELECTRONICS HOLDER

TT-52072-DP

White

Dimensions: 6-1/2"W x 5-1/4"H x 3-1/4"D Easy installation with two suction cups



TACKLE TITAN® LARGE CADDY ELECTRONICS HOLDER

TT-52070-DP White

Dimensions: 11-3/4"W x 3-5/8"H x 5-1/2"D Easy installation with two suction cups



TACKLE TITAN® DRINK HOLDER SINGLE DRINK HOLDER

White TT-52076-DP

Dimensions: 6"W x 4"H x 4-3/8"D

Drink holder with two suction cups



TACKLE TITAN® SUCTION CUP LURE FISHING LURE RACK

| TT-54251-DP | Black |
|-------------|-------|
| TT-54250-DP | White |

Dimensions: 13.8"L x 3.4"H x 13.1"D Holds: 25 hook and lure slots, 1 knife slot



TACKLE TITAN® LURE RACK

FISHING LURE RACK

TT-TTS1-DP Black TT-TTS2-DP White

Dimensions: 12"L x 1"H x 1"D Easy installation with screws or tape

T-H Marine Catalog 2021 | Proudly serving the marine industry for 45 years.





WaveAway SUNGLASS AND SCREEN CLEANER

Keep your screens clean and protected from the elements. Wave Away™ is specifically formulated to clean and protect LCD screens. It is alcohol & ammonia free and designed to stick where it's sprayed. Kit includes a bottle of screen cleaner, microfiber cloth, and a velvet drawstring bag for storing.

Product Number Description

WAVE-15KIT-DP Wave Away™ 1.5oz Kit



WaveAwayTM Display POP DISPLAY PACKAGING

Point of Purchase display box with 24 individual Wave Away™ kits included.

Product NumberDescriptionWAVE-15POP-DPWave Away™ POP Display Packaging



| A | |
|--|----------|
| Access Covers | 27-28 |
| Access Door - Designer Series | 28 |
| Acces Hatches | 27 |
| Access Hatches - Designer Series | 27 |
| Actuators - Atlas Micro Jacker | 9-10 |
| Adapter Fittings | 49 |
| Aeration Fitting - Directional | 37 |
| Aeration Kits, Baitwell | 37 |
| Aeration/Livewell Systems | 37 |
| Aerator Controls | 36 |
| Aerator Filter Domes | 45 |
| Aerator Filters | 43 |
| Aerator Heads | 39 |
| Aerator Pump Brackets | 37 |
| Aerator Pump Screens | 43 37 |
| Aerator Spray Head / Wash Down Fitting Aerator Screens | 43 |
| Aerator Timers | 34 |
| Aerator Max- Air Venturi | 34 |
| Aerator - Pro Air | 34 |
| Alarm - Banshee Padlock | 120 |
| Alarm - Two Way or Two Way Alarm | 120 |
| All Purpose Drains | 42 |
| All Purpose Drains - Flat Head | 42 |
| All Purpose Strap | 124 |
| Anchor Handle Locks & Latches | 26 |
| Aqua-Blaze - LED Lighting | 76 |
| Aqua Clips - Utility Clips | 136 |
| Arm, Seacock Remote | 46 |
| Atlas Heavy Duty Hydraulic Jack Plates | 9 |
| Atlas Hydraulic Jack Plates | 9 |
| Atlas Micro Jacker | 10 |
| Atlas Micro Jack - Clam on Adapter | 10 |
| Atlas Series Position Gauge Kit | 10 |
| Atlas Series Hot Shot - Hole Shot Plate | 10 |
| Automatic Aerator Control | 34 |
| В | |
| Bait Well Filter | 43 |
| Ball Scupper | 38 |
| BansheeTM Alarm Padlock | 120 |
| Base Plug, Pedestal | 62 |
| Battery Holder for Optima | 126 |
| Battery Holders | 126 |
| Battery Operated Lights, LED | 86-89 |
| Battery Tray, Frame Top | 126 |
| Battery Tray Replacement Straps | 125 |
| Battery Trays | 125-126 |
| Battery Trays – Combo 24-27 | 125 |
| Bimini Top Strap . | 127 |
| BOATING AND MARINE ACCESSORIES | 119-139 |
| Bolt Caps | 136 |
| Bolt Kit, Jack Plate | 12 |
| Boots, Cable | 72 |
| Bounce Buster Coaster | 57 |
| Box - Black Molded Glove | 28 |
| Boxes - Tackle Tray | 29 |
| Bracket, Aerator Pump | 35 |
| Bracket, Light Mounting | 121 |
| Brackets, Cooler Mounting | 125 |
| Brite PlateTM Chrome Plated Parts | 36 |
| Brite PlateTM Chrome – Splash Well Drain | 40 |

| Bulkhead Pass-Thru Fitting | 45 |
|---|------------|
| Bulkhead Strain Relief Hose Kit | 68 |
| Bungee/Shock Cord Material | 127 |
| C | |
| Cable Boot Reinforcing Rings | 71 |
| Cable Boots | 72 |
| Cable Boot Grommets | 71 |
| Cable Ties | 69 |
| Caddy - Single Electronics | 153 |
| Caddy - Large Gear | 153 |
| Camera Extension Mounting Sticks - YOLOtek | 138 26 |
| Cams, Anchor Lock, Zinc & Stainless Cam Lock Deck Plates | 26 |
| Caps - Black Vinyl | 62 |
| CeaCapTM Bulkhead Fitting | 45 |
| Cell Phone Holder & Charger - YOLOtek | 139 |
| Chrome Plated Parts | 36 |
| Circuit Breaker Kit - Trolling Motors | 57 |
| Clam Shell Vents | 70 |
| Clamp-On Outboard Adapter for Micro Jacker | 9 |
| Clamps- Hose | 68-70 |
| Cleats | 130 |
| Clips - Aqua/Utility | 136 |
| Clip - Navigation Light | 121 |
| Clips - Pontoon Fender Hanger Clips, Trailering | 132 122 |
| Clips, Traitering Clips, Livewell Overflow Tube | 44 |
| CMC MARINE JACK PLATES & TRIM UNITS | 19 |
| CMC Wedges/SetBack Spacers | 16 |
| Cockpit Drain | 37 |
| Cooler Mounting Kit | 125 |
| Courtesy Lights – LED Models | 90-97 |
| Courtesy Lights – Incandescent Oval w/Switch | 93 |
| Covers - Access | 27-28 |
| Covers - Vent | 42 |
| Cup Holder Insert - LED | 103 |
| Cup Holder LED Accent Ring | 103 123 |
| Cup Holder, Flexible Drink Stabilizer Cup Holder - No Step - Stainless Steel with Insert or LED | 103 |
| Cup Holder, Removable | 123 |
| Cup Holder, Stainless Steel | 122 |
| Cup Holders | 122-123 |
| _ | |
| U | |
| Deck Drains, Thru-Hull | 40-45 |
| Deck Lid Slam Latch | 26 |
| Deck Plates | 29,30 |
| Deck Plates, Low Profile Twist Out | 29 |
| Deck Plates, Quick Release Cam | 29 30 |
| Deck Plates, Sure SealTM | 71 |
| Decorative Wire Covers Designer SeriesTM Glove Boxes | 28 |
| Designer SeriesTM Hatches | 27 |
| Designer SeriesTM Screw Down Deck Plates | 30 |
| Designer SeriesTM Tackle Tray Centers | 28 |
| Designer SeriesTM Vertical Access Door with Vent | 28 |
| Digital Gauge Kits for AtlasTM Series Jacks | 10 |
| Directional Flow Aerator Heads | 37 |
| Directional Livewell Fill Fitting | 36 |
| Door Latch | 26 |
| Door Stops, Pontoon | 131 |
| Door Straps | 31 |
| Drain Caps, Rod Holders | 63 |

| Drain Filters | 42-43 |
|--|----------|
| Drain Plugs | 42 |
| Drain Tubes | 44 |
| Drain Tubes, Livewell Overflow | 44 |
| Drain, All Purpose | 40 |
| Drain, All Purpose, Threaded | 44 |
| Drain, Cockpit | 37 |
| Drain, Deck | 40, 44 |
| Drain, Flapper Scupper | 39 |
| Drain, Flex Flange | 40 |
| Drain, Floor | 41 |
| Drain, Hatch | 40 |
| Drain, Impact | 41 |
| Drain, Overflow Drain, Push-In | 44 |
| Drain, Rod Holder | 63 |
| Drain, Scupper | 38 |
| Drain, Seat Pedestal | 41 |
| Drain, Splash Well | 40 |
| Drink Holder, Folding | 122 |
| Drink Holder, TACKLE TITAN | 153 |
| Dual Battery Tray | 126 |
| Duckbill Scupper | 39 |
| E-F | |
| Earth Magnetic Latches | 27 |
| Elbow Fittings | 49 |
| Electronics Caddy - TACKLE TITAN | 153 |
| Electronics Mounts | 138 |
| Emergency Reboarding Ladder | 13 |
| Engine Flush Kits | 121 |
| Engine Jacks | 12 |
| Evindrude G2 Motor Support | 122 |
| Eye for Straps | 127 |
| EZ Pump - Advanced Water Pick Up System | 35 |
| Fastener, Windshield | 125 |
| Fender Hanger Clips, Pontoon | 130 |
| Filter, Aerator | 45 |
| Filter, Bait Well | 43 |
| Filter, Drain | 42-45 |
| Filter, Overflow Drain | 45 |
| FingerFlexTM, Trim Control for Hydraulic Steering | 13 |
| Finger Guard, Pontoon | 131 |
| FISHING ACCESSORIES | 140-155 |
| Fishing Rod Holders | 142-155 |
| Fittings, Brite PlateTM | 63 |
| Fittings, Bulkhead Pass-Thru | 36 |
| Fittings, CeaCapTM | 45 |
| Fittings, Directional Livewell Fill | 45 |
| Fittings, Hose | 37 |
| Fittings, Manifold Systems | 49 |
| Fitting, Overflow | 49 |
| Fittings, Plumbing | 45 |
| Fittings, Rub Rail | 48 |
| Fittings, Thru-Hull | 132 |
| Fittings, Wash Down | 46-47 |
| Flange, Rigging Hose Union | 36 67 |
| Flange – Rigging Hose Union | 67 |
| Flange – Rigging w/Fuel Hose Port Flange – Tri Shape Rigging | 67 |
| | 67 |
| Flange, Utility Flange, Vent Hose | 66 |
| Flapper Scupper Drains | 71 |
| Flapper Scupper Repair Kit | 39 |
| rapper scapper nepair nic | 33 |

| Flex Flange Thru-Hull Drain | 3: |
|--|--------|
| Flex Sleeving | 4 |
| Floor Drain | 6 |
| Floor Drain/Lid Pull Combo | 4 |
| Flow-Max™ Ball Scupper | 4 |
| Flush Mount Scupper Adapters | 3 |
| Flusher for Twin Outboards | 3: |
| Folding Drink Holder | |
| | 12: |
| Foot Control Switch | 12: |
| Foot Control, Pedal Paddle | 5 |
| Foot Throttle | 13 |
| Foot Throttle Mount | 1 |
| Foot Trim Controls | 1 |
| Fuel Container Hold-Down Kit | 1 |
| Fuel Splash Guards | 124 |
| G | 13: |
| | _ |
| G-Force Handle | 50 |
| G-Force Eliminator Prop Nut | 5 |
| G-Force Equalizer | 5- |
| G-Force Silencer | 5- |
| G-Force Troll Jacket | 5 |
| G-Force Grass Goat | 5 |
| G-Force Troll Perfect | 5 |
| G-Juice | 14: |
| Garboard Drain Plug & Base | 4: |
| Gaskets for Thru Hulls | 4: |
| Gate Holders, Pontoon | 13: |
| Gate Latches, Pontoon | 12 |
| Gauge Kit, AtlasTM Series | 10 |
| Gear Caddy - TACKLE TITAN | 15: |
| GEN 1 - Bronze Underwater Light | 7 |
| GEN 1 - RGB LED Light Controller | 8 |
| Glove Box, Black Molded | 2 |
| Glove Box, Designer Series | 2 |
| Grommet, Cable Boot | 7: |
| Grommet, Cable Pass-Thru | 7: |
| Grommet, Oval | 7: |
| Grommet, Rope | 7: |
| Grommet, Rod | 6 |
| Grommet, Utility | 7: |
| Grab Handles | 13 |
| | |
| Н | |
| Handle, G-Force | 5 |
| Hanger Clips, Pontoon Fender | 130 |
| Harness – AtlasTM, Micro Jacker | 10 |
| Harness, Single Color Rock Light | 8: |
| Hatch Drain | 4 |
| Hatch Spring | 3: |
| Hatches, Designer Series | 2 |
| · • | 2 |
| Hatches - Designer Series - Locking Headlight, Trolling Motor | 50 |
| | 24-3 |
| HATCHES, PLATES & LIDS | 24-3. |
| Hi-Jacker Jack Plates | |
| Hold-Down Kit – Fuel Container | 124 |
| Holder, Battery | |
| Holders, Cup | 122-12 |
| Holders, Drink, TACKLE TITAN | 15: |
| Holders, Knife & Plier, TACKLE TITAN | 15: |
| Holder, Navigation Light | 12: |
| Holder, Pedestal | 6. |
| Holder, Pontoon Gate | 13: |
| Holder, Rod | 6: |

| Holder, Spare Propeller | 124 |
|--|---------------|
| Holders - Oval Top | 63 |
| Hole Shot Plate, Hot Shot, Z-Lock | 10 |
| Hooks for Shock Cord | 127 |
| Hose Clamps | 70, 72 |
| Hose Clamps, Oetiker | 70 |
| Hose Elbows | 49 |
| Hose Fittings | 49 |
| Hose Reducers | 49 |
| Hose Tees | 49 |
| Hose, Coiled Wash Down | 134 |
| Hose, Rigging | 69 |
| Hot Foot Slide Mount | 15 |
| Hot Shot Hole Shot Plates for Atlas Series Jack | 10 |
| Hot Shot Hole Plates for Z-Lock | 11 |
| Hot Trim Foot Trim Control | 130 130 |
| Hydra Battery Terminal Supplier Hot Foot Throttle | 128-129 15 |
| Hydraulic Hose Strain Relief Fitting | 66 |
| Hydraulic Jack Plates | 9-11 |
| HYDROWAVE – Marine Audio Technology | 146-149 |
| HydroWave KVD H2 | 146 |
| HydroWave Bass Edition H2 | 147 |
| HydroWave Inshore Saltwater H2 | 147 |
| HydroWave Walleye H2 | 147 |
| HydroWave Expansion Modules | 149 |
| HydroWave Mr.Crappie H2 | 149 |
| HydroWave Mr.Crappie Mini | 147 |
| HydroWave Bass, Ice, Walleye Minis | 147 |
| HydroWave Accessories | 148 |
| I-J-K-L | |
| Ignition Kill Switch | 17 |
| Impact Drains | 41 |
| Inline Scupper | 38 |
| Jack Plate Bolt Kit | 12 |
| Jack Plate - Atlas Micro Jacker | 10 |
| Jack Plates, Hi-JackerTM | 12 |
| Jack Plate, Hole Shot Plate, Hot Shot | 10 |
| Jack Plates Manual 7 Lock | 8,23 11 |
| Jack Plates – Manual – Z-Lock | 26 |
| Key, Replacement for Anchor Handle Locks Kill Switch | 17 |
| Kill Switch Lanyard | 17 |
| Knife & Plier Holder | 153 |
| Kong Wave Tamer | 145 |
| KVD KongTM Extreme Electronics Mount | 145 |
| Ladder - Emergency Reboarding. | 13 |
| LANE BLASTER LED Trolling Motor Headlight | 56 |
| Latches, Earth Magnetic | 27 |
| Latches, Gate | 127 |
| Latches, Large Lid Slam | 26 |
| Latches, Lid | 26 |
| Launch Cord – Z-LaunchTM | 120 |
| LED LIGHTING – AQUA-BLAZE & BLUEWATER LED | 76-103 |
| LED Battery Operated | 88-89 |
| LED Flex Strip Lights – Battery Operated | 88 |
| Battery Operated LED Slim Line Lights | 88-89 |
| Battery Operated LED Strip Light Accent Kit Pairs | 88-89 |
| LED Courtesy Lights | 90-97 |
| Stainless LED Puck Lights | 90 |
| Recessed LED Puck Lights | 91 |
| LED Surface Mount Dome Light | 90 |
| Automatic LED Light | 92 |

| | Puch In LED Htility Light | 91 |
|-----|--|--------|
| | Push-In LED Utility Light Mini LED Dual Mount Courtesy Light | 91 |
| | LED Push-In Cockpit Light | 91 |
| | Livewell/Courtesy Lights LED | 92 |
| | Flush Head LED Livewell Lights | 92 |
| | | 92 |
| | LED Companion Way Lights LED Oval Courtesy Lights | 93 |
| | | 93 |
| | LED Courtesy Companion Way Light LED Mini Accent Light | 93 |
| | | |
| | Courtesy/Accent LED Light | 93 |
| | LED Oblong Courtesy Lights | 94 |
| | Slim Line LED Utility Strip Lights | 94 |
| | LED Rail Light | 95 |
| | LED Round Companion Way with Eyebrow Accent Slit | 95 |
| | LED Module Courtesy Lights – Single, Triple or Quad | 95 |
| | High Intensity Oval LED Courtesy Light/Rock Light | 97 |
| | Low Profile Stainless Steel LED Dome Light | 96 |
| | LED Dome Light - Round | 97 |
| | LED Dome Light - Oblong | 97 |
| | LED Dome Light, Motion Activated | 97 |
| LED | Cups & Speakers | 102 |
| | LED Lighted Stainless Steel Rim Drink Holder | 102 |
| | LED Lighted No Step Stainless Steel Cup Holder | 102 |
| | LED Lighted No Step Stainless Steel Cup Holder w/ Insert | 103 |
| | Cup Holder LED Accent Ring | 103 |
| | LED Cup Holder Insert | 103 |
| | Speaker LED Accent Ring | 103 |
| LED | Light Kits | 82-83 |
| | LED Lighting Kit for Boats | 82 |
| | LED Lighting Kit for Trailers | 82 |
| | High Intensity Oval LED Courtesy Light/Rock Light Kits | 83 |
| | RGB Rock Light Harness | 83 |
| | Single Color Rock Light Harness | 83 |
| LED | Linear Lighting | 86-89 |
| | LED Flex Strip Lights | 89 |
| | LED Flat Rope Lights | 87 |
| | LED Flat Rope Lights – RGB Color Changing | 87 |
| | LED Flex Strip Lights with Track | 88 |
| | LED Flex Strip Lights – Battery Operated | 88 |
| | LED Flex Strip Lights – Mounting Track & Track Ends | 89 |
| | LED Flex Strip Lights – Ultraviolet LED Strip Lights | 89 |
| | Flexible LED Light Bar | 89 |
| | LED Module Pod Light Strings | 89 |
| LED | Navigation Lights | 98-101 |
| | Combination Bow | 98 |
| | Combination Bow Mount | 98 |
| | Single Side Bow Lights | 99 |
| | LED Flex Strip Bow Lights | 99 |
| | Shark Eye Nav Lights | 99 |
| | LED Stern Lights - Fixed Lengths | 100 |
| | LED Stern Lights - Adjustable Lengths | 100 |
| | LED Stern Lights - Folding | 100 |
| | Bimini Top Light | 101 |
| | Base Stern - 2 Prong | 101 |
| | Snap Flex Base | 101 |
| | Snap Flex Stern Light | 101 |
| LED | Pontoon Light Kits | 84-85 |
| | RGB Pontoon Light Kit | 84 |
| | Pontoon LED Module String Light Kit – Blue | 85 |
| | Pontoon LED Flat Flexible Ribbon LED Strip Light Kit | 85 |
| | GEN 1 - RGB LED Light Controller | 85 |
| | RGB LED Light Controller | 85 |
| LED | Spreader Lights | 80-81 |
| | Oval Recessed Mount Spreader LED Light | 80 |

| 81 | LED Super Spreader Light |
|---|--|
| 81 | LED Mini Spreader |
| 81 | LED Side Docking Light |
| 81 | LED Docking Light |
| 80 | Recessed Flush Mount LED Spreader Light |
| 76-79 | LED Underwater Lights |
| 76 | GEN 1 - Bronze Underwater Light |
| 77 | Premium LED Underwater Light |
| 77 | High Output Underwater LED Fishing Light |
| 76 | Underwater LED Light with Stainless Steel Bezel |
| 78 | Fully Encapsulated Underwater LED Light |
| 78 | Stainless Steel Oval LED Underwater Light |
| 78 | Extreme LED Underwater Light |
| 124 | _ever Tie Down |
| 26-31 | Lid Accessories |
| 26 | Lid Latches |
| 31 | Lid Lifts |
| 31 | Lid Lifts – Large 3-Finge |
| 26 | _id Locks |
| 44 | Lid Pull/Floor Drain Combo |
| 31 | id & Hatch Support Spring |
| 31 | id Strap |
| 31 | ifts, Lid |
| 101 | Light Clips |
| 34 | Livewell Aeration |
| 44 | Livewell Drain Tubes |
| 36 | Livewell Fitting, Directional |
| 92 | Livewell Lights – LED Models |
| 44 | Livewell Overflow / Utility Storage Clips |
| | Livewell Treatment Solutions |
| 142-143 | Livewett i reatment ootations |
| | |
| 142-143 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull |
| 142-143 120 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull |
| 142-143 120 47 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders |
| 142-143 120 47 150-153 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M-N-O |
| 142-143 120 47 150-153 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts |
| 142-143 120 47 150-153 49 146-149 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology |
| 142-143 120 47 150-153 49 146-149 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator |
| 142-143 120 47 150-153 49 146-149 34 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker |
| 142-143 120 47 150-153 49 146-149 34 12 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks |
| 142-143 120 47 150-153 49 146-149 34 12 62 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 133 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 143 143 98-99 55 139 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Detiker® Hose Clamps |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 61 70 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Detiker® Hose Clamps Detiker® Hose Clamps Detiker® Hose Clamp Kit |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 61 70 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Detiker® Hose Clamps Detiker® Hose Clamps Detiker® Stepless® Ear Hose Clamps |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 61 70 70 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Oetiker® Hose Clamps Oetiker® Hose Clamps Outboard Flush Kits |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 61 70 70 70 127 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Oetiker® Hose Clamps Oetiker® Hose Clamps Outboard Flush Kits Oval Courtesy Light w/Switch, Incandescent |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 61 70 70 70 127 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Oetiker® Hose Clamps Oetiker® Hose Clamps Outboard Flush Kits Oval Courtesy Light w/Switch, Incandescent Oval Deck Plates |
| 142-143 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Oetiker® Hose Clamps Oetiker® Hose Clamps Outboard Flush Kits Oval Courtesy Light w/Switch, Incandescent Oval Deck Plates Oval Grommet |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 143 98-99 55 139 69 61 70 70 70 70 72 93 30 73 | Loc-R-Bar Boat Security System Low Clearance Thru-Hull Lure Holders M - N - O Manifold System Parts Marine Audio Technology Max-AirTM Venturi Aerator Mini-Jacker Molded Rod Racks Motor Stik - Outboard Motor Support Motor Support, Evinrude G2 Mount - KVD KongTM Extreme Electronics Mount Mount - Shock-LockTM Mini Kong Electronics Mounts Mount, Steering Console Mount, Throttle Control Mr.Crappie® Bait Blaster Underwater Light Mr.Crappie® Crappie Care Navigation Lights, LED Nipple Fittings, Manifold Nozzles, Wash Down Nylon Cable Ties Organizer, Rod Storage Oetiker® Hose Clamps Oetiker® Hose Clamps Oetiker® Stepless® Ear Hose Clamps Outboard Flush Kits Oval Courtesy Light w/Switch, Incandescent Oval Deck Plates Overflow Drain Thru-Hull |
| 142-143 120 47 150-153 49 146-149 34 12 62 121 122 144-145 145 133 133 143 98-99 55 139 69 61 70 70 70 70 70 72 93 30 73 42 | Loc-R-Bar Boat Security System |

| P-Q | |
|--|----------|
| addle Keeper | 125 |
| adlock, Banshee Alarm | 120 |
| eddle Paddle | 137 |
| edestal Base Plug | 62 |
| ERFORMANCE | 6-23 |
| rickup, Water | 40 |
| lug, Push-In | 42 |
| lug, Thru-Hull | 42 |
| lumbing Fittings | 48 |
| PLUMBING & DRAIN | 32-49 |
| ontoon Door Stops | 131 |
| ontoon Fender Hanger Clips | 130 |
| ontoon Finger Guard | 132 |
| ontoon Gate Holder | 132 |
| ontoon Gate Latch | 127 |
| ontoon LED Light Kits | 84-85 |
| ontoon Rail Shims | 131 |
| ontoon Splash Guard Deflector | 131 |
| ro-Air System | 34 |
| ro Hi-Jacker Jack Plates | 11 |
| ro Live Well Oxygenator rop Nut, G-Force Eliminator | 54 |
| Prop-StopTM Spare Prop Retainer | 124 |
| rop Master Propeller Stop | 135 |
| rop-Master Wrench | 135 |
| Duick Release Deck Plates | 29 |
| | |
| R | |
| leboarding Ladder | 13 |
| ecessed Scupper Drain | 39 |
| reducing Tee Fittings | 49 |
| leverse Transom Wedge – 1 Pair | 16 |
| GB LED Light Controller | 85 |
| RIGGING | 64-73 |
| ligging Flange | 67 |
| ligging Flange, Chrome Plated | 67 |
| ligging Flange, Tri-Shape | 67 |
| ligging Flange Hose Union | 67 |
| ligging Flange w/Fuel Port | 67 |
| ligging Hoses | 67 |
| ligging Sleeve, Zippered, T-H FlexTM | 66 |
| od Grommets | 62 67 |
| od Hold-Down Strap od Holder Drain Caps | 63 |
| lod Holders | 63 |
| OD ORGANIZATION | 58-63 |
| od Racks | 63 |
| dod Racks, Molded | 62 |
| od Racks, Molded od Storage Holders, Foam | 61 |
| od Storage Organizers | 67 |
| od Storage Tube | 66 |
| od Storage Tube | 67 |
| od Tube End | 61 |
| lope Grommet | 72 |
| ub Rail Fittings | 132 |
| S | |
| af-T-Stop™ Ignition Kill Switches | 17 |
| creen Cleaning Kit - WaveAway TM | 155 |
| cupper, Ball | 38 |
| cupper, Flapper-Type | 39 |
| cupper, Inline | 38 |

| Scupper, Recessed Thru-Hull | 40 |
|---|-----------|
| Scupper, Recessed Thru-Hull Chrome | 40 |
| Seat Pedestal Drain | 41 |
| Seacock Remote Arm | 46 |
| Shock Cord | 127 |
| Shock-LockTM Mini-Kong™ Electronics Mount | 145 |
| Sleeves, Zippered Rigging | 66 |
| Sleeving, Flex | 66 |
| Speaker LED Accent Ring | 103 |
| Spray Heads | 37 |
| Spreader LED Lights | 80-81 |
| Stabilizer Lock, Trolling Motors | 55 |
| Stainless Steel Cup Holder | 122 |
| Steering Console Mount | 133 |
| Steering Wheel Trim | 13 |
| Steer-Stop™ Hydraulic Steering Lock | 121 |
| Straps, Rod | 61 |
| Suction Cup Lever Tie Down | 124 |
| Sure Seal™ Hatches | 27 |
| Sure Seal™ Deck Plates | 29 |
| Sure Seal™ Versatubes™ | 30 |
| т | |
| <u> </u> | |
| T-Top Rod Pass-Through Grommet Set | 127 |
| "T" Fitting | 49 |
| Tackle Management Systems | 151 |
| TACKLE TITAN™ Knife & Plier Holder | 153 |
| TACKLE TITAN™ Foam Lure Rack | 152 |
| TACKLE TITAN™ Large Gear Caddy | 153 |
| TACKLE TITAN™ Single Drink Holder | 153 |
| TACKLE TITAN™ Single Electronics Holder | 153 |
| TACKLE TITAN™ Suction Cup Lure Holder | 153 29 |
| Tackle Tray Boxes Throttle Control Mount | 133 |
| | 36 |
| Thru-Hull Chrome Plated Fittings Thru-Hull Fittings | 46 |
| Thru-Hull Strainer Mounts | 43 |
| Thru-Hull Washers and Gaskets | 45 |
| Thru-Hulls, Extended | 36 |
| Thru-Hulls, Ninety Degree | 46 |
| Thru-Hulls, Straight | 46 |
| Thru-Hulls, Threaded | 50 |
| Thru-Hulls, Unique | 36 |
| Timer, Aerator | 34 |
| Torque Tabs | 17 |
| Transom Spacers | 23 |
| Transom Support Plate | 17 |
| Transom Trim Control | 19 |
| Transom Wedges | 16 |
| Transom Wedges – Reverse – 5 Degree Tilt | 16 |
| Trim, Steering Wheel | 13 |
| Troll-TamerTM Trolling Motor Stabilizer Lock | 55 |
| TROLLING MOTOR ACCESSORIES | 50-57 |
| Trolling Motor Lift Assist, G-Force Equalizer™ | 54 |
| Trolling Motor Circuit Breaker Kit | 57 |
| Trolling Motor Mount | 56 |
| Trolling Motor Headlight, LED - LANE BLASTER™ | 56 |
| Trolling Motor Power Plugs | 57 |
| Trolling Motor Switches, Sure FootTM | 57 |
| Trolling Motor Vibration Pads, G-Force Silencer™ | 54 |
| Two Way Boat Alarm | 120 |

U-V-W-X-Y-Z

| Underwater LED Lights | 76-79 |
|---|-------|
| Utility Flanges | 66 |
| Utility Grommet | 72 |
| Vent Covers | 42 |
| Vent Hose Flange | 71 |
| Vinyl Caps | 60 |
| Wash Down/Aerator Spray Head Fitting | 35 |
| Wash Down Coiled Hose & Nozzles | 133 |
| Wash Down Fitting | 36 |
| Wash Down Hose Holder w-25' Hose & Nozzle | 133 |
| Wash Down Station w/ Hose | 133 |
| Windshield Fastener | 125 |
| Wire Cover | 71 |
| Y-Fittings | 48 |
| YOLOtek® Rainproof Putty | 138 |
| YOLOtek® QuadCord 12" | 139 |
| YOLOtek® DoubleBarrel | 139 |
| YOLOtek® PhoneMount 360 | 139 |
| YOLOtek® PowerCase | 139 |
| YOLOtek® - PowerlightTM - 53" | 138 |
| YOLOtek® - PowerStick Gen2 | 138 |
| Z-Launch™ Watercraft Launch Cord | 120 |
| Z-Lock Hot Shot™ Hole Shot Plates | 10 |
| Z-Lock Manual Jack Plates | 11 |
| Zippered Rigging Sleeve | 66 |
| | |



| 6077 | 18 | 16700040 | 68 | AHJ-6VHD-DP | 9 | BHF-24S-DP | 128 |
|----------|----|------------------|-----|------------------|-----|---------------|--------|
| 13001 | 22 | 16705000 | 68 | AHJ-8V-B-DP | 9 | BHF-27S-DP | 128 |
| 13002 | 22 | 16705989 | 68 | AHJ-8V-DP | 9 | BHF-31S-DP | 128 |
| 13003 | 23 | 18500000 | 70 | AHJ-8VHD-B-DP | 9 | BK-1-DP | 12 |
| 13022 | 23 | HW-BKT-MINI-DP | 150 | AHJ-8VHD-DP | 9 | BS-1-42SS-DP | 127 |
| 13032 | 23 | HW-MNT-DP | 150 | AHJACT-3-DP | 9 | BS-1-42SS-DP | 128 |
| 20000 | 18 | 004B-C-DP | 69 | AHJHSP-10V-DP | 10 | BS-1-54SS-DP | 127 |
| 20022 | 18 | 004B-M-DP | 69 | AHJHSP-12V-DP | 10 | BS-1-DP | 127 |
| 20032 | 18 | 005B-M-DP | 69 | AHJHSP-14V-DP | 10 | BS-1-DP | 128 |
| 20122 | 16 | 007B-C-DP | 69 | AHJHSP-4V-DP | 10 | BSK-1SS | 127 |
| 40012 | 20 | 007B-M-DP | 69 | AHJHSP-6V-DP | 10 | BSK-1SS-DP | 126 |
| 50012 | 21 | 008B-C-DP | 69 | AHJHSP-8V-DP | 10 | BSR-1-FH | 69 |
| 52100 | 22 | 008B-M-DP | 69 | AHJHSP-T-10V-DP | 10 | BSR-1K-CB-DP | 69 |
| 61001 | 19 | 011B-C-DP | 69 | AHJHSP-T-12V-DP | 10 | BSR-1K-DP | 69 |
| 61002 | 19 | 011B-M-DP | 69 | AHJHSP-T-8V-DP | 10 | BWF-1-DP | 43 |
| 61301 | 19 | 014B-C-DP | 69 | AHJM-4-DP | 10 | BWK-2-DP | 35 |
| 61302 | 19 | 014B-M-DP | 69 | AHJM-CMA-DP | 10 | CAM-ZA | 26 |
| 65001 | 19 | 055B-C-DP & 055B | 69 | AHJMTR-1-DP | 9 | CAM-ZCXL | 26 |
| 65002 | 19 | 075B-RAD-C-DP | 69 | AHJMTR-2-DP | 9 | CB-1-DP | 72 |
| 65012 | 20 | 075B-RAD-M-DP | 69 | AHJRELAYKIT-2-DP | 9 | CB-1FW-DP | 72 |
| 65013 | 20 | 145B-C-DP | 69 | AHJSWITCH-1-DP | 9 | CB-1W-DP | 72 |
| 65213 | 21 | 16700001X-DP | 68 | AHV-1-DP | 37 | CB-2-DP | 72 |
| 65301 | 19 | 16700004X-DP | 68 | AHV-90-DP | 37 | CB-2FW | 72 |
| 65302 | 19 | 16700006X-DP | 68 | AHV-92-DP | 37 | CB-2W-DP | 72 |
| 65501 | 19 | 16700007X-DP | 68 | AHVWD-90-DP | 35 | CB-4-DP | 72 |
| 65502 | 19 | 16700010X-DP | 68 | AHVWD-92-DP | 35 | CB-4FW | 72 |
| 65512 | 20 | 16700012X-DP | 68 | AL-1-DP | 26 | CB-4W-DP | 72 |
| 70012 | 20 | 16700013X-DP | 68 | AL-2-DP | 26 | CBBK-1-DP | 57 |
| 90012 | 20 | 16700016X-DP | 68 | ALC-1 -DP | 26 | CBG-1-DP | 71 |
| 14100387 | 70 | 16700017X-DP | 68 | ALC-2-DP | 26 | CBG-2-DP | 71 |
| 14100396 | 68 | 16700020X-DP | 68 | ALCN-1-DP | 26 | CBG-4-DP | 71 |
| 14100396 | 70 | 16700024X-DP | 68 | ALCN-2-DP | 26 | CBO-1 | 72 |
| 15500003 | 70 | 16700031X-DP | 68 | ALS-1 | 26 | CBO-4 | 72 |
| 15500006 | 70 | 16700037X-DP | 68 | APD-1-DP | 40 | CBR-1-DP | 72 |
| 15500007 | 70 | 16700040X-DP | 68 | APD-118 | 40 | CBR-2-DP | 72 |
| 15500008 | 70 | 16705989X-DP | 68 | APD-190-DP | 40 | CBR-4-DP | 72 |
| 15500009 | 70 | 55012 | 20 | APD-190F | 40 | CDS-MCP-DP | 44, 69 |
| 15500010 | 70 | 61012 | 20 | APD-190F | 47 | CLEAT-10 | 132 |
| 15500011 | 70 | 7014G | 10 | APD-190F | 47 | CLEAT-4.5-DP | 132 |
| 15500012 | 70 | AAC-1-DP | 34 | APD-190FT | 37 | CLEAT-6-DP | 132 |
| 15500014 | 70 | AF-1-DP | 43 | APD-1F | 40 | CLEAT-8-DP | 132 |
| 15500015 | 70 | AFD-118-DP | 45 | APD-2-DP | 40 | CMK-1-DP | 126 |
| 15500016 | 70 | AFD-118P-DP | 45 | APD-290-DP | 40 | CRI-1-DP | 71 |
| 15500022 | 70 | AFD-2-DP | 45 | APD-290F | 47 | CRI-1FW-DP | 71 |
| 15500023 | 70 | AFM-1-DP | 43 | APD-290F | 47 | CS-1-DP | 70 |
| 15500024 | 70 | AH-90 | 37 | APD-290F-DP | 40 | CS-1SS | 70 |
| 15500031 | 70 | AH-92 | 37 | APS-1-DP | 126 | CS-2-DP | 70 |
| 15500032 | 70 | AHJ-10V-B-DP | 9 | AR-0-DP | 138 | CS-SS-3 | 70 |
| 15500033 | 70 | AHJ-10V-DP | 9 | AR-0N-DP | 138 | CS-SS-3-B | 70 |
| 15500070 | 70 | AHJ-10VHD-B-DP | 9 | AR-1-DP | 138 | CSD-90 | 38 |
| 16700001 | 68 | AHJ-10VHD-DP | 9 | AR-1N-DP | 138 | CSD-92-DP | 38 |
| 16700004 | 68 | AHJ-12V-B-DP | 9 | AR0-1-DP | 138 | CSD-92WO | 38 |
| 16700006 | 68 | AHJ-12V-DP | 9 | AS-1-DP | 43 | CSS-1-DP | 70 |
| 16700007 | 68 | AHJ-12VHD-B-DP | 9 | AS-1-DP | 43 | CSS-1SS-DP | 70 |
| 16700010 | 68 | AHJ-12VHD-DP | 9 | AS-2-DP | 43 | CSS-2-DP | 70 |
| 16700011 | 68 | AHJ-14V-DP | 9 | ASM-5-DP | 43 | DAH-45 | 37 |
| 16700012 | 68 | AHJ-14VHD-DP | 9 | AUC-2 | 138 | DAH-90 | 37 |
| 16700013 | 68 | AHJ-4V-B-DP | 9 | AUC-2PR-DP | 138 | DAHI-118 | 37 |
| 16700016 | 68 | AHJ-4V-DP | 9 | AUC-9 | 138 | DAHIK-118-DP | 37 |
| 16700017 | 68 | AHJ-4VHD-B-DP | 9 | AUC-9PR-DP | 138 | DAHIK-750-DP | 37 |
| 16700020 | 68 | AHJ-4VHD-DP | 9 | BBC-1-DP | 57 | DBAS-1W | 41 |
| 16700024 | 68 | AHJ-6V-B-DP | 9 | BBC-1P | 57 | DBBS-1G | 41 |
| 16700024 | 68 | AHJ-6V-DP | 9 | BCORD-14B | 129 | DBBS-1W | 41 |
| 16700031 | 68 | AHJ-6VHD-B-DP | 9 | BCORD-14BW | 129 | DBH-27-SC-DP | 128 |
| 10100001 | | 7410 OVIID-D-DI | | DCOND I-IDW | 123 | DDI1 21 3C-D1 | 120 |

| DBH-27P-DP | 128 | EZ-WHT-1DP | 35 | GFEL-MK-R-DP | 54 | HDSS-1330-"X"-DP | 27 |
|----------------------------|-----|-----------------------|-----|-------------------------------|-----|---------------------|-----|
| DBS-2B-DP | 39 | EZ-WHT-2-DP | 35 | GFEL-MK-W-DP | 54 | HDSS-1330-1-DS | 27 |
| DLSL-1E | 26 | FA-3/4 | 48 | GFEL-MKS-BK-DP | 54 | HDSS-1620-"X" | 27 |
| DLSL-1N | 26 | FA-90 | 48 | GFEL-MKS-BU-DP | 54 | HDSS-1620-"X"-"X"LV | 28 |
| DLSL-1S | 26 | FAGK-1-DP | 10 | GFEL-MKS-C-DP | 54 | HDSSL-0714-"X" | 27 |
| DLSL-1W | 26 | FAGK-1SS-DP | 10 | GFEL-MKS-R-DP | 54 | HDSSL-1115-"X" | 27 |
| DP-1-DP | 42 | FAGK-2-DP | 10 | GFEQ-MG-BK-DP | 55 | HDSSL-1119-"X" | 27 |
| DP-1FS | 42 | FAGK-2SS-DP | 10 | GFEQ-MG-BU-DP | 55 | HDSSL-1317-"X" | 27 |
| DP-2-DP | 42 | FCH-1-DP | 126 | GFEQ-MG-R-DP | 55 | HDSSL-1324-"X" | 27 |
| DPCAM-6-"X"-DP | 29 | FCS-1-DP | 57 | GFES-BLK-DP | 54 | HDSSL-1330-"X" | 27 |
| DPCAM-8-"X"-DP | 29 | FCS-2-DP | 57 | GFES-RED-DP | 54 | HF-1-DP | 15 |
| DPOVAL-6D-"X"-DP | 30 | FD-2-DP | 41 | GFGG-MG-DP | 53 | HF-1CT-DP | 15 |
| DPP-6-"X"-DP | 29 | FD-2W-DP | 41 | GFGG-MKL-DP | 53 | HF-1T-DP | 15 |
| DPP-8-"X"-DP | 29 | FD-4-DP | 41 | GFGG-MKS-DP | 53 | HFM-1-DP | 15 |
| DPS-4-"X"-DP | 29 | FD-4W-DP | 41 | GFH-1G-DP | 56 | HFS-1-DP | 15 |
| DPS-6-"X"-DP | 29 | FDP-4WS | 41 | GFH-1R-DP | 56 | HFS-1-DP | 15 |
| DPS-8-"X"-DP | 29 | FF-150 | 42 | GFH-CA1R-DP | 56 | HS-1 | 31 |
| DPSLP-4-"X"-DP | 29 | FFBT-D-DP | 13 | GFTJ-1-DP | 53 | HT-1-DP | 14 |
| DPSLP-4S-"X"-DP | 29 | FFBT-S-DP | 13 | GFTP-MG-BK-DP | 53 | HW-100038-11P | 149 |
| DPSLP-5-"X"-DP | 29 | FG-150 | 38 | GFTP-MG-LG-DP | 53 | HW-ASSY-2.OBAG | 150 |
| DPSLP-5S-"X"-DP | 29 | FH-SSC-DP | 132 | GFTP-MG-R-DP | 53 | HW-ASSY-2.OSPKR | 150 |
| DPSLP-6-"X"-DP | 29 | FLX-125-DP | 66 | GFTP-MGX-BK-DP | 53 | HW-ASSY-MINI12VK | 150 |
| DPSLP-8-"X"-DP | 29 | FLX-150-DP | 66 | GFTP-MGX-LG-DP | 53 | HW-ASSY-SPKRTRM | 150 |
| DRS-1-DP | 31 | FLX-200-DP | 66 | GFTP-MGX-R-DP | 53 | HW-EXP-BAIT | 153 |
| DRS-16 | 31 | FLX-25-DP | 66 | GFTP-MK-BK-DP | 53 | HW-EXP-BREAM | 151 |
| DRS-16HD | 31 | FLX-50-DP | 66 | GFTP-MK-BU-DP | 53 | HW-EXP-CRAW | 153 |
| DRS-1HD | 31 | FLX-75-DP | 66 | GFTP-MK-LG-DP | 53 | HW-EXP-HERR | 153 |
| DRS-20 | 31 | FLXB-125 | 66 | GFTP-MK-LG-DF GFTP-MK-R-DP | 53 | HW-EXP-KVD | 151 |
| DRS-4 | 31 | | | | 134 | | 153 |
| DRS-5 | 31 | FLXB-150 | 66 | GH-1G | | HW-EXP-MRCRP | 153 |
| | | FLXB-150FR FLXB-50 | 66 | GHB-1-DP | 139 | HW-EXP-STRIP | |
| DRS-7 | 31 | | 66 | GHB-1-SS-DP | 139 | HW-PKG-2.OBOAT | 150 |
| DRS-9 | 31 | FLXB-75 | 66 | GHB-1FW-DP | 139 | HW-PKG-H2INSH | 150 |
| DS-1L-DP | 133 | FMS-1-0-DP | 38 | GHB-1G-SS | 139 | HW-PKG-H2KVD | 148 |
| DS-1LB | 133 | FRH-1P-DP | 61 | GL-1-DP | 129 | HW-PKG-H2MRCRAP | 150 |
| DS-1R-DP | 133 | FSG-10 | 136 | GL-2-DP | 129 | HW-PKG-H2WALL | 149 |
| DS-1RB | 133 | FSG-10XL | 136 | GS-1-DP | 134 | HW-PKG-ICEMINI | 150 |
| DS-2L | 133 | FSG-1XL | 136 | GT-1.375-"X" | 61 | HW-PKG-MINI | 150 |
| DS-2LB | 133 | FSG-2 | 136 | GT-1.700-"X" | 61 | HW-PKG-MINICAT | 150 |
| DS-2R | 133 | FSG-2XL | 136 | GT-2.250-"X" | 61 | HW-PKG-MINIMRCRAP | 150 |
| DS-2RB | 133 | FSG-3 | 136 | HAT-1115-"X"-DP | 27 | HW-PKG-MINIWALL | 150 |
| DSSDP-1-1-DP | 30 | FSG-3XL | 136 | HAT-1317-"X"-DP | 27 | HYBT-320-DP | 131 |
| DSSDP-1-2-DP | 30 | FSG-8C | 136 | HAT-1324-"X"-DP | 27 | HYBT-3C-DP | 131 |
| DSSDP-2-1-DP | 30 | FSGG2-11 | 136 | HAT-1330-"X"-DP | 27 | HYBT-5C-DP | 131 |
| DSSDP-2-2-DP | 30 | FSGG2-11XL | 136 | HC-10-DP | 71 | ILS-1200-DP | 38 |
| DUSB-1-DP | 135 | FSRK-3-DP | 39 | HC-12-DP | 71 | ILS-1500-DP | 38 |
| DUSB-2-DP | 135 | FSRK-3-DP | 69 | HC-16-DP | 71 | ILS-750-DP | 38 |
| DWC-1-DP | 71 | GDP-1-CB-DP | 42 | HC-24-DP | 71 | IPD-1000 | 41 |
| EBL-1-DP | 13 | GDSLPB4-0714-"X" | 28 | HC-28-DP | 71 | IPD-1000-5 | 41 |
| EBL-3 | 13 | GDSS4-0714-"X"-DP | 28 | HC-4-DP | 71 | IPD-1002 | 41 |
| EC-15ON | 134 | GF4-B-SS | 28 | HC-6-DP | 71 | IPD-580 | 41 |
| ECMW-2 | 134 | GFC-CCSG2-DP | 144 | HC-8-DP | 71 | IPD-582 | 41 |
| ECR-1-DP | 134 | GFEL-GF-BK-DP | 54 | HCE-K-DP | 131 | JP-1A-DP | 12 |
| ECR-2-DP | 134 | GFEL-GF-R-DP | 54 | HDSS-0714-"X"-DP | 27 | JP-4FA-DP | 12 |
| EJT-1-DP | 14 | GFEL-LG-BK-DP | 54 | HDSS-1013-"X"-REM | 27 | JP-4FAHD-DP | 12 |
| ELCT0163 | 10 | GFEL-LG-R-DP | 54 | HDSS-1115-"X"-DP | 27 | JP-6PW-DP | 11 |
| ELL- 3/4-DP | 48 | GFEL-MG-BK-DP | 54 | HDSS-1119-"X"-DP | 27 | JPZ-10-DP | 11 |
| ELL-112-DP | 48 | GFEL-MG-BU-DP | 54 | HDSS-1119-"X"-REM | 27 | JPZ-12-DP | 11 |
| ELL-118-DP | 48 | GFEL-MG-C-DP | 54 | HDSS-1119-1-DS | 27 | JPZ-4-DP | 11 |
| ELL-3/8 | 48 | GFEL-MG-R-DP | 54 | HDSS-1317-"X"-DP | 27 | JPZ-6-DP | 11 |
| EYE-1 | 129 | GFEL-MGT-BK-DP | 54 | HDSS-1317-"X"-DS | 27 | JPZ-8-DP | 11 |
| EYESS-1 | 129 | GFEL-MGT-R-DP | 54 | HDSS-1317-"X"-REM | 27 | JPZHSP-10 | 11 |
| | 35 | GFEL-MK-BK-DP | 54 | HDSS-1324-"X"-DP | 27 | JPZHSP-6 | 11 |
| EZ-BLK-1-DP | 33 | 0. 22 5 5. | | | | | |
| EZ-BLK-1-DP EZ-BLK-2-DP | 35 | GFEL-MK-BU-DP | 54 | HDSS-1324-"X"-DS | 27 | JPZHSP-8 | 11 |

| KS-1-DP | 17 | LED-33256-6KT-DP | 83 | LED-39532 | 88 | LED-51952-DP | 86 |
|----------------------|-----|-------------------|-----|--------------------|----|-----------------------|-----|
| KS-12 | 17 | LED-33256-DP | 97 | LED-39533 | 88 | LED-51953-DP | 86 |
| KS-2-DP | 17 | LED-33257-2KT-DP | 83 | LED-39536 | 88 | LED-51954-DP | 86 |
| KS-22-DP | 17 | LED-33257-6KT-DP | 83 | LED-39537 | 88 | LED-51955-DP | 86 |
| L-4-DP | 17 | LED-33257-DP | 97 | LED-39538 | 88 | LED-51956-DP | 86 |
| LB-ADAPTER/1A-DP | 120 | LED-33258-DP | 76 | LED-39540-DP | 92 | LED-51957-DP | 86 |
| LB-LCK110DBA | 120 | LED-33259-DP | 76 | LED-39672-DP | 94 | LED-51959-DP | 86 |
| LB-LRBS113S | 120 | LED-33260-DP | 76 | LED-39685-DP | 89 | LED-51963-DP | 86 |
| LB-SET-BKS-03A-03B | 120 | LED-33267-DP | 88 | LED-39686-DP | 89 | LED-51965-DP | 86 |
| LB-TLRLCK-DP | 120 | LED-33268-DP | 88 | LED-39687-DP | 89 | LED-51966-DP | 86 |
| LCH-1-DP | 123 | LED-33269-DP | 88 | LED-39688-DP | 89 | LED-51976 | 91 |
| LCH-1RC-DP | 124 | LED-33270-DP | 88 | LED-39690-DP | 80 | LED-51977-DP | 91 |
| LCH-1SR-DP | 124 | LED-33271-DP | 88 | LED-39691-DP | 80 | LED-51978-DP | 91 |
| LCH-1SRREM-DP | 124 | LED-33272-DP | 88 | LED-39857-DP | 96 | LED-52000-DP | 99 |
| LCH-1SS-DP | 123 | LED-33273-DP | 88 | LED-39859-DP | 96 | LED-59265-DP | 89 |
| LCH-1SS-NS-DP | 124 | LED-33274-DP | 88 | LED-4093DL-PLG -DP | 81 | LED-59266-DP | 89 |
| LCH-1SSRC-DP | 124 | LED-33275-DP | 88 | LED-51800-DP | 94 | LED-59267-DP | 89 |
| LCH-1W-DP | 123 | LED-33276-DP | 88 | LED-51801-DP | 94 | LED-59268-DP | 89 |
| LCH-1WS-DP | 123 | LED-33277-DP | 88 | LED-51803-DP | 94 | LED-71000-DP | 97 |
| LCH-52012-DP | 123 | LED-33278-DP | 88 | LED-51805-DP | 94 | LED-72000-DP | 97 |
| LCH-52016-DP | 123 | LED-33279-DP | 88 | LED-51806-DP | 94 | LED-BNAVC-1-DP | 98 |
| LCH-DKS-1 | 124 | LED-33280-DP | 88 | LED-51810-DP | 94 | LED-BNAVC-1BK-DP | 98 |
| LCH-DKS-2 | 124 | LED-33282-DP | 88 | LED-51811-DP | 94 | LED-BNAVC-2C-DP | 98 |
| LCH-SS-XL | 125 | LED-33308-2KT-DP | 83 | LED-51816-DP | 92 | LED-BNAVSSEYE-1 | 99 |
| ICH-SS-XL-P | 125 | LED-33308-6KT-DP | 83 | LED-51818-DP | 92 | LED-BTKIT-BLUE | 82 |
| LCH-SSNS-RI-DP | 124 | LED-33308-DP | 97 | LED-51819-DP | 92 | LED-BTKIT-GREEN | 82 |
| LED-14044-RGB-DP | 91 | LED-33309-2KT-DP | 83 | LED-51820-DP | 92 | LED-BTKIT-RED | 82 |
| LED-319DL-DP | 81 | LED-33309-6KT-DP | 83 | LED-51822-DP | 92 | LED-BTKIT-WHT | 82 |
| LED-32484-DP | 77 | LED-33309-DP | 97 | LED-51823-DP | 94 | LED-BTSL-24-DP | 100 |
| LED-32485-DP | 77 | LED-33320-DP | 95 | LED-51824-DP | 94 | LED-BTSL-36-DP | 100 |
| LED-32539-DP | 76 | LED-34143-DP | 145 | LED-51825-DP | 94 | LED-CHI-B-DP | 103 |
| LED-32540-DP | 76 | LED-34160-DP | 85 | LED-51827-DP | 90 | LED-CHI-G-DP | 103 |
| LED-32628-DP | 96 | LED-34180-DP | 96 | LED-51828-DP | 90 | LED-CHI-R-DP | 103 |
| LED-32636-DP | 97 | LED-34185-DP | 96 | LED-51829-DP | 90 | LED-CHI-RGB-DP | 103 |
| LED-32638-DP | 97 | LED-34190-DP | 95 | LED-51830-DP | 90 | LED-CHI-W-DP | 103 |
| LED-32648-RGB-DP | 95 | LED-34287-DP | 77 | LED-51831-DP | 90 | LED-GHBSS-B | 139 |
| LED-32650-6KT-RGB-DP | 83 | LED-39024-DP | 93 | LED-51832-DP | 90 | LED-LCH-BU-DP | 102 |
| LED-32650-RGB-DP | 97 | LED-39027 | 93 | LED-51847-DP | 91 | LED-LCH-G-DP | 102 |
| LED-32651-2KT-RGB-DP | 83 | LED-39034-DP | 93 | LED-51848-DP | 91 | LED-LCH-R-DP | 102 |
| LED-32651-6KT_RGB-DP | 83 | LED-39050 | 93 | LED-51849-DP | 91 | LED-LCH-W-DP | 102 |
| LED-32651-RGB-DP | 97 | LED-39060-DP | 77 | LED-51857-DP | 95 | LED-LCHSS-NS-B-DP | 102 |
| LED-32658-RGBW-DP | 91 | LED-39061-DP | 77 | LED-51858-DP | 95 | LED-LCHSS-NS-G-DP | 102 |
| LED-32660-RGBW-DP | 93 | LED-39062-DP | 77 | LED-51874-DP | 92 | LED-LCHSS-NS-R-DP | 102 |
| LED-32660-RGBW-DP | 95 | LED-39100-DP | 95 | LED-51875-DP | 92 | LED-LCHSS-NS-RGB-DP | 102 |
| LED-32661-RGBW-DP | 94 | LED-39101-DP | 95 | LED-51876-DP | 93 | LED-LCHSS-NS-W-DP | 102 |
| LED-32665-RGBW-DP | 93 | LED-39113-FB-RGB | 91 | LED-51880-DP | 91 | LED-LCHSS-NSRI-B | 103 |
| LED-32667-RGBW-DP | 94 | LED-39115-FB-RGBW | 91 | LED-51891-DP | 93 | LED-LCHSS-NSRI-G-DP | 103 |
| LED-32670-RGBW-DP | 94 | LED-39120-DP | 80 | LED-51892-DP | 92 | LED-LCHSS-NSRI-R-DP | 103 |
| LED-32674-RGBW-DP | 94 | LED-39122-DP | 80 | LED-51894-DP | 93 | LED-LCHSS-NSRI-RGB-DP | 103 |
| LED-32675-RGBW-DP | 94 | LED-39216-DP | 94 | LED-51895-DP | 92 | LED-LCHSS-NSRI-W-DP | 103 |
| LED-32696-RGBW-DP | 78 | LED-39217-DP | 94 | LED-51897-DP | 90 | LED-LPBNAV-1-DP | 98 |
| LED-32711-DP | 76 | LED-39218-DP | 94 | LED-51898-DP | 91 | LED-LPNAV-1-DP | 98 |
| LED-32712-DP | 76 | LED-39224-DP | 94 | LED-51899* | 93 | LED-LPNAV-2-DP | 98 |
| LED-32713-DP | 76 | LED-39275-DP | 88 | LED-51900-DP | 78 | LED-LPNAV-3-DP | 98 |
| LED-32714-RGBW-DP | 76 | LED-39276-DP | 88 | LED-51901-DP | 78 | LED-NAV-32433 | 100 |
| LED-33240-DP | 95 | LED-39277-DP | 88 | LED-51905-DP | 80 | LED-NAV-34197-DP | 98 |
| LED-33242-DP | 95 | LED-39306-DP | 99 | LED-51913-DP | 80 | LED-NAV-34198-DP | 98 |
| LED-33249-DP | 96 | LED-39308-DP* | 88 | LED-51914-DP | 81 | LED-NAV-34222-DP | 100 |
| LED-33250-DP | 96 | LED-39310-DP* | 88 | LED-51946-DP | 86 | LED-NAV-34228-DP | 100 |
| LED-33251-DP | 96 | LED-39312-DP* | 88 | LED-51947-DP | 86 | LED-NAV-34228-SB | 100 |
| LED-33255-2KT-DP | 83 | LED-39320-DP | 88 | LED-51948-DP | 86 | LED-NAV-39498-DP | 98 |
| LED-33255-6KT-DP | 83 | LED-39321-DP | 88 | LED-51949-DP | 86 | LED-NAV-39499-DP | 98 |
| LED-33255-DP | 97 | LED-39330-DP | 88 | LED-51950-DP | 86 | LED-NAV-39503-DP | 100 |
| LED-33256-2KT-DP | 83 | LED-39331-DP | 88 | LED-51951-DP | 86 | LED-NAV-39507-DP | 100 |
| | | | | | | | |

| LED-NAV-39509-DP | 100 | LED-SM7815-B-DP | 78 | LEDBW-351-"X"-DP | 114 | LEDBW-HP-13-BLK-DP | 109 |
|---------------------|-----|--------------------|-----|------------------------|-----|---------------------|-----|
| LED-NAV-39510-DP | 100 | LED-SM7815-G-DP | 78 | LEDBW-352-"X"-DP | 114 | LEDBW-HP-13-CAMO-DP | 109 |
| LED-NAV-39513-DP | 100 | LED-SM7815-RGB-DP | 78 | LEDBW-353-"X"-DP | 113 | LEDBW-HP-13-W-DP | 109 |
| LED-NAV-39522-DP | 101 | LED-SM7815-W-DP | 78 | LEDBW-354-"X"-DP | 113 | LEDBW-HP-20-BLK-DP | 109 |
| LED-NAV-39524-DP | 101 | LED-SMCHR-B-DP | 103 | LEDBW-355-"X"-DP | 114 | LEDBW-HP-20-CAMO-DP | 109 |
| LED-NAV-39525-DP | 101 | LED-SMCHR-R-DP | 103 | LEDBW-400-2-"X"-DP | 113 | LEDBW-HP-20-W-DP | 109 |
| LED-NAV-39526-DP | 101 | LED-SMSKR-5B-DP | 103 | LEDBW-401-"X"-DP | 113 | LEDBW-HP-25-BLK-DP | 109 |
| LED-NAV-39757-DP | 100 | LED-SMSKR-5G-DP | 103 | LEDBW-402-"X"-DP | 106 | LEDBW-HP-25-CAMO-DP | 109 |
| LED-NAV-39758-DP | 100 | LED-SMSKR-5R-DP | 103 | LEDBW-403-"X"-DP | 105 | LEDBW-HP-25-W-DP | 109 |
| LED-NAV-39759-DP | 100 | LED-SMSKR-B-DP | 103 | LEDBW-500-DP | 117 | LEDBW-HP-30-BLK-DP | 109 |
| LED-NAV-39762-DP | 101 | LED-SMSKR-R-DP | 103 | LEDBW-502-DP | 117 | LEDBW-HP-30-CAMO-DP | 109 |
| LED-NAV-50621-DP | 99 | LED-SMSKR-RGB-DP | 103 | LEDBW-503-DP | 117 | LEDBW-HP-30-W-DP | 109 |
| LED-NAV-50621-DP | 100 | LED-SMSLC-6WT | 87 | LEDBW-504-DP | 117 | LEDBW-HP-40-BLK-DP | 109 |
| LED-NAV-USL-48-DP | 101 | LED-SMSLC-RGBW-4WT | 87 | LEDBW-505-DP | 117 | LEDBW-HP-40-CAMO-DP | 109 |
| LED-NAV-USL-54-DP | 101 | LED-SMSLC50-4WT-DP | 87 | LEDBW-506-"X"-DP | 114 | LEDBW-HP-40-W-DP | 109 |
| LED-NAV-USL-60-DP | 101 | LED-TMHL-DP | 56 | LEDBW-506-DP | 117 | LEDBW-HP-7-BLK-DP | 109 |
| LED-NAVSFK-48-DP | 101 | LED-TRLKIT-BLUE | 82 | LEDBW-508-"X"-DP | 114 | LEDBW-HP-7-CAMO-DP | 109 |
| LED-NAVSFK-60-DP | 101 | LED-TRLKIT-GREEN | 82 | LEDBW-600-"X"-DP | 113 | LEDBW-HP-7-W-DP | 109 |
| LED-NAVSFSB-DP | 101 | LED-TRLKIT-RED | 82 | LEDBW-601-"X"-DP | 110 | LL-1 | 31 |
| LED-NAVSFSL-48-DP | 101 | LED-TRLKIT-WHT | 82 | LEDBW-602-"X"-DP | 111 | LLR-1 | 31 |
| LED-NAVSFSL-60-DP | 101 | LED-UV24TRK-DP | 89 | LEDBW-603-"X"-DP | 111 | LRS-2-DP | 38 |
| LED-OCL-1 | 93 | LEDBW-100-"X"-DP | 106 | LEDBW-604-"X"-DP | 111 | LS-2-DP | 31 |
| LED-OCL-1K-DP | 93 | LEDBW-1000-"X"-DP | 112 | LEDBW-605-"X"-DP | 110 | LS-2C-DP | 31 |
| LED-OCL-2 | 93 | LEDBW-1001-"X"-DP | 112 | LEDBW-700-2-"X"-DP | 107 | LS-3-DP | 31 |
| LED-OCL-2K-DP | 93 | LEDBW-1002-"X"-DP | 112 | LEDBW-700-2-B-DP | 77 | LV-1-DP | 42 |
| LED-PBDK20B-DP | 84 | LEDBW-101-UV-DP | 106 | LEDBW-700-2-G-DP | 77 | LV-1FW-DP | 42 |
| LED-PBDK20RGB-DP | 84 | LEDBW-102-UV-DP | 106 | LEDBW-700-2-R-DP | 77 | LWL-1P-LED-B-DP | 92 |
| LED-PBDK20RGB-FC-DP | 84 | LEDBW-103-UV-DP | 106 | LEDBW-700-2-RGB-DP | 77 | LWL-1P-LED-DP | 92 |
| LED-PBDK25B-DP | 84 | LEDBW-104-UV-DP | 106 | LEDBW-700-2-W-DP | 77 | LWLM-1P-LED-BLUE | 92 |
| LED-PBDK25RGB-DP | 84 | LEDBW-105-"X"-DP | 104 | LEDBW-80-2-"X"-DP | 105 | LWLM-1P-LED-DP | 92 |
| LED-PBDK25RGB-FC-DP | 84 | LEDBW-106-"X"-DP | 105 | LEDBW-81-"X"-DP | 105 | MAGHL-2-DP | 27 |
| LED-RGBCONT-1-DP | 85 | LEDBW-106-2-"X"-DP | 113 | LEDBW-81-2-"X"-DP | 105 | MAV-2 | 34 |
| LED-RGBCONT-1-DP | 87 | LEDBW-107-"X"-DP | 105 | LEDBW-82-2-"X"-DP | 105 | MAV-2K-DP | 34 |
| LED-RGBCONT-2F-DP | 85 | LEDBW-107-2-"X"-DP | 104 | LEDBW-901-2-BLK-DP | 81 | MAV-2KT-DP | 34 |
| LED-RGBCONT-2F-DP | 87 | LEDBW-108-"X"-DP | 104 | LEDBW-901-2-BLK-DP | 108 | MAV-FACEPLATE | 34 |
| LED-RGBCONT-3F-DP | 85 | LEDBW-109-"X"-DP | 104 | LEDBW-901-2-BLK-FLD-DP | 81 | MJ-1-DP | 12 |
| LED-RGBCONT-3F-DP | 87 | LEDBW-109-1-"X"-DP | 104 | LEDBW-901-2-BLK-FLD-DP | 108 | MS-3A100 | 49 |
| LED-RGBCONT-4R-DP | 85 | LEDBW-110-"X"-DP | 107 | LEDBW-901-2-W-DP | 81 | MS-3A112 | 49 |
| LED-RGBRL-HRN | 83 | LEDBW-111-"X"-DP | 107 | LEDBW-901-2-W-DP | 108 | MS-3A11434 | 49 |
| LED-RKBW-6KT-DP | 83 | LEDBW-111-1-"X"-DP | 107 | LEDBW-901-2-W-FLD-DP | 81 | MS-3EL100 | 49 |
| LED-RKGW-6KT-DP | 83 | LEDBW-112-W-DP | 106 | LEDBW-901-2-W-FLD-DP | 108 | MS-3EL1234 | 49 |
| LED-RKRW-6KT-DP | 83 | LEDBW-113-"X"-DP | 107 | LEDBW-905-2-BLK-DP | 108 | MS-3EL34 | 49 |
| LED-RLC | 86 | LEDBW-114-"X"-DP | 116 | LEDBW-905-2-W-DP | 108 | MS-3M100 | 49 |
| LED-RLC-WT | 86 | LEDBW-115-"X"-DP | 116 | LEDBW-908-2-B-DP | 81 | MS-3RB10034 | 49 |
| LED-SCRL-HRN | 83 | LEDBW-116-"X"-DP | 116 | LEDBW-908-2-B-DP | 108 | MS-3RB11234 | 49 |
| LED-SM14-B-DP | 87 | LEDBW-117-"X"-DP | 116 | LEDBW-908-2-BLK-DP | 81 | MS-3TT100 | 49 |
| LED-SM14-W-DP | 87 | LEDBW-118-"X"-DP | 116 | LEDBW-908-2-BLK-DP | 108 | MS-3TT112 | 49 |
| LED-SM16-RGB-DP | 87 | LEDBW-120-"X"-DP | 104 | LEDBW-908-2-GLD-DP | 81 | MS-3TT34 | 49 |
| LED-SM171COB-W-DP | 78 | LEDBW-121-"X"-DP | 107 | LEDBW-908-2-GLD-DP | 108 | MS-EG2-DP | 121 |
| LED-SM172COB-B-DP | 78 | LEDBW-122-"X"-DP | 112 | LEDBW-908-2-R-DP | 81 | MS-FPT38 | 49 |
| LED-SM173COB-G-DP | 78 | LEDBW-123-"X"-DP | 112 | LEDBW-908-2-R-DP | 108 | MS-FPT38 | 123 |
| LED-SM18-W-DP | 87 | LEDBW-150-"X"-DP | 107 | LEDBW-908-2-SVR-DP | 81 | MSS-1-DP | 121 |
| LED-SM20-B-DP | 87 | LEDBW-151-"X"-DP | 107 | LEDBW-908-2-SVR-DP | 108 | NBH-24-SSC-DP | 128 |
| LED-SM20-RGB-DP | 87 | LEDBW-152-"X"-DP | 107 | LEDBW-915-DP | 117 | NBH-24P-DP | 128 |
| LED-SM20-W-DP | 87 | LEDBW-160-DP | 114 | LEDBW-916-BRM-P-DP | 109 | NBH-24S | 128 |
| LED-SM22-B-DP | 87 | LEDBW-171-"X"-DP | 112 | LEDBW-916-BRM-S-DP | 109 | NBH-27-SSC-DP | 128 |
| LED-SM24-B-DP | 87 | LEDBW-175-2-"X"-DP | 114 | LEDBW-916-DP | 117 | NBH-27P-DP | 128 |
| LED-SM24-W-DP | 87 | LEDBW-200-2-DP | 117 | LEDBW-917-BRM-P-DP | 109 | NBH-27S | 128 |
| LED-SM25-RGB-DP | 87 | LEDBW-202-DP | 117 | LEDBW-917-BRM-S-DP | 109 | NBH-31-SSC-DP | 128 |
| LED-SM26-B-DP | 87 | LEDBW-301-"X"-DP | 113 | LEDBW-98-1-"X"-DP | 105 | NBH-31-SSC-OPT | 127 |
| LED-SM26-W-DP | 87 | LEDBW-302-"X"-DP | 113 | LEDBW-98-4-"X"-DP | 105 | NBH-31P-DP | 128 |
| LED-SM28-B-DP | 87 | LEDBW-303-"X"-DP | 110 | LEDBW-HP-10-BLK-DP | 109 | NBH-31S | 128 |
| LED-SM28-W-DP | 87 | LEDBW-308-"X"-DP | 114 | LEDBW-HP-10-CAMO-DP | 109 | NBHIOPT-31 | 127 |
| LED-SM361PLG | 95 | LEDBW-350-"X"-DP | 114 | LEDBW-HP-10-W-DP | 109 | NFSL-5-1-DP | 26 |
| | | | | | | | |

 $166\,$ T-H Marine Catalog 2021 | Proudly serving the marine industry for 45 years.


| NFSL-5-2-DP | 26 | RFFHP-2 | 67 | RS-3-DP | 16 | T-1 | 34 |
|-----------------|-----|-----------------|----|----------------------------|-----|---------------------|-----|
| 02-BK3-DP | 145 | RFH-1-DP | 67 | RS-4-DP | 16 | TAB-1-DP | 17 |
| 02-BKM3 | 145 | RFH-2-DP | 67 | RT-14-DP | 60 | TBOX-1115-3T-"X"-DP | 29 |
| OACC-1 | 73 | RFH-2.5-1 | 67 | RT-18-DP | 60 | TC-1-DP | 122 |
| OCL-1 | | RFH-2.5-1 | | | | | |
| | 93 | | 67 | RTHOOK-1 | 129 | TCM-1-DP | 135 |
| OCL-2 | 93 | RFH-3-DP | 67 | RTSM-1 | 129 | TD-54778-DP | 126 |
| OCLR-1 | 93 | RFH-3HD2.5-DP | 67 | RUSC-1 | 44 | TD-55130-DP | 129 |
| OCLR-2 | 93 | RFH-HD1-DP | 67 | RUSC-1 | 121 | TD-55132-DP | 129 |
| ODT-1-12GSTW-DP | 44 | RFH-HD2.5-DP | 67 | SA-1-DP | 39 | TDSS-0714-2T-"X" | 28 |
| ODT-1-12TW* | 44 | RFHR-1-125 | 67 | SA-2-DP | 39 | TDSS-1115-3T-"X" | 28 |
| ODT-1-DP* | 44 | RFHR-3-150 | 67 | SA-2B-DP | 39 | TDSS-1317-4T-"X" | 28 |
| ODT-190-DP | 44 | RFHU-1-DP | 67 | SA-3 | 39 | TE-1 | 61 |
| ODT-2-DP** | 44 | RFHU-2 | 67 | SCB-527 | 46 | TE-1 | 66 |
| ODT-290-DP** | 44 | RFK-1-DP | 68 | SCM-2-DP | 135 | TE-1FW | 61 |
| ODT-2T** | 44 | RFK-1CP-DP | 67 | SDP-1-DP | 30 | TE-1FWGT-"X" | 60 |
| ODTS-1-DP | 44 | RFK-2-DP | 68 | SDP-1FW-DP | 30 | TE-1GT-"X" | 60 |
| ODTS-2-DP | 44 | RFK-2.5Y-1-DP | 68 | SDP-1W-DP | 30 | TE-1S | 61 |
| OG-1-DP | 73 | RFK-2.5Y-2-DP | 68 | SDP-2-DP | 30 | TE-1S | 66 |
| OGL-1 | 73 | RFK-2.5Y-3-DP | 68 | SDP-2FW-DP | 30 | TE-1SGT-"X" | 60 |
| PAP-1 -DP | 34 | RFS-1 | 39 | SDP-2W-DP | 30 | TE-1W | 61 |
| PAS-1-DP | 34 | RFS-2-DP | 39 | SDP-3-DP | 30 | TE-1W | 66 |
| PAS-2 | 34 | RFT-1-DP | 67 | SDP-3FW-DP | 30 | TEC-1 | 134 |
| PB-90 | 35 | RFT-1KIT | 67 | SDW-1W-DP | 40 | TEC-1L | 134 |
| PBP-1-DP | 62 | RFTH-1XS | 40 | SDW-3W-DP | 40 | TEC-1R | 134 |
| PCORD-14B | 129 | RFTH-2B-DP | 40 | SDW-3WCP | 40 | TEE-112-DP | 48 |
| PD-1 | 41 | RFTH-2BCP-DP | 36 | SDW-4W | 40 | TEE-118-DP | 48 |
| PD-2 | 41 | RFTH-2BCP-DP | 40 | SEACOCK-14 | 46 | TEE-150-DP | 48 |
| PDSD-1 | 133 | RFTH-2XS | 40 | SEACOCK-14 SEACOCK-15.5 | 46 | TEE-250-DP | 48 |
| | | | | | | | |
| PEDP-1-DP | 139 | RG-1 | 72 | SEACOCK-18.5 | 46 | TEE-3/4-DP | 48 |
| PFAC-1-DP | 132 | RH-1-DP | 63 | SEACOCK-20 | 46 | TEE-3/8 | 48 |
| PFH-1G | 132 | RH-1FW-DP | 63 | SEACOCK-28 | 46 | TEE-350-DP | 48 |
| PFPG-1B | 133 | RH-2-DP | 63 | SEACOCK-36 | 46 | TEE-5/8 | 48 |
| PFPG-1G | 133 | RH-2FW-DP | 63 | SEACOCK-40 | 46 | TEO-2.50-1-"X" | 60 |
| PFPG-1LB | 133 | RH-3FW | 63 | SEACOCK-48 | 46 | TEO-2.50-2-"X" | 60 |
| PH-1 | 66 | RH-3W | 63 | SEL-1-DP | 99 | TEO-2.50-3-"X" | 60 |
| PH-2 | 66 | RH-4-DP | 63 | SEL-1LED-DP | 99 | TEO-3.00-1-"X" | 60 |
| PH-3 | 61 | RH-5-DP | 63 | SKLK-KONG-1-DP | 147 | TEO-3.00-2-"X" | 60 |
| PH-3FWGT-"X" | 60 | RH-5FW | 63 | SKLK-LALT-DP | 147 | TEO-3.00-3-"X" | 60 |
| PH-3S | 66 | RHBD-1-DP | 63 | SKLK-LAST-DP | 147 | TH-1000 | 46 |
| PH-3SGT-"X" | 60 | RHBD-2SS | 63 | SKLK-NAST-DP | 147 | TH-1002-DP | 46 |
| PK-1-DP | 127 | RHBD-2SST | 63 | SKLK-SAST-DP | 147 | TH-1200-DP | 46 |
| PMPS-1-DP | 137 | RHD-1-DP | 60 | SKTM-F-BK-DP | 147 | TH-1200CP-DP | 36 |
| PMW-1-DP | 137 | RHD-2-DP | 60 | SKTM-F-R-DP | 147 | TH-1200T-DP | 44 |
| PP-118-DP | 40 | RHDN-1 | 60 | SMEC-1 | 134 | TH-1200XL-DP | 44 |
| PP-118-DP | 42 | RHDN-2 | 60 | SPA-250B | 133 | TH-1200XL-DP | 46 |
| PP-125 | 42 | RHRB-3B | 63 | SPA-250G | 133 | TH-1200XLCP-DP | 36 |
| PP-150-DP | 42 | RHRFW-3FW | 63 | SPA-375B | 133 | TH-1202-DP | 46 |
| PP-150-DP | 45 | RHRM-2B-DP | 62 | SPA-375G | 133 | TH-1202XL-DP | 46 |
| PRR-1 | 126 | RHRM-2W-DP | 62 | SPA-500B | 133 | TH-1290-DP | 46 |
| QF-1K-DP | 121 | RHRM-3B-DP | 62 | SPA-500G | 133 | TH-1290CP-DP | 36 |
| QF-2K-DP | 121 | RHRM-3W-DP | 62 | SPD-1 | 41 | TH-1290T | 44 |
| QRFH-1-DP | 132 | RHSF-3B | 63 | SR-1-DP | 134 | TH-1292-DP | 46 |
| QRFH-2-DP | 132 | RHSF-3FW-DP | 63 | SS-3-DP | 122 | TH-1292S | 47 |
| QRFH-7-DP | 132 | RHSF-3W-DP | 63 | ST-1-DP | 13 | TH-1292S | 47 |
| RF-1-DP | 67 | RMC-101FMK-DP | 55 | STRAP-12BWS | 126 | TH-1500-DP | 46 |
| RF-1A-DP | 67 | RMC-1011 MIC-DI | 55 | SUNGL-MD-DP | 156 | TH-1500AFD | 45 |
| RF-1CP-DP | 36 | RMC-101MG-DF | 55 | SUNGL-MD-DF SUNGL-OS-DP | 156 | TH-1500CP-DP | 36 |
| RF-1CP-DP | 67 | RMC-101MK-DP | 55 | SUNGL-SM-DP | 156 | TH-1500CF-DF | 46 |
| | | | | | | | |
| RF-2-DP | 67 | RMC-104MK-DP | 55 | SUNGL-XL-DP | 156 | TH-1500XLCP-DP | 36 |
| RF-2.5-1-DP | 67 | RMC-105FMK-DP | 55 | SWD-1-DP | 40 | TH-1500XS | 46 |
| RF-2.5Y-1 | 67 | RMC-108-DP | 55 | SWD-3 | 40 | TH-1500XSFAFD | 45 |
| RF-2.5Y-2 | 67 | RMC-109-DP | 55 | SWD-4WCP | 40 | TH-1502F-B | 42 |
| RF-2A | 67 | RS-1-DP | 16 | SWD-5 | 40 | TH-1502FF-DP | 40 |
| RFFHP-1-DP | 67 | RS-2-DP | 16 | SWD-5-FW | 40 | TH-1502G-B | 38 |

| TH-1502S2 | 47 | TPRSC-1 | 73 |
|--|----------------|----------------------------|-----------------|
| ΓH-1502S2 | 47 | TSP-1-DP | 17 |
| H-1502S2N | 47 | TSP-2-DP | 17 |
| H-1502SN | 47 | TSP-7-DP | 17 |
| H-1502T | 44 | TT-52070-DP | 155 |
| H-1502XL-DP | 46 | TT-52071-DP | 155 |
| H-1502XS-DP | 46 | TT-52072-DP | 155 |
| I-1590-DP | 46 | TT-52076-DP | 155 |
| I-1590AFD | 45 | TT-54250-DP | 154 |
| H-1590CP-DP | 36 | TT-54251-DP | 154 |
| H-1592-DP | 46 | TT-CGTTS1-DP | 154 |
| H-1592F-B H-1592G-B | 38 | TT-CGTTS2-DP | 154 154 |
| 1592G-Б Н-1592T | 44 | TT-FLH-1-DP TT-FLH-2-DP | 154 |
| H-1890 | 46 | TT-MINI1-DP | 153 |
| H-1890CP-DP | 36 | TT-MINI2-DP | 153 |
| H-1890T-DP | 37 | TT-TITAN1-DP | 153 |
| H-1890T-DP | 44 | TT-TITAN2-DP | 153 |
| H-1892-DP | 46 | TT-TLMAN1-DP | 154 |
| H-1992 | 37 | TT-TLMS1-DP | 153 |
| H-1992BH | 37 | TT-TTS1-DP | 154 |
| H-1992BHS | 37 | TT-TTS2-DP | 154 |
| H-1992FH | 37 | TTC-1-DP | 19 |
| H-1992FHR | 37 | TTEC-1 | 134 |
| H-1992FHS | 37 | TTRP-2-DP | 129 |
| H-1992R | 37 | TW-2-DP | 16 |
| H-1992S | 37 | TW-3-DP | 16 |
| H-1XL-B | 47 | TWA-1-DP | 120 |
| H-1XL-B | 47 | TWA-DIS-5 | 120 |
| H-3S | 47 | TWAR-1-DP | 120 |
| H-3S | 47 | U2.3FW-12PK-DP | 144 |
| l-650-DP | 46 | U21-FW-DP | 144 |
| 1-652-DP | 46 | U216-FW-DP | 144 |
| I-750-DP | 46 | U216-SW-DP | 144 |
| 1-750CP-DP | 36 | U23FW-12PK-DP | 145 |
| H-750XL-DP | 46 | U264-FW-DP | 144 |
| H-750XLCP-DP | 36 | U264-SW-DP | 144 |
| H-752-DP | 46 | U28-FW-DP | 144 |
| H-752XL-DP | 46 | U28-SW-DP | 144 |
| TH-7590-DP | 46 | U2C1-FW-DP | 145 |
| TH-7590CP-DP | 36 | U2C128-FW-DP | 145 |
| H-7590S-DP | 47 | U2C64-FW-DP | 145 |
| H-7590S-DP | 47 | U2C8-FW-DP | 145 |
| H-7592-DP | 46 | U2MM1-DP | 145 |
| H-90-DP H-90-DP | 47 | U2MM128-DP | 145 |
| | 47 | U2MM16-DP | 145 |
| H-90XL-B H-90XL-B | 47 | UC-1 UG-1-DP | 44 62 |
| H-90XL-B H-92-DP | 47 | | 62 |
| 1-92-DP 1-92-DP | 47 | UG-1-DP | 72 72 |
| н-92-DP H-CC-1-DP | 47 | UG-1FW-DP UG-1W | 72 |
| H-CC-2-DP | 45 | UG-2-DP | 62 |
| H-CCL-1-DP | 45 | UG-2-DP | 72 |
| H-CCL-2-DP | 45 | UG-2FW-DP | 72 |
| H-DFR-1292 | 36 | UG-2W-DP | 72 |
| H01502-DP | 46 | UG-3-DP | 62 |
| HSM-1-DP | 43 | UG-3-DP | 72 |
| | 43 | UG-3FW-DP | 72 |
| | | 0 0 01 M-DI | 12 |
| HSM-1KIT-DP | | UG-3W | |
| HSM-1KIT-DP HSM-1XL | 43 | UG-3W ULC-1 | 72 |
| SM-1KIT-DP ISM-1XL IW-1200 | 43 45 | ULC-1 | 72 44 |
| ISM-1KIT-DP ISM-1XL IW-1200 IW-1500 | 43 | | 72 |
| HSM-1KIT-DP | 43 45 45 | ULC-1 VCAP375 | 72 44 138 |


| VCAP-2.125 | 61 |
|---------------------|-----|
| VCAP-2.125 | 138 |
| VCAP-2.25 | 138 |
| VCAP-2.625 | 138 |
| /HF-3 | 71 |
| /HF-4 | 71 |
| /TLP-8-1 | 30 |
| /TLP-8-2 | 30 |
| WAVE-15KIT-DP | 157 |
| WAVE-15POP-DP | 157 |
| WD-1 | 36 |
| WD-1CP-DP | 36 |
| WDH-15B-"Y"-DP | 136 |
| WDH-15W-"Y" | 136 |
| WDH-25B-"Y" | 136 |
| WDH-25W-"Y" | 136 |
| WDHH-25B-C-DP | 135 |
| WDHH-25W-C-DP | 135 |
| WDN-1-DP | 136 |
| WDN-2 | 136 |
| WDSB-"X"-"Y"-DP | 136 |
| WDSW-"X"-"Y" | 136 |
| WDV-1-DP | 36 |
| WDV-1CP-DP | 36 |
| WDV-90-DP | 36 |
| WHH-1 | 73 |
| WHH-1T | 73 |
| WS-1 | 34 |
| WSH-1 | 127 |
| WSH-1F | 127 |
| WSH-1PR-DP | 127 |
| Y-112-DP | 49 |
| Y-118-DP | 49 |
| Y-750-DP | 49 |
| YO-ASPV1-DP | 141 |
| YO-DB-V1-DP | 141 |
| YO-PS20VI-DP | 141 |
| YO-PWLT1-DP | 141 |
| YO-QCORD-12-4-V1-DP | 141 |
| YO-SRP-12-V1-DP | 141 |
| ZL-10-DP | 120 |
| ZL-15-DP | 120 |
| ZL-20-DP | 120 |
| ZRS-1-DP | 66 |
| | |








BAY BOAT AT-A-GLANCE




PONTOON BOAT AT-A-GLANCE





NEW PRODUCT GUIDE // SUMMER 2020

PROUDLY SERVING THE MARINE INDUSTRY FOR 45 YEARS





G-FORCE® ELIMINATOR

- Built to make your trolling motor perform better, longer, and quieter.
- Stabilizes the prop by providing a larger contact point.
- Reduces the operating temperature for longer battery and trolling motor life.

| Fits | Black Blue | Silver | Red | White |
|-----------------------|---------------------|------------------------|------------------|-------------------|
| MotorGuide | GFEL-MG-BK-DP GFEL | -MG-BU-DP GFEL-MG-C-D | OP GFEL-MG-R-DP | |
| MotorGuide Tour Pro | GFEL-MGT-BK-DP New! | | GFEL-MGT-R-DP Ne | ew! < |
| Minn Kota 80+ | GFEL-MK-BK-DP GFEL | -MK-BU-DP GFEL-MK-C-D | OP GFEL-MK-R-DP | GFEL-MK-W-DP New! |
| Minn Kota 75+ | GFEL-MKS-BK-DP GFEL | -MKS-BU-DP GFEL-MKS-C- | DP GFEL-MKS-R-DP | |
| Garmin Force | GFEL-GF-BK-DP New! | | GFEL-GF-R-DP Ne | ew! < |
| Lowrance Ghost | GFEL-LG-BK-DP New! | | GFEL-LG-R-DP Ne | ew! |





OVAL COURTESY LIGHT

- Narrow beam pattern
- Operates on 12V DC / 18 AWG wire / 0.2W power consumption
 Weatherproof design IP65

| Product Number | Description | |
|-----------------------|--|------|
| LED-71000-DP | Oval Courtesy Light, Clear Lens, Linear Beam (white) | New! |
| LED-72000-DP | Oval Courtesy Light, Clear Lens, Linear Beam (blue) | New! |



RIGGING HOSE KIT

- Protects cables, hoses, and wiring from elements
- Molded polypropylene threaded flange to retain hose
- Kit includes rigging hose and flange

| Product Number | Description | |
|----------------|---|------|
| RFK-1-DP | 4' Rigging Hose and 2" Flange - Black | |
| RFK-2-DP | 4' Rigging Hose and 2" Flange - White | New! |
| RFK-2.5Y-1-DP | 4' Long, 2.5" Diameter Rigging Hose - Black | New! |
| RFK-2.5Y-2-DP | 4' Long, 2.5" Diameter Rigging Hose - White | New! |
| RFK-2.5Y-3-DP | 4' Long, 2.5" Diameter Rigging Hose - Gray | New! |



LED GRAB HANDLE

- Fits standard T-H Marine Grab Handle footprint
- Coating is TRP rubber over a poly-blended structure
- Blue LED light
- Passed 400# pull test


| Product Number | Description | |
|-----------------------|------------------------|------|
| LED-GHBSS-B | LED Grab Handle - Blue | New! |



24" SNAP FLEX NAV LIGHT

- UV Stable fiberglass shaft
- 2 Nautical Mile USCG Certification
- Meets ABYC-16
- Nylon base

Product Number LED-NAV-50621-DP Snap Flex Navigatioin Light






MINI UNDERWATER LED LIGHT

CAST 316 STAINLESS STEEL

- Glass lens
- Auto-sensing, no controller required
- Change LED colors by continuous powering
- IP68 rated

| | | COLOR OPTION | | | | HOUSING COLOR | | |
|----------------|------|--------------|---------|----------|-------|------------------|--------|----------|
| | | RED | WHITE | BLUE | GREEN | RGBW | BRONZE | SS |
| Product Number | | | \circ | | | > | | |
| LED-32484-DP | New! | | | | | ✓ | | ✓ |
| LED-32485-DP | New! | | | ✓ | | | | ✓ |
| LED-34287-DP | New! | | | | 1 | | | ✓ |

2-wire RGB can be wired directly to toggle switch. Full spectrum of colors scroll automatically at start. Simple off/on again pauses on selected color.






TROLL TAMER®

- Locks TROLLING motor to deck TO Prevent damage
- FITS most Minn Kota & MotorGuide units
- All stainless steel, no rust or corrosion

| Product Number | Trolling Motor Type | Fits | Motor to Deck |
|-------------------|---------------------|---|-------------------|
| RMC-101MG-DP | Foot Controlled | MotorGuide 109 & X5 | 5" to 8" |
| RMC-101MK-DP | Foot Controlled | Minn Kota - Maxxum | 5" to 8" |
| RMC-101FMK-DP | Foot Controlled | Minn Kota - Fortrex Minn Kota - Ultrex Lowrance - Ghost | 5" to 8" |
| RMC-102MG-DP New! | Foot Controlled | Motorguide Tour Pro | One size fits all |
| RMC-104MK-DP | Foot Controlled | Minn Kota - Maxxum | 3-1/2" to 5" |
| RMC-105FMK-DP | Foot Controlled | Minn Kota - Maxxum | 2-3/4" to 4-1/2" |
| RMC-108-DP | Wireless | Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5 | 5" to 8" |
| RMC-109-DP | Wireless | Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5 | 8" to 12" |





HYDRA® Cable Extender

- Extend the length of your cables
- Stainless steel hardware, 5/16-18 stud
- Simple design that solves electrical rigging problems

| Product Number | Description | |
|----------------|----------------------|------|
| HCE K DD | HVDDA Cable Extender | Nowl |

HYDRA® & **HYDRA®** Cover

BATTERY TERMINAL MULTIPLIER

- Easily manage individual connections at the battery
- Lead-free, marine-grade zinc construction
- Zinc terminal provides improved conductivity
- Superior resistance to corrosion
- Stainless steel connections
- Color-coded insulated wing nuts
- 3 Way and 5 Way options available





- Provides protection for Hydra
- Prevents battery arching
- PVC material made for wet/harsh environments

| Product Number | Description |
|-----------------------|--|
| HYBT-320-DP | Kit contains one pair of HYDRA's, one cover, and 6 nuts New! |
| HYBT-5-DP | HYDRA Battery Terminal Multiplier 5-Way |
| HYBT-3C-DP | 3-Way Battery Terminal Cover |
| HYBT-5C-DP | 5-Way Battery Terminal Cover |





AQUA-BLAZE® RGBW Light Controller

- Round Face
- · Dash Mount
- Chrome Trim

Product Number

Description

LED-RGBCONT-4R-DP

RGBW Light Controller

New!

