

TACO PRODUCT CATALOG



# **Innovation, Quality and Service**

**TACO Marine** is a division of TACO Metals, Inc.. We are a family owned and operated company established over five decades ago that has steadily grown to become a global leader in the recreational marine industry while still maintaining our strong family values and commitment to serving our customers' needs. Today, the TACO Marine brand includes a wide selection of products from Rub Rail, Canvas and Tower Hardware to Sport Fishing Equipment, Seating Products and Specialty Custom Hardware. We strive to deliver Innovation, Quality and Service in everything we do which is why boat builders, marine fabricators, distributors, dealers and repair yards all rely on TACO Marine products to meet their design and performance needs. This combined with our large on-hand inventory, same or next day shipping and dedicated service and technical support make TACO Marine a complete solutions provider well positioned to serve our customers for many more years to come.





# **TABLE OF CONTENTS**

SEATS 8	PEDESTALS	SP2
	Leaning Posts	SP3
	Helm Chairs	SP6
	Pedestals	SP10
SPORT F	FISHING	SF18
	Outrigger Mounts	SF19
	Tele-Outrigger Poles	SF24
	Outrigger Kits	SF26
	Rod Holders & Storage	SF30
MARINE	FABRICATION (CANVAS & METAL)	MF40
	Canvas Top Fittings	MF41
	Rail Fittings	MF48
	Tube & Pipe	MF49
	Top & Tower Hardware	MF53
RUB RA	IL	RR60
	Rigid & Semi-Rigid Vinyl	RR61
	Flexible Vinyl	RR68
	Rub Rail Kits	RR70
	Aluminum	RR72
	Custom Pre-Formed	RR74
	Inserts	RR75
TRIM &	MOULDING	ТМ80
	Weather Seals	TM81
	Vinyl Moulding	TM82
	Aluminum Moulding	TM84
HINGES	& LATCHES	HL88
	Continuous Hinges	HL89
	Deck Hinges	HL90
	Specialty Hinges & Latches	HL92
MARINE	ACCESSORIES	MA96
	Dockside	MA97
	LED Lights	MA100
	Marine Lumber	MA106
REFERE	NCE / WARRANTY INFORMATION	REF108
INDEX		IND112







| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING

## **LEANING POSTS**



Patent #7,819,483

eptune II TACO MARIN



#### **SOLD SEPARATELY**

Universal Leaning Post Backrest	Leaning Post Cooler Strap
(pg SP16)	(pg SP17)

Part #	Description	Height <sup>.</sup>	Width		
L10-1003-1	Neptune II Leaning Post w/Removable Tackle Storage Bag	32-1/2"	35"		
■Closed seat ▼Footrest down					



Depth<sup>\*</sup> 26"

## Neptune II Leaning Post

#### Aluminum Anodized

- > Aluminum frame, high polished anodized finish
- > Grab Rail included
   > Four Aluminum Rod Holders included
- Secure seat latch
- > Removable large capacity, stay-dry synthetic, soft pack storage included (also sold separately)
- > Folding footrest
- 72qt cooler storage area with strap
- Cooler storage area: 24-1/2"H x 29-1/4"W
- Continuous flat bar mounting pads
- Mildew, fungus and UV-resistant
- Shipping compliant packaging
- > Footprint: 14" x 35"
- > Ideal for up to 25' boats



# **LEANING POSTS**

## Neptune III Leaning Post

#### Aluminum Anodized

**SEATS & PEDESTALS** 

- Aluminum frame, spiral sanded, bright dip anodized finish
- > Folding footrest
- One-piece welded frame construction made from marine-grade Aluminum
- Seat cushions constructed with marine-grade Vinyl, foam and PVC board substrate
- > Anti-warp and anti-rot
- Mildew, fungus and UV-resistant
- 72qt cooler storage area with strap
- Cooler storage area: 24-1/2"H x 29-1/4"W
   Shipping compliant
- packaging
  > Footprint:
   15-3/8" x 35-1/2"
- > Ideal for up to 25' boats

#### L10-2005BSA-1

Poly Rod Holders
 included

#### L10-2010BSA-1

- Aluminum Tulip Rod Holders included
- Backrest with Clamp-on Grab Rail included



Meptune III TACO



Neptune III Leaning Post w/Backrest, Grab Rail

45"\*

39"

24-1/2"





L10-2010BSA-1

Closed seat \*Backrest \*Footrest down

SP4

## **LEANING POSTS Neptune Premium**

# **Leaning Post**

#### Aluminum Anodized

- > Aluminum, high polished anodized finish frame
- > Removable fiberglass storage tray
- > Four flush-mounted Aluminum Rod Holders
- > Folding footrest
- > Wrap around Grab Rail
- > 72qt cooler storage area with strap
- > Cooler storage area: 24-1/2"H x 29-1/4"W
- > Hand-laid fiberglass deck
- > Anodized after fabrication - no painted welds or crazing around bends
- > Continuous flat bar mounting pads
- > Mildew, fungus and **UV-resistant**
- > Easy assembly
- > Shipping compliant packaging
- > Footprint: 15-1/2" x 35"
- > Ideal for up to 30' boats



**NC** Premium TACO MARINE



Part # Description Height<sup>•</sup> Width\* Depth\* L10-1001-1 Neptune Premium Leaning Post w/Fiberglass Storage 33-1/2" 39" 27" ■Closed seat \*Grab rail ▼Footrest down





# HELM CHAIRS

#### Deluxe

- "Deluxe" includes adjustable armrests and bolster (except for 23" chair)
- Premium quality marinegrade Vinyl fabrics treated with anti-microbial and UV stabilizers
- Plush foam padding provides durable support
- > Flexible, ergonomic design
- > Meets ABYC H-31 impact test
- > Stainless Steel cast armrest brackets
- > Stainless Steel rollback seat hinge with shield
- > Durable fiberglass seat back
- Rollback seat bolster for quick repositioning and helm access
- > Optional Seat Slide sold separately
- Custom Vinyl options available for boat builders
- > Ideal for up to 50' boats





\*Due to variations in the printing process, color guide may vary slightly from the original product. Color sample available upon request.







oupir noini onui



С

Part #	Description	" <b>A</b> "	"B1"	" <b>B2</b> "	" <b>C</b> "
HA2-23GRA-7-0000-0-0	23" Capri Chair w/o Armrest, Lt. Gray	23"	21"	12"	24"
HA2-23IVA-7-0000-0-0	23" Capri Chair w/o Armrest, Vanilla	23"	21"	12"	24"
HA2-23WHA-7-0000-0-0	23" Capri Chair w/o Armrest, White	23"	21"	12"	24"
HA2-23BKA-7-0000-0-0	23" Capri Chair w/o Armrest, Black	23"	21"	12"	24"
HA1-25GRA-7-0000-0-0	25" Capri Chair, Lt. Gray	25"	21"	12"	25"
HA1-25IVA-7-0000-0-0	25" Capri Chair, Vanilla	25"	21"	12"	25"
HA1-25WHA-7-0000-0-0	25" Capri Chair, White	25"	21"	12"	25"
HA1-25BKA-7-0000-0-0	25" Capri Chair, Black	25"	21"	12"	25"
HA1-28GRA-7-0000-0-0	28" Capri Chair, Lt. Gray	28"	21"	12"	25"
HA1-28IVA-7-0000-0-0	28" Capri Chair, Vanilla	28"	21"	12"	25"
HA1-28WHA-7-0000-0-0	28" Capri Chair, White	28"	21"	12"	25"
HA1-28BKA-7-0000-0-0	28" Capri Chair, Black	28"	21"	12"	25"
Bench					
HA1-36GRA-7-0000-0-0	36" Capri Bench, Lt. Gray	36"	21"	12"	25"
HA1-36IVA-7-0000-0-0	36" Capri Bench, Vanilla	36"	21"	12"	25"
HA1-36WHA-7-0000-0-0	36" Capri Bench, White	36"	21"	12"	25"
HA1-36BKA-7-0000-0-0	36" Capri Bench, Black	36"	21"	12"	25"
HA1-40GRA-7-0000-0-0	40" Capri Bench, Lt. Gray	40"	21"	12"	25"
HA1-40IVA-7-0000-0-0	40" Capri Bench, Vanilla	40"	21"	12"	25"
HA1-40WHA-7-0000-0-0	40" Capri Bench, White	40"	21"	12"	25"
HA1-40BKA-7-0000-0-0	40" Capri Bench, Black	40"	21"	12"	25"





## **HELM CHAIRS Capri Helm Chair**

#### Standard

- > Includes armrests with fixed seat bottom (except for 23" chair)
- > Premium quality marine-grade Vinyl fabrics treated with anti-microbial and UV stabilizers
- > Plush foam padding provides durable support
- > Flexible, ergonomic design
- > Meets ABYC H-31 impact test
- > Stainless Steel cast armrest brackets
- > Optional Seat Slide sold separately
- > Custom Vinyl options available for boat builders
- > Ideal for up to 50' boats

## **COLOR GUIDE\*** Lt. Gray

NOTE: Requires conversion plate for 19", 20" and 23" chairs)

HA21-23GRA-0000-0-0 HA21-23IVA-0000-0-0 HA21-23WHA-0000-0-0 HA21-23BKA-0000-0-0 HA11-25GRA-0000-0-0 HA11-25IVA-0000-0-0 HA11-25WHA-0000-0-0 HA11-25BKA-0000-0-0 HA11-28GRA-0000-0-0 HA11-28IVA-0000-0-0 HA11-28WHA-0000-0-0 HA11-28BKA-0000-0-0

Part #

Description	" <b>A</b> "	"B"	"C"
23" Capri Chair w/o Armrest, Lt. Gray	23"	21"	24"
23" Capri Chair w/o Armrest, Vanilla	23"	21"	24"
23" Capri Chair w/o Armrest, White	23"	21"	24"
23" Capri Chair w/o Armrest, Black	23"	21"	24"
25" Capri Chair, Lt. Gray	25"	21"	25"
25" Capri Chair, Vanilla	25"	21"	25"
25" Capri Chair, White	25"	21"	25"
25" Capri Chair, Black	25"	21"	25"
28" Capri Chair, Lt. Gray	28"	21"	25"
28" Capri Chair, Vanilla	28"	21"	25"
28" Capri Chair, White	28"	21"	25"
28" Capri Chair, Black	28"	21"	25"



\*Due to variations in the printing process, color may vary slightly from the original product. Color sample available upon request.





# HELM CHAIRS

- **SEATS & PEDESTALS**
- Ergonomic design for maximum comfort on long trips
- > Available in White
- > Durable marine grade components and materials
- > Built to meet H31 seat category requirement
- > 23" size allows multiple chairs side by side
- Pleated inserts provide a stylish look
- Folding armrests and hinged bolster pad standard features
- Polished stainless hardware and non-wood construction
- Custom two-tone options available: White base with color insets or color welt and piping







Part #	Description	" <b>A</b> "	" <b>B</b> "	" <b>C</b> "
HA3-23WHA-0000-0-0	23" Captiva Chair, White	23"	21"	23"





#### **Standard Coastal Helm Chair**

Part #	Description	"A"	" <b>B</b> "	"C"
Deluxe				
HB10-20AML-0000-0-0	20" Coastal Chair, Amber Leaf	20"	21"	24-1/2"
HB10-20CGR-0000-0-0	20" Coastal Chair, Cool Gray	20"	21"	24-1/2"
HB10-200WH-0000-0-0	20" Coastal Chair, Off White	20"	21"	24-1/2"
HB10-20BKA-0000-0-0	20" Coastal Chair, Black	20"	21"	24-1/2"
Standard				
HB11-19AML-0000-0-0	19" Coastal Chair w/Armrest, Amber Leaf	19"	18-1/2"	24-1/2"
HB11-19CGR-0000-0-0	19" Coastal Chair w/Armrest, Cool Gray	19"	18-1/2"	24-1/2"
HB11-190WH-0000-0-0	19" Coastal Chair w/Armrest, Off White	19"	18-1/2"	24-1/2"
HB11-19BKA-0000-0-0	19" Coastal Chair w/Armrest, Black	19"	18-1/2"	24-1/2"
HB21-19AML-0000-0-0	19" Coastal Chair, Amber Leaf	19"	18-1/2"	24-1/2"
HB21-19CGR-0000-0-0	19" Coastal Chair, Cool Gray	19"	18-1/2"	24-1/2"
HB21-190WH-0000-0-0	19" Coastal Chair, Off White	19"	18-1/2"	24-1/2"
HB21-19BKA-0000-0-0	19" Coastal Chair, Black	19"	18-1/2"	24-1/2"

# HELM CHAIRS

## **Coastal Helm Chair**

- Premium quality marinegrade Vinyl fabrics treated with anti-microbial and UV stabilizers
- Plush foam padding provides durable support
  - > Flexible, ergonomic design
  - > Meets ABYC H-31 impact test
  - > Stainless Steel Type 316 armrest brackets
  - Stainless Steel Type 316 roll-back seat hinge with protective shield
  - Roll-back seat bolster allows quick repositioning
  - Custom Vinyl options available for boat builders
  - > Ideal for up to 25' boats

#### **Deluxe**

 Includes fixed armrests and adjustable bolster

#### Standard

 Made with fixed seat bottom and available with or without armrests

#### **COLOR GUIDE\***



\*Due to variations in the printing process, color may vary slightly from the original product. Color sample available upon request.





# **SEAT PEDESTAL**

# Seat Pedestal with Slide

#### Aluminum

- > Available in multiple fixed heights of 8", 12" and 18" to fit most popular applications
- > 3" Aluminum ribbed column for maximum strength
- Welded column and base to meet H31 seat requirements
- Cast Aluminum seat support with adjustable position handle
- Matched low profile seat slide for position adjustments
- > Spring loaded seat support allows easy removal of helm seat from pedestal
- > Custom heights available



Part #	Description	Height	Width	Diameter
Z76-1080VEL	Fixed Height Seat Pedestal w/Swivel & Slide	8"	15"	3"
Z76-1120VEL	Fixed Height Seat Pedestal w/Swivel & Slide	12"	15"	3"
Z76-1180VEL	Fixed Height Seat Pedestal w/Swivel & Slide	18"	15"	3"
Please allow 3-4 weeks lead time on all orders				





# **ADJUSTABLE TABLE PEDESTAL**

Triton 3-Stage column with its single action

locking column collars and smooth adjustment

is ideal for heavy tables.



#### Aluminum

#### **Satin Anodized Finish**

- > Adjustable column (4", 3" and 2-3/8") offers added strength and three height positions
- Gas shock provides smooth operation of column adjustment
- Stainless Steel polished one-motion clamping mechanism locks in 3 table height positions
- > Keyed column prevents rotation
- > Stowable system
- Precision engineering with Delrin bearings for smooth trouble-free operation





Part #	Range	Top Tube OD	Bottom Tube OD	Finish
Z80-4001VEL-PM	14-1/8" to 28"	2-3/8"	4"	Satin Anodized





# ADJUSTABLE TABLE PEDESTAL

## **Triton 2-Stage**

## Table Column

#### Aluminum

- > Power-Matic adjustable height
- Gas shock provides smooth operation of column adjustment
- Delrin bearings for smooth operations
- > Available in smooth and ribbed surface
- > Polished, Stainless Steel collars and locking clamps

## **Table Support**

#### Aluminum

 Bow-tie design provides superior table support in a shallow profile for increased leg room

## Table Base

#### Aluminum

- > Fits 3" column size
- > Tapered for secure fit



#### Smooth Power-Matic Column Ribbed Power-Matic Column

Part #	Adj. Height	Top Tube OD	Bottom Tube OD	Style	Finish
Column					
Z80-2190VEL32.5-PM	19-1/4" to 32-1/4"	2-3/8"	3"	Ribbed	Satin Anodized
Z80-2600VEL27.75-PM	14-3/8" to 27-3/4"	2-3/8"	3"	Ribbed	Satin Anodized
Z80-2603VEL26-PM	12-5/8" to 26"	2-3/8"	3"	Ribbed	Satin Anodized
Z80-2603VEL26-PMS	12-5/8" to 26"	2-3/8"	3"	Smooth	Satin Anodized



Z20-3160



Z10-4070









# ALUMINUM TABLE PEDESTAL

Fixed Table Pedestal System

with an Aluminum column and matching table support and table base in standard casting.

All columns are tapered on both ends to permit a secure fit while allowing for

easy removal and storage.

**3-PIECE** 

COMPONENT

is available in both 2-3/8" and 3" OD and is engineered



Fixed Height Table Pedestal





Smooth Column Ribbed Column

Part #	Length	Style	Finish
Standard - Column OD 2-3/8"			
Z60-7239VEL13-2S	13"	Smooth	Satin Anodized
Z60-7254VEL17.25-2S	17-1/4"	Smooth	Satin Anodized
Z60-7273VEL26.25-2S	26-1/4"	Smooth	Satin Anodized
Z60-7279VEL27.5-2	27-1/2"	Ribbed	Satin Anodized
Z60-7283VEL28.5-2S	28-1/2"	Smooth	Satin Anodized
Z60-7288VEL30.75-2	30-3/4"	Ribbed	Satin Anodized
Z60-8266VEL26-2	26"	Ribbed	Satin Anodized
Deluxe - Column OD 3"			
Z76-7392VEL32-2	32"	Ribbed	Satin Anodized
Z76-9066VEL26-2	26"	Ribbed	Satin Anodized
Z76-9071VEL28-2	28"	Ribbed	Satin Anodized



Z10-4067



Z10-4070



Z10-4080 / Z10-4085 / Z10-4086

			· · ·	,
Part #	Description	OD	Column	Finish
Table Support				
Z10-4067BLY60MM	Table Support	7"	2-3/8"	Brite Anodized
Z10-4070BLY76MM	Table Support	9-7/8"	3"	Brite Anodized
Table Base				
Z10-4067BLY60MM	Surface Mount	7"	2-3/8"	Brite Anodized
Z10-4070BLY76MM	Surface Mount	9-7/8"	3"	Brite Anodized
Z10-4080BLY76MM	Flush Mount	8-5/8"	3"	Brite Anodized
Z10-4085BLY60MM	Flush Mount	7-1/16"	2-3/8"	Brite Anodized
Z10-4086BLY60MM	Flush Mount (Low Profile)	6-7/8"	2-3/8"	Brite Anodized

## Fixed Height Standard 2-3/8"

**SEATS & PEDESTALS** 

## Fixed Height Deluxe 3"

#### **Table Column**

#### Aluminum

- Offered in smooth and ribbed finish
- Dual top and bottom tapered fit

### **Table Support**

#### Aluminum

> Designed for fixed height table tops

#### **Table Base**

#### Aluminum

- Bases are tapered for secure fit
- > Available standard or flush mount



# **STAINLESS STEEL TABLE PEDESTAL**

## Fixed Height 3"

## Table Column

## **Stainless Steel**

**SEATS & PEDESTALS** 

 Custom lengths available upon request

## **Table Support**

#### Aluminum

 Designed for fixed table tops and dual taper columns

## **Table Base**

#### Aluminum & Stainless Steel

> Bases are tapered for secure fit





**3" Fixed Table Pedestal** System designed to accept a high polished, Stainless Steel tapered column for convenient removal and storage.





#### Smooth Column

Part #	Length	Taper	Style	Finish
Column				
Z76-8000P0L28-2	28"	Dual	Smooth	Polished
Z76-8000P0L30-2	30"	Dual	Smooth	Polished



Z10-4070



Z10-4097

Part #	Description	OD	Finish
Table Support			
Z10-4070BLY76MM	Surface Mount	9-7/8"	Brite Anodized
Table Base			
Z10-4097P0L	Flush Mount	6"	Polished (Stainless Steel Cover Plate)





# **STAINLESS STEEL SIDE MOUNT TABLE PEDESTAL**

13



Side Mount Pedestal Component System





Side Mount Table Pedestal System made of Stainless Steel is ideal for limited space in interior and exterior of boat. 125° leg is easy to remove for storage and security.

It allows one pedestal to fit all side mount applications with slightly varying angles eliminating the need for wedges. Utilizing a unique injection molded glass filled nylon adjustable head, the table surface can be tilted to various degrees to provide for a flat horizontal surface. The pedestal is made from Stainless Steel tube welded to a wedge plate that fits securely in a cast Stainless Steel Type 316 mounting bracket.

## Removable Side Mount Table Pedestal

SEATS & PEDESTALS

## Side Mount Table Pedestal

- **Stainless Steel**
- Easy to remove for clear passage and storage
- Locking pin offers added mounting strength
- > Polished Stainless Steel mount bracket
- > Removable 125° bent leg

#### F16-0005

Part #	Description	Height	Width	Depth	Finish
F16-0005A	Side Mount Table Pedestal	17-3/4″	12"	-	Polished S/S Type 304

■1-5/8" tube



F16-0006



F16-0080



Part #	Description	Height	Width	Depth	Color/Finish		
Table Support							
F16-0006L	Table Support w/Locking Pin▼	-	-	-	Polished S/S Type 304		
Mounting Bracket / Backing Plate							
F16-0080	Mounting Bracket*	4"	4-7/8"	1/2"	Polished S/S Type 316		
F40-0018WHC-A	Backing Plate*	4"	2-1/2"	5/32"	Frosty White Delrin		
▼1-5/8" tube, 6-1/4 flange •1/4" hole drilled for #10 flat head screw							





# **ACCESSORIES**

## Universal Leaning Post Backrest

- Universal design to fit Neptune Premium and Neptune II Leaning Posts and most standard leaning posts
- > Arms install at desired width to fit rod holders
- > Cool, White, easy-to-clean, cushioned backrest
- > Easy storage
- > Hardware included

## **Helm Chair Slide**

- > Universal seat slide, perfect match for Taco Marine Capri Helm Chairs and Benches
- Easy access center handle for convenient operation of slide function
- Patent pending roller and slide configuration
- Patent pending doublelocking slide actuator
- Operates up to 500lbs. total weight
- > 3-1/2" of movement
- > Low, 1-3/4" profile







Universal Leaning Post Backrest has arms that fold for convenient storage.

Part #	Description	Cushion/Arm Height	Cushion Height	Width	Depth
L10-1002-1	Leaning Post Backrest w/Folding Arms	17-1/2"	7-3/8"	34"	3"



Universal Low Profile Seat Slide is constructed of durable, marine-grade components for long-term use.



Part #	Description	Fits
M20-0225	Low Profile Universal Helm Chair Seat Slide	Up to 23" Chair
M20-0226	Low Profile Universal Helm Chair Seat Slide	Up to 28" Chair
M20-0227	Low Profile Universal Pedestal Seat Slide	Up to 28" Chair
M20-0228	Low Profile Universal Seat Slide, Bench Style	40" Bench







Part #	Description	Length	Height	Width	Color
L10-1003BAG	Neptune Tackle Storage Bag	30"	10-1/4"	9-1/2"	Carbon Gray/Black



Part #	Description	Length	Width
L10-1004	Black Nylon Cooler Strap w/Stainless Steel Brackets	38"	2"



Z10-4016

Z10-9998

Part #	Description	Column OD	OD	ID	Color	Material
Z10-4016DEL76MM-A	Flush Mount Base Plug	3"	-	-	-	Delrin
Z10-4026DEL60MM	Flush Mount Base Plug	2-3/8"	-	-	-	Delrin
Z10-9998BKA	Carpet Ring	-	5-3/4"	3-3/4"	Black	Santoprene

## **ACCESSORIES**

## Neptune Tackle Storage Bag

- > Strong 1000 Denier fabric
- > YKK zippers
- > Center storage space has one of the largest tackle capacities on the market today accommodating 4 full size 3700 Plano boxes, 4 Plano 3600 boxes and 4 smaller Plano boxes
- > Two 9" inner pockets> One 29" long tool
- compartment for tackle gearIncludes welt track clips for
- hanging on leaning postTwo double zippered outer pockets ideal for up to five
- fluorocarbon spools > Carbon gray fabric with Black trim and hard shell bottom liner with drain

## holes and 6 rubber feet Leaning Post Cooler Strap

#### Nylon

## Flush Mount Base Plug

- Covers open base holes upon removal of column
- > Prevents water accumulation

## **Carpet Ring**

- > Tapered for clean look
- Perfect for trimming carpet (1/4" to 1/2" thick) around seat and table columns







| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING





Part #	Description	Length	Width	Depth
GS-380	Grand Slam 380 Top Mount w/30° Offset Handle	16-3/4"	15-1/8"	4"
GS-380XL	Grand Slam 380XL Top Mount w/30° Offset Handle	18-1/4"	15-1/8"	4"

## Stainless Steel Type 316

## > Accepts 1-1/2" outriggers

SPORT FISHING

- Versatile design for use on soft tops and hard tops up to 2" thick
- Rotator handle offset at 30° for added hand clearance
- Safe outrigger positioning from under the top
- Heavy-duty grip for sure-handling to lock-in 12 fishing positions
- Fold-up crank handle for maximum undertop clearance
- Sealed to prevent water leakage through the mount
- Outrigger locking pin secures outriggers
- Polished Stainless
   Steel arm and brushed anodized Aluminum
- > 4"x6"x1/2" mounting base with easy bolt-down installation included
- Fits Taco Marine Outrigger-Ready pre-drilled extrusion plates
- Powder coated finish available by special order
- > Available with increased body length for thicker hard tops up to 4-1/2" (GS-380XL)
- > Ideal for up to 50' boats
- > Sold in Pairs





SF19

## Grand Slam 280

#### **Stainless Steel Type 316**

- > Accepts 1-1/2" outriggers
- > Versatile design for use on soft tops and hard tops up to 2" thick
- > Uses Taco Marine Spline Lock Technology for secure outrigger elevation
- > Ergonomic shaped rotator lever
- > Rotator handle adjusts to the desired position
- > Safe outrigger positioning from under the top
- > Secure heavy-duty grip for sure handling in seas
- > Adjustable 12 locking fishing positions
- > Sealed to prevent water leakage
- > 4"x6"x1/2" mounting base with easy bolt-down installation included
- > Fits Taco Marine predrilled extrusion plates
- > Available with 30° offset handle (GS-2801)
- > Also available as convenient kit that includes Mounts, Outrigger Poles, Premium Rigging Kit and Line Caddy
- > Ideal for up to 36' boats
- > Sold in Pairs





3-1/2" 0 4" (GS-280) 00 (GS-2



0

G

Part #	Description	Length	Width	Depth
GS-280	Grand Slam 280 Top Mount	15"	13"	4"
GS-2801	Grand Slam 2801 Top Mount w/30° Offset Handle	15"	13"	4"










Patent #8,186,095


Grand Slam 170's Spline Lock Technology is an engineered mechanism that allows multiple adjustment positions and prevents slippage while securing outriggers at the desired height position for increased reliability and performance.

### Stainless Steel Type 316

Designed for use with standard 1-1/8" outriggers

- > Uses Taco Marine Spline Lock Technology for secure outrigger elevation that locks every 18°
- > Delrin bearings and Stainless Steel internal locking mechanism offer smooth adjustments, secure positioning and prevent movement
- Top mount outrigger positioning
- Rugged, sure-grip knob adjusts and locks-in desired height and laydown position for safe trailering and navigation under bridges
- > Stainless Steel Type 316 arm with locking feature ensures Taco Marine outriggers remain securely in place
- > 4"x6"x1/2" mounting base with easy bolt-down installation included
- > Also available as convenient kit that includes Mounts, Outrigger Poles, Standard Rigging Kit and Line Caddy
- > Ideal for up to 24' boats
- Sold in Pairs (GS-170) or as Each (GS-170-2)







Part #	Description	Length	Width	Depth
GS-170	Grand Slam 170 Top Mount	5-1/2"	9-3/4"	4"
GS-170-2	Grand Slam 170-2 Center Top Mount	5-1/2"	9-3/4"	4"





## **Striker Base Gunnel Mount**

## **Stainless Steel Type 316**

**Polished Finish** 

- > Unique hex nut locking design offers multiple fishing positions
- > Ambidextrous 45° arms ideal for trolling from gunnel
- > Designed for use at trolling speed only
- > Removable arms allow for unobstructed gunnel
- > Mounting base included
- > Sold in Pairs

### **Center Rigger** Mount

#### **Stainless Steel Type 316 Polished Finish**

- > Clamp-on installation
- > Fits 3/4" and 1" IPS
- > Anti-rotation set screw
- > For use with 8' center rigger poles
- > Also available as a convenient all-in-one kit that includes Mount, Center Rigger Pole and Premium Rigging Kit



Patent #5,921,196



F16-0150-F / F16-0212-F

#### **REPLACEMENT PART**



Part #	Description	Height	Base	ID
F16-0150-F	Gunnel Mount w/45° Arm	15-1/2"	5-3/4"x3-7/8"x3/8"	1-1/2"
F16-0212-F	Gunnel Mount w/45° Arm	15-1/2"	5-1/8"x 2-5/8"x3/16"	1-1/8"
M17-1465P-4	Replacement 45° Arm for F16-0212-F	15-1/2"	-	1-1/8"
M17-1565P-6	Replacement 45° Arm for F16-0150-F	15-1/2"	-	1-1/2"
F16-0311C-1	Clamp-On Center Rigger Mount	7-1/2"	-	1-1/8"







SF22





## UNIVERSAL MOUNT Grand Slam 890

Aluminum Light Brushed





Grand Slam 890

Grand Slam 890



Part #	Description	Height	Width	Hand Crank
GS-890	Grand Slam 890 Universal Mount	9"	5"	2-3/4"



# 890

- Anodized Finish> Unique design allows for safely raising and lowering
- antenna or anchor light from under the top
- Folding crank handle stores flush into base
- > Polished 316 Stainless Steel crank handle
- > Fits standard 1"x14 thread antenna
- Delrin roller bearings provide for smooth operation and durability
- Includes 4-1/4"x1/4" round backing plate with easy 1/4"x20 bolt-down installation (hardware not included)
- > Stainless Steel crank assembly
- > Hand crank does not require power

# **TELE-OUTRIGGER POLES**

## **Tele-Outrigger Pole**

#### Aluminum

Polished Anodized Satin Finish

- Telescopes to less than 6' for bridge clearance, trailering and storage
- > Designed for universal use with Grand Slams, Striker Bases and other Taco Marine mounts that accept 1-1/2" or 1-1/8" outriggers
- Also part of convenient kits available for GS-170 and GS-280 Mounts
- > Sold in Pairs

## **Center Rigger Pole**

#### Aluminum

Polished Anodized Satin Finish

- > Telescopes to less than 5'-1"
- Designed for universal use with Taco Marine Center Riggers and other mounts that accept 1-1/8" center riggers
- Also part of convenient kits available for Center Rigger Mount



Patent #5,921,196



Part #	Description	Length	Diameter	Color
0C-0421BKA8	Center Rigger Pole	8'	1-1/8"	Black w/Gold Rings & Tips
0C-0421VEL8	Center Rigger Pole	8'	1-1/8"	Silver w/Gold Rings & Tips
0C-0422BKA8	Center Rigger Pole	8'	1-1/8"	Black w/Silver Rings & Tips
0C-0422VEL8	Center Rigger Pole	8'	1-1/8"	Silver w/Silver Rings & Tips
OC-0432BKA116	Center Rigger Pole	12'	1-1/8"	Black w/Silver Rings & Tips
0C-0432VEL116	Center Rigger Pole	12'	1-1/8"	Silver w/Silver Rings & Tips
OT-0441BKA15	Tele-Outrigger Pole	15'	1-1/8"	Black w/Gold Rings & Tips
OT-0441VEL15	Tele-Outrigger Pole	15'	1-1/8"	Silver w/Gold Rings & Tips
OT-0442BKA15	Tele-Outrigger Pole	15'	1-1/8"	Black w/Silver Rings & Tips
0T-0442VEL15	Tele-Outrigger Pole	15'	1-1/8"	Silver w/Silver Rings & Tips
OT-0541BKA15-HD	Tele-Outrigger Pole	15'	1-1/2"	Black w/Gold Rings & Tips
0T-0541VEL15-HD	Tele-Outrigger Pole	15'	1-1/2"	Silver w/Gold Rings & Tips
0T-0542BKA15-HD	Tele-Outrigger Pole	15'	1-1/2"	Black w/Silver Rings & Tips
0T-0542VEL15-HD	Tele-Outrigger Pole	15'	1-1/2"	Silver w/Silver Rings & Tips
OT-0551BKA186	Tele-Outrigger Pole	18'	1-1/2"	Black w/Gold Rings & Tips
OT-0551VEL186	Tele-Outrigger Pole	18'	1-1/2"	Silver w/Gold Rings & Tips
OT-0552BKA186	Tele-Outrigger Pole	18'	1-1/2"	Black w/Silver Rings & Tips
OT-0552VEL186	Tele-Outrigger Pole	18'	1-1/2"	Silver w/Silver Rings & Tips



SF24

# **TELE-OUTRIGGER POLES**

Carbon Fiber Tele-

**Outrigger Poles'** 

precision locking

pin is a Stainless

Steel V-shaped pin

Line Caddy for 16' Pole

Line Caddy







**Carbon Fiber Center Rigger Pole** 

Part # Description Length **OD** Color 0T-2120CF Carbon Fiber Center Rigger Pole 10' 1-1/8" Black w/Silver Rings & Tips 0T-2160CF-2 Carbon Fiber Center Rigger Pole 16' 1-1/2" Black w/Silver Rings & Tips OT-3160CF Carbon Fiber Outrigger Pole 16' 1-1/2" Black w/Silver Rings & Tips 0T-4200CF 1-1/2" Black w/Silver Rings & Tips Carbon Fiber Outrigger Pole 20'

## **Carbon Fiber Tele-Outrigger Pole**

## **Carbon Fiber**

- > Stainless Steel Type 316 collars and double roller allowing double line rigging
- > Adjustable double roller Line Caddies allow for easy rigging to t-top or gunnel
- > Telescopes to less than 7' 6" for bridge clearance, trailering and storage
- > Designed for universal use with Grand Slams, Striker Bases and other Taco Marine mounts that accept 1-1/2" outriggers
- > 16' Carbon Fiber Poles designed with brass rollers for double line rigging; 20' Carbon Fiber Poles designed with brass rollers for triple line rigging
- > Includes a nylon mesh carry bag ideal for preventing damages and scratches as well as a line caddy for storing your lines when poles are retracted
- > Sold in Pairs

## **Carbon Fiber Center Rigger Pole**

#### **Carbon Fiber**

- > Telescopes to less than 5'-1"
- > Designed for universal use with Taco Marine Center Rigger mount and other mounts that accept 1-1/8" and 1-1/2" **Center Riggers**







# **OUTRIGGER KITS**

## Grand Slam 170 Kit

> Kit includes 2-GS-170 Mounts, Tele-Outrigger Poles, Standard Rigging Kit and Line Caddy

## **Grand Slam 280 Kit**

> Kit includes 2-GS-280 Mounts, Tele-Outrigger Poles, Premium Rigging Kit and Line Caddy

## **Center Rigger Mount Kit**

> Kit includes 1-Center Rigger Mount, Center Rigger Pole and Center Rigging Kit





**Tele-Outriggers** 

**Standard Rigging Kit** 

Line Caddy





**Center Rigger** 



**Center Rigging Kit** 

Part #	Description
GS-170BKA15-1	1-1/8" Diameter, 15' Outriggers in Black w/Gold Rings, Line Caddy, Standard Rigging Kit
GS-170VEL15-1	1-1/8" Diameter, 15' Outriggers in Silver w/Gold Rings, Line Caddy, Standard Rigging Kit
GS-2841BKA-1	1-1/2" Diameter, 15' Outriggers in Black w/Gold Rings, Line Caddy, Premium Rigging Kit
GS-2841VEL-1	1-1/2" Diameter, 15' Outriggers in Silver w/Gold Rings, Line Caddy, Premium Rigging Kit
GS-2842VEL-1	1-1/2" Diameter, 15' Outriggers in Silver w/Silver Rings, Line Caddy, Premium Rigging Kit
F16-0311BKA8SB	1-1/8" Diameter, 8' Outrigger in Black w/Gold Rings, Center Rigging Kit
F16-0311VEL8SB	1-1/8" Diameter, 8' Outrigger in Silver w/Gold Rings, Center Rigging Kit



SF26

# **RIGGING KIT COMPONENTS**



Shock Cord with Double Pulley



**Outrigger Release Clip** 

## Rigging Kit Components

- Complete selection of replacement parts
- Available for upgrading and/or repairing outrigger rigging kits
- > Sold in Pairs



COK-0001B-2



COK-0001T-2



COK-0008B-1

F16-1200-2





COK-0024

NEW!

COK-0043-1



COK-0022-2

Description

Standard Zip Outrigger Release Clip Premium Outrigger Release Clip Outrigger Glass Rings Black Dacron 1/8" Line, 100' Outrigger Line Ball Stops, 1-1/4" Outrigger Line Ball Stops, 1-3/4" Shock Cord w/Single Pulley, 12" Glass Eye w/Shock Cord, 12" Shock Cord w/Double Pulley, 12" Outrigger Carry Bag, Black, 74" x 12" Triple Roller w/Shock Cord Pulley, 16" Stainless Steel Eye Straps Outrigger Line Caddy for 1-1/8" & 1-1/2" Poles





COK-0017-2 / COK-0018-2

COK-0004G-2

COK-0021-2



COK-0020-2

COK-0001B-2

Part #

COK-0001T-2 COK-0004G-2 COK-0008B-1\* COK-0017-2 COK-0018-2 COK-0020-2 COK-0021-2 COK-0021-2 COK-0022-2 COK-0024\* COK-0043-1\* F16-1200-2\*

F40-0030BKA-1

\* Sold in Bulk Only \*Sold as Each \*Sold in 4's



# RIGGING KITS

## Premium Single Rigging Kit / Premium Double Rigging Kit

- Available as single or double Rigging Kit
- > Rigs up to 22' outriggers
   > Also part of convenient kits available for GS-280 Mount

## Standard Single Rigging Kit

- > Rigs up to 22' outriggers
- Also part of convenient kits available for GS-170 Mount

## Premium Center Rigging Kit

- > Rigs up to 25' center rigger
- Also part of convenient kits available for Center Rigger Mount





#### Premium Single Rigging Kit

- Single Roller Pulley Shock Cord
   w(Steiplage Steel Speep Healt and Eve Income
- w/Stainless Steel Snap Hook and Eye Insert; 1/8" thick, 100' Dacron Rigging Cord in Black
- Adjustable Tension Release Clip
- 1-1/4" Outrigger Line Stops
- Pad Eye with Screws
- > Double Sleeve Crimp
- Swivel
- Snap Swivel
- Quick Dry Mesh Bag



- , Glass Ring Shock Cord w/Brass Snap Clip
- > 1/8" thick, 100' Dacron Rigging Cord in Black
- Adjustable Tension Release Clip
- 1-1/4" Outrigger Line Stops
- > Pad Eye & Pad Eye Screws
- Double Sleeve Crimp
- > Swivel
- Snap Swivel
   Switch Dres March 1
- Quick Dry Mesh Bag



#### **Premium Double Rigging Kit**

- Double Roller Pulley Shock Cord
- w/Stainless Steel Snap Hook and Eye Insert;
- > 1/8" thick, 200' Dacron Rigging Cord in Black
- Adjustable Tension Release Clip
   1-3/4" Outrigger Line Stops
- Pad Eye with Screws
- Double Sleeve Crimp
- Swivel
- Snap Swivel
- Quick Dry Mesh Bag



#### **Premium Center Rigging Kit**

- Single Roller Pulley Shock Cord
- w/Stainless Steel Snap Hook and Eye Insert
  1/8" thick, 50' Dacron Rigging Cord in Black
- Adjustable Tension Release Clip
- Aujustable rension Release
  1-1/4" Outrigger Line Stop
- Pad Eye & Pad Eye Screws
- Double Sleeve Crimp
- > Swivel
- Snap Swivel
- Quick Dry Mesh Bag

Part #	Description
RK-0001PB	Premium Single Rigging Kit
RK-0002PB	Premium Double Rigging Kit
RK-0001SB	Standard Single Rigging Kit
RK-0001PCB	Premium Center Rigging Kit







#### **Premium Mono Double Rigging Kit**

- Double Roller Pulley Shock Cord w/Stainless Steel Snap Hook
- 1/8" thick, 600' coil of Lindgren Pitman 400# Monofilament in Black
- > Adjustable Tension Release Clips
- > 1-3/4" Outrigger Line Stops
- > Stainless Steel Eye Strap and Screws
- Double Sleeve Crimps
- Coastlock-style Swivels and Snap Swivels
- Quick Dry Mesh Bag



Outrigger Release Clip



#### Premium Mono Triple Rigging Kit

- Ronstan Triple Roller Pulley Shock Cord w/Stainless Steel Snap Hook
- 1/8" thick, 600' coil of Lindgren Pitman 400# Monofilament in Black
- > Adjustable Tension Release Clips
- > 1-3/4" Outrigger Line Stops
- Stainless Steel Eye Strap and Screws
- Double Sleeve Crimps
- Coastlock-style Swivels and Snap Swivels
- Quick Dry Mesh Bag



#### **Premium Braid Triple Rigging Kit**

- > Ronstan Triple Roller Pulley Shock Cord w/Stainless Steel Snap Hook
- 1/8" thick, 300' Dacron Rigging Cord in Black
- Adjustable Tension Release Clips
- > 1-3/4" Outrigger Line Stops
- Stainless Steel Eye Strap and Screws
- Double Sleeve Crimps
- Coastlock-style Swivels and Snap Swivels
- Quick Dry Mesh Bag

Part #	Description
RK-0002MP	Premium Mono Double Rigging Kit
RK-0003MP	Premium Mono Triple Rigging Kit
RK-0003PB	Premium Braid Triple Rigging Kit





- Available as double or triple Rigging Kit
- > Used on Carbon Fiber Outrigger Poles 20' or larger

### Premium Braid Triple Rigging Kit

- > Used on Carbon Fiber Outrigger Poles
- Ideal for Aluminum or Carbon Fiber Outrigger Poles 18' or larger

## **ROD HOLDERS**

## Clamp-On Adjustable Rod Holder

#### Stainless Steel Type 316 Polished Finish

- Stainless Steel Rod Holders include inserts that allow adjustment of clamp to fit multiple pipe/tube sizes
- For use on vertical and horizontal pipe/tube
- > Rotates and locks every 18°

#### Plastic

**SPORT FISHING** 

- Rod Holder includes insert that allows adjustment of clamp to fit 7/8" & 1" tube sizes
- For use on vertical and horizontal tube
- > Rotates and locks every 18°

## Surface Mount Rod Holder

#### **High-Density Polyethylene**

#### Stand-Off Rod Holder

- Front access hole and integrated stand-off for easy mounting
- Available in both Black
   and White

#### **Thru-Bolt Rod Holder**

- Pre-drilled, front
   access holes
- Available in both Black
   and White





Stand Off Roa Hola

Patent Pending

Includes form-fitted, antifungal PVC White liner & White clamp inserts





Clamp-On Adjustable Rod Holders rotate and lock every 18°. Ideal for bow rail, grab rail, t-top, leaning post, poling platform..

F16-2623



F41-2700



P04-091 / P04-0111



P04-011

Part #	Description	Rod Holder ID	Color/Finish
F16-2600P0L-1	Clamp Fits 7/8" & 1" OD	1-5/8"	Polished
F16-2623P0L-1	Clamp Fits 1-1/16" & 1-5/16" OD (Pipe), 1-1/4" OD	1-5/8"	Polished
F16-2630P0L-1	Clamp Fits 1-11/16" & 1-15/16" OD	1-5/8"	Polished
F41-2700WHA-1	Clamp Fits 7/8" & 1" OD	1-3/4"	White
P04-091B	Poly Stand-Off Rod Holder	1-3/4"	Black
P04-091W	Poly Stand-Off Rod Holder	1-3/4"	White
P04-0111W	Poly Stand-Off Rod Holder w/Stainless Steel Hardware	1-3/4"	White
P04-011BX	Poly Thru-Bolt Rod Holder w/Mounting Holes	1-3/4"	Super Black
P04-011W	Poly Thru-Bolt Rod Holder w/Mounting Holes	1-3/4"	White





## ROD HOLDERS

SPORT FISHING



9-3/4"

F31-0781BXY-1 Trident 3-Rod Cluster Offset

24-7/8"

22-3/8"

1-3/4"



# **ROD HOLDERS**

## **Kite Fishing Rod Cluster**

#### Aluminum

**SPORT FISHING** 

- **Brushed Anodized Finish**
- > Gunnel mount 3-rod holder
- > 15° bent shaft for clearance
- > Fits all standard gunnel mount rod holders

## **Olympic 5-Rod Cluster**

#### Aluminum

**Polished Anodized Finish** 

- > Gunnel mount 5-rod holder
- > Ideal for both spinning and conventional rods and reels
- > Designed with shorter blades for tight grouping
- > Longer, 9-3/4" Rod Holders to secure **Big Game Tackle**
- > Holes on blades to secure each rod and reel separately
- > Convenient rigging and wash down station for start and end of fishing day
- > Solid gimbal design for secure locking placement and additional strength

F31-0770

> Ergonomic grip handle





Includes form-fitted, anti-fungal PVC White liner **ALSO SOLD SEPARATELY** NEWI Flared Liner (pg SF37) Gimbal design for secure locking placement Includes form-fitted, anti-fungal PVC White liner Finger-molded groove handle for sure grip ~ Solid gimbal design for secure locking placement and additional strength F31-0790



Part #	Description	Height	Width	Rod Holder ID	Rod Holder Height
F31-0770BSA-1	Kite Fishing Rod Cluster	24-1/2"	20"	1-3/4"	9-3/4"
F31-0790BXY-1	Olympic 5-Rod Cluster	26"	13-1/2"	1-3/4"	9-3/4"



## **ROD STORAGE**






117

P03-132W / P03-134W



P03-074W



#### P03-144W

Part #	Description	Height	Width	Depth	Thick	Color
P03-073W	3-Rod Deluxe Pontoon Tackle Rack	-	17-1/2"	4"	1/2"	White
P03-074W	4-Rod Deluxe Pontoon Tackle Rack	-	23-1/4"	4"	1/2"	White
P03-144W	Rod & Reel Tote'm Rack	-	18-5/8"	7-1/2"	1/2"	White
P03-132W	2-Rod "Bungee" Rod Holder	3-3/4"	9-1/4"	-	1/2"	White
P03-133W	3-Rod "Bungee" Rod Holder	3-3/4"	12-1/2"	-	1/2"	White
P03-134W	4-Rod "Bungee" Rod Holder	3-3/4"	15-5/8"	-	1/2"	White
P03-134S	4-Rod "Bungee" Rod Holder	3-3/4"	15-5/8"	-	1/2"	Sea Foam

## Deluxe Pontoon Boat Tackle Rack

#### **High-Density Polyethylene**

- Compact design is big enough to hold spinning and conventional tackle
- Stainless Steel fasteners resist rust and corrosion
- > Secure and convenient on-board rod storage

### Rod & Reel Tote'm Rack

#### **High-Density Polyethylene**

- Holds four conventional rods and reels
- > Easy and lightweight
- > Mounts vertical or horizontal using supplied mounting bracket with secure pin

#### "Bungee" Rod Holder

#### **High-Density Polyethylene**

- Perfect for under the gunnel
- > Bungee cords keep your rods safe and secure
- Includes 2-1/2" mounting backing plates and hardware



## **ROD STORAGE**

## **Rod Rack**

**SPORT FISHING** 

Aluminum w/Poly **Brite Dipped Sanded Anodized Finish** 

- > Recessed fasteners
- > Designed for spinning reels
- > Features convenient integrated slots for knife and pliers
- > Available in 3- & 4-rod storage sizes


## **Deluxe Rod Rack**

#### **High-Density Polyethylene**

- > Durable Polyethylene to withstand the harsh marine environment
- > Rod Holder ID 1-3/4"
- > Flared Rod Holder for easy rod handling
- > Slotted Rod Holders lock-in most conventional and spinning outfits
- > Features convenient integrated slots for knife and pliers
- > Available in 2-, 3- & 4-rod storage sizes







P03-063W

Part #	Description	Height	Width	<b>Rod Holder ID</b>
F31-3103BXZ	3-Rod Holder Rack, Aluminum w/Poly	8-1/2"	13-3/8"	1-1/2"
F31-3104BXZ	4-Rod Holder Rack, Aluminum w/Poly	8-1/2"	18"	1-1/2"
P03-062W	2-Rod Poly Rod Rack	12"	11-1/2" / RH to RH 6-1/2"	1-3/4"
P03-063B	3-Rod Poly Rod Rack	12"	18" / RH to RH 6-1/2"	1-3/4"
P03-063W	3-Rod Poly Rod Rack	12"	18" / RH to RH 6-1/2"	1-3/4"
P03-064B	4-Rod Poly Rod Rack	12"	18" / RH to RH 4-1/2"	1-3/4"
P03-064W	4-Rod Poly Rod Rack	12"	18" / RH to RH 4-1/2"	1-3/4"





SF34

#### **ROD STORAGE Rod Rack**

#### Aluminum

- > Concealed fasteners > Available in 3- & 4-rod storage sizes
- **Transom Mount Rod Rack**

#### Aluminum

**Brushed Anodized Finish** 


> Spline adjusts for rod holder angle and rack to fit the contour of the transom

> Available in 3- & 4-rod storage sizes





Aluminum Rod Rack



Part #	Retail #	Description	Height	Width	Rod Holder ID
F31-3003BSA	F31-3003BSA-1	3-Rod Holder Rack	8-1/2"	11-1/4"	1-1/2"
F31-3004BSA	F31-3004BSA-1	4-Rod Holder Rack	8-1/2"	16"	1-1/2"
F31-3503BSA	F31-3503BSA-1	3-Rod Transom Mount Rod Rack	10"	34"	1-7/8"
F31-3504BSA	F31-3504BSA-1	4-Rod Transom Mount Rod Rack	10"	40-1/2'	1-7/8"



# SPORT FISHING

## **ROD STORAGE**

#### **Rod Hanger**

#### Stainless Steel Type 316 High Polished

- > Spring locking rod tip holder
- > Delrin inserts
- Concealed installation screws
- > Also available as a kit that includes revolving rod tip holder and stationary rod hanger

#### **Rod Hanger Rack**

#### Stainless Steel Type 316 High Polished

- Durable, UV-stabilized White poly racks
- Three sizes for convenient 2-, 3- & 4-rod storage
- Pre-drilled mounting holes and beveled edges
- Mount vertically, horizontally and overhead
- > Sold in Pairs

#### **Reel Hanger**

#### Stainless Steel Type 316

- Corrosion-resistant, Stainless Steel spring secures reel into position
- Adjustable to fit most popular trolling reels
- Also available as a kit that includes reel hanger with rod tip holder

F16-2810



F16-2810 Kit

#### Part # Description Length Width F19-0006-1 Revolving Rod Tip Holder 2-3/8" 1" F19-0006-2 2-3/4" 1" Stationary Rod Hanger F16-2700-1\* Revolving Rod Tip Holder & Stationary Rod Hanger Kit \_ 1" F16-2751-1 2-Rod Hanger w/Poly Rack 9-1/8" 1-1/2" F16-2752-1 4-Rod Hanger w/Poly Rack 18" 1-1/2" F16-2753-1 3-Rod Hanger w/Poly Rack 13-1/2" 1-1/2" F16-2810 Reel Hanger 3-7/8" 1" F16-2810-1\* Reel Hanger w/Rod Tip Holder Kit 1" \*Clam shell retail pack









**BP-150** 



GSC-0025





F31-2201



F40-0030

Part # D	escription	ID	OD	Height	Width	Depth
BP-150BSY-320-1 Ba	acking Plate	-	-	3-1/2"	18-1/2"	7"
<b>WP-150WHA-1</b> W	/edge Plate, 7.5°	-	-	1/2"	32"	12"
<b>F31-0700LW</b> St	traight Liner fits F31-0700 Rod Holder	1-1/2"	1-3/4"	7"	-	-
F31-2201WHA-C FI	lared Liner fits F31-2200 Rod Holder	1-3/4"	2"	7"	-	-
F31-2301WHA FI	lared Liner fits F31-2300 Rod Holder	2"	2-1/4"	7"	-	-
<b>GSC-0025-1</b> Ba	ase Reducer	1-1/8"	1-1/2	6"	-	-
<b>F40-0030BKA-1</b> 0	utrigger Line Caddy	1-1/8" & 1-1/2"	1-3/4"	2-7/8"	1-3/4"	1-1/2"

## **ACCESSORIES**

#### **Mounting Plate**

#### Aluminum

- **320 Grit Brite Anodized**
- > Ideal for all mounts that require additional support on hard tops and gunnels
- > Backing plate offers additional strength and support from under the top
- > Wedge plate injection molded plastic wedges for use with curved t-tops
- > Sold in Pairs

#### **Base Reducer**

#### **Aluminum & Nylon**

- > Reduces ID from 1-1/2" to 1-1/8" to accept 1-1/8" diameter outriggers
- > Nylon outer sleeve fits 1-1/2" tube
- > Sold in Pairs

#### **Rod Holder Liner**

#### **PVC**

- > Extruded, tapered PVC
- > Available for both straight and flared rod holders
- > Press fit into rod holders

#### **Outrigger Line** Caddy

#### Nylon

- > Clamps to outriggers to eliminate tangling and maintain rigging when outriggers are retracted
- > Rugged, long lasting nylon
- > Sold in Pairs







WP-150

## **ACCESSORIES**

### Tumbler Holder

#### **High-Density Polyethylene**

> Thick, 3/8" Starboard Polymer

**SPORT FISHING** 

- Holds tumbler at proper height to prevent tipping
- Single holder holds 16 to 30 oz. tumbler; double holder holds 2-16 to 30 oz. tumblers
- Includes mobile device cutout and charging cable port
- Drain holes on recessed bottom areas
- > Available in either Black or White Polymer
- Includes large suction cups
- > Can be fix mounted

#### **Drink Holder**

#### **High-Density Polyethylene**

- Holds full-sized insulated drink and mugs
- Includes Stainless Steel mounting screws for flat or bulkhead mount
- > Includes suction cups
- > Convenient drink storage







#### P01-2000

P01-2001

P01-2003

Part #	Description	Height	Width	Depth
P01-2010B	1-Tumbler Poly Holder, Black	5-5/8"	4-7/8"	5-1/4"
P01-2020B	2-Tumbler Poly Holder, Black	5-3/8"	9-1/2"	5-5/8"
P01-2010W	1-Tumbler Poly Holder, White	5-5/8"	4-7/8"	5-1/4"
P01-2020W	2-Tumbler Poly Holder, White	5-3/8"	9-1/2"	5-5/8"
P01-2000W	2-Drink Poly Holder "Catch-All"	5-1/4"	16-1/4"	3-1/4"
P01-2001W	2-Drink Poly Holder	3-1/2"	9-3/4"	4-3/4"
P01-2003W	1-Drink Poly Holder	4-5/8"	4-5/8"	3-1/2"













P01-1000

Part #

P01-2120W

P01-2132W

P01-3000W

P01-1000W

P01-1001W

P01-1200W

Tools and rigs not included

P01-1001

Adjustable Poly Filet Table, 20"

Adjustable Poly Filet Table, 32"

Knife, Plier & 15-Rig Holder

Adhesive Mount Rigging Strip

Description

Trident Tool Caddy

Knife & Plier Holder



Width

18-1/2"

6-1/2"

12-1/2"

4"

20"

32"

Depth

12"

12"

7"

1/2"

1/2"

2-1/4"

P01-1200

Height

2"

2"

3-1/2"

7-1/2"

8-3/4"

1-1/4"

## **ACCESSORIES**

#### **Trident Tool Caddy**

#### **High-Density Polyethylene**

- UV-stabilized, high-density White Polymer
- Designed to fit on Trident Straight and Offset Rod Holders
- > Adjustable angle
- > Includes cup holder
- > Holds up to 10 rigs
- > Hidden filet knife holder
- > Includes Plano tackle tray
- > Fits on standard oval pipe

#### Poly Filet Table with Adjustable Gunnel Mount

#### **High-Density Polyethylene**

- > Adjustable tilt
- > FDA-approved table
- > Includes Stainless Steel fasteners
- Slotted for knife, plier holder and drainage
- Rugged engineered Nylon tilt mount
- > Folds flat for storage
- > Fits into any 15° and 30° Rod Holder
- > The mount locks at any angle

#### Fishing Knife & Plier Holder

#### **High-Density Polyethylene**

- Safe and convenient storage
- Includes Stainless Steel mounting screws

#### **Rigging Strip**

- Stores pre-rigs, plugs and spoons
- > Used on any flat surface
- > Pre-drilled holes
- Offered with marine-grade self-adhesive tape

ALL N USA	Real Provide Action of the second sec	MADE IN USA
-----------	--	----------------





# **MARINE FABRICATION**



| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING



Patent #D437,210 #D451,364 #D451,371



F11-0171



F11-0180



F11-0182


Ball and Socket pivot design for full range of motion with anti-rattle Delrin insert.



F11-1001



F12-0190 / F12-0191



#### Ball & Socket Top Cap

Stainless Steel Type 316 Polished Finish MARINE FABRICATION

- Patented ball and socket pivot design offers full range of motion
- Delrin insert provides tight, quiet, rattle-free fit and smooth operation
- Quick release pull and D-ring pin
- > Easy installation





**Deck Hinge** 

#### **Stainless Steel Type 316** Polished Finish

- Offered in concave and flat mounts
- > All Deck Hinges compatible with 3/4", 7/8", 1" and 1-1/4" tube
- > Fits standard tube sizes and windshield headers
- > Secure fit





F13-0242

F13-0302



F13-1085



F13-1095



F13-0244

F13-0301

F13-1095 Concave Deck Hinge fits windshield header.

Part #	Description	Tube
F13-0241/244BN	Flat Deck Hinge w/Pin & Lanyard	7/8"
F13-0242/244BN	Concave Deck Hinge w/Pin & Lanyard	7/8"
F13-0301/244BN	Flat Deck Hinge w/Pin & Lanyard	7/8", 1" & 1-1/4"
F13-0302/244BN	Concave Deck Hinge w/Pin & Lanyard	7/8", 1" & 1-1/4"
F13-1085P	Flat Deck Hinge w/D-Ring, Port	7/8", 1" & 1-1/4"
F13-1085S	Flat Deck Hinge w/D-Ring, Starboard	7/8", 1" & 1-1/4"
F13-1095P	Concave Deck Hinge w/D-Ring, Port	7/8", 1" & 1-1/4"
F13-1095S	Concave Deck Hinge w/D-Ring, Starboard	7/8", 1" & 1-1/4"
Accessory		
F13-0244BN	Stainless Steel Pin & Lanyard w/Plastic Knob	-







#### Top Hardware "Standard"

Stainless Steel Type 316 Polished Finish MARINE FABRICATION

 Eye ends, jaw slides and bases available



F11-0100 F11-0107 F12-0101



F17-0106



F11-0160 F12-0161



F17-0166



F11-0172



F11-0174



F11-1000 F12-1001

Part #	Description	Tube	Bolt
Eye End			
F11-0100	Outside Eye End w/Set Screw	7/8"	1/4"
F11-0100N	Outside Eye End w/o Set Screw	7/8"	1/4"
F11-0107N	Outside Eye End w/o Set Screw	3/4"	1/4"
F12-0101	Outside Eye End w/Set Screw	1"	1/4"
F17-0106 <sup>*</sup>	Outside Eye End w/2 Set Screw	1-1/4"	1/4"
F11-0172	Inside Eye End	7/8" x .058"	1/4"
F11-0174	Inside Eye End	7/8" x .049"	1/4"
Jaw Slide			
F11-0160	Jaw Slide	7/8"	1/4"
F11-0160N	Jaw Slide w/o Set Screw	7/8"	1/4"
F11-1000	Jaw Slide w/Clamp-On	7/8"	1/4"
F12-0161	Jaw Slide	1"	1/4"
F12-1001	Jaw Slide w/Clamp-On	1"	1/4"
F17-0166 <b>*</b>	Jaw Slide w/Set Screw	1-1/4"	1/4"
▲Heavy-duty			





## Top Hardware "Standard"

#### **Stainless Steel Type 316 Polished Finish**

> Deck hinges and bases available

#### Nylon

MARINE FABRICATION

> Eye ends, jaw slides, bases and pole clips available







F13-0230 F13-0235



F13-0240 F13-0246



F13-0250



F40-0278



F13-0210

F40-0300 F40-0302

F40-0504



F40-0718



F40-0878

Part #	Description	Length	Width	Tube	Bolt
Base					
F13-0200	90° Base w/Bolt	2"	11/16"	-	1/4"- 20
F13-0210	90° Base w/1/4" Toggle Pin	2"	11/16"	-	-
F13-0220"	90° Base	2"	11/16"	-	-
F13-0230"	80° Angle Base w/Bolt	2"	7/8"	-	1/4"- 20
F13-0235	80° Angle Base w/o Bolt	2"	7/8"	-	-
F13-0240"	Concave Base w/Bolt	2"	7/8"	-	1/4"- 20
F13-0246	Concave Base w/o Bolt	2"	11/16"	-	-
F13-0250"	2-Hole Side Mount w/Bolt	2"	1-7/8"	-	1/4"- 20
Nylon Top Hardware					
F40-0278BN	Inside Eye End, Black	-	-	7/8" x .058"	1/4"
F40-0278GRA	Inside Eye End, Gray	-	-	7/8" x .058"	1/4"
F40-0300GRA	Pole Clip, Gray	-	-	7/8"	1/4"
F40-0302GRA∞	Pole Clip, Gray	-	-	1"	1/4"
F40-0504BN	90° Deck Hinge Base	2-3/8"	13/16"	-	10-24
F40-0718BN	Outside Eye End	-	-	7/8"	1/4"
F40-0878BN	Jaw Slide w/Set Screw, Black	-	-	7/8"	10-24
F40-0878GRA∞	Jaw Slide w/Set Screw, Gray	-	-	7/8"	10-24
■#10 Fasteners ∞Specia	l Order				





**MF44** 





Part #	Description	Pin Grip	Pin Diameter
F13-0102T	6" Lanyard w/Ring	-	-
F13-0107T	Toggle Pin w/6" Lanyard & Tab	1"	1/4"
<b>F13-0115</b> ∞	6" Lanyard w/Pull Pin	1-1/4"	3/8"
∞Special Order			





F16-1200

F40-	070

Part #	Description	Length	Height	Width	ID	Color	Finish
F16-1200	Stamped Eye Strap	2"	11/16"	3/8"	1/2"	-	Polished
F40-0704BN	Nylon Eye Strap	1-7/8"	9/16"	1/2"	5/16"	Black	-



A52-0051 (Track)



F40-0112 (Sew-On Carrier)



F40-0119 (End Cap)

Part #	Description	Length	Height	Width	Depth	Color	Finish
A52-0051VEL12	Track	12'	5/16"	11/16"	-	-	Satin Anodized
F40-0112	Sew-On Carrier	-	1-1/4"	7/32"	7/32" (top)	White	-
F40-0119	End Cap	-	9/16"	11/16"	11/32"	White	-

#### Pin & Lanyard

#### Stainless Steel Type 316

MARINE FABRICATION

- > #10 fasteners
- > Sold in Pairs

#### Eye Strap

### Stainless Steel Type 316 / Nylon

- > Multi-purpose use
- Stainless Steel screws included

## Curtain Track & Components

#### Aluminum / Nylon

- Complete anodized Aluminum curtain track and nylon component system
- > Ideal for curtains in cutty, cabins and yachts



#### Canvas & Upholstery Welt & Track

#### Aluminum / Vinyl

 For use on canvas tops, bolsters and other accessories

#### **Upholstery Clip**

#### Stainless Steel Type 304 Polished Finish

- Used for mounting cushions and bolsters in place
- Tumbled to remove burs and sharp edges to protect upholstery during installation
- > Offset for use with 1/4" substrate material


#### **Flush Mount Base**

#### Aluminum

**Polished Anodized Finish** 

- Ideal for Leaning Post backrest
- > Customize Leaning Post
- > Flexibility for fabricators








.078"
OD Screw
1-3/8" #10

1-1/2"

1-11/16" #10





#### CANVAS TOP FITTINGS Boat Cover Pole

Aluminum Anodized Finish > Telescoping boat cover pole with cam lock design > Helps prevent water stains and damage to boat > Available in two telescoping ranges: 24" to 45-1/2" and 30" to 57-1/2"



Snap End secures placement under cover Cam-locking height adjustment lever Non-marking Crutch End

Part # T10-7579VEL2 T10-7579VEL2.5 Description Support Pole w/Snap-On End Support Pole w/Snap-On End 
 Telescoping Range

 24" to 45-1/2"

 30" to 57-1/2"





## **RAIL FITTINGS**

#### Hand Rail Fitting

#### Stainless Steel Type 316 Rectangle Base

> Uses #10 oval head mounting screws

#### **Rail Fitting**

#### Stainless Steel Type 316

- > Available with round or rectangular base
- > Universal tees and elbows also available
- Ideal for hand rails and bow rails



Height

1-15/16"

1-15/16"





F14-0079 F14-0081





Retail #\*

F14-0079-1

F14-0081-1

Round 90° • 60°



Elbows 90° – 2 Way



Aft 60°

Tube

7/8"

7/8"

Base	Style
1-9/16" x 1-3/16"	Center 60°
1-9/16" x 1-3/16"	Aft 60°



Rectangle 90° • 60°



Universal Tees 60° • 90°


Part #	Retail #*	Tube	Base	Bolt	Style
Round Bases					
F14-0039	F14-0039-1	7/8"	2-5/8"	#10	90°
F14-0040	F14-0040-1	7/8"	2-5/8"	#10	60°
Rectangular Bases					
F14-0041	F14-0041-1	7/8"	3" x 1-3/4"	#10	90°
F14-0042	F14-0042-1	7/8"	3" x 1-3/4"	#10	60°
Universal Tees					
F14-0043	F14-0043-1	7/8"	-	-	90°
F14-0093	F14-0093-1	7/8"	-	-	60°
Elbows					
F14-0076 *Blister pack (each)	F14-0076-1	7/8"	-	-	90°-2 Way




**MF48** 

## **STAINLESS STEEL TUBE**







#### **Round Tube**

#### Stainless Steel Type 304 / Stainless Steel Type 316 Polished Finish

- Ideally suited for bow and grab rails, canvas top frames
- Offered in a variety of sizes and wall thickness to suit wide range of applications
- Ideal for using with Taco Marine Top Fittings

#### **Elliptical Tube**

#### Stainless Steel Type 316 Polished Mirror Finish

- > Stylish, elliptical tube with .060" wall thickness
- > Ideal for bow rails, radar arches,grab rails, spiral staircase railing and marine furniture
- Ideal for using with Taco Marine Railing

Part #	Retail #	Length	" <b>A</b> "	"B"
Round				
S14-1049P12	S14-1049P12-1	12'	1"	.049"
S14-1049P20	S14-1049P20-1	20'	1"	.049"
S14-1049P20B*	-	20'	1"	.049"
-	S14-1049P6-1	6'	1"	.049"
S14-1065P20	S14-1065P20-1	20'	1"	.065"
S14-1065P24	-	24'	1"	.065"
S14-1065P24B*	-	24'	1"	.065"
S14-1265P20	-	20'	1-1/2"	.065"
S14-1465P20	-	20'	1-1/4"	.065"
S14-1465P24	-	24'	1-1/4"	.065"
S14-1465P24B*	-	24'	1-1/4"	.065"
<b>S14-3449P20</b> ∞	-	20'	3/4"	.049"
S14-7849P12	S14-7849P12-1	12'	7/8"	.049"
S14-7849P20	S14-7849P20-1	20'	7/8"	.049"
S14-7849P24	-	24'	7/8"	.049"
-	S14-7849P6-1	6'	7/8"	.049"
S14-7865P20	S14-7865P20-1	20'	7/8"	.065"
S14-7865P24	-	24'	7/8"	.065"
S14-7865P24B*	-	24'	7/8"	.065"
Elliptical				
S17-1305PM20B	-	20'	1/2"	1-5/16"
S17-2078PM20B	-	20'	25/32"	2"
•Stainless Steel Type 316 ∞	Special Order			



## ALUMINUM TUBE

#### **Round Tube**

#### Aluminum


- **Brite Anodized Finish**
- Close tolerances for consistent use with rail and top fittings
- > Available Drawn and Extruded
- Ideal for t-tops and leaning post platforms

#### **Square Tube**


#### Aluminum

- **Brite Anodized Finish**
- > Corners radiused .156"
- Ideal for railings on pontoon boats





Part #	Retail #	Length	" <b>A</b> "	<b>"B</b> "
Drawn				
A23-1458BLY20∞	-	20'	1-1/4"	.058"
A23-3458BLY20	-	20'	3/4"	.058"
-	A23-3458BLY6-1	6'	3/4"	.058"
A23-7858BLY12	A23-7858BLY12-1	12'	7/8"	.058"
A23-7858BLY16	-	16'	7/8"	.058"
A23-7858BLY20	A23-7858BLY20-1	20'	7/8"	.058"
A23-7858BLY24	-	24'	7/8"	.058"
-	A23-7858BLY6-1	6'	7/8"	.058"
A23-7895BLY24	-	24'	7/8"	.095"
Extruded				
<b>A20-1464BLY20</b> ∞Special Order	-	20'	1"	.065"






TA


Part #	Length	Height	Width	Thick
A42-0360BXY24	24'	1"	1"	.125"

## **ALUMINUM PIPE**



**Oval Step Tread** 







A45-0352AEY20-A       20'       3/4"       1-3/64"       -       .113"       Mill         A45-0352BSA23-M       23'       3/4"       1-3/64"       -       .113"       320 Grit Brite Anodized         A45-0352BSX23-M       23'       3/4"       1-3/64"       -       .113"       Polished Brite Anodized         A45-0353BSA23-M       23'       1"       1-1/8"       -       .126"       Mill         A45-0353BSX23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0353BSX23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0354BSX23-M       23'       1.1/4"       1-19/32"       -       .140"       Mill         A45-0354BSX23-M       23'       1.1/4"       1-19/32"       -       .140"       Polished Brite Anodized         A45-0354BSX23-M       23'       1.1/2"       1-29/32"       -       .145"       Mill         A45-0356BSX23-M       23'       1.1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356BSX23-M       23'       1.1/2"       1-29/32"       -       .154"       Polished Brite Anodized         A45-03	Part #	Length	IPS	" <b>A</b> "	"B"	Thick	Finish
A45-0352AEY20-A       20'       3/4"       1-3/64"       -       .113"       Mill         A45-0352BSA23-M       23'       3/4"       1-3/64"       -       .113"       320 Grit Brite Anodized         A45-0352BSX23-M       23'       3/4"       1-3/64"       -       .113"       Polished Brite Anodized         A45-0353BSA23-M       23'       1"       1-1/8"       -       .126"       Mill         A45-0353BSX23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0353BSX23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0354BSX23-M       23'       1.1/4"       1-19/32"       -       .140"       Mill         A45-0354BSX23-M       23'       1.1/4"       1-19/32"       -       .140"       Polished Brite Anodized         A45-0354BSX23-M       23'       1.1/2"       1-29/32"       -       .145"       Mill         A45-0356BSX23-M       23'       1.1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356BSX23-M       23'       1.1/2"       1-29/32"       -       .154"       Polished Brite Anodized         A45-03	Round, Aluminum Schedule 4	0					
A45-0352BSA23-M       23'       3/4"       1-3/64"       -       .113"       320 Grit Brite Anodized         A45-0352BXY23-M       23'       3/4"       1-3/64"       -       .113"       Polished Brite Anodized         A45-0353BSA23-M       23'       1"       1-1/8"       -       .126"       Mill         A45-0353BSA23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0353BSX23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0354BSA23-M       23'       1.1/4"       1-19/32"       -       .140"       Mill         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       .140"       Polished Brite Anodized         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0356BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized	A45-0352AES23-A	23'	3/4"	1-3/64"	-	.113"	Mill 320 Grit Sanded
A45-0352BXY23-M       23'       3/4"       1-3/64"       -       1.13"       Polished Brite Anodized         A45-0353AEY20-A       20'       1"       1-1/8"       -       .126"       Mill         A45-0353BSA23-M       23'       1"       1-1/8"       -       .126"       S20 Grit Brite Anodized         A45-0353BSA23-M       23'       1"       1-1/4"       -       .126"       Polished Brite Anodized         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       .140"       Mill         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       .140"       S20 Grit Brite Anodized         A45-0354BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0356BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       B20 Grit Brite Anodized         A45-0356BSY23-M       23'       1-1/2"       1-29/32"       -       .145"       B20 Grit Brite Anodized         A45-0356BSY23-M       23'       2"       2-3/8"       -       .154"       B20 Grit Brite Anodized         A45-03	A45-0352AEY20-A	20'	3/4"	1-3/64"	-	.113"	Mill
A45-0353AEY20-A       20'       1"       1-1/8"       -       1.26"       Mill         A45-0353BEA23-M       23'       1"       1-1/8"       -       1.26"       320 Grit Brite Anodized         A45-0353BEX23-M       23'       1"       1-1/4"       1-19/32"       -       1.40"       Mill         A45-0354AEY20-A       20'       1-1/4"       1-19/32"       -       1.40"       Mill         A45-0354BEX23-M       23'       1-1/4"       1-19/32"       -       1.40"       Mill         A45-0355BEX23-M       23'       1-1/4"       1-19/32"       -       1.40"       Polished Brite Anodized         A45-0355BEX23-M       23'       1-1/2"       1-29/32"       -       1.45"       Mill         A45-0355BEX23-M       23'       1-1/2"       1-29/32"       -       1.45"       Mill         A45-0356BEX23-M       23'       2"       2-3/8"       -       1.54"       Mill         A45-0356BSA23-M       23'       2"       2-3/8"       -       1.54"       Mill         A45-0356BSA23-M       23'       2"       2-3/8"       -       1.54"       Polished Brite Anodized         A45-0356BSA23-M       23'       1-1/4"	A45-0352BSA23-M	23'	3/4"	1-3/64"	-	.113"	320 Grit Brite Anodized
A45-0353BSA23-M       23'       1"       1-1/8"       -       1.26"       320 Grit Brite Anodized         A45-0353BX23-M       23'       1"       1-1/8"       -       1.26"       Polished Brite Anodized         A45-0353BX23-M       23'       1"       1-1/4"       1-19/32"       -       1.40"       Mill         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       1.40"       Mill         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       1.40"       Polished Brite Anodized         A45-0354BX23-M       23'       1-1/2"       1-29/32"       -       1.45"       Mill         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       1.45"       Mill         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       1.45"       Polished Brite Anodized         A45-0356BSA23-M       23'       1-1/2"       1-29/32"       -       1.54"       Mill         A45-0356BSA23-M       23'       2"       2.3/8"       -       1.54"       Polished Brite Anodized         A45-0356BSA23-M       23'       1"       1-1/8"       -       1.79"       Polished Brite Anodized         A45-035	A45-0352BXY23-M	23'	3/4"	1-3/64"	-	.113"	Polished Brite Anodized
A45-0353BXY23-M       23'       1"       1-1/8"       -       .126"       Polished Brite Anodized         A45-0353BXY23-M       23'       1-1/4"       1-19/32"       -       .140"       Mill         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       .140"       320 Grit Brite Anodized         A45-0354BX23-M       23'       1-1/4"       1-19/32"       -       .140"       S20 Grit Brite Anodized         A45-0355BX23-M       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0355BX23-M       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0355BX23-M       23'       1-1/2"       1-29/32"       -       .145"       S20 Grit Brite Anodized         A45-0356BX23-M       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0356BX23-M       23'       2"       2-3/8"       -       .154"       Mill         A45-0356BX23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         A45-0356BX23-M       23'       1"       1-1/8"       -       .179"       Polished Brite Anodized         A45-835BXY23-M	A45-0353AEY20-A	20'	1"	1-1/8"	-	.126"	Mill
A45-0354AEY20-A       20'       1-1/4"       1-19/32"       -       140"       Mill         A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       1.40"       320 Grit Brite Anodized         A45-0354BXY23-M       23'       1-1/4"       1-19/32"       -       1.40"       Polished Brite Anodized         A45-0355AEY23-A       23'       1-1/2"       1-29/32"       -       1.45"       Mill         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       1.45"       320 Grit Brite Anodized         A45-0355BSX23-M       23'       1-1/2"       1-29/32"       -       1.45"       Polished Brite Anodized         A45-0356BX23-M       23'       1-1/2"       1-29/32"       -       1.45"       Polished Brite Anodized         A45-0356BX23-M       23'       2"       2-3/8"       -       1.54"       Mill         A45-0356BX23-M       23'       2"       2-3/8"       -       1.54"       Polished Brite Anodized         A45-0356BX23-M       23'       1"       1-1/8"       -       1.91"       Polished Brite Anodized         A45-0356BX23-M       23'       1"       1-1/8"       -       1.91"       Polished Brite Anodized	A45-0353BSA23-M	23'	1"	1-1/8"	-	.126"	320 Grit Brite Anodized
A45-0354BSA23-M       23'       1-1/4"       1-19/32"       -       .140"       320 Grit Brite Anodized         A45-0354BXY23-M       23'       1-1/4"       1-19/32"       -       .140"       Polished Brite Anodized         A45-0355AEY23-A       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       320 Grit Brite Anodized         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       320 Grit Brite Anodized         A45-0356BX23-M       23'       1-1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356BX23-M       23'       2"       2-3/8"       -       .154"       Mill         A45-0356BX23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80       V       V       V       -       .154"       Polished Brite Anodized         A45-835BX23-M       23'       1'''       1-1/8"       -       .179"       Polished Brite Anodized         A45-835BX23-M       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized<	A45-0353BXY23-M	23'	1"	1-1/8"	-	.126"	Polished Brite Anodized
A45-0354BXY23-M       23'       1·1/4"       1·19/32"       -       .140"       Polished Brite Anodized         A45-0355AEY23-A       23'       1·1/2"       1·29/32"       -       .145"       Mill         A45-0355BSA23-M       23'       1·1/2"       1·29/32"       -       .145"       S20 Grit Brite Anodized         A45-0355BSA23-M       23'       1·1/2"       1·29/32"       -       .145"       Polished Brite Anodized         A45-0356BSA23-M       23'       1·1/2"       1·29/32"       -       .145"       Polished Brite Anodized         A45-0356BSA23-M       23'       2"       2·3/8"       -       .154"       Mill         A45-0356BSA23-M       23'       2"       2·3/8"       -       .154"       Polished Brite Anodized         A45-0356BXY23-M       23'       2"       2·3/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80       -       .179"       Polished Brite Anodized       A45-835BXY23-M       23'       1·1/4"       .19/32"       -       .191"       Polished Brite Anodized         A45-835BXY23-M       23'       1·1/2"       1·29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY23-M       23'	A45-0354AEY20-A	20'	1-1/4"	1-19/32"	-	.140"	Mill
A45-0355AEY23-A       23'       1-1/2"       1-29/32"       -       .145"       Mill         A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       320 Grit Brite Anodized         A45-0355BSY23-M       23'       1-1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356AEY20-A       20'       2"       2-3/8"       -       .154"       Mill         A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       Mill         A45-0356BSX23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         A45-0356BSX23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         A45-0356BSX23-M       23'       1"       1-1/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .200"       Polished Brite Anodized         A45-0356BSA20*       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-	A45-0354BSA23-M	23'	1-1/4"	1-19/32"	-	.140"	320 Grit Brite Anodized
A45-0355BSA23-M       23'       1-1/2"       1-29/32"       -       .145"       320 Grit Brite Anodized         A45-0355BXY23-M       23'       1-1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356AEY20-A       20'       2"       2-3/8"       -       .154"       Mill         A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       S20 Grit Brite Anodized         A45-0356BSX23-M       23'       2"       2-3/8"       -       .154"       Mill         A45-0356BSX23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         A45-0356BXY23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80         -       .179"       Polished Brite Anodized         A45-8356BXY23-M       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A42-0055AEY20∞       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized <td< th=""><th>A45-0354BXY23-M</th><td>23'</td><td>1-1/4"</td><td>1-19/32"</td><td>-</td><td>.140"</td><td>Polished Brite Anodized</td></td<>	A45-0354BXY23-M	23'	1-1/4"	1-19/32"	-	.140"	Polished Brite Anodized
A45-0355BXY23-M       23'       1-1/2"       1-29/32"       -       .145"       Polished Brite Anodized         A45-0356AEY20-A       20'       2"       2-3/8"       -       .154"       Mill         A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       320 Grit Brite Anodized         A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         A45-0356BXY23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80       -       .154"       Polished Brite Anodized       A45-8353BXY23-M       23'       1-1/4"       1-19/32"       -       .179"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A45-8356BXY20-M       20'       -       1-1/16"       1-7/8"       .125"       Mill         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A42-00555BSA20*       20'	A45-0355AEY23-A	23'	1-1/2"	1-29/32"	-	.145"	Mill
A45-0356AEY20-A       20'       2"       2-3/8"       -       .154"       Mill         A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       320 Grit Brite Anodized         A45-0356BSX23-M       23'       2"       2-3/8"       -       .154"       90ished Brite Anodized         Round, Aluminum Schedule 80       -       .154"       Polished Brite Anodized         A45-8353BXY23-M       23'       1"       1-1/8"       -       .179"       Polished Brite Anodized         A45-8354BXY23-M       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A45-0055BSA20*       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -	A45-0355BSA23-M	23'	1-1/2"	1-29/32"	-	.145"	320 Grit Brite Anodized
A45-0356BSA23-M       23'       2"       2-3/8"       -       .154"       320 Grit Brite Anodized         A45-0356BXY23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80       23'       1"       1-1/8"       -       .179"       Polished Brite Anodized         A45-8353BXY23-M       23'       1"       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A45-0055BSA20       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0055BSA20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       .320 Grit Brite Anodized         A42-0136BSA20*       20'       -       1-1/4"       4"       .140"       .320 Grit Brite Anodi	A45-0355BXY23-M	23'	1-1/2"	1-29/32"	-	.145"	Polished Brite Anodized
A45-0356BXY23-M       23'       2"       2-3/8"       -       .154"       Polished Brite Anodized         Round, Aluminum Schedule 80       -       .179"       Polished Brite Anodized         A45-8353BXY23-M       23'       1"       1-1/8"       -       .179"       Polished Brite Anodized         A45-8353BXY23-M       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         Oval       -       -       .218"       Polished Brite Anodized       .00"         A42-0055BA20∞       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0136AEY20∞       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -	A45-0356AEY20-A	20'	2"	2-3/8"	-	.154"	Mill
Round, Aluminum Schedule 80         A45-8353BXY23-M       23'       1"       1.1/8"       -       .179"       Polished Brite Anodized         A45-8353BXY23-M       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         Oval         1-1/2"       1-29/32"       -       .218"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         Oval         442-0055BA20^       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread	A45-0356BSA23-M	23'	2"	2-3/8"	-	.154"	320 Grit Brite Anodized
A45-8353BXY23-M       23'       1"       1-1/8"       -       .179"       Polished Brite Anodized         A45-8353BXY23-M       23'       1-1/4"       1.19/32"       -       .191"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A42-0055BAEY20∞       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0055BSA20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0136BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       -       1-1/4"       4"       .140"       320 Grit Brite Anodized <th>A45-0356BXY23-M</th> <td>23'</td> <td>2"</td> <td>2-3/8"</td> <td>-</td> <td>.154"</td> <td>Polished Brite Anodized</td>	A45-0356BXY23-M	23'	2"	2-3/8"	-	.154"	Polished Brite Anodized
A45-8354BXY23-M       23'       1-1/4"       1-19/32"       -       .191"       Polished Brite Anodized         A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         Oval       -       1-1/16"       1-7/8"       .125"       Mill         A42-00555BSA20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	Round, Aluminum Schedule 8	0					
A45-8355BXY23-M       23'       1-1/2"       1-29/32"       -       .200"       Polished Brite Anodized         A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         Oval         A42-0055AEY20∞       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0055BSA20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	A45-8353BXY23-M	23'	1"	1-1/8"	-	.179"	Polished Brite Anodized
A45-8356BXY16-M       16'       2"       2-3/8"       -       .218"       Polished Brite Anodized         Oval       -       -       1-1/16"       1-7/8"       .125"       Mill         A42-0055BSA20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	A45-8354BXY23-M	23'	1-1/4"	1-19/32"	-	.191"	Polished Brite Anodized
Oval       A42-0055AEY20∞       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0055BSA20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	A45-8355BXY23-M	23'	1-1/2"	1-29/32"	-	.200"	Polished Brite Anodized
A42-0055AEY20∞       20'       -       1-1/16"       1-7/8"       .125"       Mill         A42-0055BSA20'       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20'       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20'       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20'       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20'       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	A45-8356BXY16-M	16'	2"	2-3/8"	-	.218"	Polished Brite Anodized
A42-0055BSA20*       20'       -       1-1/16"       1-7/8"       .125"       320 Grit Brite Anodized         A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	Oval						
A42-0136AEY20*       20'       -       1-1/4"       3"       .140"       Mill         A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       Coval       Step Tread       Step Tread       Step Tread       Step Tread	A42-0055AEY20∞	20'	-	1-1/16"	1-7/8"	.125"	Mill
A42-0136BSA20*       20'       -       1-1/4"       3"       .140"       320 Grit Brite Anodized         A42-0382BSA20*       20'       -       1-1/4"       4"       .140"       320 Grit Brite Anodized         Oval, Step Tread       -       -       1-1/4"       4"       .140"       320 Grit Brite Anodized	A42-0055BSA20*	20'	-	1-1/16"	1-7/8"	.125"	320 Grit Brite Anodized
A42-0382BSA20* 20' - 1-1/4" 4" .140" 320 Grit Brite Anodized Oval, Step Tread	A42-0136AEY20*	20'	-	1-1/4"	3"	.140"	Mill
A42-0382BSA20* 20' - 1-1/4" 4" .140" 320 Grit Brite Anodized Oval, Step Tread	A42-0136BSA20*	20'	-	1-1/4"	3"	.140"	320 Grit Brite Anodized
Oval, Step Tread	A42-0382BSA20*	20'	_	,	4"	.140"	320 Grit Brite Anodized
	Oval, Step Tread	-		7			
	A42-0195BXY20°	20'	-	1"	1-1/2"	.125"	Polished Brite Anodized
*320 Grit finish on flat surface only °Step tread .047" Height ∞Special Order	*320 Grit finish on flat surface or	nly °Step tre	ad .047" Heij	ght ∞Special Ord	,		

#### **Round Pipe**

#### Aluminum

> Available as Schedule 40 or Schedule 80 MARINE FABRICATION

- > Available in a variety of thicknesses
- Designed for t-top, towers, leaning posts, poling platforms, bow rails, ski arches
- > Extruded to close tolerances

#### **Oval Pipe**

#### Aluminum

> Ideal for step treads, grab rails, bow rails, canvas top and can be used on t-top for running wire chase





## **ALUMINUM SHAPES**

#### Structural Radius Angle / Straight Edge Angle

#### Aluminum

- > Available with radius at .25" or straight edge angle
- Extruded for maximum strength

#### Structural Full Radius Edge Flat Bar

#### Aluminum


- > Provides seat-back support
- Used on leaning posts, grab rails, t-top rings and mounting electronic boxes
- > Corner radius .25"


#### Structural Square Edge Flat Bar

#### Aluminum

- Designed for mounting brackets on all fabricated applications
- > Corner radius .031"







				-		
Part #	Length	" <b>A</b> "	" <b>B</b> "	Thick	Radius	Finish
A40-1043BXY20	20'	2"	2"	1/4"	.25"	Polished Brite Anodized
<b>A40-1139AEY20</b> ∞	20'	2"	3"	1/8"	-	Mill
<b>A40-1165AEY20</b> ∞	20'	3/4"	1-1/2"	1/8"	-	Mill
A40-1187AEY20	20'	1"	1"	1/8"	-	Mill
A40-1202AEY20∞	20'	2"	2"	1/8"	-	Mill
<b>A40-1217AEY165</b> ∞	16-1/2'	1"	1-1/2"	3/32"	-	Mill
A40-2040AEY20∞	20'	2"	4"	1/8"	-	Mill
On a sist Ondan						

∞Special Order

Radius

В				
Part #	Length	" <b>A</b> "	" <b>B</b> "	Finish
A40-0822AEY10	10'	1/2"	2"	Mill
A40-0822BXY12	12'	1/2"	2"	Polished Brite Anodized

B	Ā			
Part #	Length	" <b>A</b> "	" <b>B</b> "	Finish
42-0363AEY12	12'	1/4"	2"	Mill
442-0363BSA12	12'	1/4"	2"	320 Grit Brite Anodized
442-0363BXY12	12'	1/4"	2"	Polished Brite Anodized
A42-0364AEY12	12'	1/4"	3"	Mill
42-0364BSA12	12'	1/4"	3"	320 Grit Brite Anodized
42-0364BXY12	12'	1/4"	3"	Polished Brite Anodized
A42-0365AEY12	12'	1/4"	4"	Mill
442-0365BSA12	12'	1/4"	4"	320 Grit Brite Anodized
A42-0365BXY12	12'	1/4"	4"	Polished Brite Anodized





## **TOP & TOWER HARDWARE**








l

Breakaway

Male Pin

Female Pin



#### Pin Aluminum

#### **Anodized Finish**

 High-quality, precision fittings machined from 6000 series solid Aluminum for strength and anodized for long-lasting durability MARINE FABRICATION

> Counter-bored with an air release hole to ensure fast preparation and consistent welding





## **TOP & TOWER HARDWARE**

#### Pad

#### Aluminum

- **Anodized Finish** > High quality, precision
- machined pads > Solid, anodized 6000 series Aluminum stock
- > Center bleed holes vent air during welding
- > 1/4" screw
- > 1/4" thick









3 Hole (Small Center Hole)

3 Hole (Large Center Hole)

4 Hole (Round)

Part #	Length	Width	OD	IPS	Ctr. Hole	Holes	Finish
Round							
F32-4025AEY-A	-	-	2-1/2"	-	3/8"■	0	Mill
F32-4025BSS	-	-	2-1/2"	-	3/8"■	0	Spiral Sanded
F32-4025BXY	-	-	2-1/2"	-	3/8"■	0	Polished Brite Anodized
F32-4125BLY	-	-	2-1/2"	-	3/8"	1 (Threaded	)Brite Anodized
F32-4330AEY	-	-	3"	3/4"	3/8"	3	Mill
F32-4330BSS	-	-	3"	3/4"	3/8"	3	Spiral Sanded
F32-4330BXY	-	-	3"	3/4"	3/8"	3	Polished Brite Anodized
F32-4335AEY	-	-	3-1/2"	1"	3/8"	3	Mill
F32-4335BSS	-	-	3-1/2"	1"	3/8"	3	Spiral Sanded
F32-4335BXY	-	-	3-1/2"	1"	3/8"	3	Polished Brite Anodized
F32-4340AEY	-	-	4"	1-1/4"	3/8"	3	Mill
F32-4340BSS	-	-	4"	1-1/4"	3/8"	3	Spiral Sanded
F32-4340BXY	-	-	4"	1-1/4"	3/8"	3	Polished Brite Anodized
F32-4345AEY	-	-	4-1/2"	1-1/2"	3/8"	3	Mill
F32-4345BXY	-	-	4-1/2"	1-1/2"	3/8"	3	Polished Brite Anodized
F32-4350BSS	-	-	5"	2"	3/8"	3	Spiral Sanded
F32-4435BXY	-	-	3-1/2"	1"	3/8"	4	Polished Brite Anodized
F32-4440AEY	-	-	4"	1-1/4"	3/8"	4	Mill
F32-4440BSS	-	-	4"	1-1/4"	3/8"	4	Spiral Sanded
F32-4440BXY	-	-	4"	1-1/4"	3/8"	4	Polished Brite Anodized
F32-4445AEY	-	-	4-1/2"	1-1/2"	3/8"	4	Mill
F32-4445BSS	-	-	4-1/2"	1-1/2"	3/8"	4	Spiral Sanded
F32-4445BXY	-	-	4-1/2"	1-1/2"	3/8"	4	Polished Brite Anodized
F32-4450AEY	-	-	5"	2"	3/8"	4	Mill
F32-4450BSS	-	-	5"	2"	3/8"	4	Spiral Sanded
F36-4340BXY-8	-	-	4"	1-1/2"	1-5/16"	3	Polished Brite Anodized
F36-4440BXY-1	-	-	4"	1-1/2" & 2"	3/8"	4	Polished Brite Anodized
Rectangle							
F32-2040AEY	4"	2"	-	1"	3/8"	4	Mill
F32-2040BSY	4"	2"	-	1"	3/8"	4	180 Grit Brite Anodized
F32-3040AEY	4"	3"	-	1" & 1-1/4"	3/8"	4	Mill
F32-3040BSY	4"	3"	-	1" & 1-1/4"	3/8"	4	180 Grit Brite Anodized
F32-3040BXY	4"	3"	-	1" & 1-1/4"	3/8"	4	Polished Brite Anodized
Offset hole configuration for swept back t-top legs Tapped center hole is for screwing down on top of fiberglass - not for pipe							



**MF54** 

#### TOP & TOWER HARDWARE Radiused Specialty

Pad

Aluminum
Anodized Finish
> High-quality, precision machined pads
> Solid, anodized 6000 series Aluminum stock
> Variety of shapes and hole

configurationsCenter bleed holes vent air during welding

> 1/4" screw

> 1/4" thick



**Radiused Specialty Pad** 





F32-3043

T.

F36-3040





4 Hole (Rectangle)

F32-0600 F32-0650



F32-4160



Part #	Length	Width	IPS	Ctr. Hole	Holes	Finish
F32-0600AEY	3-3/8"	2"	1"	1/4"	2	Mill
F32-0600BXY	3-3/8"	2"	1"	1/4"	2	Polished Brite Anodized
F32-0600BXZ	3-3/8"	2"	1"	1/4"	2	800 Grit Brite Anodized
F32-0650AEY	3-1/2"	2"	1"	1/4"	2	Mill
F32-0650BXY	3-1/2"	2"	1"	1/4"	2	Polished Brite Anodized
F32-3043AEY	4-3/8"	3"	1-1/4" & 1-1/2"	3/8"	4	Mill
F32-3043BSY-320	4-3/8"	3"	1-1/4" & 1-1/2"	3/8"	4	320 Grit Brite Anodized
F32-3043BXY	4-3/8"	3"	1-1/4" & 1-1/2"	3/8"	4	Polished Brite Anodized
F32-3043BXZ	4-3/8"	3"	1-1/4" & 1-1/2"	3/8"	4	800 Grit Brite Anodized
F32-3355BXY	5-1/2"	3-3/4"	1-1/4"	0	6	Polished Brite Anodized
F32-4160AEY∞	6"	4"	1-1/2"	1/4"	4	Mill
F32-4160BXZ∞	6"	4"	1-1/2"	1/4"	4	800 Grit Brite Anodized
F36-3040AEY-2	4"	3"	1" & 1-1/4"	1/2"	4	Mill
F36-3040BXY-2	4"	3"	1" & 1-1/4"	1/2"	4	Polished Brite Anodized
∞Special Order						





## **TOP & TOWER HARDWARE**

#### **Pad Assembly**

#### Aluminum

**MARINE FABRICATION** 

- Anodized Finish
   > High-quality, precision machined pads
- > Solid, anodized 6000 series Aluminum stock
- Counter-bored with air release to ensure fast preparation and consistent welding
- > 1/4" screw with 4 holes

## Specialty Hardware for Wake Tower

#### Aluminum

#### **Anodized Finish**

- > Used to build and equip wake towers and arches
- > Assortment includes knob







F35-W404

F35-SDW125

Mating Pipe
F30-1843/F30-1853
F30-1841
F30-1831

\*Includes 2 Delrin washers for extra smooth rotation





F30-1852



F30-2150



F36-7001



F40-0024


Part #	Description	IPS	Bolt	Style	Color/Finish
F30-1751BLY	Half Pin & Swivel Stud	1-1/2"	3/8"	Half Pin - 180° Rotation	Brite Anodized
F30-1852BLY	Male Pin & Swivel Stud	1-1/2"	3/8"	Male Pin - 180° Rotation	Brite Anodized
F30-2150BLY	Female Pin	1-1/2"	3/8"	Coped Base	Brite Anodized
F36-7001BLY	Ski Ball Assembly w/Delrin Insert	1-1/2"	-	-	-
F40-0024BLK	Soft Touch Knob	-	3/8"	-	Black





## WELD-ON PLATES





Part #	Description	Length	Height	Width	Finish
GSE-1939BLS30	Pre-Drilled Grand Slam Extrusion	30"	7/8"	5-1/8"	Linear Sanded
GSE-1939BSA20	Pre-Drilled Grand Slam Extrusion, 20"	20"	7/8"	5-1/8"	320 Grit Brite Anodized
GSE-1939BSA28-	CPre-Drilled Grand Slam Extrusion, 28"	28"	7/8"	5-1/8"	320 Grit Brite Anodized






F30-0021 w/F35-FRB

F35-FRB

Part #	Description	Length	Width	Hole	IPS	Finish
F30-0021BLY	Female Ear & Pin w/Washers	1"	3/8"	3/8"	1"	Brite Anodized
F35-FRB	Folding Footrest Pad - 5/16" Thick	2"	2-1/2"	5/16"	-	180 Grit Anodized



F34-0002



Part # De	escription	Height	Width	Depth	Finish
F34-0002BXY Rec	ecessed Hinge	2-7/8"	2"	1-9/16"	Polished Brite Anodized
F34-0022AEY-P Foo	otrest Hinge, Port	2"	2"	2-19/32"	Mill
F34-0022AEY-S Foo	otrest Hinge, Starboard	2"	2"	2-19/32"	Mill
F34-0022BSY Foo	otrest Hinge Set, Port & Starboard	2"	2"	2-19/32"	180 Grit Brite Anodized

#### **Extrusion Plate**

#### Aluminum

#### Linear Sanded Finish

- Heavy-duty, suited for a variety of applications and widely used for outrigger mounts
- Offered pre-drilled for easy mounting of Grand Slam 280 and 380 outrigger mounts
- > Conceals wiring
- > Sold in Pairs

#### Leaning Post Pins & Pads

Aluminum Anodized Finish

#### Leaning Post Footrest Hinge

#### Aluminum

Polished Anodized Finish > 1" IPS pipe





## **ROD HOLDERS**

#### Weld-On Rod Holder, Flared

#### Aluminum

- Weld to towers, t-tops, radar arches, railings and leaning posts
- > Welded I-Beam securely seats rod butt
- Form-fitted anti-fungal Vinyl liner included



#### INCLUDES FORM-FITTED ANTI-FUNGAL PVC LINER



F31-2200 F31-2240 F31-2300 (Black Liner)



F31-2230



F31-2320 (Black Liner)

Part #	Length	ID	Blade	Finish
F31-2200AEY-4A	9-3/4"	1-3/4"	Bladeless	Mill
F31-2200BSA-4A	9-3/4"	1-3/4"	Bladeless	320 Grit Brite Anodized
F31-2200BXY-4A	9-3/4"	1-3/4"	Bladeless	Polished Brite Anodized
F31-2230AEY-4A	9-3/4"	1-3/4"	3/8" Coped Blade	Mill
F31-2230BXY-4A	9-3/4"	1-3/4"	3/8" Coped Blade	Polished Brite Anodized
F31-2240BXY-4A	8-1/2"	1-3/4"	Bladeless	Polished Brite Anodized
F31-2300AEY-4A	10-1/4"	1-7/8"	Bladeless	Mill
F31-2300BXY-4	10-1/4"	1-7/8"	Bladeless	Polished Brite Anodized
F31-2320BXY-4	10-1/4"	1-7/8"	Scalloped Blade	Polished Brite Anodized







**INCLUDES FORM-FITTED ANTI-FUNGAL PVC LINER** 

# MARINE FABRICATION

#### Aluminum

**Polished Brite Anodized Finish** 

- > Bladeless weld-on **Rod Holders**
- > Weld to towers, t-tops, radar arches, railings and leaning posts
- > Welded I-Beam securely seats rod butt
- > Form-fitted anti-fungal Vinyl liner included
- > Deck mount style has welded pin design





F31-1600

F31-1610

F31-0700

F31-0751

#### **ALSO SOLD SEPARATELY**

Slotted for spinning reels



Part #	Description	Length	ID	Finish
F31-1600BXY-4A	Traditional	8-1/2"	1-1/2"	Polished Brite Anodized
F31-1610AEY	Slotted Traditional	8-1/2"	1-1/2"	Mill
F31-1610BXY-4A	Slotted Traditional	8-1/2"	1-1/2"	Polished Brite Anodized
F31-1610BXYD-4A	Slotted Traditional, Drilled	8-1/2"	1-1/2"	Polished Brite Anodized
F31-0700BXY	10° Angle, Round Flange w/Welded Pin Design	8-1/2"	1-1/2"	Polished Brite Anodized
F31-0751BXY	10° Angle, Rectangle Flange	8"	1-1/2"	Polished Brite Anodized













| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING





#### **Rigid Vinyl Rub Rail Accepts Flex Chrome Insert**

- > Elegant look of Stainless Steel without the high cost and labor
- > Clean, smooth, polished look
- > Easy handling and flexible
- > Installs with no fasteners
- > End caps available for select Rub Rails
- > Ideal for up to 30' boats











Patented, flexible Vinyl Flex Chrome insert offers an elegant Stainless Steel look at a much lower cost. Co-extruded, specially formulated chrome mylar is applied and laminated in-line to the surface of the extruded flexible Vinyl insert. Flex Chrome Insert is available in three styles: V12-0307, V12-1069 and V12-9809 located on page RR78.





Part #	Color	Length	Height	Width	Screw	Insert
V21-9501WHC20D	Frosty White	20'	1-1/2"	7/8"	#10 <b>=</b>	V12-0307
V21-9517BKA20D	Black	20'	1-1/4"	3/4"	#10*	V12-0307
V21-9662WHC20D	Frosty White	20'	1-1/2"	13/16"	#8▼	V12-1069
V21-9909BKA70D	Black	70'	1-17/32"	19/32"	#8▼	V12-9809
V21-9909WHC70D	Frosty White	70'	1-17/32"	19/32"	#8▼	V12-9809

\*Drilled and countersunk on 6" centers \*Drilled and countersunk on 8" centers \*Drilled only on 6" centers






#### Rigid Vinyl Rub Rail Accepts Stainless Steel Insert


- > Elegant and durable
- > Bendable to conform with hull shape
- > End caps available for select Rub Rails
- > Drilled and countersunk on 8" centers
- > Ideal for up to 40' boats


















Part #	Color	Length	Height	Width	Screw	Insert
V21-1025WHC20D	Frosty White	20'	1-1/2"	1-3/8"	#10 <b>*</b>	S11-4511
V21-9648WHC20D	Frosty White	20'	1-1/4"	9/16"	#8	S11-4511
V21-9659BKA20D	Black	20'	1-5/8"	5/8"	#8	S11-4511
V21-9679BKA20D	Black	20'	1-13/16"	1"	#8	S11-4511
V21-9679WHC20D	Frosty White	20'	1-13/16"	1"	#8	S11-4511
V21-9790BKA20D	Black	20'	2-3/16"	7/8"	#10	S11-4650
V21-9866WHC20D	Frosty White	20'	1-19/32"	3/4"	#8	S11-4511
*Drilled and countersunk on 6	" centers					











V21-0874

5	_
1-9/1	6"
E	_
3/4"	

V21-9959

Spray Rail is a Rigid Vinyl Rub Rail designed to provide

protection from water spray and keep the boat dry. The wetness reduction of 50-60% when installed properly onto the hull makes this Rub Rail worth the expense. It also adds lift to your boat making for a faster boat!



#### V21-9140

V21-08/4				V21-3140		
Part #	Color	Length	Height	Width	Screw	Insert
V21-9923BKA60D	Black	60'	1-19/32"	3/4"	#8	S11-4511
V21-9923WHC60D	Frosty White	60'	1-19/32"	3/4"	#8	S11-4511
V21-9959BKA20D	Black	20'	1-9/16"	3/4"	#8	S11-4511
V21-9959BKA50D	Black	50'	1-9/16"	3/4"	#8	S11-4511
V21-9959WHC20D	Frosty White	20'	1-9/16"	3/4"	#8	S11-4511
V21-9959WHC50D	Frosty White	50'	1-9/16"	3/4"	#8	S11-4511
V21-9959WHC60D	Frosty White	60'	1-9/16"	3/4"	#8	S11-4511
V21-9906BKA20D	Black	20'	2"	29/32"	#8	S11-4511
V21-9906BKA60D	Black	60'	2"	29/32"	#8	S11-4511
V21-9906WHC20D	Frosty White	20'	2"	29/32"	#8	S11-4511
V21-9906WHC50D	Frosty White	50'	2"	29/32"	#8	S11-4511
V21-9906WHC60D	Frosty White	60'	2"	29/32"	#8	S11-4511
V21-0874WHA18	Arctic White	18'	2-1/16"	1-7/16"	-	-
V21-9140BKA166	Black	16' 6"	1-1/4"	1-3/4"	-	-



V21-9906

#### Flex Core Accepts Stainless Steel Insert

- > Lightweight
- Easy handling and installation
- Solid, rigid PVC cap stock exhibits traditional surface characteristics, appearance and impact properties
- > 50' and 60' are available in a continuous coil eliminating butt joints around gunwale
- Improved bending characteristics and ability to cold form
- Vacuum calibration tooling allows for tighter dimensional tolerance and sizing consistency
- High-density core offers improved shock-absorbent impact resistance
- > Drilled and countersunk on 8" centers
- End caps available for select Rub Rails

#### Spray Rail

- Provides protection against water spray
- Keeps boat dry and improves performance and speed through lift
- > 50-60% wetness reduction
- > Undrilled

#### **Canoe Rail**

- > Fits hull thickness 1/4" - 3/8"
- Specially designed built-in hand grip
- > Fits a wide variety of canoes
- Offers additional structural support
- > Undrilled







#### Rigid Vinyl Rub Rail Accepts Stainless Steel Insert for Large Boats


- > Drilled and countersunk on 6" and 12" centers
- > End caps available for select Rub Rails
- > Ideal for boats up to 50'














V21-9667

Part #	Color	Length	Height	Width	Screw	Insert
V21-1039BKA20D1	Black	20'	2"	1-3/16"	#8 <b>"</b>	S11-4650
V21-9502BKA20D	Black	20'	2"	1"	#8*	S11-4650
V21-9502WHC20D	Frosty White	20'	2"	1"	#8 <b>•</b>	S11-4650
V21-9647WHA20D	Arctic White	20'	1-3/4"	1-11/16"	#10 <b>"</b>	S11-4511
V21-9667WHC20D	Frosty White	20'	2-1/2"	1-3/8"	#10*	S11-4650
V21-9790BKA20D	Black	20'	2-3/16"	7/8"	#10*	S11-4690








# RIGID VINYL RUB RAIL Rigid Vinyl Rub Rail Accepts



## **Flexible Insert**


**RUB RAIL** 

- > Covers fasteners and provides soft cushioning'
- > Drilled and countersunk on 8" centers
- > End caps available for select Rub Rails
- > Ideal for boats up to 30'






V21-9517



V21-9602

V21-9501





V21-9678

Part #	Color	Length	Height	Width	Screw	Insert		
V21-9501WHC20D	Frosty White	20'	1-1/2"	7/8"	#10=	V12-0303		
V21-9517BKA20D	Black	20'	1-1/4"	3/4"	#10*	V12-0303		
V21-9602WHA20D	Arctic White	20'	1-7/8"	1"	#10	V12-0303		
V21-9678BKA20D	Black	20'	1-1/2"	5/8"	#8	V12-4144		
V21-9678WHA20D	Arctic White	20'	1-1/2"	5/8"	#8	V12-4144		
V21-9904BKA20D	Black	20'	1-19/32"	19/32"	#8	V12-0303		
V21-9904WHC20D	Frosty White	20'	1-19/32"	19/32"	#8	V12-0303		
*Drilled and countersunk on 6" centers • Drilled only on 6" centers								








Rigid Vinyl Rub Rail Accepts No Insert

- > Drilled and countersunk on 6" centers
- > End caps available for select Rub Rails
- > Ideal for boats up to 30'










V21-0188BKA20D -



2-1/2"

V21-0458

Part #	Retail #•	Color	Length	Height	Width	Screw
V21-0188BKA20D	-	Black	20'	1-9/16"	13/16"	#8
V21-0205BKA20D	-	Black	20'	2-1/4"	1-3/8"	#10 <b>*</b>
V21-0456BKA12D	-	Black	12'	1-1/2"	5/8"	#8
V21-0457BKA20D	-	Black	20'	1-7/8"	3/4"	#8
V21-0458BKA20D	-	Black	20'	2-1/2"	7/8"	#10
V21-0460BKA12D	-	Black	12'	1"	3/8"	#6
V21-3670BKA20D	V21-3670BKA20D-1	Black	20'	1-7/8"	3/4"	#10 <b>*</b>
V21-3670WHA20D	-	Arctic White	20'	1-7/8"	3/4"	#10 <b>*</b>
V21-3671BKA20D2	-	Black	20'	1-7/16"	5/8"	#10 <b>*</b>
V21-3671WHA20D2	-	Arctic White	20'	1-7/16"	5/8"	#10 <sup>▼</sup>
▼Drilled and countersunk	on 8" centers •Boxed and co	iled for shipping con	npliance			





## **SEMI-RIGID VINYL RUB RAIL**



## V11-9669 V11-9669 V11-9669 V11-9669



1-5/8"



V21-9811 is also available as a Rub Rail Kit with everything needed for a DIY installation. Kit includes Rub Rail with insert, end caps and Stainless Steel screws.

Part #	Color	Length	Height	Width	Screw	Insert
V11-9669WHA100	Arctic White	100'	1-15/16"	15/16"	#8 <b>•</b>	S11-4690
V21-9811BKA20D	Black	20'	1-5/8"	3/4"	#8 <b>•</b>	V12-9809
V21-9811WHD20D	Silver White	20'	1-5/8"	3/4"	#8 <b>•</b>	V12-9809
*Drilled and countersunk	on 6" centers					



#### Semi-Rigid Vinyl Rub Rail Accepts Stainless Steel Insert

**RUB RAIL** 

- > End caps available for select Rub Rails
- > Also available as a kit that includes Rub Rail, insert, end caps and Stainless Steel screws



## **FLEXIBLE VINYL RUB RAIL**

#### **Flexible Vinyl Rub Rail Accepts Flexible Vinyl Insert**


- > Easy handling makes these Rub Rails a good choice for **DIY** boaters
- > Continuous coil for seamless. one-piece installation
- > Tight radius bending accomplished with minimal heating
- > End caps available for select Rub Rails
- > Select Rub Rails also available as a kit that includes Rub Rail, insert, end caps and Stainless Steel screws








1-1/4" 15/16"



V11-2423



A40-0812, Stiffene 1-5/8" — 15/16" — V11-4014 (Shown w/A40-0812)

V11-3447

2-3/8" - 1-7/16" V11-0899

V11-3426

V11-0809



•Boxed and coiled for shipping compliance




**RR68** 




## FLEXIBLE VINYL RUB RAIL






#### V11-0948

V11-3161







#### V15-9855

V11-0961

Part #	Retail #•	Color	Length	Height	Width	Insert
	-	Arctic White	20'	3-3/8"	1-1/2"	-
V11-0961WHA25∞	-	Arctic White	25'	2-1/4"	1-7/8"	-
-	V11-3161BKA50-1	Black	50'	1-1/8"	1-1/4"	V22-3162
V15-9855BKA250	-	Black	250'	1-13/64"	1-5/16"	-
•Boyed and coiled for shi	inning compliance ~Sne	cial Order				

"Sandwich-Style"

Boxed and coiled for shipping compliance ∞Special Order

#### **Dock Bumper**

- Soft durometer absorbs impact and protects dock and boat from damage during docking
- Continuous coil allows seamless, one-piece installation
- Tight radius bending can be done with no heating

#### **Sandwich-Style**

- > Easy handling makes these Rub Rails a good choice for DIY boaters
- Continuous coil for seamless, one-piece installation
- Tight radius bending accomplished with minimal heating
- > End caps available for select Rub Rails

#### U-Shape Flexible Vinyl Moulding

- > Designed for "rolled edge" gunnels
- Easily installs with rubber mallet
- > No fasteners needed
- Flexibility allows for easy forming






## **RUB RAIL KITS**

#### Semi-Rigid Vinyl Rub Rail Kit

- > Kit includes Rub Rail, insert, end caps and Stainless Steel screws
- > Easy to carry retail box
- Shipping compliant packaging











Part #	<b>RR Color</b>	Insert Color	Length	Height	Width
V11-4135BKA30-3	Black	-	30'	1-7/8"	3/4"
V11-9795BBK50D-2	Black	Black	50'	1-1/2"	3/4"
V11-9811WCM70-2	Frosty White	Chrome	70'	1-5/8"	3/4"



**RR70** 



# RUB RAIL KITS Flexible Vinyl Rub Rail Kit

- > Kit includes Rub Rail, insert, end caps and Stainless Steel screws
- > Soft durometer Rub Rail provides cushion effect to absorb impact
- > Continuous coils for seamless, one-piece installation
- > Tight radius bends require minimal heat
- > Easy to carry retail box
- > Shipping compliant packaging

Part #	<b>RR Color</b>	Insert Color	Length	Height	Width
V11-0809BBK50-2	Black	Black	50'	1-1/16"	11/16"
V11-0809BBK70-2	Black	Black	70'	1-1/16"	11/16"
V11-0809BWK50-2	Black	Arctic White	50'	1-1/16"	11/16"
V11-2423BBK50-2	Black	Black	50'	1-7/8"	1-1/16"
V11-2423BBK70-2	Black	Black	70'	1-7/8"	1-1/16"
V11-2423BWK50-2	Black	Arctic White	50'	1-7/8"	1-1/16"
V11-2423BWK70-2	Black	Arctic White	70'	1-7/8"	1-1/16"
V11-3426BBK50-2	Black	Black	50'	1-7/8"	1-3/8"
V11-3426BBK70-2	Black	Black	70'	1-7/8"	1-3/8"
V11-3426BWK50-2	Black	Arctic White	50'	1-7/8"	1-3/8"
V11-3426BWK70-2	Black	Arctic White	70'	1-7/8"	1-3/8"
V11-3447BBK50-2	Black	Black	50'	1-1/4"	15/16"
V11-3447BBK70-2	Black	Black	70'	1-1/4"	15/16"
V11-3447BWK50-2	Black	Arctic White	50'	1-1/4"	15/16"
V11-3447WWK50-2	Arctic White	Arctic White	50'	1-1/4"	15/16"






# **ALUMINUM RUB RAIL**

### Aluminum Rub Rail Accepts Flexible Vinyl Insert

**RUB RAIL** 

- > Drilled and countersunk on 6" centers
- > End caps available for select Rub Rails
- > Ideal for boats up to 24'












A11-0347







A12-0305

Part #	Finish	Length	Height	Width	Screw	Insert
A11-0317TAL12D	Polished Clear Anodized	12'	1-1/4"	1/2"	#8	V12-0317
A11-0342BLY12D	Brite Anodized	12'	15/16"	1/2"	#8	V12-0342
A11-0347BLY12D	Brite Anodized	12'	1-1/8"	5/8"	#8	V12-4155
A11-0638TAL12D	Polished Clear Anodized	12'	1-1/2"	5/8"	#8	V12-0338
A12-0303BLY12D	Brite Anodized	12'	1-5/16"	7/8"	#10	V12-0303
A12-0305BLY12D	Brite Anodized	12'	1-3/8"	15/16"	#10	V12-0303





# **ALUMINUM RUB RAIL**

1-7/8"




### Aluminum Rub Rail Accepts No Insert

- > Drilled and countersunk on 6" centers
- Polished and clear anodized finish
- > Ideal for boats up to 30'

A11-0151




A11-0152





"Sailboat Toe Rail" mounts along the edge of deck to attach lines and hardware with 1-1/4" x 5/8" slots for attachments and slot spacing on 10" centers.






- \_

1-1/4"

A50-0199

A62-0009



Part # Finish Length Height Width Screw A11-0151TAL12D Polished Clear Anodized 12' 3/4" 3/8" #8 1" A11-0152TAL12D-A Polished Clear Anodized 12' 7/16" #8 A11-0511TAL20D Polished Clear Anodized 20' 1-1/4" 13/16" #10 A11-0514TAL20D Polished Clear Anodized 20' 1-7/8" 3/4" #10 A50-0195TAL12D 12' 3/4" 3/16" #5 Polished Clear Anodized A50-0197TAL12D 1" Polished Clear Anodized 12' 3/16" #6 A50-0199TAL12D1 Polished Clear Anodized 12' 1-1/4" 1/4" #6 1/4"► A62-0009VEL21D Polished Clear Anodized 20'-10-3/4" 1-9/16" 1-1/2" Drilled and countersunk on 4" centers





# **CUSTOM PRE-FORMED RUB RAIL**

### Custom Pre-Formed Rub Rail Accepts Stainless Steel Insert

- Eliminates heating and hand forming pieces at corners for improved appearance to Rub Rail
- > Reduces labor associated with installation of complex Rub Rail and metal insert shapes
- Provides a matched continuous flow to Rub Rail and insert installation
- Many profiles available as Pre-Form capable without distortion of profile
- Stainless Steel insert is formed to Rub Rail Pre-Form, yet cut to transition effectively for joining



### Pre-Formed Rub Rail for bow and transom sections of a boat offer professional finished look and

is easy to install.

# **EASY 4-STEP QUOTATION PROCESS**

- 1. 2D drawings submitted by boat builder
- 2. Taco Marine provides quote
- 3. Quote approval initiates splashes to be made and supplied to Taco Marine
- 4. Taco Marine delivers ready-to-install Pre-Formed parts





### STAINLESS STEEL INSERT Hollow Back Insert





#### Solid Back

Part #	Length	Width	Thick	Screw	Gauge	Radius	Rail End			
Hollow Back Stainless Steel Type 304										
S11-4500P12	12'	1/2"	-	#6	.062"	.264"	-			
S11-4511P12	12'	3/4"	-	#8	.062"	.375"	S11-2000P12			
S11-4511P16	16'	3/4"	-	#8	.062"	.375"	S11-2000P12			
S11-4511P20	20'	3/4"	-	#8	.062"	.375"	S11-2000P12			
S11-4650P12	12'	1"	-	#10	.077"	.673"	S11-2001P12			
S11-4670P12 <sup>*</sup>	12'	1-1/4"	-	#10	.077"	.875"	-			
S11-4690P12	12'	1-1/2"	-	#10	.077"	1.050"	-			
Hollow Back Stainless Steel	Type 316									
S11-4511P16B	16'	3/4"	-	#8	.062"	.375"	S11-2000P12			
S11-4650P16B	16'	1"	-	#10	.077"	.673"	S11-2001P12			
Solid Back Stainless Steel T	ype 304									
S11-450SP12	12'	1/2"	5/32"	#6	-	-	-			
Solid Back Stainless Steel T	ype <b>316</b>									
S11-451SP12B	12'	3/4"	3/16"	#10	-	-	-			
S11-465SP20B	20'	1"	1/4"	#12	-	-	-			
S11-467SP20B	20'	1-1/4"	1/4"	#12	-	-	-			
S11-469SP20B	20'	1-1/2"	3/8"	#12	-	-	-			
Ideal for Rub Rail insert replace	ement or as a	chafe rail ins	sert							

### Stainless Steel

### Polished Mirror Finish

- > Can be used as an overlay
- Concave back design fits rigid Vinyl Rub Rail
- > Drilled and countersunk on 6" centers

### Solid Back Insert

#### **Stainless Steel**

### **Polished Mirror Finish**

- Can be used as an overlay
- > Drilled and countersunk on 6" centers





# **VINYL INSERT RUB RAIL**


- Flexible Vinyl Insert
- > Easy to handle
- > Continuous coil for seamless, one-piece installation













Part #	Retail #	Color	Length	Height	Width	Dia.	Rub Rail
V12-0003BKA250	) _	Black	250'	-	-	1/2"	V11-2423, V11-3447, V11-4014
-	V12-0003BKA50-1	Black	50'	-	-	1/2"	V11-2423, V11-3447, V11-4014
-	V12-0003BKA70-1	Black	70'	-	-	1/2"	V11-2423, V11-3447, V11-4014
-	V12-0003WHA50-1	Arctic White	e 50'	-	-	1/2"	V11-2423, V11-3447, V11-4014
-	V12-0003WHA70-1	Arctic White	e 70'	-	-	1/2"	V11-2423, V11-3447, V11-4014
-	V12-0005BKA50-1	Black	50'	-	-	3/4"	V11-0899, V11-3426
-	V12-0005BKA70-1	Black	70'	-	-	3/4"	V11-0899, V11-3426
-	V12-0317BKA50-1	Black	50'	15/16"	3/8"	-	A11-0317
-	V12-0317WHA50-1	Arctic White	50'	15/16"	3/8"	-	A11-0317
V12-0338BKA200	) –	Black	200'	1"	1/2"	-	A11-0638
-	V12-0338BKA50-1	Black	50'	1"	1/2"	-	A11-0638
-	V12-0338BKA70-1	Black	70'	1"	1/2"	-	A11-0638
-	V12-0810BKA50-1	Black	50'	-	-	3/8"	V11-0809
-	V12-0810WHA100-	LArctic White	e 100'	-	-	3/8"	V11-0809







# VINYL INSERT

**RUB RAIL** 


### > Easy to handle

> Continuous coil for seamless, one-piece installation




V12-0342











 $\vdash$ 

— 1/2" —

1-3/16"

Part #	Retail #	Color	Longth	Uniopt	Width	Rub Rail
Part #	Retail #	Color	Length	Height	wiath	RUD Rall
V12-0303BKA200	-	Black	200'	1"	1/2"	A12-0303, A12-0305
-	V12-0303BKA50-1	Black	50'	1"	1/2"	A12-0303, A12-0305
-	V12-0303BKA70-1	Black	70'	1"	1/2"	A12-0303, A12-0305
V12-0303WHA300	-	Arctic White	300'	1"	1/2"	A12-0303, A12-0305
-	V12-0303WHA50-1	Arctic White	50'	1"	1/2"	A12-0303, A12-0305
-	V12-0303WHA70-1	Arctic White	70'	1"	1/2"	A12-0303, A12-0305
V12-0303WHC200	-	Frosty White	200'	1"	1/2"	A12-0303, A12-0305
-	V12-0303WHC50-1	Frosty White	50'	1"	1/2"	A12-0303, A12-0305
-	V12-0303WHC70-1	Frosty White	70'	1"	1/2"	A12-0303, A12-0305
V12-0342BKA250	-	Black	250'	5/8"	5/16"	A11-0342
-	V12-0342BKA50-1	Black	50'	5/8"	5/16"	A11-0342
V12-4144BKA250	-	Black	250'	1-3/16"	1/2"	V21-9678
-	V12-4144BKA50-1	Black	50'	1-3/16"	1/2"	V21-9678
-	V12-4144BKA70-1	Black	70'	1-3/16"	1/2"	V21-9678
-	V12-4144WHA70-1	Arctic White	70'	1-3/16"	1/2"	V21-9678
-	V12-4155BKA50-1	Black	50'	3/4"	3/8"	A11-0347
V12-9787BKA250	-	Black	250'	1"	1/2"	A11-0347
V12-9814BKA250	-	Black	250'	1/2"	3/8"	S11-1950



ΓA



# **VINYL INSERT**

### **Flex Chrome Insert**


- Soft durometer provides cushion effect to absorb impact
- > Extremely durable


**RUB RAIL** 

- Stainless Steel appearance with approximate 30% cost savings
- > Quickly and easily install without fasteners
- Continuous coil for one-piece installation without seams
- > Non-corrosive



# **FEATURE PRODUCT**





Patented, flexible Vinyl Flex Chrome insert provides the beauty of Stainless Steel without the high cost and labor. Developed originally for OEM automotive exterior trim applications, "Flex Chrome" by Taco Marine has passed extensive testing for heat/humidity freeze cycle, salt spray, shock and accelerated weathering. Flex Chrome Insert is available for the following Rub Rail: V21-9501, V21-9517, V21-9662 and V21-9909 located on page RR61 and RR65.



Part #	Retail #	Length	Height	Width	Rub Rail
V12-0307CP200	-	200'	3/4"	1/2"	V21-9501, V21-9517
V12-1069CP165	-	165'	5/8"	5/16"	V21-9662
-	V12-9809CP70-1	70'	1"	1/4"	V21-9811
V12-9809CP210	-	210'	1"	1/4"	V21-9811





# **RUB RAIL ACCESSORIES**








F90-0001



F90-0002









**Rail End** 

**Rub Strake** 

Part # Retail #

Color/Finish Length Height Width Screw Rub Rail

F90-0750

F90-1870

End Caps							
F16-0039	-	Polished	2-19/64"	25/32"	1-7/8"	#8	V21-1039, V21-9647, V21-9659, V21-9662, V21-9811, V21-9866
F16-0091	-	Polished	2-7/8"	1-5/32"	2-19/64"	#8	V21-9502
F90-0001BKN	F90-0001BKN-1*	Black	-	-	2"	#8	V11-2423, V11-3426
F90-0002BKN	F90-0002BKN-1*	Black	-	-	1-9/16"	#8	V11-3447, V21-9659
F90-0750BN	F90-0750BN-1*	Black	-	-	1"	#4	A11-0342, V11-0809
F90-1870BKA	-	Black	-	-	1-3/8"	#8	A12-0303, A12-0305, V11-3447
Stiffener							
A40-0812AEY10D2	-	Mill	10'	1/8"	3/4"	#10	V11-4014
Rigid Vinyl Insert							
V22-3162BKA12	-	Black	12'	3/4"	11/16"	-	V11-3161
Rub Strakes							
S11-1700P8	-	Polished	8"	-	3/4"	#8	-
S11-1700P12	-	Polished	12"	-	3/4"	#8	-
S11-1700P18	-	Polished	18"	-	3/4"	#8	-
S11-1700P24	-	Polished	24"	-	3/4"	#8	-
S11-1800P12	-	Polished	12"	-	1"	#10	-
S11-1800P18	-	Polished	18"	-	1"	#10	-
S11-1800P24	-	Polished	24"	-	1"	#10	-
Rail Ends							
S11-2000P12	-	Polished	12"	-	3/4"	#8	-
S11-2001P12	-	Polished	12"	-	1"	#10	-
▲Sold in pairs							

### End Cap

### Stainless Steel Type 316 / Nylon

RUB

RAIL

 Caps Rub Rail to finish end of rail and ensures insert stays intact

### Stiffener

#### Aluminum

- Ideal for V11-4014 Rub Rail with V12-0003 Insert
- > Helps keep Rub Rail straight
- Inserts into other Flexible Vinyl Rub Rail
- Supports fasteners for smooth installation
- > Drilled and countersunk on 6" centers

### **Rigid Vinyl Insert**

#### Sandwich-Style

- > Easy to handle
- > Typically used on sailboats

### **Rub Strake**

#### **Stainless Steel Type 304**

- Designed to prevent chafing of dock, fender and anchor lines
- Recommended for yachts and larger boats with heavy lines
- Ideal chafe protection with or without use of extruded Rub Rail

### **Rail End**

#### **Stainless Steel Type 304**

- Creates a finished appearance to Stainless Steel Rub Rail
- Ideal chafe protection with or without use of extruded Rub Rail



# TRIM & MOULDING





| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING

# SEALS

TRIM & MOULDING

### Hatch Tape

#### **Rubber Compound**

- > Soft, open-cell foam with adhesive backing
- > Rattle-free seal
- > Flexible rubber compound

### Weather Seal

#### **Rubber Compound**

- Dense, closed-cell foam with adhesive backing
- > Durable sponge rubber compound
- Resistant to water absorption
- > Absorbs shock and vibration
- Prevents metal-to-metal vibration
- Ideal for live-wells, exterior doors, instrument covers and electronic boxes









⊢\_\_\_1/2" V30-0202

V30-0113

3/8

V30-1333

1/4"



Hatch Tape is

self-adhesive for convenient installation.

V30-0135



Part #	Retail #	Length	Height	Width
Hatch Tape				
V30-0744B8-2	-	8'	1/8"	3/4"
V30-0748B8-2	-	8'	1/4"	3/4"
Weather Seal				
V30-0109B500	-	500'	3/8"	5/8"
-	V30-0109B10-1	10'	3/8"	5/8"
V30-0113B500	-	500'	3/16"	3/8"
-	V30-0113B10-1	10'	3/16"	3/8"
V30-0135T250	-	250'	9/16"	3/4"
-	V30-0202B10-1	10'	1/2"	1/2"
-	V30-1333B10-1	10'	1/4"	3/8"





# **RIGID VINYL MOULDING**

### Angle Moulding

### **PVC Compound**

- > UV-resistant> Tough, durable and long-lasting
- > Increase structural integrity
- > Cuts and drills like wood
- > Ideal for cabin doors and inside deck combing

### **Edge Moulding**

### **PVC Compound**


- > UV-resistant
- > Ideal for exposed areas
- Protects and finishes edges
- Interior and exterior usage






V25-9124







V25-9519






Part #	Length	Height	Width	Color
Angle Moulding				
V25-0240BKA12	12'	7/8"	7/8"	Black
V25-0240CRA15	15'	7/8"	7/8"	Buff
V25-0240WHA12	12'	7/8"	7/8"	Arctic White
V25-9124BKA14D	14'	9/16"	1/4"	Black
V25-9519WHA10	10'	1-1/4"	3/4"	Arctic White
Edge Moulding				
V25-0474BKA20	20'	1-1/8"	3/8"	Black
V25-0474WHA20	20'	1-1/8"	3/8"	Arctic White
V25-0786BKA12	12'	13/16"	5/16"	Black






# **FLEXIBLE VINYL MOULDING**





V15-5587 U-Channel



a continuous coil for one-piece installation.



V15-9779 Flexible Vinyl



**Flex Trim** 



### **U-Channel**

### **PVC Compound**

- > Covers the edge of 1/4" material
- > Soft durometer for cushion to absorb impact

**TRIM & MOULDING** 

- Continuous coil for one-> piece installation
- > Tight radius bending without heating

### **Flexible Vinyl**

#### **PVC Compound**

- > Flexible PVC
- > Covers unfinished edges and follows almost any contour or radius

### **Flex Trim**

#### **PVC Compound**

- > Flexible PVC
- > Covers unfinished edges and follows almost any contour or radius
- > Integrated interior Aluminum clip and gripping tongue ensures a better fit
- > Gripping tongue extends 7/64"
- > Available in Black or White





# ALUMINUM MOULDING

### Half Oval

### Aluminum

Polished Clear Anodized Finish

- Traditional anodized Aluminum edge molding and seam binders
- > Available in a variety of sizes and styles
- > Drilled and countersunk on 6" centers

### **Drip Moulding**

### Aluminum


Polished Clear Anodized Finish

> Drilled and countersunk on 6" centers









A50-0199



A51-0149

1/2"
3/16"
A51-0102

— 7/16"-

A11-0152







A50-0197






Part #	Length	Height	Width	Screw
Half Ovals				
A11-0151TAL12D	12'	3/4"	3/8"	#8
A11-0152TAL12D-A	12'	1"	7/16"	#8
A50-0195TAL12D	12'	3/4"	3/16"	#5
A50-0197TAL12D	12'	1"	3/16"	#6
A50-0199TAL12D1	12'	1-1/4"	1/4"	#6
A51-0102TAL12D	12'	1/2"	3/16"	#6
A51-0102TAL12D-1*	12'	1/2"	3/16"	#6
A51-0104TAL12D-A	12'	3/4"	11/64"	#6
A51-0106TAL12D	12'	1"	3/16"	#6
Drip Moulding				
A51-0149TAL12D	12'	3/4"	9/16"	#6
*Drilled and countercurk on 2" contare				


\*Drilled and countersunk on 3" centers

### ALUMINUM MOULDING Slide Track






A52-0309



Part #	Description	Length	Height	Width	Opening	Finish
A52-0309BLY12	Slide Track	12'	9/16"	1-1/16"	1/2"	Brite Anodized
A52-0037BLY14	Slide Track	14'	7/16"	13/16"	3/8"	Brite Anodized
A52-0084VEL12	Sliding Door Track	12'	15/16"	3/4"	7/32"	Satin Anodized

A52-0037



5/8"

A50-0305



Part # Description Height Width Finish Length T-Hatch Trim 12' 3/4" A50-0304TAL12 1-1/8" Polished Clear Anodized A50-0305TAL12 T-Hatch Trim 12' 5/8" 1" Polished Clear Anodized 3/4" A50-0375VEL12 T-Hatch Trim 12' 5/8" Satin Anodized





### doors up to 7/32" T-Hatch Trim

 Track for use on Bimini canvas tops

> Sliding door track ideal for

#### Aluminum

Aluminum

> Ideal for hatches

 Available in both polished clear anodized and satin anodized finish



# ALUMINUM MOULDING

### Edge Moulding

### Aluminum

**RIM & MOULDING** 

Polished Clear Anodized Finish

- Lightweight for tight radius bending
- > Drilled and countersunk on 6" centers

### Channel

#### Aluminum

Polished Clear Anodized Finish

 Decorative channels for mounting fixed panels or partition applications

### **Hatch Trim**

#### Stainless Steel Type 304 Polished Finish

- Provides a finished look to hatches and doors
- > Mirror finish creates elegant look where applied






A50-0272








A50-0275

A50-0326


Part #	Length	Height	Width	Thick	Screw
A50-0272TAL12D	12'	9/16"	1/4"	1/16"	#6
A50-0275TAL12D	12'	13/16"	1/4"	1/16"	#5
A50-0326TAL12D	12'	13/16"	9/16"	1/16"	#5
Ideal for transoms					

Ideal for transoms



Part #	Length	Height	Width	Gauge
A50-0235TAL12	12'	3/8"	3/8"	.063"

## **Stainless Steel Moulding**






## HULL ACCESSORIES



V25-9543



V25-9753

Part #	Description	Length	Height	Width	Color
V25-9543NAT10∞	Hull Stiffener	10'	1-1/2"	4-1/2"	Natural
V25-9753BKA10∞	Wire Chase	10'	1-3/8"	2"	Black
∞Special Order					



### Hull Stiffener

- Improves hull strength and rigidity with little additional weight
- High impact polystyrene material easily bonds with fiberglass
- Can also be used as a wire chase

### Wire Chase

#### **Rigid Vinyl**

- Snaplock feature for wire management
- Offset to adapt to contour of hull
- Variety of mounting options








| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING





# HINGES

### **Continuous Hinge**

### Stainless Steel Type 304

Bright Annealed Finish > 1/2" knuckle length Polished Finish

- > 1/2" knuckle length
- > Drilled on 2" centers

### Aluminum Mill Finish

- > 1/2" knuckle length
- > Drilled on 4" centers



# DECK HINGES

### **Butt Hinge**

Stamped Stainless Steel Type 304 Electro Polished Finish

> Available in both Standard and Deluxe hinge design

Strap Hinge

Stamped Stainless Steel Type 304 Electro Polished Finish

> Available in both Standard and Classic hinge design

### Hatch Hinge

Stamped Stainless Steel Type 304

- Electro Polished Finish > Available in Standard,
- Deluxe and Classic hinge design











H20-0112 • H20-0200

H20-0230

H20-0300



H21-0434





H21-0632

3 3 3

H21-0232

H21-0234

Part # **Pin Length Open Width** Offset Gauge Screw **Butt Hinge** H20-0112 2" 1-1/2" .060" #8 \_ H20-0200 2" 2″ #8 .060" H20-0230 3" 2″ .060" #8 H20-0300 3" 3″ .060" #10 H21-0132 1-1/2" 1-5/16" .060" #8 \_ H21-0133 1-1/2" 15/16" 3/8" .060" #8 Strap Hinge H21-0434 #8 1-1/16" 3-15/16" .060" \_ H21-0600 1-1/2" 6″ .060" #8 H21-0632 1-1/2" 4-5/16" .060" #8 \_ Hatch Hinge H21-0232 2" .060" #8 1-1/2" \_ H21-0234 1-1/2" 2-3/4" .060" #8 \_









H22-1550



H23-0157



H23-4000



H30-1010



H23-1490



H30-1050




H23-0092



H23-1499 (Reverse Pin)



H30-1070



# **DECK HINGES**

### **Deluxe/Classic**

**HINGES & LATCHES** 

#### Butt Hinge Stamped Stainless Steel Type 304 Electro Polished Finish

> Available in both Standard and Deluxe hinge design

### **Strap Hinge**

Cast Stainless Steel Type 316

- **Deluxe Polished Finish**
- > Available in both Standard and Classic hinge design
- > Sold in Pairs

#### Hatch Hinge Cast Stainless Steel Type 316 Deluxe Polished Finish

- Available in Standard, Deluxe and Classic hinge design
- > Sold in Pairs





# **SPECIALTY HINGES**

### Command Ratchet Hinge

Cast Stainless Steel Type 316

- **High Polished Finish**
- > Meets ABYC H-31 Standards Class B\* application, 250lb ft of torque load for pair
- Designed for up to 4" cushion thickness
- Seatback up to 28" W and 14" H
- > 15° locking inclination and ratchet up 4 positions
- > Returns to horizontal position at 100°
- > All Brass bearings for durability
- Countersunk for 1/4" bolt and #10 fasteners
- > Sold in Pairs



Patent #9,249,827 The Command Hinge is ideal for sunpads, bolsters  $\bigcirc$  $\bigcirc$ and lounge backrests. 5" 1-1/8'  $\bigcirc$  $\bigcirc$ 9-3/8" 2 - 2-1/8"-- 3" -Ó  $\bigcirc$ 2-3/4"  $\bigcirc$  $\bigcirc$ 

\* ABYC H-31 Standards Class B is a seat designed for occupancy only at boat speeds not exceeding five miles per hour



Part #	Description	Length	Width	Gauge	Screw
H25-0016	Command Ratchet Hinge	9-3/8"	3"	.10"	#10 or 1/4" bolt

**HL92** 

# SPECIALTY HINGES





H90-0400



H30-1015



H30-1044 / H30-1045

Cast Stainless Steel
Type 316

Integrated ball and socket pivot point allows pivoting on concave, convex and multiple-plane surfaces **HINGES & LATCHES** 

- Offers 20° range of motion
- Hinges from any two sides, unlike conventional fixed-axis hinges
- Low-profile Euro styling enhances the look of any boat
- Polished Stainless Steel Type 316 and Delrin insert prevent corrosion, galling and eliminates rattling

### **Hasp Hinge**

### Stainless Steel Type 316

**Deluxe Polished Finish**> Traditional style swivel

- lock secures latchConcealed fastener for security
- > Allows for addition of lock
- Over-sized hinge pins for added security

### **Hidden Fastener**

**Stainless Steel Type 316** Deluxe Polished Finish

 Fasten from underside for clean, contemporary design

Part #	Description	Length	Width	Gauge	Screw
H90-0400	Intelli-Hinge	2"	4" (Open)	.10"	#8
H30-1015	Hasp Hinge	1" Pin Length	3"	.125"	#6
H30-1044∞	Hidden Fastener	1-1/2"	3"	.125"	#8
H30-1045∞	Hidden Fastener	2"	4"	.125"	#10
∞Special Order					





# **SPECIALTY LATCHES**

### **Sundeck Latch**

#### **Plastic & Stainless Steel Type 316**

- > Low profile
- > Concealed latches
- > Non-slip grip
- > Positive locking
- > Ideal for engine hatches, access panels, dock boxes, folding seats, leaning posts, large seats

#### Walk-Thru **Windshield Latch Stamped Stainless Steel** Type 316 **Electro Polished Finish**

- > Attaches to front deck and to windshield door frame
- > Positive spring locking feature








REPLACEMENT PART F45-0336/F45-0339B



Part #	Description	Locking Pin Length	Color
F45-0339B	Sundeck Latch, Black	2-3/4"	Black
F45-0339W	Sundeck Latch, White	2-3/4"	White
F45-0336/0339B-3	Replacement Locking Pin, Stainless Steel	2-3/4"	-
F45-0336/0339B-4	Replacement Long Locking Pin, Stainless Steel	3-3/4"	-



F16-2900

Part #	Description	Mount Area	Screw
F16-2900	Walk-Thru Windshield Latch	1" x 2" Deck Mount Area 5/8" x 1" Door Mount Area	#8





# **SPECIALTY LATCHES**





Part #	Dimension	Thickness	Adj. Depth	Hole	Overall Depth	Screw	Color
Nylon & Glass							
F42-2500WHA	2-1/2"	1/8"	1-3/4"	2-1/16"	2-5/16"	#8	White
F42-2500BKSS	5 2-1/2"	1/8"	1-3/4"	2-1/16"	2-5/16"	#8	Black
Stainless Steel 1	Гуре 316						
F16-2500	2-1/2"	5/32"	1-3/4"	2-1/16"	2-5/8"	#8	-
F16-3000	3"	3/32"	2-7/8"	2-9/16"	3-13/16"	#8	-
F16-3500	3-1/2"	5/32"	2-1/2"	3"	3"	#10	-
F16-2525	2-7/16" x 2-7/16"	5/32"	1-3/4"	2-1/16"	2-5/16"	#8	-





F16-0021

F16-1090

Part #	Description	Length	Height	Hole	Diameter
F16-0021	Lifting Ring	2-1/8"	-	-	1-1/4"
F16-1090	Grab Handle	6"	1-5/8"	1/4"	-



#### Nylon & Glass Reinforced Resin

- > Fits into 2" hole
- > Variety of diameter dimensions available
- > Concealed fasteners
- > Edge thickness 1/8"

#### Cast Stainless Steel Type 316

**Deluxe Polished Finish** 

> Concealed fasteners

### **Lifting Ring**

#### Stamped Stainless Steel Type 304

- > Retaining clip
- > Dampening plate

### **Grab Handle**

#### Cast Stainless Steel Type 316

**Deluxe Polished Finish** 

- > 1-5/8" clearance from deck
- > Ideal for both interiors and exteriors

# **MARINE ACCESSORIES**



| SEATS & PEDESTALS | SPORT FISHING | MARINE FABRICATION | RUB RAIL | TRIM & MOULDING | HINGES & LATCHES | MARINE ACCESSORIES | LED LIGHTING



Come On Board Handle - Rod Holder Mount



Come On Board Handle - Fixed Base Mount



Part #	Description	Height	Width	Tube OD
F16-0800-1	Come On Board Handle, Fixed Base Mount w/Receiver	56-1/4"	11-5/8"	1-1/2"
F16-0800C-1	. Come On Board Fixed Base Mount Handle Receiver Only	3-1/2"	3"	1-3/4"
F16-0810-1	Come On Board Handle, Rod Holder Mount	57-1/2"	11-5/8"	1-1/2"

## DOCKSIDE

### Come On Board Handle

#### **Stainless Steel Type 304**

- Finger molded handles for secure grip
- > Two-piece design for easy storage
- > Ideal for boarding platform
- > Ideal height for convenient boarding in low tide
- Packaged in mesh bag used for drying and avoiding scratches on deck
- > Fits standard 1-5/8" Rod Holder ID

#### **Rod Holder Mount**

 Solid gimbal mount design assures proper locking placement

#### **Fixed Base Mount**

- Includes receiver with backing plate
- Attaches permanently to gunnel mount
- Come On Board Cast Stainless Steel Fixed Mount Handle Receiver only also sold separately as F16-0800C-1



# **DOCKSIDE**

### Quick Release Fender Lock

#### Stainless Steel Type 316 Polished Finish

- > Designed for single hand operation
- Will allow easy installation and removal of float style fenders
- Large push-button for comfortable operation
- > Large .88 hole diameter for rope
- > Overall height above deck: 1-19/32"
- > Drain plug: 1/4" NPT
- > Quick Release Fender Lock Receiver only also sold separately as F16-0151R-1

### Shore Power Cable Holder

### Stainless Steel Type 304

- Fits into standard Rod Holders at 1-5/8" diameter
- Quick, adjustable height ring to compensate for low or high tide settings
- Clamp-on ring can be adapted to 1-1/4" or 1-1/2" tube diameter by removing Delrin Washer
- Accommodates 30, 50 and 100 AMP shore power cables
- Shore Power Cable Holder Adjustable Ring only also sold separately as F16-0804-1

### Multi-Purpose 15° Portable Cleat

Aluminum

- Brushed Finish
- > Large S-shape 9" cleat
- Ideal for 5/8" and 3/4" dock line for large boat applications
- Pipe diameter 1-1/2" fits into standard Rod Holders 1-5/8" diameter
- Loop hole design to hang fenders over the side or hanging hose while washing boat











F16-0802

F16-0151

F30-0861

Part #	Description	Height	Width	Tube OD
F16-0151-1	Quick Release Fender Lock	1-19/32" (above deck) 2" (below deck)	1-1/2" (knob)	-
F16-0151R-1	Quick Release Fender Lock Receiver Only	2-1/4"	2"	-
F16-0802-1	Shore Power Cable Holder w/Ring	29"	4"	1-1/2"
F16-0804-1	Shore Power Cable Holder Adjustable Ring Only	4-1/2"	8"	1-1/2"
F30-0861BSA-1	Multi-Purpose 15° Portable Cleat	14-1/2"	9"	1-1/2"











#### R10-0514103

#### Part # Description Length Height Width P01-4821W **Dockside Filet Table** 48" 37" 21" R10-0514103 12" 14-Rod Big Game Cart 33-3/4" 33-1/4" P05-06W 2' 6, 2' Light Duty Trailer Glyde Slicks 7/16" Thick 1-5/8" P05-08W 8, 2' Light Duty Trailer Glyde Slicks 2' 7/16" Thick 1-5/8" P06-06W 6, 2' Premium Trailer Glyde Slicks 2' 7/16" Thick 1-1/2"

P05-06W / P05-08W

P06-06W

# DOCKSIDE

### Dockside Filet Table

#### **High-Density Polyethylene**

MARINE ACCESSORIES

- > Brushed Aluminum legs> Permanently mounts
- to dock using continuous flat bar mounting pads
- Water nozzle holder for convenient use and clean-up
- Attached drink holder included
- Filet plier and knife holder slots
- Mounting hardware included
- > Holds up to 250lbs.

### **Big Game Poly Rod Storage Cart**

#### **High-Density Polyethylene**

- > UV-stabilized White Polymer
- > Wash rods while in rack
- > Use indoor or outdoor
- Locking casters offer easy mobility
- Ideal for large spinning and conventional reels

### **Trailer Glyde Slicks**

#### **High-Density Polyethylene**

- Eliminates friction between the bottom of the boat and the runners
- Easily installed on carpeted or bare bunks
- > Evenly distribute the weight of the boat
- Includes Stainless Steel screws and instructions

#### **Light Duty Glyde Slicks**

• Ideal for boats under 600lbs.

#### **Premium Glyde Slicks**

 Ideal for boats up to 2000lbs.





# LED LIGHTS

### LED Deck Light Flat Mount

#### **Polycarbonate Housing**

> 12-24V DC

MARINE ACCESSORIES

- > USCG, ISO and SAE certified for Ignition Protection\*
- Compact design bolts directly to any flat surface 5" long and 1-3/8" width
- > 8' hidden power cable
- Wire chase guards included for running wires through tube or pipe
- Includes Stainless Steel Type 304 swivel bracket and 3M adhesive tape for mounting options
- High impact, UV-resistant, lightweight White or Black Polycarbonate housing
- Durable and self-extinguishing clear plastic lense
- > Anodized Aluminum heatsink
- LED chips are silicone potted for IP67 Waterproof (non-submersion)

#### **4-LED Deck Light**

- 10.0 Watt equivalent to a 55 Watt halogen flood light
- Powerful 700 lumen output with 100° spread beam angle
- Low power consumption (0.9 amps @ 12V, 0.5 amps @ 24V)

#### **3-LED Deck Light**

- 8.0 Watt equivalent to a 55 Watt halogen flood light
- Powerful 540 lumen output with 100° spread beam angle
- Low power consumption (0.6 amps @ 12V)
- Available in Blue or Red LED lights

\*Completely sealed lights tested in explosive environment and exposed to explosive atmosphere in high temperature that includes powering on-off 50 times without igniting the atmosphere at a temperature not exceeding 200°C. Meets statutory and regulatory requirements that assure customer satisfaction and safety. Ideal for use in engine rooms, battery compartments and anywhere fire safety is of most importance.












F38-8805



#### F38-8500

F38-8800

Dimensions are the same for both 3- and 4-LED lights




Part #	Description	Height	Width	Depth	LED Color	Lumens	Amperes Draw
F38-8805W-1	4-LED Deck Light, Black Housing	1-3/8"	5-1/8"	1/2"	White	700	.9 @ 12V
F38-8800W-1	4-LED Deck Light, White Housing	1-3/8"	5-1/8"	1/2"	White	700	.9 @ 12V
F38-8505B-1	3-LED Deck Light, Black Housing	1-3/8"	5-1/8"	1/2"	Blue	540	.6 @ 12V
F38-8505R-1	3-LED Deck Light, Black Housing	1-3/8"	5-1/8"	1/2"	Red	540	.6 @ 12V
F38-8500B-1	3-LED Deck Light, White Housing	1-3/8"	5-1/8"	1/2"	Blue	540	.6 @ 12V
F38-8500R-1	3-LED Deck Light, White Housing	1-3/8"	5-1/8"	1/2"	Red	540	.6 @ 12V







F38-8600 Series



Part #	Description	Height	Width	Depth	LED Color	Lumens	Amperes Draw
F38-8800BXZ-W-	<b>1</b> 4-LED Deck Light, White Light	1-5/8"	5-1/2"	1/2"	White	700	.9 @ 12V
F38-8600BXZ-B-2	L 3-LED Deck Light, Blue Light	1-5/8"	5-1/2"	1/2"	Blue	540	.6 @ 12V
F38-8600BXZ-R-2	L 3-LED Deck Light, Red Light	1-5/8"	5-1/2"	1/2"	Red	540	.6 @ 12V

# LED LIGHTS

MARINE ACCESSORIES

### LED Deck Light Pipe Mount

#### Aluminum Housing Anodized Finish

- > 12-24V DC
- USCG, ISO and SAE certified for Ignition Protection\*
- Compact design bolts directly to 1" schedule 40 pipe
- > 8' hidden power cable
- > Wire chase guards included for running wires through tube or pipe
- Bright dip anodized Aluminum housing can also be powder coated
- Durable and self-extinguishing clear plastic lense
- > Anodized Aluminum heatsink
- LED chips are silicone potted for IP67 Waterproof (non-submersion)

#### **4-LED Deck Light**

- 10.0 Watt equivalent to a 55 Watt halogen flood light
- Powerful 700 lumen output with 100° spread beam angle
- Low power consumption (0.9 amps @ 12V, 0.5 amps @ 24V)

#### **3-LED Deck Light**

- 8.0 Watt equivalent to a 55 Watt halogen flood light
- Powerful 540 lumen output with 100° spread beam angle
- Low power consumption (0.6 amps @ 12V)
- Available in Blue or Red LED lights

\*Completely sealed lights tested in explosive environment and exposed to explosive atmosphere in high temperature that includes powering on-off 50 times without igniting the atmosphere at a temperature not exceeding 200°C. Meets statutory and regulatory requirements that assure customer satisfaction and safety. Ideal for use in engine rooms, battery compartments and anywhere fire safety is of most importance.





# LED LIGHTS


### LED T-Top Light Pipe Mount

### Aluminum Housing Anodized Finish

- > 8.0 Watt per section, 24 Watt total
- > 12-24V DC
- Compact design bolts directly to 1" IPS pipe
- > White light has powerful 1080 lumen output with 100° spread beam angle
- > Red or Blue light 540 lumen output
- > Requires On-Off-On switch for proper operation
- Very low power consumption (1.8 amps @ 12V)
- > 14' hidden power cable
- > Able to switch from White light to Blue or to Red light
- Bright dip anodized Aluminum housing
- Durable and selfextinguishing clear plastic lense
- LED chips are silicone potted for IP67 waterproof







Part #	Description	Height	Width	Depth	Lumens	Amperes Draw
F38-9600BXZ-B-1	LED T-top Light, White to Blue Light	1-5/8"	16-1/4"	1/2"	540 (1080 White Light)	1.8 @ 12V
F38-9600BXZ-R-1	LED T-top Light, White to Red Light	1-5/8"	16-1/4"	1/2"	540 (1080 White Light)	1.8 @ 12V





### **LED T-Top Tube** Light

#### **Aluminum Housing Anodized Finish**

- > 12-24V DC
- > 108 LEDs
- > 14' wiring cable
- > IP67 Waterproof (non-submersible)

#### **T-Top Replacement Tube Light**

- 12-24V DC
- 108 LEDs
- 14' wiring cable
- Includes mounting clips
- Fits most existing t-top light housing
- Switch from White to Red light or to Blue light

### **LED Spreader Light**

- > 12-28Volt AC/DC
- > High 675 lumen output
- > Six (6) high-powered 1-Watt LEDs
- > IP67 Waterproof (non-submersible)
- > Wide 150° spread beam angle

1-1/2

0

- > Adjustable Stainless Steel mounting bracket with adjustable tilt
- > UV- and impact-resistant White housing and polycarbonate lens



20"

YEAR	i
NITEO	APRRA/
×.	44 <sup>7</sup>



MARINE ACCESSORIES



Part #	Description	Height	Width	Depth	Lumens	Amperes Drav
F38-2050B-1	LED T-top Light w/Aluminum Housing, Wht/Blue	1-1/2"	20"	1-1/2"	300	.5 @ 12V
F38-2050R-1	LED T-top Light w/Aluminum Housing, Wht/Red	1-1/2"	20"	1-1/2"	300	.5 @ 12V
F38-2060B-1	LED Replacement Tube Light, Wht/Blue	1-1/2"	20"	1-1/2"	300	.5 @ 12V
F38-2060R-1	LED Replacement Tube Light, Wht/Red	1-1/2"	20"	1-1/2"	300	.5 @ 12V
F38-4600WHA-1	LED Spreader Light	3-7/16"	5"	2-3/16"	675	.5 @ 12V

# **LED LIGHTS**

### **Rub Rail Mounted LED** Navigation Lights

#### **Stainless Steel Type 304 High Polished Finish**


- > Meets ABYC/USCG requirements for both sail and power boat designation
- > Anodized Aluminum heat sink for maximum heat dissipation
- > Set includes 3-Watt Port (Red) and Starboard (Green) LEDs
- > IP68 rating for "wet locations"
- > Easy installation with instructions included
- > Reliable long-life LEDs will provide years of maintenance-free service
- > 120° unobstructed view **Navigation Light Set,** 4-1/2"
  - · Designed to fit Taco Marine's popular Rub Rail V21-9659 and Rub Rail V21-9959
  - · Ideal for up to 30' boats

#### **Navigation Light Set,** 2-5/8"

- · Designed to fit Taco Marine's larger Flex Core Rub Rail V21-9906
- · Ideal for up to 40' boats




Patent #2014/0056013

















Part #	Description	Height	Width	Depth	Amperes Draw
F38-6600-1	Rub Rail Mounted Navigation Light Set, 4-1/2"	1-3/4"	4-1/2"	5/8"	.6 @ 12V
F38-6700-1	Rub Rail Mounted Navigation Light Set, 2-5/8"	2-3/16"	2-5/8"	5/8"	.6 @ 12V









#### F38-6800











### F38-6100 / F38-6610

Part #	Description	Height	Width	Depth	,
F38-6800C-1∞	Rub Rail Mounted Navigation Light Set, w/o Plug	3/4"	2-1/2"	5/16"	
F38-6800C-2∞	Rub Rail Mounted Navigation Light Set, w/Plug	3/4"	2-1/2"	5/16"	
F38-6610C-1∞	Surface Mount Side Light Set, w/o Plug	1-1/4"	1-1/4"	1/4"	
F38-6610C-2∞	Surface Mount Side Light Set, w/Plug	1-1/4"	1-1/4"	1/4"	
F38-6100C-1∞	Surface Mount Stern Light Single, w/o Plug	1-1/4"	1-1/4"	1/4"	
F38-6100C-2∞	Surface Mount Stern Light Single, w/Plug	1-1/4"	1-1/4"	1/4"	
∞Special Order					

# LED LIGHTS

### Rub Rail Mounted LED Navigation Lights

Stainless Steel Type 316 High Polished Finish

#### Navigation Light Set, Insert

- Easy installation with both Vinyl and Stainless Steel inserts
- Designed to fit Taco Marine's popular Rub Rails that take 3/4" insert
- Ideal for up to 30' boats

#### Surface Mount Side Light Set

- Easy installation with marine adhesive sealants
- Low profile round navigation light set (Red and Green) designed to mount on both sides of cabin or hard top for clear, elevated visibility
- Available with or without plug
- Ideal for up to 40' boats

#### Surface Mount Stern Light Single

- Easy installation with marine adhesive sealants
- Low profile round navigation White light designed to mount on transom area of boat
- Available with or without plug
- Ideal for up to 40' boats





MA105

F38-6800C-1 (w/o Plug)



F38-6800C-2 (w/Plug)



Surface Mount w/o Plug



Surface Mount w/Plug

Dopui	Amperes braw
5/16"	.6 @ 12V
5/16"	.6 @ 12V
1/4"	.6 @ 12V

Amneres Draw

# **MARINE LUMBER**

### King Starboard® Marine-Grade **Polymer Sheet**

- > UV-stabilized marine-grade high-density polyethylene specifically designed to withstand harsh marine environments
- > Available in full and half sheets and cut sizes shrink-wrapped for retail merchandising
- > Excellent resistance to sun and salt water
- > Ideal wood replacement for cabinets, dock and step boxes
- > Easily drilled, cut and routed
- > Textured surface



King Starboard Polymer Sheet



Part #	Length	Width	Thick	Color
Full Sheets				
P10-5096BLK54	96"	54"	1/2"	Black
P10-5096SFM54	96"	54"	1/2"	Seafoam
P10-5096WHA54	96"	54"	1/2"	White
P10-7596BLK54	96"	54"	3/4"	Black
P10-7596SFM54	96"	54"	3/4"	Seafoam
P10-7596WHA54	96"	54"	3/4"	White
Half Sheets				
P10-5048BLK54	48"	54"	1/2"	Black
P10-5048SFM54	48"	54"	1/2"	Seafoam
P10-5048WHA54	48"	54"	1/2"	White
P10-7548WHA54	48"	54"	3/4"	White
Cut Sizes*				
P10-2506WHA12-1	12"	6"	1/4"	White
P10-2512WHA12-1	12"	12"	1/4"	White
P10-2512WHA27-1	12"	27"	1/4"	White
P10-2524BLK54-1	24"	54"	1/4"	Black
P10-2524WHA27-1	24"	27"	1/4"	White
P10-2524WHA54-1	24"	54"	1/4"	White
P10-5012BLK27-1	12"	27"	1/2"	Black
P10-5012SFM27-1	12"	27"	1/2"	Seafoam
P10-5012WHA27-1	12"	27"	1/2"	White
P10-5024BLK27-1	24"	27"	1/2"	Black
P10-5024BLK54-1	24"	54"	1/2"	Black
P10-5024SFM27-1	24"	27"	1/2"	Seafoam
P10-5024SFM54-1	24"	54"	1/2"	Seafoam
P10-5024WHA27-1	24"	27"	1/2"	White
P10-5024WHA54-1	24"	54"	1/2"	White
P10-7512BLK27-1	12"	27"	3/4"	Black
P10-7512WHA27-1	12"	27"	3/4"	White
P10-7524WHA27-1	24"	27"	3/4"	White
P10-7524WHA54-1	24"	54"	3/4"	White
*Shrink wrapped for retail merchandising				




MA106

# **MARINE LUMBER**



K



Anti-Skid



ColorCore





NEW!

Part #	Length	Width	Thick	Color
Anti-Skid Sheet				
P14-5012WHA27-1	27"	12"	1/2"	White
P14-7512WHA27-1	27"	12"	3/4"	White
ColorCore Sheet				
P16-2512WBKW27-1*	27"	12"	1/4"	Off White-Black-Off White
P16-2512WBLW27-1	27"	12"	1/4"	White-Blue-White
P16-2512WRDW27-1	27"	12"	1/4"	White-Red-White
•Off-White				

### King Starboard® Anti-Skid Marine-Grade Polymer Sheet

- UV-stabilized high-density polyethylene
- Special high friction surface in a diamond pattern finish prevents slipping and promotes drainage when wet
- Resistant to harshest marine environment
- Passes ASTM D2047 Slip Resistant testing
- Resists most stains and does not change color
- > Does not rot or delaminate
- > Does not need refinishing
- > Chemical resistant
- Cleans easily with marinegrade soaps or cleaners using fresh water

### King ColorCore® Engravable Marine-Grade Polymer Sheet

- UV-stabilized high-density polyethylene
- Easy to engrave or machine with router
- Cap thickness on both sides is .050"
- Does not warp, rot or delaminate
- Recommended for signage, plaques, ID plates




# **CONVERSION CHART**

Fraction	Decimal	Millimeter	Fraction	Decimal	Millimeter
1/64	0.0156	0.3969	33/64	0.5156	13.0969
1/32	0.0313	0.7938	17/32	0.5313	13.4938
3/64	0.0469	1.1906	35/64	0.5469	13.8906
1/16	0.0625	1.5875	9/16	0.5625	14.2875
5/64	0.0781	1.9844	37/64	0.5781	14.6844
3/32	0.0938	2.3813	19/32	0.5938	15.0813
7/64	0.1094	2.7781	39/64	0.6094	15.4781
1/8	0.1250	3.1750	5/8	0.6250	15.8750
9/64	0.1406	3.5719	41/64	0.6406	16.2719
5/32	0.1563	3.968	21/32	0.6563	16.6688
11/64	0.1719	4.3656	43/64	0.6719	17.0656
3/16	0.1875	4.7625	11/16	0.6875	17.4625
13/64	0.2031	5.1594	45/64	0.7031	17.8594
7/32	0.2188	5.5563	23/32	0.7188	18.2563
15/64	0.2344	5.9531	47/64	0.7344	18.6531
1/4	0.2500	6.3500	3/4	0.7500	19.0500
17/64	0.2656	6.7469	49/64	0.7656	19.4469
9/32	0.2813	7.1438	25/32	0.7813	19.8438
19/64	0.2969	7.5406	51/64	0.7969	20.2406
5/16	0.3125	7.9375	13/16	0.8125	20.6375
21/64	0.3281	8.3344	53/64	0.8281	21.0344
11/32	0.3438	8.7313	27/32	0.8438	21.4313
23/64	0.3594	9.1281	55/64	0.8594	21.8281
3/8	0.3750	9.5250	7/8	0.8750	22.2250
25/64	0.3906	9.9219	57/64	0.8906	22.6219
13/32	0.4063	10.3188	29/32	0.9063	23.0188
27/64	0.4219	10.7156	59/64	0.9219	23.4156
7/16	0.4375	11.1125	15/16	0.9375	23.8125
29/64	0.4531	11.5094	61/64	0.9531	24.2094
15/32	0.4688	11.9063	31/32	0.9688	24.6063
31/64	0.4844	12.3031	64/64	0.9844	25.0031
1/2	0.5000	12.7000	1	1.0000	25.4000

### IPS ("Iron Pipe Size") Conversion Chart Schedule 40 & 80 Pipe

IPS	OD		Circumference		
3/4"	1-1/16"	1.050"	3-5/16"	3.299"	
1"	1-5/16"	1.315"	4-1/8"	4.131"	
1-1/4"	1-11/16"	1.660"	5-7/32"	5.215"	
1-1/2"	1-15/16"	1.900"	5-31/32"	5.969"	
2"	2-3/8"	2.375"	7-5/32"	7.461"	





# FINISHES / SWATCHES

### **Finish Specifications**

Finishes specified in this catalog reflect Taco Marine's stock finishes. Other finishes are available provided minimum quantity requirements are met and sufficient lead-time is given.

#### **ANODIZED ALUMINUM FINISH**

Anodizing is an electrolytic process that redeposits a protective coating on an Aluminum surface. This coating becomes an integral part of the Aluminum and will not peel or flake.

The following is a complete list of anodized finishes available either from stock and/or special order. Please refer to our finish codes when specifying a particular finish.

#### **Brite Dip Finish**

**BLY**: Silver Brite Dip and Anodized Anodized finish for chrome like appearance. Withstands corrosive environments. Extrusion flow lines may appear through the anodized finish.

### **Premium Brite Dip Finish**

**BLS:** Brite Dip, Mechanically Linear Sanded and Anodized Fine wire brush and anodized finish. The mechanical brushing masks unsightly scratches that occur from contact and handling during fabrication or everyday use.

**BSA:** Silver Brite Dip, 320 Grit Mechanically spiral sanded and anodized, for round tube and pipe. Mechanically sanded and anodized finish for products with corrosive, high traffic exposure. The mechanical brushing masks unsightly scratches that occur from contact and handling during fabrication or everyday use. **BSS:** Silver Brite Dip, 320 Grit Mechanically spiral sanded and anodized, for round pads. Mechanically sanded and anodized finish for products with corrosive, high traffic exposure. The mechanical brushing masks unsightly scratches that occur from contact and handling during fabrication or everyday use.

**BSY**: Silver Brite Dip, 180 or 320 Grit Mechanically lineal sanded and anodized, for extrusions. Mechanically sanded and anodized finish for products with corrosive, high traffic exposure. The mechanical brushing masks unsightly scratches that occur from contact and handling during fabrication or everyday use.

**BXY:** Polished, Brite Dip Anodized Simulated Stainless Steel finish for corrosive and highly aesthetically critical environments requiring the most blemish-free Aluminum extrusion available. Most extrusion flow lines are removed during the polishing process.

**BXZ:** Brite Dipped 800 Grit Mechanically Sanded and Anodized Finish for products with corrosive high traffic exposure. The mechanically brushed finish mask scratches that occur from everyday use and the anodic coating protects against the marine environment harsh elements. This finish matches up well next to either BSA or BXY finished products.

#### **Standard Anodized Finish**

**TAL:** Polished, Clear Anodized Mechanically buffed, semi-brite. A traditional anodized finish with a subtle polish. Most extrusion flow lines are removed during the polishing process.

VEL: Etch, Clear Anodized (satin) A cost effective, matte finish. Provides the greatest corrosion protection for minimal aesthetically important exposure.


#### **No Finish**

**AES:** Mill finish – as extruded No secondary finishing. Primarily used for industrial applications or for third party finishing or powder coating.

**AEY**: Mill finish – as extruded No secondary finishing. Primarily used for industrial applications or for third party finishing.

## RUB RAIL / TRIM & MOULDING COLOR GUIDE\*

Colors specified in this catalog reflect Taco Marine's standard Rub Rail and Trim & Moulding colors. Custom colors are available provided minimum quantity requirements are met and sufficient lead-time is given.



\*DUE TO VARIATIONS IN THE PRINTING PROCESS, COLOR MAY VARY SLIGHTLY FROM THE ORIGINAL PRODUCT. COLOR SAMPLES AVAILABLE UPON REQUEST.



Taco Marine products are all carefully tested and inspected to ensure optimal levels of performance.

Taco Marine warrants to the original purchaser of its products that should any product be proven defective in material or workmanship within one, three or five year of original purchase, they will be repaired or replaced without charge, subject to the performance guarantees stated in this warranty.

The Taco Marine limited warranty applies to all products unless otherwise noted.

#### Five Year Limited Warranty:

Rub Rail Products Trim and Moulding Products General Hardware including Pipe and Tubing Hinges and Latches

Taco Marine warrants to the original purchaser of its Rub Rail products that should any product be proven defective in material or workmanship within five years of original purchase, they will be repaired or replaced without charge, subject to the performance guarantees stated in this warranty. These products are intended for pleasure crafts, used for recreation. Exposure to harsh marine environments requires all products to be rinsed with fresh water after use and be regularly maintained.

#### Taco Marine guarantees the performance of these products as follows:

Aluminum Extrusions and Hardware are guaranteed against fading of anodized finish, corrosion, except for non-anodized surfaces resulting from cutting, machining, tight radius bending, scratching, metal to metal contact or other exposure of the base Aluminum. This guarantee does not extend to corrosion resulting from galvanic reaction (improper electrical grounding). Slight fading or dullness of finish over time is a normal occurrence of weathering and does not constitute a defect.

Vinyl Extrusions and Nylon Hardware are guaranteed against significant fading, cracking or swelling and significant reduction of plasticity, modulus, tensile strength and dimensional integrity. Slight color variation is a normal occurrence of weathering and does not constitute a defect.

Stainless Steel Lineals and Cast or Stamped Hardware are guaranteed against loss of luster, corrosion and rust, except that resulting from cutting, machining, scratching or metal to metal contact. This guarantee does not extend to corrosion or rust from galvanic reaction (improper electrical grounding). Slight luster variation over time is a normal occurrence of weathering and does not constitute a defect.

Taco Marine's liability and purchaser's exclusive remedy for damages shall not be greater than the purchase price of the actual supplied product claimed to be defective and Taco Marine shall not be liable for any indirect, incidental or consequential damages, including, but not limited to, present or prospective profits, reliance expenditures or commitments, reputation, goodwill or claims of third parties.

During this warranty period, your Taco Marine product will either be repaired or replaced without charge to the original purchaser, when returned prepaid and insured with proof of purchase date. This warranty covers repair or replacement costs and freight back to the original purchaser-consumer.

This warranty does not apply to any product that has been damaged through alteration, mishandling, misuse, neglect or accident, unless otherwise stipulated. This warranty is in lieu of all other warranties, expressed or implied and no persons or representative is authorized to assume for the company any other liability in connection with the sale of this product. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitations of incidental or consequential damage, so the above limitations or exclusions may not apply to you.

This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

#### Three Year Limited Warranty:

#### Sport Fishing Products

Taco Marine warrants to the original purchaser of Taco Marine Sport Fishing products to be free from factory defects in materials and workmanship for a period of three years from the date of purchase. Should they be proven defective in material or workmanship within three years of original purchase, they will be repaired or replaced without charge, subject to the performance guarantees stated in this warranty.

These products are intended for pleasure crafts, used for recreation. Exposure to harsh marine environments requires all products to be rinsed with fresh water after use and be regularly maintained.

#### This warranty excludes the following:

Damage by collision, faulty or incorrect release clips, damage of components due to corrosive cleaners or lubricants, damage as a result of a combination of rough seas and high speeds, and failure to wash off salt water. This warranty is void if product has been damaged by neglect, unreasonable use, improper service or failure to follow maintenance guidelines.

Taco Marine's liability and purchaser's exclusive remedy for damages shall not be greater than the purchase price of the actual product claimed to be defective and Taco Marine shall not be liable for any indirect, incidental or consequential damages, including, but not limited to, present or prospective profits, reliance expenditures or commitments, reputation, goodwill or claims of third parties.

During this warranty period, your Taco Marine product will either be repaired or replaced without charge to the original purchaser, when returned prepaid and insured with proof of purchase date. This warranty covers repair or replacement costs and freight back to the original purchaser-consumer.

#### Three Year Limited Warranty:

Seating and Table Pedestal Products

Taco Marine warrants to the original purchaser of Taco Marine's Seating and Table Pedestal products to be free from factory defects in materials and workmanship for a period of three years from the date of purchase. Should they be proven defective in material or workmanship within three years of original purchase, they will be repaired or replaced without charge, subject to the performance guarantees stated in this warranty.

Metal components are guaranteed against loss of luster, corrosion and rust, except that resulting from cutting, machining, scratching or metal to metal contact. This guarantee does not extend to corrosion or rust from galvanic reaction (improper electrical grounding). Slight diminishing of luster may occur over time as a normal occurrence of weathering and does not constitute a defect.

Fabrics are guaranteed against significant fading and shape distortion. Minor discoloration or stretch may occur over time as a normal occurrence of weathering and use and does not constitute a defect.

These products are intended for pleasure crafts, used for recreation. Exposure to harsh marine environments requires all products to be rinsed with fresh water after use and be regularly maintained.

#### This warranty excludes the following:

Damage by misuse, overloading, faulty or incorrect installation, damage of components or fabrics due to corrosive cleaners or lubricants, and failure to wash off salt water and otherwise provide proper care and maintenance. This warranty is void if product has been damaged by neglect, unreasonable use, improper service or failure to follow general maintenance guidelines.

Taco Marine's liability and purchaser's exclusive remedy for damages shall not be greater than the purchase price of the actual product claimed to be defective and Taco shall not be liable for any indirect, incidental or consequential damages, including, but not limited to, present or prospective profits, reliance expenditures or commitments, reputation, goodwill or claims of third parties.

During this warranty period, your Taco Marine product will either be repaired or replaced without charge to the original purchaser, when returned prepaid and insured with proof of purchase date. This warranty covers repair or replacement costs and freight back to the original purchaser-consumer.



# **ALPHABETICAL INDEX**

### A

#### Accessories - Seats & Pedestals SP16 Carpet Ring SP17 Flush Mount Base Plug SP17 Helm Chair Slide SP16 Leaning Post Cooler Strap SP17

Neptune Tackle Storage Bag SP17 Universal Leaning Post Backrest SP16

#### Accessories - Sport Fishing SF38

Base Reducer SF37 Drink Holder SF38 Filet Table Adjustable Gunnel Mount SF39 Fishing Knife & Plier Holder SF39 Mounting Plate SF37 Outrigger Line Caddy SF37 Rigging Strip SF39 Rod Holder Liner SF37 Trident Tool Caddy SF39 Tumbler Holder SF38

### С

#### Canvas Top Fittings MF41

Ball & Socket Top Cap MF41 Boat Cover Pole MF47 Canvas & Upholstery Welt & Track MF46 Curtain Track & Components MF45 Deck Hinge MF42 Eye Strap MF45 Pin & Lanyard MF45 Top Hardware "Standard" MF43 Base MF44 Eye End MF43 Jaw Slide MF43 Nvlon MF44

### D

### Dockside Accessories MA97

Big Game Poly Rod Storage Cart MA99 Come On Board Handle MA97 Dockside Filet Table MA99 Multi-Purpose 15° Portable Cleat MA98 Quick Release Fender Lock MA98 Shore Power Cable Holder MA98 Trailer Glyde Slicks MA99

### Н

Helm Chairs SP6

Capri Helm Chair SP6 Captiva Helm Chair SP8 Coastal Helm Chair SP9

#### Hinges HL89

Butt Hinge HL90 Command Ratchet Hinge HL92 Continuous Hinge HL89 Hasp Hinge HL93 Hatch Hinge HL90 Hidden Fastener HL93 Intelli-Hinge HL93 Strap Hinge HL90 Hull Accessories TM87

## L

### Latches HL94 Grab Handle HL95 Latch-tite Lifting Handle HL95 Lifting Ring HL95 Sundeck Latch HL94 Walk-Thru Windshield Latch HL94

#### Leaning Posts SP3

Leaning Post Footrest Hinge MF57 Leaning Post Pins & Pads MF57 Neptune III Leaning Post SP4 Neptune II Leaning Post SP3 Neptune Premium Leaning Post SP5

#### LED Lights MA100

LED Deck Light Flat Mount MA100 LED Deck Light Pipe Mount MA101 LED Spreader Light MA103 LED T-Top Light Pipe Mount MA102 LED T-Top Tube Light MA103 Rub Rail Mounted LED Navigation Lights MA104

### Μ

#### Marine Lumber MA106

ColorCore Engravable Marine-Grade Polymer Sheet MA107 Starboard Anti-Skid Marine- Grade Polymer Sheet MA107 Starboard Marine-Grade Polymer Sheet MA106

#### Moulding TM82

Angle Moulding TM82 Channel TM86 Drip Moulding TM84 Edge Moulding TM82 TM86 Flexible Vinyl TM83 Flex Trim TM83 Half Oval TM84 Hatch Trim TM86 Hull Stiffener TM87 Slide Track TM85 Sliding Door Track TM85 T-Hatch Trim TM85 U-Channel TM83 Wire Chase TM87

### 0

#### Outrigger Kits SF26

Center Rigger Kit SF26 Grand Slam 170 Kit SF26 Grand Slam 280 Kit SF26

#### Outrigger Mounts SF19

Center Rigger Mount SF22 Grand Slam 170 Top Mount SF21 Grand Slam 280 Mount SF20 Grand Slam 380 Mount SF19 Striker Base Gunnel Mount SF22

### P

Pipe - Aluminum MF51 Oval Pipe MF51 Round Pipe MF51



#### R

#### **Rail Fittings MF48**

Hand Rail Fitting MF48 Rail Fitting Base MF48

#### **Rigging Components SF27**

Carry Bag SF27 Eye Strap SF27 Glass Eye SF27 Glass Ring SF27 Line Caddy SF27 Line - Dacron SF27 Line Stop SF27 Release Clip SF27 Shock Cord SF27

#### Rigging Kits SF28

Braid Triple Rigging Kit SF29 Center Rigging Kit SF28 Double Rigging Kit SF28 Mono Double Rigging Kit SF29 Mono Triple Rigging Kit SF29 Single Rigging Kit SF28 Premium Single Rigging Kit SF28 Standard Single Rigging Kit SF28

#### **Rod Holders - Marine Fabrication MF58**

Deck Mount Rod Holder MF59 Traditional Rod Holder MF59 Weld-On Rod Holder, Flared MF58

#### Rod Holders - Sport Fishing SF30

Clamp-On Adjustable Rod Holder SF30 Kite Fishing Rod Cluster SF32 Olympic 5-Rod Cluster SF32 Surface Mount Rod Holder SF30 Trident 3-Rod Cluster SF31

#### Rod Storage SF34

"Bungee" Rod Holder SF33 Pontoon Boat Tackle Rack SF33 Reel Hanger SF36 Rod Hanger SF36 Rod Hanger Rack SF36 Rod Rack - Aluminum SF35 Rod Rack - Aluminum w/Poly SF34 Rod Rack - Poly SF34 Rod Rack - Transom Mount SF35 Rod & Reel Tote'm Rack SF33

#### Rub Rail RR61

Accessories RR79 End Cap RR79 Rail End RR79 Rigid Vinyl Insert RR79 Rub Strake RR79 Stiffener RR79 Aluminum Rub Rail RR72 Flexible Vinyl Dock Bumper RR69 Flexible Vinyl Moulding U-Shape RR69 Flexible Vinvl Rub Rail RR68 Flexible Vinyl Sandwich-Style RR69 Insert RR75 Stainless Steel RR75 Hollow Back RR75 Solid Back RR75 Vinyl RR76 Pre-Formed Rub Rail RR74 Rigid Vinyl Canoe Rail RR63 Rigid Vinyl Flex Core RR63 Rigid Vinyl Rub Rail RR61 Rigid Vinyl Spray Rail RR63 Rub Rail Kits RR70 Flexible Vinyl Rub Rail Kit RR71 Semi-Rigid Vinyl Rub Rail Kit RR70 Semi-Rigid Vinyl Rub Rail RR67

#### S

#### Seals TM81

Hatch Tape TM81 Weather Seal TM81

Seat Pedestal SP10 Seat Pedestal with Slide SP10

#### Shapes - Aluminum MF52

Straight Edge Angle MF52 Structural Full Radius Edge Flat Bar MF52 Structural Radius Angle MF52 Structural Square Edge Flat Bar MF52

#### Side Mount Table Pedestal SP15

Removable Side Mount Table Pedestal -Stainless Steel SP15

### T

#### Table Pedestals SP11

Fixed Height 3" -Stainless Steel SP14 Fixed Height Deluxe 3" -Aluminum SP13 Fixed Height Standard 2-3/8" -Aluminum SP13 Triton 2-Stage SP12 Triton 3-Stage SP11

#### **Tele-Outrigger Poles SF24**

Center Rigger Pole - Aluminum SF24 Center Rigger Pole - Carbon Fiber SF25 Tele-Outrigger Pole - Aluminum SF24 Tele-Outrigger Pole - Carbon Fiber SF25

#### Top & Tower Hardware MF53

Pad MF54 Pad Assembly MF56 Pin MF53 Radiused Specialty Pad MF55 Specialty Hardware for Wake Tower MF56

#### Tube MF49

Aluminum MF50 Round Tube MF50 Square Tube MF50 Stainless Steel MF49 Elliptical Tube MF49 Round Tube MF49

#### U

Universal Mount SF23 Grand Slam 890 Universal Mount SF23

#### W

Weld-On Plates MF57 Extrusion Plate MF57



# **PART NUMBER INDEX**

A11-015173,84	A51-010484	F13-030242	F30-215056	F36-304055
A11-015273,84	A51-0104	F13-108542	F30-230053	F36-434054
A11-0132	A51-010084	F13-109542	F30-240054	F36-444054
A11-0342	A52-003446	F14-003948	F30-250053	F36-700156
A11-0342	A52-003446,85	F14-004048	F30-255553	F38-2050
	A52-005146,85	F14-004148	F31-0700	F38-2060 103
A11-051173		F14-004248		F38-4600 103
A11-051473	A52-008485		F31-0751	
A11-0638	A52-030985	F14-004348	F31-077032	F38-6100105
A12-0303 67,77,79	A62-000973	F14-007648	F31-078031	F38-6600104
A12-0305 72,77,79	BP-150	F14-007948	F31-0781	F38-6610105
A20-146450	COK-000127	F14-008148	F31-079032	F38-6700104
A23-145850	COK-000427	F14-009348	F31-160059	F38-6800 105
A23-345850	COK-000827	F16-000515	F31-161059	F38-8500 100
A23-785850	COK-001727	F16-000615	F31-220037,58	F38-8505 100
A23-789550	СОК-001827	F16-002195	F31-220137	F38-8600 101
A40-081268,79	COK-002027	F16-003979	F31-223058	F38-8800 100,101
A40-082252	СОК-002227	F16-008015	F31-224058	F38-8805 100
A40-104352	СОК-002427	F16-009446	F31-230037,58	F38-9600 102
A40-113952	COK-004327	F16-015022	F31-230137	F40-001815
A40-116552	F11-010043	F16-015198	F31-232058	F40-002456
A40-118752	F11-010743	F16-021222	F31-300335	F40-003027,37
A40-120252	F11-016043	F16-031122,26	F31-300435	F40-011245
A40-121752	F11-017141	F16-109095	F31-310334	F40-011945
A40-204052	F11-017243	F16-120027,45	F31-310434	F40-027844
A42-005551	F11-017443	F16-250095	F31-350335	F40-030044
A42-013651	F11-017741	F16-252595	F31-350435	F40-030244
A42-019551	F11-018041	F16-260030	F32-060055	F40-050444
A42-036050	F11-018241	F16-262330	F32-065055	F40-070445
A42-036352	F11-100043	F16-263030	F32-204054	F40-071844
A42-036452	F11-100141	F16-270036	F32-304054	F40-087844
A42-036552	F12-010143	F16-2751	F32-304355	F41-2700
A42-038251	F12-016143	F16-2752	F32-335555	F42-250095
A45-035251	F12-018141	F16-2753	F32-402554	F45-033694
A45-035351	F12-019041	F16-2810	F32-412554	F45-033994
A45-035451	F12-019141	F16-290094	F32-416055	F90-000179
A45-035551	F12-030041	F16-300095	F32-433054	F90-000279
A45-035651	F12-100143	F16-3500	F32-433554	F90-075079
A45-835351	F13-010245	F17-010643	F32-434054	F90-187079
A45-835451	F13-010745	F17-016643	F32-434554	GS-170 21,24,26,28
A45-8355	F13-011545	F19-0006	F32-435054	GS-170-221
A45-835651	F13-020044	F30-002157	F32-443554	GS-280 20,24,26,28
A50-019573,84	F13-021044	F30-0861	F32-444054	GS-280120
A50-019773,84	F13-022044	F30-175156	F32-444554	GS-284126
A50-0199	F13-023044	F30-182153	F32-445054	GS-284226
A50-0235	F13-023544	F30-182353	F34-000257	GS-38019
A50-023386	F13-024044	F30-1825	F34-002257	GS-380XL19
A50-027586	F13-024044	F30-183353,50	F34-0022	GS-890
A50-027586 A50-030485	F13-024242	F30-183353,56	F34-010046	GSC-0025
A50-030485	F13-024242	F30-184153,56	F35-FRB57	GSE-193957
	F13-024442	,	F35-SDW12557	H11-1126
A50-032686	F13-024644 F13-025044	F30-185153		
A50-037585		F30-185256	F35-W40456	H11-114489 H11-200689
A51-010284	F13-030142	F30-185353,56	F36-183656	птт-200089



H14-0112	M20-022716	P10-7548 106	V12-034277	V25-975387
H14-0114	M20-022816	P10-7596 106	V12-081076	V30-010981
H14-011689	0C-042124	P14-5012 107	V12-106978	V30-011381
H14-0200	0C-042224	P14-7512 107	V12-414477	V30-013581
H14-0300	0C-043224	P16-2512 107	V12-415577	V30-020281
H20-011290	0T-044124	RK-000128	V12-978777	V30-074481
H20-020090	OT-044224	RK-000228,29	V12-9809	V30-074881
H20-0230	0T-054124	RK-000329	V12-981477	V30-100583
H20-030090	OT-054224	R10-051410399	V15-003446	V30-100883
H21-013290	0T-055124	S11-1700	V15-5587	V30-131283
H21-0133	0T-055224	S11-180079	V15-9779	V30-131683
H21-0232	0T-212025	S11-2000	V15-985569	V30-133381
H21-0234	0T-216025	S11-2001	V21-018866	V30-135083
H21-0434	0T-316025	S11-45075	V21-020566	V30-137583
H21-060090	0T-420025	S11-45175	V21-045666	WP-150
H21-0632	Preform RR74	S11-465	V21-045766	Z10-401617
H22-155091	P01-1000	S11-467	V21-0458	Z10-402617
H23-009291	P01-1001	S11-469	V21-0460	Z10-406713
H23-015791	P01-1200	S11-450075	V21-087463	Z10-407012,13,14
H23-149091	P01-2000	S11-4511	V21-102562	Z10-408012.13
H23-1499	P01-2001	S11-4650	V21-103964	Z10-408513
H23-4000	P01-2003	S11-467075	V21-367066	Z10-408613
H25-0016	P01-2010	S11-4680	V21-3671	Z10-409714
H30-1010	P01-2020	S11-469075	V21-914063	Z10-999817
H30-1015	P01-2120	S14-1049	V21-9140	Z20-316012
H30-1044	P01-2132	S14-1065	V21-950264	Z60-723913
H30-1045	P01-3000	\$14-1265	V21-9517	Z60-725413
H30-1050	P01-4821	S14-1465	V21-960265	Z60-727313
H30-105091	P03-062	S14-7849	V21-964764	Z60-727913
H90-040093	P03-063	S14-786549	V21-964862	Z60-728313
HA1-25	P03-064	\$17-1305	V21-965962	Z60-728813
HA1-286	P03-073	\$17-207849	V21-966261	Z60-806618
HA1-366	P03-074	T10-757949	V21-966764	Z60-826613
HA1-30 6	P03-132	V11-0809	V21-967865	Z76-108010
HA2-236	P03-13233	V11-0809	V21-967962	Z76-112010
HA3-238	P03-13433	V11-0899	V21-9790	Z76-112010
HA11-238	P03-144	V11-0948	V21-979002,04 V21-981167	Z76-739213
HA11-25	P04-09130	V11-0901	V21-9811	Z76-800014
HA11-257 HA11-287	P04-01130	V11-2423	V21-990465	Z76-906613
HA11-28	P04-0111	V11-3426	V21-990463	Z76-907113
НА21-259	P05-0699	V11-3420	V21-990961	Z80-219012
НВ10-209 НВ11-199	P05-0899	V11-3447	V21-9909	Z80-219012 Z80-260012
HB11-199 HB21-199	P06-06	V11-4014	V21-995963	Z80-260312
L10-10015	P10-2506 106	V11-4155	V21-9959	Z80-200312 Z80-400111
L10-1001	P10-2512 106	V11-9669	V25-024082	280-400111
L10-100218 L10-1003	P10-2512	V11-979570 V11-981170	V25-024082 V25-047482	
L10-1003	P10-2524106 P10-5012	V11-981170 V12-0003	V25-047482	
L10-100417 L10-20054	P10-5012	V12-000376 V12-000576	V25-078682 V25-9124	
L10-20054 L10-20104	P10-5024 106 P10-5048	v12-000576 v12-030377	V25-912482 V25-920746	
M17-146522	P10-5048 106 P10-5096 106	V12-030377 V12-030778	V25-920746 V25-951982	
M17-146522 M17-156522	P10-5098 108 P10-7512 106	V12-030778 V12-0317	V25-951982	
M17-156522 M20-022616	P10-7524 106	V12-0317	V25-954387 V25-972046	
1120-022010	1 10-1 024 100	v 12-0000	720-9720 <b>7</b> 0	





Taco Marine is a leading global manufacturer of

**Marine and Sport Fishing equipment** 

Our product lines consist of the following:

Seats & Pedestals

**Outrigger Systems** 

Rod Holders, Rod Racks & Rod Storage Solutions

**Canvas & Metal Fabrication** 

**Tube, Pipe & Fittings** 

**Rub Rail, Trim & Marine Extrusions** 

**Hinges & Latches** 

**LED** Lighting

Marine Polymer & Poly Accessories

Discover other marine electronics and navigation on our website.