



TECNOSEAL
save your dreams

ANODES
ANODI

PLEASURE CRAFT CATALOGUE

2018



TABLE OF CONTENTS

INDEX BY APPLICATION	3
GENERAL INDEX	4
INDEX BY CODE	6
OUR MISSION	10
TECNOSEAL GROUP	12
OUR STRENGTHS	14
PRODUCTS CATALOGUE	18
CATHODIC PROTECTION	416
SACRIFICIAL ANODES	418

INDEX BY APPLICATION

1	RUDDERS AND TRIM TABS ANODES	pag. 18 - 41
2	HULL AND TRANSOM ANODES	pag. 42 - 99
3	SHAFT AND PROP ANODES	pag. 100 - 195
4	ENGINE ANODES	pag. 196 - 397
5	MISCELLANEOUS ANODES	pag. 398 - 415

GENERAL INDEX

1 RUDDER AND TRIM TAB ANODES

1.1 Disc anodes	
Standard type disc anodes	20
Heavy type	21
Spanish type in pair	22
USA type in pair	23
UK type with insert	24
1.2 Small Plates	27

2 HULL AND TRANSOM ANODES

2.1 Large Discs	43
2.2 Plates	
Hole centres 60-80 mm	50
Hole centres 100-110 mm	52
Hole centres 140-160 mm	55
Hole centres 180 mm	57
Hole centres 200 mm	58
Rectangular plates no insert	59
Oval plates no insert	60
Other shapes	63
2.3 Bars	
Vetus type	68
UK type bars	69
Airfoils bars	72
Large bars	73
Fast boat bars	74
Bars with 3 holes	77
2.4 Rods - Plain discs and plates	
Suspended Anodes	80
Plain Plates	81 / 86
Plain discs	82
Plain Rods	84
2.5 Weld on and bolt on anodes with strap	
Weld-on Oval type	90
Weld-on Spanish type	92
Weld-on Teardrop type	92
Weld-on Ingot type	93
Weld-on AL Strap type	93
Weld-on anodes with 2 straps	94
Bolt-on Oval Type	95
Bolt-on Teardrop type	96
Bolt-on Scandinavian type)	97

3 SHAFT AND PROP ANODES

3.1 Bracelet and Collar anodes	
Standard type	102
Cylindric shaft anodes	106
Light type	107
UK type	108
USA type	110
Naca profile collar anodes	114
Slim type collar anodes	116
Collar anodes medium size	118
Collar anodes large size	119
Hinged type shaft anodes	120
Shaft grounding systems	121
3.2 Fixed pitch propellers	
Beneteau	126
Bosvik	126
Dufur	127
Nordhavn	127
Orvea	127
Radice	128
Reggiani	136
Renault Marine	137
Riva	138
Solè Diesel	142
Teignbridge	142
Volvo Penta	143
USA type prop nut	144
3.3 Feathering and Folding propellers	
Autoprop	148
Autostream	148
Flex-o-fold	149
Gori	150
J-Prop	152
Max Prop	152
Varifold	156
Variprop – Variprofile	157
3.4 Super and Mega Yachts	
Akir	162
Azbe	163
Azimut - Benetti	163
Canados	165
Codecasa	166
Cortese	166
Dalla Pietà	167
Detra	167
Ferretti	167
Franchini Yacht	171
Leopard	172
Magellano	172
Riva	173
San Lorenzo	175
Servogear	176
Turian	177
VLT	178

INDICE

3.5 Thruster Anodes

American Bow Thruster	182
Craftsman Marine	182
Lewmar	183
Max Power	183
Quick	184
Sidepower - Sleipner	186
Twin Disc - BCS	189
Vetus	190
Volvo Penta	193
Wesmar	194

4 ENGINE ANODES

4.1 Inboards, outboards and sterndrives

BMW	198
BRP (Omc - Johnson -Evinrude)	200
Bukh	216
Honda	218
Lombardini	225
Mercury – Mercruiser	228
OXE – Diesel	250
Panier	252
Parsun	253
Renault Marine Couach	257
Selva	259
Suzuki	265
Technodrive - Twin Disc	272
Tohatsu	273
Torqueedo	277
Volvo Penta	278
Yamaha	302
Yanmar	335
ZF	344

4.2 Hydrojets and Surface Propellers

Alamarin Jet	348
Arneson - Twin Disc	350
Austal Catamarans	352
Castoldi	353
Hamilton	355
Hydromarine	359
Kamewa - Roll Royce	360
MJP - Ultrajet	367
Seadoo (BRP)	369
Weber motor - Textron - William Tender	370

4.3 Pencil for Heat Exchangers

Aifo -Fpt - Iveco	374
Baudouin	375
Beta Marine	375
BMW	375
Bukh	376
Castoldi	376

Caterpillar	377
Cummins	379
Cursor	380
Ford	380
General Motors	381
Hyundai Seasall	382
Kohler	382
Isotta Fraschini	382
John Deere	383
Lombardini	383
Man Diesel	383
Martec	384
Mitsubishi	384
Nanni Diesel	384
Onan	385
Reintjes	385
Renault Marine Couach	385
Ruggerini	386
Scania	386
Seadoo (BRP)	386
Sen-Dure	386
Steyr Motors	387
Universal type	387
VM	387
Volvo Penta	388
Weber motor - Textron	389
Westerbeke	390
Yamaha	390
Yanmar	390
ZF	392
UK type pencils / Barrottini tipo UK	393
USA type pencils / Barrottini tipo USA	394
Galvion Elements	396

5 MISCELLANEOUS ANODES

5.1 Refrigeration, Air conditioning, Fluids cooling

Condaria	400
Fernstrum Keel Cooler	400
Frigoboat	401
Rods with plug	401
Isotherm	402
Walter Keel Coolers	403

5.2 Various application

Buoy anodes	408
Crab trap anodes	408
De-Icer	408
Grundfoss	409
Kirby Morgan	410
Grindex	411
Zinc spray	411
Ground Plates / Piastre di massa porosa	412
Portable Test Indicator	413
Tecnofouling System	414

Cap. Silvestro Scotto



OUR MISSION

Dear Friends,

As Tecnoseal turns 30 we would like to celebrate this special occasion with everyone who has been with us during this wonderful journey.

Special thanks goes to the ever growing team that represents my extended family. The time we spend together is always a great motivator for growth, innovation and development towards customers and the market in general.

We take great pride in the special relationship we have established with our Italian and international customers who see us not just as a supplier but also a collaborative ever present, reliable and proactive partner.

This said, our new catalogue is not only an inventory of products but the sum of our history and experiences, the result of an extraordinary contribution by customers, co-workers and associates over the years. By looking closely at it, you can understand fully where we came from and where we are heading.

This is why we have decided to renew it completely on this special anniversary, improving the readability and emphasizing the importance of every single item in a simple and intuitive way.

As always, I kindly invite you to send me feedback and comments. I leave you now to discover it reminding you of the TECNOSEAL motto:

Save your dreams... to which it might be more appropriate to add... **no dream is too big.**

BEHIND THE METAL



DIETRO IL METALLO



OUR TEAM AT YOUR SERVICE



FOUNDRY DEPT

Giacomo, Stefano, Alessandro, Sergiu, Mihai, Marco G., Cristiano, Luciano, Marco D.



FOUNDRY MECHANICAL WORKS DEPT

Victor, Roberto, Massimo, Bernardo, Lorenzo, Francesco.



WAREHOUSE & LOGISTIC DEPT

Riccardo, Davide, Enrica, Sergio, Vasile, Michele.



FOUNDRY MAINTENANCE, TECHNICAL DIRECTION & AUTOMATION DEPT

Franco, Francesco, Raffaele.



FINISHING DEPT

Roberto, Sandro, Carlo, Mirko.



TECNOSEAL MARINE ANODES U.S.A.

Bill, Evelyn, Brandy, Andre.



ITALIA SALES DEPT

Francesco, Laica, Roberto, Cristiano.




ADMINISTRATION & PURCHASING DEPT

Davide, Giada, Andrea.



**PACKAGING
& PRODUCTION PLANNING DEPT**

Katia, Maideline, Riccardo, Carlo, Carmela, Daniela.



INTERNATIONAL SALES DEPT

Alessandra, Francesco, Fabio M., Eva, Fabio S.



Dott. Filippo Soffici - CEO

"I am very proud to manage a team of people so motivated and committed to their jobs. The Italian excellence and attention to our products are the main focus of us all to ensure the best cathodic protection products to our customers."

OUR STRENGTHS



10%
LESS ANODE USAGE

Aluminium anodes corrode less than zinc anodes but offer the same level of protection.



100%
MADE IN ITALY

Our products are made entirely at our Tecnoseal foundry, which is based in Grosseto. Tecnoseal's engineering department designs and manufactures their own moulds to ensure the best quality, accuracy and final product price.



3
SALES OFFICES

Tecnoseal has 3 different sales offices: Tecnoseal Italia S.r.l is the Italian sales department whose knowledgeable consultants cover the whole of Italy. Tecnoseal International is the export sales department also based in the Grosseto headquarters. Tecnoseal Marine Anodes located in Florida looks after the American market.



100%
CADMIUM FREE

We use only selected and high quality raw materials in compliance with the European REACH regulations. All our aluminium and magnesium anodes display the CADMIUM FREE logo to remark the absence of cadmium, recognized as toxic pollutant and banned from various countries.



98%
PRODUCTS ALWAYS AVAILABLE

One of Tecnoseal's strengths is our warehouse where 98% of the catalogue products are always available and ready for shipping. The warehouse has the capacity, facilities, staff and systems to deal with all orders effectively and efficiently.




300
CATHODIC PROTECTION PROJECTS

Tecnoseal offers consulting, planning and design services for optimum positioning of anodes for hull protection (over 300 projects per year). Additionally we can provide on site or remote assistance for boats or submerged structures with corrosion problems.



1°
FOR SAFETY

We implement strict safety standards and procedures to guarantee the personal safety of our staff. The low environmental impact foundry is subjected to daily checks and tests on equipments to ensure the respect of European and Italian environmental regulations.



ITALIANS DO IT BETTER

91
COUNTRIES SERVED 

Tecnoseal serve clienti in Italia e in 91 diversi paesi del mondo con l'aiuto di una rete capillare di agenti, funzionari di vendita aziendali e distributori.

2.0
TECNOSEAL ONLINE 

La Tecnoseal si avvale del web per comunicazioni dirette con i propri clienti, gestioni ordini online e da quest'anno anche di una chat dedicata a rapide risposte alle svariate domande che ci pervengono da tutto il mondo. Nel sito si possono trovare contenuti multimediali e informativi relativi alla produzione catodica e alle problematiche della corrosione in ambiente marino oltre che cataloghi scaricabili e news su tutti gli eventi e fiere legati al mondo della nautica.

99.95%
ERROR FREE 

Viene dedicata particolare cura all'imballo per fare arrivare integro il materiale al cliente. Ogni articolo viene suddiviso all'interno delle scatole per essere meglio identificabile. Tutti i materiali degli imballi sono completamente riciclabili secondo gli standard CE.

9001
ISO CERTIFICATE 

L'intero processo di fusione e stampaggio viene sottoposto ad un rigido controllo di qualità. Certificazioni Iso 9001 e utilizzo di leghe nel pieno rispetto delle specifiche US MIL.

1193
CUSTOM PRODUCTS 

Tecnoseal produce centinaia di articoli custom per cantieri e aziende produttrici di motori e imbarcazioni seguendo lo studio e la realizzazione degli stessi attraverso il proprio ufficio tecnico.

4
CHECKS BEFORE SHIPPING 

Il materiale in partenza viene controllato in 4 modi diversi prima della spedizione ed è sempre monitorato fino alla sua destinazione. La merce viene confezionata con imballaggi idonei alla spedizione in qualsiasi parte del mondo.

24/48
HOURS 

Il magazzino Tecnoseal ha una corsia preferenziale "Fast Delivery" per tutti gli ordini di materiale disponibile che devono essere evasi in 24/48 ore. Un servizio prezioso per tutte le urgenze dei nostri clienti.

6000
PRODUCT TESTS 

Vengono effettuate analisi spettrometriche della lega con oltre 6000 controlli all'anno a campione sugli articoli prodotti utilizzando uno spettrometro di massa certificato.


**TECNOSEAL
INTERNATIONAL**
Grosseto, Italy


**TECNOSEAL
MARINE
ANODES USA**
Fort Lauderdale, Florida



Standard type disc anodes

pag. 20

Heavy type

pag. 21

Spanish type in pair

pag. 22

USA type in pair

pag. 23

UK type with insert

pag. 24

1.1

RUDDERS & TRIM TABS ANODES

Disc Anodes



DISC ANODES

Sold as a single without hardware



prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2
00100	ZN	0,080	0.18	mm	50	11	20	6,5
NEW 00100AL	AL	0,030	0.07					
00100MG	MG	0,020	0.04	inch	1.97"	0.43"	0.79"	0.26"
00101	ZN	0,190	0.42	mm	70	13	22	8,5
NEW 00101AL	AL	0,075	0.16					
00101MG	MG	0,055	0.12	inch	2.76"	0.51"	0.87"	0.33"
00102	ZN	0,420	0.93	mm	90	17	31	8,5
NEW 00102AL	AL	0,165	0.36					
00102MG	MG	0,105	0.23	inch	3.54"	0.67"	1.22"	0.33"
00103	ZN	0,680	1.50	mm	110	18	31	10,5
NEW 00103AL	AL	0,270	0.60					
00103MG	MG	0,170	0.37	inch	4.33"	0.71"	1.22"	0.41"
00104	ZN	0,980	2.16	mm	125	21	31	10,5
NEW 00104AL	AL	0,390	0.86					
00104MG	MG	0,250	0.55	inch	4.92"	0.83"	1.22"	0.41"
00105	ZN	1,450	3.20	mm	140	30	33	12,5
NEW 00105AL	AL	0,570	1.26					
00105MG	MG	0,360	0.79	inch	5.51"	1.18"	1.30"	0.49"

BOLTS AND NUTS

prod: m



COD		kg	lbs	used for	notes
KIT100	G/Steel	0,010	0.02	00100	1 x Bolt (vite) M6x30 - Nut (Dado) M6
KIT101	G/Steel	0,020	0.04	00101	1 x Bolt (vite) M8x30 - Nut (Dado) M8
KIT102	G/Steel	0,030	0.07	00102	1 x Bolt (vite) M8x45 - Nut (Dado) M8
KIT103/104	G/Steel	0,045	0.10	00103/104	1 x Bolt (vite) M10x50 - Nut (Dado) M10
KIT105	G/Steel	0,085	0.19	00105	1 x Bolt (vite) M12x60 - Nut (Dado) M12

DISC ANODES HEAVY

sold as a single without hardware



prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2
00100P	ZN	0,140	0.31	mm	50	16	21	7,5
00100PAL	AL	0,070	0.15	inch	1.97"	0.63"	0.83"	0.30"
00101P	ZN	0,300	0.66	mm	70	17	22	8,5
00101PAL	AL	0,145	0.32	inch	2.76"	0.67"	0.87"	0.33"
00102P	ZN	0,500	1.10	mm	90	20	27	10
00102PAL	AL	0,200	0.44	inch	3.54"	0.79"	1.06"	0.39"
00103P	ZN	0,900	1.98	mm	110	22	31	12
00103PAL	AL	0,420	0.92	inch	4.33"	0.87"	1.22"	0.47"
00104P	ZN	1,270	2.80	mm	125	26	31	11
00104PAL	AL	0,590	1.30	inch	4.92"	1.02"	1.22"	0.43"
00105P	ZN	2,000	4.41	mm	140	33	31	11
00105PAL	AL	0,890	1.96	inch	5.51"	1.30"	1.22"	0.43"

DISC ANODES HEAVY

sold as a single without hardware



prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2
00106	ZN	3,800	8.38	mm	190	27	35	13
00106AL	AL	1,500	3.31					
00106MG	MG	1,000	2.20	inch	7.48"	1.06"	1.38"	0.51"
00107	ZN	6,200	13.67	mm	225	38	50	14
00107AL	AL	2,500	5.51					
00107MG	MG	1,600	3.53	inch	8.86"	1.50"	1.97"	0.26"

DISC ANODES IN PAIR

sold in pair with bolt and nuts



prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2
00101E	ZN	0,250	0.55	mm	70	7,5	13	8,5
NEW 00101EMG	MG	0,100	0.22	inch	2.76"	0.30"	0.51"	0.33"
00102E	ZN	0,450	0.99	mm	90	3	13	8,5
NEW 00102EMG	MG	0,150	0.33	inch	3.54"	0.35"	0.51"	0.33"
00104E	ZN	1,030	2.27	mm	130	10	13	8,5
NEW 00104EMG	MG	0,270	0.60	inch	5.12"	0.39"	0.51"	0.33"

DISC ANODES IN PAIR USA TYPE

sold in pair with bolt and nuts

Divers friendly

Main market



prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2
R1	ZN	0,120	0.26	mm	47	7	9,5	6,5
R1AL	AL	0,050	0.11					
R1MG	MG	0,030	0.07	inch	1.85"	0.28"	0.37"	0.26"
R2	ZN	0,400	0.88	mm	72	11	11	7
R2AL	AL	0,150	0.33					
R2MG	MG	0,100	0.22	inch	2.83"	0.43"	0.43"	0.28"
R3	ZN	0,710	1.57	mm	92	13	13	8,5
R3AL	AL	0,280	0.62					
R3MG	MG	0,180	0.40	inch	3.62"	0.51"	0.51"	0.33"
R4	ZN	1,400	3.09	mm	127	15	13	9
R4AL	AL	0,550	1.21					
R4MG	MG	0,350	0.77	inch	5.00"	0.59"	0.51"	0.35"
R5	ZN	2,000	4.41	mm	127	23	13	9
R5AL	AL	0,780	1.72					
R5MG	MG	0,500	1.10	inch	5.00"	0.91"	0.51"	0.35"
R7	ZN	3,900	8.60	mm	165	22	13	9
R7AL	AL	1,560	3.44					
R7MG	MG	1,000	2.20	inch	6.50"	0.87"	0.51"	0.35"

DISC ANODES


DISC ANODES HEAVY DUTY

sold as a single without hardware

Heavy duty



Main market



prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2
00101UK		0,430	0.95	mm	70	33	30	11
00101UKAL		0,170	0.37					
00101UKMG		0,110	0.24	inch	2.76"	1.30"	1.18"	0.43"


DISC ANODES HEAVY DUTY

sold as a single without hardware

Heavy duty



Main market



prod: d

COD		kg	lbs		l	a	h	Ø1	Ø2
00102UK		1,000	2.20	mm	98	82	32	42	14,5
00102UKAL		0,400	0.88						
00102UKMG		0,300	0.66	0,117	3.86"	3.23"	1.26"	1.65"	0.57"

RUBBER PAD FOR 00102UK

prod: m



COD		kg	lbs	used for
GUA102UK	rubber	0,046	0.100	00102UK


DISC ANODES HEAVY DUTY

sold as a single without hardware

Heavy duty



Main market



prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2
00105UK		2,200	4.85	mm	140	36	36	14,5
00105UKAL		0,860	1.90					
00105UKMG		0,550	1.21	inch	5.51"	1.42"	1.42"	0.57"

RUBBER PAD FOR 00105UK

prod: m



COD		kg	lbs	used for
GUA105UK	rubber	0,075	0.165	00105UK



1.2

RUDDERS & TRIM TABS ANODES

Small Plates




OVAL PLATE



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00200	ZN	0,190	0.42	mm	93	40	17	50	13	6,5
				inch	3.66"	1.57"	0.67"	1.97	0.51	0.26

**OVAL PLATE
PIASTRA OVALE**




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00201	ZN	0,330	0.73	mm	117	43	20	50	13	7
				inch	4.61"	1.69"	0.79"	1.97"	0.51"	0.28"

DOUBLE OVAL PLATE


Main market



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00202	ZN	0,460	1.01	mm	112	66	19	40	10	5,5
				inch	4.41"	2.60"	0.75"	1.57"	0.39"	0.22"


TEARDROP PLATE



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00203	ZN	0,300	0.66	mm	85	47	20	33	16	7
				inch	3.35"	1.85"	0.79"	1.30"	0.63"	0.28"

OVAL PLATE




prod: m

COD		kg	lbs		l	a	h	i	Ø
00204	ZN	0,530	1.17	mm	145	41	23	52	6,3
				inch	5.71"	1.61"	0.91"	2.05"	0.25"

OVAL PLATE
PIASTRA OVALE

Main market




prod: d

COD		kg	lbs		l	a	h	i	Ø
TEC-24	ZN	0,330	0,73	mm	112	53	19	32	6,5
TEC-24MG	MG	0,080	0.18	inch	4.41"	2.09"	0.75"	1.26"	0.26"

TEARDROP PLATE

Main market



prod: d

COD		kg	lbs		l	a	h	i	Ø
TEC-20	ZN	0,180	0.40	mm	85	46	14	34	7
TEC-20MG	MG	0,090	0.20	inch	3.35"	1.81"	0.55"	1.34"	0.28"

TEARDROP PLATE
PIASTRA A GOCCIA

Main market




prod: m

COD		kg	lbs		l	a	h	i	Ø
TEC-21	ZN	0,350	0.77	mm	136	58	14	41	8,5
				inch	5.35"	2.28"	0.55"	1.61"	0.33"

STREAMLINED PLATE

Galeon




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00204GALE	ZN	0,500	1.10	mm	210	29	20	52	13	14,5
				inch	8.27"	1.14"	0.79"	2.05"	0.51"	0.57"

RECTANGULAR PLATE

Saipem




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00205	ZN	0,460	1.01	mm	118	34	20	60	6,5	15
				inch	4.65"	1.34"	0.79"	2.36"	0.26"	0.59"

RECTANGULAR PLATE

Saipem




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00206	ZN	0,820	1.81	mm	175	39	19	100	7	15
				inch	6.89"	1.54"	0.75"	3.94"	0.28"	0.59"

STREAMLINED PLATE

Riva Thalassa



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00207	ZN	1,740	3.84	mm	200	44	40	100	9	20
				inch	7.87"	1.73"	1.57"	3.94"	0.35"	0.79"

RECTANGULAR PLATE

Boston Whaler




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00209	ZN	0,280	0.62	mm	69	50	14	33	6,5	13
				inch	2.72"	1.97"	0.55"	1.30"	0,26"	0.51"

SQUARE PLATE

PIASTRA QUADRATA



same as: **00808**

prod: m

COD		kg	lbs		l	a	h	i	Ø
00210	ZN	0,270	0.60	mm	64	64	10	50	7
				inch	2.52"	2.52"	0.39"	1.97"	0.28"

SQUARE PLATE


PIASTRA QUADRATA



prod: m

COD		kg	lbs		l	a	h
00210/1	ZN	0,700	1.54	mm	100	100	10
				inch	3.94"	3.94"	0.39"

RECTANGULAR PLATE



prod: m

COD		kg	lbs		l	a	h	i	Ø
00211	ZN	0,280	0.62	mm inch	100 3.94"	45 1.77"	9 0.35"	50 1.97"	6,8 0.27"

RECTANGULAR PLATE



prod: m

COD		kg	lbs		l	a	h	i	Ø
00212	ZN	0,980	2.16	mm inch	110 4.33"	67 2.64"	20 0.79"	57 2.24"	7,2 0.28"

RECTANGULAR PLATE

Aquariva



prod: d

COD		kg	lbs		l	a	h	i	Ø
00212RIVA	ZN	0,980	2.16	mm inch	100 3.94"	28 1.10"	12 0.47"	35 1.38"	6,5 0.26"

RECTANGULAR PLATE




prod: d

COD		kg	lbs		l	a	h	i	Ø
00213	ZN	0,680	1.50	mm	130	50	17	77	7
NEW 00213MG	MG	0,200	0.44	inch	5.12"	1.97"	0.67"	3.03"	0.28"

RECTANGULAR PLATE

Riva




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00214	ZN	2,400	5,29	mm	217	60	30	160	8	23
00214MG	MG	0,610	1.34	inch	8.54"	2.36"	1.18"	6.30"	0.31"	0.91"

RECTANGULAR PLATE

Strainers/filtri

Main market



prod: m


same as: 02901

COD		kg	lbs		l	a	h	i	Ø
TEC-S-Z1	ZN	0,260	0.57	mm	97	38	13	38	8
				inch	3.82"	1.5"	0.5"	1.5"	0.31"

RECTANGULAR PLATE

Strainers/filtri

Main market



original part number: **656934** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
TEC-DOK	ZN	0,150	0.33	mm	81	32	10	46	6,5
				<i>inch</i>	3.19"	1.26"	0.39"	1.81"	0.26"

BENNETT ANODES FOR TRIM TABS

Bennett
sold as a single without hardware




prod: **m**

COD		kg	lbs		l	a	h	i	Ø
TEC-BT	ZN	0,210	0.46	mm	95	28	14	38	6,5
TEC-BTAL	AL	0,090	0.20						
NEW TEC-BTMG	MG	0,060	0.13	<i>inch</i>	3.74"	1.10"	0.55"	1.50"	0.26"
KIT-TEC-BT	ZN	0,500	1.10	mm					
KIT-TEC-BTAL	AL	0,230	0.51						
NEW KIT-TEC-BTMG	MG	0,170	0.37	<i>inch</i>					

sold in pair with bolt and nuts

VOLVO PENTA QL TRIM TAB ANODES

Volvo Penta
Sold in pairs




original part number: **41100049** prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
NEW	00746	0,275	0.61	mm	95	25	20	64,5	12,5	7
	ZN			<i>inch</i>	3.74"	0.98"	0.79"	2.54"	0.49"	0.28"

HYDROTAB TRIM TAB ANODES

Hydrotab



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
NEW	02750	0,280	0.620	mm	96	29	14	40	10	20
	ZN			<i>inch</i>	3.78"	1.14"	0.55"	1.57"	0.39"	0.78"

HYDROTAB TRIM TAB ANODES

Hydrotab




prod: m

COD		kg	lbs		l	a	h	h1	Ø
NEW	02751	0,245	0.54	mm	80	58	16	2,5	13
	ZN			<i>inch</i>	3.15"	2.28"	0.63"	0.10"	0.51"

OVAL PLATE

Vetus




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00220-0	ZN	0,300	0.66	mm	100	44	18	48	25	10,5
				inch	3.94"	1.73"	0.71"	1.89"	0.98"	0.41"

OVAL PLATE

Vetus




prod: d

COD		kg	lbs		l	a	h	i	Ø	Ø1
00220	ZN	1,000	2.20	mm	150	60	25	80	27	11x15
00220AL	AL	0,550	1.21							
00220MG	MG	0,250	0.55	inch	5.91"	2.36"	0.98"	3.15"	1.06"	0.43"x0.59"

CONICAL PLATE

Vetus




prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3	Ø4
03503	ZN	1,050	2.31	mm	78	45	11	46	11	26
03503AL	AL	0,450	0.99							
NEW 03503MG	MG	0,300	0.66	inch	3.07"	1.77"	0.43"	1.81"	0.43"	1.02"

CONVEX PLATE

Renault Marine




prod: m

COD		kg	lbs		a	i	Ø	Ø1
01804	ZN	0,160	0.35	mm	54	50	80	6,5
				<i>inch</i>	2.13"	1.97"	3.15"	0.26"

RECTANGULAR PLATE

Posillipo



prod: m

COD		kg	lbs		l	a	b	h	i	Ø	Ø1
00215	ZN	1,060	2.34	mm	124	81	35	20	68	5,5	14
				<i>inch</i>	4.88"	3.19"	1.38"	0.79"	2.68"	0.22"	0.55"

RECTANGULAR PLATE

Posillipo



prod: m

COD		kg	lbs		l	a	h	Ø	Ø1
00216	ZN	1,070	2.36	mm	122	81	20	8,5	14
				<i>inch</i>	4.80"	3.19"	0.79"	0.33"	0.55"


RECTANGULAR PLATE
PIASTRA RETTANGOLARE



prod: m

COD		kg	lbs		l	a	h	i	Ø
00219	ZN	0,230	0.51	mm inch	72 2.83"	47 1.85"	10 0.39"	50 1.97"	6,5 0.26"

RECTANGULAR PLATE
PIASTRA RETTANGOLARE



prod: m

COD		kg	lbs		l	a	h	i	Ø
00229	ZN	0,550	1.24	mm inch	100 3.94"	70 2.76"	12 0.47"	70 2.76"	6,5 0.26"

RECTANGULAR PLATE


GDF series



prod: m

COD		kg	lbs		l	a	h	i	Ø
00239-1	ZN	0,270	0.59	mm inch	110 4.33"	25 0.98"	15 0.59"	62 2.44"	6 0.24"

RECTANGULAR PLATE




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00260-1	ZN	1,620	3.57	mm	190	50	25	120	14	8,5
				inch	7.48"	1.97"	0.98"	4.72"	0.55"	0.33"

RECTANGULAR PLATE

San Lorenzo Tenderlift

Superyacht




prod: m

COD		kg	lbs		l	a	h	i	Ø
NEW 00260-2	ZN	1,000	2.20	mm	102	30	25	150	10
				inch	4"	1.18"	0.98"	5.91"	0.39"

RECTANGULAR PLATE

Mitsubishi type - Rubber pad available on request

Main market



original part number: B-1A

prod: m

COD		kg	lbs		l	a	h	i	Ø1	Ø2
00267-1	ZN	0,920	2.03	mm	150	69	17	75	35	17x25
				inch	5.91"	2.72"	0.67"	2.95"	1.38"	0.67"x0.98"

SQUARE PLATE

Mitsubishi type - Rubber pad available on request

Main market




original part number: B-1/2 prod: m

COD		kg	lbs		l	a	h	Ø1	Ø2
00267-2	ZN	0,540	1.19	mm	75	69	20	35	17x25
				inch	2.95"	2.72"	0.79"	1.38"	0.67"x0.98"

CHRYSLER PLATE

Chrysler




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
01600	ZN	0,190	0.42	mm	123	36	10	52	17	7
				inch	4.84"	1.42"	0.39"	2.05"	0.67"	0.28"

H+B TECHNICS PLATFORM TENDER LIFT ANODE

For K102VET: 1x00102VET + 1x00102VET-1

Superyacht



prod: m

COD		kg	lbs		Ø	Ø1	Ø2	h
00102VET	ZN	1,030	2.270	mm	100	M8		20
				inch	3.94"			0.79"
00102VET-1	ZN	1,020	2.250	mm	100	8	15	20
				inch	3.94"	0.31"	0.59"	0.79"
KIT102VET	ZN	2,100	4,63					
						1 x 00102VET + 1 x 00102VET-1		



2.1


HULL & TRANSOM ANODES

Large Discs



DISC ANODES LARGE SIZE

with a steel insert



prod: m

COD		kg	lbs		Ø	h	Ø1
00158	ZN	2,800	6.17	mm	150	25	14
00158AL	AL	1,300	2.87				
00158MG	MG	0,700	1.54	inch	5.91"	0.98"	0.55"
00159	ZN	3,200	7.05	mm	160	25	14
00159AL	AL	1,500	3.31				
00159MG	MG	0,850	1.87	inch	6.30"	0.98"	0.55"
00156-1	ZN	5,000	11,02	mm	200	25	16
NEW 00156-1AL	AL	2,250	4.96	inch	7.87"	0.98"	0.63"
NEW 00156-2	ZN	6,400	14.11	mm	200	32	16
NEW 00156-2AL	AL	2,700	5.95	inch	7.87"	1.26"	0.63"
00156	ZN	7,000	15.43	mm	230	25	14
00156AL	AL	2,900	6.39				
00156MG	MG	1,800	3.97	inch	9.06"	0.98"	0.55"
00157	ZN	8,300	18.30	mm	230	30	14
00157AL	AL	3,300	7.28				
00157MG	MG	2,200	4.85	inch	9.06"	1.18"	0.55"
NEW 00157-1	ZN	9,800	21.61	mm	230	35	14
NEW 00157-1AL	AL	3,800	8.38	inch	9.06"	1.38"	0.55"

STERN DISC ANODES

Italian yachts




prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
anode only/solo anodo - without insert/senza inserto									
00140	ZN	2,690	5.93	mm	125	38	50	14,5	48
00140AL	AL	1,100	2.43						
00140MG	MG	0,751	1.66	inch	4.92"	1.50"	1.97"	0.57"	1.89"
kit composed by: 00140 + Ø14 brass bolt/nut, PP cap and pad									
00141	ZN	2,960	6.53	mm	125	38	50	14,5	48
00141AL	AL	1,370	3.02						
00141MG	MG	1,040	2.29	inch	4.92"	1.50"	1.97"	0.57"	1.89"
anode only/solo anodo - without insert/senza inserto									
00130	ZN	2,700	5.95	mm	130	30	50	14,5	48
00130AL	AL	1,000	2.20						
00130MG	MG	0,680	1.50	inch	5.12"	1.18"	1.97"	0.57"	1.89"
kit composed by: 00130 + Ø14 brass bolt/nut, PP cap and pad									
00130C	ZN	3,060	6.75	mm	130	30	50	14,5	48
00130CAL	AL	1,340	2.95						
00130CMG	MG	0,960	2.12	inch	5.12"	1.18"	1.97"	0.57"	1.89"
anode only/solo anodo - without insert									
00131	ZN	3,000	6.61	mm	140	35	50	14,5	48
00131AL	AL	1,300	2.87						
00131MG	MG	0,830	1.83	inch	5.51"	1.38"	1.97"	0.57"	1.89"
kit composed by: 00131 + Ø14 brass bolt/nut, PP cap and pad									
00131C	ZN	3,350	7.39	mm	140	35	50	14,5	48
00131CAL	AL	1,600	3.53						
00131CMG	MG	1,130	2.49	inch	5.51"	1.38"	1.97"	0.57"	1.89"

STERN DISC ANODES

without insert
anode only

Italian yachts



prod: **d** (00150)


prod: **m** (00155 - 00155-1)

COD		kg	lbs		Ø	h	Ø1	Ø2
00150		1,960	4.32	mm	100	40	40	12,5
00150AL		0,770	1.70					
00150MG		0,510	1.12	inch	3.94"	1.57"	1.57"	0.49"
00155		1,880	4.14	mm	120	40	25	10
NEW 00155AL		0,740	1.63	inch	4.72"	1.57"	0.98"	0.39"
00155-1		4,000	8.82	mm	145	40	35	10
NEW 00155-1AL		1,800	3.97	inch	5.71"	1.57"	1.38"	0.39"

STERN DISC ANODES

without insert
anode only

Italian yachts




prod: **m**

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
NEW 00155-2		2,800	6.17	mm	135	30	38	10,5	48
NEW 00155-2AL		1,200	2.65	inch	5.31"	1.14"	1.50"	0.41"	1.89"

BOLTS AND NUTS

prod: **m**



COD		kg	lbs	notes
00153 perno completo		0,230	0.510	n.1 bolt Ø14 complete with nuts and washer

STERN DISC ANODES

Baglietto type with steel insert

Italian yachts



prod: d

COD		kg	lbs		Ø	a	b	h	Ø1	Ø2	Ø3
anode only											
00152	ZN	3,910	8.62	mm	135	35	9	47	50x3	32	14,5
00152AL	AL	1,530	3.37								
00152MG	MG	0,980	2.16	inch	5.31"	1.38"	0.35"	1.85"	1.97x0.12"	1.26"	0.57"

kit composed by: 00152 + Ø14 brass bolt/nut, PP cap and pad

00153	ZN	4,140	9.13	mm	135	35	9	47	50x3	32	14,5
00153AL	AL	1,760	3.88								
00153MG	MG	1,210	2.67	inch	5.31"	1.38"	0.35"	1.85"	1.97x0.12"	1.26"	0.57"

STERN DISC ANODES

Baglietto type with steel insert

Italian yachts



prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
anode only / solo anodo									
00154	ZN	2,000	4.41	mm	120	35	50X3	32	14
00154MG	AL	0,550	1.21	inch	4.72"	1.38"	1.97x0.12"	1.26"	0.55

NEW

kit composed by: 00154 + Ø14 brass bolt/nut, PP cap and pad

00154C	ZN	2,230	4.92	mm	120	35	50X3	32	14
00154CMG	MG	0,780	1.72	inch	4.72"	1.38"	1.97x0.12"	1.26"	0.55

NEW



**Hole centres
60-80 mm** *pag. 50*

**Hole centres
100-110 mm** *pag. 52*

**Hole centres
140-160 mm** *pag. 55*

**Hole centres
180 mm** *pag. 57*

**Hole centres
200 mm** *pag. 58*

Rectangular plates no insert *pag. 59*

Oval plates no insert *pag. 60*

Other shapes *pag. 63*

2.2

HULL & TRANSOM ANODES


Plates



PLATE WITH INSERT HC 60-80

RECTANGULAR PLATE WITH INSERT

Main market




prod: m


COD		kg	lbs		l	a	h	i	Ø
TEC-DIVERS-S	ZN	1,100	2.43	mm	150	101	13	66	11x45
TEC-DIVERS-SAL	AL	0,640	1.41						
TEC-DIVERS-SMG	MG	0,430	0.95	inch	5.91"	3.98"	0.51"	2.60"	0.43"x1.77"

RECTANGULAR PLATE WITH INSERT

Main market




prod: m

COD		kg	lbs		l	a	h	i	Ø
TEC-ZHC-2	ZN 	1,080	2.38	mm	145	66	19	70	15x25
				inch	5.71"	2.60"	0.75"	2.76"	0.59"x0.98"

RECTANGULAR PLATE WITH INSERT

Main market




prod: m



COD		kg	lbs		l	a	h	i	Ø
TEC-ZHC-3	ZN	1,000	2.20	mm	159	70	19	67	16x30
				inch	6.26"	2.76"	0.75"	2.64"	0.63"x1.18"

PLATE WITH INSERT HC 60-80


OVAL PLATE




same as: **02512** prod: m

COD		kg	lbs		l	a	h	i	Ø
00243		1,200	2.65	mm	147	65	22	70	13x35
NEW 00243AL		0,450	0.99	inch	5.79"	2.56"	0.87"	2.76"	0.51"x1.38"


RECTANGULAR PLATE WITH INSERT



original part number: **B-2** prod: m

COD		kg	lbs		l	a	h	i	Ø
00267		1,500	3.31	mm	151	69	26	75	13x25
				inch	5.94"	2.72"	1.02"	2.95"	0.51"x0.98"

RECTANGULAR PLATE WITH INSERT



prod: m




COD		kg	lbs		l	a	h	i	Ø
00239		1,450	3.20	mm	190	54	24	76	13
				inch	7.48"	2.13"	0.94"	2.99"	0.51"

PLATE WITH INSERT HC 100-110

Main market





RECTANGULAR PLATE WITH INSERT



prod: m

COD		kg	lbs		l	a	h	i	Ø
00234	ZN	2,000	4.41	mm	180	65	30	104	13x25
				inch	7.09"	2.56"	1.18"	4.09"	0.51"x0.98"
00235	ZN	2,300	5.07	mm	190	65	30	102	13x25
				inch	7.48"	2.56"	1.18"	4.02"	0.51"x0.98"
00262/N	ZN	3,600	7.94	mm	200	65	30	102	13x25
				inch	7.87"	2.56"	1.18"	4.02"	0.51"x0.98"

RECTANGULAR PLATE WITH INSERT




prod: m

COD		kg	lbs		l	a	h	i	Ø
00231	ZN	3,780	8.33	mm	210	100	30	100	18x25
00231/AL	AL	1,600	3.53						
00231MG	MG	0,950	2.09	inch	8.27"	3.94"	1.18"	3.94"	0.71x0.98"

PLATE WITH INSERT HC 100-110


RECTANGULAR PLATE WITH INSERT



prod: m

COD		kg	lbs		l	a	h	i	Ø
00262-2	ZN	5,850	12.90	mm	200	100	50	100	25x18
00262-2AL	AL	2,300	5.07						
00262-2MG	MG	1,500	3.31	inch	7.87"	3.94"	1.97"	3.94"	0.71x0.98"

RECTANGULAR PLATE WITH INSERT




original part number: B-3

prod: m

COD		kg	lbs		l	a	h	i	Ø
TEC-ZHC-5	ZN	2,145	4.73	mm	200	100	19	111	25x15
				inch	7.87"	3.94"	0.75"	4.37"	0.71x0.59"

RECTANGULAR PLATE WITH INSERT




prod: m

COD		kg	lbs		l	a	h	i	Ø
00236	ZN	2,500	5.51	mm	200	80	22	110	13x25
				inch	7.87"	3.15"	0.87"	4.33"	0.51"x0.98"

PLATE WITH INSERT HC 100-110


RECTANGULAR PLATE WITH INSERT



prod: m

COD		kg	lbs		l	a	h	i	Ø
00265	ZN	2,700	5.95	mm	205	65	37	110	13x25
				<i>inch</i>	8.07"	2.56"	1.46"	4.33"	0.51"x0.98"

RECTANGULAR PLATE WITH INSERT




prod: m

COD		kg	lbs		l	a	h	i	Ø
00238	ZN	4,250	9,37	mm	205	65	37	110	19x25
00238AL	AL	0,900	1.98	<i>inch</i>	8.07"	2.56"	1.46"	4.33"	0.75"x0.98"

PLATE WITH INSERT HC 140-160

RECTANGULAR PLATE WITH INSERT

Main market




prod: d

COD		kg	lbs		l	a	h	i	Ø
TEC-DIVERS	ZN	3,500	7.72	mm	305	152	13	140	13x102
TEC-DIVERS-AL	AL	1,500	3.31						
TEC-DIVERS-MG	MG	1,250	2.76	inch	12.01"	5.98"	0.51"	5.51"	0.51"x4.02"

RECTANGULAR PLATE WITH INSERT


Main market



prod: d

COD		kg	lbs		l	a	h	i	Ø
TEC-DIVERSH	ZN	6,600	14.55	mm	305	152	25	140	13x102
TEC-DIVERSH-AL	AL	3,000	6.61						
TEC-DIVERSH-MG	MG	2,000	4.41	inch	12.01"	5.98"	0.98"	5.51"	0.51"x4.02"

RECTANGULAR PLATE WITH INSERT




prod: m

COD		kg	lbs		l	a	h	i	Ø
00244	ZN	5,100	11.24	mm	290	90	36	160	22x30
				inch	11.42"	3.54"	1.42"	6.30"	0.87"x1.18"

PLATE WITH INSERT HC 140-160


RECTANGULAR PLATE WITH INSERT



prod: m

COD		kg	lbs		l	a	h	i	Ø
00242	ZN	4,200	9.26	mm inch	280 11.02"	85 3.35"	30 1.18"	160 6.30"	22x30 0.87"x1.18"

RECTANGULAR PLATE WITH INSERT




prod: m

COD		kg	lbs		l	a	h	i	Ø
original part number: B-6									
NEW 00264-1	ZN	6,000	13.23	mm inch	300 11.81"	150 5.91"	20 0.79"	160 6.30"	17x25 0.67"x0.98"
original part number: B-8									
NEW 00264-3	ZN	7,000	15.43	mm inch	300 11.81"	150 5.91"	25 0.98"	160 6.30"	17x25 0.67"x0.98"
original part number: B-9									
00264	ZN	8,000	17.64	mm inch	300 11.81"	150 5.91"	28 1.10"	160 6.30"	17x25 0.67"x0.98"
original part number: B-12									
NEW 00263/N	ZN	11,500	25.35	mm inch	300 11.81"	150 5.91"	40 1.57"	160 6.30"	17x25 0.67"x0.98"
original part number: B-14									
NEW 00264N	ZN	14,000	30.86	mm inch	300 11.81"	150 5.91"	50 1.97"	160 6.30"	17x25 0.67"x0.98"
original part number: B-20									
00265N	ZN	20,000	44.09	mm inch	300 11.81"	200 7.87"	55 2.17"	160 6.30"	22x30 0.87"x1.18"

PLATE WITH INSERT HC 180

RECTANGULAR PLATE WITH INSERT




prod: d

COD		kg	lbs		l	a	h	i	Ø
00226	ZN	3,400	7.50	mm	250	67	35	180	13x25
				inch	9.84"	2.64"	1.38"	7.09"	0.51"x0.98"
00225	ZN	5,000	11.02	mm	322	83	30	180	13x25
				inch	12.68"	3.27"	1.18"	7.09"	0.51"x0.98"
00245	ZN	7,000	15.43	mm	308	85	46	180	13x25
				inch	12.13"	3.35"	1.81"	7.09"	0.51"x0.98"

PLATE WITH INSERT HC 200



RECTANGULAR PLATE WITH INSERT



prod: m

COD		kg	lbs		l	a	h	i	Ø
00223/1	ZN	5,000	11.02	mm	325	7	35	200	17x25
00223/1AL	AL	1,960	4.32						
00223-1MG	MG	1,260	2.78	inch	12.80"	3.07"	1.38"	7.87"	0.67"x0.98"

RECTANGULAR PLATE WITH INSERT




original part number: B-3

prod: m

COD		kg	lbs		l	a	h	i	Ø
00223F	ZN	5,500	12,13	mm	282	108	35	200	19x25
00223FAL	AL	2,000	4.41	inch	11.10"	4.25"	1.38"	7.87"	0.75"x0.98"

RECTANGULAR PLATES WITHOUT INSERT

RECTANGULAR PLATE WITHOUT INSERT



same as: 00255 - 02514



prod: m

COD		kg	lbs		l	a	h	i	Ø
00241	ZN	3,400	7.50	mm inch	200 7.87"	100 3.94"	25 0.98"	100 3.94"	10,5 0.41"
00237	ZN	4,380	9.66	mm inch	220 8.66"	100 3.94"	30 1.18"	120 4.72"	10,5 0.41"
00233	ZN	7,000	15.43	mm inch	400 15.75"	80 3.15"	30 1.18"	250 9.84"	10,5 0.41"
00255	ZN	8,000	17.64	mm inch	300 11.81"	150 5.91"	26 1.02"	125 4.92"	16 0.63"
00255AL	AL	3,140	6.92	mm inch	300 11.81"	150 5.91"	26 1.02"	125 4.92"	16 0.63"
00255-6	ZN	8,125	17.91	mm inch	300 11.81"	150 5.91"	26 1.02"	125 4.92"	10,5 0.41"

OVAL PLATES

OVAL PLATE WITHOUT INSERT

Serie Hydromarine





prod: m

COD		kg	lbs		l	a	h	i	Ø1	Ø
00224	ZN	0,900	1.98	mm	117	65	30	40	25	10,5
				inch	4.61"	2.56"	1.18"	1.57 "	0.98"	0.41"

OVAL PLATE WITHOUT INSERT

Serie MMI





prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00217	ZN	2,700	5.95	mm	150	80	40	60	14,5	40x3
				inch	5.91"	3.15"	1.57"	2.36"	0.57"	1.57"x0.12"

OVAL PLATE WITHOUT INSERT

Hamilton



original part number: 111059


prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
02524	ZN	0,900	1.98	mm	110	63	28	60	25	10
02524AL	AL	0,350	0.77	inch	4.33"	2.48"	1.10"	2.36"	0.98"	0.39"

OVAL PLATES

OVAL PLATE WITH INSERT

Sea Ray



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00266	ZN	3,900	8.60	mm	217	110	31	130	13X25	34
				inch	8.54"	4.33"	1.22"	5.12"	0.51"x0.98"	1.34"
00266-1	ZN	3,000	6.61	mm	217	110	24	130	13X25	34
				inch	8.54"	4.33"	0.94"	5.12"	0.51"x0.98"	1.34"

OVAL PLATE WITH INSERT

Sea Ray



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00266-2	ZN	7,000	15.45	mm	280	160	34	160	22X30	34
				inch	11.00"	6.30"	1.34"	6.30"	0.87"x1.18"	1.34"
00266E	ZN	10,000	22.05	mm	290	208	30	160	13X25	34
				inch	11.42"	8.19"	1.18"	6.30"	0.51"x0.98"	1.34"

OVAL PLATES

OVAL PLATE WITHOUT INSERT

Main market




prod: d

COD		kg	lbs		l	a	h	Ø
TEC-N1	ZN	1,200	2.65	mm	216	80	12,6	10
TEC-N1MG	MG	0,400	0.88	inch	8.50"	3.15"	0.50"	0.39"

OVAL PLATE WITHOUT INSERT


Main market



prod: d

COD		kg	lbs		l	a	h	i	Ø
TEC-Z-406	ZN	3,000	6.61	mm	221	107	27	127	12,5
TEC-Z-406MG	MG	0,800	1.76	inch	8.70"	4.21"	1.06"	5.00"	0.49

OVAL PLATE WITHOUT INSERT




prod: m

COD		kg	lbs		l	a	h	i	Ø
00280	ZN	4,500	9.92	mm inch	268 10.55"	120 4.72"	30 1.18"	150 5.91"	14 0.55"
00282AL	AL	1,200	2.65	mm inch	200 7.87"	90 3.54"	30 1.18"	150 5.91"	14 0.55"

OTHER SHAPES

RECTANGULAR PLATE

Main market




prod: d

COD		kg	lbs		l	a	h	i	i1	Ø
TEC-30	ZN	0,970	2.14	mm	156	67	16	120	117	6,7
TEC-30AL	AL	0,640	1.41							
TEC-30MG	MG	0,256	0.56	inch	6.14"	2.64"	0.63"	4.72"	4.64"	0.26"

RECTANGULAR PLATE WITHOUT INSERT

Main market




prod: d

COD		kg	lbs		l	a	h	i	i1	Ø
TEC-40	ZN	1,000	2.20	mm	190	70	13	45	35	7
TEC-40MG	MG	0,250	0.55							
				inch	7.48"	2.76"	0.51"	1.77"	1.38"	0.28"

PLATE WITHOUT INSERT

Main market



prod: d

COD		kg	lbs		l	a	h	i	Ø	Ø1
TEC-25 (alias TEC-Z404)	ZN	1,600	3.53	mm	232	84	17	97	12,5	7
TEC-25AL (alias TEC-Z404AL)	AL	0,620	1.37							
TEC-25MG (alias TEC-Z404MG)	MG	0,400	0.88	inch	9.13"	3.31"	0.67"	3.82"	0.49"	0.28"

OTHER SHAPES

RECTANGULAR PLATE

Serie Cap



prod: m

COD		kg	lbs		l	a	h	i	i1
anode only									
00160	ZN	4,000	8.82	mm	230	80	40	42X3	14
KIT composed by 00160 + brass bolt and plug									
00162	ZN	4,300	9.48	inch	9.06"	3.15"	1.57"	1.65x0.12"	0.55"

TRIANGLE PLATE

Sagittarius
Sold In Pair



prod: m

COD		kg	lbs		l	a	h	i	Ø
00248	ZN	12,090	26.65	mm	220	315	50	210	50
				inch	8.66"	12.40"	1.97"	8.27"	1.97"





Vetus type

pag. 68

UK type bars

pag. 69

Airfoils bars

pag. 72

Large bars

pag. 73

Fast boats bars

pag. 74

Bars with 3 holes

pag. 77

2.3

HULL & TRANSOM ANODES


Bars



VETUS TYPE

OVAL PLATE

Vetus
With insert




prod: d

COD		kg	lbs		l	a	h	i	Ø1	Ø2	
original part number: ZINK15C											
00220	ZN	1,000	2.20	mm	148	58	27	80	31	11x15	
00220AL	AL	0,550	1.21								
00220MG	MG	0,250	0.55	inch	5.83"	2.28"	1.06"	3.15"	1.22"	0.43"x0.59"	
original part number: ZINK25C											
00221	ZN	2,300	5.07	mm	247	63	30	140	32	13x25	
00221AL	AL	0,900	1.98								
00221MG	MG	0,580	1.28	inch	9.72"	2.48"	1.18"	5.51"	1.26"	0.51"x0.98"	
original part number: ZINK35C											
00222	ZN	2,700	5.95	mm	290	53	33	200	32	13x25	
00222AL	AL	1,060	2.34								
00222MG	MG	0,680	1.50	inch	11.42"	2.09"	1.30"	7.87"	1.26"	0.51"x0.98"	
original part number: ZINK35C											
00223	ZN	4,500	9.92	mm	350	68	36	200	38	13x25	
00223AL	AL	1,760	3.88								
00223MG	MG	1,130	2.49	inch	13.78"	2.68"	1.42"	7.87"	1.50"	0.51"x0.98"	

VETUS TYPE

VETUS PROFILED BARS

Vetus



prod: m

COD		kg	lbs		l	a	b	h	h1	i	Ø1	Ø2
original part number: ZINK15SC												
03510	ZN	1,000	2.20	mm	152	52	68	23	29	80	11	11x15
03510AL	AL	0,390	0.86	inch	5.98"	2.05"	2.68"	0.91"	1.14"	3.15"	0.43"	0.43"x0.59"
original part number: ZINK25SC												
03511	ZN	2,400	5.29	mm	250	55	75	21	37	140	11	11x15
03511AL	AL	0,940	2.07	inch	9.84"	2.17"	2.95"	0.83"	1.46"	5.51"	0.43"	0.43"x0.59"

UK TYPE BARS

UK TYPE BARS

Fairline

UK yachts




prod: m

COD		kg	lbs		l	l1	a	h
00269E	ZN	1,300	2.87	mm	200	110x12	65	32
00269E/AL	AL	0,650	1.43					
00269EMG	MG	0,450	0.99	inch	7.87"	4.33"x0.47"	2.56"	1.26"

UK TYPE BARS

Fairline

UK yachts



prod: d


COD		kg	lbs		l	a	b	c	h	i
00270E	ZN	2,200	4.85	mm	320	65	92	12x65	33	160
00270EAL	AL	1,000	2.20							
00270EMG	MG	0,700	1.54	inch	12.60"	2.56"	3.62"	0.47"x2.56"	1.30"	6.30"

UK TYPE BARS

UK TYPE BARS

Fairline

UK yachts





prod: d

COD		kg	lbs		l	a	b	c	h	i
00271E	ZN	4,000	8.82	mm	310	75	35	12x25	40	205
00271EAL	AL	1,570	3.46							
00271E/MG	MG	1,010	2.23	inch	12.20"	2.95"	1.38"	0.47"x2.56"	1.57"	8.07"

UK TYPE BARS

Fairline

UK yachts





prod: d

COD		kg	lbs		l	a	h	i	Ø	Ø1
00272E	ZN	7,000	15.43	mm	455	94	40	230	19x30	70
00272EAL	AL	2,750	6.06							
00272EMG	MG	1,760	3.88	inch	17.91"	3.70"	1.57"	9.06"	0.75"x1.18"	2.76"

UK TYPE BARS

Sunseeker

UK yachts



prod: d


COD		kg	lbs		l	a	h	i	Ø	Ø1
00273E	ZN	11,000	24.25	mm	460	100	45	230	19x30	70
00273EAL	AL	2,240	4.94							
00273EMG	MG	2,720	6.00	inch	18.11"	3.94"	1.77"	9.06"	0.75"x1.18"	2.76"

UK TYPE BARS

UK TYPE BARS

Sealine

UK yachts




prod: m

COD		kg	lbs		l	a	b	c	h	i
00274E	ZN	7,200	15.87	mm	450	100	48x73	46	30	200/230
00274EAL	AL	3,000	6.61	inch	17.72"	3.94"	1.89"x2.87"	1.81"	1.18"	7.87/9.06"

BOLTS AND NUTS


prod: m



COD		kg	lbs	installation method	notes
01006	G/Steel	0,060	0.013	Weld on type	1 x Bolt (vite) M10x25 - Nut (Dado) M10
01006-16	G/Steel	0,158	0.35	Weld on type	1 x Bolt (vite) M16x25 - Nut (Dado) M16
01007	G/Steel	0,112	0.25	Bolt on type	1 x Bolt (vite) M10x25 - Nut (Dado) M10
01007 inox	S/Steel	0,110	0.24	Bolt on type	1 x Bolt (vite) M10x25 - Nut (Dado) M10
01016	G/Steel	0,400	0.88	Bolt on type	1 x Bolt (vite) M16x25 - Nut (Dado) M16
01017 inox	S/Steel	0,380	0.84	Bolt on type	1 x Bolt (vite) M16x25 - Nut (Dado) M16

RUBBER PAD FOR ANODE

prod: m




COD		kg	lbs	used for
GUA269E	rubber	0,047	0.103	00269E
GUA270E	rubber	0,082	0.180	00270E
GUA271E	rubber	0,095	0.209	00271E
GUA272E	rubber	0,155	0.341	00272E
GUA273E	rubber	0,190	0.418	00273E

AIRFOIL BARS


AIRFOIL BARS

Naca profile



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
NACA04	ZN	4,000	8.82	mm	400	84	42	160	13x25	40
NACA04AL	AL	1,700	3.75	inch	15.75"	3.31"	1.65"	6.30"	0.51"x0.98"	1.57"
NACA08	ZN	8,000	17.64	mm	510	106	53	160	17x25	40
NACA08AL	AL	3,200	7.05	inch	20.08"	4.17"	2.09"	6.30"	0.67"x0.98"	1.57"
NACA08-230	ZN	8,000	17.64	mm	510	106	53	230	17x25	40
NACA08-230AL	AL	3,200	7.05	inch	20.08"	4.17"	2.09"	9.06"	0.67"x0.98"	1.57"



PROTECT FROM CORROSION WITHOUT REDUCING PERFORMANCES

Using airfoils allows to reduce up to 15 times the anode drag, bringing significant benefits to the boat in terms of speed and fuel consumption.

Anodes "NACA" are produced in various sizes to meet the needs of the market.

LARGE BARS

LARGE BARS

Naval





prod: m

COD		kg	lbs		l	a	h	i	Ø
00279EAL	AL	8,500	18.74	mm	490	120	60	160	22x30
				inch	19.29"	4.72"	2.36"	6.30"	0.87"x1.18"
00279E-1AL	AL	9,000	19.84	mm	400	145	60	180	18
				inch	15.75"	5.71"	2.36"	7.09"	0.71"
00275E	ZN	9,000	19.84	mm	455	105	35	230	22x30
00275EAL	AL	3,530	7.78						
00275EMG	MG	2,270	5.00	inch	17.91"	4.13"	1.38"	9.06"	0.87"x1.18"
00276E	ZN	12,000	26.46	mm	455	100	40	230	22x30
00276EAL	AL	4,710	10.38						
00276EMG	MG	3,030	6.68	inch	17.91"	3.94"	1.57"	9.06"	0.87"x1.18"
00277E	ZN	14,000	30.86	mm	455	100	47	230	22x30
00277EAL	AL	4,490	9.90						
00277EMG	MG	3,530	7.78	inch	17.91"	3.94"	1.85"	9.06"	0.87"x1.18"
00278E	ZN	28,000	61.73	mm	600	125	35	300	22x30
00278EAL	AL	10,980	24.21						
00278EMG	MG	7,060	15.56	inch	23.62"	4.92"	1.38"	11.81"	0.87"x1.18"

FAST BOATS BARS

FAST BOAT BAR

fast boats





prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1	Ø2	Ø3
00230	ZN	1,850	4.08	mm	210	70	25	80	18X25	32	34	25
00230/AL	AL	0,820	1.81									
00230MG	MG	0,470	1.04	inch	8.27"	2.76"	0.98"	3.15"	0.71x0.98"	1.26"	1.34"	0.98"

FAST BOAT BAR

Serie Stryker (00661) available in Mg

fast boats





prod: m

COD		kg	lbs		l	a	h	i	Ø
00660	ZN	4,200	9.26	mm	1000	50	13	450	12
NEW 00660MG	MG	1,000	2.20	inch	39.37"	1.97"	0.51"	17.72"	0.47"
00661	ZN	3,000	6.61	mm inch	880 34.65"	50 1.97"	11 0.43"	380 14.96"	9 0.35"

FAST BOAT BAR

Hydrofoils

fast boats



prod: m

COD		kg	lbs		l	a	h	i	i1	i2	Ø
00670	ZN	3,300	7.28	mm inch	770 30.31"	50 1.97"	13 0.51"	175 6.89"	145 5.71"	230 9.05"	10,5 0.41"

FAST BOATS BARS

FAST BOAT BAR

fast boats



prod: m

COD		kg	lbs		l	a	h	i	i1	Ø
00671	ZN	1,900	4.19	mm	400	42	20	150	50	11
NEW 00671AL	AL	0,800	1.76	inch	15.75"	1.65"	0.79"	5.91"	1.97"	0.43"

with steel insert

NEW 00246	ZN	2,300	5.07	mm	395	42	20	150	50	11
NEW 00246AL	AL	1,000	2.20	inch	15.55"	1.65"	0.79"	5.91"	1.97"	0.43"

FAST BOAT BAR

fast boats



prod: m


COD		kg	lbs		l	a	h	i	Ø	Ø1
00672	ZN	1,200	2.65	mm	300	47	12,5	150	20	9
				inch	11.81"	1.85"	0.49"	5.91"	0.79"	0.35"

FAST BOATS BARS

FAST BOAT BAR

Hydrofoils

fast boats




prod: m

COD		kg	lbs		l	a	h
00650	ZN	3,400	7.50	mm	900	45	12,5
00650-1	AL	1,330	2.93				
00650MG	MG	0,860	1.90	inch	35.43"	1.77"	0.49"

BAR WITH INSERT

Serie GDF Bigliani

fast boats




prod: m

COD		kg	lbs		l	a	h	i	Ø
00680	MG	3,550	7.83	mm	505	81	50	240	14,5
				inch	19.88"	3.19"	1.97"	9.45"	0.57"

BAR WITH INSERT

Serie GDF Bigliani

fast boats




prod: m

COD		kg	lbs		l	a	h	i	Ø
00681	MG	7,900	17.42	mm	590	120	60	240	14,5
				inch	23.23"	4.72"	2.36"	9.45"	0.57"

BARS WITH 3 HOLES

BAR WITH 3 HOLES

Serie GDF Bigliani




prod: m

COD		kg	lbs		l	a	b	h	i	Ø	Ø1	Ø2
00268E	ZN	3,700	8.16	mm	400	60	8	30	145	13x30	35	36
				inch	15.75"	2.36"	0.31"	1.18"	5.71"	0.51"x1.18"	1.38"	1.42"

BAR WITH 3 HOLES

Serie MMI




prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
00218	ZN	10,000	22.05	mm	500	85	40	160	15	40
				inch	19.69"	3.35"	1.57"	6.30"	0.59"	1.57"

BAR WITH 3 HOLES

Kamewa



prod: m

COD		kg	lbs		l	a	b	c	h	i	Ø
02457	ZN	4,280	9.436	mm	400	77	36	17x25	30	140	40
				inch	15.75"	3.03"	1.42"	0.67"x0.98"	1.18"	5.51"	1.57"
02457/1	ZN	10,000	22.046	mm	600	100	36	17x25	40	220	40
				inch	23.62"	3.94"	1.42"	0.67"x0.98"	1.57"	8.66"	1.57"



Suspended Anodes

pag. 80

Plain Plates


pag. 81 / 86

Plain discs

pag. 82

Plain Rods

pag. 84



2.4

HULL & TRANSOM ANODES

Suspended Anodes,
Plain Plates, Discs and Rods



TECNOSEAL
save your dreams

SUSPENDED ANODES

SUSPENDED ANODES

Smart idea!



prod: m

COD		kg	lbs		h	Ø	Ø1	cable (m/feet)
00630		2,500	5.51	mm	100	80	53	6
00631		0,980	2.16					
00632		0,630	1.39	inch	3.94"	3.15"	2.09"	19.68

SUSPENDED ANODES

Smart idea!




prod: m

COD		kg	lbs		h	Ø	Ø1	cable (m/feet)
00630-4		4,000	8.82	mm	133	90	56	6
				inch	5.24"	3.54"	2.20"	19.68

SUSPENDED ANODES

Smart idea!

Main market



prod: m

COD		kg	lbs		l	h	cable (m/feet)
00630FISH		3.000	6.61	mm	237	70	6
00630FISH-AL		1.180	2.60				
00630FISHMG		0.760	1.68	inch	9.33"	2.76"	19.68

SUSPENDED ANODES

SUSPENDED ANODES

Smart idea!




prod: m		kg	lbs		l	a	h	cable (m/feet)
COD								
00633	ZN	0,900	1.98	mm inch	190 7,48"	38 1,50"	19 0,75"	6
00634	ZN	4,000	8.82	mm inch	190 7,48"	100 3,94 "	30 1,18"	19.68

PLAIN PLATES

PLATE WITHOUT HOLES PIASTRE NON FORATE

Serie Piastra Caldaia






prod: m		kg	lbs		l	a	h
COD							
00250	ZN	3,250	7.17	mm inch	300 11.81"	150 5.91"	10 0.39"
00251	ZN	4,500	9.92	mm inch	300 11.81"	150 5.91"	16,5 0.65"
00252	ZN	6,400	14.11	mm inch	300 11.81"	150 5.91"	22 0.87"
00253	ZN	8,000	17.64	mm inch	300 11.81"	150 5.91"	27 1.06"
00254	ZN	8,200	18.08	mm inch	300 11.81"	200 7.97"	20 0.79"
00256	ZN	9,800	21.61	mm inch	300 11.81"	150 5.91"	33 1.30"

PLAIN DISCS

DISC WITHOUT HOLES

Aluminum and magnesium available on request






prod: m

COD		kg	lbs		Ø	h
20100	ZN	0,400	0.88	mm inch	60 2.36"	20 0.79"
20101	ZN	0,540	1.19	mm inch	70 2.76"	20 0.79"
20102	ZN	0,710	1.57	mm inch	80 3.15"	20 0.79"
20103	ZN	0,900	1.98	mm inch	90 3.54"	20 0.79"
20104	ZN	1,100	2.43	mm inch	100 3.94"	20 0.79"
20105	ZN	1,650	3.64	mm inch	110 4.33"	25 0.98"
20106	ZN	2,350	5.18	mm inch	130 5.12"	25 0.98"
20107	ZN	2,700	5.95	mm inch	140 5.51"	25 0.98"
20108	ZN	3,100	6.83	mm inch	150 5.91"	25 0.98"
20109	ZN	4,300	9.48	mm inch	160 6.30"	30 1.18"
20110	ZN	4,800	10.58	mm inch	170 6.69"	30 1.18"
20111	ZN	5,400	11.90	mm inch	180 7.09"	30 1.18"
20112	ZN	6,050	13.34	mm inch	190 7.48"	30 1.18"

PLAIN DISCS

DISC WITHOUT HOLES

Aluminum and magnesium available on request



prod: m


COD		kg	lbs		Ø	h
20113	ZN	6,700	14.77	mm inch	200 7.87"	30 1.18"
20114	ZN	7,400	16.31	mm inch	210 8.27"	30 1.18"
20115	ZN	8,100	17.86	mm inch	220 8.66"	30 1.18"
20116	ZN	8,850	19.51	mm inch	230 9.06"	30 1.18"
20117	ZN	9,680	21.34	mm inch	240 9.45"	30 1.18"
20118	ZN	10,500	23.15	mm inch	250 9.48"	30 1.18"
20119	ZN	11,300	24.91	mm inch	260 10.24"	30 1.18"
20120	ZN	12,250	27.01	mm inch	270 10.63"	30 1.18"
20121	ZN	13,150	28.99	mm inch	280 11.02"	30 1.18"
20122	ZN	14,100	31.09	mm inch	290 11.42"	30 1.18"
20123	ZN	15,100	33.29	mm inch	300 11.81"	30 1.18"
20124	ZN	25,500	56.22	mm inch	350 13.78"	30 1.18"

PLAIN DISCS

PLAIN RODS

PLAIN RODS

Aluminum and magnesium available on request




prod: m

COD		kg	lbs		Ø	l
00600	ZN	0,230	0.51	mm inch	10 0.39"	400 15.74"
00600/1	ZN	0,330	0.73	mm inch	12 0.47"	400 15.74"
00600/2	ZN	0,440	0.97	mm inch	14 0.55"	400 15.74"
00601	ZN	0,500	1.10	mm inch	15 0.59"	400 15.74"
00601/1	ZN	0,610	1.34	mm inch	16 0.63"	400 15.74"
00601/2	ZN	0,750	1.65	mm inch	18 0.71"	400 15.74"
00602	ZN	0,900	1.98	mm inch	20 0.79"	400 15.74"
00602/1	ZN	0,220	0.49	mm inch	20 0.79"	100 3.93"
00602/6	ZN	1,310	2.89	mm inch	20 0.79"	600 23.62"
00602/6AL	AL	0,510	1.12	mm inch	20 0.79"	600 23.62"
00603	ZN	1,400	3.09	mm inch	25 0.98"	400 15.74"
00603/5	ZN	1,750	3.86	mm inch	25 0.98"	500 19.69"
00604	ZN	2,020	4.45	mm inch	30 1.18"	400 15.74"
00605	ZN	2,800	6.17	mm inch	35 1.38"	400 15.74"
00606	ZN	3,580	7.89	mm inch	40 1.57"	400 15.74"
00607	ZN	4,550	10.03	mm inch	45 1.77"	400 15.74"
00607/5	ZN	5,670	12.50	mm inch	45 1.77"	500 19.69"
00608	ZN	5,600	12.35	mm inch	50 1.97"	400 15.74"
00608/5	ZN	7,000	15.43	mm inch	50 1.97"	500 19.69"
00608/7	ZN	10,500	23.15	mm inch	50 1.97"	750 29.53"
00609	ZN	6,780	14.95	mm inch	55 2.17"	400 15.74"
00610	ZN	7,800	17.20	mm inch	60 2.36"	400 15.74"
00610-5	ZN	9,750	21.50	mm inch	60 2.36"	500 19.69"

PLAIN RODS

PLAIN RODS

Aluminum and magnesium available on request




prod: m

COD		kg	lbs		Ø	l
00612	ZN	10,950	24.14	mm inch	70 2.76"	400 15.74"
00612/5	ZN	13,700	30.20	mm inch	70 2.76"	500 19.68"
00612/1	ZN	12,650	27.89	mm inch	75 2.95"	400 15.74"
00613	ZN	14,350	31.64	mm inch	80 3.15"	400 15.74"
00613/5	ZN	18,000	39.68	mm inch	80 3.15"	500 19.68"
00616	ZN	17,800	39.24	mm inch	85 3.35"	400 15.74"
00617	ZN	18,200	40.12	mm inch	90 3.54"	400 15.74"
00617/1	ZN	22,700	50.04	mm inch	90 3.54"	500 19.68"
00618	ZN	20,200	44.53	mm inch	95 3.74"	400 15.74"
00614	ZN	22,550	49.71	mm inch	100 3.94"	400 15.74"
00614/5	ZN	28,200	62.17	mm inch	100 3.94"	500 19.68"
00619	ZN	27,000	59.52	mm inch	110 4.33"	400 15.74"
00619/1	ZN	32,200	70.99	mm inch	120 4.72"	400 15.74"
00620	ZN	37,900	83.56	mm inch	130 5.12"	400 15.74"
00621	ZN	43,900	96.78	mm inch	140 5.51"	400 15.74"
00621/1	ZN	47,000	103.62	mm inch	145 5.71"	400 15.74"
00621/1MG	MG	11,850	26.12	mm inch	145 5.71"	100 3.94"
00622	ZN	50,400	111.11	mm inch	150 5.91"	400 15.74"
00622/5	ZN	63,000	138.89	mm inch	150 5.91"	500 19.68"
00623	ZN	57,300	126.32	mm inch	160 6.30"	400 15.74"
00624	ZN	65,000	143.30	mm inch	170 6.69"	400 15.74"
00627	ZN	89,600	197.53	mm inch	210 8.27"	400 15.74"
00629	ZN	123,000	271.17	mm inch	230 9.06"	400 15.74"
00629/1	ZN	132,000	291.01	mm inch	240 9.45"	400 15.74"

PLAIN PLATES

PLATE WITHOUT HOLES



prod: m		kg	lbs		l	a	h
COD							
Serie PF2							
00260	ZN	1,520	3.35	mm	190	50	25
				<i>inch</i>	7.48"	1.97"	0.98"
Serie PF3							
00261	ZN	2,900	6.39	mm	205	65	34
				<i>inch</i>	8.07"	2.56"	1.34"
Serie PF4							
00262	ZN	2,700	5.95	mm	200	100	20
				<i>inch</i>	7.87"	3.94"	0.79"
Serie PF4							
00263	ZN	2,000	4.41	mm	130	80	30
				<i>inch</i>	5.11"	3.15"	1.18"
Serie Piastra Caldaia							
00240	ZN	3,200	7.05	mm	490	48	20
				<i>inch</i>	19.29"	1.89"	0.79"





Weld-on Oval type
pag. 90

Weld-on Spanish type
pag. 92

Weld-on Teardrop type
pag. 92

Weld-on Ingot type
pag. 93

Weld-on AL Strap type
pag. 93

Weld-on anodes with 2 straps
Saldare (con due inserti) pag. 94

Bolt-on Oval Type
pag. 95

Bolt-on Teardrop type
pag. 96

Bolt-on Scandinavian type
pag. 97

2.5

HULL & TRANSOM ANODES


Weld-on and Bolt-on with Strap



WELD-ON TYPE

WELD-ON ANODES WITH STRAP

Oval Type - Available on request aluminium or steel strap




prod: m

COD		kg	lbs		l	a	h	strap
00300	ZN	0,650	1.43	mm	100	60	18	200x25x5
00300AL	AL	0,455	1.00	inch	3.93"	2.36"	0.71"	7.87"x0.98"x0.20"
00301	ZN	1,000	2.20	mm	110	63	26	200x25x5
00301AL	AL	0,550	1.21					
00301MG	MG	0,450	0.99	inch	4.33"	2.48"	1.02"	7.87"x0.98"x0.20"
00302	ZN	1,800	3.97	mm	200	70	25	300x25x5
00302AL	AL	0,800	1.76					
00302MG	MG	0,700	1.54	inch	7.87"	2.76"	0.98"	11.81"x0.98"x0.20"
00303	ZN	2,200	4.85	mm	210	70	28	300x25x5
00303AL	AL	1,000	2.20	inch	8.26"	2.76"	1.10"	11.81"x0.98"x0.20"
00304	ZN	3,000	6.61	mm	200	90	33	300x25x5
00304AL	AL	1,500	3.31	inch	7.87"	3.54"	1.30"	11.81"x0.98"x0.20"
00304-1	ZN	3,500	7.72	mm	200	90	40	300x25x5
00304-1AL	AL	1,300	2.86	inch	7.87"	3.54"	1.57"	11.81"x0.98"x0.20"
00305	ZN	4,000	8.82	mm	240	90	36	340x25x5
00305AL	AL	1,800	3.97	inch	9.45"	3.54"	1.42"	13.39"x0.98"x0.20"

WELD-ON TYPE

WELD-ON ANODES WITH STRAP

Oval Type - Available on request aluminium or steel strap



prod: m


COD		kg	lbs		l	a	h	strap
00306	ZN	5,000	11.02	mm	300	80	40	400x30x6
00306AL	AL	2,500	5.51					
00306MG	MG	1,500	3.31	inch	11.8"	3.15"	1.57"	15.75"x1.18"x0.24"
00307	ZN	5,600	12.35	mm	295	90	40	400x30x6
00307AL	AL	3,000	6.61					
00307MG	MG	1,800	3.97	inch	11.6"	3.54"	1.57"	15.75"x1.18"x0.24"
00307-2	ZN	6,000	13.23	mm	220	100	46	350x40x8
00307-2AL	AL	3,200	7.05	inch	8.98"	4.08"	1.88"	14.29"x1.63"x0.33"
00308	ZN	7,800	17.20	mm	295	125	38	400x30x6
00308AL	AL	3,500	7.72	inch	11.6"	4.92"	1.50"	15.75"x1.18"x0.24"
00308-5	ZN	8,500	18.74	mm	320	147	35	400x30x6
00308-5AL	AL	3,800	8.38	inch	12.6"	5.79"	1.38"	15.75"x1.18"x0.24"
00309	ZN	10,000	22.05	mm	320	147	38	400x30x6
00309AL	AL	4,500	9.90					
00309MG	MG	2,500	5.51	inch	12.56"	5.79"	1.50"	15.75"x1.18"x0.24"
00310	ZN	12,000	26.46	mm	400	152	33	550x40x6
00310AL	AL	5,500	12.10					
00310MG	MG	4,000	8.82	inch	15.7"	5.98"	1.30"	21.65"x1.57"x0.24"

WELD-ON TYPE

WELD-ON ANODES WITH STRAP

Spanish type

Main market




prod: m

COD		kg	lbs		l	a	h	strap/inserto
00300E	ZN	0,500	1.10	mm	120	40	22,5	210x14x3
00300EAL	AL	0,200	0.44	inch	4.72"	1.57"	0.89"	8.27"x0.55"x0.12"
00301E	ZN	1,000	2.20	mm	160	57	25	250x25x5
00301EAL	AL	0,390	0.86	inch	6.3"	2.24"	0.98"	9.84"x0.98"x0.20"
00302E	ZN	2,000	4.41	mm	225	70	31	300x25x6
00302EAL	AL	1,000	2.20	inch	8.86"	2.76"	1.22"	11.81"x0.98"x0.24"
00303E	ZN	2,350	5.17	mm	225	80	35	300x25x5
00303EAL	AL	0,980	2.16	inch	8.86"	3.715"	1.38"	11.81"x0.98"x0.20"
00304E	ZN	3,200	7.05	mm	250	90	35	400x30x6
00304EAL	AL	1,250	2.76	inch	9.84"	3.54"	1.38"	15.75"x1.18"x0.24"
00306E	ZN	5,000	11.02	mm	250	90	50	400x30x6
00306EAL	AL	1,960	4.32	inch	9.84"	3.54"	1.97"	15.75"x1.18"x0.24"

WELD-ON ANODES WITH STRAP

Teardrop type - Available on request aluminium or steel strap




prod: m

COD		kg	lbs		l	a	h	strap/inserto
00350	ZN	1,000	2.20	mm	120	78	25	230x25x5
00350AL	AL	0,600	1.32					
00350MG	MG	0,300	0.66	inch	4.72"	3.07"	0.98"	9.06"x0.98"x0.20"
00351	ZN	1,800	3.97	mm	135	87	35	250x25x5
00351AL	AL	0,860	1.90					
00351MG	MG	0,700	1.54	inch	5.31"	3.43"	1.38"	9.84"x0.98"x0.20"
00352	ZN	3,100	6.83	mm	160	100	40	250x25x5
00352AL	AL	1,200	2.65					
00352MG	MG	0,800	1.76	inch	6.3"	3.94"	1.57"	9.84"x0.98"x0.20"
00353	ZN	5,000	11.02	mm	220	140	40	340x25x5
00353AL	AL	2,000	4.41	inch	8.66"	5.51"	1.57"	13.39"x0.98"x0.20"
NEW 00360	ZN	10,000	22.05	mm	280	170	50	400x30x6
NEW 00360AL	AL	4,000	8.82	inch	11"	6.69"	1.97"	15.75"x1.18"x0.24"

WELD-ON TYPE

WELD-ON ANODES WITH STRAP

Ingot type




prod: m

COD		kg	lbs		l	a	h	strap
00380	ZN	1,700	3.75	mm	190	50	26	300x25x5
NEW 00380AL	AL	0,700	1.54	inch	7.48"	1.97"	1.02"	
00381	ZN	2,400	5.28	mm	200	60	32	300x25x5
NEW 00381AL	AL	1,300	2.87	inch	7.87"	2.36"	1.26"	
00383	ZN	8,300	18.26	mm	310	140	30	400x30x6
NEW 00383AL	AL	3,500	7.72	inch	12.20"	5.51"	1.18"	
00383-1	ZN	10,000	22.05	mm	310	140	35	400x30x6
NEW 00383-1AL	AL	4,500	9.92	inch	12.20"	5.51"	1.38"	

WELD-ON ANODES WITH STRAP

AL strap type
Suitable for AL hull

Smart idea!




prod: m

COD		kg	lbs		l	a	h	strap
Z4-ZNAL	ZN	2,250	4.96	mm	149	88	28	250x25x5
Z4-ALAL	AL	0,940	2.07					
Z4-MGAL	MG	0,630	1.39	inch	5.87"	3.46"	1.10"	9.84"x0.98"x0.20"

WELD-ON TYPE

WELD-ON ANODES WITH 2 STRAPS



prod: m

COD		kg	lbs		l	l1	a	h	straps
00341	ZN	10,000	22.05	mm	298	120	148	30	260x30x6
NEW 00341AL	AL	4,500	9.92						
NEW 00341MG	MG	3,250	7.15	inch	11.7"	4.72"	5.83"	1.18"	10.24"x1.18"x0.24"

WELD-ON ANODES WITH T STRAP



prod: m

COD		kg	lbs		l	a	h	strap
00390	ZN	24,000	52.91	mm	365	225	65	365x30x6 e 95x30x6
NEW 00390AL	AL	11,000	24.25	inch	14.4"	8.86"	2.56"	14.37"x1.18"x0.24" 3.74"x1.18"x0.24"

WELD-ON ANODES WITH 2 STRAPS



prod: m

COD		kg	lbs		l	a	h	strap
00349	ZN	10,000	22.05	mm	366	165	40	
NEW 00349AL	AL	4,500	9.92	inch	14"	6.50"	1.57"	260x30x6

BOLT-ON TYPE


BOLT ON ANODES WITH STRAP

Oval Type / fishing

Fishing



2.5



prod: m


COD		kg	lbs		l	a	h	i	Ø	strap/inserto
00300A	ZN	0,600	1.32	mm	100	60	18	200	13x25	265x25x5
00300AAL	AL	0,455	1.00	inch	3.94"	2.36"	0.71"	7.87"	0.51"x0.98"	10.43"x0.98"x0.20"
00301A	ZN	1,000	2.20	mm	110	63	26	200	13x25	265x25x5
00301AAL	AL	0,550	1.21	inch	4.33"	2.48"	1.02"	7.87"	0.51"x0.98"	10.43"x0.98"x0.20"
00302A	ZN	1,800	3.97	mm	200	70	25	250	13x25	300x25x5
00302A-AL	AL	0,800	1.76	inch	7.87"	2.76"	0.98"	9.84"	0.51"x0.98"	11.81"x0.98"x0.20"
00303FERRETTI	ZN	2,200	4.85	mm	210	70	28	230	13x25	300x25x5
00303FERRETTIAL	AL	1,000	2.20	inch	8.27"	2.76"	1.10"	9.06"	0.51"x0.98"	11.81"x0.98"x0.20"
00303M	ZN	2,200	4.85	mm	210	70	28	250	13x25	300x25x5
00303MAL	AL	1,000	2.20	inch	8.27"	2.76"	1.10"	9.84"	0.51"x0.98"	11.81"x0.98"x0.20"
00304A	ZN	3,000	6.61	mm	200	90	35	250	13x25	300x25x5
00304AAL	AL	1,500	3.31	inch	7.87"	3.50"	1.38"	9.84"	0.51"x0.98"	11.81"x0.98"x0.20"
NEW 00306/2	ZN	5,000	11.02	mm	300	80	40	350	12x30	400x30x6
NEW 00306/2AL	AL	2,500	5.51	inch	11.81"	3.15"	1.87"	13.78"	0.47"x1.18"	15.75"x1.18"x0.24"

WELD-ON TYPE - BOLT-ON TYPE

BOLT-ON TYPE

BOLT ON ANODES WITH STRAP

Teardrop type



prod: m


COD		kg	lbs		l	a	h	i	Ø	strap
00350/B	ZN	1,000	2.20	mm	120	78	25	200	13x25	230x25x5
00350BAL	AL	0,390	0.86							
00350BMG	MG	0,250	0.55	inch	4.72"	3.07"	0.98"	7.87"	0.51"x0.98"	9.06"x0.98"x0.20"
00351/1	ZN	1,800	3.97	mm	135	87	35	200	13x25	250x25x5
00351-1AL	AL	0,860	1.90							
00351-1MG	MG	0,700	1.54	inch	5.31"	3.43"	1.38"	7.87"	0.51"x0.98"	9.84"x0.98"x0.20"
00351/2/B	ZN	2,100	4.63	mm	140	90	42	200	13x25	250x25x5
00351-2-BAL	AL	0,850	1.87							
00351-2-BMG	MG	0,800	1.76	inch	5.51"	3.54"	1.65"	7.87"	0.51"x0.98"	9.84"x0.98"x0.20"
00352/A	ZN	3,100	6.83	mm	160	100	40	200	13x25	250x25x5
00352/A-AL	AL	1,300	2.87							
00352/AMG	MG	1,000	2.20	inch	6.30"	3.94"	1.57"	7.87"	0.51"x0.98"	9.84"x0.98"x0.20"
00352-A1	ZN	3,100	6.83	mm	160	100	40	220	13x25	250x25x5
00352-A1AL	AL	1,300	2.87	inch	6.30"	3.94"	1.57"	8.66"	0.51"x0.98"	9.84"x0.98"x0.20"

BOLT-ON TYPE

BOLT ON ANODES WITH STRAP

Scandinavian Type

Scandinavia




prod: m

COD		kg	lbs		l	a	h	i	Ø	strap/inserto
00385	ZN	0,250	0.55	mm	75	34	16	135	9X20	175X20X3
NEW 00385AL	AL	0,180	0.40	inch	2.95"	1.34"	0.63"	5.31"	0.35"x0.79"	9.06"x0.98"x0.20"
00385MG	MG	0,135	0.30							
00386	ZN	0,500	1.10	mm	95	40	25	132	9X20	170X20X3
NEW 00386AL	AL	0,300	0.66	inch	3.74"	1.57"	0.98"	5.20"	0.35"x0.79"	9.06"x0.98"x0.20"
00386MG	MG	0,200	0.44							
00387	ZN	1,100	2.43	mm	120	46	35	180	13X25	250X25X5
NEW 00387AL	AL	0,650	1.43	inch	4.72"	1.81"	1.38"	7.09"	0.51"x0.98"	9.06"x0.98"x0.20"
00387MG	MG	0,500	1.10							

BOLT ON ANODES WITH STRAP

Scandinavian Type

Scandinavia



prod: m


COD		kg	lbs		l	a	h	i	Ø	strap
01950	ZN	1,000	2.20	mm	101	64	30	120	9X15	170X20X3
				inch	3.98"	2.52"	1.18	4.72	0.35"x0.59"	6.69"x0.79"x0.12"

BOLT-ON TYPE

BOLT ON ANODES WITH STRAP

Scandinavian Type

Scandinavia




prod: m

COD		kg	lbs		l	a	h	i	Ø	strap
00385/1	ZN	0,250	0.55	mm	95	34	17	117	7X25	165X15X3
NEW 00385/1AL	AL	0,180	0.40	inch	3.74"	1.34"	0.67"	4.61"	0.28"x0.98"	6.50"x0.59"x0.12"
00386/1	ZN	0,500	1.10	mm	110	42	24	135	9X20	175X20X3
NEW 00386/1AL	AL	0,300	0.66	inch	4.33"	1.65"	0.94"	5.31"	0.35"x0.79"	6.89"x0.79"x0.12"
00387/1	ZN	1,000	2.20	mm	127	62	28	180	13X25	250X25X5
NEW 00387/1AL	AL	0,600	1.32	inch	5.00"	2.44"	1.10"	7.09"	0.51"x0.98"	9.84"x0.98"x0.20"
00388	ZN	1,900	4.18	mm	140	82	26	180	13X25	250X25X5
NEW 00388AL	AL	1,000	2.20							
00388MG	MG	0,700	1.54	inch	5.51"	3.23"	1.02"	7.09"	0.51"x0.98"	9.84"x0.98"x0.20"

BOLT ON ANODES WITH STRAP

ScandinavianType

Scandinavia



prod: m

COD		kg	lbs		l	a	h	i	Ø	strap
00389-1	ZN	3,600	7.94	mm	220	95	32	260	13X30	300x25x5
NEW 00389-1AL	AL	1,600	3.53	inch	8.66"	3.74"	1.26"	10.24"	0.51"x1.18"	11.81"x0.98"x0.20"
00389-2	ZN	3,400	7.50	mm	215	90	30	315	12X20	340x25x5
NEW 00389-2AL	AL	1,500	3.31	inch	8.46"	3.54"	1.18"	12.40"	0.47"x0.79"	13.39"x0.98"x0.20"
00389-3	ZN	3,000	6.61	mm	220	96	30	260	13X30	300x25x5
NEW 00389-3AL	AL	1,300	2.87	inch	8.66"	3.78"	1.18"	10.24"	0.51"x1.18"	11.81"x0.98"x0.20"
00389-4	ZN	5,500	12.13	mm	260	113	33	315	12X20	340x25x5
NEW 00389-4AL	AL	2,500	5.51	inch	10.24"	4.45"	1.30"	12.40"	0.47"x0.79"	13.39"x0.98"x0.20"





Standard type

pag. 102

Cylindric shaft anodes

pag. 106

Light type

pag. 107

UK type

pag. 108

USA type

pag. 110

Naca profile collar anodes

pag. 114

Slim type collar anodes

pag. 116

Collar anodes medium size

pag. 118

Collar anodes large size

pag. 119

Hinged type shaft anodes

pag. 120

Shaft grounding systems

pag. 121

3.1

SHAFT & PROP ANODES


Bracelet and Collar Anodes



STANDARD TYPE / BRACCIALI STANDARD

STANDARD SHAFT ANODES

2 fastening holes
Bolts and nuts available on request




prod: d

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00500	ZN	0,540	1.19	mm	3/4"	56	58	19
00500MG	MG	0,130	0.29	inch		2.20"	2.28"	0.75"
00501	ZN	0,500	1.10	mm	7/8"	56	58	22
00501MG	MG	0,126	0.28	inch		2.20"	2.28"	0.87"
00502	ZN	0,480	1.06	mm	25mm	56	58	25
00502MG	MG	0,098	0.22	inch		2.20"	2.28"	0.98"
00503	ZN	0,480	1.06	mm	1"	56	58	25,4
00503MG	MG	0,120	0.26	inch		2.20"	2.28"	1.00"
00504	ZN	0,435	0.96	mm	28mm	56	58	28
00504MG	MG	0,110	0.24	inch		2.20"	2.28"	1.10"
00505	ZN	0,445	0.98	mm	1-1/8"	56	58	28,6
00505MG	MG	0,350	0.77	inch		2.20"	2.28"	1.13"
00506	ZN	0,430	0.95	mm	30mm	56	58	30
00506MG	MG	0,095	0.21	inch		2.20"	2.28"	1.18"
00507	ZN	0,415	0.91	mm	1-1/4"	56	58	31,8
00507MG	MG	0,092	0.20	inch		2.20"	2.28"	1.25"

STANDARD TYPE

STANDARD SHAFT ANODES

2 fastening holes
Bolts and nuts available on request




prod: d

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00508	ZN	0,570	1.25	mm	34mm	66	65	34
00508MG	MG	0,2565	0.56	inch		2.60"	2.56"	1.34"
00509	ZN	0,580	1.28	mm	35mm	66	65	35
00509MG	MG	0,145	0.32	inch		2.60"	2.56"	1.38"
00510	ZN	0,520	1.14	mm	1-1/2"	66	65	38
00510MG	MG	0,130	0.29	inch		2.60"	2.56"	1.50"
00511	ZN	1,000	2.20	mm	40mm	77	81	40
00511MG	MG	0,250	0.55	inch		3.03"	3.19"	1.57"
00511M	ZN	0,880	1.94	mm	1-3/4"	77	81	44,4
00511MMG	MG	0,220	0.48	inch		3.03"	3.19"	1.75"
00512	ZN	0,850	1.87	mm	45mm	77	81	45
00512MG	MG	0,212	0.47	inch		3.03"	3.19"	1.77"
00512M	ZN	1,050	2.31	mm	48mm	77	81	48
00512MMG	MG	0,262	0.58	inch		3.03"	3.19"	1.89"
00513	ZN	1,000	2.62	mm	50mm	88	93	50
00513MG	MG	0,250	0.65	inch		3.46"	3.66"	1.97"
00514	ZN	1,000	2.55	mm	2"	88	93	50,8
00514MG	MG	0,250	0.64	inch		3.46"	3.66"	2.00"

BOLTS AND NUTS FOR SHAFT ANODES

prod: m




COD		kg	lbs	used for	notes
KIT1	G/Steel	0,012	0.030	shaft anodes 00500 - 00507	2 x bolt (vite) m5x25 nut (dado) m5
KIT2	G/Steel	0,037	0.080	shaft anodes 00508 - 00510	2 x Bolt (vite) m6x25 Nut (Dado) m6
KIT9/1	G/Steel	0,016	0.040	shaft anodes 00511 - 00514	2 x Bolt (vite) m6x30 Nut (Dado) m6

STANDARD TYPE

STANDARD SHAFT ANODES

4 fastening holes
Bolts and nuts available on request



prod: d


COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00515	ZN	1,080	2.38	mm	55mm	88	93	55
00515MG	MG	0,270	0.60	inch		3.46"	3.66"	2.38"
00516	ZN	1,010	2.23	mm	2-1/4"	88	93	57,1
00516MG	MG	0,250	0.55	inch		3.46"	3.66"	2.25"
00517	ZN	1,710	3.77	mm	60mm	110	100	60
00517MG	MG	0,430	0.95	inch		4.33"	3.94"	2.36"
00518	ZN	1,680	3.70	mm	2-1/2"	110	100	63,5
00518MG	MG	0,420	0.93	inch		4.33"	3.94"	2.50"
00519	ZN	1,650	3.64	mm	65mm	110	100	65
00519MG	MG	0,415	0.91	inch		4.33"	3.94"	2.56"

STANDARD TYPE

STANDARD SHAFT ANODES

4 fastening holes
Bolts and nuts available on request

3.1




prod: d

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00520	ZN	2,740	6.04	mm	70mm	107	128	70
00520MG	MG	0,690	1.52	inch		4.21"	5.04"	2.76"
00521	ZN	2,570	5.67	mm	75mm	107	128	75
00521MG	MG	0,650	1.43	inch		4.21"	5.04"	2.95"
00521M	ZN	2,535	5.59	mm	3"	107	128	76,2
00521MMG	MG	0,640	1.41	inch		4.21"	5.04"	3.00"
00522	ZN	2,370	5.22	mm	80mm	107	128	80
NEW 00522MG	MG	0,600	1.32	inch		4.21"	5.04"	3.15"
00523	ZN	2,100	4.63	mm inch	85mm	107 4.21"	128 5.04"	85 3.54"
00524-13	ZN	3,650	8.05	mm inch	90mm	113 4.45"	137 5.39"	90 3.54"

BOLTS AND NUTS FOR SHAFT ANODES

prod: m




COD		kg	lbs	used for / per	notes / note
KIT3	G/Steel	0,026	0.06	shaft anodes 00515 - 00516	4 x Bolt (vite) M6x30 Nut (Dado) M6
KIT5	G/Steel	0,048	0.11	shaft anodes 00517 - 00523	4 x Bolt (vite) M6x35 Nut (Dado) M6
KIT7	G/Steel	0,060	0.13	shaft anodes 00524-13	4 x Bolt (vite) M6x50 Nut (Dado) M6

CYLINDRIC SHAFT ANODES

CYLINDRIC SHAFT ANODES

4 fastening holes
Bolts and nuts available on request




prod: m

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00525	ZN	5,700	12.57	mm inch	95mm	114 4.49"	142 5.59"	95 3.74"
00526	ZN	5,250	11.57	mm inch	100mm	114 4.49"	142 5.59"	100 3.94"
00526-1	ZN	5,100	11.24	mm inch	105mm	114 4.49"	142 5.59"	105 4.13"
00526-2	ZN	5,000	11.02	mm inch	110mm	114 4.49"	142 5.59"	110 4.33"
00527	ZN	16,300	35.94	mm inch	117mm	156 6.14"	180 7.09"	117 4.61"
00528	ZN	15,300	33.73	mm inch	115mm	156 6.14"	180 7.09"	115 4.53"
00529	ZN	15,700	34.61	mm inch	120mm	156 6.14"	180 7.09"	120 4.72"
00530	ZN	14,650	32.30	mm inch	125mm	156 6.14"	180 7.09"	125 4.92"
00531	ZN	12,500	27.56	mm inch	130mm	156 6.14"	180 7.09"	130 5.12"

BOLTS AND NUTS FOR SHAFT ANODES

prod: m



COD		kg	lbs	used for	notes
KIT7	G/Steel	0,060	0.13	shaft anodes 00525 - 00526	4 x Bolt (vite) M6x50 Nut (dado) M6
KIT18	G/Steel	0,194	0.43	shaft anodes 00527 - 00531	4 x Bolt (vite) M10x50 Nut (dado) M10

LIGHT TYPE


SHAFT ANODES LIGHT TYPE

2 fastening holes
Bolts and nuts available on request

Main market



3.1




prod: m

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00500L	ZN	0,305	0.67	mm inch	3/4"	40 1.57"	50 1.97"	19 0.75"
00501L	ZN	0,290	0.64	mm inch	7/8"	40 1.57"	50 1.97"	22 0.87"
00502L	ZN	0,250	0.55	mm inch	25mm	40 1.57"	50 1.97"	25 0.98"
00503L	ZN	0,240	0.53	mm inch	1"	40 1.57"	50 1.97"	25,4 1.00"
00504L	ZN	0,218	0.48	mm inch	28mm	40 1.57"	50 1.97"	28 1.10"

BOLTS AND NUTS FOR SHAFT ANODES

prod: m



COD		kg	lbs	used for	notes
KIT8	G/Steel	0,010	0,022	shaft anodes 00500L - 00504L	2 x Bolt (vite) M4x20 Nut (dado) M4


UK TYPE

SHAFT ANODES UK TYPE

Bolts and nuts included

Heavy duty

Main market



prod: d

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00500UK	ZN	0,750	1.65	mm		65	56	19
NEW 00500UKAL	AL	0,300	0.66		3/4"			
NEW 00500UKMG	MG	0,180	0.40	inch		2.56"	2.20"	0.75"
00501UK	ZN	0,710	1.57	mm		65	56	22
NEW 00501UKAL	AL	0,284	0.63		7/8"			
NEW 00501UKMG	MG	0,178	0.39	inch		2.56"	2.20"	0.87"
00502UK	ZN	0,690	1.52	mm		65	56	25
NEW 00502UKAL	AL	0,276	0.61		25mm			
NEW 00502UKMG	MG	0,173	0.38	inch		2.56"	2.20"	0.98"
00503UK	ZN	0,670	1.48	mm		65	56	25,4
NEW 00503UKAL	AL	0,268	0.59		1"			
NEW 00503UKMG	MG	0,168	0.37	inch		2.56"	2.20"	1.00"
NEW 00505UK	ZN	0,600	1.32	mm		65	56	28,6
NEW 00505UKAL	AL	0,240	0.53		1-1/8"			
NEW 00505UKMG	MG	0,150	0.33	inch		2.56"	2.20"	1.12"
00506UK	ZN	0,560	1.23	mm		65	56	30
NEW 00506UKAL	AL	0,224	0.49		30mm			
NEW 00506UKMG	MG	0,013	0.03	inch		2.56"	2.20"	1.18"

UK TYPE

SHAFT ANODES UK TYPE


Bolts and nuts included

Heavy duty

Main market



3.1



prod: d


COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00507UK	ZN	1,280	2.82	mm	1-1/4"	65	70	31,8
NEW 00507UKAL	AL	0,512	1.13	inch		2.56"	2.76"	1.25"
00509UK	ZN	1,250	2.76	mm	35mm	78	70	35
NEW 00509UKAL	AL	0,500	1.10	inch		3.07"	2.76"	1.38"
00510UK	ZN	1,120	2.47	mm	1-1/2"	78	70	38
NEW 00510UKAL	AL	0,448	0.99	inch		3.07"	2.76"	1.50"
00511UK	ZN	1,030	2.27	mm	40mm	78	70	40
NEW 00511UKAL	AL	0,412	0.91	inch		3.07"	2.76"	1.57"
00511MUK	ZN	0,950	2.09	mm	1-3/4"	78	70	44,4
NEW 00511MUKAL	AL	0,380	0.84	inch		3.07"	2.76"	1.75"
00512UK	ZN	2,440	5.38	mm	45mm	100	85	45
NEW 00512UKAL	AL	0,430	0.95	inch		3.94"	3.35"	1.77"
00513UK	ZN	2,380	5.25	mm	50mm	100	85	50
NEW 00513UKAL	AL	0,952	2.10	inch		3.94"	3.35"	1.97"

USA TYPE

SHAFT ANODES USA TYPE

2 fastening holes
Bolts and nuts available on request

Main market



prod: d

	COD		kg	lbs		Ø Shaft	h	Ø	Ø1
X-1	00500USA	ZN	0,480	1.06	mm	3/4"	51	54	19
	00500USAAL	AL	0,188	0.41					
	00500USAMG	MG	0,120	0.26	inch		2.00"	2.15"	0.75"
X-2	00501USA	ZN	0,430	0.95	mm	7/8"	51	54	22
	00501USAAL	AL	0,168	0.37					
	00501USAMG	MG	0,108	0.24	inch		2.00"	2.15"	0.87"
D-25	00502USA	ZN	0,408	0.90	mm	25mm	51	54	25
	00502USAAL	AL	0,160	0.35					
	00502USAMG	MG	0,103	0.23	inch		2.00"	2.15"	0.98"
X-3	00503USA	ZN	0,408	0.90	mm	25mm	51	54	25
	00503USAAL	AL	0,160	0.35					
	00503USAMG	MG	0,103	0.23	inch		2.00"	2.15"	0.98"
D-28	00504USA	ZN	0,437	0.96	mm	28mm	56	58	28
	00504USAAL	AL	0,110	0.24					
	00504USAMG	MG	0,110	0.24	inch		2.20"	2.28"	1.10"
X-4	00505USA	ZN	0,360	0.79	mm	1-1/8"	51	54	28,6
	00505USAAL	AL	0,137	0.30					
	00505USAMG	MG	0,090	0.20	inch		2.00"	2.15"	1.125"
D-30	00506USA	ZN	0,728	1.60	mm	30mm	67	63	30
	00506USAAL	AL	0,285	0.63					
	00506USAMG	MG	0,184	0.41	inch		2.64"	2.48"	1.18"
X-5	00507USA	ZN	0,480	1.06	mm	1-1/4"	64	58	31,8
	00507USAAL	AL	0,190	0.42					
	00507USAMG	MG	0,121	0.27	inch		2.52"	2.28"	1.25"

USA TYPE


SHAFT ANODES USA TYPE

2 fastening holes
Bolts and nuts available on request

Main market



3.1




prod: d

	COD		kg	lbs		Ø Shaft	h	Ø	Ø1
X-6 D-35	00509USA	ZN	0,700	1.54	mm	35mm	67	66	35
	00509USA/AL	AL	0,315	0.69	inch		2.64"	2.60"	1.38"
	00509USAMG	MG	0,175	0.39					
X-7	00510USA	ZN	0,624	1.37	mm	1-1/2"	67	66	38
	00510USA/AL	AL	0,2808	0.62	inch		2.64"	2.60"	1.50"
	00510USAMG	MG	0,156	0.34					
D-40	00511USA	ZN	1,100	2.42	mm	40mm	67	66	40
	00511USAAL	AL	0,495	1.09	inch		2.64"	2.60"	1.57"
	00511USAMG	MG	0,275	0.61					
X-8	00511MUSA	ZN	1,360	2.99	mm	1-3/4"	78	82	44,4
	00511MUSAAL	AL	0,612	1.35	inch		3.07"	3.23"	1.75"
	00511MUSAMG	MG	0,34	0.75					
D-45	00512USA	ZN	1,100	2.42	mm	45mm	78	82	45
	00512USAAL	AL	0,495	1.09	inch		3.07"	3.23"	1.77"
	00512USAMG	MG	0,275	0.61					
D-48	00512MUSA	ZN	1,050	2.31	mm	48mm	78	82	48
	00512MUSAAL	AL	0,4725	1.04	inch		3.07"	3.23"	1.89"
	00512MUSAMG	MG	0,2625	0.58					
D-50	00513USA	ZN	1,090	2.40	mm	50mm	83	82	50
	00513USAAL	AL	0,4905	1.09	inch		3.27"	3.23"	1.96"
	00513USAMG	MG	0,2725	0.60					

BOLTS AND NUTS FOR SHAFT ANODES

prod: m




COD		kg	lbs	used for	notes
KIT1USA	S/Steel	0,010	0.022	from 00500USA to 00507USA	2 Pcs of Bolt (Vite) 10-24 x 1" socket cap + Nut (Dado) 10-24 - Est: 3/8"
KIT2USA	S/Steel	0,022	0.048	from 00509USA to 00514USA	2 Pcs of Bolt (Vite) 1/4-20 x 1" socket cap+Nut (Dado) 1/4-20 - Est: 10mm

USA TYPE

SHAFT ANODES USA TYPE

4 fastening holes
Bolts and nuts available on request

Main market



prod: d

	COD		kg	lbs		Ø Shaft	h	Ø	Ø1
X-9	00514USA		1,100	2.42	mm		83	82	50,8
	00514USAAL		0,495	1.09		2"			
	00514USAMG		0,275	0.61	inch		3.27"	3.23"	2.00"
X-10	00516USA		2,820	6.22	mm		102	107	57,1
	NEW 00516USAAL		1,105	2.44	inch	2-1/4"	4.00"	4.21"	2.25"
D-60	00517USA		2,600	5.73	mm		102	107	60
	00517USAAL		1,000	2.20		60mm			
	00517USAMG		0,650	1.43	inch		4.00"	4.21"	2.36"
X-11	00518USA		2,400	5.29	mm		102	107	63,5
	00518USAAL		0,940	2.07	inch	2-1/2"	4.00"	4.21"	2.50"
X-12	00520USA		3,200	7.05	mm		96	122	70
	00520USAAL		1,250	2.76	inch	2-3/4"	3.78"	4.80"	2.75"
X-13	00521MUSA		2,700	5.95	mm		96	122	76,2
	00521MUSAAL		1,050	2.31	inch	3"	3.78"	4.80"	3.00"

USA TYPE


SHAFT ANODES USA TYPE

4 fastening holes
Bolts and nuts available on request

Main market



3.1




prod: d

	COD		kg	lbs		Ø Shaft	h	Ø	Ø1
X-14	00523USA	ZN	3,540	7.80	mm inch	3-1/4"	95 3.74"	130 5.12"	82,6 3.25"
X-15	00524USA	ZN	3,080	6.79	mm inch	3-1/2"	95 3.74"	130 5.12"	89,0 3.50"
X-16	00525USA	ZN	3,990	8.80	mm inch	3-3/4"	95 3.74"	142 5.59"	95,3 3.75"
X-17	00526USA	ZN	3,270	7.21	mm inch	4"	95 3.74"	142 5.59"	101,6 4.00"
X-18	00528USA	ZN	3,720	8.20	mm inch	4-1/2"	95 3.74"	160 6.30"	114,3 4.50"
X-19	00529USA	ZN	4,260	9.39	mm inch	5"	95 3.74"	171 6.73"	127 5.00"
X-20	00530USA	ZN	4,990	11.00	mm inch	5-1/2"	95 3.74"	184 7.24"	140 5.50"
X-21	00531USA	ZN	5,440	11.99	mm inch	6"	95 3.74"	197 7.76"	152,4 6.00"
X-22	00532USA	ZN	6,350	14.00	mm inch	6-1/2"	95 3.74"	209 8.23"	165 6.50"

BOLTS AND NUTS FOR SHAFT ANODES

prod: m




COD		kg	lbs	used for	notes
KIT3USA		0,044	0.096	00516USA	4 Pcs of Bolt (Vite) 1/4-20 x 1 1/4" socket cap+Nut (Dado) 1/4-20 - Est: 7/16"
KIT4USA		0,047	0.101	from 00517USA to 00521MUSA	4 Pcs of Bolt (Vite) 1/4-20 x 1 1/2" socket cap+Nut (Dado) 1/4-20 - Est: 7/16"
KIT5USA		0,060	0.133	from 00523USA to 00526USA	4 Pcs of Bolt (Vite) 1/4-20 x 1 3/4" socket cap+Nut (Dado) 1/4-20 - Est: 7/16"
KIT6USA		0,099	0.221	from 00528USA to 00532USA	4 Pcs of Bolt (Vite) 5/16-18 x 2" socket cap+Nut (Dado) 5/16-18 - Est: 1/2"

NACA PROFILE COLLAR ANODES

NACA PROFILE SHAFT COLLAR ANODES

Naca

Naca profile



prod: d

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00550	ZN	0,315	0.69	mm	3/4"	25	55	19
00550AL	AL	0,123	0.27					
00550MG	MG	0,066	0.15	inch				
00550/1	ZN	0,256	0.56	mm	20mm	25	55	20
00550/1AL	AL	0,100	0.22					
00550/1MG	MG	0,080	0.18	inch				
00551	ZN	0,240	0.53	mm	7/8"	25	55	22
00551AL	AL	0,120	0.26					
00551MG	MG	0,080	0.18	inch				
00552	ZN	0,228	0.50	mm	25mm	25	55	25
00552AL	AL	0,090	0.20					
00552MG	MG	0,070	0.15	inch				
00553	ZN	0,290	0.64	mm	1"	25	55	25,4
00553AL	AL	0,120	0.26					
00553MG	MG	0,075	0.17	inch				

NACA PROFILE COLLAR ANODES


NACA PROFILE SHAFT COLLAR ANODES
COLLARI PER ASSI PROFILO NACA

Naca

Naca profile



3.1




prod: d

COD		kg	lbs		Ø Shaft	h	Ø1	Ø
00554	ZN	0,270	0.60	mm	1-1/8"	25	28,6	66
00554AL	AL	0,110	0.24			0.98"	1.13"	2.60"
00554MG	MG	0,068	0.15	inch				
00555	ZN	0,265	0.58	mm	30mm	25	30	66
00555AL	AL	0,072	0.16			0.98"	1.18"	2.60"
00555MG	MG	0,080	0.18	inch				
00556	ZN	0,255	0.56	mm	1 - 1/4"	25	31,8	66
00556AL	AL	0,100	0.22			0.98"	1.25"	2.60"
00556MG	MG	0,060	0.13	inch				
00557	ZN	0,225	0.50	mm	35mm	25	35	66
00557AL	AL	0,089	0.20			0.98"	1.38"	2.60"
00557MG	MG	0,068	0.15	inch				

BOLTS AND NUTS FOR SHAFT ANODES


prod: m



COD		kg	lbs	used for	notes
KIT1	G/Steel	0,012	0.03	shaft anodes 00550 - 00557	2 x Bolt (vite) M5x25 Nut (Dado) M5

SLIM TYPE COLLAR ANODES

SLIM TYPE SHAFT COLLAR ANODES




prod: d

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
NEW 00550L	ZN	0,260	0.57	mm	3/4"	18	65	19
NEW 00550LAL	AL	0,104	0.23					
NEW 00550LMG	MG	0,065	0.14	inch		0.71"	2.56"	0.75"
NEW 00550/1L	ZN	0,255	0.56	mm	7/8"	18	65	22
NEW 00550-1LAL	AL	0,102	0.22					
NEW 00550/1LMG	MG	0,064	0.14	inch		0.71"	2.56"	0.87"
NEW 00551L	ZN	0,250	0.55	mm	25mm	18	65	25
NEW 00551LAL	AL	0,100	0.22					
NEW 00551LMG	MG	0,063	0.14	inch		0.71"	2.56"	0.98"
NEW 00552L	ZN	0,230	0.51	mm	1"	18	65	25,4
NEW 00552LAL	AL	0,092	0.20					
NEW 00552LMG	MG	0,058	0.13	inch		0.71"	2.56"	1.00"
NEW 00553L	ZN	0,230	0.51	mm	28mm	18	65	28
NEW 00553LAL	AL	0,092	0.20					
NEW 00553LMG	MG	0,058	0.13	inch		0.71"	2.56"	1.10"
NEW 00554L	ZN	0,290	0.64	mm	1-1/8"	18	65	28,6
NEW 00554LAL	AL	0,116	0.26					
NEW 00554LMG	MG	0,073	0.16	inch		0.71"	2.56"	1.13"
NEW 00555L	ZN	0,280	0.62	mm	30mm	18	65	30
NEW 00555LAL	AL	0,112	0.25					
NEW 00555LMG	MG	0,070	0.15	inch		0.71"	2.56"	1.18"
NEW 00556L	ZN	0,270	0.60	mm	1-1/4"	18	65	31,8
NEW 00556LAL	AL	0,108	0.24					
NEW 00556LMG	MG	0,068	0.15	inch		0.71"	2.56"	1.25"

SLIM TYPE COLLAR ANODES

SLIM TYPE SHAFT COLLAR ANODES




prod: d (00557)

prod: m (00558/00562)

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
NEW 00557L	ZN	0,240	0.53	mm	35mm	18	65	35
NEW 00557LAL	AL	0,090	0.20					
NEW 00557LMG	MG	0,060	0.13	inch		0.71"	2.56"	1.38"
00562	ZN	0,210	0.46	mm	1-1/2"	25	61	38
00562AL	AL	0,080	0.18					
00562MG	MG	0,060	0.13	inch		0.98"	2.40"	1.50"
00558	ZN	0,450	0.99	mm	40mm	20	80	40
00558AL	AL	0,180	0.40					
00558MG	MG	0,120	0.26	inch		0.79"	3.15"	1.57"
00559	ZN	0,425	0.94	mm	45mm	20	80	45
00559AL	AL	0,160	0.35					
00559MG	MG	0,100	0.22	inch		0.79"	3.15"	1.77"
00559/1	ZN	0,390	0.86	mm	48mm	20	80	48
00559-1AL	AL	0,150	0.33					
00559-1MG	MG	0,100	0.22	inch		0.79"	3.15"	1.89"
00560	ZN	0,610	1.34	mm	50mm	25	90	50
00560AL	AL	0,240	0.50					
00560MG	MG	0,150	0.33	inch		0.98"	3.54"	1.97"

BOLTS AND NUTS FOR SHAFT ANODES


prod: m



COD		kg	lbs	used for	notes
KIT1	G/Steel	0,012	0.03	shaft anodes 00550 - 00557; 00562	2 x Bolt (vite) M5x25 Nut (Dado) M5
KIT9	G/Steel	0,016	0.04	shaft anodes 00558 - 00559	2 x Bolt (vite) M5x30 Nut (Dado) M5
KIT9/1	G/Steel	0,016	0.04	shaft anodes 00560	2 x Bolt (vite) M6x30 Nut (Dado) M6

COLLAR ANODES MEDIUM SIZE

SHAFT COLLAR ANODES MEDIUM SIZE




prod: m

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00561	ZN	1,330	2.93	mm inch	55mm	30 1.18"	110 4.33"	55 2.17"
00563	ZN	1,300	2.87	mm inch	2 - 1/4"	30 1.18"	110 4.33"	57,1 2.25"
00564	ZN	1,260	2.78	mm inch	60mm	30 1.18"	110 4.33"	60 2.36"
00565	ZN	1,170	2.58	mm inch	2 - 1/2"	30 1.18"	110 4.33"	63,5 2.50"
00566	ZN	1,160	2.56	mm inch	65mm	30 1.18"	110 4.33"	65 2.56"
00567	ZN	1,405	3.10	mm inch	70mm	30 1.18"	120 4.72"	70 2.76"
00568	ZN	1,260	2.78	mm inch	75mm	30 1.18"	120 4.72"	75 2.95"
00569	ZN	1,880	4.14	mm inch	80mm	32 1.26"	135 5.31"	80 3.15"
00570	ZN	1,720	3.79	mm inch	85mm	32 1.26"	135 5.31"	85 3.35"
00571	ZN	1,560	3.44	mm inch	90mm	32 1.26"	135 5.31"	90 3.50"
00572	ZN	1,400	3.09	mm inch	95mm	32 1.26"	135 5.31"	95 3.74"

BOLTS AND NUTS FOR SHAFT ANODES


prod: m



COD		kg	lbs	used for	notes
KIT7/1	G/Steel	0,032	0.07	haft anodes 00561; 00563-00572	2 x Bolt (vite) M6x50 Nut (Dado) M6

COLLAR ANODES LARGE SIZE

SHAFT COLLAR ANODES LARGE SIZE




prod: m

COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00573	ZN	2,010	4.43	mm inch	100mm	32 1.26"	148 5.83"	100 3.94"
00574	ZN	6,340	13.98	mm inch	105mm	40 1.57"	204 8.03"	105 4.13"
00575	ZN	6,600	14.55	mm inch	110mm	40 1.57"	204 8.03"	110 4.33"
00576	ZN	5,900	13.01	mm inch	115mm	40 1.57"	204 8.03"	115 4.53"
00577	ZN	5,700	12.57	mm inch	120mm	40 1.57"	204 8.03"	120 4.72"
00580	ZN	5,400	11.90	mm inch	125mm	40 1.57"	204 8.03"	125 4.92"
NEW 00580-1	ZN	5,600	12.32	mm inch	130mm	40 1.57"	210 8.27"	130 5.12"
00582	ZN	10,000	22.05	mm inch	135mm	60 2.36"	220 8.66"	135 5.31"
00583	ZN	4,550	10.03	mm inch	140mm	40 1.57"	204 8.03"	140 5.51"
NEW 00583-1	ZN	4,700	12.54	mm inch	145mm	40 1.57"	220 8.66"	145 5.71"
00584	ZN	4,600	10.14	mm inch	150mm	40 1.57"	210 8.27"	150 5.91"
NEW 00586	ZN	4,300	9.46	mm inch	155mm	40 1.57"	210 8.27"	155 6.10"
00587	ZN	4,000	8.80	mm inch	160mm	40 1.57"	210 8.27"	160 6.30"
00590M	ZN	6,240	13.76	mm inch	300mm	60 2.36"	511 20.12"	300 11.81"
00595	ZN	49,400	108.91	mm inch	350mm	60 2.36"	511 20.12"	350 13.78"
00579/1	ZN	19,700	43.43	mm inch	360mm	60 2.36"	511 20.12"	360 14.17"

BOLTS AND NUTS FOR SHAFT ANODES

prod: m



COD		kg	lbs	used for	notes
KIT7/1	G/Steel	0,032	0.07	shaft anode 00573	2 x Bolt (vite) M6x50 Nut (Dado) M6
KIT10	G/Steel	0,098	0.22	shaft anodes 00574-00587	2 x Bolt (vite) M8x100 Nut (Dado) M8

HINGED TYPE SHAFT ANODES


HINGED TYPE SHAFT ANODES

One screw only

Divers friendly



Smart Idea!



prod: m


COD		kg	lbs		Ø Shaft	h	Ø	Ø1
00516H		3,650	8.05	mm		105	112	57,1
00516HAL		1,450	3.20		2 - 1/4"			
00516HMG		0,920	2.03	inch		4.13"	4.41"	2.25"
00518H		3,200	7.05	mm		105	112	63,5
00518HAL		1,260	2.78		2 - 1/2"			
00518HMG		0,806	1.78	inch		4.13"	4.41"	2.50"

SHAFT GROUNDING SYSTEMS

BRACELET AND COLLAR ANODES

Small Size

3.1



kit composed by: n.1 brush holder with grafite brush; n.1 silver bathed ring
 kit composto da: n.1 portaspazzole con spazzole in grafite;
 n.1 anello di strisciamento in bagno di argento

prod: m

COD		kg	lbs		Ø	h	a
07040	ZN	0,354	0.78	mm inch	40 1.57"	60 2.36"	1,5 0.06"
07045	ZN	0,354	0.78	mm inch	45 1.77"	60 2.36"	1,5 0.06"
07050	ZN	0,382	0.84	mm inch	50 1.97"	50 1.97"	3 0.12"
07055	ZN	0,410	0.90	mm inch	55 2.17"	50 1.97"	3 0.12"
07060	ZN	0,430	0.95	mm inch	60 2.36"	50 1.97"	3 0.12"
07070	ZN	0,460	1.01	mm inch	70 2.76"	50 1.97"	3 0.12"

BRUSH REPLACEMENT

prod: m




COD		kg	lbs
SPAZZ1	ZN	0,065	0.14

SHAFT GROUNDING SYSTEM

BRACELET AND COLLAR ANODES

Medium Size



prod: m

COD		kg	lbs		Ø	h	a
07080	ZN	0,515	1.13	mm inch	80 3.15"	50 1.97"	3 0.12"
07085	ZN	0,573	1.26	mm inch	85 3.35"	50 1.97"	3 0.12"
07090	ZN	0,596	1.31	mm inch	90 3.54"	50 1.97"	3 0.12"
07095	ZN	0,620	1.36	mm inch	95 3.74"	50 1.97"	3 0.12"
07100	ZN	0,670	1.47	mm inch	100 3.94"	50 1.97"	3 0.12"
07105	ZN	0,670	1.47	mm inch	105 4.13"	50 1.97"	3 0.12"
07110	ZN	0,680	1.50	mm inch	110 4.33"	50 1.97"	3 0.12"

BRUSH REPLACEMENT

prod: m




COD		kg	lbs
SPAZZ2	ZN	0,145	0.32

SHAFT GROUNDING SYSTEM

BRACELET AND COLLAR ANODES

Large Size

3.1



prod: m

COD		kg	lbs		Ø	h	a
07115	ZN	0,783	1.72	mm inch	115 4.53"	50 1.97"	3 0.12"
07120	ZN	0,820	1.80	mm inch	120 4.72"	50 1.97"	3 0.12"
07123	ZN	0,830	1.83	mm inch	123 4.84"	50 1.97"	3 0.12"
07125	ZN	0,835	1.84	mm inch	125 4.92"	50 1.97"	3 0.12"
07127	ZN	0,820	1.80	mm inch	127 5.00"	50 1.97"	3 0.12"
07130	ZN	0,840	1.84	mm inch	130 5.12"	40 1.57"	4 0.16"
07132	ZN	0,840	1.84	mm inch	132 5.20"	40 1.57"	4 0.16"
07140	ZN	0,880	1.92	mm inch	140 5.51"	40 1.57"	4 0.16"
07145	ZN	0,905	2.00	mm inch	145 5.71"	40 1.57"	4 0.16"
07155	ZN	0,915	2.01	mm inch	155 6.10"	40 1.57"	4 0.16"
07170	ZN	1,080	2.37	mm inch	170 6.69"	40 1.57"	4 0.16"
07190	ZN	1,100	2.42	mm inch	190 7.48"	40 1.57"	4 0.16"
07200	ZN	1,120	2.46	mm inch	200 7.87"	40 1.57"	4 0.16"

BRUSH REPLACEMENT

prod: m



COD		kg	lbs
SPAZZ3	ZN	0,225	0.50



Beneteau *pag. 126*

Bosvik *pag. 126*

Dufour *pag. 127*

Nordhavn *pag. 127*

Orvea *pag. 127*

Radice *pag. 128*

Reggiani *pag. 136*

Renault Marine *pag. 137*

Riva *pag. 138*

Solè Diesel *pag. 142*

Teignbridge *pag. 142*

Volvo Penta *pag. 143*

USA type prop nuts *pag. 144*

3.2

SHAFT & PROP ANODES

Fixed pitch propellers



BENETEAU

BENETEAU PROPELLER ANODE COMPLETE WITH BRASS PLUG

Main market



prod: d

COD		kg	lbs		Ø Shaft	c	h	h1	Ø	m
00410/B	ZN	0,300	0.66	mm inch	22-25	30 1.18"	20 0.79"	18 0.71"	37 1.46"	16x1,5mm
00411/B	ZN	0,540	1.19	mm inch	30	32 1.26"	22 0.87"	21 0.83"	45 1.77"	20x1,5mm
00412/B	ZN	0,740	1.63	mm inch	35	36 1.42"	24 0.94"	24 0.94"	50 1.97"	24x2mm
00413/B	ZN	1,065	2.35	mm inch	40	41 1.61"	27 1.06"	27 1.06"	55 2.17"	24x2mm
00414/B	ZN	1,590	3.51	mm inch	45	50 1.97"	30 1.18"	30 1.18"	65 2.56"	30x2mm
00415/B	ZN	2,290	5.05	mm inch	50	54 2.13"	29 1.14"	33 1.30"	75 2.95"	36x3mm

BOSVIK

BOSVIK PROPELLER ANODE COMPLETE WITH STAINLESS STEEL RING

Main market




prod: m

COD		kg	lbs		Ø Shaft	l	h	Ø
BOS25	ZN	0,400	0.88	mm inch	20	25 0.98"	45 1.77"	49 1.93"
BOS30	ZN	0,450	0.99	mm inch	25	30 1.18"	45 1.77"	54 2.13"
BOS33	ZN	0,430	0.95	mm inch	30	33 1.30"	45 1.77"	55 2.17"
BOS35	ZN	0,530	1.17	mm inch	35	35 1.38"	45 1.77"	62 2.44"
BOS40	ZN	0,455	1.00	mm inch	40	40 1.57"	45 1.77"	62 2.44"
BOS50	ZN	0,745	1.64	mm inch	45	50 1.97"	52 2.05"	76 2.99"
BOS55	ZN	0,670	1.48	mm inch	50	55 2.17"	52 2.05"	76 2.99"

DUFOUR

DUFUR SHAFT RING ANODES



prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
01700	ZN	0,090	0.20	mm inch	47 1.85"	12 0.47"	37 1.46"	27 1.06"	6,5 0.26"	10 0.39"
01701	ZN	0,140	0.31	mm inch	52 2.05"	14 0.55"	40 1.57"	28 1.10"	6,5 0.26"	10 0.39"
01702	ZN	0,180	0.40	mm inch	55 2.17"	18 0.71"	43 1.69"	32 1.26"	6,5 0.26"	10 0.39"

NORDHAVN

NORDHAVN PROPELLER ZINC ANODE

Nordhavn 40-55 feet

Main market




prod: m

COD		kg	lbs		Ø	a	b	h	Ø1	Ø2	Ø3
00400CROX	ZN	0,990	2.18	mm inch	78 3.07"	26 1.02"	11 0.43"	56 2.20"	50 1.97"	27 1.06"	10 6.5"

ORVEA

ORVEA SERIES PROPELLER ANODES




prod: m

COD		kg	lbs		Ø	h	Ø1
00497	ZN	0,635	1.40	mm inch	56 2.20"	85 3.35"	42 1.65"
00498	ZN	0,815	1.80	mm inch	65 2.56"	101 3.98"	55 2.17"
00499	ZN	1,585	3.49	mm inch	81 3.19"	110 4.33"	60 2.36"

RADICE

RADICE PROPELLER ANODES CONICAL TYPE

Zinc replacement only



prod: d

COD		kg	lbs		Ø Shaft	Ø	h	Ø1	Ø2	Ø3
00400	ZN	0,135	0.30	mm	22-25mm	33	39	25	6,5	11
00400MG	MG	0,035	0.08	inch		1.30"	1.54"	0.98"	0.26"	0.43"
00401	ZN	0,280	0.62	mm	30mm	42	53	31	8,5	13,5
00401MG	MG	0,071	0.16	inch		1.65"	2.09"	1.22"	0.33"	0.53"
00402	ZN	0,390	0.86	mm	35mm	46	62	37	8,5	13,5
00402MG	MG	0,098	0.22	inch		1.81"	2.44"	1.46"	0.33"	0.53"
00403	ZN	0,505	1.11	mm	40mm	51	68	42	8,5	16
00403MG	MG	0,127	0.28	inch		2.01"	2.68"	1.65"	0.33"	0.62"
00404	ZN	0,828	1.83	mm	45mm	61	76	48	11	22
00404MG	MG	0,210	0.46	inch		2.40"	2.99"	1.89"	0.43"	0.86"
00405	ZN	1,140	2.51	mm	50mm	72	84	57	11	22
00405MG	MG	0,297	0.65	inch		2.83"	3.31"	2.24"	0.43"	0.86"
00406	ZN	1,110	2.45	mm	55mm	75	86	65	11	29
00406MG	MG	0,286	0.63	inch		2.95"	3.39"	2.56"	0.43"	6.5"
00407	ZN	1,831	4.04	mm	60mm	83	98	71	11	22
00407MG	MG	0,465	1.03	inch		3.27"	3.86"	2.80"	0.43"	0.86"
00409	ZN	2,215	4.88	mm	70/100mm	97	96	84	11	22
00409MG	MG	0,580	1.28	inch		3.82"	3.78"	3.31"	0.43"	0.86"
00409/1	ZN	7,650	16.87	mm inch	110mm	160 6.30"	134 5.28"	130 5.12"	15 0.59"	24 0.94"

RADICE

RADICE PROPELLER ANODES CONICAL TYPE

Complete with standard brass plug

3.2



prod: d


COD		kg	lbs		Ø Shaft	c	h	h1	Ø	m
00410	ZN	0,300	0.66	mm inch	22-25mm	30 1.18"	20 0.79"	18 0.71"	37 1.46	16x1,5mm
00411	ZN	0,525	1.16	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	20x1,5mm
00412	ZN	0,726	1.60	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	24x2mm
00413	ZN	1,020	2.25	mm inch	40mm	41 1.61"	27 1.06"	27 1.06"	55 2.17"	24x2mm
00414	ZN	1,560	3.44	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	33x2mm
00415	ZN	2,150	4.74	mm inch	50mm	54 2.13"	30 1.18"	31 1.22"	74 2.91"	36x3mm
00416	ZN	2,730	6,02	mm inch	55mm	63 2.48"	40 1.57"	41 1.61"	79 3.11"	40x3mm
00417	ZN	3,760	8.29	mm inch	60mm	63 2.48"	41 1.61"	41 1.61"	90 3.54"	45x3mm
00419	ZN	5,880	12.96	mm inch	70/100mm	75 2.95"	46 1.81"	46 1.81"	100 3.94"	50x3mm

RADICE

RADICE

RADICE PROPELLER ANODES CONICAL TYPE

Complete with out of standard plug



prod: d

COD	ZN	kg	lbs	mm inch	Ø Shaft	c	h	h1	Ø	m
00410/1	ZN	0,305	0.67	mm inch	22-25mm	30 1.18"	20 0.79"	18 0.71"	37 1.46"	14x1,5mm
00410/2	ZN	0,290	0.64	mm inch	22-25mm	30 1.18"	20 0.79"	18 0.71"	37 1.46"	18x1,5mm
00410/3	ZN	0,270	0.60	mm inch	22-25mm	30 1.18"	20 0.79"	18 0.71"	37 1.46"	20x1,5mm
00410/4	ZN	0,300	0.66	mm inch	22-25mm	30 1.18"	20 0.79"	18 0.71"	37 1.46"	16x2mm
00410X/C	ZN	0,350	0.77	mm inch	22-25mm	30 1.18"	20 0.79"	18 0.71"	37 1.46"	Ø8 0,31"
00411/1	ZN	0,590	1.30	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	14x1,5mm
00411/2	ZN	0,525	1.16	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	22x1,5mm
00411X/C	ZN	0,525	1.16	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	Ø10 0,39"
00412/1	ZN	0,780	1.72	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	22x1,5mm
00412/2	ZN	0,840	1.85	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	14x1,5mm
00412/3	ZN	0,750	1.65	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	24x1,5mm
00412X/C	ZN	0,845	1.86	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	Ø10 0,39"
00413/1	ZN	1,095	2.41	mm inch	40mm	41 1.61"	27 1.06"	27 1.06"	55 2.17"	26x2mm
00413/2	ZN	1,190	2.62	mm inch	40mm	41 1.61"	27 1.06"	27 1.06"	55 2.17"	14x1,5mm
00413/3	ZN	1,070	2.36	mm inch	40mm	41 1.61"	27 1.06"	27 1.06"	55 2.17"	24x1,5mm
00413SX	ZN	1,070	2.36	mm inch	40mm	41 1.61"	27 1.06"	27 1.06"	55 2.17"	24x1,5mm SX
00413X/C	ZN	0,978	2.16	mm inch	40mm	41 1.61"	27 1.06"	27 1.06"	55 2.17"	Ø8,5 0,33"
00414/1	ZN	1,650	3.64	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	17x1,5mm
00414/2	ZN	1,615	3.56	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	30x2mm
00414/3	ZN	1,655	3.65	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	27x2mm

RADICE

RADICE PROPELLER ANODES CONICAL TYPE

Complete with out of standard plug

3.2




prod: d

COD	ZN	kg	lbs		Ø Shaft	c	h	h1	Ø	m
00414/4	ZN	1,785	3.94	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	16x1,5mm
00414/5	ZN	1,860	4.10	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	26x1,5mm
00414/6	ZN	1,520	3.35	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	36x3mm
00414X/C	ZN	1,850	4.08	mm inch	45mm	50 1.97"	30 1.18"	30 1.18"	65 2.56"	Ø12 0.47"
00415/1	ZN	2,655	5.85	mm inch	50mm	54 2.13"	29 1.14"	33 1.30"	75 2.95"	Ø12 0.47"
00415/2	ZN	2,370	5.22	mm inch	50mm	54 2.13"	29 1.14"	33 1.30"	75 2.95"	27x1,5mm
00416/1	ZN	3,400	7.50	mm inch	55mm	63 2.48"	40 1.57"	40 1.57"	80 3.15"	Ø12 0.47"
00417/2	ZN	3,500	7.70	mm inch	60mm	63 2.48"	41 1.61"	44 1.73"	90 3.54"	34X2mm
00417/3	ZN	4,000	8.82	mm inch	60mm	63 2.48"	41 1.61"	44 1.73"	90 3.54"	42x2mm
00417/4	ZN	3,900	8.60	mm inch	60mm	63 2.48"	41 1.61"	44 1.73"	90 3.54"	42x3mm
00417/4SX	ZN	3,900	8.60	mm inch	60mm	63 2.48"	41 1.61"	44 1.73"	90 3.54"	42x3mm SX
00417X/C	ZN	3,830	8.44	mm inch	60mm	63 2.48"	41 1.61"	44 1.73"	90 3.54"	Ø12 0.47"
00419/1	ZN	6,620	14.59	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	38X2,5mm
00419/2	ZN	7,145	15.75	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	Ø12 0.47"
00419/3	ZN	6,375	14.05	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	45X2,5mm
00419/4	ZN	6,125	13.50	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	54X2,5mm
00419/5DX	ZN	6,200	13.67	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	48X3mm
00419/5SX	ZN	6,200	13.67	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	48X3mm SX
00419/6	ZN	6,400	14.11	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	42X3mm
00419/6SX	ZN	6,400	14.11	mm inch	70/100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	42X3mm SX

RADICE

RADICE

RADICE PROPELLER ANODES HEXAGONAL TYPE | Zinc replacement only



prod: d

COD		kg	lbs		Ø Shaft	c	h	Ø	Ø1	Ø2
00400E	ZN	0,120	0.26	mm	22-25mm	22	39	33	7	10
00400EMG	MG	0,031	0.07	inch		0.87"	1.54"	1.30"	0.28"	0.39"
00401E	ZN	0,250	0.55	mm	30mm	27	53	41	9	14
00401EMG	MG	0,065	0.14	inch		1.06"	2.09"	1.61"	0.35"	0.55"
00402E	ZN	0,350	0.77	mm	35mm	32	62	46	9	14
00402EMG	MG	0,091	0.20	inch		1.26"	2.44"	1.81"	0.35"	0.55"
00403E	ZN	0,460	1.01	mm	40mm	36	67	51	9	15
00403EMG	MG	0,116	0.26	inch		1.42"	2.64"	2.01"	0.35"	0.59"
00404E	ZN	0,775	1.71	mm	45mm	41	76	61	11	22
00404EMG	MG	0,195	0.43	inch		1.61"	2.99"	2.40"	0.43"	0.87"
00405E	ZN	0,950	2.09	mm	50mm	46	84	72	11	21
00405EMG	MG	0,255	0.56	inch		1.81"	3.31"	2.83"	0.43"	0.83"
00406E	ZN	1,010	2.23	mm	55mm	50	87	74	11	20
00406EMG	MG	0,250	0.55	inch		1.97"	3.43"	2.91"	0.43"	0.79"
00407E	ZN	1,655	3.65	mm	60mm	55	98	82	11	21
00407EMG	MG	0,420	0.93	inch		2.17"	3.86"	3.23"	0.43"	0.83"
00409E	ZN	2,580	5.69	mm	70/100mm	54	97	97	11	21
00409EMG	MG	0,650	1.43	inch		2.13"	3.82"	3.82"	0.43"	0.83"

RADICE

RADICE PROPELLER ANODES HEXAGONAL TYPE Complete with standard brass plug



prod: d

COD		kg	lbs		Ø Shaft	c	h	h1	Ø	m
00410E	ZN	0,310	0.68	mm inch	22-25mm	30 1.18"	19 0.75"	18 0.71"	37 1.46"	16x1,5mm
00411E	ZN	0,560	1.23	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	20x1,5mm
00412E	ZN	0,745	1.64	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	24x2mm
00413E	ZN	1,075	2.37	mm inch	40mm	41 1.61"	27 1.06"	26 1.02"	55 2.17"	24x2mm
00414E	ZN	1,530	3.37	mm inch	45mm	50 1.97"	29 1.14"	29 1.14"	64 2.52"	33x2mm
00415E	ZN	2,260	4.98	mm inch	50mm	56 2.20"	29 1.14"	44 1.73"	75 2.95"	36x3mm
00416E	ZN	2,525	5.57	mm inch	55mm	60 2.36"	35 1.38"	40 1.57"	80 3.15"	40x3mm
00417E	ZN	3,600	7.94	mm inch	60mm	65 2.56"	41 1.61"	44 1.73"	89 3.50"	45x3mm
00419E	ZN	5,640	12.43	mm inch	70/100mm	75 2.95"	45 1.77"	54 2.13"	100 3.94"	50x3mm

RADICE

RADICE PROPELLER ANODES HEXAGONAL TYPE Complete with out of standard plug



prod: d

COD		kg	lbs		Ø Shaft	c	h	h1	Ø	m
00410E/2	ZN	0,270	0.60	mm inch	22-25mm	22 0.87"	18 0.71"	18 0.71"	37 1.46"	18X1,5mm
00410E/3	ZN	0,266	0.59	mm inch	22-25mm	22 0.87"	18 0.71"	18 0.71"	37 1.46"	20X1,5mm
00410E/5	ZN	0,275	0.61	mm inch	22-25mm	22 0.87"	18 0.71"	18 0.71"	37 1.46"	3/4" W
00410E/XC	ZN	0,310	0.68	mm inch	22-25mm	22 0.87"	18 0.71"	18 0.71"	37 1.46"	Ø8 0.31"
00411E/5	ZN	0,560	1.23	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	7/8" W
00411E/XC	ZN	0,560	1.23	mm inch	30mm	32 1.26"	22 0.87"	21 0.83"	45 1.77"	Ø10 0.39"
00412E/3	ZN	0,745	1.64	mm inch	35mm	36 1.42"	24 0.94"	24 0.94"	50 1.97"	24X1,5mm
00412E/XC	ZN	0,750	1.65	mm inch	35mm	36 1.42"	27 1.06"	24 0.94"	50 1.97"	Ø10 0.39"
00413E/XC	ZN	1,020	2.25	mm inch	40mm	41 1.61"	29 1.14"	26 1.02"	55 2.17"	Ø8,5 0.33"
00414E/XC	ZN	1,590	3.51	mm inch	45mm	50 1.97"	29 1.14"	29 1.14"	65 2.56"	Ø12 0.47"
00415E/XC	ZN	2,380	5.25	mm inch	50mm	55 2.17"	35 1.38"	44 1.73"	75 2.95"	Ø12 0.47"
00416E/XC	ZN	2,530	5.58	mm inch	55mm	60 2.36"	41 1.61"	40 1.57"	80 3.15"	Ø12 0.47"
00417E/1	ZN	3,900	8.60	mm inch	60mm	65 2.56"	41 1.61"	44 1.73"	90 3.54"	34X2mm
00417E/2	ZN	3,400	7.50	mm inch	60mm	65 2.56"	41 1.61"	44 1.73"	90 3.54"	42X3mm
00417E/3	ZN	4,100	9.04	mm inch	60mm	65 2.56"	41 1.61"	44 1.73"	90 3.54"	42X2mm
00417E/XC	ZN	4,645	10.24	mm inch	60mm	65 2.56"	41 1.61"	44 1.73"	90 3.54"	Ø12 0.47"
00419E/XC	ZN	4,645	10.24	mm inch	70-100mm	75 2.95"	46 1.81"	54 2.13"	100 3.94"	Ø10 0.39"










RADICE

STEEL WASHERS FOR RADICE TYPE PROPELLER ANODES

3.2




prod: m

COD		kg	lbs		Ø Shaft	Ø1	c	Ø2
00410R	 S/Steel	0,005	0.01	mm inch	22-25mm	38 1.50"	6 0.24"	16 0.63"
00411R	 S/Steel	0,010	0.02	mm inch	30mm	46 1.81"	8 0.31"	20 0.79"
00412R	 S/Steel	0,010	0.02	mm inch	35mm	51 112.44"	10 0.39"	24 0.94"
00413R	 S/Steel	0,015	0.03	mm inch	40mm	53 116.84"	12 0.47"	24 0.94"
00414R	 S/Steel	0,020	0.04	mm inch	45mm	66 145.50"	14 0.55"	33 1.30"
00415R	 S/Steel	0,025	0.06	mm inch	50mm	76 167.55"	14 0.55"	37 1.46"
00416R	 S/Steel	0,030	0.07	mm inch	55mm	81 178.57"	16 0.63"	40 1.57"
00417R	 S/Steel	0,040	0.09	mm inch	60mm	90 198.42"	18 0.71"	45 1.77"
00419R	 S/Steel	0,050	0.11	mm inch	70-100mm	100 220.46"	20 0.79"	50 1.97"

RADICE

REGGIANI

REGGIANI PROPELLER ANODES




prod: m

COD		kg	lbs		Ø Shaft	Ø	h	Ø1	Ø2
00460/1	ZN	0,130	0.29	mm inch	20mm	28 1.10"	30 1.18"	15 0.59"	6,5 0.26
00460	ZN	0,085	0.19	mm inch	25mm	34 1.34"	34 1.34"	20 0.79"	6,5 0.26
00461	ZN	0,340	0.75	mm inch	30mm	43 1.69"	50 1.97"	25 0.98"	6,5 0.26
00462	ZN	0,455	1.00	mm inch	35mm	48 1.89"	55 2.17"	28 1.10"	8,5 0.33
00463	ZN	0,535	1.18	mm inch	40mm	54 2.13"	55 2.17"	34 1.34"	11 0.43
00464	ZN	0,945	2.08	mm inch	45mm	64 2.52"	65 2.56"	40 1.57"	11 0.43
00465	ZN	1,530	3.37	mm inch	50mm	74 2.91"	75 2.95"	45 1.77"	11 0.43
00466	ZN	1,620	3.57	mm inch	55mm	78 3.07"	75 2.95"	49 1.93"	11 0.43
00467	ZN	2,400	5.29	mm inch	60mm	88 3.46"	85 3.35"	55 2.17"	11 0.43

RENAULT MARINE

RENAULT TYPE PROPELLER NUTS



prod: d

COD		kg	lbs		Ø Shaft	h	Ø	m
01801	ZN	0,075	0.17	mm	22-25mm	36	27	16X2mm
01801MG	MG	0,019	0.04	inch		1.42"		
01802	ZN	0,145	0.32	mm	28-34mm	47	35	20X2,5mm
01802MG	MG	0,036	0.08	inch		1.85"		
01803	ZN	0,280	0.62	mm	40mm	48	41	28X2,5mm
01803MG	MG	0,070	0.15	inch		1.89"		
00490	ZN	0,310	0.68	mm	40mm	50	40	M20
00490MG	MG	0,078	0.17	inch		1.97"		
00491	ZN	0,300	0.66	mm	40mm	50	40	M24
00491MG	MG	0,075	0.17	inch		1.97"		
00492	ZN	0,295	0.65	mm	40mm	50	40	M27
00492MG	MG	0,074	0.16	inch		1.97"		
00493	ZN	0,265	0.58	mm	40mm	50	40	M30
00493MG	MG	0,066	0.15	inch		1.97"		
00494	ZN	0,310	0.68	mm	40mm	52	40	20x2
00494MG	MG	0,078	0.17	inch		2.05"		
00495	ZN	0,280	0.62	mm	40mm	50	40	26x2mm
00495MG	MG	0,070	0.15	inch		1.97"		
00492-1	ZN	0,270	0.60	mm	40mm	52	40	27x1,5mm
00492-1MG	MG	0,068	0.15	inch		2.05"		
00493-1	ZN	0,260	0.57	mm	40mm	52	40	30x1,5mm
00493-1MG	MG	0,065	0.14	inch		2.05"		
00496	ZN	0,250	0.55	mm	40mm	50	40	36x1,5mm
00496MG	MG	0,063	0.14	inch		1.97"		

RIVA

RIVA PROPELLER ANODE AQUARIVA SERIES

Aquariva series




prod: m

COD		kg	lbs		Ø Shaft	Ø	a	h	Ø1	Ø2	Ø3	Ø4
00433		0,442	0.97	mm	40mm	48	24	51	35	10	15	4
00433MG		0,112	0.25	inch		1.89"	0.94"	2.01"	1.38"	0.39"	6.5	6.5

REPLACEMENT FOR RIVA PROPELLER ANODES

00430: from 00440 to 00448
00431: from 00449 to 00454-1



prod: d

COD		kg	lbs		Ø Shaft	Ø	h	Ø1	Ø2
00430		0,160	0.35	mm inch	20-30mm	38 1.50"	38 1.50"	25 0.98"	6,5 0.26"
00431		0,340	0.75	mm inch	35-50mm	52 2.05"	53 2.09"	34 1.34"	6,5 0.26"

RIVA

RIVA PROPELLER ANODE

Complete with brass plug

3.2



prod: d

COD		kg	lbs		Ø Shaft	Ø	h	m
00440	ZN	0,400	0.88	mm inch	20-30mm	38 1.50"	65 2.56"	14x1,5mm
00440X/C	ZN	0,360	0.79	mm inch	20-30mm	38 1.50"	65 2.56"	no thread
00441	ZN	0,360	0.79	mm inch	20-30mm	38 1.50"	65 2.56"	16x1,5mm
00441/1	ZN	0,365	0.80	mm inch	20-30mm	38 1.50"	65 2.56"	16x2mm
00442	ZN	0,380	0.84	mm inch	20-30mm	38 1.50"	65 2.56"	18x1,5mm
00443	ZN	0,380	0.84	mm inch	20-30mm	38 1.50"	65 2.56"	18x1,75mm
00444	ZN	0,380	0.84	mm inch	20-30mm	38 1.50"	65 2.56"	18x2mm
00445	ZN	0,380	0.84	mm inch	20-30mm	38 1.50"	65 2.56"	3/4"W
00446	ZN	0,350	0.77	mm inch	20-30mm	38 1.50"	65 2.56"	20x1,5mm
00447	ZN	0,370	0.82	mm inch	20-30mm	38 1.50"	65 2.56"	20x2mm
00448	ZN	0,360	0.79	mm inch	20-30mm	38 1.50"	65 2.56"	20x2,5mm
00449	ZN	0,960	2.12	mm inch	35-50mm	52 2.05"	84 3.31"	24x1,5mm
00449X/C	ZN	0,830	1.83	mm inch	35-50mm	52 2.05"	84 3.31"	no thread
00450	ZN	0,850	1.87	mm inch	35-50mm	52 2.05"	84 3.31"	24x2mm
00451	ZN	0,950	2.09	mm inch	35-50mm	52 2.05"	84 3.31"	26x2mm
00452	ZN	0,700	1.54	mm inch	35-50mm	52 2.05"	84 3.31"	30x2mm
00453	ZN	0,960	2.12	mm inch	35-50mm	52 2.05"	84 3.31"	33x2mm
00454	ZN	0,700	1.54	mm inch	35-50mm	52 2.05"	84 3.31"	1" W
00454-1	ZN	0,700	1.54	mm inch	35-50mm	52 2.05"	84 3.31"	1" GAS

RIVA

RIVA PROPELLER ANODE WITH FIXED BRASS PLUG

Zinc part not replaceable



prod: m


COD		kg	lbs		Ø Shaft	Ø	h	m
00440F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	14x1,5mm
00441F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	16x1,5mm
00442F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	18x1,5mm
00443F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	18x1,75mm
00444F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	18x2mm
00445F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	3/4"W
00446F	ZN	0,390	0.86	mm inch	20-30mm	38 1,50"	69 2,72"	20x1,5mm
00447F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	20x2mm
00448F	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	69 2.72"	20x2,5mm
00449F	ZN	1,090	2.40	mm inch	35-50mm	52 2.05"	102 4.02"	25x1,5mm
00450F	ZN	1,090	2.40	mm inch	35-50mm	52 2.05"	102 4.02"	24x2mm
00451F	ZN	1,090	2.40	mm inch	35-50mm	52 2.05"	102 4.02"	26x2mm
00452F	ZN	1,090	2,40	mm inch	35-50mm	52 2,05"	102 4,02"	30x2mm
00453F	ZN	1,090	2,40	mm inch	35-50mm	52 2,05"	102 4,02"	33x2mm
00454F	ZN	1,090	2.40	mm inch	35-50mm	52 2.05"	102 4.02"	1"gas

RIVA

MTF SERIES PROPELLER ANODES

Zinc part not replaceable

3.2




prod: m

COD		kg	lbs		Ø Shaft	Ø	h	m
00440MTF	ZN	0,400	0.88	mm inch	20-30mm	38 1.50"	60 2.36"	14x1,5mm
00440X/C MTF	ZN	0,400	0.88	mm inch	20-30mm	38 1.50"	60 2.36"	no thread
00441MTF	ZN	0,390	0.86	mm inch	20-30mm	38 1.50"	60 2.36"	16x1,5mm
00442MTF	ZN	0,380	0.84	mm inch	20-30mm	38 1.50"	60 2.36"	18x1,5mm
00446MTF	ZN	0,365	0.80	mm inch	20-30mm	38 1.50"	60 2.36"	20x1,5mm
00449X/C MTF	ZN	0,960	2.12	mm inch	35-50mm	52 2.05"	84 3.31"	no thread
00450MTF	ZN	0,860	1.90	mm inch	35-50mm	52 2.05"	84 3.31"	24x2mm
00451MTF	ZN	0,820	1.81	mm inch	35-50mm	52 2.05"	84 3.31"	26x2mm
00452MTF	ZN	0,820	1.81	mm inch	35-50mm	52 2.05"	84 3.31"	30x2mm

REPLACEMENT FOR MTF PROPELLER ANODES

00430MTF from 00440MTF to 00446MTF
00431MTF from 00449X/C to 00452MTF




prod: m

COD		kg	lbs		Ø Shaft	h	Ø1	Ø2	Ø
00430MTF	ZN	0,160	0.35	mm inch	20-30mm	38 1.50"	29 1.14"	6,5 0.26"	38 1.50"
00431MTF	ZN	0,250	0.55	mm inch	35-50mm	50 1.97"	40 1.57"	6,5 0.26"	52 2.05"
00432MTF	ZN	0,770	1.70	mm inch	50-100mm	74 2.91"	46 1.81"	6,5 0.26"	66 2.60"

SOLE DIESEL

SOLE DIESEL PROPELLER ANODES

Main market



prod: **m** (00400SOLE/1 - 00400SOLE-1AL - 00400SOLE/4 - 00400SOLE-4AL) / prod: **d** (00400SOLE/2 - 00400SOLE-2AL - 00400SOLE/3 - 00400SOLE-3AL)


COD	kg	lbs		Ø Shaft	h	Ø1	Ø
original part number: 40030092							
00400SOLE/1 ZN	0,120	0.26	mm	30mm	39	24	32
00400SOLE-1AL AL	0,049	0.11	inch		1.54"	0.94"	1.26"
original part number: 50035092							
00400SOLE/2 ZN	0,200	0.44	mm	35mm	46	26	37
00400SOLE-2AL AL	0,076	0.17	inch		1.81"	1.02"	1.46"
original part number: 40045092							
00400SOLE/3 ZN	0,400	0.88	mm	45mm	60	36	47
00400SOLE-3AL AL	0,150	0.33	inch		2.36"	1.42"	1.85"
original part number: 40050092							
00400SOLE/4 ZN	0,560	1.23	mm	50mm	70	45	55
00400SOLE-4AL AL	0,220	0.49	inch		2.76"	1.77"	2.17"
original part number: 40060092							
00400SOLE/5 ZN	1,100	2.42	mm	60mm	85	55	75
			inch		2.95"	3.35"	2.17"

TEIGNBRIDGE

TEIGNBRIDGE PROPELLER ANODES

Cranchi Series

Main market




prod: **m**

COD	kg	lbs		a	b	c	h	h1	Ø	Ø1	Ø2	m
Anode only: MSF2226												
00405Q ZN	0,990	2.18	mm	46	45	25	85		68	54	21	
00405QMG MG	0,250	0.55	inch	1.81"	1.77"	0.98"	3.35"		2.68"	2.13"	0.83"	
Complete with brass: ASF2225												
00415Q ZN	2,187	4.81	mm			54	33	35	75			M36x3
00415QMG MG	1,450	3.19	inch			2.13"	1.30"	1.38"	2.95"			

VOLVO PENTA

VOLVO PENTA NUT ANODE FOR FIXED PROPELLER

3.2




prod: d

COD		kg	lbs		Ø Shaft	h	h1	Ø	m
original part number: 873411									
WE723		0,325	0.72	mm	25mm	71	32	37	16x1,5mm
WE723MG		0,082	0.18	inch		2.80"	1.26"	1.46"	
00719-1		0,312	0.69	mm	25mm	71	32	37	16x1,5mm
00719-1MG		0,082	0.18	inch		2.80"	1.26"	1.46"	
original part number: 833913									
00719		0,303	0.67	mm	30mm	71	32	37	3/4"unc
00719MG		0,077	0.17	inch		2.80"	1.26"	1.46"	
original part number: 873412									
WE728		0,295	0.65	mm	30mm	71	32	37	20x1,5mm
WE728MG		0,076	0.17	inch		2.80"	1.26"	1.46"	
00719-2		0,296	0.65	mm	30mm	71	32	37	20x2,5mm
00719-2MG		0,076	0.17	inch		2.80"	1.26"	1.46"	
WE727		0,536	1.18	mm	30mm	80	35	46	20x2,5mm
WE727MG		0,134	0.30	inch		3.15"	1.38"	1.81"	
original part number: 833915									
00720		0,275	0.61	mm	35mm	71	32	37	7/8"unc
00720MG		0,069	0.15	inch		2.80"	1.26"	1.46"	
WE730		0,500	1.10	mm	35-40mm	80	35	47	24x1,5mm
WE730MG		0,125	0.28	inch		3.15"	1.38"	1.85"	
original part number: 873413									
WE724		0,425	0.94	mm	35-40mm	80	35	47	24x2mm
WE724MG		0,105	0.23	inch		3.15"	1.38"	1.85"	
00720-1		0,509	1.12	mm	35-40mm	80	35	47	24x3mm
00720-1MG		0,125	0.28	inch		3.15"	1.38"	1.85"	
original part number: 828140									
00721		0,484	1.07	mm	40-45mm	80	35	47	1"unc
00721MG		0,122	0.27	inch		3.15"	1.38"	1.85"	
original part number: 873415									
WE725		0,300	0,66	mm	45mm	80	35	47	30x2mm
WE725MG		0,122	0.27	inch		3.15"	1.38"	1.85"	
00721-1		0,458	1.01	mm	45mm	80	35	47	30x3,5mm
00721-1MG		0,122	0.27	inch		3.15"	1.38"	1.85"	

USA PROP NUTS

USA TYPE PROPELLER NUT ANODES

Main market



prod: m

COD		kg	lbs		Ø	l	h	h1	Ø1	Ø2	Ø3
TEC-PNA	ZN	0,100	0.22	mm inch	32 1.26"	23 0.91"	44 1.73"	11 0.43"	20 0.79"	12 0.47"	6,5 0.26"
TEC-PNB	ZN	0,270	0.59	mm inch	41 1.61"	28 1.10"	56 2.20"	17 0.67"	22 0.87"	12 0.47"	7 0.27"
TEC-PNC	ZN	0,550	1.21	mm inch	50 1.97"	33 1.30"	71 2.80"	19 0.75"	29 1.14"	13 0.51"	8 0.31"
TEC-PND	ZN	0,710	1.57	mm inch	60 2.36"	37 1.46"	81 3.19"	20 0.79"	31 1.22"	15 0.59"	8 0.31"
TEC-PNE	ZN	0,920	2.02	mm inch	63 2.48"	41 1.61"	86 3.39"	27 1.06"	34 1.34"	15 0.59"	8 0.31"
TEC-PNF	ZN	1,080	2.38	mm inch	69 2.72"	46 1.81"	91 3.58"	28 1.10"	34 1.34"	15 0.59"	8 0.31"
TEC-PNG	ZN	1,450	3.19	mm inch	79 3.11"	54 2.13"	97 3.82"	29 1.14"	40 1.57"	17 0.67"	10 0.39"
TEC-PNH	ZN	1,600	3.52	mm inch	83 3.27"	60 2.36"	108 4.25"	29 1.14"	40 1.57"	18 0.71"	10 0.39"





Autoprop *pag. 148*

Autostream *pag. 148*

Flex-o-fold *pag. 149*

Gori *pag. 150*

J-Prop *pag. 152*

Max Prop *pag. 152*

Varifold *pag. 156*

Variprop - Variprofile *pag. 157*

3.3

SHAFT & PROP ANODES

Feathering and Folding propellers




AUTOPROP

AUTOPROP PROPELLER ANODE H5

Fits H-5, H-5BB and APS Saildrive propellers

Saildrive




prod: m

COD		kg	lbs		a	b	h	i	Ø	Ø1	Ø2	Ø Shaft
AUTOH5	ZN	0,170	0.37	mm	55	21	32	41	34	27	7	20-35mm
				inch	2.17"	0.83"	1.26"	1.61"	1.34"	1.06"	0.28"	

AUTOPROP PROPELLER ANODE H6

Fits H-6 propellers.




prod: m

COD		kg	lbs		a	b	h	i	Ø	Ø1	Ø2	Ø3	Ø Shaft
AUTOH6	ZN	0,390	0.86	mm	67	30	45	49	43	34	19	9	35mm and over
				inch	2.64"	1.18"	1.77"	1.93"	1.69"	1.34"	0.75"	0.35"	

AUTOSTREAM

AUTOSTREAM PROPELLER ANODE

Fits S1 and S2 series 3-blade feathering propellers.



prod: m


COD		kg	lbs		h	Ø	Ø1	Ø2
ATS-S1	ZN	0,500	1.10	mm	37	58	23	10
				inch	1.46"	2.28"	0.91"	0.39"

FLEX-O-FOLD

FLEX-O-FOLD PROPELLER NUT

Fits all Flexofold 2-blade closed propellers.
3-blade propellers. 4-blade up to 23".

3.3




original part number: #112 (01040) - #117 (01040MG)

prod: m

COD		kg	lbs		b	h	i	Ø	Ø1	Ø2	Ø3
01040	ZN	0,480	1.06	mm	14	37	50	70	14	8	11
01040MG	MG	0,121	0.27	inch	0.55"	1.46"	1.97"	2.76"	0.55"	0.31"	0.43"

FLEX-O-FOLD PROPELLER NUT




prod: m

COD		kg	lbs		a	b	h	i	Ø	Ø1
01041	ZN	0,320	0.71	mm	56	8	10	39	14	9
01041MG	MG	0,080	0.18	inch	2.20"	0.31"	0.39"	1.54"	0.55"	0.35"

FLEX-O-FOLD PROPELLER PROP SIDE ANODES

Fits all Flexofold 2-blade closed propellers. 3-blade propellers. 4-blade up to 23".
Sold in pairs



original part number: #114 (01042) - #118 (01042AL)


prod: m

COD		kg	lbs		h	Ø	Ø1
01042	ZN	0,120	0.26	mm	13	32	6
01042AL	AL	0,050	0.28	inch	0.51"	1.26"	0.24"

FLEX-O-FOLD

FLEX-O-FOLD PROPELLER PROP SIDE ANODES

Fits 2-blade Composite propellers
Sold in pairs



original part number: #119 (01043) - #120 (01043AL)

prod: m


COD		kg	lbs		l	a	h	Ø	Ø1
01043	ZN	0,126	0.28	mm	37	23	16	10	6
01043AL	AL	0,044	0.10	inch	1.46"	0.91"	0.63"	0.39"	0.24"

GORI

GORI COLLAR FOR SHAFT

2 Blades propeller for saildrive

Saildrive



original part number: 15670000


prod: m

COD		kg	lbs		l	a	i	Ø	Ø1	Ø Shaft
01023	ZN	0,580	1.28	mm	98	40	79	11	6,5	13"-18"
				inch	3.86"	1.57"	3.11"	0.43"	0.26"	

GORI COLLAR FOR SHAFT COLLARE PER ASSI GORI

3 Blades propeller for saildrive

Saildrive



prod: m

COD		kg	lbs		l	a	i	Ø	Ø1	Ø Shaft
01025	ZN	0,360	0.79	mm	81	24	56	12	6	15"-16,50"
				inch	3.19"	0.94"	2.20"	0.47"	0.24	


original part number: 15539500

01024	ZN	0,920	2.03	mm	95	34	59	13	6,5	18"-20"
				inch	3.74"	1.34"	2.32"	0.51"	0.26"	

GORI

GORI COLLARS FOR SHAFTS


3 Blades propeller for saildrive



prod: d

COD	kg	lbs		l	a	i	Ø	Ø1	Ø Shaft
original part number: 1552000 01029 ZN	0,330	0.73	mm inch	65 2.56"	34 1.34"	45 1.77"	7 0.28"	12 0.47"	15"-16"
original part number: 1553000 01026 ZN	0,870	1.92	mm inch	83 3.27"	40 1.57"	53 2.09"	11 0.43"	6 0.24"	18"-20"
original part number: 1554000 01020 ZN	1,370	3.02	mm inch	98 3.86"	47 1.85"	63 2.48"	7 0.28"	12 0.47"	22"-26"
original part number: 1550000 01027 ZN	2,120	4.67	mm inch	127 5.00"	50 1.97"	90 3.54"	7 0.28"	12 0.47"	28"-30"

GORI PROPELLER NUTS




prod: d

COD	kg	lbs		l	h	Ø	Ø1	Ø Shaft
original part number: 14072100 01022 ZN	0,035	0.08	mm inch	27 1.06"	16 0.63"	7 0.28"	12 0.47"	15"-16,50"
original part number: 14073100 01022/1 ZN	0,048	0.11	mm inch	27 1.06"	16 0.63"	6 0.24"	12 0.47"	18"-20"
original part number: 14074100 01021 ZN	0,090	0.20	mm inch	33 1.30"	20 0.79"	6 0.24"	13 0.51"	22"-26"
original part number: 14074511 01028 ZN	0,265	0.58	mm inch	44 1.73"	33 1.30"	6,5 0.26"	14 0.55"	28"-30"

J-PROP

J-PROP PROPELLER NUT




prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
01030	ZN	0,360	0.79	mm	60	26	35	8	5
01030MG	MG	0,120	0.26	inch	2.36"	1.02"	1.38"	0.31"	0.20"
01031	ZN	0,760	1.68	mm	79	33	40	10	5,5
				inch	3.11"	1.30"	1.57"	0.39"	0.22
01032	ZN	1,095	2.41	mm	89	37	50	10	6
				inch	3.50"	1.46"	1.97"	0.39"	0.24"

MAX PROP

MAX PROP PROPELLER ANODE

Prop hub Ø 63mm - Ø70mm - Ø83mm




prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø Prop hub
00480	ZN	0,280	0.62	mm	65	42	46	38	5	63mm
				inch	2.56"	1.65"	1.81"	1.50"	0.20"	
00481	ZN	0,380	0.84	mm	72	44	50	42	6,5	70mm
				inch	2.83"	1.73"	1.97"	1.65"	0.26"	
00482	ZN	0,810	1.79	mm	83	61	59	46	6,5	83mm
				inch	3.27"	2.40"	2.32"	1.81"	0.26"	

MAX PROP

MAX PROP PROPELLER ANODE

prop hub Ø 63mm - Ø 70mm




prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3	Ø Prop hub
00487	ZN	0,260	0.57	mm	60	40	43	39	4	7	63mm
				inch	2.36"	1.57"	1.69"	1.54"	0.16"	0.28"	
00488	ZN	0,555	1.22	mm	68	43	51	44	7	4	70mm
				inch	2.68"	1.69"	2.01"	1.73"	0.28"	0.16"	

MAX PROP PROPELLER ANODE

prop hub Ø 63mm - Ø 70mm - Ø 83mm




prod: d

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3	Ø Prop hub
00480/6	ZN	0,255	0.56	mm	61	38	43/46	39	6,5	6,5	63mm
00480-6MG	MG	0,065	0.14	inch	2.40"	1.50"	1.69"/1.81"	1.54"	0.26"	0.26"	
00481/6	ZN	0,410	0.90	mm	68	44	50/51	44	6,5	5	70mm
00481-6MG	MG	0,103	0.23	inch	2.68"	1.73"	1.97"/2.01"	1.73"	0.26"	0.20"	
00482/6	ZN	0,816	1.80	mm	80	56	54/59	47	8,5	6	83mm
00482-6MG	MG	0,205	0.45	inch	3.15"	2.20"	2.13"/2.32"	1.85"	0.33"	0.24"	

MAX PROP

MAX PROP PROPELLER ANODE

prop hub Ø 100mm




prod: m

COD		kg	lbs		h	i	Ø	Ø1	Ø2	Ø Prop hub
00483	ZN	1,075	2.37	mm inch	60 2.36"	72 2.83"	100 3.94"	52 2.05"	6,5 0.26"	100mm
00488-1	ZN	1,00	2.20	mm inch	68 2.68"	70 2.76"	92 3.62"	52 2.05"	6 0.24"	100mm

MAX PROP PROPELLER ANODE

Prop hub Ø 125mm - Ø150mm




prod: m

COD		kg	lbs		h	i	Ø	Ø1	Ø2	Ø Prop hub
00486	ZN	1,685	3.71	mm inch	79 3.11"	85 3.35"	130 5.12"	81 3.19"	10 0.39"	125mm
00486-1	ZN	3,170	6.99	mm inch	60 2.36"	113 4.45"	151 5.94"	101 3.98"	10 0.39"	150mm

MAX PROP COLLAR ANODE

Saildrive

Saildrive



prod: m


COD		kg	lbs		h	Ø	Ø1
00484	ZN	0,600	1.32	mm inch	25 0.98"	92 3.62"	42 1.65"
00485	ZN	0,570	1.26	mm inch	25 0.98"	92 3.62"	46 1.81"

MAX PROP

MAX PROP COLLAR ANODE

Saildrive

Saildrive




prod: m

COD		kg	lbs		h	Ø	Ø1	Ø2
00485-1	ZN	0,420	0.93	mm	20	93	63	5,5
				inch	0.79"	3.66"	2.48"	0.22"

MAX PROP PROPELLER ANODE

2 Blades propeller

Saildrive



prod: m

COD		kg	lbs		a	h	Ø	Ø1	Ø2
00489	ZN	0,210	0.46	mm	9	51	36	27	4,5
				inch	0.35"	2.01"	1.42"	1.06"	0.18"

VARIFOLD

VARIFOLD PROPELLER NUT

fits VF108/120 - 3 & 4 blades folding propeller




original part number: **VF3AN** prod: **m**

COD		kg	lbs		Ø	h	m
01035	ZN	0,360	0.79	mm	41	52	16x2
01035MG	MG	0,800	1.76	inch	1.61"	2.05"	0.63"x 0.08"

VARIFOLD COLLAR ANOD

fits VF70 - 2 blades saildrive




original part number: **VF2SDA** prod: **m**

COD		kg	lbs		Ø	h	Ø1	Ø2
01036	ZN	0,220	0.49	mm	85	19	67	7
				inch	3.35"	0.75"	2.64"	0.28"

VARIFOLD PROPELLER NUT

(01037) fits VF160 - 4 blades folding propeller 26" -32"
 (01038) fits VF240 - 4 blades folding propeller over 32"




COD		kg	lbs		Ø	h	Ø1	m
original part number: VF4AN (160) prod: m								
01037	ZN	1,200	2.65	mm	67	70	9	M16
				inch	2.64"	2.76"	0.35"	
original part number: VF4AN(230)KIT prod: m								
01038	ZN	3,760	8.29	mm	93	100	10	M30X3.5
				inch	3.66"	3.94"	0.39"	

VARIPROP - VARIPROFILE

VARIPROP PROPELLER NUT

Fits
DF-80 / DF-107 / DF-112 / DF-128/140

3.3



prod: d


COD		kg	lbs		h	Ø	Ø1	Ø2	Ø3	Ø Shaft
fits DF-80										
01070	ZN	0,340	0.75	mm	38	67	6	44	59	
NEW 01070AL	AL	0,136	0.30							12"-17"
01070MG	MG	0,085	0.19	inch	1.50"	2.64"	0.24"	1.73"	2.32"	
fits DF-107										
01071	ZN	0,550	1.21	mm	43	78	6	51	68	
NEW 01071AL	AL	0,220	0.49							15"-20"
01071MG	MG	0,138	0.30	inch	1.69"	3.07"	0.24"	2.01"	2.68"	
fits DF-112										
01072	ZN	0,970	2.14	mm	55	90	6	60	84	
NEW 01072AL	AL	0,390	0.86							20"-25"
01072MG	MG	0,243	0.53	inch	2.17"	3.54"	0.24"	2.36"	3.31"	
fits DF-128/140										
01073	ZN	1,130	2.49	mm	56	105	7	72	95	
NEW 01073AL	AL	0,452	1.00							24"-32"
01073MG	MG	0,283	0.62	inch	2.20"	4.13"	0.28"	2.83"	3.74"	

VARIFOLD - VARIPROP - VARIPROFILE

VARIPROP - VARIPROFILE

VARIPROFILE PROPELLER NUT

Fits
VP64




prod: d

COD		kg	lbs		h	Ø	Ø1	l	Ø Shaft
01074		0,235	0.52	mm	25	55	6	50	
NEW 01074AL		0,095	0.21						17"-22"
01074MG		0,059	0.13	inch	0.98"	2.17"	0.24"	1.97"	

VARIPROFILE PROPELLER NUT

Fits
VP76



prod: d

COD		kg	lbs		h	Ø	Ø1	l	Ø Shaft
01075		0,390	0.86	mm	29	68	6	60	
NEW 01075AL		0,156	0.34						20"-26"
01075MG		0,098	0.21	inch	1.14"	2.68"	0.24"	2.36"	



Akir *pag. 162*

Azbe *pag. 163*

Azimut - Benetti *pag. 163*

Canados *pag. 165*

Codecasa *pag. 166*

Cortese *pag. 166*

Dalla Pietà *pag. 167*

Detra *pag. 167*

Ferretti *pag. 167*

Franchini Yacht *pag. 171*

Leopard *pag. 172*

Magellano *pag. 172*

Riva *pag. 173*

San Lorenzo *pag. 175*

Servogear *pag. 176*

Turian *pag. 177*

VLT *pag. 178*

3.4


SHAFT & PROP ANODES

Super and Mega Yachts



AKIR

AKIR PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	b	c	Ø1	Ø2	Ø3	m
00470	ZN	11,900	26.23	mm	190	80	20	55	145	115	15	164.5x3
				inch	7.48"	3.15"	0.79"	2.17"	5.71"	4.53"	0.59"	6.48" x 0.12"


AKIR PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	b	c	Ø1	m
00471	ZN	16,200	35.71	mm	145	130	50	115	90	120x4mm
				inch	5.71"	5.12"	1.97"	4.53"	3.54"	

AKIR PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	b	Ø1	Ø2
00472	ZN	5,740	12.65	mm	140	70	25	120	100
				inch	5.51"	2.76"	0.98"	4.72"	3.94"

AZBE


AZBE PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	b	h	h1	m	c
03450	ZN	0,450	0.99	mm inch	53 2.09"	10 0.39"	11,5 0.45"	54 2.13"	90 3.54"	22x2,5mm	M6

AZBE PROPELLER ANODE



original part number: A1800-1H


prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
03451	ZN	1,020	2.25	mm inch	63 2.48"	67 2.64"	41 1.61"	14 0.55"	8 0.31"

AZIMUT - BENETTI

DETRA PROPELLER ANODE

Detra series
Other size upon available request




prod: m

COD		kg	lbs		Ø	a	h	Ø1
19011	ZN	15,500	34.17	mm inch	240 9.45"	52 2.05"	20 0.79"	220 8.66"
19012-3	ZN	4,870	10.74	mm inch	143 5.63"	47 1.85"	18 0.71"	127 5.00"
19012-6	ZN	4,870	10.74	mm inch	178 7.00"	18 0.71"	47 1.85"	160 6.29"

AZIMUT - BENETTI


AZIMUT - BENETTI PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	h	i	Ø1	Ø2
19011-1	ZN	11,100	24.47	mm	164	50	100	140	114	16,5
				inch	6.46"	1.97"	3.94"	5.51"	4.49"	0.65"


AZIMUT - BENETTI PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	i	Ø1	Ø2	Ø3
19012	ZN	10,150	22.38	mm	160	57	159	118	140	6
				inch	6.30"	2.24"	6.26"	4.65"	5.51"	0.24"

AZIMUT - BENETTI PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	h	i	Ø1	Ø2
19012-1	ZN	5,800	12.79	mm	180	20	40	159	140	7
				inch	7.09"	0.79"	1.57"	6.26"	5.51"	0.28"

AZIMUT - BENETTI

AZIMUT - BENETTI PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	h	Ø1
19012-2	ZN	19,600	43.21	mm inch	220 8.66"	110 4.33"	9 0.35"

CANADOS

CANADOS PROPELLER ANODE

Canados 70




prod: m

COD		kg	lbs		Ø	a	h	i	Ø1	Ø2	Ø3
19020	ZN	6,870	15.15	mm inch	152 5.98"	60 2.36"	55 2.17"	125 4.92"	94 3.70"	80 3.15"	10,5 0.41"

CANADOS PROPELLER ANODE

Canados 72




prod: m

COD		kg	lbs		Ø	h	Ø1	m
19021	ZN	6,000	13.23	mm inch	165 6.50"	50 1.97"	155 6.10"	118x3mm

CODECASA


CODECASA PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	b	i	Ø1	Ø2	Ø3
19013	ZN	16,000	35.27	mm	180	29	83	140	117	90	10
				inch	7.09"	1.14"	3.27"	5.51"	4.61"	3.54"	0.39"

CODECASA PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	b	c	h	Ø1	Ø2	Ø3	Ø4
19014	ZN	5,400	11.90	mm	120	30	5	30	90	88	55	26	12,5
				inch	4.72"	1.18"	0.20"	1.18"	3.54"	3.46"	2.17"	1.02"	0.49"

CORTESE

CORTESE PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	h	Ø1	Ø2
00400COR	ZN	5,250	11.57	mm	150	50	30	73	10,5
				inch	5.91"	1.97"	1.18"	2.87"	0.41"

DALLA PIETÀ

DALLA PIETÀ PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	b	h	i	Ø1
00409/2	ZN	10,000	22.05	mm	147	123	107	135	125	9
				inch	5.79"	4.84"	4.21"	5.31"	4.92"	0.35"

DETRA

DETRA PROPELLER ANODE

Detra series
Other size available on request




prod: m

COD		kg	lbs		Ø	a	h	Ø1
19011	ZN	15,500	34.17	mm	240	52	20	220
				inch	9.45"	2.05"	0.79"	8.66"
19012-3	ZN	4,870	10.74	mm	143	47	18	127
				inch	5.63"	1.85"	0.71"	5.00"
19012-5	ZN	3,350	7.39	mm	46	125	18	105
				inch	1.81"	4.92"	0.71"	4.13
19012-6	ZN	4,870	10.74	mm	178	18	47	160
				inch	7.00"	0.71"	1.85"	6.29"

FERRETTI

FERRETTI PROPELLER ANODE

With guide hole




prod: m

COD		kg	lbs		Ø	a	h	Ø1	Ø2	Ø3
00475	ZN	0,585	1.29	mm	51	25	67	35	15	4.5
				inch	2.01"	0.98"	2.64"	1.38"	0.59"	0.18"
00478/1	ZN	1,890	4.17	mm	74	37	96	55	22	4.5
				inch	2.91"	1.46"	3.78"	2.17"	0.87"	0.18"

FERRETTI

FERRETTI PROPELLER ANODE

Rounded edge



prod: m

COD		kg	lbs		Ø	h	h1	Ø1	Ø2	Ø Shaft
00476	ZN	0,950	2.09	mm	61	76	26	41	25	45mm
				inch	2.40"	2.99"	1.02"	1.61"	0.98"	
00478	ZN	1,080	2.38	mm	59	88	44	40	18	55-70mm
				inch	2.32"	3.46"	1.73"	1.57"	0.71"	

FERRETTI PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	h	h1	Ø1	Ø2	Ø Shaft
00477	ZN	0,630	1.39	mm	54	73	24	45	15	50mm
				inch	2.13"	2.87"	0.94"	1.77"	0.59"	

FERRETTI

FERRETTI PROPELLER ANODE



prod: **d** (00479 - 00479AL)

prod: **m** (00479-1 - 00434)


COD		kg	lbs		Ø	h	i	Ø1
00479	ZN	12,500	27.56	mm	155	125	133	116
00479AL	AL	5,000	11.02	inch	6.10"	4.92"	5.24"	4.57"
00479-1	ZN	36,530	80.53	mm	235	160	210	183
				inch	9.25"	6.30"	8.27"	7.20"
00434	ZN	26,100	57.54	mm	202	161	180	165
				inch	7.95"	6.34"	7.09"	6.50"

3.4

FERRETTI

FERRETTI


FERRETTI PROPELLER ANODE



prod: d

COD		kg	lbs		Ø	h	a	Ø1	Ø2
00479E	ZN	12,500	27.56	mm	155	125	75	116	14,5
00479EAL	AL	5,160	11.38	inch	6.10"	4.92"	2.95"	4.57"	0.57"


FERRETTI PROPELLER ANODE



prod: d

COD		kg	lbs		Ø	h	a	Ø1	Ø2
00479EH	ZN	8,340	18.39	mm	155	125	75	116	14,5
00479EHAL	AL	3,270	7.21	inch	6.10"	4.92"	2.95"	4.57"	0.57"

FERRETTI PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	b	h	Ø1	Ø2	Ø3	Ø4
00439-2	ZN	14,000	30.86	mm	159	94	12,5	140	131	110	91	12,5
				inch	6.26"	3.70"	0.49"	5.51"	5.16"	4.33"	3.58"	0.49"
00439-4	ZN	22,400	49.38	mm	190	94	12,5	140	127	110	91	12,5
				inch	7.48"	3.70"	0.49"	5.51"	5.00"	4.33"	3.58"	0.49"

FERRETTI


FERRETTI PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	b	h	Ø1	Ø2	Ø3
00439-3	ZN	15,850	34,94	mm	185	65	10	100	110	92	12,5
				inch	7,28"	2,56"	0,39"	3,94"	4,33"	3,62"	0,49"

FERRETTI PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	h	Ø1	Ø2	Ø3
00439-5	ZN	19,000	41.89	mm	200	90	130	165	140	17
				inch	7.87"	3.54"	5.12"	6.50"	5.51"	0.67"

FRANCHINI YACHT

FRANCHINI PROPELLER ANODE

Franchini 55




prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
19023	ZN	1,000	2.20	mm	87	45	64	64	40	6
				inch	3.43"	1.77"	2.52"	2.52"	1.57"	0.24"

LEOPARD

LEOPARD PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	h	Ø1
01045	ZN	1,100	2.43	mm	70	60	8
				inch	2.76"	2.36"	0.31"

LEOPARD PROPELLER ANODE

Leopard 23




prod: m

COD		kg	lbs		Ø	a	b	h	i	Ø1	Ø2	Ø3
19022	ZN	1,900	4.19	mm	90	5	29	60	64	64	45	6,5
				inch	3.54"	0.20"	1.14"	2.36"	2.52"	2.52"	1.77"	0.26"

MAGELLANO

MAGELLANO PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	h	Ø1
19030	ZN	8,300	18.30	mm	157	96	100
				inch	6.18"	3.78"	3.94"

RIVA

RIVA PROPELLER ANODE

Riva Mercurius




prod: m

COD		kg	lbs		Ø	c	h	Ø1	Ø2
00435	ZN	4,860	10.71	mm inch	116 4.57"	26 1.02"	86 3.39"	88 3.46"	22 0.87"
00435-1	ZN	5,000	11.02	mm inch	116 4.57"	8,5 0.33"	92 3.62"	87 3.43"	22 0.87"

RIVA PROPELLER ANODE

Riva Mercurius II




prod: m (00436)

prod: d (00436-1)

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
00436	ZN	10,340	22.80	mm inch	155 6.10"	95 3.74"	132 5.20"	116 4.57"	22 0.87"	88 3.46"
00436-1	ZN	11,600	25.57	mm inch	156 6.14"	100 3.94"	130 5.12"	116 4.57"	15 0.59"	98 3.86"

RIVA PROPELLER ANODE

Riva Splendida (00437) / Riva Splendida piccola (00437/1)




prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3	Ø4
00437	ZN	7,045	15.53	mm inch	140 5.51"	125 4.92"	110 4.33"	13 0.51"	93 3.66"	26 1.02"	10,5 0.41"
00437/1	ZN	3,230	7.12	mm inch	115 4.53"	90 3.54"	99 3.90"	13 0.51"	80 3.15"	25 0.98"	10,5 0.41"

RIVA

RIVA PROPELLER ANODE

Riva Opera / Riva Dolce Vita / Riva Opera 80




prod: m

COD		kg	lbs		Ø	h	h1	i	Ø1	Ø2	Ø3	Ø4
00438	ZN	4,800	10.58	mm	120	90	65	99	13	80	25	10,5
				inch	4.57"	3.54"	2.56"	3.90"	0.51"	3.15"	0.98"	0.41"
00439	ZN	12,915	28.47	mm	171	100	65	110	13	92	28	12
				inch	6.73"	3.94"	2.56"	4.33"	0.51"	3.62"	1.10"	0.47"
00439/1	ZN	15,000	33.07	mm	180	100	65	110	13	92	28	12
				inch	7.09"	3.94"	2.56"	4.33"	0.51"	3.62"	1.10"	0.47"

RIVA PROPELLER ANODE

Serie Sarnico




prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3	Ø4
00408/Z	ZN	7,700	16.98	mm	140	100	13	92	13	28
				inch	5.51"	3.94"	0.51"	3.62"	0.51"	1.10"

SAN LORENZO

SAN LORENZO PROPELLER ANODE

(19026) San Lorenzo 72




3.4

prod: m

COD		kg	lbs		Ø	a	b	h	Ø1	Ø2	Ø3
19025	ZN	7,730	17.04	mm inch	185 7.28"	45 1.77"	13 0.51"	75 2.95"	134 5.28"	8 0.31"	168 6.61"
19026	ZN	8,700	19.18	mm inch	190 7.48"	35 1.38"	35 1.19"	95 3.74"	135 5.31"	8 0.31"	16w5 6.64"
19027	ZN	16,800	37.04	mm inch	225 8.86"	75 2.95"	30 1.18"	130 5.12"	175 6.89"	8,5 0.33"	195 7.67"
19027-1	ZN	21,500	47.40	mm inch	241 9.49"	75 2.95"	30 1.18"	130 5.12"	171 6.73"	8,5 0.33"	221 8.70"

SAN LORENZO PROPELLER ANODE




prod: m

COD		kg	lbs		Ø	a	h	Ø1
19012-5	ZN	3,350	7.39	mm inch	125 4.92"	18 0.71"	46 1.81"	105 4.13

SAN LORENZO

SAN LORENZO PROPELLER ANODE
ANODO SAN LORENZO




prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2
19012-4	ZN	2,045	4.50	mm	130	25	21	60	8
				inch	5.12"	0.98"	0.83"	2.36"	0.31"

SERVOGEAR

SERVOGEAR PROPELLER ANODE
OGIVA SERVOGEAR

S/Y Wally




prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2
19031	ZN	3,370	7.43	mm	150	65	100	92	12
				inch	5.91"	2.56"	3.94"	3.62"	0.47"

TURIAN

TURIAN PROPELLER ANODE

San Lorenzo/Canados/Admiral



prod: m


COD		kg	lbs		Ø	h	i	Ø1	Ø2
19003	ZN	2,650	5.84	mm inch	140 5.51"	25 0.98"	110 4.33"	8,5 0.33"	14 0.55"
19003-1	ZN	2,570	5.67	mm inch	140 5.51"	25 0.98"	80 3.15"	12,5 0.49"	14 0.55"
19003-2	ZN	3,000	6.61	mm inch	150 5.91"	25 0.98"	110 4.33"	10,5 0.41"	14 0.55"
19004	ZN	2,000	4.41	mm inch	134 5.28"	21 0.83"	114 4.49"	8,5 0.33"	14 0.55"
19005	ZN	2,120	4.67	mm inch	125 4.92"	25 0.98"	105 4.13"	8,5 0.33"	14 0.55"
19006	ZN	3,935	8.68	mm inch	169 6.65"	25 0.98"	150 5.91"	8,5 0.33"	14 0.55"

3.4

SAN LORENZO - SERVOGEAR - TURIAN

VLT


VLT PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	h	i	Ø1	Ø2
00430VLT	ZN	4,300	9.48	mm	130	55	90	84	115	8,5
				inch	5.12"	2.17"	3.54"	3.31"	4.53"	0.33"


VLT PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	b	h	i	Ø1	Ø2	Ø3
00431VLT	ZN	6,920	15.26	mm	140	57	18	105	105	103	100	10
				inch	5.51"	2.24"	0.71"	4.13"	4.13"	4.06"	3.94"	0.39"

VLT PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2
00432VLT	ZN	3,670	8.09	mm	155	30	113	91	10,5
				inch	6.10"	1.18"	4.45"	3.58"	0.41"





American Bow Thruster *pag. 182*

Craftsman Marine *pag. 182*

Lewmar *pag. 183*

Max Power *pag. 183*

Quick *pag. 184*

Sidepower - Sleipner *pag. 186*

Twin Disc - BCS *pag. 189*

Vetus *pag. 190*

Volvo Penta *pag. 193*

Wesmar *pag. 194*

3.5


SHAFT & PROP ANODES

Thruster Anodes



AMERICA BOW THRUSTER

AMERICA BOW THRUSTER PROPELLER NUT



prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2
01046	ZN	0,390	0.86	mm inch	81 3.19"	38 1.50"	47 1.85"	37 1.46"	6,5 0.26"
19024	ZN	1,020	2.25	mm inch	111 4.37"	61 2.40"	70 2.76"	62 2.44"	6,5 0.26"
19024-6	ZN	1,040	2.29	mm inch	111 4.37"	60 2.36"	75 2.95"	62 2.44"	6,5 0.26"

CRAFTSMAN MARINE

CRAFTSMAN MARINE PROPELLER NUT

Thruster 35kgf (03700) / 55kgf (03701)
80kgf, 95kgf, 115kgf (03702) / 125kgf, 150kgf, 170kgf (03703)




prod: m

COD		kg	lbs		Ø	a	h1	h	Ø1	Ø2	Ø3
original number: BA.110.90007											
NEW 03700	ZN	0,070	0.15	mm inch	37 1.46"	17,5 0.69"	10 0.39"	20 0.79"	10,5 0.41"	25 0.98"	5,5 0.22"
original number: BA.150.90007											
NEW 03701	ZN	0,130	0.29	mm inch	48 1.89"	17,5 0.69"	17 0.67"	30 1.18"	10,5 0.41"	27 1.06"	5,5 0.22"
original number: BA.185.90007											
NEW 03702	ZN	0,150	0.33	mm inch	52 2.05"	17,5 0.69"	17 0.67"	32 1.26"	10,5 0.41"	27 1.06"	6 0.24"
original number: BA.250.90007											
NEW 03703	ZN	0,250	0.55	mm inch	60 2.36"	24,5 0.96"	22 0.87"	41 1.61"	11,5 0.45"	34 1.34"	6,5 0.26"

LEWMAR

LEWMAR DISC ANODE




prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
original number: 589150									
01080	ZN	0,069	0.15	mm	37	14	24	18	8,5
				inch	1.46"	0.55"	0.94"	0.71"	0.33"
original number: 589350									
01081	ZN	0,112	0.25	mm	45	15	30	24	11
				inch	1.77"	0.59"	1.18"	0.94"	0.43"
original number: 589550									
01082	ZN	0,237	0.52	mm	60	19	42	34	17
				inch	2.36"	0.75"	1.65"	1.34"	0.67"

MAX POWER

MAX POWER PROPELLER NUT



prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
01060	ZN	0,100	0.22	mm	31,8	31	27	18	6
				inch	1.25"	1.22"	1.06"	0.71"	0.24"

QUICK

QUICK PROPELLER NUT

BTQ140 (03605 / 03605AL)
BTQ185 (03606 / 03606AL)




prod: d

COD	kg	lbs		Ø	a	h	Ø1	Ø2
original number: TQ14000								
03605 ZN	0,230	0.51	mm	48	17	31	5	42
03605AL AL	1,840	4.06	inch	1.89"	0.67"	1.22"	0.20"	1.65"
original number: TQ18500								
03606 ZN	0,260	0.57	mm	50	20	32	6	39
03606AL AL	0,736	1.62	inch	1.97"	0.79"	1.26"	0.24"	1.54"

QUICK PROPELLER NUT

BTQ250 / BTQ185




prod: d

COD	kg	lbs		Ø	a	h	Ø1	Ø2
original number: TQ25000								
03607 ZN	0,360	0.79	mm	59	24	44	6	44
03607AL AL	0,294	0.65	inch	2.32"	0.94"	1.73"	0.24"	1.73"
original number: TQ30000								
03608 ZN	0,540	1.19	mm	70	27	49	6	46
03608AL AL	0,118	0.26	inch	2.76"	1.06"	1.93"	0.24"	1.81"

QUICK PROPELLER NUT

BTQ110




original number: **TQ11000**

prod: **d**

COD			kg	lbs		Ø	h	Ø1	Ø2	c
NEW	03609	ZN	0,085	0.19	mm	1,50	19	20	15	12,5
NEW	03609AL	AL	0,047	0.10	inch	1.50"	0.75"	0.79"	0.59"	0.49"

QUICK SMALL PLATE

BTQR



original number: **TQR6015**


prod: **d**

COD			kg	lbs		Ø	l	a	h	i
	03610	ZN	0,040	0.09	mm	6,5x5,25	7	60	15	50
NEW	03610AL	AL	0,019	0,04	inch	0,26"x 0,20"	0.28"	2.36"	0.59"	1.97"

SIDEPower - SLEIPNER

SLEIPNER PROPELLER NUT

4/6 HP - 3 Blade Prop




original part number: **61180** prod: **d**

COD		kg	lbs		Ø	h	Ø1	Ø2
01050		0,041	0.09	mm	26	20	10	6,5
01050AL		0,018	0.04	inch	1.02"	0.79"	0.39"	0.26"

SLEIPNER PROPELLER NUT

10/15/20 HP




original part number: **101180** prod: **m**

COD		kg	lbs		Ø	a	h	Ø1
01051		0,160	0.35	mm	42	25	34	6,5
				inch	1.65"	0.98"	1.34"	0.26"

SLEIPNER PROPELLER NUT

SP555, SE60/1855, SP75T, SE80/185T, SP95T, SE100/185T



original part number: **71190/51180** prod: **d**


COD		kg	lbs		Ø	a	h	Ø1	Ø2
01052		0,120	0.26	mm	45	19	20	6	40
01052AL		0,047	0.10						
NEW 01052MG		0,030	0.06	inch	1.77"	0.75"	0.79"	0.24"	1.57"

SIDEPower - SLEIPNER

3.5

SLEIPNER PROPELLER NUT

SP550 HYD, SH420, SH550




original part number: 501180

prod: m

COD		kg	lbs		Ø	a	h	Ø1	Ø2
01053	ZN	1,060	2.34	mm	73	31	53	46	8,5
01053AL	AL	0,420	0.93	inch	2.87"	1.22"	2.09"	1.81"	0.33"

SLEIPNER PROPELLER NUT

SP30, SE30, SP40, SE40



original part number: 31180

prod: m

COD		kg	lbs		Ø	h	Ø1
01054	ZN	0,030	0.07	mm	26	15	5
01054AL	AL	0,012	0.03	inch	1.02"	0.59"	0.20"

SLEIPNER PROPELLER NUT

7HP - 3 Blade Prop



original part number: 71180


same as: 00729

prod: d

COD		kg	lbs		Ø	l	a	h	Ø1
01055	ZN	0,045	0.10	mm	10	37	22	14	7
NEW 01055MG	MG	0,012	0.026	inch	0.39	1.46"	0.87"	0.55"	0.28

SIDEPower - SLEIPNER

SLEIPNER PROPELLER NUT




original part number: 140629

prod: d

COD		kg	lbs		Ø	h	i	Ø1
01056	ZN	0,380	0.84	mm	37	80	50	19
01056AL	AL	0,145	0.32	inch	1.46"	3.15"	1.97"	0.75"

SLEIPNER PROPELLER NUT

fits SP125T - 285TC, SE120, SE150, SP220/300HYD, SH160




original part number: 201180

prod: d

COD		kg	lbs		Ø	a	h	Ø1	Ø2
02480	ZN	0,335	0.74	mm	49	24	42	6	33
02480AL	AL	0,130	0.29	inch	1.93"	0.94"	1.65"	0.24"	1.30"

TWIN DISC - BCS

BCS PROPELLER ANODE



prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2
03501	ZN	0,640	1.41	mm	68	55	56	6,5
NEW 03501AL	AL	0,256	0.56					
NEW 03501MG	MG	0,160	0.35	inch	2.68"	2.17"	2.20"	0.26"


BCS PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2
03504	ZN	0,945	2.08	mm	84	53	56	6,5
				inch	3.31"	2.09"	2.20"	0.26

BCS PROPELLER ANODE



prod: m

COD		kg	lbs		Ø	a	h	h1	h2	Ø1	Ø2
02481	ZN	0,220	0.49	mm	50	25	35	20	3	40	6
02481AL	AL	0,093	0.21	inch	1.97"	0.98"	1.38"	0.79"	0.12"	1.57"	0.24"

VETUS

VETUS PROPELLER NUT

KGF125/130/160
fits also TWIN DISC - BCS thruster




original part number: BP195E/SET151

prod: d

COD		kg	lbs		Ø	a	h	h1	Ø1	Ø2	Ø3
03500	ZN	0,480	1.06	mm	60	24	17	42	6,5	30	12
03500MG	MG	0,120	0.26	inch	2.36"	0.94"	0.67"	1.65"	0.26"	1.18"	0.47"

VETUS ANODE PLATE

KGF23A/50/80
fits also TWIN DISC - BCS thruster




original part number: BP 129/SET153

prod: d

COD		kg	lbs		Ø	l	a	b	h	h1
03502	ZN	0,065	0.14	mm	6,5	41	20	17	24	17
				inch	0.26	1.61"	0.79"	0.67"	0.94"	0.67

VETUS CONICAL PLATE




prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
03503	ZN	1,050	2.31	mm	79	45	11	46	34
03503AL	AL	0,410	0.90						
NEW 03503MG	MG	0,300	0.66	inch	3.11"	1.77"	0.43"	1.81"	1.34"

VETUS PROPELLER NUT

KGF25




original part number: BP-1221/ SET0148

prod: d

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
03505	ZN	0,040	0.09	mm	38	10	29	32	17	4,5
				inch	1.50"	0.39"	1.14"	1.26"	0.67"	0.18"

VETUS PROPELLER NUT

KGF35/55




original part number: BP-1126/ SET0149

prod: d

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
03506	ZN	0,145	0.32	mm	50	17	37	43	15	5,5
				inch	1.97"	0.67"	1.46"	1.69"	0.59"	0.22"

VETUS PROPELLER NUT

KGF60/75/80/95



original part number: BP-1185/ SET0150

prod: d

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
03507	ZN	0,154	0.34	mm	56	15	40	44	15	5
				inch	2.20"	0.59"	1.57"	1.73"	0.59"	0.20"

VETUS

VETUS PROPELLER NUT

KGF 220




original part number: BP-1210/ SET0152

prod: d

COD		kg	lbs		Ø	c	h	h1	Ø1	Ø2	Ø3
03508	ZN	0,380	0.84	mm	50	24	41	17	10,5	6,5	33
				inch	1.97"	0.94"	1.61"	0.67"	0.41"	0.26"	1.30"

VETUS PROPELLER NUT




original part number: BP195

prod: m

COD		kg	lbs		Ø	a	h	Ø1	Ø2
03509	ZN	0,385	0.85	mm	53	28	47	11	7
				inch	2.09"	1.10"	1.85"	0.43"	0.28"

VETUS PROPELLER NUT

KGF 220/230/285/310



original part number: SET0221

prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3	c
NEW 03514	ZN	0,94	2.07	mm	75,5	41	28,5	11	6	28,5
				inch	2.97"	1.61"	1.12"	0.43"	0.24"	1.12"

VETUS


VETUS PROPELLER NUT



prod: m

COD		kg	lbs		Ø	a	b	h	Ø1	Ø2	Ø3
03512	ZN	0,650	1.43	mm	75	25	7	47	8,5	42	55
				inch	2.95"	0.98"	0.28"	1.85"	0.33"	1.65"	2.17"

VETUS PROPELLER NUT




prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2
NEW 03513	ZN	0,055	0.12	mm	32	15	8	5
				inch	1.26	0.59	0.31	0.20

VOLVO PENTA

VOLVO PENTA BOW TRUSTER ANODE



same as: 01055


prod: d

COD		kg	lbs		Ø	l	a	h	Ø1
00729	ZN	0,045	0.10	mm	10	37	22	15	6,5
00729MG	MG	0,012	0.03	inch	0.39"	1.46"	0.87"	0.59"	0.26"

VOLVO PENTA

VOLVO PENTA QL BOW TRUSTER ANODE

BP500/600 ; SP600
QL Thrusters




original part number: 41100098 prod: d

COD		kg	lbs		Ø	h	Ø1	m
00731	ZN	0,052	0.11	mm	29	20	9,5	M4
00731MG	MG	0,013	0.03	inch	1.14"	0.79"	0.37"	

VOLVO PENTA QL BOW TRUSTER ANODE

BP800-1300 and SP900-1300
QL Thrusters




original part number: 41100276 prod: d

COD		kg	lbs		Ø	l	a	Ø1
00732	ZN	0,088	0.19	mm	17	51	12	7
00732MG	MG	0,022	0.04	inch	0.67"	2.01"	0.47"	0.28"

WESMAR

WESMAR PROPELLER ANODE

Main market



prod: m

COD		kg	lbs		Ø	l	h	h1	Ø1	Ø2	Ø3
TEC-PNB	ZN	0,225	0.50	mm inch	41 1.61"	28 1.10"	56 2.20"	17 0.67"	22 0.87"	12 0.47"	7 0.27"
TEC-PNC	ZN	0,495	1.09	mm inch	50 1.97"	33 1.30"	71 2.80"	19 0.75"	29 1.14"	13 0.51"	8 0.31"





BMW *pag. 198*

BRP (Omc - Johnson - Evinrude) *pag. 200*

Bukh *pag. 216*

Honda *pag. 218*

Lombardini *pag. 225*

Mercury - Mercruiser *pag. 228*

OXE - Diesel *pag. 250*

Panier *pag. 252*

Parsun *pag. 253*

Renault Marine Couach *pag. 257*

Selva *pag. 259*

Suzuki *pag. 265*

Technodrive - Twin Disc *pag. 272*

Tohatsu *pag. 273*

Torqueedo *pag. 277*

Volvo Penta *pag. 278*

Yamaha *pag. 302*

Yanmar *pag. 335*

ZF *pag. 344*

4.1

ENGINE ANODES

Inboard, Outboard
and Sterndrive Anodes



TECNOSEAL
save your dreams

BMW

BMW PROPELLER ANODE

BMW Sterndrive MARK 1




original part number: **2762-1328-139** prod: **m**

COD		kg	lbs		a	b	h	Ø	i	Ø1	Ø2
01000	ZN	0,835	1.841	mm	165	101	54	124	80	61	9
				inch	6.5"	3.98"	2.13"	4.88"	3.15"	2.40"	0.35"

BMW LONG SKEG ANODE FOR TRIM

BMW Sterndrive MARK 2




original part number: **2762-1332-365** prod: **m**

COD		kg	lbs		l	h	Ø	Ø1	m
01001	ZN	0,625	1.378	mm	142	155	65	22	3/8" UNC
				inch	5.59"	6.10"	2.56"	0.87"	

BMW PLATE FOR ENGINE

BMW Sterndrive MARK 1 - 2
available upon request




original part number: **2762-1330-580** prod: **m**

COD		kg	lbs		l	h	h1	Ø	Ø1	m
01002	ZN	0,335	0.739	mm	72	72	11	11	22	3/8" UNC
				inch	5.59"	4.21"	4.21"	2.56"	0.87"	

BMW

BMW PLATE FOR ENGINE

BMW Sterndrive MARK 1 - 2




original part number: 2762-1328-130

prod: m

COD		kg	lbs		l	a	h	i	Ø
01003	ZN	0,315	0.694	mm	60	48	25	40	9
				inch	2.36"	1.89"	0.98"	1.57"	0.35"

BMW TRANSOM ANODE

BMW Sterndrive MARK 2




original part number: 2762-1332-299

prod: m

COD		kg	lbs		l	a	h	i	Ø
01004	ZN	0,315	0.694	mm	118	52	35	60	8.5
				inch	4.65"	2.05"	1.38"	2.36"	0.33"

BMW PENCIL ANODE FOR ENGINE COOLER

BMW D12 engine




original part number: 1711-1329-197


prod: m

COD		kg	lbs		l	l1	Ø	b
01005	ZN	0,050	0.110	mm	50	13	13	3/8" UNC
				inch	1.97"	0.51"	0.51"	


BRP (Omc / Johnson / Evinrude)



00900




00901




00902



00903



00904



00905




00906




00907




00907BIS



00908



00909



00910




00911




00912




00913




00914




00915



00916




00917



00918




00919




00920



00921




00922




00923



00925




00926




00927



00928



00929



00930




00931



00932



00933




00934



00935



00936



00937



00938



00939




00940

BRP (Omc / Johnson / Evinrude)

OMC WAFFLE BAR ANODE

OMC 40-50HP




original part number: **976669** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
00900	ZN	0,452	0.996	mm	193	43	17	177	7
				inch	7.60"	1.69"	0.67"	6.97"	0.28"

OMC WAFFLE EXHAUST ANODE


OMC 100-245HP



original part number: **982277** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
00901	ZN	0,580	1.279	mm	117	80	38	101	7
				inch	4.61"	3.15"	1.50"	3.98"	0.28"

OMC STRINGER DRIVE HOUSING ANODE



original part number: **982438** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
00902	ZN	0,970	2.138	mm	185	80	38	101	7
				inch	7.28"	3.15"	1.50"	3.98"	0.28"

4.1

BRP (Omc / Johnson / Evinrude)


BRP (Omc / Johnson / Evinrude)

OMC FRONT GEARCASE ANODE

Omc Cobra

Where used

KIT OMC COBRA




original part number: **984513 - 3853818**

prod: **d**

COD		kg	lbs		l	a	h	i	m
00903	ZN	1,040	2.293	mm	145	100	25	113	
00903AL	AL	0,390	0.860						1/4" UNC
00903MG	MG	0,250	0.551	inch	5.71"	3.94"	0.98"	4.45"	

OMC GIMBAL PLATE ANODE

OMC Cobra 130-385 HP




original part number: **983952 - 984547**

prod: **m**

COD		kg	lbs		l	l1	a	h	i	Ø	Ø1
00904	ZN	1,274	2.809	mm	118	109	109	48	56	20	11
				inch	4.65"	4.29"	4.29"	1.89"	2.20"	0.79"	0.43"

JOHNSON -EVINRUDE TRIM TAB ANODE

E.B. - F.B. 55 HP



original part number: **338742**

prod: **m**


COD		kg	lbs		a	h	h1	Ø	Ø1	Ø2
00905	ZN	0,435	0.959	mm	130	60	13	110	18	11
				inch	5.12"	2.36"	0.51"	4.33"	0.71"	0.43"

BRP (Omc / Johnson / Evinrude)

OMC HORSESHOE FRONT GEARCASE ANODE

Omc Cobra 90HP

Where used
KIT OMC STRINGER



original part number: 983494


prod: d

COD		kg	lbs		l	a	h	i	Ø	m
00906	ZN	0,748	1.649	mm	145	104	25	113	5	
00906AL	AL	0,290	0.639							1/4" UNC
00906MG	MG	0,180	0.400	inch	5.71"	4.09"	0.98"	4.45"	4.45"	

JOHNSON-EVINRUDE GEARCASE ANODE

OMC 50-140 / Johnson - Evinrude 50-225HP (1987-1998)

Where used
KIT OMC STRINGER
KIT OMC COBRA
KIT OMC 50-75




original part number: 393023

prod: d

COD		kg	lbs		l	a	h	Ø
00907	ZN	0,245	0.540	mm	25	40	41	8
00907AL	AL	0,096	0.212					
00907MG	MG	0,062	0.137	inch	0.98"	1.57"	1.61"	0.31"

JOHNSON-EVINRUDE GEARCASE ANODE

Johnson - Evinrude 250 - 300HP



original part number: 397768

prod: d

COD		kg	lbs		l	a	h	m
00907BIS	ZN	0,245	0.540	mm	25	40	41	
00907BISAL	AL	0,096	0.212					3/8" UNC
00907BISMG	MG	0,061	0.134	inch	0.98"	1.57"	1.61"	

4.1

BRP (Omc / Johnson / Evinrude)


BRP (Omc / Johnson / Evinrude)

JOHNSON-EVINRUDE HALFMOON ANODE

Johnson - Evinrude 90-140HP

Where used

KIT OMC V4-46



original part number: **9392123** prod: **m**


COD		kg	lbs		l	a	h	i	Ø
00908	ZN	0,820	1.808	mm	116	77	23	63	6,5
				inch	4.57"	3.03"	0.91"	2.48"	0.26"

JOHNSON-EVINRUDE HALFMOON ANODE

Johnson - Evinrude 50-75HP (1983 -2005)

Where used

KIT OMC 50-75



original part number: **392462** prod: **d**


COD		kg	lbs		l	a	h	i	Ø
00909	ZN	0,714	1.574	mm	102	63	32	74	7
00909AL	AL	0,130	0.287						
NEW 00909MG	MG	0,180	0.397	inch	4.57"	2.48"	1.26"	2.91"	0.28"

JOHNSON-EVINRUDE TRANSOM BRACKET

Johnson-Evinrude 160-280 (V4-V6)

Where used

KIT OMC 50-75
KIT OMC V4-46 (ZN)
KIT OMC 50-75 (AL-MG)




original part number: **398331 - 433458** prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00910	ZN	0,330	0.728	mm	23	43	58	16	8
00910AL	AL	0,130	0.287						
00910MG	MG	0,083	0.183	inch	0.91"	1.69"	2.28"	0.63"	0.31"

BRP (Omc / Johnson / Evinrude)

JOHNSON-EVINRUDE TRANSOM BRACKET

Johnson-Evinrude 1987-2001




original part number: 395780

prod: d

COD		kg	lbs		l	a	h	Ø	Ø1
00911	ZN	0,190	0.419	mm	45	23	31	14	8,5
00911AL	AL	0,080	0.176						
00911MG	MG	0,115	0.115	inch	1.77"	0.91"	1.22"	0.55"	0.33"

JOHNSON-EVINRUDE TRANSOM BRACKET

Johnson-Evinrude 2-150



original part number: 173029-123009-327606

same as: 01401

prod: d


COD		kg	lbs		l	a	h	i	m
00912	ZN	0,075	0.165	mm	60	23	12	25	
00912AL	AL	0,030	0.066						M5
00912MG	MG	0,019	0.042	inch	2.36"	0.91"	0.47"	0.98"	

JOHNSON-EVINRUDE TRANSOM BRACKET

Johnson - Evinrude 4-8HP (1984- 2005)

Where used

KIT OMC V4-46



original part number: 432397 - 334451


prod: m

COD		kg	lbs		l	a	b	h	Ø
00913	ZN	0,075	0.165	mm	30	12	37	26	6,5
				inch	1.18"	0.47"	1.46"	1.02	0.26"

BRP (Omc / Johnson / Evinrude)

JOHNSON - EVINRUDE ANODE PLATES FOR LOWER UNIT

Johnson-Evinrude 20-35 HP
sold in pair without hardware




original part number: 434029 prod: m

COD		kg	lbs		l	a	h	h1	Ø	Ø1
00914	ZN	0,179	0.395	mm	49	41	12	6	14	6
00914/1 with hardware completo di vite	ZN	0,195	0.430	inch	1.93"	1.61"	0.47"	0.24	0.55"	0.24

JOHNSON - EVINRUDE PROP SHAFT ANODE

Johnson Evinrude 40-50 HP (1990-2005)




original part number: 398873 prod: m

COD		kg	lbs		l	h	i	Ø	Ø1
00915	ZN	0,155	0.342	mm	77	27	65	26	8
				inch	3.03"	1.06"	2.56	1.02"	0.31"

OMC GIMBAL PLATE ANODE

OMC Cobra 130-385 HP



original part number: 398873 prod: m


COD		kg	lbs		l	l1	a	h	h1	i	Ø	Ø1
00916	ZN	0,790	1.742	mm	110	85	95	30	19	56	20	10,5
				inch	4.33"	3.35"	3.74	1.18"	0.75"	2.20"	0.79"	0.41"

BRP (Omc / Johnson / Evinrude)

JOHNSON - EVINRUDE PROP SHAFT ANODE

Johnson Evinrude Diabolo 70-120 HP

Where used
KIT OMC STRINGER
KIT OMC COBRA



original part number: 431708


prod: d

COD		kg	lbs		l	a	h	i	Ø	Ø1
00917	ZN	0,300	0.661	mm	75	50	22	40	18	8,5
00917AL	AL	0,120	0.265							
00917MG	MG	0,075	0.165	inch	2.95"	1.97"	0.87"	1.57"	0.71"	0.33"

JOHNSON - EVINRUDE POWER TRIM ANODE

Johnson - Evinrude 60-300

Where used
KIT ETEC G2



original part number: 5007089 - 433580


prod: d

COD		kg	lbs		l	l1	a	h	m
00918	ZN	0,715	1.576	mm	172	165	21	34	
00918AL	AL	0,280	0.617						3/8" UNC
00918MG	MG	0,180	0.397	inch	2.95"	1.97"	0.87"	1.57"	

OMC SMALL BLOCK ANODE

Omc Cobra

Where used
KIT OMC 50-75



original part number: 986158 - 3853930


prod: d

COD		kg	lbs		l	a	h	i	Ø	Ø1
00919	ZN	0,600	1.323	mm	92	46	40	51	20	9,5
00919MG	MG	0,150	0.331	inch	3.62"	1.81"	1.57"	2.01	0.79"	0.37"

BRP (Omc / Johnson / Evinrude)

OMC UPPER GEARCASE ANODE

OMC King Cobra




original part number: 987067 - 3854061

prod: m

COD		kg	lbs		l	a	h	i	Ø
00920	ZN	0,920	2.028	mm	158	84	20	102	7
				inch	6.22"	3.31"	0.79	4.02"	0.28"

JOHNSON-EVINRUDE SMALL PLATE FOR ENGINE

Johnson/Evinrude 8- 9.9 - 15 HP 4-stroke
sold as a single (two required)



original part number: 338635

prod: d

COD		kg	lbs		l	a	c	h	Ø1
00921	ZN	0,055	0.121	mm	37	26	10	12	5,5
				inch	1.46"	1.02"	0.39	0.47"	0.22"

OMC BLOCK ANODE FOR TRANSOM

Omc King Kobra



original part number: 3854130

same as: 00718


prod: d

COD		kg	lbs		l	a	h	h1	i	Ø	Ø1	Ø2
00922	ZN	1,061	2.210	mm	91	79	47	38	51	9	20	10
00922AL	AL	0,410	0.904									
00922MG	MG	0,265	0.584	inch	3.58"	3.11"	1.85"	1.50"	2.01"	0.35"	0.79"	0.39"

BRP (Omc / Johnson / Evinrude)

OMC FRONT GEARCASE ANODE


Omc Cobra



prod: m

COD		kg	lbs		l	a	h	i	m
00923	ZN	0,581	1.281	mm	145	104	25	113	
				inch	5.71"	4.09"	0.98	4.45"	7/16" UNC

JOHNSON - EVINRUDE WASHER ANODE



original part number: 5031705


same as: 01213

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
00925	ZN	0,020	0.044	mm	10	21	13	6
00925AL	AL	0,007	0.015					
00925MG	MG	0,005	0.011	inch	0.39"	0.83"	0.51"	0.24"

JOHNSON-EVINRUDE STERN BRACKET ANODE

Johnson-Evinrude 60-225HP 4 Stroke



original part number: 5034616 - 5030907

same as: 00840 - 01214 - 01254


prod: d

COD		kg	lbs		l	a	b	h	i	i1	Ø	Ø1
00926	ZN	0,510	1.120	mm	196	40	6,5 x 11	14	176	160	6,5	12
00926AL	AL	0,198	0.437									
00926MG	MG	0,128	0.282	inch	7.72"	1.57"	0.28" x 0.43"	0.55"	6.93"	6.30"	0.26"	0.47"

BRP (Omc / Johnson / Evinrude)

JOHNSON - EVINRUDE TRIM TAB ANODE

Johnson-Evinrude 60-140HP



original part number: **5032929**


same as: **01215**

prod: **d**

COD		kg	lbs		l	h	Ø	Ø1
00927		0,219	0.483	mm	113	59	85	8,5
00927AL		0,086	0.190					
00927MG		0,055	0.121	inch	4.45"	2.32"	3.35"	0.33"

JOHNSON-EVINRUDE GEARCASE ANODE

Omc Cobra / Johnson-Evinrude 250 - 300 HP



original part number: **5397768**


prod: **d**

COD		kg	lbs		l	a	h	Ø
00928		0,316	0.697	mm	64	30	27	8,5
00928AL		0,100	0.220					
00928MG		0,080	0.176	inch	2.52"	1.18"	1.06"	0.33"

OMC DOUBLE PLATE FOR SAILDRIVE

Saildrive
sold in pair without hardware

Saildrive



original part number: **389999**


prod: **m**

COD		kg	lbs		l	a	h	m
00929		0,190	0.419	mm	47	31	15	7/16" UNC
				inch	1.85"	1.22"	0.59	

BRP (Omc / Johnson / Evinrude)

JOHNSON - EVINRUDE SMALL BLOCK ANODE

Johnson-Evinrude 25 -225hp (2004-2007)



original part number: 5030265 - 5035786


same as: 01204

prod: d

COD		kg	lbs		l	a	h	Ø	Ø1
00930	ZN	0,080	0.176	mm	40	30	12	17	6,5
00930AL	AL	0,032	0.071						
00930MG	MG	0,020	0.044	inch	1.57"	1.18"	0.47"	0.67"	0.26"

JOHNSON - EVINRUDE TRIM TAB ANODE

Johnson-Evinrude 40 -705hp (1999-2006)



original part number: 5031536


same as: 01204

prod: d

COD		kg	lbs		l	h	Ø	Ø1	Ø2
00931	ZN	0,190	0.419	mm	82	59	61	8,5	19
00931AL	AL	0,075	0.165						
00931MG	MG	0,047	0.104	inch	3.23"	2.32"	2.40"	0.33"	0.75"

JOHNSON-EVINRUDE BLOCK ANODE FOR OUTBOARD

Johnson-Evinrude 5hp (2000 - 2005)



original part number: 5030267

same as: 01202

prod: m

COD		kg	lbs		l	l1	a	h	h1	Ø	Ø1
00932	ZN	0,100	0.220	mm	41	21	38	23	8	18	7,5
				inch	1.61"	0.83"	1.50	0.91"	0.31	0.71	0.30

BRP (Omc / Johnson / Evinrude)

JOHNSON - EVINRUDE WASHER ANODE

Johnson-Evinrude 2-6 / 25-225 Hp 4-Stroke



original part number: 5031705 - 55321-87J00


same as: 00813-00823-01127-01205-01250-01904-01910

prod: d

COD		kg	lbs		h	Ø	Ø1
00933	ZN	0,010	0.022	mm	7	20	6,5
00933AL	AL	0,004	0.009				
00933MG	MG	0,003	0.007	inch	0.28"	0.79"	0.26"

JOHNSON-EVINRUDE BLOCK ANODE FOR OUTBOARD

Johnson-Evinrude 5hp (2000 - 2005)



original part number: 5033185


same as: 01206

prod: m

COD		kg	lbs		h	Ø	Ø1	Ø2
00934	ZN	0,050	0.110	mm	8,5	49	15	7
				inch	0.33"	1.93"	0.59	0.28"

JOHNSON - EVINRUDE GEARCASE ANODE

Johnson-Evinrude 9.9/50 HP 4T (2002-2007)



original part number: 5031538

same as: 01208

prod: m (ZN) prod: d (AL)

COD		kg	lbs		l	a	h	i	Ø
00935	ZN	0,080	0.176	mm	76	20	10	38	6,5
00935AL	AL	0,032	0.071	inch	2.99"	0.79"	0.39"	1.50"	0.26"

BRP (Omc / Johnson / Evinrude)

JOHNSON - EVINRUDE GEARCASE ANODE

Johnson-Evinrude 9.9/50 HP 4T (1999-2007)




original part number: **5033167** same as: **01210** prod: **d**

COD		kg	lbs		l	a	h	Ø	
00936		0,084	0.185	mm	48	18	12	7	
00936MG		0,013	0.030	inch	1.89"	0.71"	0.47"	0.28"	

JOHNSON - EVINRUDE GEARCASE ANODE

Johnson-Evinrude 60/140 HP (2002-2006)



original part number: **5032930** same as: **01212** prod: **d**


COD		kg	lbs		l	a	h	h1	Ø	Ø1
00937		0,075	0.165	mm	56	22	18	5	18	6
00937AL		0,030	0.066							
00937MG		0,020	0.010	inch	2.20"	0.87"	0.71"	0.20"	0.71"	0.24"

EVINRUDE BLOCK ANODE

Johnson-Evinrude E-TEC G2 200/300 HP

Where used

KIT ETEC G2



original part number: **355964** prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00938		0,247	0.545	mm	46	34	42	8,5	21
NEW 00938AL		0,123	0.271						
NEW 00938MG		0,079	0.175	inch	1.81"	1.34"	1.65"	0.33"	0.83"


BRP (Omc / Johnson / Evinrude)

EVINRUDE PROP ANODE

Johnson-Evinrude E-TEC G2 200/300 HP

Where used

KIT ETEC G2



original part number: 5009220

prod: d


COD		kg	lbs		h	Ø	Ø1	Ø2
00939	ZN	0,546	1.204	mm	60	58	8,5	44
NEW 00939AL	AL	0,235	0.518					
NEW 00939MG	MG	0,152	0.334	inch	2.36"	2.28"	0.33"	1.73"

EVINRUDE GEARCASE ANODE

Johnson-Evinrude E-TEC G2 200/300 HP

Where used

KIT ETEC G2



original part number: 357597 - 357507

prod: d

COD		kg	lbs		l	a	h	i	Ø
00940	ZN	0,085	0.187	mm	60	22	11	25	7,5
NEW 00940AL	AL	0,033	0.073						
NEW 00940MG	MG	0,021	0.047	inch	2.36"	0.87"	0.43"	0.98"	0.30"

BRP (Omc / Johnson / Evinrude)

ANODE KIT FOR OMC 50-75HP

prod: d



COD		kg	lbs	quantity	product code
KITOMC-50-75		1,010	2.227	1	00907
				1	00909
KITOMC-50-75AL		0,505	1.113	1	00907AL
				1	00909AL
KITOMC-50-75MG		0,337	0.742	1	00907MG
				1	00909MG

4.1

ANODE KIT FOR OMC COBRA


prod: d



COD		kg	lbs	quantity	product code
KITOMCCOBRA		1,590	3.505	1	00903
				1	00907
				1	00917
KITOMCCOBAMG		0,530	1.168	1	00903MG
				1	00907MG
				1	00917MG

ANODE KIT FOR OMC STRINGER


prod: d



COD		kg	lbs	quantity	product code
KITOMCSTRINGER		1,330	2.932	1	00906
				1	00907
				1	00917
KITOMCSTRINGERMG		0,443	0.977	1	00906MG
				1	00907MG
				1	00917MG

ANODE KIT FOR OMC V4-V6

prod: d




COD		kg	lbs	quantity	product code
KITOMC-V4-V6		1,220	2.690	1	00908
				1	00910
KITOMC-V4-V6MG		0,340	0.750	1	00908
				1	00910

BRP (Omc / Johnson -Evinrude / Seadoo)

EVINRUDE ANODE KIT FOR ETEC-G2

prod: d




COD		kg	lbs	quantity	product code
KITETEC-G2		1,721	3.794	1	00918
				1	00938
				1	00939
				1	00940
KITETEC-G2AL		0,740	1.631	1	00918AL
				1	00938AL
				1	00939AL
				1	00940AL
KITETEC-G2MG		0,465	1.024	1	00918MG
				1	00938MG
				1	00939MG
				1	00940MG

BUKH

BUKH SAILDRIVE COLLAR ANODE

Bukh saildrive DV10. DV20. DV36. DV48

Saildrive



original part number: B00E5829


prod: m

COD		kg	lbs	mm	l	h	i	Ø	Ø1	Ø2
02051		0,880	1.940	mm	138	40	68	50	82	6,5
				inch	5.43"	1.57"	2.68	1.97"	3.23"	0.26

BUKH SAILDRIVE COLLAR ANODE

Bukh saildrive DV8L. DV10L

Saildrive



original part number: 008E8207

prod: m

COD		kg	lbs	mm	Ø	h	i	Ø1	Ø2
02054		0,115	0.250	mm	65	12	48	38	5,5
				inch	2.56	0.47"	1.89"	1.50"	0.22"

BUKH

BUKH PENCIL ANODE

DV10. DV20. DV24




original part number: 00E0450 (2-62050)

prod: d

COD		kg	lbs		Ø	l	l1	a	b	c
02050 (Zinc only)		0,030	0.066	mm inch	12 0.47"	35 1.38"	10 0.39"		M5	
02050TP (Plug only)		0,040	0.088	mm inch				3/8" GAS (bspp)	M5	22 0.87"
02050T (Complete with brass plug)		0,070	0.154	mm inch	12 0.47"	35 1.38"		3/8" GAS (bspp)		22 0.87"

BUKH PENCIL ANODE

BARROTTINO PER MOTORI BUKH




same as: 02070 - 02351 - 02070TP

prod: d

COD		kg	lbs		Ø	l	l1	a	b	c
02053 (Zinc only)		0,015	0.033	mm inch	40 0.39"	18 0.71"	8 0.31"		8,5 0.33"	
02053TP (Plug only)		0,050	0.110	mm inch				1/4" GAS CONICO (bspt)	8.5 0.33"	17 0.67"
02053T (Complete with brass plug)		0,035	0.077	mm inch	10 0.39"	18 0.71"		1/4" GAS CONICO (bspt)		17 0.67"

BUKH PENCIL ANODE

Zinc only



same as: 02003-02027-02033

prod: d

COD		kg	lbs		Ø	l	l1	b
02052 (Zinc only)		0,350	0.772	mm inch	12 0.47	40 1.57"	10 0.39"	3/8" UNC


HONDA




01400




01401




01402




01403




01404



01405




01406



01407




01408




01408-1




01408-2




01409



01410



01411




01412

HONDA

HONDA WASHER ANODE

Honda 8-20Hp



original part number: 41106-ZW-000


same as: 00824 - 01109-01128-01251-01258

prod: d

COD		kg	lbs		h	Ø	Ø1
01400	ZN	0,020	0.044	mm	7	24	7
01400AL	AL	0,008	0.018				
01400MG	MG	0,005	0.011	inch	0.28"	0.94"	0.28"

HONDA SMALL PLATE ANODE

Honda BF 2-100Hp 1997 & Older



original part number: 41106-935-812


same as: 00912

prod: d

COD		kg	lbs		l	a	h	i	m
01401	ZN	0,075	0.165	mm	60	23	12	25	
01401AL	AL	0,030	0.066						M5
01401MG	MG	0,019	0.042	inch	2.36"	0.91"	0.47"	0.98"	

HONDA SMALL PLATE ANODE

Honda BF 2-15Hp (1997 - 2007)



original part number: 41106-ZV4-650

prod: d

COD		kg	lbs		l	a	b	h	i	m
01402	ZN	0,085	0.187	mm	62	25	40	14	25	
01402AL	AL	0,034	0.075							M6
01402MG	MG	0,022	0.049	inch	2.44"	0.98"	1.57"	0.55"	0.98"	


HONDA

HONDA TRIM TAB ANODE

Honda BF 25-50Hp

Where used

KITHONDA40-50
KITHONDA40-50C
KITHONDA40-50C



original part number: 41107-ZV5-000

prod: d


COD		kg	lbs		l	h	h1	Ø	Ø1	Ø2
01403	ZN	0,321	0.620	mm	150	60	9	94	21	8,5
01403AL	AL	0,114	0.251							
01403MG	MG	0,078	0.172	inch	4.13"	2.36"	0.35"	3.70"	0.83"	0.33"

HONDA SMALL BAR ANODE FOR STERN BRACKET

Honda BF 25-50Hp

Where used

KITHONDA40-50;
KITHONDA40-50C



original part number: 06411-ZV5-000

prod: d


COD		kg	lbs		l	a	h	i	Ø
01404	ZN	0,375	0.827	mm	148	36	15	127	7
01404AL	AL	0,148	0.326						
01404MG	MG	0,095	0.209	inch	5.83"	1.42"	0.59"	5.00"	0.28"

HONDA WEDGE ANODE

Honda BF 75-90HP (1997-1998)

Where used

KITHONDA40-50;
KITHONDA40-50C



original part number: 41109-ZW1-003

same as: 00825-01129

prod: d

COD		kg	lbs		l	a	h	h1	Ø	Ø1
01405	ZN	0,245	0.540	mm	77	30	22	12	17	7
01405AL	AL	0,094	0.207							
01405MG	MG	0,062	0.137	inch	3.03"	1.18"	0.87"	0.47"	0.67"	0.28"



HONDA

HONDA LARGE BAR ANODE FOR STERN BRACKET

Honda BF 75-225HP (1997-2006)

Where used

KITHONDABF



original part number: 41106-ZW-000

prod: d



COD		kg	lbs		l	a	h	i	Ø
01406	ZN	0,885	1.890	mm	225	50	15	202	6
01406AL	AL	0,335	0.739						
01406MG	MG	0,216	0.476	inch	8.86"	1.97"	0.59"	7.95"	0.24"

HONDA WEDGE ANODE

Honda BF 75-225HP (since/dal 1999)

Where used

KITHONDABF





original part number: 41109-ZW1-B03

prod: d

COD		kg	lbs		l	a	h	h1	Ø	Ø1
01407	ZN	0,225	0.496	mm	70	35	17	11	20	7
01407AL	AL	0,083	0.183							
01407MG	MG	0,057	0.126	inch	2.76"	1.38"	0.67"	0.43"	0.79"	0.28"

HONDA BUTTON ANODE

Honda BF 8-40HP



original part number: 12155-ZV4-A00

same as: 01110 - 01650

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01408	ZN	0,040	0.088	mm	15	24	6,5	12
01408AL	AL	0,016	0.035					
01408MG	MG	0,010	0.022	inch	0.59"	0.94"	0.26"	0.47"

HONDA

HONDA BUTTON ANODE FOR WATER INLET

Honda BF 75-130HP




original part number: 12155-ZW5-000

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01408-1	ZN	0,030	0.066	mm	14	24	6,5	14
01408-1AL	AL	0,010	0.022					
01408-1MG	MG	0,007	0.015	inch	0.55"	0.94"	0.26"	0.55"

HONDA BUTTON ANODE

Honda Honda BF 8-40HP



original part number: 12155-ZV4-A00


same as: 00844 - 01148 - 01750

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
NEW 01408-2	ZN	0,012	0.026	mm	16	13	12	5,5
NEW 01408-2AL	AL	0,006	0.013					
NEW 01408-2MG	MG	0,004	0.009	inch	0.63"	0.51"	0.47"	0.22"

HONDA SMALL PLATE FOR CASE AND BRACKET

Honda BF 8-50HP



original part number: 41106-ZW9-000


prod: m

COD		kg	lbs		l	a	h	Ø	Ø1
01409	ZN	0,050	0.110	mm	32	28	8	18	6
NEW 01409AL	AL	0,020	0.043						
NEW 01409MG	MG	0,012	0.026	inch	1.26"	1.10"	0.31"	0.71"	0.24"

HONDA

HONDA TRIM TAB ANODE

Honda BF 75-130Hp




original part number: 41107-ZW1-B01ZA

prod: d

COD		kg	lbs		l	h	h1	Ø	Ø1	Ø2
01410	ZN	0,496	1.210	mm	130	72	56	112	22	8
01410AL	AL	0,220	0.480							
01410MG	MG	0,139	0.306	inch	5.12"	2.83"	2.20"	4.41"	0.87"	0.31"

HONDA TRIM TAB ANODE

Honda BF 75A-90A



original part number: 41107-ZW1-003-ZA

same as: 00800 -01101/1

prod: d

COD		kg	lbs		Ø	h	h1	m
01411	ZN	0,455	1.003	mm	91	61	19	
01411AL	AL	0,170	0.375					7/16" UNC
01411MG	MG	0,115	0.254	inch	3.58"	2.40"	0.75"	

HONDA TRIM TAB ANODE

Honda BF 20-50Hp



original part number: 6644537101

same as: 00712 - 01100


prod: d

COD		kg	lbs		Ø	h	Ø1	Ø2
01412	ZN	0,220	0.450	mm	91,5	55	18	8,5
01412AL	AL	0,080	0.176					
01412MG	MG	0,053	0.117	inch	3.60"	2.17"	0.71"	0.33"

HONDA

HONDA ANODE KIT FOR 40-50HP


prod: d



COD		kg	lbs	quantity	product code
KITHONDA40-50	ZN	1,16	2.557	1	01403
				1	01404
				2	01405
KITHONDA40-50AL	AL	0,499	1.100	1	01403AL
				1	01404AL
				2	01405AL
KITHONDA40-50MG	MG	0,313	0.690	1	01403MG
				1	01404MG
				2	01405MG

HONDA ANODE KIT FOR 40-50HP COMPLETE


prod: d



COD		kg	lbs	quantity	product code
KITHONDA40-50C	ZN	1,360	2.998	1	01403
				1	01404
				2	01405
				2	01408
KITHONDA40-50CAL	AL	0,580	1.289	1	01403AL
				1	01404AL
				2	01405AL
				2	01408AL

HONDA ANODE KIT FOR BF ENGINES

prod: d




COD		kg	lbs	quantity	product code
KITHONDABF	ZN	1,995	4.398	1	01410
				1	01406
				2	01407
KITHONDABFAL	AL	0,850	1.874	1	01410AL
				1	01406AL
				2	01407AL
KITHONDABFMG	MG	0,540	1.190	1	01410MG
				1	01406MG
				2	01407MG

LOMBARDINI

LOMBARDINI COLLAR ANODE FOR SAILDRIVE

Saildrive SLDM

Saildrive




original part number: **1301339** prod: m

COD		kg	lbs		l	h	Ø	Ø1	Ø2
01550	ZN	0,600	1.323	mm	121	34	90	42	7
				inch	4.76"	1.34"	3.54	1.65"	0.28"

LOMBARDINI COLLAR ANODE FOR SAILDRIVE

Saildrive SLDM

Saildrive




original part number: **1301350** prod: m

COD		kg	lbs		l	h	Ø	Ø1	Ø2
01551	ZN	1,150	2.535	mm	152	33	114	42	7
				inch	5.98"	1.30"	4.49	1.65"	0.28"

LOMBARDINI SPLIT COLLAR ANODE FOR SAILDRIVE

Saildrive



original part number: **9135033** prod: m

COD		kg	lbs		l	b	c	h	l1	Ø	Ø1	Ø2
01552	ZN	0,600	1.323	mm	121	58	46	33	88	82	7	11
01552MG	MG	0,180	0.397	inch	4.76"	2.28"	1.81"	1.30"	3.46"	3.23"	0.28"	0.23"

4.1


LOMBARDINI

LOMBARDINI

Saildrive



LOMBARDINI SPLIT COLLAR ANODE FOR SAILDRIVE




original part number: **9135034**

prod: **m**

COD		kg	lbs		l	b	c	h	l1	Ø	Ø1	Ø2
01553		1,070	2.359	mm	152	58	46	33	113	95	7	11
01553MG		0,305	0.672	inch	5.98"	2.28"	1.81"	1.30"	4.45"	3.74"	0.28"	0.23"

LOMBARDINI PENCIL ANODE




(02350) same as: **02010 - 02020-02071- 02090-02371** / prod: **d**

(02350TP) same as: **02071TP** / prod: **m**

COD		kg	lbs		Ø	l	l1	a	b	c
02350 (Zinc only)		0,030	0.070	mm	14	26	7,5			
				inch	0.55"	1.02"	0.30"			
02350TP (Plug only)		0,045	0.099	mm				1/2" GAS Conico (Bspt)	12	22
				inch					0.47"	0.87"
02350T (Complete with brass plug)		0,075	0.165	mm	14	26		1/2" GAS Conico (Bspt)		22
				inch	0.55"	1.02"				0.87"

LOMBARDINI

LOMBARDINI PENCIL ANODE




(02350) same as: **02053-02070** / prod: **d**

(02350TP) same as: **02053TP-02070TP** / prod: **m**

COD		kg	lbs		l	l1	a	b	c	Ø
02351 (Zinc only)		0,015	0.033	mm inch	18 0.71"	8 0.31"		8,5 0.33"		10 0.39"
02351TP (Plug only)		0,015	0.033	mm inch			1/4" GAS Conico (Bsp)		14 0.55"	
02351T (Complete with brass plug)		0,030	0.066	mm inch	18 0.71"		1/4" GAS Conico (Bsp)		14 0.55"	10 0.39"

LOMBARDINI PENCIL ANODE


ENGINE 2204MT - JMT



(02353TP) same as: **02010TP/99** / prod: **m**

COD		kg	lbs		l	l1	a	b	c	Ø
02353 (Zinc only)		0,040	0.088	mm inch	30 1.18"	8 0.31"		10 0.40"		15 0.59"
02353TP (Plug only)		0,035	0.077	mm inch			18x1,5		24 0.94"	
02353T (Complete with brass plug)		0,075	0.165	mm inch	30 1.18"		18x1,5		24 0.94"	15 0.59"


MERCURY - MERCUISER



00800




00801




00802




00803




00804



00805




00806




00806BIS




00807




00808




00809




00810




00811




00812




00813




00814



00815




00816



00817




00818




00819



00820



00821



00822

MERCURY - MERCURUISER


4.1




00823




00824




00825



00826



00827



00828




00829




00830




00831




00832



00833




00834




00835




00836




00837



00838




00839




00840



00841



00842



00843



00844



00845

MERCURY - MERCURUISER


MERCURY - MERCUISER

MERCURY STANDARD TRIM TAB ANODE

35HP and above

Where used

KITALPHAONEGEN1
KIT75-115EF1



original part number: 31640

same as: 01101/1 - 01411

prod: d

COD		kg	lbs		Ø	h	h1	m
00800	ZN	0,455	1.003	mm	95	52	14	
00800AL	AL	0,170	0.370					7/16" UNC
00800MG	MG	0,170	0.374	inch	3.74"	2.05"	0.55"	

MERCURY/MERCUISER LONG TRIM TAB

Mercruiser 80-140HP



original part number: 34127


same as: 01102

prod: m

COD		kg	lbs		Ø	h	h1	m
00801	ZN	0,600	1.322	mm	90	99	17	
				inch	3.54"	3.90"	0.67"	7/16" UNC

SKEG FOR TRIM TAB

Mercury 25HP



original part number: 94286


prod: d

COD		kg	lbs		Ø	h	h1	Ø1	Ø2
00802	ZN	0,262	0.577	mm	95	52	14	22	9
00802MG	MG	0,066	0.145	inch	3.74"	2.05"	0.55"	0.87"	0.35"

MERCURY - MERCURUISER

PLATE FOR ENGINES

Mercury 20HP




original part number: 47820A1 prod: m

COD		kg	lbs		l	a	b	c	h	h1	m	Ø1
00803	ZN	0,310	0.683	mm	97	74	18	53	26	5	5/16" UNC	5
				inch	3.82"	2.91"	0.71"	2.09"	1.02"	0.20"		0.20"

MERCURY RACING TRIM TAB ANODE

50-140HP




original part number: 46399 prod: d

COD		kg	lbs		l	h	h1	m	Ø
00804	ZN	0,410	0.903	mm	100	65	187	7/16" UNC	91
00804MG	MG	0.100	0.220	inch	3.94"	2.56"	7.36"		3.58"

MERCURY WAFFLE BAR

Mercury 25/50/60/75 HP - Mercruiser 90/100/115/190 Superamerica 80/115




original part number: 43396 - 71320A3 prod: m

COD		kg	lbs		l	a	b	h	i	Ø	Ø1
00805	ZN	0,665	1.466	mm	194	52	158	20	177	16	7
				inch	7.64"	2.05"	0.71"	0.79"	4.61"	0.63"	0.28"

MERCURY - MERCUISER

MERCUISER ALPHA ONE GIMBAL ANODE

Alpha One and Alpha One Gen II outdrives



original part number: 43994 prod: d


COD		kg	lbs		l	a	h	Ø
00806	ZN	0,995	2.193	mm	103	78	38	6,5
NEW 00806MG	MG	0,250	0.551	inch	4.06"	3.07"	1.5"	0.26"

MERCUISER ALPHA ONE GIMBAL ANODE

Alpha One and Alpha One Gen II outdrives

Where used

KITALPHAONEGEN1
KITALPHAONEGEN2



original part number: 821631 prod: d


COD		kg	lbs		l	a	h	Ø
00806BIS	ZN	0,890	1.962	mm	103	78	38	6,5
00806BISAL	AL	0,332	0.731					
00806BISMG	MG	0,230	0.507	inch	4.06"	3.07"	1.50"	0.26"

Where used

KITALPHAONEGEN1

MERCUISER NUT FOR OUTDRIVE

Alpha One and Bravo One outdrives




original part number: 55989 prod: d

COD		kg	lbs		h	Ø	Ø2	m
00807	ZN	0,100	0.220	mm	30	31	28	
00807AL	AL	0,035	0.077					1/2" UNC
00807MG	MG	0,025	0.055	inch	1.18"	1.22"	1.10"	

MERCURY - MERCURUISER

MERCURUISER SQUARE PLATE ANODE

Alpha One and Bravo One outdrives




original part number: **34762** same as: **00210** prod: **d**

COD		kg	lbs		l	a	h	i	Ø
00808		0,270	0.595	mm	64	64	10	50	6,5
00808MG		0,070	0.154	inch	2.52"	2.52"	0.39"	1.97"	0.26"

MERCURY SMALL PLATE FOR ENGINES

4.5-9.9 HP outboards




original part number: **85824A3** prod: **d**

COD		kg	lbs		l	a	h	Ø
00809		0,030	0.066	mm	49	29	13	7
NEW 00809MG		0,010	0.022	inch	1.93"	1.14"	0.51"	0.28"

MERCURY TRIM TAB ANODE

6 - 15 HP outboards



original part number: **42121A2** same as: **01107** prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00810		0,030	0.066	mm	42	29	10	7	14
NEW 00810MG		0,010	0.022	inch	1.65"	1.14"	0.38"	0.28"	0.55"


4.1

MERCURY - MERCURUISER

MERCURY - MERCURUISER

MERCURY SMALL PLATE

4.5- 7 HP outboards




original part number: 09411 prod: d

COD		kg	lbs		l	a	b	h	h1	Ø
00811	ZN	0,050	0.110	mm	50	48	22	12	3	7
NEW 00811MG	MG	0,013	0.028	inch	1.97"	1.89"	0.87"	0.47"	0.12"	0.28"

MERCURUISER TRIM TAB ANODE

18-25 HP outboard "America" (since 1990)




original part number: 984325 prod: d

COD		kg	lbs		l	h	h1	Ø	m
00812	ZN	0,375	0.826	mm	114	53	43	90	M8
				inch	4.49"	2.09"	1.69"	3.54"	

MERCURY BUTTON ANODE

4.5 HP outboards



original part number: 823912-1 same as: 00823-01127-01205-01250-01904-01910 prod: d

COD		kg	lbs		h	Ø	Ø1
00813	ZN	0,010	0.022	mm	7	20	6,5
00813AL	AL	0,004	0.009				
00813MG	MG	0,003	0.007	inch	0.28"	0.79"	0.26"


MERCURY - MERCURISER

MERCURISER CAVITATION PLATE

Alpha one generation II

Where used

KITALPHAONEGEN2



original part number: 821629

prod: d


COD		kg	lbs		l	a	h	i	m
00814	ZN	0,692	1.526	mm	190	72	16	83	
00814AL	AL	0,284	0.626						1/4" UNC
00814MG	MG	0,195	0.430	inch	7.48"	2.83"	16"	3.27"	

MERCURISER CAVITATION PLATE

Bravo I/II/III

Where used

KITBRAVO1
KITBRAVO II - III
KITBRAVO III - 04



original part number: 821630

prod: d

COD		kg	lbs		l	a	h	i	Ø
00815	ZN	0,955	2.105	mm	177	108	14	35	11
00815AL	AL	0,360	0.794						
00815MG	MG	0,253	0.558	inch	6.97"	4.25"	0.55"	1.38"	0.43"

MERCURY OUTBOARD BAR ANODE FOR TRIM

Various outboards from 40HP to V6 135/150/175 Verado

Where used

KITF30-40-60
KIT75-115EFI
KITVERADO4



original part number: 818298

prod: d

COD		kg	lbs		l	a	h	Ø
00816	ZN	0,670	1.477	mm	195	52	12	7
00816AL	AL	0,258	0.569					
00816MG	MG	0,170	0.375	inch	7.68"	2.05"	0.47"	0.28"

4.1

MERCURY - MERCURISER


MERCURY - MERCURISER

MERCURY COLLAR FOR TRIM CYLINDER

Alpha one gen I and gen II

Where used

KITALPHAONEGEN2



original part number: 806189

prod: d

COD		kg	lbs		a	b	c	h	i	Ø
00817	ZN	0,670	0.265	mm	49	12	21	16	38	5,5
00817AL	AL	0,258	0.086							
00817MG	MG	0,170	0.055	inch	1.93"	0.47"	0.83"	0.63"	1.50"	0.22"

MERCURY COLLAR FOR TRIM CYLINDER

Bravo I/II/III

Where used

KITBRAVO
KITBRAVO III - 04



original part number: 806190

prod: d


COD		kg	lbs		a	b	c	h	i	Ø
00818	ZN	0,340	0.750	mm	49	12	21	51	38	5,5
00818AL	AL	0,135	0.298							
00818MG	MG	0,085	0.187	inch	1.93"	0.47"	0.83"	2.01"	1.50"	0.22"

MERCURISER BEARING CARRIER ANODE

Alpha one generation II

Where used

KITALPHAONEGEN2



original part number: 806105

prod: d

COD		kg	lbs		h	i	Ø	Ø1	Ø2
00819	ZN	0,228	0.503	mm	25	74	73	53	5,5
00819AL	AL	0,090	0.198						
00819MG	MG	0,057	0.126	inch	0.98"	2.91"	2.87"	2.09"	0.22"


MERCURY - MERCURISER

MERCURY/MERCURISER FLAT TRIM TAB ANODE

Alpha one. Bravo and Verado
Threaded hole

Where used

KITALPHAONEGEN2 - KITBRAVO1
KITBRAVO II - III - KITBRAVO III - 04
KITVERADO4 - KITVERADO6




original part number: 806105

prod: d

COD		kg	lbs		Ø	b	c	h	h1	m
00820	ZN	0,335	0.739	mm	92	21	58	24	5	
00820AL	AL	0,125	0.276							7/16" UNC
00820MG	MG	0,083	0.183	inch	3.62"	0.83"	2.28"	0.94"	0.20"	

MERCURY OUTBOARD BRACKET HANDLE

Mercury 150-200HP



original part number: 89949


same as: 01125

prod: m

COD		kg	lbs		l	a	h	h1	i	Ø
00821	ZN	1,200	2.646	mm	280	60	10	60	30	240
				inch	11.02"	2.36"	0.39"	2.36"	1.18"	9.45"

MERCURY OUTBOARD BAR ANODE

Mercury 30-50 HP



original part number: 825271

same as: 01126

prod: d

COD		kg	lbs		l	a	h	i	Ø	b
00822	ZN	0,285	0.628	mm	194	19	12	166	7	14
00822MG	MG	0,072	0.159	inch	7.64"	0.75"	0.47"	6.54"	0.28"	0.55"

MERCURY - MERCURUISER

MERCURY BUTTON ANODE FOR TRIM TAB

Mercury 4-5 HP




original part number: **823912** same as: **00813 - 01127 - 01205 - 01250 - 01904 - 01910** prod: **d**

COD		kg	lbs		h	Ø	Ø1
00823		0,010	0.022	mm	7	20	6,5
00823AL		0,004	0.009				
00823MG		0,003	0.007	inch	0.28"	0.79"	0.26"

MERCURY BUTTON ANODE FOR TRIM TAB

Mercury 2.2 - 3.3 HP




original part number: **823913** same as: **01109 - 01128 - 01251 - 01400 - 01756** prod: **d**

COD		kg	lbs		h	Ø	Ø1
00824		0,020	0.044	mm	7	24	7
00824AL		0,008	0.018				
00824MG		0,005	0.011	inch	0.28"	0.94"	0.28"

MERCURY WEDGE ANODE

Mercury/Mariner 35-300hp
2 each engine

Where used
KITF30-40-60
KIT75-115EF1
KITVERADO4 - KITVERADO6




original part number: **826134** same as: **01129 - 01405** prod: **d**

COD		kg	lbs		l	a	h	h1	Ø	Ø1
00825		0,245	0.540	mm	77	30	22	12	17	7
00825AL		0,094	0.207							
00825MG		0,062	0.137	inch	3.03"	1.18"	0.87"	0.47"	0.67"	0.28"

MERCURY - MERCURISER

MERCURY/MERCURISER FLAT TRIM TAB ANODE




original part number: 76214T1 prod: d

COD		kg	lbs		h	h1	b	Ø	Ø1	Ø2	Ø3
00826	ZN	0,345	0.761	mm	4	18	21	113	17	11	11
NEW 00826MG	MG	0,086	0.190	inch	0.16"	0.71"	0.83"	4.45"	0.67"	0.43"	0.43"

MERCURY STANDARD TRIM TAB ANODE

Mercury 50-75HP



original part number: 17264 prod: d


COD		kg	lbs		h	h1	Ø	Ø1	Ø2
00827	ZN	0,475	1.047	mm	58	14	103	26	13
00827MG	MG	0,120	0.265	inch	2.28"	0.55"	4.06"	1.02"	0.51"

MERCURISER BEARING CARRIER ANODE

Bravo one

Where used

KITBRAVO1




original part number: 806188 prod: d

COD		kg	lbs		l	h	i	Ø	Ø1	Ø2
00828	ZN	0,170	0.375	mm	88	22	74	54	70	5,5
00828AL	AL	0,070	0.154							
00828MG	MG	0,040	0.088	inch	3.46"	0.87"	2.91"	2.13"	2.76"	0.22"

MERCURY - MERCURUISER

MERCURY STANDARD TRIM TAB ANODE

Mercury 25-50HP




original part number: 822157C2

prod: d

COD		kg	lbs		h	h1	Ø	Ø1	Ø2
00829	ZN	0,420	0.926	mm	70	13	93	24	9
00829AL	AL	0,165	0.364						
00829MG	MG	0,106	0.234	inch	2.76"	0.51"	3.66"	0.94"	0.35"

MERCURY STANDARD TRIM TAB ANODE

Mercury 35HP-V6-MCM



original part number: 822777

prod: d

COD		kg	lbs		h	h1	Ø	m
00830	ZN	0,690	1.521	mm	65	20	90	
NEW 00830MG	MG	0,174	0.384	inch	2.56"	0.79"	3.54"	7/16" UNC

MERCURY/MERCURUISER CYLINDER HEAD ANODE



original part number: 826887


same as: 00831 - 01150 - 01652

prod: d

COD		kg	lbs		l	a	b	h	Ø	Ø1
00831	ZN	0,015	0.033	mm	41	4	2	13	16,5	8
NEW 00831MG	MG	0,004	0.010	inch	1.61"	0.16"	0.08"	0.51"	0.65"	0.31"

MERCURY - MERCURUISER

MERCURY PLATE FOR ENGINE Where used
 Mercury Verado 6 KITVERADO6
 2 each engine



original part number: **880653** prod: **d**

COD		kg	lbs		l	a	h	i	Ø
00832		0,510	1.124	mm	128	44	21	35	7
00832AL		0,098	0.216						
00832MG		0,128	0.282	inch	5.04"	1.73"	0.83"	1.38"	0.28"


MERCURY PLATE FOR ENGINE Where used
 Mercury Verado 6 KITVERADO6
 4 each engine



original part number: **893404** prod: **d**

COD		kg	lbs		l	a	c	h	Ø	Ø1
00833		0,115	0.254	mm	74	27	5	10	7	19
00833AL		0,040	0.088							
00833MG		0,029	0.064	inch	2.91"	1.06"	0.20"	0.39"	0.28"	0.75"

MERCURY SMALL PLATE FOR TRIM TAB Mercury 4-9.9 HP



original part number: **875208** same as: **01259** prod: **m**

COD		kg	lbs		l	a	h	Ø
00834		0,030	0.066	mm	28	19	9	6,5
				inch	1.10"	0.75"	0.35"	0.26"

4.1

MERCURY - MERCURUISER


MERCURY - MERCURUISER

Where used

MERCURY/MERCURUISER FLAT TRIM TAB ANODE

No Threads

KITBRAVO III - 04



original part number: 76214-4

prod: d


COD		kg	lbs		Ø	a	b	h	h1	Ø1
00835	ZN	0,280	0.617	mm	91	16	56	5	24	13
00835AL	AL	0,115	0.254							
00835MG	MG	0,075	0.165	inch	3.58"	0.63"	2.20"	0.20"	0.94"	0.51"

Where used

MERCURUISER PROPELLER NUT ANODE

Bravo III

KITBRAVO III - 04




original part number: 865182

prod: d

COD		kg	lbs		a	b	h	Ø	Ø1
00836	ZN	0,514	1.133	mm	38	21	61	54	22
00836AL	AL	0,205	0.452						
00836MG	MG	0,130	0.287	inch	1.50"	0.83"	2.24"	2.13"	0.87"

MERCURY/MERCURUISER TRIM STEERING ANODE

Mercury Racing



original part number: 8M0012083


prod: d

COD		kg	lbs		l	a	h	h1	i	Ø
00837	ZN	0,335	0.739	mm	194	24	12	9	167	9
00837AL	AL	0,130	0.287							
00837MG	MG	0,080	0.187	inch	7.64"	0.94"	0.47"	0.35"	6.57"	0.35"

MERCURY - MERCUISER

MERCURY/MERCUISER GEAR HOUSING ANODE

Mercury Racing




4.1

original part number: 847635001

prod: d

COD		kg	lbs		h	i	Ø	Ø1	Ø2	Ø3
00838	ZN	0,998	2.200	mm	17	76	129	112	11	24
00838AL	AL	0,395	0.871							
00838MG	MG	0,252	0.551	inch	0.67"	2.99"	5.08"	4.41"	0.43"	0.94"

MERCURY STANDARD TRIM TAB ANODE



original part number: 853762


same as: 01253

prod: m

COD		kg	lbs		h	Ø	Ø1	Ø2
00839	ZN	0,150	0.331	mm	58	60	18	7
				inch	2.28"	2.36"	0.71"	0.28"

MERCURY/MERCUISER BAR ANODE

MERCURY 50-75HP. MERCUISER 90-100HP. SUPER AMERICA 80-150HP



original part number: 8239121

same as: 00926 - 01214 - 01254

prod: d

COD		kg	lbs		l	a	b	h	i	i1	Ø	Ø2
00840	ZN	0,510	1.120	mm	196	40	6,5x11	14	176	160	6,5	12
00840AL	AL	0,198	0.437									
00840MG	MG	0,128	0.282	inch	7.72"	1.57"	0.28x0.43"	0.55"	6.93"	6.30"	0.26	0.47"

MERCURY - MERCUISER

MERCURY - MERCURISER

MERCURY/MARINER CUBE ANODE

F25EFI - F30EFI



original part number: 804043


same as: 01256

prod: d

COD		kg	lbs		l	a	h	Ø
00841	ZN	0,040	0.088	mm	27	13	20	6,5
00841AL	AL	0,395	0.871					
NEW 00841MG	MG	0,010	0.020	inch	1.06"	0.51"	0.79"	0.26"

MERCURY/MARINER POWER TRIM ANODE

F150 EFI



original part number: 8M005772

prod: d

COD		kg	lbs		l	a	h	i	Ø
00842	ZN	0,564	1.243	mm	170	51	18	44	6,5
00842AL	AL	0,230	0.507						
00842MG	MG	0,145	0.320	inch	6.69"	2.01"	0.71"	1.73"	0.26"

MERCURY ZEUS POD TRIM TAB ANODE

Zeus Drive - Sold as single, two required



original part number: 879150A65

prod: d

COD		kg	lbs		l	a	h	i	i1	m
NEW 00843	ZN	2,120	4.670	mm	160	150	16	73	114	M8
00843AL	AL	0,890	1.960	inch	6.30"	5.91"	0.63"	2.87"	4.49"	M8

KIT843



n.5 M8x20 Hexagonal bolts + n.1 Loctite tube - n.5 viti M8x20 testa esagonale + n.1 tubetto Loctite

MERCURY - MERCURISER


MERCURY ANODE



original part number: **825435** same as: **01148 - 01408-2 - 01750** prod: **d**

COD		kg	lbs		h	Ø	Ø1	Ø2
00844	ZN	0,012	0.026	mm	16	13	12	5,5
00844AL	AL	0,006	0.013					
NEW 00844MG	MG	0,004	0.010	inch	0.63"	0.51"	0.47"	0.22"

MERCURY ANODE PLATE



original part number: **810945** same as: **01117 - 01751** prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00845	ZN	0,060	0.132	mm	60	34	8	18	6,5
				inch	2.34"	1.34"	0.31"	0.71"	0.26"

MERCURY CYLINDER CRANKCASE ANODE

Mercury 90HP 4T



original part number: **804079002** same as: **01146 - 01914** prod: **d**

COD		kg	lbs		l	a	b	c	h	Ø	m
NEW 00846	ZN	0,070	0.15	mm	32	5	17	10	15	23	M6
NEW 00846MG	MG	0,018	0.04	inch	1.26"	0.20"	0.67"	0.39"	0.59"	0.91"	


4.1

MERCURY - MERCURISER

MERCURY - MERCUISER

MERCURY POWER TRIM ANODE

Mercury Verado 350 PRO




original part number: 8M0001734

prod: d

COD		kg	lbs		l	a	Ø	Ø1
NEW 00847	ZN	0,115	0.250	mm	109	43	16	7,5
NEW 00847AL	AL	0,052	0.110					
NEW 00847MG	MG	0,029	0.060	inch	4.29"	1.69"	0.63"	0.30"

MERCURY ANODE KIT FOR F75-115EFI


Hardware included: d



COD		kg	lbs	quantity	product code
KIT75-115EFI	ZN	1,735	3.825	1 1 2	00800 00816 00825
KIT75-115EFI-AL	AL	0,737	1.625	1 1 2	00800AL 00816AL 00825AL
KIT75-115EFI-MG	MG	0,471	1.038	1 1 2	00800MG 00816MG 00825MG

MERCURY ANODE KIT FOR ALPHA ONE GENERATION ONE


Hardware included: d



COD		kg	lbs	quantity	product code
KITALPHAONE GEN1	ZN	1,691	3.73	1 1 2	00806BIS 00800 00807
KITALPHAONE GEN1AL	AL	0,760	1.68	1 1 2	00806BISAL 00800AL 00807AL
KITALPHAONE GEN1MG	MG	0,576	1.27	1 1 2	00806BISMG 00800MG 00807MG

MERCURY - MERCURISER

MERCURY ANODE KIT FOR ALPHA ONE GENERATION TWO




Hardware included: d



COD		kg	lbs	quantity	product code
KITALPHAONE		2,565	5.65	1	00806BIS
				1	00814
				1	00819
				2	00817
				1	00820
KITALPHAONE/AL		1,108	2.44	1	00806BISAL
				1	00814AL
				1	00819AL
				2	00817AL
				1	00820AL
KITALPHAONE-MG		0,812	1.79	1	00806BISMG
				1	00814MG
				1	00819MG
				2	00817MG
				1	00820MG

4.1

MERCURY ANODE KIT FOR BRAVO ONE




Hardware included: d



COD		kg	lbs	quantity	product code
KITBRAVOI		2,360	5.20	1	00815
				1	00820
				1	00828
				2	00818
KITBRAVOI/AL		1,040	2.29	1	00815AL
				1	00820AL
				1	00828AL
				2	00818AL
KITBRAVOI-MG		0,818	1.80	1	00815MG
				1	00820MG
				1	00828MG
				2	00818MG

MERCURY ANODE KIT FOR F30-F40-F60




Hardware included: d/m



COD		kg	lbs	quantity	product code
KITF30-F40-F60		1,740	3.84	2	00825
				1	00816
				1	00827

MERCURY ANODE KIT BRAVO III -2004 TO PRESENT



Hardware included: d




COD		kg	lbs	quantity	product code
KITBRAVOIII-04		3,017	6.65	1	00835
				1	00820
				2	00818
				1	00836
				1	00815
KITBRAVOIII-04/AL		1,315	2.90	1	00835AL
				1	00820AL
				2	00818AL
				1	00836AL
				1	00815AL
KITBRAVOIII-04-MG		1,000	2.20	1	00835MG
				1	00820MG
				2	00818MG
				1	00836MG
				1	00815MG

MERCURY - MERCURISER

MERCURY - MERCURISER

MERCURY ANODE KIT BRAVO II-III


Hardware included: d



COD		kg	lbs	quantity	product code
KITBRAVOII-III		2,157	4.76	1	00815
				1	00820
				2	00818
KITBRAVOII-III/AL		0,973	2.15	1	00815AL
				1	00820AL
				2	00818AL
KITBRAVOII-III-MG		0,760	1.68	1	00815MG
				1	00820MG
				2	00818MG

MERCURY ANODE KIT VERADO 4


Hardware included : d



COD		kg	lbs	quantity	product code
KITVERADO4		1,650	3.64	1	00820
				2	00825
				1	00816
KITVERADO4/AL		0,753	1.66	1	00820AL
				2	00825AL
				1	00816AL
KITVERADO4-MG		0,563	1.24	1	00820MG
				2	00825MG
				1	00816MG

MERCURY ANODE KIT VERADO 6

Hardware included: d




COD		kg	lbs	quantity	product code
KITVERADO6		1,970	4.34	4	00833
				1	00832
				1	00820
				2	00825
KITVERADO6/AL		0,892	1.97	4	00833AL
				1	00832AL
				1	00820AL
				2	00825AL
KITVERADO6-MG		0,648	1.43	4	00833MG
				1	00832MG
				1	00820MG
				2	00825MG



OXE DIESEL

OXE - DIESEL TRIM TAB ANODE



original part number: **30-0111-066** same as: **00820** prod: **d**

COD			kg	lbs		b	c	h	h1	Ø	m
NEW	01850	ZN	0,335	0.740	mm	21	58	24	5	92	7/16" UNC
					inch	0.83"	2.28"	0.94"	0.20"	3.62"	


OXE - DIESEL TRANSOM BRACKET ANODE



original part number: **30-0113-032** same as: **01112** prod: **d**

COD			kg	lbs		l	a	h	h1	i	c	b
NEW	01851	ZN	0,915	2.020	mm	202	47	52	17	183	11	6,5
					inch	7.95"	1.85"	2.05"	0.67"	7.20"	0.43"	0.25"

OXE - DIESEL TRANSOM BRACKET ANODE




original part number: **30-0113-052** prod: **m**

COD			kg	lbs		l	a	h	h1	i	b	c
NEW	01852	ZN	0,913	2.00	mm	208	47	50	15	184	10	13,50
					inch	8.19"	1.85"	1.97"	0.59"	7.24"	0.39"	0.53"

OXE DIESEL


OXE - DIESEL ANODE LOWER YOKE THREADED



original part number: 30-0113-043 prod: m

COD			kg	lbs		h	h1	Ø	Ø1	m
NEW	01853	ZN	0,110	0.240	mm inch	19 0.75"	17 0.67"	32 1.26"	14 0,55"	M6

OXE - DIESEL ANODE LOWER YOKE



original part number: 30-0113-044 prod: m


COD			kg	lbs		h	h1	Ø	Ø1	Ø2	Ø3
NEW	01854	ZN	0,110	0.240	mm inch	19 0.75"	17 0.67"	32 1.26"	14 0,55"	10 0.39"	6,5 0.26"

4.1

OXE DIESEL

PANIER


PANIER WASHER ANODE



same as: 01110 - 01408 prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01650	ZN	0,040	0.090	mm inch	15 0.59"	24 0.94"	6,5 0.26"	12 0.47"


PANIER BLOCK ANODE FOR ENGINES



same as: 01131 prod: d

COD		kg	lbs		l	a	h	i	Ø
01651	ZN	0,570	1.260	mm inch	85 3.35"	62 2.44"	32 1.26"	46 1.81"	7 0.28"

PANIER CYLINDER HEAD ANODE




same as: 00831 - 01150 prod: d

COD		kg	lbs		l	a	b	h	Ø	Ø1
01652	ZN	0.015	0.033	mm inch	41 1.61"	4 0.16"	2 0.08"	13 0.51"	16.5 0.65"	8 0.31"

PARSUN


PARSUN CYLINDRIC ANODE



same as: 00844 - 01148 - 01408-2 prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01750	ZN	0,012	0.003	mm inch	16 0.63"	13 0.51"	12 0.47"	5,5 0.22"


PARSUN PLATE FOR ENGINES



same as: 00845 prod: d

COD		kg	lbs		l	a	h	Ø	Ø1
01751	ZN	0,070	0.140	mm inch	60 2.36"	34 1.34"	8 0.31"	18 0.71"	6,5 0.26"

PARSUN ENGINE ROD




same as: 01151 prod: d

COD		kg	lbs		l	l1	Ø	m
01752	ZN	0,010	0.030	mm inch	31 1.22"	15 0.59"	10 0.39"	M5

PARSUN


PARSUN ENGINE ANODE



same as: **01152** prod: **m**

COD		kg	lbs		l	l1	h	Ø
01753	ZN	0,010	0.022	mm	27	14	10	5
				<i>inch</i>	1.06"	0.55"	0.39"	0.20"


PARSUN SMALL BLOCK ANODE FOR ENGINES



same as: **01162** prod: **m**

COD		kg	lbs		l	a	h	Ø
01754	ZN	0,020	0.050	mm	27	17	15	5,5
				<i>inch</i>	1.06"	0.67"	0.59"	0.22"

PARSUN ENGINE ROD




same as: **01149** prod: **d**

COD		kg	lbs		l	l1	Ø	m
01755	ZN	0,020	0.050	mm	50	12	8,5	M5
				<i>inch</i>	1.97"	0.47"	0.33"	

PARSUN

PARSUN ENGINE ROD




same as: 00824 - 01109 - 01128 - 01251 - 01400

prod: d

COD		kg	lbs		h	Ø	Ø1
01756	ZN	0,020	0.044	mm inch	7 0.28"	24 0.94"	7 0.28"

PARSUN CUBE ANODE WITH HOLE




same as: 01132 - 01916

prod: d

COD		kg	lbs		l	l1	a	h	m
01757	ZN	0,120	0.260	mm inch	26 1.02"	21 0.83"	35 1.38"	23 0.91"	M8

PARSUN ENGINE ANODE



same as: 01166 - 01216

prod: m


COD		kg	lbs		l	a	Ø	h
01758	ZN	0,030	0.070	mm inch	25 0.98"	22 0.87"	7 0.28"	15 0.59"

4.1

PARSUN

PARSUN


PARSUN ENGINE ANODE



same as: **01147** prod: **d**

COD		kg	lbs		l	l1	h	Ø
01759	ZN	0,010	0.020	mm	23	7	20	5
				inch	0.91"	0.28"	0.79"	0.20"

PARSUN SMALL PLATE FOR ENGINE




same as: **01121** prod: **m**

COD		kg	lbs		l	a	h	Ø
01760	ZN	0,020	0.044	mm	28	15	9	7
				inch	1.10"	0.59"	0.35"	0.28"

RENAULT MARINE COUACH

RENAULT M. ROD FOR COOLER




prod: m

COD	kg	lbs		l	l1	a	b	c	Ø
NEW 02090 (Zinc only) ● ZN	0,035	0.080	mm inch	22 0.87"	10 0.39"		12 0.47"		15 0.59"
NEW 02090TP Brass Plug only ● Brass	0,035	0.080	mm inch			18x1,5 0.71"x 0.06"	12 0.47"	24 0.94"	
NEW 02090T (Complete with brass plug) ● ●	0,070	0.150	mm inch	22 0.87"		18x1,5 0.71"x 0.06"		24 0.94"	15 0.59"

RENAULT M. ROD FOR COOLER

Complete with brass plug



same as: 02010T


prod: m

COD	kg	lbs		l	d	Ø	a
01800 (Zinc + brass) ● ●	0,070	0.154	mm inch	26 1.02"	24 0.94"	14 0.55"	18x1,5 0.71"x0.06"

RENAULT MARINE COUACH

RENAULT M. PROPELLER NUT ANODE


Prop anode



prod: d

COD		kg	lbs		Ø shaft	h	Ø	m
01801	ZN	0,075	0.165	mm	22-25	35	27	16x2 mm
01801MG	MG	0,020	0.044	inch		1.38"		
01802	ZN	0,145	0.320	mm	28-34	47	35	20x2,5 mm
01802MG	MG	0,040	0.088	inch		1.85"		
01803	ZN	0,230	0.507	mm	40	48	40	28x2,5 mm
01803MG	MG	0,060	0.132	inch		1.89"		

RENAULT M. CONVEX PLATE




prod: d


COD		kg	lbs		a	i	Ø	Ø1
01804	ZN	0,160	0.353	mm	54	50.00"	80	6,5
				inch	2.13"			

SELVA

4.1



SELVA ANODE PLATE FOR ENGINE



original part number: 9005655 prod: m

COD	kg	lbs		l	a	h	i	Ø
01900	0,020	0.044	mm	61	15	4	51	5
			inch	2.40"	0.59"	0.16"	2.01"	0.20"

SELVA

SELVA CURVED ANODE PLATE FOR ENGINE




original part number: **9005660** prod: **m**

COD		kg	lbs		l	a	h	h1	Ø
01901	ZN	0,025	0.055	mm inch	57 2.24"	15 0.59"	15 0.59"	4 0.16"	5 0.20"

SELVA TRIM TAB ANODE

Selva 6-15HP




original part number: **2500010** prod: **d**

COD		kg	lbs		l	a	b	h	h1	Ø
01902	ZN	0,100	0.220	mm inch	144 5.67"	28 0.59"	15 0.59"	35 1.38"	3 0.12"	4 0.16"

SELVA TRIM TAB ANODE

Selva Best 800-s1000




original part number: **2500050** prod: **m**

COD		kg	lbs		l	h	h1	h2	Ø	m
01903	ZN	0,200	0.441	mm inch	88 3.46"	43 1.69"	6 0.24"	21 0.83"	59 2.32"	M8

SELVA

SELVA BUTTON ANODE


Selva 6HP



original part number: **2504030** same as: **00813-00823-01127-01205-01250-01910** prod: **d**

COD		kg	lbs		h	Ø	Ø1
01904	ZN	0,010	0.022	mm	7	20	6,5
NEW 01904AL	AL	0,004	0.009				
NEW 01904MG	MG	0,003	0.007	inch	0.28"	0.79"	0.26"

SELVA LONG BAR ANODE FOR ENGINE




original part number: **2500050** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
01905	ZN	0,135	0.298	mm	202	19	5	184	6,5
				inch	7.95"	0.75"	0.20"	7.24"	0.26"

SELVA TRIM TAB ANODE

Selva 25-40HP




original part number: **2500065** prod: **d**

COD		kg	lbs		l	h	h1	Ø	Ø1	Ø2
01906	ZN	0,085	0.187	mm	46	38	9	40	10	6,5
				inch	1.81"	1.50"	0.35"	1.57"	0.39"	0.326"

SELVA

SELVA HORSESHOE ANODE

Selva 100HP




original part number: **2504025** prod: **m**

COD		kg	lbs		l	a	h	Ø
01907	ZN	0,135	0.298	mm	89	11	53	6,5
				inch	3.50"	0.43"	2.09"	0.26"

SELVA HORSESHOE ANODE

Selva S405-S700




original part number: **2504020** prod: **m**

COD		kg	lbs		l	a	h	Ø
01908	ZN	0,210	0.463	mm	75	17	55	6
				inch	2.95"	0.67"	2.17"	0.24"

SELVA BAR ANODE FOR ENGINE

Selva S600




original part number: **2504015** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
01909	ZN	0,400	0.882	mm	201	30	14	183	6,5
				inch	7.91"	1.18"	0.55"	7.20"	0.26"

SELVA

SELVA BUTTON ANODE



4.1


same as: 00813-00823-01127-01205-01250-01904

prod: d

COD		kg	lbs		h	Ø	Ø1
01910	ZN	0,010	0.022	mm	7	20	6,5
NEW 01910AL	AL	0,004	0.009				
NEW 01910MG	MG	0,003	0.007	inch	0.28"	0.79"	0.26"

SELVA HORSESHOE ANODE

Selva Izmir 8HP Naxos 15HP



original part number: 2504035

prod: m

COD		kg	lbs		l	a	h	h1	i	Ø
01912	ZN	0,100	0.220	mm	60	12	40	14	6,5	5
				inch	2.36"	0.47"	1.57"	7.20"	0.26"	0.20"

SELVA TRIM TAB ANODE

Selva Manta/Barracuda



same as: 01141

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01913	ZN	0,220	0.485	mm	55	95	17	9
NEW 01913AL	AL	0,090	0.198					
NEW 01913MG	MG	0,060	0.132	inch	2.17"	3.74"	0.67"	0.35"

SELVA

SELVA

SELVA CYLINDER ANODE


Selva 80/100HP



same as: **01146 - 00846** prod: **d**

COD		kg	lbs		l	a	b	c	h1	Ø	m
01914		0,070	0.154	mm	32	5	17	10	15	23	M6
01914MG		0,020	0.044	<i>inch</i>	1.26"	0.20"	0.67"	0.39"	0.59"	0.91"	


SELVA ANODE PLATE FOR ENGINE



same as: **01123** prod: **d**

COD		kg	lbs		l	a	h	i	Ø
01915		0,100	0.220	mm	63	25	14	26	6
NEW 01915AL		0,038	0.084						
NEW 01915MG		0,024	0.053	<i>inch</i>	2.48"	0.98"	0.55"	1.02"	0.24"


SELVA CUBE ANODE WITH HOLE




same as: **01132 - 01757** prod: **d**

COD		kg	lbs		l	l1	a	h	m
01916		0,120	0.265	mm	26	21	35	23	M8
NEW 01916AL		0,050	0.110						
NEW 01916MG		0,030	0.066	<i>inch</i>	1.02"	0.83"	1.38"	0.91"	


SUZUKI




01200




01201



01202




01203




01204




01205




01206



01207




01208



01209




01210



01210-1




01211




01212




01213



01214



01215




01216

SUZUKI

SUZUKI TRIM TAB ANODE

Suzuki DT/DF 20-35HP




original part number: 55125-96310 prod: d

COD		kg	lbs		l	h	h1	Ø	Ø1	Ø2
01200	ZN	0,140	0.309	mm	82	48	4	70	8,5	17
01200MG	MG	0,040	0.088	inch	3.23"	1.89"	0.16"	2.76"	0.33"	0.67"

SUZUKI TRIM TAB ANODE

Suzuki DT 25-50HP (1983-1988)




original part number: 55125-96301 prod: d

COD		kg	lbs		a	h	Ø	Ø1	Ø2
01201	ZN	0,160	0.353	mm	70	50	61	8,5	19
01201MG	MG	0,040	0.088	inch	2.76"	1.97"	2.40"	0.33"	0.75"

SUZUKI BLOCK ANODE FOR OUTBOARD

Suzuki DT 4-5hp (1988 - 2002)




original part number: 55320-98600 same as: 00932 prod: d

COD		kg	lbs		l	l1	a	h	h1	Ø	Ø1
01202	ZN	0,100	0.220	mm	41	21	38	23	7,5	18	7
NEW 01202AL	AL	0,040	0.088								
NEW 01202MG	MG	0,025	0.055	inch	1.61"	0.83"	1.50"	0.91"	0.30"	0.71"	0.28"

SUZUKI

SUZUKI CUBE ANODE

Suzuki DT 90-225 (1987-2003)



original part number: 41810-87D00

same as: 01105

prod: d


COD		kg	lbs		l	h	i	a	b	c
01203	ZN	0,150	0.331	mm	48	24	23	6,5	10	16
01203AL	AL	0,060	0.132							
01203MG	MG	0,040	0.088	inch	1.89"	0.94"	0.91"	0.26"	0.39"	0.63"

SUZUKI SMALL BLOCK ANODE

Suzuki DF 9.9 -300hp (1997-2008) - DT 9.9-200 (1988-2000)

Where used

KITSUZUKI40-50HP;
KITSUZUKI200-250HP




original part number: 55320-95310 (95311)

same as: 00930

prod: d

COD		kg	lbs		l	a	h	Ø	Ø1
01204	ZN	0,080	0.176	mm	40	30	12	17	6,5
01204AL	AL	0,030	0.066						
01204MG	MG	0,020	0.044	inch	1.57"	1.18"	0.47"	0.67"	0.26"

SUZUKI BUTTON ANODE



original part number: 11130-94600

same as: 00813-00823-01127-01250-01904-01910


prod: d

COD		kg	lbs		h	Ø	Ø1
01205	ZN	0,010	0.022	mm	7	20	6,5
01205AL	AL	0,004	0.009				
01205MG	MG	0,003	0.007	inch	0.28"	0.79"	0.26"

SUZUKI

SUZUKI GEARCASE ANODE

Suzuki 9.9/15 HP



original part number: 55321-93900

same as: 00934

prod: m


COD		kg	lbs		h	Ø	Ø1	Ø2
01206	ZN	0,050	0.110	mm	8,5	49	15	7
				inch	0.33"	1.93"	0.59"	0.28"

SUZUKI TRIM TAB ANODE

Suzuki DF 60-70HP

Where used

KITSUZUKI40-50HP



original part number: 55320-98600


same as: 00931

prod: d

COD		kg	lbs		l	h	Ø	Ø1	Ø2
01207	ZN	0,190	0.419	mm	70	50	61	9	20
01207AL	AL	0,075	0.165						
01207MG	MG	0,047	0.104	inch	2.76"	1.97"	2.40"	0.35"	0.79"

SUZUKI GEARCASE ANODE

Suzuki 3.5 -50 HP



original part number: 55300-95500

same as: 00935


prod: m

COD		kg	lbs		l	a	h	i	Ø
01208	ZN	0,080	0.176	mm	76	20	10	38	6,5
01208AL	AL	0,032	0.071	inch	2.99"	0.79"	0.39"	1.50"	0.26"

SUZUKI

SUZUKI TRIM TAB ANODE

Suzuki DT 115-140HP (1981-2001)




original part number: 55125-94502

prod: m

COD		kg	lbs		h	h1	Ø	Ø1	Ø2
01209	ZN	0,325	0.717	mm	59	8	98	11	21
				inch	2.32"	0.31"	3.86"	0.43"	0.83"

SUZUKI SMALL PLATE FOR SUZUKI GEAR CASE

Suzuki 2-5 HP (1986-2002)



original part number: 55320-98400


same as: 00936

prod: d

COD		kg	lbs		l	a	h	Ø
01210	ZN	0,050	0.110	mm	48	18	12	7
01210MG	MG	0,013	0.029	inch	1.89"	0.71"	0.47"	0.28"

SUZUKI SMALL PLATE FOR SUZUKI GEAR CASE

Suzuki 6-15 HP



original part number: 41811-98500 55321-90L00


prod: d

COD		kg	lbs		l	a	h	m
01210-1	ZN	0,050	0.110	mm	48	18	12	M6
01210-1MG	MG	0,013	0.029	inch	1.89"	0.71"	0.47"	

SUZUKI

SUZUKI TRIM TAB ANODE

Suzuki DT150-DT225 HP



original part number: 5512587D00 55120-87801


COD		prod: d		l	a	b	h	h1	Ø	m	
		kg	lbs								
01211	ZN	0,320	0.705	mm	110	4	21	61	7	89	10x1,25
01211AL	AL	0,125	0.276								
01211MG	MG	0,080	0.176	inch	4.33"	0.16"	0.83"	2.40"	0.28"	3.50"	0.39"x0.05"

Where used

SUZUKI SMALL ANODE PLATE ANODE

Suzuki DF60 - DF140 (1998-2006)

KITSUZUKI90-140HP



original part number: 55321-90J01

same as: 00937

prod: d


COD		prod: d		l	a	h	h1	Ø	Ø1	
		kg	lbs							
01212	ZN	0,075	0.165	mm	56	22	18	5	18	6
01212AL	AL	0,030	0.066							
01212MG	MG	0,020	0.044	inch	2.20"	0.87"	0.71"	0.20"	0.71"	0.24"

Where used

SUZUKI WASHER ANODE

Suzuki DF60 - DF140 (1998-2006)

KITSUZUKI90-140HP



original part number: 55321-87J00

same as: 00925

prod: d

COD		prod: d		h	Ø	Ø1	Ø2	
		kg	lbs					
01213	ZN	0,020	0.044	mm	10	21	13	6
01213AL	AL	0,007	0.015					
01213MG	MG	0,005	0.011	inch	0.39"	0.83"	0.51"	0.24"


SUZUKI

SUZUKI STERN BRACKET ANODE

Suzuki Outboards DF60 - DF300
(2001-2010) - DT115 - DT140 (1996-2001)

Where used

KITSUZUKI90-140HP;
KITSUZUKI200-250HP



original part number: 55320-94900


same as: 00840 - 00926 - 01254

prod: d

COD		kg	lbs		l	a	b	h	i	i1	Ø	Ø2
01214	ZN	0,510	1.120	mm	196	40	6,5x11	14	176	160	6,5	12
01214AL	AL	0,198	0.437									
01214MG	MG	0,128	0.282	inch	7.72"	1.57"	0.28"x0.43"	0.55"	6.93"	6.30"	0.26"	0.47"

SUZUKI TRIM TAB ANODE

Suzuki DF 60-140HP



original part number: 55125-90J01


same as: 00927

prod: d

COD		kg	lbs		l	h	Ø	Ø1
01215	ZN	0,219	0.483	mm	113	59	85	8,5
01215AL	AL	0,086	0.190					
01215MG	MG	0,055	0.121	inch	4.45"	2.32"	3.35"	0.33"

SUZUKI CUBE ANODE

Suzuki DF 60-70 (1998-2001)



original part number: 11281-94400


same as: 01166-01758

prod: m

COD		kg	lbs		l	a	h	Ø
01216	ZN	0,030	0.066	mm	25	22	15	7
				inch	0.98"	0.87"	0.59"	0.28"

SUZUKI

ANODE KIT FOR SUZUKI 40-50HP
KIT SUZUKI 40-50HP



Hardware included: d



COD		kg	lbs	quantity	product code
KITSUZUKI40-50		0,550	1.213	2	01204
				4	01213
				1	01207
KITSUZUKI40-50AL		0,289	0.637	2	01204AL
				4	01213AL
				1	01207AL
KITSUZUKI40-50MG		0,177	0.390	2	01204MG
				4	01213MG
				1	01207MG

ANODE KIT FOR SUZUKI 90-100-115-140 HP
KIT SUZUKI 90-100-115-140 HP




Hardware included: d



COD		kg	lbs	quantity	product code
KITSUZUKI90-140		0,776	1.710	1	01212
				4	01213
				1	01214
KITSUZUKI90-140AL		0,378	0.830	1	01212AL
				4	01213AL
				1	01214AL
KITSUZUKI90-140MG		0,230	0.510	1	01212MG
				4	01213MG
				1	01214MG

ANODE KIT FOR SUZUKI 200-250HP
KIT SUZUKI 200-250HP



Hardware included: d




COD		kg	lbs	quantity	product code
KITSUZUKI200-250		0,750	1.650	1	01214
				3	01204
KITSUZUKI200-250AL		0,415	0.910	1	01214AL
				3	01204AL
KITSUZUKI200-250MG		0,220	0.480	1	01214MG
				3	01204MG

TECHNODRIVE - TWIN DISC

TECHNODRIVE SAILDRIVE ANODE

Sea Prop 60 saildrive
fits Beta Marine - Solè Diesel - Nanni Diesel saildrive


Saildrive



prod: d

COD		kg	lbs	l	h	i	Ø	Ø1	
02516		0,610	1.345	mm	140	24	80	102	60
02516AL		0,240	0.529						
NEW 02516MG		0,150	0.330	inch	5.51"	0.94"	3.15"	4.02"	2.36"

TOHATSU



4.1

TOHATSU

TOHATSU WASHER ANODE

TOHATSU 2.5 - 9.8HP ; 25-70hp



original part number: 338-60218-2

same as: 00813-00823-01127-01205-01904-01910


prod: d

COD		kg	lbs	h	prod: d	Ø	Ø1
01250		0,010	0.022	mm	7	20	6.5
01250AL		0,004	0.009				
NEW 01250MG		0,003	0.007	inch	0.28"	0.79"	0.26"

TOHATSU

TOHATSU WASHER ANODE

TOHATSU 4 stroke MFS 8-30hp



original part number: 369-60218-1


same as: 00824 - 01109-01128-01400

prod: d

COD		kg	lbs		h	Ø	Ø1
01251	ZN	0,020	0.044	mm	7	24	7
01251AL	AL	0,008	0.018				
NEW 01251MG	MG	0,005	0.011	inch	0.28"	0.94"	0.28"

TOHATSU TRIM TAB ANODE

TOHATSU 2 stroke M40C




original part number: 338-60218-2

prod: m

COD		kg	lbs		h	Ø	Ø1	Ø2
01252	ZN	0,120	0.260	mm	51	50	17	7
				inch	2.01"	1.97"	0.67"	0.28"

TOHATSU TRIM TAB ANODE

TOHATSU 25-50HP



original part number: 3C8-60217-1

same as: 00839


prod: m

COD		kg	lbs		h	Ø	Ø1	Ø2
01253	ZN	0,150	0.330	mm	56	60	18	7
				inch	2.20"	2.36"	0.71"	0.28"

TOHATSU

TOHATSU STERN BRACKET ANODE

TOHATSU 2 stroke 40-140HP



original part number: 3C7-60218-2


same as: 00840 - 00926 - 01214

prod: d

COD		kg	lbs		l	a	b	h	i	i1	Ø	Ø2
01254	ZN	0,510	1.120	mm	196	40	6,5X11	14	176	160	6,5	12
01254AL	AL	0,200	0.440									
01254MG	MG	0,130	0.280	inch	7.72"	1.57"	0.28"x0.43"	0.55"	6.93"	6.30"	0.26"	0.47"

TOHATSU TRIM TAB ANODE

TOHATSU 2 stroke 25-50HP ; 4 stroke 25-30HP




original part number: 3B7-60217-0

prod: m

COD		kg	lbs		h	h1	Ø	Ø1	Ø2
01255	ZN	0,320	0.710	mm	58	11	77	20	8
				inch	2.28"	0.43"	3.03"	0.79"	0.31"

TOHATSU CUBE ANODE

TOHATSU 25- 140 HP



original part number: 3B7-60218-1

same as: 00841

prod: m

COD		kg	lbs		l	a	h	Ø
01256	ZN	0,040	0.090	mm	27	13	20	6,5
01256MG	MG	0,017	0.037	inch	1.06"	0.51"	0.79"	0.26"

TOHATSU

TOHATSU PLATE FOR ENGINE

TOHATSU 40- 140 HP




original part number: 3M2-60218-0

prod: m

COD		kg	lbs		h	Ø	Ø1	Ø2
01257	ZN	0,050	0.100	mm	9	45	17	7
				inch	0.35"	1.77"	0.67"	0.28"

TOHATSU BUTTON ANODE FOR TRIM TAB



original part number: 823912


same as: 01109-01128-01251-01400

prod: d

COD		kg	lbs		h	Ø	Ø1
01258	ZN	0,020	0.044	mm	7	24	7
01258AL	AL	0,008	0.018				
01258MG	MG	0,005	0.011	inch	0.28"	0.94"	0.28"

TOHATSU PLATE FOR ENGINE

TOHATSU 4-6HP



original part number: 3H6-60218-0

same as: 00834


prod: m

COD		kg	lbs		l	a	h	Ø
01259	ZN	0,030	0.062	mm	28	19	9	6,5
				inch	1.10"	0.75"	0.35"	0.26"

TOHATSU

TOHATSU TRIM TAB ANODE

TOHATSU 4 stroke MFS 8-20hp



original part number: 3V1202170


prod: d

COD		kg	lbs		h	h1	Ø	Ø1
01260	ZN	0,098	0.216	mm	9	48	55	6
01260AL	AL	0,060	0.130					
01260MG	MG	0,025	0.055	inch	0.35"	1.89"	2.17"	0.24"

TORQEEDO

TORQEEDO ENGINE ANODE

Torqueedo 401-801 serie



original part number: 060-00031

prod: m


COD		kg	lbs		c	h	m
NEW 04000ZN	ZN	0,023	0.050	mm	17	25	M10
04000	AL	0,013	0.029	inch	0.67"	0.98"	

4.1


TORQEEDO - TOHATSU

VOLVO PENTA







00718




00719/00720/00721/WE723/
WE728/WE724/ WE725



00722




00723




00724



00726




00727



00728 / 00728BIS




00729




00731




00732




00733




00733-1



00733BIS




00734



00735




00736



00737



00738




00739AL / 00739-1AL



00742




00743




00744



00745




00746



00747

VOLVO PENTA

VOLVO PENTA OUTDRIVE ANODE RING FOR ENGINE | V15 - Volvo Penta AQ 80 - 100 - 100B - 100S




original part number: 875810

prod: d

COD		kg	lbs		h	i	Ø	Ø1	Ø2	Ø3
00700	ZN	0,200	0.441	mm	12	70	100	52	92	10
00700AL	AL	0,080	0.176							
00700MG	MG	0,050	0.110	inch	0.47"	2.76"	3.94"	2.05"	3.62"	0.39"

VOLVO PENTA OUTDRIVE ANODE RING FOR ENGINE | V16 - Volvo Penta AQ 200




original part number: 875809

prod: d

COD		kg	lbs		h	i	Ø	Ø1	Ø2	Ø3
00701	ZN	0,210	0.463	mm	10	80	108	58	103	10
00701AL	AL	0,085	0.187							
00701MG	MG	0,053	0.117	inch	0.39"	3.15"	4.25"	2.28"	4.06"	0.39"

VOLVO PENTA OUTDRIVE ANODE RING FOR ENGINE | V17 - Volvo Penta AQ 250-270



original part number: 875805


prod: d

COD		kg	lbs		h	i	Ø	Ø1	Ø2	Ø3
00702	ZN	0,300	0.661	mm	10	80	118	58	103	10
00702AL	AL	0,120	0.265							
00702MG	MG	0,075	0.165	inch	0.39"	3.15"	4.65"	2.28"	4.06"	0.39"

VOLVO PENTA OUTDRIVE ANODE RING FOR ENGINE

V18 - Volvo Penta AQ 200-290. SP

Where used
KITVOLVO280;
KITVOLVO290;
KITVOLVO290C;



original part number: **875815**


prod: **d**

COD		kg	lbs		l	h	i	Ø	Ø1	Ø2	Ø3
00703		0,840	1.852	mm	156	35	80	120	61	104	9
00703AL		0,336	0.741								
00703MG		0,210	0.463	inch	6.14"	1.38"	3.15"	4.75"	2.40"	4.09"	0.35"

VOLVO PENTA OUTDRIVE ANODE RING FOR ENGINE

Volvo Penta AQ 280 - 290 Duo Prop since 2002

Where used
KITVOLVODP280;
KITVOLVODP290;
KITVOLVODP290C;



original part number: **875821**


prod: **d**

COD		kg	lbs		l	h	i	Ø	Ø1	Ø2
00704BIS		0,470	1.036	mm	146	30	91	111	85	9
00704BISAL		0,200	0.441							
00704BISMG		0,120	0.265	inch	5.75"	1.18"	3.58"	4.37"	3.35"	0.35"

VOLVO PENTA ANODE RING FOR SAILDRIVE ENGINE

Volvo Penta 1105

Saildrive



original part number: **875812**

prod: **d**


COD		kg	lbs		l	h	Ø	Ø1	Ø2	Ø3
00705		0,940	2.072	mm	138	43	106	65	85	82
00705AL		0,345	0.761							
00705MG		0,220	0.485	inch	5.43"	1.69"	4.17"	2.56"	3.35"	3.23"

VOLVO PENTA

VOLVO PENTA ANODE RING FOR SAILDRIVE ENGINE

Volvo Penta 120S

Saildrive



original part number: 851983 - 876286

prod: d

COD		kg	lbs		l	h	i	Ø	Ø1	Ø2	Ø3	Ø4
00706		0,530	1.168	mm	122	27	72	97	40	88	59	7
00706AL		0,210	0.463									
00706MG		0,130	0.287	inch	4.80"	1.06"	2.83"	3.82"	1.57"	3.46"	2.32"	0.28"


VOLVO PENTA ANODE SPLIT RING FOR SAILDRIVE ENGINE

Volvo Penta 120S

Saildrive



Smart idea



original part number: 851983 - 876286

prod: d

COD		kg	lbs		l	h	i	Ø	Ø1	Ø2
00706-1		0,400	0.882	mm	122	27	63	95	88	4,4
00706-1AL		0,156	0.344							
00706-1MG		0,100	0.220	inch	4.80"	1.06"	2.48"	3.47"	3.46"	0.17"


VOLVO ADAPTER PLATE FOR SPLIT RINGS SAILDRIVE 120

Volvo Penta 120S

Saildrive



Smart idea



prod: m


COD		kg	lbs		l	a	h	Ø
PLAC-2	S/ Steel	0,065	0.143	mm	37	14	8	6
				inch	1.45"	0.55"	0.31"	0.24"

VOLVO TRANSOM BAR ANODE FOR ENGINE

Volvo Penta AQ 200 - 250-270-275-280-285

Where used

KITVOLVO280
KITVOLVODP280



original part number: **832598**

prod: **d**


COD		kg	lbs		l	a	h	i	Ø	Ø1
00707		0,945	2.083	mm	188	41	22	145	15	9
00707AL		0,370	0.816							
00707MG		0,235	0.518	inch	7.40"	1.61"	0.87"	5.71"	0.59"	0.35"

VOLVO TRANSOM BAR ANODE FOR ENGINE

Volvo Penta AQ 280 -290. SP

Where used

KITVOLVO290 - KITVOLVO290C
KITVOLVODP290 - KITVOLVODP290C




original part number: **852835 - 873178**

prod: **d**

COD		kg	lbs		l	a	h	i	Ø	Ø1
00708		0,760	1.676	mm	132	46	25	85	8,5	14
00708AL		0,300	0.661							
00708MG		0,190	0.419	inch	5.20"	1.81"	0.98"	3.35"	0.33"	0.55"

VOLVO PENTA BRACKET ANODE FOR TRIM

Volvo Penta 270-280



original part number: **832934**

prod: **m**


COD		kg	lbs		l	a	h	h1	i	Ø	Ø1
00709		0,630	1.389	mm	55	54	56	20	26	13	9
				inch	2.17"	2.13"	2.20"	0.79"	1.02"	0.51"	0.35"

VOLVO PENTA

VOLVO PENTA SMALL ANODE PLATES FOR FOLDING PROPELLER

Volvo Penta Saildrive 110 - 120

Saildrive



original part number: **852018**


prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00710		0,120	0.265	mm	63	15	15	10	5,5
00710AL		0,050	0.110						
00710MG		0,030	0.066	inch	2.48"	0.59"	0.59"	0.39"	0.22"

VOLVO PENTA SMALL ANODE PLATES FOR FOLDING PROPELLER

Volvo Penta Saildrive 505

Saildrive




original part number: **855105**

prod: **d**

COD		kg	lbs		l	a	b	h	Ø	Ø1
00711		0,175	0.386	mm	58	33	53	32	13	6,5
				inch	2.28"	1.30"	2.09"	1.26"	0.51"	0.26"

VOLVO PENTA TRIM TAB ANODE FOR OUTBOARD

Saildrive




same as: **01100 - 01412**



prod: **d**

COD		kg	lbs		h	Ø	Ø1	Ø2
00712		0,210	0.463	mm	55	91,5	17	8,5
00712AL		0,080	0.176					
00712MG		0,050	0.110	inch	2.17"	3.60"	0.67"	0.33"

VOLVO PENTA PENCIL ANODE FOR ENGINE COOLER




prod: m

COD		kg	lbs		Ø	l	b	l1
00715	 	0,020	0.044	mm inch	16 0.63	13 0.51"	5/16" UNC	10 0.39

VOLVO PENTA TRIANGLE ANODE PLATE




Volvo-Penta SX. DPX. XDP-B

Where used
KITVOLVO290C
KITVOLVODP290C



original part number: 872793


prod: d

COD		kg	lbs		l	a	h	Ø	Ø1
00717		0,110	0.243	mm	65	38	13	11	6,5
00717AL		0,040	0.088						
00717MG		0,030	0.066	inch	2.56"	1.50"	0.51"	0.45"	0.26"

VOLVO PENTA TRANSOM PLATE

Volvo Penta SX - DPS




Where used
KITVOLVOSX



original part number: 3854130 (00718) / 3586461 (00718AL) / 3855610 (00718MG)

same as: 00922


prod: d

COD		kg	lbs		l	a	h	h1	i	Ø	Ø1	Ø2
00718		1,060	2.337	mm	91	79	47	38	51	9	20	10
00718AL		0,435	0.959									
00718MG		0,265	0.584	inch	3.58"	3.11"	1.85"	1.50"	2.01"	0.35"	0.79"	0.39

VOLVO PENTA

VOLVO PENTA PENCIL ANODE FOR ENGINE COOLER


Volvo Penta TAMD 200-250-270



(00713TP) same as: 00714TPF / prod: d / prod: m

COD		kg	lbs		Ø	l	l1	a	b	c
00713 (Anode only/Solo barrottino)	ZN	0,060	0.132	mm	15,5	40	10			
00713MG (Anode only/Solo barrottino)	MG	0,015	0.033	inch	0.61"	1.57"	0.39"			
00713TP (Plug only/Solo Tappo ottone)	Brass	0,040	0.088	mm inch				1/2" gas conico (BSPT)	7/16" UNC	13 0.51"
00713T (Complete with brass plug/ Completo con tappo ottone)		0,100	0.220	mm	15,5	40		1/2" gas conico (BSPT)		13
00713TMG (Complete with brass plug/ Completo con tappo ottone)		0,055	0.121	inch	0.61"	1.57"				0.51"

VOLVO PENTA PENCIL ANODE FOR ENGINE COOLER



original part number: 838929

(00714TPF) same as: 00713TP

prod: d

COD		kg	lbs		Ø	l	l1	a	b	c	m
00714 (Anode only)	ZN	0,035	0.077	mm	10	30	10				
00714AL (Anode only)	AL	0,010	0.022	inch	0.39"	1.18"	0.39"				
00714/1 (Anode only)	ZN	0,020	0.044	mm	10	30					
00714/1AL (Anode only)	AL	0,010	0.022	inch	0.39"	1.18"					
00714TPM (Plug only)	Brass	0,040	0.088	mm				1/2" gas conico (bspt)	M8	13	
00714TPF (Plug only)	Brass	0,060	0.132	inch				1/2" gas conico (bspt) only fo 00714TPF	7/16" UNC	0.51"	
00714T (Complete with brass plug)		0,080	0.176	mm	10	30				13	
00714TAL (Complete with brass plug)		0,060	0.132					1/2" gas conico (bspt)			
00714TMG (Complete with brass plug)		0,055	0.121	inch	0.39"	1.18"				0.51"	M8

VOLVO PENTA PENCIL ANODE FOR ENGINE COOLER



original part number: **823661**

prod: **m**


COD		kg	lbs		Ø	l	l1	a	b	c
00716 (Anode only)		0,155	0.342	mm	26	44	8			
NEW 00716AL (Anode only)		0,060	0.132						3/8" UNC	
NEW 00716MG (Anode only)		0,040	0.130	<i>inch</i>	1.02"	1.73"	0.31"			
00716TP (Plug only)		0,115	0.254	mm <i>inch</i>				1'gas (bspp)	3/8" UNC	19 0.75
00716T (Complete with brass plug)		0,155	0.342	mm	26	44				19
00716TAL (Complete with brass plug)		0,175	0.386					1'gas (bspp)		
00716TMG (Complete with brass plug)		0,155	0.341	<i>inch</i>	1.02"	1.73"				0.75

4.1

VOLVO PENTA

VOLVO PENTA

VOLVO PENTA NUT ANODE FOR FIXED PROPELLER




prod: d

COD		kg	lbs		h	h1	Ø	m
shaft size Ø30 / original part number: 833913								
00719	ZN	0,300	0.661	mm	71	32	37	3/4" UNC
00719MG	MG	0,077	0.170	inch	2.80"	1.26"	1.46"	
shaft size Ø35 / original part number: 833915								
00720	ZN	0,275	0.606	mm	71	32	37	7/8" UNC
00720MG	MG	0,069	0.152	inch	2.80"	1.26"	1.46"	
shaft size Ø40 - 45 / original part number: 828140								
00721	ZN	0,485	1.069	mm	80	32	47	1" UNC
00721MG	MG	0.122	0.269	inch	3.15"	1.26"	1.85"	
shaft size Ø25 / original part number: 873411								
WE723	ZN	0,325	0.717	mm	71	32	37	16x1.5"
WE723MG	MG	0.082	0.181	inch	2.28"	1.26"	1.46"	
shaft size Ø30 / original part number: 873412								
WE728	ZN	0,495	1.091	mm	71	32	37	20x1.5"
WE728MG	MG	0.076	0.168	inch	2.28"	1.26"	1.46"	
shaft size Ø35-40 / original part number: 873413								
WE724	ZN	0,425	0.937	mm	80	32	47	24x2"
WE724MG	MG	0.105	0.231	inch	3.15"	1.26"	1.85"	
shaft size Ø45 / original part number: 873415								
WE725	ZN	0,300	0.661	mm	80	32	47	30x2"
WE725MG	MG	0.122	0.269	inch	3.15"	1.26"	1.85"	

VOLVO PENTA ANODE BLOCK FOR OUTDRIVE

Volvo Penta DPX, DP-SM, and SX-M




original part number: **873395**

prod: **d**

COD		kg	lbs		l	a	h	i	Ø	Ø1
00722		0,275	0.606	mm	54	41	34	28	12	6,5
00722AL		0,110	0.243							
00722MG		0,070	0.154	inch	2.13"	1.61"	1.34"	1.10"	0.47"	0.26"

VOLVO PENTA CAVITATION PLATE ANODE

Volvo Penta DPX



original part number: **876638**


same as: **02463**

prod: **m**

COD		kg	lbs		l	l1	a	h	i	Ø	Ø1
00723		0,215	0.474	mm	60	26	56	14	28	7	13
				inch	2.36"	1.02"	2.20"	0.55"	1.10"	0.28"	0.51"

VOLVO PENTA BAR FOR ENGINES

Volvo Penta DPX



original part number: **872139**

prod: **m**

COD		kg	lbs		l	l1	a	h	i	Ø	Ø1
00724		0,656	1.446	mm	130	45	35	25	85	15	8,5
				inch	5.12"	1.77"	1.38"	0.98"	3.35"	0.59"	0.33"


VOLVO PENTA

VOLVO PENTA CAVITATION PLATE ANODE

Volvo Penta SX - DPS

Where used

KITVOLVOSX




original part number: **3855411**

prod: **d**

COD		kg	lbs		l	a	h	i	m
00726	ZN	0,970	2.138	mm	146	104	38	113	
00726AL	AL	0,405	0.893						1/4" UNC
00726MG	MG	0,245	0.540	inch	5.75"	4.09"	1.50"	4.45"	

VOLVO PENTA BEARING CARRIER ANODE BAR

Volvo Penta SX-C Lower Unit



original part number: **3852970**

prod: **m**

COD		kg	lbs		l	a	h	Ø
00727	ZN	0,160	0.353	mm	104	28	11	7
				inch	4.09"	1.10	0.43	0.28



VOLVO PENTA COLLAR FOR FOLDING PROPELLER

Volvo Penta 2 and 3 blades/pale

Where used

Saildrive

KITVOLVOELICA3PALE



original part number: **3858399**



prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00728	ZN	0,300	0.661	mm	87	15	12	10	5,5
00728AL	AL	0,120	0.265						
00728MG	MG	0,075	0.165	inch	3.43"	0.59"	0.47"	0.39"	0.22"

VOLVO PENTA COLLAR FOR FOLDING PROPELLER

Volvo Penta 4-blades/pale

Saildrive



original part number: **3584442**



prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00728BIS	ZN	0,300	0.661	mm	98	15	10	10	5,5
00728BISMG	MG	0,122	0.269	inch	3.86"	0.59"	0.39"	0.39"	0.22"

VOLVO PENTA COLLAR FOR FOLDING PROPELLER

Volvo Penta 2 blades/pale

Saildrive



original part number: **3888491**


prod: **m**

COD		kg	lbs		h	Ø	Ø1	Ø2	Ø3
NEW 00747	ZN	0,135	0.300	mm	15	65	45	10	5
NEW 00747AL	AL	0,054	0.120						
NEW 00747MG	MG	0,034	0.070	inch	0.59"	2.56"	1.77"	0.39"	0.20"

VOLVO PENTA

VOLVO PENTA QL BOW TRUSTER ANODE

Bow truster




same as: **01055** prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
00729	ZN	0,045	0.099	mm	37	22	15	10	6,5
00729MG	MG	0,012	0.026	inch	1.46"	0.87"	0.59"	0.39"	0.26"

VOLVO PENTA QL BOW TRUSTER ANODE

BP500/600 ; SP600
QL Thrusters

Bow truster




original part number: **41100098** prod: **d**

COD		kg	lbs		h	Ø	Ø1	m
00731	ZN	0,060	0.132	mm	20	29	9,5	M4
00731MG	MG	0,015	0.033	inch	0.79"	1.14"	0.37"	

VOLVO PENTA QL BOW TRUSTER ANODE

BP800-1300 and SP900-1300
QL Thrusters

Bow truster



original part number: **41100276** prod: **d**


COD		kg	lbs		l	a	Ø	Ø1
00732	ZN	0,088	0.194	mm	51	12	17	7
00732MG	MG	0,022	0.049	inch	2.01"	0.47"	0.67"	0.28"

VOLVO PENTA CAVITATION PLATE FOR OUTDRIVE

Volvo Penta DPH drives

Where used

KITVOLVODPH/DPR



original part number: 3588746

prod: d

COD		kg	lbs		l	a	b	h	i	Ø	Ø1
00733	ZN	0,860	1.896	mm	133	76	46	35	35	14	9
00733AL	AL	0,330	0.728								
00733MG	MG	0,210	0.463	inch	5.24"	2.99"	1.81"	1.38"	1.38"	0.55"	0.35"

VOLVO PENTA CAVITATION PLATE FOR OUTDRIVE

Volvo Penta DPR drives



original part number: 3589875 / 3589876 / 3589877

prod: d


COD		kg	lbs		l	a	b	h	i	Ø	Ø1
00733-1	ZN	0,820	1.808	mm	133	76	46	28	35	14	9
00733-1AL	AL	0,320	0.705								
00733-1MG	MG	0,210	0.463	inch	5.24"	2.99"	1.81"	1.10"	1.38"	0.55"	0.35"

VOLVO PENTA CAVITATION PLATE FOR OUTDRIVE

Volvo Penta DPS-A; DPS-B; FWD

Where used

KITVOLVOSXA/DPSA



original part number: 3888814 / 3888813 / 3888815

prod: d


COD		kg	lbs		l	a	b	h	h1	i	Ø
00733BIS	ZN	1,270	2.800	mm	152	88	56	25	16	35	9
00733BISAL	AL	0,500	1.102								
00733BISMG	MG	0,320	0.705	inch	5.98"	3.46"	2.20"	0.98"	0.63"	1.38"	0.35"

VOLVO PENTA

VOLVO PENTA SPLIT COLLAR FOR SAILDRIVE

SD 130S. 150S

Saildrive



original part number: 3888305 / 3888306


COD		prod: d		l	h	i	Ø	Ø1	Ø2	
		kg	lbs							
00734	ZN	1,430	3.153	mm	140	40	75	110	45	97
00734AL	AL	0,580	1.279							
00734MG	MG	0,370	0.816	inch	5.51"	1.57"	2.95"	4.33"	1.77"	3.82"

VOLVO PENTA TRANSOM BAR

Volvo Penta DPH; DPR drives

Where used

KITVOLVODPH/DPR




original part number: 3588745 / 3588770 / 3588768

COD		prod: d		l	a	b	c	h	i	Ø	Ø1	
		kg	lbs									
00735	ZN	0,487	1.074	mm	118	37	101	85	25	86	9,5	15
00735AL	AL	0,202	0.445									
00735MG	MG	0,130	0.287	inch	4.65"	1.46"	3.98"	3.35"	0.98"	3.39"	0.37"	0.59"

VOLVO PENTA ROD ANODE FOR FOLDING PROPELLER

Volvo Penta SD 100S

Saildrive



original part number: 8520219

prod: m


COD		kg	lbs	l	l1	Ø	b
00736MG	MG	0,009	0.020	inch	0.55"	0.31"	0.87"

VOLVO PENTA TRANSOM ANODE PLATE

Volvo Penta DPS-A; DPS-B; FWD

Where used

KITVOLVOSXA/
DPSA



original part number: **3888817 / 3888816 / 3888818**

prod: d


COD		kg	lbs		l	l1	a	h	h1	i	Ø	Ø1
00737	ZN	1,125	2.480	mm	90	61	100	28	14	30	21	9
00737AL	AL	0,450	0.992									
00737MG	MG	0,290	0.639	inch	3.54"	2.40"	3.94"	1.10"	0.55"	1.18"	0.83	0.35

VOLVO PENTA PROPELLER ANODE FOR IPS DRIVE

Volvo Penta IPS drive

Where used

KITVOLVOIPS



original part number: **3593981**

prod: m

COD		kg	lbs		h	Ø	Ø1
00738	ZN	0,740	1.631	mm	70	49	10,5
				inch	2.76"	1.93	0.41

VOLVO PENTA TRANSOM PLATE

Volvo Penta IPS1 drive
Volvo Penta IPS2. IPS3. IPS15

Where used

KITVOLVOIPS



(00739AL) original part number: **40005875**

(00739-1AL) original part number: **3889901**

prod: d

COD		kg	lbs		l	a	h	i
00739	ZN	3,500	7.700	mm	267	85	30	138
00739AL	AL	1,550	3.417	inch	10.51"	3.35"	1.18"	5.43"
00739-1	ZN	15,000	33.000	mm	417	133	49	238
00739-1AL	AL	6,620	14.595	inch	16.42"	5.24"	1.93"	9.37"


VOLVO PENTA

VOLVO PENTA COLLAR FOR ENGINE

Volvo Penta XDP-B drive

Where used

KITVOLVOXDPB



original part number: **3861634** prod: m


COD		kg	lbs		l	h	Ø	Ø1
00742	ZN	0,300	0.661	mm	87	37	78	6,5
				inch	3.43"	1.46	3.07	0.26

VOLVO PENTA BLOCK FOR ENGINE

Volvo Penta XDP-B drive

Where used

KITVOLVOXDPB




original part number: **3861636** prod: m

COD		kg	lbs		a	b	c	h
00743	ZN	0,250	0.551	mm	27	25	52	30
				inch	1.06"	0.98	2.05	1.18

VOLVO PENTA ANODE FOR COUPLING BAR

Volvo Penta DPH/DPR




original part number: **3807400** same as: **00506** prod: d

COD		kg	lbs		h	Ø	Ø1
00744	ZN	0,445	0.981	mm	56	58	30
				inch	2.20"	2.28	1.18

VOLVO PENTA ANODE FOR EXHAUST PIPE

Volvo Penta DPH/DPR
Complete with 2 o-rings



4.1


original part number: **21868040**

prod: **m**

COD		kg	lbs		h	h1	Ø	Ø1
NEW 00745	ZN	0,178	0.390	mm	61	59	38	9
NEW 00745AL	AL	0,110	0.240					
NEW 00745MG	MG	0,275	0.610	inch	2.40"	2.32"	1.50"	0.35"

VOLVO PENTA QL TRIM TAB ANODES

Sold in pairs



original part number: **41100049**

prod: **m**


COD		kg	lbs		l	a	h	i	Ø	Ø1
NEW 00746	ZN	0,275	0.610	mm	95	25	20	64,5	12,5	7
				inch	3.74"	0.98"	0.79"	2.54"	0.49"	0.28"

VOLVO PENTA

VOLVO PENTA

VOLVO ANODE KIT 280 SERIES


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVO280	ZN	1,935	4.266	1 1	00703 00707
KITVOLVO280/AL	AL	0,873	1.925	1 1	00703AL 00707AL
KITVOLVO280-MG	MG	0,865	1.907	1 1	00703MG 00707MG

VOLVO ANODE KIT 280 DUO PROP SERIES


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVODP280	ZN	1,780	3.924	1 1	00707 00704BIS
KITVOLVODP280/AL	AL	0,782	1.724	1 1	00707AL 00704BISAL
KITVOLVODP280-MG	MG	0,859	1.894	1 1	00707ALMG 00704BISALMG

VOLVO ANODE KIT 290 SERIES


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVO290	ZN	1,820	4.012	1 1	00703 00708
KITVOLVO290/AL	AL	0,560	1.235	1 1	00703AL 00708AL
KITVOLVO290-MG	MG	0,625	1.378	1 1	00703MG 00708MG

VOLVO ANODE KIT 290 SERIES - PLUS


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVO290-C	ZN	1,935	4.266	1 1 2	00703 00708 00717
KITVOLVO290-AL-C	AL	0,873	1.925	1 1 2	00703AL 00708AL 00717AL
KITVOLVO290-MG-C	MG	0,865	1.907	1 1 2	00703MG 00708MG 00717MG

VOLVO ANODE KIT 290 DUO PROP SERIES


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVODP290	ZN	1,398	3.082	1 1	00704BIS 00708
KITVOLVODP290/AL	AL	0,630	1.389	1 1	00704BISAL 00708AL
KITVOLVODP290-MG	MG	0,400	0.882	1 1	00704BISMG 00708MG

VOLVO ANODE KIT 290 DUO PROP SERIES - PLUS


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVODP290-C	ZN	1,438	3.170	1 1 2	00704BIS 00708 00717
KITVOLVODP290-AL-C	AL	0,493	1.087	1 1 2	00704BISAL 00708AL 00717AL
KITVOLVODP290-MG-C	MG	0,546	1.204	1 1 2	00704BISM 00708MG 00717MG

VOLVO ANODE KIT DPH/DPR DRIVES


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVODPH/DPR	ZN	1,564	3.448	1 1	00733 00735
KITVOLVODPH-DPR-AL	AL	0,726	1.601	1 1	00733AL 00735AL
KITVOLVODPH-DPR-MG	MG	0,550	1.213	1 1	00733MG 00735MG

VOLVO ANODE KIT SX / DP-SM DRIVES

Hardware included: d




COD		kg	lbs	quantity	product code
KITVOLVOSX	ZN	0,430	0.948	1 1	00718 00726
KITVOLVOSX/AL	AL	0,248	0.547	1 1	00718AL 00726AL
KITVOLVOSX-MG	MG	0,000	0.000	1 1	00718MG 00726MG

VOLVO PENTA

VOLVO ANODE KIT 3 BLADES SAILDRIVE


Hardware included : d



COD		kg	lbs	quantity	product code
KITVOLVOELICA3PALE	ZN	0,350	0.772	1	00728
KITVOLVOELICA3PALE-AL	AL	0,170	0.375	1	00728AL
KITVOLVOELICA3PALE-MG	MG	0,110	0.243	1	00728MG

VOLVO ANODE KIT IPS DRIVE


prod: d/m



COD		kg	lbs	quantity	product code
KITVOLVOIPS	ZN	2,607	5.747	1	00738
	AL			1	00739AL

VOLVO ANODE KIT SXA/DPSA DRIVES


Hardware included: d



COD		kg	lbs	quantity	product code
KITVOLVOSXA/DPSA	ZN	1,120	2.469	1	00733BIS
				1	00737
KITVOLVOSXA-DPSA-AL	AL	0,550	1.213	1	00733BISAL
				1	00737AL
KITVOLVOSXA-DPSA-MG	MG	0,710	1.565	1	00733BISMG
				1	00737MG

VOLVO ANODE KIT XDP-B DRIVES


prod: m



COD		kg	lbs	quantity	product code
KITVOLVOXDP-B	ZN	0,600	1.323	1	00742
				1	00743




YAMAHA



YAMAHA

4.1



YAMAHA


YAMAHA

YAMAHA TRIM TAB ANODE

Mariner 10-50 HP Yamaha 20-50 HP

Where used

KITYAMAHA40-50



original part number: **664-45371-01**


same as: **00712 - 01412**

prod: **d**

COD		kg	lbs		h	Ø	Ø1	Ø2
01100		0,220	0.450	mm	55	91,5	18	8,5
01100AL		0,080	0.176					
01100MG		0,053	0.007	inch	2.17"	3.60"	0.71"	0.33"

YAMAHA TRIM TAB ANODE

Yamaha 55 HP




original part number: **679-45251-00**

prod: **d**

COD		kg	lbs		h	h1	Ø	m
01101		0,455	1.003	mm	61	19	91	10x1,25
01101AL		0,170	0.375					
01101MG		0,115	0.254	0.117	2.40"	0.75"	3.58"	0.39"x0.05"

YAMAHA TRIM TAB ANODE

Mariner 40-60 HP after/dopo 1991



same as: **00800 - 01411**

prod: **d**

COD		kg	lbs		h	h1	Ø	m
01101-1		0,455	1.003	mm	61	19	91	
01101-1AL		0,170	0.375					7/16" UNC
01100-1MG		0,115	0.254	inch	2.40"	0.75"	3.58"	

YAMAHA

YAMAHA TRIM TAB ANODE

Mariner 90-140 HP




same as: 00801 prod: m

COD		kg	lbs		h	h1	Ø	m
01102	ZN	0,600	1.323	mm	99	17	90	7/16" UNC
				inch	3.90"	0.67"	3.54"	

YAMAHA TRIM TAB ANODE

Yamaha 90-200 HP



original part number: 6E5-45371-01 - 6L6-45371-00


prod: d

COD		kg	lbs		h	h1	Ø	m
01103	ZN	0,455	1.003	mm	57	19	91	10x1.25 mm
01103AL	AL	0,170	0.375					
01103MG	MG	0,115	0.254	inch	2.24"	0.75"	3.58"	

YAMAHA TRIM TAB ANODE

Yamaha 40-90 HP

Where used
KITYAMAHA60-90



original part number: 688-45371-02


prod: d

COD		kg	lbs		h	h1	h2	Ø	m
01104	ZN	0,430	0.948	mm	48	9	19	90	10x1.25 mm
01104AL	AL	0,167	0.368						
01104MG	MG	0,108	0.238	inch	1.89"	0.35"	0.75"	3.54"	

YAMAHA

YAMAHA BLOCK FOR ENGINE BRACKET

Yamaha 115-200 HP up to 1987



original part number: 6E5-45251-00

same as: 01203

prod: d

COD		kg	lbs		l	h	i	a	b	c
01105	ZN	0,150	0.331	mm	48	24	23	6.5	10	16
01105AL	AL	0,060	0.132							
01105MG	MG	0,040	0.088	inch	1.89"	0.94"	0.91"	0.26"	0.39"	0.63"

YAMAHA ROUND PLATE FOR ENGINES

Yamaha 9.9-15 2T - F8/F9.9 4T up to 1993




original part number: 6E8-42251-00

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01106	ZN	0,045	0.099	mm	11	45	15	6,5
NEW 01106MG	MG	0,010	0.022	inch	0.43"	1.77"	0.59"	0.26"

YAMAHA SMALL PLATE FOR ENGINES

Yamaha 9.9 HP



original part number: 42121

same as: 00810


prod: d

COD		kg	lbs		l	a	h	Ø	Ø1
01107	ZN	0,030	0.066	mm	42	29	10	7	14
NEW 01107MG	MG	0,012	0.026	inch	1.65"	1.14"	0.38"	0.28"	0.55"

YAMAHA

YAMAHA SMALL PLATE FOR LOWER DRIVE

Yamaha 6 -8 HP (1984 -1989)




original part number: **6G1-45251-02** prod: **d**

COD		kg	lbs		l	a	b	h	Ø	Ø1
01108	ZN	0,040	0.088	mm	81	30	15	7	15	6
NEW 01108MG	MG	0,016	0.034	inch	3.19"	1.18"	0.59"	0.28"	0.59"	0.24"

YAMAHA BUTTON ANODE FOR ENGINES

Mariner/Yamaha 2-25HP




original part number: **43107M** same as: **00824 - 01251 - 01400** prod: **d**

COD		kg	lbs		h	Ø	Ø1
01109	ZN	0,020	0.044	mm	7	24	7
01109AL	AL	0,008	0.018				
01109MG	MG	0,005	0.011	inch	0.28"	0.94"	0.28"

YAMAHA BUTTON ANODE FOR ENGINES

Mariner/Yamaha 40-90HP up to 1987



original part number: **688-45251-01** same as: **01408 - 01650** prod: **d**

COD		kg	lbs		h	Ø	Ø1	Ø2
01110	ZN	0,040	0.088	mm	15	24	6,5	12
01110AL	AL	0,016	0.035					
01110MG	MG	0,010	0.022	inch	0.59"	0.94"	0.26"	0.47"


4.1

YAMAHA

YAMAHA

YAMAHA ROUND PLATE ENGINES

Mariner 40 Yamaha 70-85 HP



same as: **01302** prod: **m**

COD		kg	lbs		h	Ø	Ø1
01111	ZN	0,210	0.463	mm	15	53	8
01111AL	AL	0,080	0.176				
01111MG	MG	0,053	0.117	inch	0.59"	2.09"	0.31"

Where used

KITYAMAHA150-200; KITYAMAHA200-300;
KITYAMAHA200-250; KITYAMAHA150-200CR

YAMAHA BAR ANODE FOR ENGINE BRACKET

Yamaha 115-350 HP



original part number: **6G5-45251-01 / 6G5-45251-02**

prod: **d**

COD		kg	lbs		l	a	b	h	h1	i
01112	ZN	0,915	2.017	mm	202	47	6,5x0,25	52	17	183
01112AL	AL	0,355	0.783							
01112MG	MG	0,228	0.503	inch	7.95"	1.85"	11"x0.43"	2.05"	0.67"	7.20"

Where used

KITYAMAHA300-350;
KITYAMAHA300-350XP

YAMAHA BAR ANODE FOR ENGINE BRACKET

Yamaha 200-300 HP



original part number: **6AW-45251-00**


prod: **d**

COD		kg	lbs		l	a	b	c	h	i
01112-1	ZN	0,630	1.389	mm	201	47	6,5	11	17	180
01112-1AL	AL	0,260	0.573							
01112-1MG	MG	0,163	0.359	inch	7.91"	1.85"	0.25"	0.43"	0.67"	7.09"

YAMAHA

YAMAHA BAR ANODE FOR ENGINE BRACKET

Yamaha 40-90 HP (1988-1990)




original part number: 6H1-45251-03

prod: d

COD		kg	lbs		l	a	h	i	l1	Ø
01113		0,570	1.257	mm	205	35	18	188	200	7
01113MG		0,136	0.300	inch	8.07"	1.38"	0.71"	7.40"	7.87"	0.28"

YAMAHA PENCIL ANODE

zinc only




prod: d

COD		kg	lbs		Ø	l	l1	b
01114		0,085	0.187	mm	20	39	10	M8
				inch	0.79"	1.54"	0.39"	

YAMAHA BAR ANODE FOR ENGINE BRACKET

Yamaha 40-100 HP (1990-1999)

Where used
KITYAMAHA60-90;
KITYAMAHA80-100



original part number: 6H1-45251-02


prod: d

COD		kg	lbs		l	a	h	i	Ø	Ø1
01115		0,510	1.124	mm	203	36	16	101	15	7
01115AL		0,180	0.397							
01115MG		0,116	0.256	inch	7.99"	1.42"	0.63"	3.98"	0.59"	0.28"

YAMAHA

YAMAHA GEAR CASE ANODE

Yamaha 9.9-15 HP




original part number: **6E8-45251-02**

prod: **d**

COD		kg	lbs		l	a	Ø	Ø1
01116		0,150	0.331	mm	101	60	16	7
01116MG		0,035	0.077	inch	3.98"	2.36"	0.63"	0.28"

YAMAHA LOWER CASING ANODE

Yamaha 2-6 HP




original part number: **6L5-45251-03**

prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
01117		0,065	0.143	mm	60	34	8,5	18	6,5
NEW 01117MG		0,016	0.035	inch	2.36"	1.34"	0.33"	0.71"	0.26"

YAMAHA LOWER CASING ANODE

Yamaha 6-8 HP



original part number: **6G1-45251-03 6N0-WG525-00 6GH-45251-00**


prod: **d**

COD		kg	lbs		l	a	h	Ø	Ø1
01118		0,175	0.386	mm	97	60	13	16	6
01118MG		0,535	1.179	inch	3.82"	2.36"	0.51"	0.63"	0.24"

YAMAHA

YAMAHA TRIM TAB ANODE

Yamaha sterndrive (1989-1990)




original part number: **6T5-45371-00** prod: **m**

COD		kg	lbs		h	h1	h2	Ø	Ø1	Ø2
01119	ZN	0,535	1.179	mm	70	8	9	100	22	11
				inch	2.76"	0.31"	0.35"	3.94"	0.87"	0.43"

YAMAHA HORSESHOE ANODE

Yamaha sterndrive (1989-1990)




original part number: **6T5-45373-00** prod: **d**

COD		kg	lbs		l	a	h	i	m
01120	ZN	0,920	2.028	mm	155	139	30	65	M8
01120MG	MG	0,193	0.425	inch	6.10"	5.47"	1.18"	2.56"	

YAMAHA SMALL PLATE FOR CRANKCASE CYLINDER

Yamaha 25-30 HP (1984 - 1997)




original part number: **689-11325-00** same as: **01760** prod: **m**

COD		kg	lbs		l	a	h	Ø
01121	ZN	0,020	0.044	mm	28	15	9	7
				inch	1.10"	0.59"	0.35"	0.28"

YAMAHA

YAMAHA GIMBAL HOUSING ANODE

Yamaha sterndrive (1989-1990)



original part number: 6T4-45836-00


prod: d

COD		kg	lbs		l	a	h	h1	i
01122	ZN	1,490	3.285	mm	151	132	38	19	118
01122MG	MG	0,373	0.822	inch	5.94"	5.20"	1.50"	0.75"	4.65"

YAMAHA SMALL PLATE FOR ENGINES

Yamaha 4-15 HP (up to 1989)

Where used
KITYAMAHA40-60;
KITYAMAHA40-50



original part number: 65W-45251-00

same as: 01915

prod: d

COD		kg	lbs		l	a	h	i	Ø
01123	ZN	0,100	0.220	mm	63	25	14	26	6
01123AL	AL	0,038	0.084						
01123MG	MG	0,024	0.053	inch	2.48"	0.98"	0.55"	1.02"	0.24"

YAMAHA SMALL PLATE FOR ENGINES

Yamaha 8-300 HP (up to 1989)

Where used
KITYAMAHA40-60;
KITYAMAHA40-50



original part number: 6E0-45251-12

prod: d

COD		kg	lbs		l	a	h	i	m
01123-1	ZN	0,100	0.220	mm	63	25	14	26	
01123-1AL	AL	0,038	0.084						M6
01123-1MG	MG	0,024	0.053	inch	2.48"	0.98"	0.55"	1.02"	


YAMAHA

YAMAHA TRIM TAB ANODE

Yamaha 200-300 HP

Where used

KITYAMAHA200-250



original part number: 61A-45371-00

prod: d

COD		kg	lbs		h	h1	Ø	m
01124	ZN	0,680	1.499	mm	71	14	99	
01124AL	AL	0,267	0.589					10x1,25 mm
01124MG	MG	0,171	0.377	inch	2.80"	0.55"	3.90"	

YAMAHA OUTBOARD BRACKET HANDLE

Yamaha 150-200HP



original part number: 89949


same as: 00821

prod: m

COD		kg	lbs		l	a	h	h1	i	i1
01125	ZN	1,200	2.646	mm	280	60	10	60	30	240
				inch	11.02"	2.36"	0.39"	2.36"	1.18"	9.45"

YAMAHA OUTBOARD BAR ANODE

Yamaha 30-50 HP



original part number: 825171

same as: 00822


prod: d

COD		kg	lbs		l	a	h	i	Ø	b
01126	ZN	0,285	0.628	mm	194	19	12	166	7	14
01126MG	MG	0,072	0.159	inch	7.64"	0.75"	0.47"	6.54"	0.28"	0.55"

YAMAHA

YAMAHA WASHER ANODE FOR CYLINDER HEAD

Yamaha 40HP (up to 1997)




original part number: 676-45251-00 682-45251-00

same as: 00813-00823-01205-01250-01904-01910

prod: d

COD		kg	lbs		h	Ø	Ø1
01127	ZN	0,010	0.022	mm	7	20	6,5
01127AL	AL	0,004	0.009				
01127MG	MG	0,003	0.007	inch	0.28"	0.79"	0.26"

YAMAHA WASHER ANODE FOR CYLINDER HEAD



original part number: 823913 - 676-45251-00


same as: 00824 - 01109-01251-01400-01756

prod: d

COD		kg	lbs		h	Ø	Ø1
01128	ZN	0,020	0.044	mm	7	24	7
01128AL	AL	0,008	0.018				
01128MG	MG	0,005	0.011	inch	0.28"	0.94"	0.28"

YAMAHA WEDGE ANODE

Yamaha 75HP XR6



same as: 00825- 01405


prod: d

COD		kg	lbs		l	a	h	h1	Ø	Ø1
01129	ZN	0,245	0.540	mm	77	30	22	12	17	7
01129AL	AL	0,094	0.207							
01129MG	MG	0,062	0.137	inch	3.03"	1.18"	0.87"	0.47	0.67	0.28

YAMAHA

YAMAHA TRIM TAB ANODE

Yamaha 25-30 HP



prod: m


COD		kg	lbs		l	h	h1	Ø	Ø1	Ø2
01130	ZN	0,270	0.595	mm	104	50	3	94	16	7
				inch	4.09"	1.97"	0.12"	3.70"	0.63"	0.28"

YAMAHA BLOCK ANODE FOR BRACKET

Yamaha 40-50 HP

Where used

KITYAMAHA40-50



original part number: 63D-45251-01 63D-45251-00

same as: 01651

prod: d


COD		kg	lbs		l	a	h	i	Ø
01131	ZN	0,570	1.256	mm	85	62	32	46	7
01131MG	MG	0,144	0.317	inch	3.35"	2.44"	1.26"	1.81"	0.28"

YAMAHA LOWER UNIT ANODE

Yamaha 25-60 HP

Where used

KITYAMAHA40-60;
KITYAMAHA40-50



same as: 67C-45251-00 . 63D-45251-10

same as: 01757 - 01916

prod: d

COD		kg	lbs		l	l1	a	h	m
01132	ZN	0,120	0.265	mm	26	21	35	23	
01132AL	AL	0,050	0.110						M8
01132MG	MG	0,030	0.066	inch	1.02"	0.83"	1.38"	0.91"	

YAMAHA

YAMAHA TRIM TAB ANODE STANDARD ROTATION

Yamaha V6 - 150 -225HP
Dx

Where used
KITAYAMAHA150-200



same as: 6J9-45371-00 6J9-45371-01

COD		prod: d	kg	lbs		l	h	h1	h2	Ø	m
01133	ZN		0,660	1.455	mm	140	60	6	14	100	
01133AL	AL		0,260	0.573							10x1,25 mm
01133MG	MG		0,160	0.353	inch	5.51"	2.36"	0.24"	0.55"	3.94"	

YAMAHA TRIM TAB ANODE COUNTER ROTATION

Yamaha 150-200HP / counter rotation
Sx

Where used
KITAYAMAHA
150-200CR



same as: 6K1-45371-01 6K1-45371-02

COD		prod: d	kg	lbs		l	h	h1	h2	Ø	m
01134	ZN		0,660	1.455	mm	140	60	6	14	100	
01134AL	AL		0,260	0.573							10x1,25 mm
01134MG	MG		0,160	0.353	inch	5.51"	2.36"	0.24"	0.55"	3.94"	

YAMAHA TRIM TAB ANODE

Yamaha 8-25HP




same as: 61N-45251-01 61N-45251-00

COD		prod: d	kg	lbs		l	a	h	Ø	Ø1
01135	ZN		0,265	0.584	mm	80	59	26	16.5	6,5
01135AL	AL		0,105	0.231						
01135MG	MG		0,067	0.148	inch	3.15"	2.32"	1.02"	0.65"	0.26"

YAMAHA

YAMAHA TRIM TAB ANODE

Yamaha 9.9-15HP




original part number: **66M-45371-00**

prod: **d**

COD		kg	lbs		l	a	h	Ø
01136	ZN	0,085	0.187	mm	53	38	62	7
01136MG	MG	0,021	0.046	inch	2.09"	1.50"	2.44"	0.28"

YAMAHA LOWER UNIT ANODE

Yamaha 9.9-15HP




original part number: **6G8-45251-01**

prod: **m**

COD		kg	lbs		l	a	h	Ø	Ø1
01137	ZN	0,200	0.441	mm	100	88	22	6,5	16
				inch	3.94"	3.46"	0.87"	0.26"	0.63"

YAMAHA PLATE FOR STERN DRIVE

Yamaha Hydra drive



original part number: **6UA-45251-00**

prod: **m**

COD		kg	lbs		l	a	h	i	Ø	Ø1
01138	ZN	0,275	0.606	mm	99	45	32	27	20	9
				inch	3.90"	1.77"	1.26"	1.06"	0.79"	0.35"


4.1

YAMAHA

YAMAHA

YAMAHA PLATE FOR STERN DRIVE

Yamaha sterndrive (1989-1990)



original part number: 6T5-45251-00

prod: m

COD		kg	lbs		l	a	b	h	i	i1	Ø
01139	ZN	0,350	0.772	mm	108	122	62	10	76	93	7
				inch	4.25"	4.80"	2.44"	0.39"	2.99"	3.66"	0.28"

YAMAHA TRIM TAB ANODE

Yamaha 50-100HP

Where used

KITYAMAHA80-100



original part number: 67F-45371-00

prod: d


COD		kg	lbs		l	h	h1	Ø	m
01140	ZN	0,410	0.904	mm	132	50	25	92	
01140MG	MG	0,100	0.220	inch	5.20"	1.97"	0.98"	3.62"	10x1,25 mm

YAMAHA TRIM TAB ANODE

Yamaha 25-60HP

Where used

KITYAMAHA40-60



original part number: 67F-45371-00 - 67C-45371-00

same as: 01913

prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
01141	ZN	0,220	0.485	mm	55	95	17	9
01141AL	AL	0,090	0.198					
01141MG	MG	0,060	0.132	inch	2.17"	3.74"	0.67"	0.35"

YAMAHA

YAMAHA SMALL PLATE FOR ENGINES

Yamaha F6-F9.9HP



original part number: 68T-45251-00

prod: d


COD		kg	lbs		l	a	h	Ø	Ø1
01142	ZN	0,950	2.094	mm	64	25	12	5	17
01142AL	AL	0,040	0.088						
01142MG	MG	0,025	0.055	inch	2.52"	0.98"	0.47"	0.20"	0.67"

YAMAHA TRIM TAB ANODE

Yamaha 150-225HP

Where used

KITYAMAHA80-100




original part number: 6J9-45371-00

prod: d

COD		kg	lbs		h	Ø	m
01143	ZN	0,520	1.146	mm	87	100	10x1,25 mm
01143MG	MG	0,140	0.309	inch	3.43"	3.94"	

YAMAHA TRIM TAB ANODE

Yamaha 150-200HP



original part number: 6K1-45371-00

prod: d

COD		kg	lbs		h	Ø	m
01144	ZN	0,410	0.904	mm	75	91	10x1,25 mm
NEW 01144AL	AL	0,160	0.353				
01144MG	MG	0,103	0.227	inch	2.95"	3.58"	


YAMAHA

YAMAHA TRIM TAB ANODE

Yamaha 200-300HP

Where used

KITYAMAHA200-300



original part number: 69L-45371-00

prod: d

COD		kg	lbs		h	h1	Ø	m
01145	ZN	0,635	1.400	mm	30	60	100	
NEW 01145AL	AL	0,257	0.567					10x1,25 mm
01145MG	MG	0,165	0.364	inch	1.18"	2.36"	3.94"	

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 80-300HP

Where used

KITYAMAHA80-100



original part number: 67F-11325-00

same as: 01914

prod: d


COD		kg	lbs		l	a	b	c	h	Ø	m
01146	ZN	0,070	0.154	mm	32	5	17	10	15	23	M6
01146MG	MG	0,020	0.044	inch	1.26"	0.20"	0.67"	0.39"	0.59"	0.91"	

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 75-350HP SX-FX-WAVERUNNER (2006-2009)

Where used

KITYAMAHA80-100



original part number: 67F-11325-01

prod: d

COD		kg	lbs		l	a	b	h	Ø	m
01146-1	ZN	0,050	0.110	mm	32	14	7	14	22	M6
01146-1MG	MG	0,012	0.026	inch	1.26"	0.55"	0.28"	0.55"	0.87"	


YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 40-90HP

Where used

KITYAMAHA40-50




original part number: **688-11325-00** same as: **01759** prod: **d**

COD		kg	lbs		l	l1	h	Ø
01147		0,010	0.022	mm	23	7	20	5
01147MG		0,003	0.006	inch	0.91"	0.28"	0.79"	0.20"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 4-70HP




original part number: **6G8-11325-00** same as: **00844 - 01408-2 - 01750** prod: **d**

COD		kg	lbs		h	Ø	Ø1	Ø2
01148		0,012	0.026	mm	16	13	12	5,5
01148AL		0,006	0.013					
01148MG		0,004	0.009	inch	0.63"	0.51"	0.47"	0.22"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 25-250HP



original part number: **62Y-11325-00** same as: **01755** prod: **d**

COD		kg	lbs		l	l1	Ø	m
01149		0,020	0.044	mm	50	12	8,5	M5
01149MG		0,006	0.013	inch	1.97"	0.47"	0.33"	


4.1

YAMAHA

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 20-250HP



original part number: **6J8-11325-00**

same as: **00831 - 01652**

prod: **d**


COD		kg	lbs		l	a	b	h	Ø	Ø1
01150		0,015	0.033	mm	41	4	2	13	16,5	8
NEW 01150MG		0,004	0.008	inch	1.61"	0.16"	0.08"	0.51	0.65	0.31

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 9.9-300HP

Where used

KITYAMAHA200-300



original part number: **66M-11325-00**


same as: **01752**

prod: **d**

COD		kg	lbs		l	l1	Ø	m
01151		0,010	0.022	mm	31	15	10	
01151AL		0,005	0.011					M5
01151MG		0,003	0.006	inch	1.22"	0.59"	0.39"	

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 6-350HP



original part number: **6E5-11325-00**

same as: **01753**


prod: **d**

COD		kg	lbs		l	l1	h	Ø
01152		0,010	0.022	mm	27	14	10	5
01152MG		0,003	0.006	inch	1.06"	0.55"	0.39"	0.20

YAMAHA

YAMAHA HIGH PERFORMANCE TRIM TAB ANODE

Yamaha 60-225HP
For high performance propellers




original part number: **6E5-45371-10** prod: **d**

COD		kg	lbs		a	b	h	h1	Ø	m
01153		0,235	0.518	mm	15	46	5	22	91	10x1,25 mm
01153MG		0,060	0.132	inch	0.59"	1.81"	0.20"	0.87"	3.58"	

YAMAHA LOWER UNIT ANODE

Yamaha 15-20HP




original part number: **6AH-45251-00** prod: **d**

COD		kg	lbs		l	a	h	Ø
01154		0,690	1.521	mm	80	58	25	7
01154AL		0,270	0.595					
01154MG		0,170	0.375	inch	3.15"	2.28"	0.98"	0.28"

YAMAHA LOWER UNIT ANODE

Yamaha 300-350HP

Where used
KITAYAMAHA300-350
KITAYAMAHA
300-350XP



original part number: **6AW-45373-00** prod: **d**


COD		kg	lbs		l	a	h	h1	Ø
01155		1,030	2.271	mm	90	93	65	52	11
01155AL		0,400	0.882						
01155MG		0,260	0.573	inch	3.54"	3.66"	2.56"	2.05"	0.43"

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 75-250HP - VX- SX- Waverunner (2008-2013)

Where used
KITAYAMAHA300-350
KITAYAMAHA
300-350XP



original part number: 68V-11325-02

prod: d

COD		kg	lbs		h	Ø	Ø1	m
01156	ZN	0,056	0.123	mm	32	14	22	
01156AL	AL	0,021	0.046					M6
01156MG	MG	0,006	0.013	inch	1.26"	0.55"	0.87"	

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 75-250HP




original part number: 68V-11325-01

prod: d

COD		kg	lbs		l	l1	a	Ø	m
01156-1	ZN	0,070	0.154	mm	32	28	14	21	
01156-1AL	AL	0,030	0.066						M6
01156-1MG	MG	0,019	0.041	inch	1.26"	1.10"	0.55"	0.83"	

YAMAHA PLATE FOR STERN DRIVE

Yamaha Hydra drive



original part number: 6UO-45251-00

prod: d

COD		kg	lbs		l	l1	a	h	i
01157	ZN	1,500	3.307	mm	225	145	130	25	35
01157AL	AL	0,590	1.301						
01157MG	MG	0,375	0.826	inch	8.86"	5.71"	5.12"	0.98"	1.38"

YAMAHA

YAMAHA ANODE PLATE FOR STERNDRIVE

Yamaha Hydra drive : SX; DE-DHD; DE-DHT; DE-DHT-C




original part number: **6U4-45373-00** prod: m

COD		kg	lbs		l	a	h	i	Ø
01158	ZN	0,330	0.728	mm	120	70	11	50	8,5
				inch	4.72"	2.76"	0.43"	1.97"	0.33"

YAMAHA ANODE PLATE FOR STERNDRIVE

Yamaha Hydra drive : DE-DHT-C



original part number: **6U4-45251-00** prod: m

COD		kg	lbs		l	a	h	i	Ø
01159	ZN	0,690	1.521	mm	187	46	32	76	9
				inch	7.36"	1.81"	1.26"	2.99"	0.35"

YAMAHA PENCIL ANODE FOR STERNDRIVE

Yamaha Hydra drive




original part number: **N51-11325-01** prod: d

COD		kg	lbs		l	a	c	Ø
01160T	Zinc + brass	0,060	0.132	mm	32	3/8" Gas Conico (bspt)	19	12,5
				inch	1.26"		0.75"	0.50"

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 25HP




original part number: **6BL-11325-00**

prod: **m**

COD		kg	lbs		h	Ø	Ø1
01161	ZN	0,020	0.044	mm	25	13	6
				inch	0.98"	0.51"	0.24"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 9.9-15HP



original part number: **682-11325-00**


same as: **01754**

prod: **m**

COD		kg	lbs		l	a	h	Ø
01162	ZN	0,020	0.044	mm	27	17	15	5.5
				inch	1.06"	0.67"	0.59"	0.22"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 6-300HP



original part number: **6BT-11325-00**


prod: **d**

COD		kg	lbs		h	Ø	Ø1	Ø2
01163	ZN	0,015	0.033	mm	20	13	10	6
				inch	0.79"	0.51"	0.39"	0.24"

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 150-350HP



original part number: 63P-11325-11-00

prod: m

COD		kg	lbs		l	a	h	Ø
01164	ZN	0,020	0.044	mm inch	27 1.06"	15 0.59"	10 0.39"	7 0.28"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 150HP




original part number: 63P-11325-21-00

prod: m

COD		kg	lbs		h	Ø	Ø1
01165	ZN	0,005	0.011	mm inch	6 0.24"	12 0.47"	6 0.24"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 40HP



original part number: 63P-11325-00

same as: 01758 - 1216

prod: m

COD		kg	lbs		l	a	Ø	h
01166	ZN	0,030	0.070	mm inch	25 0.98"	22 0.87"	7 0.28"	15 0.59"


4.1

YAMAHA

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 150-350HP




original part number: 63P-11325-01

prod: m

COD		kg	lbs		l	a	h
01167	ZN	0,020	0.044	mm inch	32 1.26"	13 0.51"	10 0.39"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 200-250HP (1990-2003)



original part number: 61A-11325-00


prod: m

COD		kg	lbs		l	a	b
01168	ZN	0,025	0.055	mm inch	68 2.68"	7,5 0.30"	4 0.16"

YAMAHA GEAR CASE CAP ANODE

Yamaha 200-350HP
Extra protection

KITYAMAHA
300-350XP



original part number: 6AW-45619-00


prod: d

COD		kg	lbs		h	Ø	Ø1
01169	ZN	0,300	0.661	mm	32	90	10,5
01169AL	AL	0,120	0.265				
01169MG	MG	0,075	0.165	inch	1.26"	3.54"	0.41"

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 300-350HP
Anode 7




original part number: **6AW-1132S-00** prod: m

COD		kg	lbs		h	\emptyset	$\emptyset 1$
01170	ZN	0,035	0.077	mm inch	40 1.57"	14 0.55"	5,5 0.22"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 300-350HP
Anode 4



original part number: **6AW-1132N-00** prod: m

COD		kg	lbs		h	\emptyset	$\emptyset 1$
01171	ZN	0,030	0.066	mm inch	38 1.50"	14 0.55"	6,5 0.26"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 300-350HP
Anode 6




original part number: **6AW-1132R-00** prod: m

COD		kg	lbs		a	b	h	\emptyset	m
01172	ZN	0,022	0.049	mm inch	16 0.63"	8 0.31"	20 0.79"	16" 0.63"	M5

YAMAHA

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 300-350HP
Anode 2




original part number: 6AW-1132L-00

prod: m

COD		kg	lbs		h	Ø	Ø1
01173	ZN	0,026	0.057	mm	15	19	5,5
				inch	0.59"	0.75"	0.22"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 300-350HP
Anode 9




original part number: 6AW-1132U-00

prod: d

COD		kg	lbs		a	b	Ø
01174	ZN	0,060	0.132	mm	41	27	5,5
NEW 01174MG	MG	0,023	0.052	inch	1.61"	1.06"	0.22"

YAMAHA SMALL ANODE FOR CRANKCASE CYLINDER

Yamaha 300-350HP
Anode 8



original part number: 6AW-1132T-00


prod: d

COD		kg	lbs		a	b	Ø
01175	ZN	0,060	0.132	mm	41	27	5,5
NEW 01175MG	MG	0,023	0.052	inch	1.61"	1.06"	0.22"

YAMAHA

YAMAHA ENGINE PLATE

Yamaha 300-350HP
Anode 3




original part number: **6AW-1132M-00**

prod: **d**

COD		kg	lbs		l	a	h	i
01176	ZN	0,120	0.265	mm	114	19	10	60
NEW 01176MG	MG	0,047	0.103	inch	4.49"	0.75"	0.39"	2.36"

YAMAHA ENGINE CUBE

Yamaha 300-350HP
Anode 5



original part number: **6AW-1132P-00**


prod: **d**

COD		kg	lbs		l	a	h	Ø
01177	ZN	0,034	0.075	mm	26	22	17	6,5
NEW 01177MG	MG	0,013	0.029	inch	1.02"	0.87"	0.67"	0.26"

YAMAHA

YAMAHA OUTBOARD KIT 150-200HP


prod: d



COD		kg	lbs	quantity	product code
KITYAMAHA 150-200		1,685	3.715	1	01112
				1	01133
KITYAMAHA 150-200-AL		0,734	1.618	1	01112AL
				1	01133AL
KITYAMAHA 150-200-MG		0,520	1.146	1	01112MG
				1	01133MG

YAMAHA OUTBOARD KIT 150-200CR
COUNTER ROTATION


prod: d



COD		kg	lbs	quantity	product code
KITYAMAHA 150-200CR		1,685	3.715	1	01112
				1	01134
KITYAMAHA 150-200CR-AL		0,728	1.605	1	01112AL
				1	01134AL
KITYAMAHA 150-200CR-MG		0,520	1.146	1	01112MG
				1	01134MG

YAMAHA OUTBOARD KIT 200-250HP


prod: d



COD		kg	lbs	quantity	product code
KITYAMAHA 200-250		1,720	3.792	1	01112
				1	01124
KITYAMAHA 200-250-AL		0,738	1.627	1	01112AL
				1	01124AL
KITYAMAHA 200-250-MG		0,528	1.164	1	01112MG
				1	01124MG

YAMAHA OUTBOARD KIT 200-300HP

prod: d




COD		kg	lbs	quantity	product code
KITYAMAHA 200-300		1,670	3.682	1	01112
				1	01145
KITYAMAHA 200-300-AL		0,721	1.590	1	01112AL
				1	01145AL
KITYAMAHA 200-300-MG		0,523	1.153	1	01112MG
				1	01145MG

YAMAHA

YAMAHA KIT 4T 40-60

prod: d

KIT



COD		kg	lbs	quantity	product code
KITYAMAHA 40-60	ZN	0,756	1.667	3	01123
				1	01132
				1	01141
KITYAMAHA 40-60AL	AL	0,365	0.805	3	01123AL
				1	01132AL
				1	01141AL
KITYAMAHA 40-60MG	MG	0,280	0.617	3	01123MG
				1	01132MG
				1	01141MG

4.1

YAMAHA KIT 60-90

prod: d

KIT




COD		kg	lbs	quantity	product code
KITYAMAHA 60-90	ZN	1,054	2.324	1	01104
				1	01115
KITYAMAHA 60-90-AL	AL	0,485	1.069	1	01104AL
				1	01115AL
NEW KITYAMAHA 60-90 MG	MG	0,358	0.789	1	01104MG
				1	01115MG

YAMAHA OUTBOARD KIT 300-350HP

prod: d

KIT




COD		kg	lbs	quantity	product code
KITYAMAHA 300-350	ZN	1,950	4.299	1	01112-1
				1	01155
KITYAMAHA 300-350-AL	AL	0,840	1.852	1	01112-1AL
				1	01155AL
KITYAMAHA 300-350-MG	MG	0,600	1.323	1	01112-1MG
				1	01155MG

YAMAHA OUTBOARD KIT 300-350HP
EXTENDED PROTECTION

prod: d

KIT




COD		kg	lbs	quantity	product code
KITYAMAHA 300-350XP	ZN	2,250	4.960	1	01112-1
				1	01155
				1	01169
KITYAMAHA 300-350XPAL	AL	0,960	2.116	1	01112-1AL
				1	01155AL
				1	01169AL
KITYAMAHA 300-350XPMG	MG	0,675	1.488	1	01112-1MG
				1	01155MG
				1	01169MG

YAMAHA

YAMAHA KIT 40-50


prod: d



COD		kg	lbs	quantity	product code
KITYAMAHA 40-50		1,010	2.227	1	01100
				1	01123
				1	01131
				1	01132
				1	01147
KITYAMAHA 40-50MG		0,400	0.882	1	01100MG
				1	01123MG
				1	01131MG
				1	01132MG
				1	01147MG

YAMAHA KIT 80-100


prod: d



COD		kg	lbs	quantity	product code
KITYAMAHA 80-100		0,930	2.050	1	01115
				1	01140
				1	01146
KITYAMAHA 80-100MG		0,380	0.838	1	01115MG
				1	01140MG
				1	01146MG


YANMAR

4.1




YANMAR ROD FOR ENGINE

Yanmar YSE 8. 8PS. YSE 12. 12PSP.
with steel insert



original part number: 104211-41300


prod: m

COD	kg	lbs	l	l1	Ø	Ø1	m
01300 	0,155	0.342	mm 40 inch 1.57"	mm 16 inch 0.63"	mm 30 inch 1.18"	mm 21 inch 0.83"	M8

YANMAR

YANMAR ROD FOR ENGINE

With steel insert




prod: m

COD		kg	lbs		Ø	l	l1	b
Yanmar: 1GM. 6LY3 series / original part number: 27210-200200								
01303	ZN	0,045	0.099	mm inch	20 0.79"	20 0.79"	10 0.39"	M8
Yanmar: 2GM. 3GM. 3HM. 2QM. 3QM. YSB8-12. YSM8-12 series / original part number: 27210-200300								
01301 <i>(alias 01313)</i>	ZN	0,070	0.154	mm inch	20 0.79"	30 1.18"	10 0.39"	M8
Yanmar 6CX-ETE series (x12) original part number: 27210-200370								
01312 <i>(alias 01309)</i>	ZN	0,085	0.187	mm inch	20 0.79"	37 1.47"	10 0.39"	M8
Yanmar SD20. SD25. SD30. SD31; 4LH-STE and 6LY-STE. 6LY-UTE series / original part number: 27210-200550 - 177301-54900								
01306	ZN	0,120	0.265	mm inch	20 0.79"	55 2.17"	10 0.39"	M8
Yanmar 6HYM-WET; PMX6. PMX8 series original part number: 27200-300400								
01311	ZN	0,200	0.441	mm inch	40 1.57"	40 1.57"	20 0.79"	M8
6LAH-STE original part number: 27200-400400								
01310	ZN	0,360	0.794	mm inch	40 1.57"	40 1.57"	25 0.98"	M10

YANMAR PLATE FOR ENGINES R

70-85HP



same as: 01111

prod: d

COD		kg	lbs		h	Ø	Ø1
01302	ZN	0,210	0.463	mm	15	53	8
01302MG	MG	0,053	0.117	inch	0.59"	2.09"	0.31"

YANMAR

YANMAR TRIM TAB ANODE

Yanmar D27 - D36 Series




original part number: 196630-02670

prod: m

COD		kg	lbs		h	h1	Ø	Ø1	Ø2
01304	ZN	0,190	0.419	mm inch	24 0.94"	4 0.16"	75 2.95"	32 1.26"	9 0.35"

ZINC ROD - BARROTTINO PER MOTORI

Saildrive




prod: m

COD		kg	lbs		l	Ø		m
01308	ZN	0,155	0.342	mm inch	68 2.68"	20 0.79"		M8

YANMAR TRIM TAB ANODE

Yanmar B63- D36A - D27A series



original part number: 196640-62680

prod: d

COD		kg	lbs		l	h	h1	Ø	Ø1	Ø2	m
01319	ZN	0,220	0.485	mm inch	59 2.32"	51 2.01"	3 0.12"	30 1.18"	22 0.87"	30 1.18"	M10

YANMAR

YANMAR SPLIT COLLAR FOR SAILDRIVE

Yanmar SD20. SD25. SD30. SD31. SD40. SD50 and SD60 saildrives

Saildrive



original part number: 196440-026600


prod: d

COD		kg	lbs		i	a	Ø
01305/1	ZN	0,650	1.433	mm	123	24	8
01305/1AL	AL	0,280	0.617				
01305/1MG	MG	0,188	0.414	inch	4.84"	0.94"	0.31"

YANMAR COLLAR FOR SAILDRIVE

Yanmar SD20. SD25. SD30. SD31. SD40. SD50 and SD60 saildrives
Plate adapters

Saildrive



original part number: 196440-02690


prod: m

COD		kg	lbs		m	Ø2
PLAC-1	S/ Steel	0,200	0.441	mm	M8	7
				inch		0.28"

YANMAR COLLAR FOR SAILDRIVE

Yanmar SD20 - SD25 - SD30 - SD31 - SD40 - SD50 and SD60 saildrives

Saildrive



original part number: 196420-02652


prod: d

COD		kg	lbs		l	h	i	i1	Ø	Ø1	Ø2
01305	ZN	0,830	1.830	mm	147	25	43	73	108	66	11
01305MG	MG	0,330	0.728	inch	5.79"	0.98"	1.69"	2.87"	4.25"	2.60"	0.43"

YANMAR

YANMAR SAILDRIVE KIT: ANODES + HARDWARE INCLUDED (NO BRACKETS)

Yanmar SD20. SD25. SD30. SD31. SD40. SD50 and SD60 saildrives
prod: d




COD		kg	lbs	quantity	product code
KIT1305-1	ZN	0,940	2.072	1	01305/1
KIT1305-1AL	AL	0,480	1.058	1	01305/1AL
KIT1305-1MG	MG	0,370	0.815	1	01305/1MG

4.1


YANMAR SAILDRIVE KIT: ANODES + HARDWARE AND BRACKETS INCLUDED

Yanmar SD20. SD25. SD30. SD31. SD40. SD50 and SD60 saildrives
prod: d



COD		kg	lbs	quantity	product code
KIT1305-1C	ZN	0,100	0.220	1 1	01305/1 PLAC-1
KIT1305-1CAL	AL	0,985	2.172	1 1	01305/1AL PLAC-1
KIT1305-1CMG	MG	0,580	1.279	1 1	01305/1MG PLAC-1

YANMAR PENCIL ANODE FOR ENGINE COOLER



same as: 02070 - 02351 - 02070TP

prod: d

COD		kg	lbs	Ø	l	l1	a	b	c
01318 (ALIAS 01316) (Zinc only/Solo barrottino)	ZN	0,025	0.055	mm inch	12 0.47"	30 1.18"	10 0.39"	3/8" UNC	
01318TP (ALIAS 01316TP) (Plug only/Solo Tappo ottone)	Brass	0,029	0.064	mm inch			3/8" gas conico (bspt)	3/8" UNC	17 0.67"
01318T (ALIAS 01316T) (Complete with brass plug/ Completo con tappo ottone)		0,060	0.132	mm inch	12 0.47"	30 1.18"	3/8" gas conico (bspt)		17 0.67"

YANMAR

YANMAR PENCIL ANODE FOR ENGINE COOLERS

Where used

KITYANMAR
6LP/6LY/4LH



original part number: 119574-18790

prod: d

COD		kg	lbs		Ø	l	l1	a	b	c
01317 (Zinc only)		0,075	0.165	mm inch	16 0.63"	50 1.97"	10 0.39"		7/16" UNC	
01317TP (Plug only)		0,055	0.121	mm inch				1/2" gas conico (bspt)	7/16" UNC	22 0.87"
01317T (Complete with brass plug)		0,130	0.287	mm inch	16 0.63"	50 1.97"		1/2" gas conico (bspt)		22 0.87"

YANMAR PENCIL ANODE FOR ENGINE COOLER

Where used

KITYANMAR
6LP/6LY/4LH



original part number: 119574-44150

prod: d

COD		kg	lbs		Ø	l	l1	a	b	c
NEW 01321 (Zinc only)		0,030	0.066	mm inch	12,7 0.50"	38,1 1.50"	10 0.39"		3/8" UNC	
NEW 01321TP (Plug only)		0,040	0.121	mm inch				3/8"NPT	3/8" UNC	19,05 0.75"
NEW 01321T (Complete with brass plug)		0,070	0.154	mm inch	12,7 0.50"	38,1 1.50"		3/8"NPT		19,05 0.75"

YANMAR

YANMAR PENCILS KIT

Yanmar inboard engines 6LP/6LY/4LH series
original part number: 119773-92600 prod: d



COD	kg	lbs	quantity	product code
KITYANMAR 6LP/6LY/4LH ZN	0,384	0.847	1	01317T
			4	01321T

YANMAR PENCIL ANODE FOR ENGINE COOLER

Where used

KITYANMAR
6LP/6LY/4LH



original part number: 120650-18540 (01320) / 120650-13420 120650-18490 (01320T) / 120650-18530 (01320TP)

prod: d

COD	kg	lbs	Ø	l	l1	a	b	c
NEW 01320 (Zinc only) ZN	0,030	0.066	<i>mm</i> 15 <i>inch</i> 0.59"	20 0.79"	10 0.39"		M8	
NEW 01320TP (Plug only) Brass	0,040	0.088	<i>mm</i> <i>inch</i>			M18x1,5 mm	M8	23 0.91"
NEW 01320T (Complete with brass plug) ZN	0,070	0.154	<i>mm</i> 15 <i>inch</i> 0.59"	20 0.79"		M18x1,5 mm		23 0.91"


YANMAR

YANMAR ANODE FOR GEAR HOUSING PLATE A

Yanmar Sterndrive ZT350-ZT370

Where used

KITYANMARSTD



original part number: 196350-02550

prod: d


COD		kg	lbs		a	h	m
01390-1	ZN	0,300	0.661	mm	82	25	
01390-1AL	AL	0,135	0.297				M10
01390-1MG	MG	0,085	0.187	inch	3.23"	0.98"	

YANMAR ANODE FOR GEAR HOUSING PLATE B

Yanmar Sterndrive ZT350-ZT370

Where used

KITYANMARSTD



original part number: 196350-02570

prod: d


COD		kg	lbs		a	h	Ø	Ø1
01391-1	ZN	0,270	0.595	mm	82	24	12	19
01391-1AL	AL	0,125	0.275					
01391-1MG	MG	0,080	0.176	inch	3.23"	0.94"	0.47"	0.75"

YANMAR STERNDRIVE PROPELLER NUT ANODE

Yanmar Sterndrive ZT350-ZT370

Where used

KITYANMARSTD



original part number: 196350-09910

prod: d

COD		kg	lbs		a	h	Ø	Ø1
01392-1	ZN	0,470	1.036	mm	37	61	55	11
01392-1AL	AL	0,175	0.385					
01392-1MG	MG	0,110	0.242	inch	1.46"	2.40"	2.17"	0.43"

YANMAR

YANMAR ANODE FOR TRIM CYLINDER

Yanmar Sterndrive ZT350-ZT370

Where used

KITYANMARSTD



original part number: 196350-07360

prod: d


COD		kg	lbs		a	b	c	h	i	Ø1
01393-1	ZN	0,270	0.595	mm	51	12	22	50	38	5,5
01393-1AL	AL	0,100	0.220							
01393-1MG	MG	0,065	0.143	inch	2.01"	0.47"	0.87"	1.97"	1.50"	0.22"

YANMAR ANODE FOR DRIVESHAFT HOUSING

Yanmar Sterndrive ZT350-ZT370

Where used

KITYANMARSTD



original part number: 196350-02350

prod: d

COD		kg	lbs		l	a	h	i	Ø1
01394-1	ZN	1,000	2.205	mm	178	109	17	35	10
01394-1AL	AL	0,375	0.826						
01394-1MG	MG	0,240	0.529	inch	7.01"	4.29"	0.67"	1.38"	0.39"


YANMAR STERNDRIVE KIT

Yanmar Sterndrive ZT350-ZT370

original part number: 196450-02490 (KITYANMARSTDAL)

original part number: 196450-02442 (KITYANMARSTDMG)

prod: d



COD		kg	lbs	quantity	product code
KITYANMARSTD	ZN	0,940	2.072	1	01390-1
				1	01391-1
				1	01392-1
				2	01393-1
				1	01394-1
KITYANMARSTDAL	AL	0,480	1.058	1	01390-1AL
				1	01391-1AL
				1	01392-1AL
				2	01393-1AL
				1	01394-1AL
KITYANMARSTDMG	MG	0,370	0.815	1	01390-1MG
				1	01391-1MG
				1	01392-1MG
				2	01393-1MG
				1	01394-1MG

ZF

ZF PLATE FOR ENGINE



prod: m

COD		kg	lbs		l	h	Ø	m
06001	ZN	0,290	0.639	mm inch	50 1.97"	30 1.18"	69 2.72"	M10x1,5 mm

ZF PENCIL ANODE

06011T, 06012T: Mota Oil Coolers
(Complete with brass plug)



prod: d


COD		kg	lbs		Ø	l	c	a
original part number: 3311301055		same as: 02070T - 02053T						
06002T (Zinc + brass)		0,030	0.066	mm	10	18	14	1/4" Gas conico (bspt)
06002TMG (Magnesium + brass)		0,010	0.022	inch	0.39"	0.71"	0.55"	
06003T (Zinc + brass)		0,060	0.132	mm	12	26	18	3/8" Gas conico (bspt)
06003TMG (Magnesium + brass)		0,020	0.044	inch	0.47"	1.02"	0.71"	
original part number: 3217307021-01		same as: 01320T						
06011T (Zinc + brass)		0,070	0.154	mm inch	15 0.59"	20 0.79"	22 0.87"	M18x1.5 mm
original part number: 3217108021								
NEW 06012T (Zinc + brass)		0,100	0.220	mm inch	15 0.59"	63 2.48"	22 0.87"	M18x1.5 mm

ZF

ZF COLLAR ANODE FOR SAILDRIVE

SD10 -SD12
ZF/Nanni Saildrive

Saildrive



original part number: 3321301012

prod: d

COD		kg	lbs		l	h	i	Ø	Ø1
06004X	ZN	0,940	2.072	mm	148	25	81	113	64
NEW 06004XMG	MG	0,369	0.813	inch	5.83"	0.98"	3.19"	4.45"	2.52"

4.1

ZF



Alamarin Jet *pag. 348*

Arneson - Twin Disc *pag. 350*

Austal Catamarans *pag. 352*

Castoldi *pag. 353*

Hamilton *pag. 355*

Hydromarine *pag. 359*

Kamewa - Rolls Royce *pag. 360*

MJP - Ultrajet *pag. 367*

Seadoo (BRP) *pag. 369*

**Weber motor -
Textron - William Tender** *pag. 370*

4.2


ENGINE ANODES

Hydrojets and Surface Propellers



ALAMARIN JET


ALAMARIN JET SMALL PLATE ANODE



original part number: 10053 prod: d

COD		kg	lbs		l	a	h	Ø
NEW 02701	ZN	0,140	0.309	mm	71	30	14	11
NEW 02701AL	AL	0,060	0.132	inch	2.80"	1.18"	0.55"	0.43"


ALAMARIN JET DISC ANODE



original part number: 10054 same as: 00101 prod: d

COD		kg	lbs		h	Ø	Ø1	Ø2
NEW 02702	ZN	0,190	0.420	mm	13	70	22	8,5
NEW 02702AL	AL	0,075	0.160	inch	0.51"	2.76"	0.87"	0.33"

ALAMARIN JET SMALL PLATE ANODE



original part number: 10409 prod: d

COD		kg	lbs		Ø	h	h1	c	Ø1
NEW 02703	ZN	0,135	0.298	mm	39	21	17,5	13,5	8,4
NEW 02703AL	AL	0,058	0.128	inch	1.54"	0.83"	0.69"	0.53"	0.33"

ALAMARIN JET

ALAMARIN JET SMALL PLATE ANODE



original part number: **10441** prod: **m**

COD		kg	lbs		Ø	h	h1	m
NEW 02704	ZN	0,070	0.15	mm	25	22	18	M8
NEW 02704AL	AL	0,028	0.06	inch	0.98"	0.87"	0.71"	


ALAMARIN JET SMALL PLATE ANODE



original part number: **10441BIS** prod: **d**

COD		kg	lbs		Ø	h	h1	m
NEW 02705	ZN	0,125	0.276	mm	33	22	18	M8
NEW 02705AL	AL	0,054	0.118	inch	1.299"	0.87"	0.71"	

ALAMARIN JET DISC ANODE




original part number: **10408** prod: **d**

COD		kg	lbs		Ø	Ø1	Ø2	h
NEW 02706	ZN	0,175	0.386	mm	70	14	8	14
NEW 02706AL	AL	0,075	0.165	inch	2.76"	0.55"	0.31"	0.55"

ARNESON - TWIN DISC

ARNESON LARGE BAR ANODE




original part number: **1009358**

prod: **d**

COD		kg	lbs		l	a	b	i	Ø	Ø1
02510		1,560	3.439	mm	190	46	30	127	10,5	27
02510AL		0,610	1.345	inch	7.48"	1.81"	1.18"	5.00"	0.41"	1.06"

ARNESON SMALL BAR ANODE




original part number: **1009036**

prod: **m**

COD		kg	lbs		l	a	b	i	Ø	Ø1
02511		0,540	1.190	mm	150	32	19	88	10,5	22
02511AL		0,210	0.463	inch	5.91"	1.26"	0.75"	3.46"	0.41"	0.87"

ARNESON PLATE FOR ENGINES



same as: **00243**

prod: **m**

COD		kg	lbs		l	a	h	i	Ø
02512		1.200	2,646	mm	147	65	22	70	13x35
02512AL		0.450	0,992	inch	5.79"	2.56"	0.87"	2.76"	0.51"x1.38"

ARNESON - TWIN DISC


ARNESON PLATE FOR ENGINES
PIASTRA PER MOTORI ARNESON



prod: m

COD		kg	lbs		l	a	h	i	Ø
02513	ZN	2,000	4.409	mm	153	102	20	77	16
02513PAL	AL	0,450	0.992	inch	6.02"	4.02"	0.79"	3.03"	0.63"

ARNESON PLATE FOR ENGINES
PIASTRA PER MOTORI ARNESON




same as: 00255

prod: m

COD		kg	lbs		l	a	h	i	Ø
02514	ZN	8,000	17.637	mm	300	150	26	125	10,5
02514AL	AL	3,140	6.923	inch	11.81"	5.91"	1.02"	4.92"	0.41"

ARNESON COLLAR FOR ENGINES



original part number: 1009358


prod: d

COD		kg	lbs		Ø	h	Ø1
02517	ZN	4,200	9.259	mm	170	40	95
02517AL	AL	1,750	3.858	inch	6.69"	1.57"	3.74"

ARNESON - TWIN DISC

ARNESON ENGINE WASHER

Technodrive sp60 saildrive




original part number: 1009254 prod: m

COD		kg	lbs		Ø	h	Ø1
02518	ZN	0,936	2.064	mm	68	40	10,5
02518PAL	AL	0,360	0.794	inch	2.68"	1.57"	0.41"

AUSTAL CATAMARANS


AUSTAL CATAMARANS BOLT ON ANODE



prod: m

COD		kg	lbs		l	a	h	i	Ø	strap
01950	ZN	1,000	2.20	mm	101	64	30	120	9X15	170X20X3
				inch	3.98"	2.52"	1.18	4.72	0.35"x0.59"	6.69"x0.79"x0.12"

AUSTAL CATAMARANS BOLT ON RECESSED HULL ANODE



original part number: 590.14055.2 prod: m

COD		kg	lbs		l	a	i	h	Ø	Ø1	Ø2
01951	ZN	9,000	19.840	mm	300	134	150	40	15x25	48	34
				inch	11.81"	5.28"	5.90"	1.57"	0.59"x0.98"	1.89"	1.34"

CASTOLDI


CASTOLDI SMALL BRACKET ANODES



original part number: **542.15062.6** prod: **m**

COD		kg	lbs		l	a	h	h1	Ø
02400	ZN	0,450	0.992	mm	54	59	90	11	12
				inch	2.13"	2.32"	3.54"	0.43"	0.47"

CASTOLDI LARGE BRACKET ANODES



original part number: **542.16082.4** prod: **m**

COD		kg	lbs		l	a	h	h1	Ø
02401	ZN	0,840	1.852	mm	77	68	120	11	14,5
				inch	3.03"	2.68"	4.72"	0.43"	0.57"

CASTOLDI ROD FOR ENGINES



original part number: **590.14055.2** prod: **m**

COD		kg	lbs		l	l1	a	Ø	m
02402	ZN	0,820	1.808	mm	26	7	13	22	M10
				inch	1.02"	0.28"	0.51"	0.87"	

CASTOLDI

CASTOLDI ANODE SMALL WASHER FOR ENGINES




original part number: **590.16324.3**

prod: **d**

COD		kg	lbs		Ø	h	Ø1	Ø2
02403/1	ZN	0,480	1.058	mm	58	35	26	10
02403-1AL	AL	0,190	0.419					
02403/1MG	MG	0,120	0.265	inch	2.28"	1.38"	1.02"	0.39"

CASTOLDI ANODE LARGE WASHER FOR ENGINES




prod: **d**

COD		kg	lbs		Ø	h	Ø1	Ø2
02404	ZN	1,510	3.329	mm	80	50	30	12
02404AL	AL	0,590	1.301					
02404MG	MG	0,380	0.838	inch	3.15"	1.97"	1.18"	0.47"

HAMILTON

HAMILTON JET LONG BAR ANODE

Hamilton Jet HJ291; HJ364




4.2

original part number: **104634** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
02520	ZN	0,220	0.485	mm	98	19	20	80	9
02520AL	AL	0,100	0.220	inch	3.86"	0.75"	0.79"	3.15"	0.35"

HAMILTON JET SHORT BAR ANODE

Hamilton Jet HJ274; HJ322; HJ362



original part number: **103359** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
02521	ZN	0,270	0.595	mm	80	24	25	57	9
02521AL	AL	0,120	0.264	inch	3.15"	0.94"	0.98"	2.24"	0.35"

HAMILTON JET ENGINE WASHER ANODE

Hamilton Jet HJ291; HJ362




original part number: **105447** prod: **m**

COD		kg	lbs		Ø	h	Ø1	Ø2
02522	ZN	0,210	0.463	mm	47	25	18	25
				inch	1.85"	0.98"	0.71"	0.98"

HAMILTON

HAMILTON JET DISC ANODE

Hamilton Jet HJ273/274/291; HJ321/322/362/363; HJ402/422



original part number: **102185** prod: **m**

COD		kg	lbs		Ø	h	Ø1	Ø2
02523		1,000	2.205	mm	98	25	16	8,5
02523AL		0,400	0.882	inch	3.86"	0.98"	0.63"	0.33"

HAMILTON JET PLATE ANODE

Hamilton Jet HJ274/292; HJ322/362; HM422




original part number: **111059** prod: **m**

COD		kg	lbs		l	a	h	i	Ø	Ø1
02524		0,910	2.006	mm	110	62	30	60	25	10,5
02524AL		0,360	0.794	inch	4.33"	2.44"	1.18"	2.36"	0.98"	0.41"

HAMILTON JET CONIC ROD ANODE

Hamilton Jet HJ274; HJ322/362




original part number: **(02525) 111654 - (02525AL) 111593-111654-111647** prod: **m**

COD		kg	lbs		l	h	l1	Ø	m
02525		0,260	0.573	mm	58	22	20	33	M8
02525AL		0,100	0.220	inch	2.28"	0.87"	0.79"	1.30"	

HAMILTON

HAMILTON JET LARGE CONIC ROD ANODE

Hamilton Jet HJ363/391




original part number: 111644 prod: m

COD		kg	lbs		l	h	l1	Ø	m
02525-1	ZN	0,390	0.860	mm	70	22	20	40	M8
02525-1AL	AL	0,150	0.331	inch	2.76"	0.87"	0.79"	1.57"	

HAMILTON JET BIG ROUND PLATE

Hamilton Jet HJ362/363/391/402; HM422




original part number: 103862 prod: m

COD		kg	lbs		l	h	h1	i	Ø	Ø1
02526	ZN	9,140	20.150	mm	175	57	42	70	15	32
				inch	6.89"	2.24"	1.65"	2.76"	0.59"	1.26"

HAMILTON JET ENGINE WASHER ANODE

Hamilton Jet HM461




original part number: 107890 prod: m

COD		kg	lbs		l	a	h	l1	Ø
02527	ZN	1,760	3.880	mm	100	63	51	75	10,5
02527AL	AL	0,700	1.543	inch	3.94"	2.48"	2.01"	2.95"	0.41"

HAMILTON

HAMILTON JET ENGINE WASHER ANODE

Hamilton Jet HJ274/292/362



original part number: **112657** prod: **m**

COD		kg	lbs		Ø	h	Ø1
02528	ZN 	0,160	0.353	mm inch	38 1.50"	25 0.98"	10,5 0.41"

HAMILTON JET ENGINE WASHER ANODE

Hamilton Jet HM571




original part number: **107360** prod: **m**

COD		kg	lbs		Ø	a	h	Ø1	Ø2
02529	ZN	0,860	1.896	mm inch	75 2.95"	32 1.26"	37 1.46"	40 1.57"	25 0.98"

HAMILTON JET ENGINE WASHER ANODE

Hamilton Jet HJ213/241



original part number: **108582** prod: **m**

COD		kg	lbs		Ø	h	Ø1
02530	ZN	0,860	1.896	mm inch	24 0.94"	24 0.94"	9,5 0.37"

HAMILTON

HAMILTON JET ENGINE WASHER ANODE

Hamilton Jet HJ391




original part number: 105764 prod: m

COD		kg	lbs		Ø	b	h	Ø1	Ø2
02531	ZN	0,600	1.323	mm	72	32	42	38	21
				inch	2.83"	1.26"	1.65"	1.50	0.83

HYDROMARINE

HYDROMARINE COLLAR FOR ENGINES



prod: m

COD		kg	lbs		Ø	h	i	Ø1	Ø2	Ø3
02501	ZN	1,540	3.395	mm	150	15	100	11	7	63
				inch	5.91"	0.59"	3.94"	0.43"	0.28"	2.48"

4.2

HYDROMARINE - HAMILTON

KAMEWA - ROLLS ROYCE

KAMEWA SMALL WASHER ANODE

Kamewa A40 series



original part number: **102185** prod: **m**

COD		kg	lbs		Ø	h	Ø1	Ø2
02450	ZN	0,470	1.036	mm	70	27	13	30
				inch	2.76"	1.06"	0.51"	1.18"

KAMEWA OVAL WASHER ANODE

Kamewa Jet FF375S ; FF550



original part number: **10107701** prod: **m**

COD		kg	lbs		l	a	h	Ø	Ø1
02450BIS	ZN	0,485	1.069	mm	70	60	25	32	12,5
				inch	2.76"	2.36"	0.98"	1.26"	0.49"

KAMEWA LARGE WASHER ANODE

Kamewa Jet FF375S ; FF550



original part number: **10108210** prod: **m**

COD		kg	lbs		Ø	h	Ø1	Ø2
02451	ZN	0,720	1.587	mm	70	42	50	13
				inch	2.76"	1.65"	1.97"	0.51"

KAMEWA - ROLLS ROYCE

KAMEWA SMALL COLLAR ANODE WITH STRAPS




4.2

prod: m

COD		kg	lbs		Ø	Ø1	h	c
02452	ZN	1,440	3.175	mm	160	106	17	32
				inch	6.30"	4.17"	0.67"	1.26"

KAMEWA MEDIUM COLLAR ANODE WITH STRAPS

Kamewa Jet FF3755




original part number: 37517411

prod: m

COD		kg	lbs		Ø	Ø1	h	c
02452BIS	ZN	3,000	6.614	mm	226	126	19	28
				inch	8.90"	4.96"	0.75"	1.10"

KAMEWA LARGE COLLAR ANODE WITH STRAPS

Kamewa Jet FF550



original part number: 55017401

prod: m

COD		kg	lbs		Ø	Ø1	h	c
02460	ZN	5,130	11.310	mm	242	149	30	30
				inch	9.53"	5.87"	1.18"	1.30"

KAMEWA - ROLLS ROYCE

KAMEWA BLOCK ANODE FOR ENGINE

Kamewa Jet FF375S ;FF550; A40 series;




original part number: **10108220** prod: **m**

COD		kg	lbs		l	a	b	c	h	i
02453	ZN	0,465	1.025	mm	58	61	16x40	7,5x11	25	18
				inch	2.28"	2.40"	0.63"x1.57"	0.30"x0.43"	098"	0.71"

KAMEWA OVAL PLATE ANODE FOR ENGINES

Kamewa Jet FF375S ;FF550; A40 series;



original part number: **10108230** prod: **m**

COD		kg	lbs		l	a	h	i	Ø	Ø1
02454	ZN	2,080	4.586	mm	173	87	23	80	32	11
				inch	6.81"	3.43"	0.91"	3.15"	1.26"	0.43"

KAMEWA OVAL PLATE ANODE FOR ENGINES

Kamewa Jet FF550



original part number: **10108010 - 10208125** same as: **00220** prod: **d**

COD		kg	lbs		l	a	h	i	Ø1	Ø2
NEW 02454/1	ZN	1,000	2.205	mm	150	60	25	80	27	11x15
				inch	5.91"	2.36"	0.98"	3.15"	1.06"	0.43"x 0.59"

KAMEWA - ROLLS ROYCE

KAMEWA COLLAR ANODE

Kamewa A40 series



4.2

original part number: **10208140** prod: **m**

COD		kg	lbs		l	l1	a
02455	ZN	0,740	1.631	mm	78	50	45
				inch	3.07"	1.97"	1.77"

KAMEWA COLLAR ANODE



prod: **m**

COD		kg	lbs		l	l1	a
02456	ZN	1,000	2.205	mm	90	60	48
				inch	3.54"	2.36"	1.89"

KAMEWA COLLAR ANODE

Kamewa Jet FF375S




original part number: **10208120** same as: **00511USA** prod: **d**

COD		kg	lbs		l	l1	a
NEW 02456/1	ZN	0,600	1.323	mm	65	40	67
				inch	2.56"	1.57"	2.64"

KAMEWA - ROLLS ROYCE


KAMEWA BAR WITH 3 HOLES



prod: m

COD		kg	lbs		l	a	b	c	h	i	Ø
02457	ZN	4,280	9.436	mm	400	77	36	17x25	30	140	40
				inch	15.75"	3.03"	1.42"	0.67"x0.98"	1.18"	5.51"	1.57"


KAMEWA BAR WITH 3 HOLES



prod: m

COD		kg	lbs		l	a	b	c	h	i	Ø
02457/1	ZN	10,000	22.046	mm	600	100	36	17x25	40	220	40
				inch	23.62"	3.94"	1.42"	0.67"x0.98"	1.57"	8.66"	1.57"

KAMEWA WASHER ANODE




original part number: 2413383

prod: m

COD		kg	lbs		Ø	h	Ø1	Ø2	Ø3
02459	ZN	0,800	1.764	mm	80	24	50	32	12,5
				inch	3.15"	0.94"	1.97"	1.26"	0.49"

KAMEWA - ROLLS ROYCE

KAMEWA LARGE COLLAR ANODE WITH STRAPS




4.2

prod: m

COD		kg	lbs		Ø	Ø1	c	h	i
02458	ZN	7,300	16.094	mm	285	385	12x20	25	260
				inch	11.22"	15.16"	0.47"x0.79"	0.98"	10.24"

KAMEWA SMALL COLLAR ANODE WITH STRAPS



original part number: 2629022 (40M17601)

prod: m

COD		kg	lbs		Ø	Ø1	c	h	i
02458BIS	ZN	4,650	10.251	mm	250	340	12x20	20	225
				inch	9.84"	13.39"	0.47"x0.79"	0.79"	8.86"

KAMEWA ANODE FOR JET TUNNEL




prod: m

COD		kg	lbs		Ø	h	Ø1
02461	ZN	0,090	0.198	mm	25	40	6,5
				inch	0.98"	1.57"	0.26"

KAMEWA - ROLLS ROYCE

KAMEWA DISC ANODE


Kamewa Jet FF550



original part number: **10108231 - 10118101** same as: **00155** prod: **m**

COD	kg	lbs		Ø	Ø1	Ø2	h
NEW 02462 ZN	2,000	4.409	mm inch	120 4.72"	40 1.57"	10 0.39"	25 0.98"


KAMEWA DISC ANODE



original part number: **10108228** prod: **m**

COD	kg	lbs		Ø	Ø1	Ø2	h
NEW 02462/1 ZN	1,000	2.205	mm inch	105 4.13"	40 1.57"	12,5 0.49"	22 0.87"

KAMEWA PLATE ANODE




original part number: **872175** same as: **00723** prod: **d**

COD	kg	lbs		l	l1	a	h	i	Ø	Ø1
NEW 02463 ZN	0,215	0.470	mm inch	60 2.36"	26 1.02"	56 2.20"	14 0.55"	28 1.10"	7 0.28"	13 0.51"

MJP - ULTRAJET

MJP ULTRAJET DISC ANODE




4.2

original part number: **KG310 - 8700-037-00H** prod: m

COD	kg	lbs		Ø	h	Ø1	Ø2
NEW 00105UK ZN	2,200	4.850	mm inch	140 5.51"	36 1.42"	36 1.42"	14,5 0.57"


MJP ULTRAJET BAR ANODE



prod: m

COD	kg	lbs		l	a	b	c	h	i
NEW 00274E ZN	2,200	4.850	mm inch	450 17.72"	100 3.94"	48x73 1.89"x 2.87"	46 1.81"	30 1.18	230 9.06

MJP ULTRAJET BAR ANODE



prod: m


COD	kg	lbs		l	a	b	c	h	i
NEW 00271E ZN	4,000	8.818	mm inch	310 12.20"	75 2.95"	35 1.37"	13x25 0.51"x0.98"	40 1.57	205 8.07

MJP - ULTRAJET

MJP - ULTRAJET

MJP ULTRAJET SHORT BAR ANODE

MJP Ultrajet HJ274; HJ322; HJ362




original part number: **8978-926-00G**

prod: **m**

COD		kg	lbs		l	a	h	i	Ø
02521	ZN	0,270	0.595	mm	80	24	25	57	9
				inch	3.15"	0.94"	0.98"	2.24"	0.35"

MJP ULTRAJET ENGINE WASHER ANODE

MJP Ultrajet HJ274/292/362



original part number: **8729-926-009**

prod: **m**

COD		kg	lbs		Ø	h	Ø1
02528	ZN	0,160	0.353	mm	38	25	10,5
				inch	1.50"	0.98"	0.41"

SEADOO

SEADOO WHASHER ANODE FOR AQUASCOOTER

Seadoo Jet Scooter



original part number: 271001813 - 271001487

prod: m

COD		kg	lbs		Ø	h	Ø1
01090	 	0,040	0.088	mm inch	26 1.02"	13 0.51"	6,5 0.26

SEADOO WHASHER ANODE FOR AQUASCOOTER

Seadoo Jet Scooter




original part number: 271001920

prod: d

COD		kg	lbs		Ø	h	Ø1
NEW 01091		0,015	0.033	mm inch	27 1.06"	6 0.24"	6,5 0.26

SEADOO PENCIL ANODE FOR AQUASCOOTER


Seadoo 260 - 300hp



original part number: 271001942


same as: TEC-SD4

prod: m

COD		kg	lbs		l	a	c	Ø
NEW 01092	 (Zinc + brass)	0,045	0.099	mm inch	30 1.25"	1/4" GAS CONICO	14 0.56"	10 0.39"

WEBER MOTOR - TEXTRON - WILLIAM JET TENDER

WEBER MOTOR - TEXTRON PENCIL ANODE FOR HEAT EXCHANGER




original code: **407892** (02900T) prod: **m**

COD		kg	lbs		Ø	l	l1	a	b	c
02900 (Aluminium only)	AL	0,037	0.082	mm inch	16 0.63"	63 2.48"	13 0.51"		7/16" UNC	
02900TP (Plug only)	Brass	0,045	0.099	mm inch				20x1,5	7/16" UNC	15 0.59"
NEW 02900T (Complete with brass plug)		0,082	0.181	mm inch	16 0.63"	63 2.48"		20x1,5		15 0.59"

WILLIAM TENDER BOLT ON ANODE

Strainers/filtri Main market




original part number: **271001942** same as: **TEC-SD4** prod: **m**

COD		kg	lbs		l	a	h	i	Ø
NEW TEC-S-Z1	ZN	0,260	0.57	mm inch	97 3.82"	38 1.5"	13 0.5"	38 1.5"	8 0.31"

WEBER MOTOR - TEXTRON - WILLIAM JET TENDER

BUTTON ANODE WILLIAM TENDER

Small anode




original part number: **688-45251-01** same as: **01408 - 01650** prod: **d**

COD		kg	lbs		Ø	h	Ø1	Ø2
NEW	01110	0,040	0.088	mm	24	15	6,5	12
	ZN			inch	0.94"	0.59"	0.26"	0.47"

WILLIAM TENDER DISC ANODE

Large anode



original part number: **07-0005** prod: **m**

COD		kg	lbs		Ø	h	Ø1
NEW	01111	0,210	0.463	mm	53	15	8
	ZN			inch	2.09"	0.59"	0.31"

4.2

WEBER MOTOR - TEXTRON - WILLIAM JET TENDER



Aifo - Fpt - Iveco	pag. 374
Baudouin	pag. 375
Beta Marine	pag. 375
BMW	pag. 375
Bukh	pag. 376
Castoldi	pag. 376
Caterpillar	pag. 377
Cummins	pag. 379
Cursor	pag. 380
Ford	pag. 380
General Motors	pag. 381
Hyundai Seasall	pag. 382
Kohler	pag. 382
Isotta Fraschini	pag. 382
John Deere	pag. 383
Lombardini	pag. 383
Man Diesel	pag. 383
Martec	pag. 384
Mitsubishi	pag. 384
Nanni Diesel	pag. 384
Onan	pag. 385
Reintjes	pag. 385
Renault Marine Couach	pag. 385
Ruggerini	pag. 386
Scania	pag. 386
Seadoo (BRP)	pag. 386
Sen-Dure	pag. 386
Steyr Motors	pag. 387
Universal type	pag. 387
VM	pag. 387
Volvo Penta	pag. 388
Weber motor - Textron	pag. 389
Westerbeke	pag. 390
Yamaha	pag. 390
Yanmar	pag. 390
ZF	pag.392
UK type pencils / Barrottini tipo UK	pag. 393
USA type pencils / Barrottini tipo USA	pag. 394
Galvion Elements	pag. 396








4.3











ENGINE ANODES

Inboard Engines
Pencil for heat exchangers



AIFO - FPT - IVECO

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02010 original code: 8105277	ZN	0,03	0.066	mm inch	14 0.55"	26 1.02"	9 0.35"	12 0.47"	 T2	
02010/99	ZN	0,025	0.055	mm inch	13 0.51"	26 1.02"	8 0.31"	10 0.39"	 T2	
02011 original code: 8101772	ZN	0,05	0.110	mm inch	20 0.79"	20 0.79"	11 0.43"	14 0.55"	 T2	
02012 original code: 8093597	ZN	0,025	0.055	mm inch	13 0.51"	26 1.02"	8 0.31"	10 0.39"	 T2	
02013 original code: 8109743	ZN	0,010	0.022	mm inch	9,5 0.37"	18 0.71"	8 0.31"	7 0.28"	 T2	
02017 original code: 8093454 same as: 02060	ZN	0,045	0.099	mm inch	14 0.55"	40 1.57"	10 0.39"	M8	 T1	

COD/note	Brass Plug only <i>Solo Tappo in Ottone</i>	kg	lbs	a	b	c	brass plug type	reference drawing
02010TP same as: 02090TP	●	0,035	0.077	mm inch	18x1,5 0.47"	12 0.94"	 2TP	
02010TP/99 same as: 02353TP	●	0,035	0.077	mm inch	18x1,5 0.39"	10 0.94"	 2TP	
02011TP	●	0,090	0.198	mm inch	28x1,5 0.55"	14 1.26"	 2TP	
02011TP/98	●	0,105	0.231	mm inch	28x1,5 0.55"	14 1.06"	 3TP	
02012TP	●	0,035	0.077	mm inch	16x1,5 0.39"	10 0.94"	 2TP	
02013TP	●	0,020	0.044	mm inch	12x1,5 0.28"	7 0.67"	 2TP	
02014TP	●	0,010	0.022	mm inch	10x1 no hole	13 0.51"	 2TP	
02015TP	●	0,010	0.022	mm inch	10x1,25 no hole	13 0.51"	 2TP	
02017TP same as: 2060TP 2061TP	●	0,040	0.088	mm inch	18x1,5 M8	22 0.87"	 2TP	

AIFO - FPT - IVECO

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02010/99T		0,060	0.132	mm inch	13 0.51"	26 1.02"	18x1,5 0.94"		
02010T same as: 01800T - 02010T		0,070	0.154	mm inch	14 0.55"	26 1.02"	18x1,5 0.94"		
02011T		0,145	0.320	mm inch	20 0.79"	20 0.79"	28x1,5 1.26"		
02011T/98		0,160	0.353	mm inch	20 0.79"	20 0.79"	28x1,5 1.06"		
02012T		0,065	0.143	mm inch	13 0.51"	26 1.02"	16x1,5 0.94"		
02013T		0,030	0.066	mm inch	9,5 0.37"	18 0.71"	12x1,5 0.67"		
02017T		0,07	0.154	mm inch	14 0.55"	40 1.57"	18x1,5 0.87"		

BAUDOQUIN

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02300		0,010	0.022	mm inch	20 0.79"	45 1.77"	10 0.39"	8x1,25		
COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing		
02300TP		0,070	0.154	mm inch	25x1,5 8x1,25	30 1.18"	2TP			
COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing	
02300T		0,080	0.176	mm inch	20 0.79"	45 1.77"	25x1,5 1.18"			



BETA MARINE



COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW 02800T original code: 209-61840		0,030	0.066	mm inch	9,5 0.37"	20 0.79"	1/4" GAS CONICO (bspt) 0.67"		



BMW



COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
01005 original code: 1711 - 1329 - 197		0,050	0.110	mm inch	13 0.51"	50 1.97"	13 3/8" UNC		



BUKH



COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02050 original code: 00E0450 (2-62050)	ZN	0,030	0.066	mm inch	12 0.47"	35 1.38"	9 0.35"	M5	 T1	



COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02052 same as: 02003 02027 - 02033 - 02052	ZN	0,350	0.772	mm inch	12 0.47"	40 1.57"	10 0.39"	3/8" UNC	 T1	

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02053 same as: 02070-02351	ZN	0,015	0.033	mm inch	10 0.39"	18 0.71"	8 0.31"	8,5 0.33"	 T2	



COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing	
02050TP original code: 00E0450 (2-62050)		0,040	0.088	mm inch	3/8" GAS (bspp)	M5	22 0.87"	 2TP	

COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing	
02053TP same as: 02070TP		0,050	0.110	mm inch	1/4" GAS CONICO (bspt)	8,5 0.33"	17 0.67"	 2TP	
















COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02050T original code: 00E0450 (2-62050)		0,070	0.154	mm inch	12 0.47"	35 1.38"	3/8" GAS (bspp) 0.87"	 2T	





COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02053T		0,070	0.154	mm inch	10 0.39"	18 0.71"	1/4" GAS CONICO (bspt) 0.67"	 2T	

CASTOLDI

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02402	ZN	0,050	0.110	mm inch	22 0.87"	26 1.02"	7 0.28"	M10	 T6	

CATERPILLAR

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing
02020 same as: 02020-02071- 02350	ZN	0,030	0.066	mm inch	14 0.55"	26 1.02"	9 0.35"	12 0.47"	 T2	
02021 original code: 6L2283	ZN	0,030	0.066	mm inch	10 0.39"	55 2.17"	10 0.39"	1/4" UNC	 T1	
02021/1 original code: 116-7011	ZN	0,015	0.033	mm inch	9 0.35"	35 1.38"	10 0.39"	1/4" UNC	 T1	
02022 original code: 6L2016	ZN	0,065	0.143	mm inch	22 0.87"	20 0.79"	10 0.39"	5/8" UNC	 T1	
02023 original code: 6L2289	ZN	0,105	0.231	mm inch	16 0.63"	76 2.99"	13 0.51"	3/8" UNC	 T1	
02024 original code: 6L2288	ZN	0,090	0.198	mm inch	16 0.63"	63 2.48"	13 0.51"	3/8" UNC	 T1	
02024-1 original code: 5B9651	ZN	0,073	0.161	mm inch	16 0.63"	51 2.01"	13 0.51"	3/8" UNC	 T1	
02025 original code: 6L2284	ZN	0,035	0.077	mm inch	14 0.55"	33 1.30"	12 0.47"	5/16" UNC	 T1	
02026 original code: 6L2286	ZN	0,242	0.534	mm inch	19 0.75"	54 2.13"	20 0.79"	3/4" UNC	 T1	
02027 original code: 6L2280 same as: 02003-02027	ZN	0,033	0.073	mm inch	12 0.47"	40 1.57"	10 0.39"	3/8" UNC	 T1	
02028 original code: 7E5076	ZN	0,060	0.132	mm inch	16 0.63"	41 1.61"	9 0.35"	7/16" UNC	 T1	
02029 original code: 642281	ZN	0,035	0.077	mm inch	12,5 0.49"	38 1.50"	10 0.39"	7/16" UNC	 T1	
02029bis original code: 6L3104	ZN	0,020	0.044	mm inch	10 0.39"	38 1.50"	10 0.39"	1/14" UNC	 T1	
NEW 02029-1	ZN	0,060	0.132	mm inch	14 0.55"	50 1.97"	10 0.39"	7/16" UNC	 T1	

COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing
02021/1TP original code: 116-7011		0,015	0.033	mm inch	7/16" UNF	1/4" UNC	14 0.55"	 2TP	
02021TP original code: 6L2282		0,015	0.033	mm inch	1/4" GAS CONICO (bspt)	1/4" UNC	10 0.39"	 1TP	
02022TP original code: 6L2020		0,075	0.165	mm inch	3/8" GAS (bspp)	5/8" UNF	16 0.63"	 1TP	

4.3

INBOARD ENGINES

CATERPILLAR

COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing	
02023TP same as: 02024TP-02024/1TP		0,040	0.088	mm inch	1/2" GAS CONICO (bspt)	3/8" UNC	14 0.55"		1TP	
02024-1TP same as: 02023TP - 02024TP		0,040	0.088	mm inch	1/2" GAS (bspp)	3/8" UNC	14 0.55"		1TP	
02024TP same as: 02023TP 02024/1TP		0,040	0.088	mm inch	1/2" GAS (bspp)	3/8" UNC	14 0.55"		1TP	
02026TP		0,280	0.617	mm inch	1-1/4" GAS CONICO (bspt)	3/4" UNC	24 0.94"		1TP	
02027TP original code: 6L2279 same as: 02003TP		0,025	0.055	mm inch	3/8" GAS CONICO (bspt)	3/8" UNC	11 0.43"		1TP	
02028TP		0,065	0.143	mm inch	1/2" GAS CONICO (bspt)	7/16" UNF	25 0.98"		2TP	
02029-1TP original code: 3610785		0,047	0.104	mm inch	3/4" UNF	7/16" UNF	22 0.87"		2TP	
02029bisTP original code: 1149096		0,026	0.057	mm inch	1/4" GAS	1/4" UNC	22 0.87"		2TP	
02029TP original code: 6L2279G		0,03	0.066	mm inch	3/8" GAS CONICO (bspt)	7/16" UNF	19 0.75"		2TP	

COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing	
02021/1T		0,030	0.066	mm inch	9 0.35"	35 1.38"	7/16" UNF	14 0.55"		2T	
02021T		0,045	0.099	mm inch	10 0.39"	55 2.17"	1/4" GAS CONICO (bspt)	10 0.39"		1T	
02022T		0,145	0.320	mm inch	22 0.87"	20 0.79"	3/8" GAS (bspp)	16 0.63"		1T	
02023T		0,155	0.342	mm inch	16 0.63"	76 2.99"	1/2" GAS CONICO (bspt)	14 0.55"		1T	
02024T		0,135	0.298	mm inch	16 0.63"	63 2.48"	1/2" GAS (bspp)	14 0.55"		1T	
NEW 02024-1T		0,113	0.249	mm inch	16 0.63"	51 2.01"	1/2" GAS (bspp)	14 0.55"		1T	
02026T		0,495	1.091	mm inch	19 0.75"	54 2.13"	1-1/4" GAS CONICO (bspt)	24 0.94"		1T	
02027T		0,060	0.132	mm inch	12 0.47"	40 1.57"	3/8" GAS CONICO (bspt)	11 0.43"		1T	

CATERPILLAR

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02028T		0,120	0.265	mm inch	16 0.63"	41 1.61"	1/2" GAS CONICO (bspt) 25 0.98"		
02029BIST		0,040	0.088	mm inch	10 0.39"	38 1.50"	1/4" GAS 22 0.87"		
02029T		0,065	0.143	mm inch	12,5 0.49"	38 1.50"	3/8" GAS CONICO (bspt) 19 0.75"		
NEW 02029-1T		0,110	0.243	mm inch	14 0,55"	50 1.97"	3/4" UNF 22 0.87"		

CUMMINS

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02040		0,140	0.309	mm inch	18 0.71"	65 2.56"	15 0.59"	16x1,5		
02041		0,045	0.099	mm inch	16 0.63"	31 1.22"	12 0.47"	3/8" UNC		
02042		0,012	0.026	mm inch	10 0.39"	20 0.79"	8 0.31"	M6		
02043		0,085	0.187	mm inch	16 0.87"	50 1.97"	10 0.39"	15,5 0.61"		
02044 original code: 68241		0,070	0.154	mm inch	15,5 0.61"	50 1.97"	9 0.35"	7/16" UNF		
02045 original code: 5290511		0,047	0.104	mm inch	12,5 0.49"	50 1.97"	12 0.47"	3/8" UNC		
02045-1		0,025	0.055	mm inch	12 0.47"	30 1.18"	10 0.39"	3/8" UNC		

COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing
02043TP		0,035	0.077	mm inch	1/2" GAS CONICO (bspt) 15,5 0.61"	22 0.87"		
02044TP		0,055	0.121	mm inch	1/2" GAS CONICO (bspt) 7/16" UNF 22 0.87"			
02045-1TP		0,020	0.044	mm inch	3/8" GAS CONICO (bspt) 3/8" UNC 11 0.43"			
02045TP		0,035	0.077	mm inch	3/8" GAS CONICO (bspt) 3/8" UNC 19 0.75"			

CUMMINS

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02043T		0,120	0.265	mm inch	16 0.63	50 1.97"	1/2" GAS CONICO (bspt) 0.87"	 2T	
02044T		0,120	0.265	mm inch	15,5 0.61"	50 1.97"	1/2" GAS CONICO (bspt) 0.87"	 2T	
02045-1T		0,045	0.099	mm inch	12 0.47"	30 1.18"	3/8" GAS CONICO (bspt) 0.43"	 1T	
02045T		0,082	0.181	mm inch	12,5 0.49"	50 1.97"	3/8" GAS CONICO (bspt) 0.75"	 2T	

CURSOR

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
02035		0,040	0.088	mm inch	14 0.55"	35 1.38"	10 0.39"	M8 T1	






FORD






COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02070 same as: 02053 - 02351		0,015	0.033	mm inch	10 0.39"	18 0.71"	8 0.39"	8,5 0.33"	 T2	
02070/A		0,016	0.035	mm inch	10 0.39"	30 1.38"		 T4		
02071 same as: 02020 - 02350		0,032	0.071	mm inch	14 0.55"	26 1.02"	8 0.31"	12 0.47"	 T2	






COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing	
02070TP same as: 02351TP		0,015	0.033	mm inch	1/4" GAS CONICO (bspt) 0.33"	8,5 0.55"	14	 2TP	
02071TP same as: 02350TP		0,045	0.099	mm inch	1/2" GAS CONICO (bspt) 0.47"	12 0.87"	22	 2TP	

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02070T same as: 02053T - 06002T		0,030	0.066	mm inch	10 0.39"	18 0.71"	1/4" GAS CONICO (bspt) 0.55"	 2T	
02071T same as: 02350T		0,075	0.165	mm inch	14 0.55"	26 1.02"	1/2" GAS CONICO (bspt) 0.87"	 2T	







GENERAL MOTORS

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02000 original code: 8517480	ZN	0,075	0.165	mm inch	16 0.63"	54 2.13"	12 0.47"	7/16" UNC	 T1	
02001 original code: 8515851	ZN	0,180	0.397	mm inch	19 0.75"	85 3.35"	14 0.55"	5/8" UNC	 T1	
02002 original code: 8515842	ZN	0,100	0.220	mm inch	19 0.75"	54 2.13"	14 0.55"	5/8" UNC	 T1	
02003 same as: 02027 02033 - 02052	ZN	0,035	0.077	mm inch	12 0.47"	41 1.61"	10 0.39"	3/8" UNC	 T1	



COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing	
02000TP original code: 8517479		0,045	0.099	mm inch	1/2" GAS CONICO (bspt)	7/16" UNC	13 0.51"	 1TP	
02001TP		0,080	0.176	mm inch	3/4" GAS CONICO (bspt)	5/8" UNC	16 0.63"	 1TP	
02002TP		0,080	0.176	mm inch	3/4" GAS CONICO (bspt)	5/8" UNC	16 0.63"	 1TP	
02003TP same as: 02027TP		0,025	0.055	mm inch	3/8" GAS CONICO (bspt)	3/8" UNC	11 0.43"	 2TP	

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02000T		0,120	0.265	mm inch	16 0.63"	54 2.13"	1/2" GAS CONICO (bspt) 13 0.51"	 1T	
02001T		0,260	0.573	mm inch	19 0.75"	85 3.35"	3/4" GAS CONICO (bspt) 16 0.63"	 1T	
02002T		0,160	0.353	mm inch	19 0.75"	54 2.13"	3/4" GAS CONICO (bspt) 16 0.63"	 1T	
02003T		0,060	0.132	mm inch	12 0.47"	41 1.61"	3/8" GAS CONICO (bspt) 11 0.43"	 2T	











HYUNDAI SEASALL

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
NEW 02170	ZN	0,105	0.231	mm inch	17 0.67"	60 2.36"	10 0.39"	14 0.55"	 T1	
COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing		
NEW 02170TP		0,055	0.121	mm inch	M20x1,5	14 0.55"	24 0.94"	 2TP		
COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing	
NEW 02170T		0,160	0.353	mm inch	17 0.67"	60 2.36"	M20 x1,5	14 0.55"	 2T	



KOHLER

COD/note	complete with brass plug completo di tappo in ottone	kg	lbs	Ø	l	a	c	pencil type	reference drawing	
NEW TEC-E2C original code: 260085 - 267928		0,120	0.265	mm inch	16 5/8"	38 1.50"	1/2" NPT	22 7/8"	 2T	





ISOTTA FRASCHINI





COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02080	ZN	0,090	0.198	mm inch	20 0.79"	33 1.30"	10 0.39"	18X1,5	 T1	
02081	ZN	0,110	0.243	mm inch	14 0.55"	20 0.79"	10 0.39"	M8	 T1	
02082	ZN	0,035	0.077	mm inch	20 0.79"	35 1.38"	13 0.51"	18x1,5	 T1	
COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing		
02081TP		0,050	0.110	mm inch	18x1,5	M8	27 1.06"	 7TP		
02082TP		0,090	0.198	mm inch	24X1,5	18X1,5	30 1.18"	 7TP		
COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing	
NEW 02081T		0,160	0.353	mm inch	14 0.55"	20 0.79"	18x1,5	27 1.06"	 7T	
NEW 02082T		0,125	0.276	mm inch	16 0.63"	35 1.38"	24x1,5	30 1.18"	 7T	





JOHN DEERE

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing	
02920	ZN	0,057	0.126	mm inch	16 0.63"	38 1.50"	11 0.43"	7/16" UNC		T1	



LOMBARDINI

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing disegno di riferimento	
02350	ZN	0,030	0.066	mm inch	14 0.55"	26 1.02"	7,5 0.30"	12 0.47"		T2	
02351	ZN	0,015	0.033	mm inch	10 0.39"	18 0.71"	8 0.31"	8,5 0.33"		T2	
02353	ZN	0,040	0.088	mm inch	15 0.59"	30 1.18"	8 0.31"	10 0.39"		T2	

COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing	
02350TP		0,045	0.099	mm inch	1/2" GAS CONICO (bspt)	12 0.47"	22 0.87"		2TP	
02351TP		0,015	0.033	mm inch	1/4" GAS CONICO (bspt)	8,5 0.33"	14 0.55"		2TP	
02353TP		0,035	0.077	mm inch	18x1,5	10 0.39"	24 0.94"		2TP	

COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing	
02350T		0,075	0.165	mm inch	14 0.55"	26 1.02"	1/2" GAS CONICO (bspt)	22 0.87"		2T	
02351T		0,030	0.066	mm inch	10 0.39"	18 0.71"	1/4" GAS CONICO (bspt)	14 0.55"		2T	
02353T		0,075	0.165	mm inch	15 0.59"	30 1.18"	18x1,5	24 0.94"		2T	

MAN DIESEL

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing	
NEW 02130 original code: D2842LE433, V12-1550	ZN	0,025	0.055	mm inch	10 0.39"	30 1.18"	10 0.39"	M8		T1	

MARTEC

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW 02150T original code: 950-7300		0,030	0.066	mm inch	10 0.39"	15 0.59"	17 0.67"	 2T	
NEW 02151T original code: 950-7301		0,020	0.044	mm inch	10 0.39"	26 1.02"	17 0.67"	 2T	
NEW 02152T original code: 950-7302		0,040	0.088	mm inch	10 0.39"	40 1.57"	17 0.67"	 2T	
NEW 02153T original code: 950-7304		0,06	0.132	mm inch	12 0.47"	40 1.57"	11 0.43"	 2T	

mitsubishi

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
02111		0,205	0.452	mm inch	35 1.38"	31 1.22"	25 0.98"	 T1	






NANNI DIESEL



COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
02100		0,012	0.026	mm inch	10 0.39"	17 0.67"	9 0.35"	8 0.31"	 T2	
02101		0,025	0.055	mm inch	14 0.55"	26 1.02"	8 0.31"	10 0.39"	 T2	
02102		0,120	0.265	mm inch	26 1.02"	25 0.98"	10 0.39"	22 0.87"	 T2	



COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing	
02100TP		0,03	0.066	mm inch	16x1,5	8 0.31"	17 0.67"	 4TP	

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02100T		0,045	0.099	mm inch	10 0.39"	17 0.67"	16x1,5 0.67"	 4T	



ONAN

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing
02030	ZN	0,025	0.055	mm inch	10 0.39"	30 1.18"	6 0.24"	8 0.31"	 T2	
02031	ZN	0,025	0.055	mm inch	13 0.51"	26 1.02"	5 0.20"	9,5 0.37"	 T2	
02032	ZN	0,018	0.040	mm inch	11 0.43"	31 1.22"	9 0.35"	M8	 T1	
02033	ZN	0,035	0.077	mm inch	12 0.47"	40 1.57"	10 0.39"	3/8" UNC	 T1	



COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing
02031TP		0,035	0.077	mm inch	3/8" GAS CONICO (bspt)	9,5 0.37"	18 0.71"	 2TP	



COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing
02031T		0,060	0.132	mm inch	13 0.51"	26 1.02"	3/2" GAS CONICO (bspt)	18 0.71"	 2T	




REINTJES

COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing
02962T original code: Gearbox A292		0,124	0.273	mm inch	14 0.55"	83 3.27"	3/8" GAS CONICO (bspt)	19 0.75"	 2T	





RENAULT MARINE COUACH

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing
02090	ZN	0,035	0.077	mm inch	15 0.59"	22 0.87"	10 0.39"	12 0.47"	 T2	







COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type tipo di tappo	reference drawing
02090TP same as: 02010TP		0,035	0.077	mm inch	18x1,5 0.47"	12 0.47"	24 0.94"	 2TP	







COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type tipo di barrotto	reference drawing
01800		0,060	0.132	mm inch	14 0.55"	26 1.02"	18x1,5 0.94"	24	 2T	
02090T same as: 02010T		0,070	0.154	mm inch	15 0.59"	22 0.87"	18x1,5 0.94"	24	 2T	







RUGGERINI

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type tipo di barrotto	reference drawing
02380	 	0,052	0.115	mm inch	20 0.79"	23 0.91"			T4 

SCANIA




COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
02200		0,080	0.176	mm inch	17 0.67"	45 1.77"	10 0.39"	12x1 	T1 
02201		0,075	0.165	mm inch	17 0.67"	45 1.77"	10 0.39"	M6 	T1 

COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing	
02200TP		0,050	0.110	mm inch	1/2"GAS (bspp)	12x1 0.67"	17		4TP 
02201TP		0,062	0.137	mm inch	1/2"GAS (bspp)	M6 0.67"	17		4TP 

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
02200T		0,125	0.276	mm inch	17 0.67"	45 1.77"	1/2 GAS (bspp) 0.67"		4T 
02201T		0,133	0.293	mm inch	17 0.67"	45 1.77"	1/2 GAS (bspp) 0.67"		4T 













original code: 2178413/1

SEADOO (BRP)

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW 01092		0,045	0.10	mm inch	10 0.39"	31,8 1.25"	1/4" NPT 0.56"		2T 

original code: 271001942
same as: TEC-SD4

SEN-DURE

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW TEC-SD1		0,040	1.433	mm inch	9,5 0.38"	51 2"	1/8" NPT 0.43"		2T 
NEW TEC-SD2		0,040	0.882	mm inch	9,5 0.38"	44 1.75"	1/4" NPT 0.56"		2T 
NEW TEC-SD3		0,032	0.071	mm inch	9,5 0.38"	19,1 0.75"	1/4" NPT 0.56"		2T 
NEW TEC-SD4		0,045	0.838	mm inch	9,5 0.38"	31,8 1.25"	1/4" NPT 0.56"		2T 

original code: #357 - 7066

original code: #292-1
same as: TEC-E0

original code: #292-2

original code: #292-3
same as: 01092

SEN-DURE

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW TEC-SD5 original code: #292-4		0,030	0.066	mm 9,5 <i>inch</i> 0.38"	12,7 0.5"	1/4" NPT	14 0.56"	 2T	
NEW TEC-SD6 original code: #292-5		0,045	0.099	mm 9,5 <i>inch</i> 0.38"	63,5 2.5"	1/4" NPT	14 0.56"	 2T	
NEW TEC-SD7 original code: #288-2		0,065	0.14	mm 12,70 <i>inch</i> 0.50"	25,4 1"	3/8" NPT	17 0.687"	 2T	
NEW TEC-SD8 original code: #288-5		0,065	0.14	mm 12,70 <i>inch</i> 0.50"	31,8 1.25"	3/8" NPT	19 0.75"	 2T	
NEW TEC-SD9 original code: #281-1		0,130	0.29	mm 16 <i>inch</i> 0.63"	41,3 1.62"	1/2" NPT	25 1"	 2T	
NEW TEC-SD10 original code: #281-2		0,120	0.26	mm 16 <i>inch</i> 0.63"	25,4 1"	1/2" NPT	25 1"	 2T	

STEYR MOTORS

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
02940 original code: 2178413/1		0,330	0.728	mm 14 <i>inch</i> 0.55"	30 1.18"	8 0.31"	M8	 T1	
NEW 02941T original code: 2181091-0		0,030	0.066	mm 12,5 <i>inch</i> 0.49"	32 1.26"	3/8" NPT	19 0.75"	 2T	

UNIVERSAL

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW 02960T		0,100	0.220	mm 14 <i>inch</i> 0.55"	45 1.77"	1/2" GAS CONICO (bspt)	13 0.51"	 1T	
NEW 02961T		0,115	0.254	mm 14 <i>inch</i> 0.55"	71 2.80"	1/2" GAS CONICO (bspt)	13 0.51"	 1T	

VM

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
02060 original code: 11232001G same as: 02017		0,045	0.099	mm 14 <i>inch</i> 0.55"	40 1.57"	13 0.51"	7/16" UNC	 T1	
02061 original code: 3123200		0,025	0.055	mm 14 <i>inch</i> 0.55"	20 0.79"	10 0.39"	M8	 T1	
02064		0,03	0.066	mm 14,5 <i>inch</i> 0.57"	36 1.42"	20 0.79"	M8	 T3	

VM












COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing	
02060TP same as: 02017TP - 2061TP		0,040	0.088	mm inch	18x1,5	7/16" UNC	22 0.87"		2TP	
02061TP same as: 02017TP - 2061TP		0,040	0.088	mm inch	18x1,5	M8	22 0.87"		2TP	















COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing	
02060T		0,082	0.181	mm inch	14 0.55"	40 1.57"	18x1,5	22 0.87"		2T	
02061T		0,065	0.143	mm inch	14 0.55"	20 0.79"	18x1,5	22 0.87"		2T	

VOLVO PENTA




COD/note	Pencil only	kg	lbs		Ø	l	l1	b	m	pencil type	reference drawing	
00713 original code: 832989		0,060	0.132	mm inch	15,5 0.61"	40 1.57"	10 0.39"	7/16" UNC			T1	
00714 original code: 838929		0,035	0.077	mm inch	15 0.59"	30 1.18"	10 0.39"	7/16" UNC	M8		T9	
00714/1		0,020	0.044	mm inch	15 0.59"	30 1.18"			M8		T5	
00715		0,020	0.044	mm inch	16 0.63"	13 0.51"	10 0.39"	5/16" UNC			T1	
00714AL original code: 838929		0,010	0.022	mm inch	15 0.59	30 1.18"	10 0.39"	7/16" UNC			T1	
00714/1AL		0,010	0.022	mm inch	15 0.59	30 1.18"			M8		T5	
00716 original code: 823661		0,155	0.342	mm inch	26 1.02"	44 1.75"	8 0.31"	3/8" UNC			T1	
00716AL original code: 823661		0,060	0.132	mm inch	26 1.02"	44 1.75"	8 0.31"	3/8" UNC			T1	
00713MG original code: 832989		0,015	0.033	mm inch	15,5 0.61"	40 1.57"	10 0.39"	7/16" UNC			T1	




VOLVO PENTA




COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing
00713TP original code: 832989		0,040	0.088	mm inch	1/2" GAS CONICO (bspt)	7/16" UNC	13 0.51"		1TP 
00714TPM original code: 838928		0,040	0.088	mm inch	1/2" GAS CONICO (bspt)	M8	13 0.51"		5TP 
00714TPF		0,060	0.132	mm inch	1/2" GAS CONICO (bspt)	7/16" UNC	13 0.51"		1TP 
00716TP original code: 823662		0,115	0.254	mm inch	1" GAS (bspp)	3/8" UNC	19 0.75"		6TP

COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing
00713T original code: 832989		0,100	0.220	mm inch	15,5 0.61"	40 1.57"	1/2 GAS (bspp)	13 0.51"		1T 
00713TMG original code: 832989		0,055	0.121	mm inch	15,5 0.61"	40 1.57"	1/2 GAS (bspp)	13 0.51"		1T 
00714T original code: 838929		0,080	0.176	mm inch	16 0.63"	30 1.18"	1/2 GAS (bspp)	13 0.51"		1T
00714TAL		0,060	0.132	mm inch	16 0.63"	30 1.18"	1/2" GAS CONICO (bspt)	13 0.51"		T1
NEW 00714TMG original code: 838929		0,055	0.121	mm inch	16 0.63"	30 1.18"	1/2 GAS (bspp)	13 0.51"		1T
00716T original code: 823661		0,255	0.562	mm inch	26 1.02"	44 1.75"	1" GAS (bspp)	19 0.75"		6T

WEBER MOTOR - TEXTRON

COD/note	Zinc only	kg	lbs		Ø	l	l1	b	pencil type	reference drawing
02900		0,037	0.082	mm inch	16 0.63"	63 2.48"	13 0.51"	7/16" UNC		T1 

COD/note	Brass Plug only	kg	lbs		a	b	c	brass plug type	reference drawing
02900TP		0,045	0.099	mm inch	20x1,5	7/16" UNC	15 0.59"		4TP 

COD/note	complete with brass plug	kg	lbs		Ø	l	a	c	pencil type	reference drawing
02900T original code: 407892		0,082	0.181	mm inch	16 0.63"	63 2.48"	20x1,5	15 0.59"		4T 

WESTERBEKE

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
TEC-E00 original code: 301069		0,030	0.066	mm 6,35 inch 1/4"	51 2.00"	1/8" NPT	11 7/16"	 2T	
TEC-E1 original code: 36889		0,065	0.143	mm 12,7 inch 1/2"	51 2.00"	3/8" NPT	17,5 11/16"	 2T	
TEC-E1E original code: 301068		0,065	0.143	mm 12,7 inch 1/2"	38 1.50"	3/8" NPT	17,5 11/16"	 2T	
TEC-E0 original code: 11885		0,040	0.088	mm 9,5 inch 3/8"	44 1.75"	1/4" NPT	12,7 1/2"	 2T	












YAMAHA










COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
01114		0,085	0.187	mm 20 inch 0.79"	39 1.54"	10 1.54"	M8	 T1	






COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
01160T original code: N51-11325-01		0,030	0.066	mm 10 inch 0.39"	18 0.71"	1/4" GAS CONICO (bspt)	14 0.55"	 2T-1	

YANMAR







COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing	
Yanmar YSE 8, 8PS, YSE 12, 12PSP										
01300 original code: 104211-41300		0,155	0.342	mm 30 inch 1.18"	40 1.57"	16 0.63"	M8	 T1		
Yanmar 1GM, 6LY3 series										
01303 original code: 27210-200200		0,045	0.099	mm 20 inch 0.79"	20 0.79"	10 0.39"	M8	 T7		
Yanmar 2GM, 3GM, 3HM, 2QM, 3QM, YSB8-12, YSM8-12 series										
01301 (alias 01313) original code: 27210-200300		0,070	0.154	mm 20 inch 0.79"	30 1.18"	10 0.39"	M8	 T7		
Yanmar 6CX-ETE series (x12)										
01312 (alias 01309) original code: 27210-200370		0,085	0.187	mm 20 inch 0.79"	37 1.46"	10 0.39"	M8	 T7		
Yanmar SD20, SD25, SD30, SD31; 4LH-STE and 6LY-STE, 6LY-UTE series										
01306 original code: 27210 200550 - 177301-54900		0,120	0.265	mm 20 inch 0.79"	55 2.17"	10 0.39"	M8	 T7		

COD/note	Zinc only	kg	lbs	Ø	l	l1	b	pencil type	reference drawing
Yanmar 6HYM-WET; PMX6, PMX8 series									
01311 original code: 27200-300400	ZN	0,200	0.441	mm 40 inch 1.57"	40 1.57"	20 0.79"	M8		T7 
6LAH-STE									
01310 original code: 27200-400400	ZN	0,360	0.794	mm 40 inch 1.57"	40 1.57"	25 0.98"	M10		T7 
Yanmar YSE 8, 8PS, YSE 12, 12PSP									
01308 original code: 104211-41300	ZN	0,155	0.342	mm 20 inch 0.79"	68 2.68"	10 0.39"	M8		T8 
Yanmar 1GM, 6LY3 series									
NEW 01321 original code: 27210-200200	ZN	0,030	0.066	mm 12,7 inch 0.50"	38 1.50"	10 0.39"	3/8" UNC		T1 
Yanmar 2GM, 3GM, 3HM, 2QM, 3QM, YSB8-12, YSM8-12 series									
01317 original code: 27210-200300	ZN	0,075	0.165	mm 16 inch 0.63"	50 1.97"	10 0.39"	7/16" UNC		T1
Yanmar 6CX-ETE series (x12)									
01318 (alias 01316) original code: 27210-200370	ZN	0,025	0.055	mm 12 inch 0.47"	30 1.18"	10 0.39"	3/8" UNC		T1
Yanmar SD20, SD25, SD30, SD31; 4LH-STE and 6LY-STE, 6LY-UTE series									
NEW 01320 original code: 27210-200550 - 177301-54900	ZN	0,030	0.066	mm 15 inch 0.59"	20 0.79"	10 0.39"	M8		T1



















COD/note	Brass Plug only	kg	lbs	a	b	c	brass plug type	reference drawing
NEW 01321TP		0,040	0.088	mm 3/8" NPT inch	3/8" UNC	19 0.75"		2TP 
01317TP		0,055	0.121	mm 1/2" GAS CONICO (bspt) inch	7/16" UNC	22 0.87"		2TP
01318TP (alias 01316TP)		0,029	0.064	mm 3/8" GAS CONICO (bspt) inch	3/8" UNC	17 0.67"		2TP
NEW 01320TP original code: 120650-18530		0,040	0.088	mm 18x1,5 inch	M8	23 0.91"		2TP

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
NEW 01321T original code: 119574-44150		0,070	0.154	mm 12,7 inch 1/2"	38 1,50"	3/8" NPT	19 0.75"		2T 
01317T original code: 119574-18790		0,130	0.287	mm 16 inch 0.63"	50 1.97"	1/2" GAS CONICO (bspt)	22 0.87"		2T

YANMAR

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
01318T (alias 01316T)		0,060	0.132	<i>mm</i> 12 <i>inch</i> 0.47"	30 1.18"	3/8" GAS CONICO (bspt)	17 0.67"		2T 
NEW 01320T original code: 120650-13420		0,070	0.154	<i>mm</i> 15 <i>inch</i> 0.59"	20 0.79"	18x1,5	23 0.91"		2T 

ZF

COD/note	complete with brass plug	kg	lbs	Ø	l	a	c	pencil type	reference drawing
06002T original code: 3311301055 same as: 02070T		0,030	0.066	<i>mm</i> 10 <i>inch</i> 0.39"	18 0.71"	1/4" GAS CONICO (bspt)	14 0.56"		2T 
06002TMG original code: 3311301055		0,010	0.022	<i>mm</i> 10 <i>inch</i> 0.39"	18 0.71"	1/4" GAS CONICO (bspt)	14 0.56"		2T 
06003T		0,060	0.132	<i>mm</i> 12 <i>inch</i> 0.47"	26 1.02"	3/8" GAS CONICO (bspt)	18 0.71"		2T 
06003TMG		0,020	0.044	<i>mm</i> 12 <i>inch</i> 0.47"	26 1.02"	3/8" GAS CONICO (bspt)	18 0.71"		2T 
01320 original code: 3217307021-01		0,070	0.154	<i>mm</i> 15 <i>inch</i> 0.59"	20 0.79"	18x1,5	22 0.87"		2T 
NEW 06012T original code: 3217108021		0,100	0.220	<i>mm</i> 15 <i>inch</i> 0.59"	63 2.48"	18x1,5	22 0.87"		2T 

UK TYPE


UK TYPE PENCIL ANODE WITH STEEL INSERT

With mild steel insert

Main market



Heavy duty



prod: m

COD		kg	lbs		Ø	l	l1	b
NEW 20011	ZN	0,031	0.068	mm inch	9,5 3/8"	51 2"	10 0.39"	3/8"UNC
NEW 20019	ZN	0,044	0.097	mm inch	9,5 3/8"	76,2 3"	10 0.39"	3/8"UNC
NEW 20012	ZN	0,057	0.125	mm inch	9,5 3/8"	101,6 4"	10 0.39"	3/8"UNC
NEW 20013	ZN	0,055	0.121	mm inch	12,7 1/2"	51 2"	10 0.39"	3/8"UNC
NEW 20014	ZN	0,101	0.222	mm inch	12,7 1/2"	101,6 4"	10 0.39"	3/8"UNC
NEW 20015	ZN	0,147	0.324	mm inch	12,7 1/2"	152,4 6"	10 0.39"	3/8"UNC
NEW 20016	ZN	0,087	0.192	mm inch	16 5/8"	51 2"	10 0.39"	3/8"UNC
NEW 20020	ZN	0,124	0,273	mm inch	16 5/8"	76,2 3"	10 0,39"	3/8"UNC
NEW 20021	ZN	0,160	0.353	mm inch	16 5/8"	101,6 4"	10 0.39"	3/8"UNC
NEW 20022	ZN	0,233	0,514	mm inch	16 5/8"	152,4 6"	10 0,39"	3/8"UNC
NEW 20017	ZN	0,123	0.271	mm inch	19 3/4"	51 2"	10 0.39"	5/8"UNC
NEW 20023	ZN	0,174	0.385	mm inch	19 3/4"	76,2 3"	10 0.39"	5/8"UNC
NEW 20024	ZN	0,226	0.498	mm inch	19 3/4"	101,6 4"	10 0.39"	5/8"UNC
NEW 20018	ZN	0,329	0.724	mm inch	19 3/4"	152,4 6"	10 0.39"	5/8"UNC
NEW 20008	ZN	0,242	0.534	mm inch	27,7 1.05"	51 2"	10 0.39"	3/4"UNC
NEW 20009	ZN	0,344	0.758	mm inch	27,7 1.05"	76,2 3"	10 0.39"	3/4"UNC
NEW 20010	ZN	0,445	0.981	mm inch	27,7 1.05"	101,6 4"	10 0.39"	3/4"UNC
NEW 20025	ZN	0,647	1.427	mm inch	27,7 1.05"	152,4 6"	10 0.39"	3/4"UNC

4.3



INBOARD ENGINES

USA TYPE

USA PENCIL ANODE UNIVERSAL TYPE

Zinc only

Main market



prod: m



COD		kg	lbs		Ø	l	l1	b
TEC-E00-Z	ZN	0,012	0.026	mm inch	6,35 1/4"	51 2"	8 0,31"	1/4"UNC
TEC-E00A-Z	ZN	0,003	0.007	mm inch	6,35 1/4"	12,7 1/2"	8 0.31"	1/4"UNC
TEC-E0-Z	ZN	0,022	0.049	mm inch	9,5 3/8"	44 1-3/4"	10 0.39"	5/16"UNC
TEC-E0A-Z	ZN	0,035	0.077	mm inch	9,5 3/8"	64 2-1/2"	10 0.39"	5/16"UNC
TEC-E0B-Z	ZN	0,012	0.026	mm inch	9,5 3/8"	19 3/4"	10 0.39"	5/16"UNC
TEC-E0C-Z	ZN	0,020	0.044	mm inch	9,5 3/8"	38 1-1/2"	10 0.39"	1/4"UNC
TEC-E1-Z	ZN	0,046	0.101	mm inch	12,7 1/2"	51 2"	12 0.47"	3/8"UNC
TEC-E1D-Z	ZN	0,041	0.090	mm inch	12,7 1/2"	44 1-3/4"	12 0.47"	3/8"UNC
TEC-E1E-Z	ZN	0,035	0.077	mm inch	12,7 1/2"	38 1-1/2"	12 0.47"	3/8"UNC
TEC-E1F-Z	ZN	0,030	0.066	mm inch	12,7 1/2"	32 1-1/4"	12 0.47"	3/8"UNC
TEC-E1G-Z	ZN	0,027	0.060	mm inch	12,7 1/2"	25 1.00"	12 0.47"	3/8"UNC
TEC-E1H-Z	ZN	0,030	0.066	mm inch	9,5 3/8"	51 2"	12 0.47"	3/8"UNC
TEC-E2-Z	ZN	0,073	0.161	mm inch	16 5/8"	51 2"	12 0.47"	7/16"UNC
TEC-E2A-Z	ZN	0,040	0.088	mm inch	16 5/8"	25 1.00"	12 0.47"	7/16"UNC
TEC-E2B-Z	ZN	0,112	0.247	mm inch	16 5/8"	76 3"	12 0.47"	7/16"UNC
TEC-E2C-Z	ZN	0,057	0.126	mm inch	16 5/8"	38 1-1/2"	12 0.47"	7/16"UNC
TEC-E3-Z	ZN	0,107	0.236	mm inch	19 3/4"	51 2"	12 0.47"	1/2"UNC
TEC-E4-Z	ZN	0,176	0.388	mm inch	19 3/4"	86 3-3/8"	13 0.51"	1/2"UNC
TEC-E5-Z	ZN	0,195	0.430	mm inch	19 3/4"	92 3-5/8"	13 0.51"	1/2"UNC
TEC-E7-Z	ZN	0,550	1.213	mm inch	27 1-1/16"	127 5"	13 0.51"	3/4"UNC
TEC-E8-Z	ZN	0,350	0.772	mm inch	32 1-1/4"	57 2"-1/4"	13 0.51"	3/4"UNC
TEC-E8A-Z	ZN	0,650	1.433	mm inch	27 1-1/16"	152 6"	13 0.51"	3/4"UNC

USA TYPE

USA PENCIL ANODE UNIVERSAL TYPE

Complete with brass plug

Main market



prod: m

COD		kg	lbs		Ø	l	a	c
TEC-E00		0,030	0.066	mm inch	6,35 1/4"	51 2"	1/8"NPT	11 7/16"
TEC-E0		0,040	0.088	mm inch	9,5 3/8"	44 1-3/4"	1/4"NPT	12,7 1/2"
TEC-E0A		0,045	0.099	mm inch	9,5 3/8"	64 2-1/2"	1/4"NPT	12,7 1/2"
TEC-E0B		0,030	0.066	mm inch	9,5 3/8"	19 3/4"	1/4"NPT	12,7 1/2"
TEC-E1		0,065	0.143	mm inch	12,7 1/2"	51 2"	3/8"NPT	17,5 11/16"
TEC-E1D		0,065	0.143	mm inch	12,7 1/2"	44 1-3/4"	3/8"NPT	17,5 11/16"
TEC-E1E		0,065	0.143	mm inch	12,7 1/2"	38 1-1/2"	3/8"NPT	17,5 11/16"
TEC-E1F		0,065	0.143	mm inch	12,7 1/2"	32 1-1/4"	3/8"NPT	17,5 11/16"
TEC-E1G		0,065	0.143	mm inch	12,7 1/2"	25 1.00"	3/8"NPT	17,5 11/16"
TEC-E1H		0,045	0.099	mm inch	9,5 3/8"	51 2"	3/8"NPT	17,5 11/16"
TEC-E2		0,120	0.265	mm inch	16 5/8"	51 2"	1/2"NPT	22 7/8"
TEC-E2A		0,120	0.265	mm inch	16 5/8"	25 1.00"	1/2"NPT	22 7/8"
TEC-E2B		0,120	0.265	mm inch	16 5/8"	76 3"	1/2"NPT	22 7/8"
TEC-E2C		0,120	0.265	mm inch	16 5/8"	38 1-1/2"	1/2"NPT	22 7/8"
TEC-E3		0,500	1.102	mm inch	19 3/4"	51 2"	3/4"NPT	27 1-1/16"
TEC-E4		0,570	1.257	mm inch	19 3/4"	86 3-3/8"	3/4"NPT	27 1-1/16"
TEC-E5		0,590	1.301	mm inch	19 3/4"	92 3-5/8"	3/4"NPT	27 1-1/16"

4.3

INBOARD ENGINES

GALVION ELEMENTS

GALVION ELEMENTS PENCIL WITH INSERT

Galvanised steel core
Zinc only



Main market



Smart idea



20002
20000
20004
20005
20006



20007
20003-1

prod: m

COD		kg	lbs		Ø	l	l1	b	m
NEW 20002	ZN	0,017	0.037	mm	12,7	19	8	12/28"UNF	12/28"UNF
original code: G500				inch	0.50"	0.75"	0.31"		
NEW 20000	ZN	0,027	0.060	mm	15,7	19	8	12/28"UNF	12/28"UNF
original code: G625				inch	0.62"	0.75"	0.31"		
NEW 20004	ZN	0,040	0.088	mm	20,7	19	8	12/28"UNF	12/28"UNF
original code: G825				inch	0.81"	0.75"	0.31"		
NEW 20005	ZN	0,040	0.088	mm	20,7	19	8	M6	M6
original code: G825M6				inch	0.81"	0.75"	0.31"		
NEW 20006	ZN	0,074	0.163	mm	26,7	19	8	12/28"UNF	12/28"UNF
original code: G1050				inch	1.05"	0.75"	0.31"		
NEW 20007	ZN	0,073	0.161	mm	26,7	19			M6
original code: G1050M2				inch	1.05"	0.75"			
NEW 20003-1	ZN	0,150	0.331	mm	38	19			M6
original code: G1500(M)				inch	1.50"	0.75"			





Condaria *pag. 400*

Fernstrum Keel Cooler *pag. 400*

Frigoboat *pag. 401*

Rods with plug *pag. 401*

Isotherm *pag. 402*

Walter Keel Coolers *pag. 403*

5.1

MISCELLANEOUS ANODES


Refrigeration, Air conditioning,
Fluids cooling



CONDARIA

CONDARIA PENCIL ANODE FOR A/C SYSTEM

A/C - ref





prod: m

COD		kg	lbs		Ø	l	l1	b	Ø1
02650	ZN	0,100	0.220	mm inch	26 1.02"	23 0.91"	15 0.59"	M12Sx	3,6 0.14"
02651	ZN	0,075	0.170	mm inch	29 1.14"	15 0.59"	15 0.59"	M12Sx	3,7 0.15"
02652	ZN	0,150	0.330	mm inch	29 1.14"	30 1.18"	15 0.59"	M12Sx	3,9 0.16"

FERNSTRUM KEEL COOLER

FENSTRUM KEEL COOLER ANODES




original part number: (FKC-01) 26244 (FKC-02) 18744 (FKC-03) 28744 prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1	Ø2
FKC-01	ZN	0,785	1.730	mm inch	126 4.96"	51 2.01"	22 0.87"	82 3.23"	14 0.55"	27 1.06"	24 0.06"
FKC-02	ZN	1,380	3.040	mm inch	180 7.09"	51 2.01"	26 1.02"	82 3.23"	14 0.55"	27 1.06"	24 0.06"
FKC-03	ZN	1,950	4.300	mm inch	229 9.02"	51 2.01"	26 1.02"	102 4.00"	14 0.55"	27 1.06"	24 0.06"

FRIGOBOAT

FRIGOBOAT WATER FILTER ANODE

A/C - ref






original part number: **E51525** prod: **m**

COD		kg	lbs		Ø	h	Ø1
02600	ZN	0,040	0.090	mm	35	6,5	5
				inch	1.38"	0.26"	0.20"

RODS WITH PLUG

RODS WITH PLUG

Complete with plug




prod: **m**

COD		kg	lbs		l	a	Ø	Ø1	m
00601-4T (Zinc + Brass)		0,810	1.790	mm	211	1" GAS (bspp)	25	19	
				inch	8.31"		0.98"	0.75"	
00602-6ALT (Zinc + Steel plug)		0,560	1.230	mm	600	3/4" NPT	20	17	
				inch	23.62"		0.79"	1.14"	
00612-6T	ZN	2,000	4.410	mm	80		69		M16
				inch	3.15"		2.72"		

ISOTHERM

ISOTHERM COLLAR FOR BOILERS

A/C - ref Boiler




prod: m

COD		kg	lbs		h	i	Ø	Ø1	Ø2
01450		0,240	0.530	mm	10	42	101	52	5
01450MG		0,060	0.130	inch	0.39"	1.65"	3.98"	2.05"	0.20"

ISOTHERM PENCIL ANODE FOR BOILERS

A/C - ref




prod: m

COD		kg	lbs		l	a	c	Ø
01451		0,080	0.180	mm	37	1/2"	37	17
	(Zinc + Brass)			inch	1.46"	Gas Conico (Bspst)	1.46"	0.67"

ISOTHERM PENCIL ANODE FOR BOILERS

A/C - ref



prod: m

COD		kg	lbs		l	a	c	Ø
01452		0,080	0.180	mm	30	1/4"	14	8
	(Zinc + Brass)			inch	1.18"	Gas Conico (Bspst)	0.55"	0.31"

WALTER KEEL COOLERS

WALTER KEEL COOLERS ANODE



prod: m

COD		kg	lbs		a	b	h
WKC58	ZN	0,260	0.570	mm	159	22	12
				inch	6.26"	0.86"	0.47"

WALTER KEEL COOLERS ANODE



prod: m

COD		kg	lbs		a	b	c	h
WKC453	ZN	0,115	0.250	mm	86	22	9	10
				inch	3.39"	0.86"	0.35"	0.39"

WALTER KEEL COOLERS ANODE




prod: m

COD		kg	lbs		a	b	c	d	h
WKC473	ZN	0,340	0.750	mm	172	32	15	115	10
				inch	6.77"	1.25"	0.59"	4.53"	0.39"

WALTER KEEL COOLERS

WALTER KEEL COOLERS ANODE

Main market




prod: m

COD		kg	lbs		a	b	h	Ø
WKCKK1	ZN	0,470	1.040	mm	81	65	27	10
				inch	3.19"	2.55"	1.06"	0.39"

WALTER KEEL COOLERS ANODE

Main market




prod: m

COD		kg	lbs		a	b	h	Ø
WKCKK2	ZN	0,550	1.210	mm	80	65	27	10
				inch	3.15"	2.55"	1.06"	0.39"

WALTER KEEL COOLERS ANODE

Main market



prod: m

COD		kg	lbs		a	b	h	Ø
WKCKK3	ZN	1,450	3.200	mm	133	88	42	9
				inch	5,24"	3.46"	1,65"	0,35"



Buoy anodes *pag. 408*

Crab trap anodes *pag. 408*

De-Icer *pag. 408*

Grundfoss *pag. 409*

Kirby Morgan *pag. 410*

Grindex *pag. 411*

Zinc spray *pag. 411*

Ground Plates *pag. 412*

Portable Test Indicator *pag. 413*

Tecnofouling System *pag. 414*

5.2

MISCELLANEOUS ANODES



Various application



BUOY ANODES

PLATE FOR STANDING BUOY WITH STAINLESS STEEL INSERT

Boa/Buoy





prod: m

COD		kg	lbs		l	a	b	c	h	Ø
00170	ZN	0,170	0.370	mm	86	40	20	40	15	22
				inch	3.39"	1.57"	0.78"	1.57"	0.59"	0.87"

CRAB TRAP ANODES

CRAB TRAP ANODE

Crab



prod: m

COD		kg	lbs		l	l1	a	b	h
CTRP	ZN	0,350	0.770	mm	310	116	26	2	23
				inch	12.20"	4.57"	1.02"	0.08"	0.91"


DE-ICER

DE-ICER AREATOR ANODE
ANODO PER AERATORE DE-ICER

defrost



Main market



prod: m


COD		kg	lbs		h	Ø	Ø1
TKA01	ZN	0,150	0,33	mm	32	38	16
TKA01AL	AL	0,060	0,13				
TKA01MG	MG	0,040	0,09	inch	1.26"	1.50"	0.62"
TKA02	ZN	0,145	0,32	mm	32	38	12,7
TKA02AL	AL	0,057	0,13				
TKA02MG	MG	0,037	0,08	inch	1.26"	1.50"	0.50"

GRUNDFOSS

GRUNDFOSS WATER PUMP
ANODE

Various sizes available

water pump



prod: m

COD		kg	lbs		l	a	b	c	h	i	i1	Ø
GRUN-12	ZN	0,250	5.520	mm	460	100	18	20	1	40	36	7
				<i>inch</i>	18.11"	3.94"	0.47"	0.79"	0.04"	1.57"	1.42"	0.28"
GRUN-9	ZN	1,860	4.100	mm	345	100	18	20	1	40	36	7
				<i>inch</i>	13,58"	3.94"	0.47"	0.79"	0.04"	1.57"	1.42"	0.28"

5.2

VARIOUS APPLICATION

KIRBY MORGAN

KIRBY MORGAN WHISKER ANODE

Divers friendly




original part number: **560-300**

prod: **m**

COD		kg	lbs		l	h	i	Ø
KBM01	ZN	0,054	0.120	mm inch	44,9 1.77"	8,3 0.33"	31,9 1.26"	4,5 0.18"

SLEEVE ANODE

Divers friendly



original part number: **560-304**

prod: **m**

COD		kg	lbs		l	a	i	Ø	Ø1
KBM02	ZN	0,034	0.070	mm inch	60 2.36"	6 0.33"	28,5 1.12"	17,5 0.69"	9,7 0.38"

SIDE SQUARE ANODE

Divers friendly



original part number: **560-307**


prod: **m**

COD		kg	lbs		l	a	h	Ø
KBM03	ZN	0,056	0.120	mm inch	22,5 0.89"	22,5 0.89"	8 0.31"	5,4 0.21"

KIT FOR KIRBY MORGAN HELMETS

prod: **m**

Divers friendly




COD		kg	lbs		notes
KITKIRBY-A	ZN	0,260	0.570		2 x KBM01 1 x KBM02 2 x KBM03

GRINDEX

GRINDEX SUBMERSIBLE WATER PUMP ANODE

water pump





prod: m

COD		kg	lbs		l	l1	a	h	Ø	Ø1
GRIN-1	ZN	0,350	0.770	mm inch	78 3.07"	72 2.83"	22 0.87"	30 1.18"	17 0.67"	10,5 0.41"

5.2

GRINDEX SUBMERSIBLE WATER PUMP ANODE

water pump



prod: m

COD		kg	lbs		l	a	h	i	Ø	Ø1
GRIN-2	ZN	0,290	0.640	mm inch	93 3.66"	42 1.65"	15 0.59"	50 1.97"	15 0.59"	7 0.28"

ZINC SPRAY

ZINC SPRAY FOR COATING UNDERWATER EQUIPMENT

Paint



ZINC SPRAY

Tecnoseal Zinc spray tanks give the best recoating for underwater equipment, anchors, chains, etc.

prod: m

COD		kg	lbs	
TEC-ZS1		0,369	0.810	High Zinc content


VARIOUS APPLICATION

GROUND PLATES

GROUND PLATES FOR GROUNDING ELECTRICAL APPLIANCES ON BOARD

Porous bronze alloy

terra/earth



GROUND PLATES

The plate of porous material is a device installed on the keel to discharge the mass of electrical appliances (eg fridge) or electronic equipment (eg mobile phone) or satellite system and particularly the lightning rod.

It is essential for the proper running of these instruments, the plate mass is essentially composed of a of gilded bronze and sintered tablet to be fixed under the hull using special screws and properly connected equipment.

It is extremely important to remember that these plates do not act nor replace the sacrificial anodes, but their use is always associated with using them.

prod: m

COD		kg	lbs		l	a	i	h	Ø	Superf./Surface
PMSEAGROUND0	ZN	0,560	1,23	mm	155	50	68	13		1.00 m ²
PMSEAGROUND1	ZN	0,560	1,23	mm	200	65	103	13		1.80m ²
PMSEAGROUND2	ZN	0,560	1,23	mm	300	80	216	12		3.00m ²
PMSEAGROUND3	ZN	0,560	1,23	mm				13	128	1.50 m ²
PMSEAGROUND4 4 holes / 4 fori	ZN	0,560	1,23	mm	455	150	255x75	13		8.00 m ²

PORTABLE TEST INDICATOR



Digital Multimeter with high input impedance (10 MΩ)

Portable Cu/CuSO₄ (Copper/Copper sulphate) reference electrode

Tip for a direct connection with the metal structure

Portable Ag/Gal (Silver/Silver chloride) reference electrode

5.2

PROTECT TEST PORTABLE


The Protect Test Portable (PTP) is an instrument for testing the corrosion level in marine and industrial applications.

Thanks to this instrument, it is possible to easily measure and control the following aspects:

- corrosion process measurement on a metallic structure within a marine environment or buried industrial applications;
- efficiency of the cathodic protection provided by sacrificial anodes for maintenance reasons;
- identification of unprotected areas in an existing cathodic protection system.

An accurate verification of the structure to be protected allows you to keep the cathodic protection system under control by verifying the electrical state of the structure itself.

You can, therefore, periodically check the electrical state of a structure, performing measures of the potential structure / electrolyte using special instruments.



Optionals:

- 1 Portable zinc Reference Electrode
- 1 Bottle containing 100 cc of a saturated solution of CuSO₄ for filling the electrode Cu/CuSO₄
- 1 Dismantling key of the reference electrode Cu/CuSO₄
- 1 Porous (ceramic cap) parts of the electrode Cu/CuSO₄

TECNOFOULING ELECTROLYTIC ANTIFOULING SYSTEM - M.G.P.S.


FOR YACHTS 10 METER AND UP

WHAT IS FOULING?


“Marine Fouling” is generally used to describe the settlement and growth of marine plants and animals on submerged structures, like ships’ hull and the internal surface of pipework used to carry coolant water for yacht and ships. Fouling can reduce or block the flow of cooling water to a boat systems, resulting in the following factors: reduced performance of the heat transfer system, overheating of water-cooled machinery as well as vital fire-fighting equipment, refrigeration and air conditioning units.

FUNCTIONALITY

The Tecnofouling system dissolves copper and alternatively aluminium or iron based anodes in the seawater system. The anode dissolution prevents settlement of organisms and the development of fouling.



ANODES INSTALLED IN SEA CHEST



ANODES INTALLED IN STRAINES





ANODES INTALLED IN STRAINES


KEY POINTS





CONTROL UNIT


- 

EFFICENCY
Better performance of all the sea water cooled systems on board.
- 

FULLY CUSTOMIZABLE
Also available for smaller size yachts with different types of voltage/ frequency.
- 

INTERFACEABLE
with the Bus communication system on board for a fully remote control.
- 

EASY TO INSTALL
Self standing system, no need to take the boat out of the water during installation.
- 

LOW MAINTENANCE
Fully automatic system. It requires only the periodic copper anode replacement.
- 

COST-EFFECTIVE
Low operational cost and inexpensive spare parts needed.



ABOUT CATHODIC PROTECTION

The most effective method to control undesirable effects of metal corrosion is Cathodic protection. This technique, used worldwide since the 1930's was originally introduced in the early nineteenth century to meet the needs of the British Navy and also used, with excellent results, for the protection of underground structures. When it comes to Cathodic protection, especially in the leisure craft, industry (leisure craft industry) we usually think of sacrificial anodes. In fact the method is essentially divided into two clearly defined technical areas: passive Cathodic protection (sacrificial anodes) and active Cathodic protection (impressed current). Both techniques offer protection of metallic structures that are subject to wet corrosion.

This is achieved by lowering the natural electrochemical potential of the metal to be protected by inducing a flow of current between the anode and the cathode (structure).

There are many fields of application of Cathodic protection: marine (nautical, commercial, offshore, inshore, industrial, etc.) to land applications (aqueducts, pipelines, oil pipelines, etc.) as well as those applications where you need a specific defence against electrochemical corrosion.

Sacrificial anodes, more commonly known as "zincs", are installed at specific locations on the underwater section of a hull as part of a passive cathodic protection system. The objective is to protect any metal structures immersed in water, from corrosion.

The principle of operation is very simple: the anode is made of an alloy which has an electrochemical potential less than most metals used on a boat, which enables an electrochemical process to take place.

A current will flow from the anode to the cathode (the metal structure to be protected) to equalise the potential difference, resulting in the loss of electrons by the anode and its accelerated dissolution in water. Consequently, the metal structure in contact with the anode, has a greater reserve of electrons that are also utilised to power the electrochemical process which otherwise would have contributed to the corrosion of its surface.

In this situation the metal is protected from the electrochemical corrosion, depending on the type, quantity of anodes fitted and their relative position.

To achieve this type of protection it is essential to create a potential difference which induces a current flow between the anode and cathode.


This is only possible by connecting the metal material to be protected, with a metal of lower nobility; as a consequence this will work as a sacrificial anode.

Our objective in practise, whenever we install sacrificial anodes on a metal structure, is to bring the electrochemical potential of the metal to be protected to a certain value (the so called protection level) that generally appears to be more negative than the initial one.



GALVANIC SERIES CHART

Corrosion potentials of materials in flowing seawater.



GALVANIC SCALE

In order to protect a metal from corrosion, you have to sacrifice a more active one in its place. The most common metals used for this purpose are zinc, aluminum and magnesium.

These metals act as anodes to the considered structure and the sacrificed material protects the structure itself, hence the words "sacrificial anode".

Most metals have the ability to be oxidized (corrode) but some more easily than others.

Its relative index on the galvanic scale determines the corrosion rate.

Elements are listed according to their increasing nobility (from the top to bottom). Towards the bottom you find the elements with a lower electrochemical potential which, in a cathodic reaction, will corrode and form an anodic area as long as they are in continuity with an element of higher nobility. In addition, metals and alloys close to each other have less tendency to form strong galvanic pairs thus their coupling, in the presence of an electrolyte, is less of a concern than when contact is made between metals or alloys much further apart on the scale.

SACRIFICIAL ANODES

Materials used for sacrificial anodes

For passive cathodic protection, sacrificial anodes are used. These can be made up of various alloys which makes them suitable for use in different environments. The electrochemical potential according to the galvanic or nobility scale of the materials previously illustrated, shows which metal can be sacrificed to protect another one based on their position in the above-mentioned scale, with certain alloys more suited to some environments than others. For example, in fresh water the most appropriate and popular alloy used is magnesium.

Listed below are the internationally certified alloys used for the production of sacrificial anodes and their features.

ALLOY SPECIFICATION OF TECNOSEAL STANDARD PRODUCTION

Tecnoseal is casting the standard anodes using the following reference specification.

Element		ZINC ALLOY according US MIL Spec. A-18001K	ALUMINIUM ALLOY according US MIL Spec. A24779 SH • CADMIUM FREE •	MAGNESIUM ALLOY according US MIL Spec. A21412SH • CADMIUM FREE •
		Range %		
Aluminium	Al	0,10-0,5	Remainder	5,00-7,00
Cadmium	Cd	0,025-0,07	-	-
Copper	Cu	0,005 max.	0,004 max.	0,01 max.
Indium	In	-	0,014-0,02	-
Iron	Fe	0,005 max.	0,08 max.	0,03 max.
Magnesium	Mg	-	-	Remainder
Nichel	Ni	-	-	0,003 max.
Silicon	Si	-	0,08-0,20	0,03 max.
Zinc	Zn	Remainder	4,0-6,5	2,00-4,00
Others Total	-	0,10 max.	0,10 max.	0,30 max.
Nominal electrical capacity				
		780 AmpHr/kg	2700 AmpHr/kg	1105 AmpHr/kg
Nominal open circuit potential				
		-1050 mV Ag/AgCl reference cell	-1100 mV Ag/AgCl reference cell	-1550 mV Ag/AgCl reference cell
Density - <i>Peso específico</i>				
		7,14 g/cm3	2,80 g/cm3	1,80 g/cm3

ZINC anodes

Several alloys are available which comply with the U.S.MIL American standard, such as type 18001-H (J-K), characterized by the addition of cadmium and aluminum. These are ideal for use in sea water, but also used in lakes and rivers.

You can also get a strong anodic behaviour from zinc with a high purity (99.995%) without the addition of other elements.

It is good practice to change anodes regularly, even if there has been little corrosion.

Use with temperatures that exceed 55 ° C is not recommended.

ALUMINIUM anodes (cadmium free)

There are many different types of aluminium alloy anode currently available. These are characterized by the addition of impurities such as zinc and indium. The exact contents of these impurities is important, particularly in the cases of iron and copper which should not exceed 0.15% and 0.005% respectively.


The main characteristic of an aluminium anode is the high nominal electrical capacity, which is three times higher than the same mass in zinc. By using aluminium in structures instead of zinc anodes, you require significantly less aluminium anodes and it is therefore easier to manage their underwater installation or subsequent replacement. Aluminium anodes are frequently used in industrial sectors, such as offshore platforms or pipeline systems, where a long-term protection is required, usually over 15 years, and where anodes replacement is expensive and difficult.

They are also used in the commercial sector, such as cargo ships, tankers or cruisers or where there are long periods between planned dry dock activity. They are recommended for hulls which remain permanently in water (such as barges, house boats etc.). More recently, many outboard engine manufacturers switched to using aluminium anodes due to the growing objection to the continued usage of zinc anodes in some parts of the world. Cadmium which is a material always present in zinc alloy, can be considered harmful to the sea.

MAGNESIUM anodes

Magnesium alloys, which have potentials above 1500 mV (ref. Cu / CuSO₄), are mainly used in the presence of high resistivity electrolytes (fresh water, soil, etc.)

All of them are characterized by the addition of manganese 0.2 ÷ 1.2% and for the most common versions zinc 2 ÷ 4% and aluminum 5 ÷ 6%. These types can also be used in the presence of high temperatures, such as inside a boiler. They are also suitable for structures that require fast effects or temporary cathodic protection. Magnesium anodes have a performance of around 50% and while they have a fast-acting use in marine environments, they also deliver a high degree of protection. However, due to the speed at which they corrode, they are not recommended for use in brackish waters. Another limit to their use is the fact that magnesium is a metal which can be difficult to store. It begins to corrode with the slightest moisture in the atmosphere and is difficult to machine due to its potential to become a fire hazard.



Look through our comprehensive collection of boat anodes right away.