SAFETY DATA SHEET

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:...........WEST SYSTEM® 713 Episize™ Unidirectional Glass Tape, WEST SYSTEM 729 Episize™ Glass

Tape, WEST SYSTEM 731 Episize™ Glass Tape, WEST SYSTEM 732 Episize™ Glass Tape

and WEST SYSTEM 733 Episize™ Glass Tape. **APPLICABLE PRODUCT CODES:**713-50, 729, 729-10, 731, 732, 732-10 and 733

PRODUCT RESTRICTIONS:None identified.

SDS VERSION:713, 729, 731, 732 and 733-2019a

HAZARDS IDENTIFICATION

Classification of Substance or Mixture

Hazards Not Otherwise Classified (HNOC)

Label Elements

Hazard Pictogram(s):

No data available

Signal Word:

WARNING

Hazard Statements:

No data available

Precautionary Statements:

No data available

Other Hazards:

As supplied, the glass fibers in this product are non-respirable. Continuous filament glass fibers that are chopped, crushed, sanded or otherwise mechanically processed may contain very small amounts of respirable particulate, some of which may be in the form of glass shards. Glass fragments or shards may cause temporary mechanical eye, skin and respiratory irritation and itching.

COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

INGREDIENT NAME	CAS#	CONCENTRATION (%)
Continuous filament, non-respirable, glass fiber	65997-17-3	80-100
Sizing	Trade Secret	1-5

The exact chemical identity and/or exact percentage (concentration) of each ingredient may be held as confidential business information (CBI). Any ingredient not disclosed in this section may have been determined not to be hazardous to health or the environment, or it may be present at a level below its disclosure threshold.

FIRST AID MEASURES

	SYMPTOMS: May cause mechanical irritation and redness. RESPONSE: act lenses if present and easy to do. Consult a physician as precautionary
FIRST AID FOR SKINmechanical irritation. RESPONSE: Remove contaminated clothing.	SYMPTOMS: Skin contact with glass shards may cause temporary Wash, lather skin with soap and rinse with warm, flowing water.
FIRST AID FOR INHALATIONrespiratory irritation occurs. Consult a physician if irritation or cough	SYMPTOMS: Irritation and cough. RESPONSE: Remove to fresh air if a develops and persists.
	SYMPTOMS: Not a likely route of exposure. No acute adverse health

FIRE FIGHTING MEASURES		
EXTINGUISHING MEDIA: SUITABLE: None known.	SUITABLE: Foam,	carbon dioxide (CO ₂), water, dry chemical. NON-
FIRE AND EXPLOSION HAZARDS:combustible. During a fire, smoke may contain carbon monoxi undetermined composition and toxicity.		
SPECIAL FIRE FIGHTING PROCEDURES: protective equipment.	Wear a self-contair	ned breathing apparatus and complete full-body perso
ACCIDENTAL RELEASE MEASURES		
EMERGENCY PROCEDURES: appropriate safety and personal protective equipment as indicated as indic		and unprotected personnel from entering area. Use
MITIGATION AND CLEAN UP PROCEDURES:or vacuum in a manner as to avoid generating additional airbo		ff air movement. Material will settle out of the air. Swee
ENVIRONMENTAL PRECAUTIONS:Prevent from entering into soil, ditches, sewers, waterways an		
HANDLING AND STORAGE		
STORAGE TEMPERATURE (min./max.):	Store at or below 2	25°C (77°F)
STORAGE:generation. Store in environment with less than 65% relative h		
HANDLING PRECAUTIONS:	A = ==================================	
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before	erwise mechanically proces Avoid generating excessive	sed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards.	erwise mechanically proces Avoid generating excessive	sed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	sed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts.
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits.	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	e general ventilation and/or local ventilation to keep
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS:	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	seed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts. The general ventilation and/or local ventilation to keep in side shields or chemical splash goggles. The specific protect other exposed skin areas. Consider
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before the control of the control	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	seed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts. e general ventilation and/or local ventilation to keep in side shields or chemical splash goggles. Eves and protect other exposed skin areas. Consider contamination with glass fibers or glass shards. Eass fibers in this product are non-respirable. Continuous sed may contain very small amounts of respirable e made adequate enough to keep exposures below iciency or better, depending on specific workplace and cartridge based on ingredients listed in Section 3 and services.
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before the particulate, some of which may be in the form of glass shards. The properties of the form of glass shards. EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: SKIN PROTECTION GUIDELINES: wearing a light-weight, full body-covering protective clothing the properties of glass shards. The form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure properties workplace conditions. Use and select a respirator according to the protection standard. ADDITIONAL PROTECTIVE MEASURES:	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	seed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts. e general ventilation and/or local ventilation to keep in side shields or chemical splash goggles. Every and protect other exposed skin areas. Consider contamination with glass fibers or glass shards. Eass fibers in this product are non-respirable. Continuous issed may contain very small amounts of respirable e made adequate enough to keep exposures below iciency or better, depending on specific workplace and cartridge based on ingredients listed in Section 3 and ished in OSHA 1910.134 or other applicable respirator.
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before the control of the control of glass shards. EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: SKIN PROTECTION GUIDELINES: wearing a light-weight, full body-covering protective clothing the control of glass shards. Still of the control of glass shards are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure profits workplace conditions. Use and select a respirator according to the control of the con	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	seed may contain very small amounts of respirable e airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts. e general ventilation and/or local ventilation to keep in side shields or chemical splash goggles. Eves and protect other exposed skin areas. Consider contamination with glass fibers or glass shards. Eass fibers in this product are non-respirable. Continuous sed may contain very small amounts of respirable e made adequate enough to keep exposures below iciency or better, depending on specific workplace and cartridge based on ingredients listed in Section 3 and ished in OSHA 1910.134 or other applicable respirator ion and personal cleanliness to avoid inhalation and situation to be established for this product as a whole. For
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before the control of the control of glass shards. Launder contaminated clothing before the control of the c	erwise mechanically proces Avoid generating excessive ore reuse. Avoid excessive	seed may contain very small amounts of respirable en airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts. The general ventilation and/or local ventilation to keep a side shields or chemical splash goggles. The seed and protect other exposed skin areas. Consider contamination with glass fibers or glass shards. The seed may contain very small amounts of respirable en ade adequate enough to keep exposures below inciency or better, depending on specific workplace and cartridge based on ingredients listed in Section 3 are ished in OSHA 1910.134 or other applicable respirator ion and personal cleanliness to avoid inhalation and slavy not be established for this product as a whole. For sure limit information, refer to the table below.
filament glass fibers that are chopped, crushed, sanded or oth particulate, some of which may be in the form of glass shards. thoroughly after handling. Launder contaminated clothing before the control of the control of glass shards. Launder contaminated clothing before the control of the c	erwise mechanically process Avoid generating excessive ore reuse. Avoid excessive ore reuse. Avoid excessive ore reuse. Avoid excessive ore reuse. Avoid excessive or the excess	seed may contain very small amounts of respirable en airborne dust. Avoid skin and eye contact. Wash inhalation of airborne dusts. The general ventilation and/or local ventilation to keep a side shields or chemical splash goggles. The same protect other exposed skin areas. Consider contamination with glass fibers or glass shards. The same fibers in this product are non-respirable. Continuous sed may contain very small amounts of respirable en made adequate enough to keep exposures below iciency or better, depending on specific workplace and cartridge based on ingredients listed in Section 3 and ished in OSHA 1910.134 or other applicable respirator ion and personal cleanliness to avoid inhalation and single product as a whole. For sure limit information, refer to the table below.

PHYSICAL FORM:	Woven glass fabric; solid.
COLOR:	White to off-white.
ODOR:	No odor.
ODOR THRESHOLD:	No data available.
На	

MELTING POINT / FREEZING POINT	No data available.
BOILING POINT (760mm/Hg):	No data available.
FLASH POINT:	No data available.
AUTO IGNITION TEMPERATURE	No data available.
LOWER EXPLOSIVE LIMIT (LEL)	No data available.
UPPER EXPLOSIVE LIMIT (UEL)	No data available.
VAPOR PRESSURE	No data available.
SPECIFIC GRAVITY/DENSITY (water = 1)	No data available.
BULK DENSITY	No data available.
VAPOR DENSITY (air = 1)	No data available.
EVAPORATIOIN RATE (Butyl Acetate = 1)	No data available.
WATER SOLUBILITY (% BY WT.)	No data available.
PARTITION COEFFICIENT, n-OCTANOL/WATER (log Pow)	No data available.
KINEMATIC VISCOSITY:	No data available.
DECOMPOSITION TEMPERATURE:	No data available.
% VOLATILE BY WEIGHT:	No data available.

small amounts of other combustion products of undetermined composition and toxicity.

10. STABILITY AND REACTIVITY

STABILITY: Product is stable at normal temperatures and pressures.

REACTIVITY/HAZARDOUS REACTIONS: No data available.

INCOMPATIBILITIES: No data available.

CONDITIONS TO AVOID: Avoid excessive heat.

DECOMPOSITION PRODUCTS: During a fire, smoke may contain carbon monoxide, carbon dioxide, and

11. TOXICOLOGICAL AND HAZARD ENDPOINT INFORMATION

Component Name	CAS#	LD ₅₀ Oral	LD ₅₀ Dermal	LC ₅₀ Inhalation
Continuous filament, non-respirable, glass fiber	65997-17-3	No data available	No data available	No data available
Sizing	Trade Secret	No data available	No data available	No data available

ACUTE TOXICITY:	No specific toxicity data exists for this mixture. Classification is
based on acute toxicity estimation methods using ingredient data.	
	Not classified. Based on available data does not meet acute oral
toxicity criteria.	Note that the second second
	Not classified. Based on available data does not meet acute
dermal toxicity criteria.	Not classified. Based on available data does not meet acute inhalation
toxicity criteria.	Not classified. Based on available data does not meet acute innatation
toxicity citiena.	
SKIN CORROSION / IRRITATION:	Not classified. Based on available data does not meet classification criteria.
SERIOUS EYE DAMAGE / IRRITATION:	Not classified. Based on available data does not meet classification criteria.
RESPIRATORY SENSITIZATION:	Not classified. Based on available data does not meet classification criteria.
SKIN SENSITIZATION:	Not classified. Based on available data does not meet classification criteria.
	Not diagoniou. Daoda on available data accomet most diagonication entena.
REPRODUCTIVE TOXICITY:	Not classified. Based on available data does not meet classification criteria.
MUTAGENICITY:	Not classified. Based on available data does not meet classification criteria.
CARCINOCENICITY	Not classified. Based on available data does not meet classification criteria.
CARCINOGENICITY	NOT Classified. Dased off available data does not meet classification criteria.

IARC Class 3 – Not classifiable as to its carcinogenicity to humans.

Animal Study: In 2000, the Institute of Occupational Medicine (IOM) in Scotland published the results of a long term inhalation study on animals exposed to fibers that were manufactured to be RESIRABLE. Animals were exposed to a very high concentration to these RESPIRABLE fibers (1022 fibers/cc for 5 hours/day, 7 days/week for 52 weeks). Exposure to these microfibers resulted in the development of fibrosis, lung cancer and mesothelioma as a result of the fibers being able to reach the lower regions of the lung.

Epidemiology Studies: Two major studies in the US (performed by the University of Pittsburgh) and Europe (performed by the International Agency for Research on Cancer) showed no increase in lung cancer or respiratory disease among people working in production facilities producing NON-RESPIRABLE continuous filament fiberglass. An additional smaller study performed in Canada also did not show an association between exposure of workers to fiberglass and respiratory cancer.

 ASPIRATION HAZARD: Not classified. Based on available data does not meet classification criteria

There are no known long term health effects from long term use or contact with non-respirable continuous filament fibers as supplied in this product. Non-respirable fibers cannot reach the deep lung because they have diameters greater 3.5 micrometers. Fibers of this dimension cannot penetrate the lower regions of the lung and thus having no possibility of serious pulmonary damage. Instead, they deposit on the surfaces of the upper respiratory tract, nose and pharynx. These fibers are then cleared through normal physiological mechanisms.

12. ECOLOGICAL INFORMATION

ADDITIONAL ECOTOXICITY INFORMATION:......Not expected to present an acute or chronic toxicity hazard to the aquatic environment. Prevent release to the environment, sewers and natural waters.

Ingredient	CAS#	Ecotoxicity Classification Information
Continuous filament, non-respirable, glass fiber	65997-17-3	No data available
Sizing	Trade Secret	No data available

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:Evaluation of this product using RCRA criteria shows that it is not a hazardous waste, either by listing or characteristics, in its purchased form. It is the responsibility of the user to determine proper disposal methods.

Recycle, reclamation or landfilling may be preferred methods when conducted in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

US DOT UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP:	Not applicable. Not applicable. Not applicable.
CANADA TDG UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP:	Not applicable. Not applicable. Not applicable.
ICAO/IATA UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP: MARINE POLLUTANT:	Not applicable. Not applicable. Not applicable. Not applicable.
IMDG UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP:	Not applicable. Not applicable. Not applicable.

WEST SYSTEM® 713, 729, 731, 732 and 733 Fiberglass

EmS Number: Not applicable.

MARINE POLLUTANT Not applicable.

15. REGULATORY INFORMATION

COUNTRY	INVENTORY LIST	STATUS
United States	TSCA	All ingredients are listed or otherwise compliant.
Europe	EINECS or ELINCS	All ingredients are listed or otherwise compliant.
Canada	CEPA (DSL/NDSL)	All ingredients are listed or otherwise compliant.
Australia	AICS	All ingredients are listed or otherwise compliant.
Japan	ENCS	All ingredients are listed or otherwise compliant.
South Korea	KECI	All ingredients are listed or otherwise compliant.
China	IECSC	All ingredients are listed or otherwise compliant.
Philippines	PICCS	All ingredients are listed or otherwise compliant.
New Zealand	NZIoC	All ingredients are listed or otherwise compliant.

US EPA TSCA Requirements: No data available.

US EPA SARA TITLE III Reporting and Notification Requirements:

STATE REGULATORY INFORMATION:

Chemicals listed below may be specifically regulated by individual states. For details on state regulatory requirements you should contact the appropriate state agency.

COMPONENT NAME /CAS NUMBER

No data available.

STATE CODE

16. OTHER INFORMATION

REASON FOR ISSUE:

PREPARED BY:

Gougeon Brothers, Inc.

TITLE:

Health, Safety & Environmental Manager

APPROVAL DATE:

SUPERSEDES DATE:

June 1, 2015

SDS VERSION:

713, 729, 731, 732 and 733-2019a

OTHER HAZARD INFORMATION AND RATING SYSTEMS:

HMIS® RATING

HEALTH:	1
FLAMMABILITY:	0
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:
0 = Low or None; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe

Information in this document is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Gougeon Brothers, Inc. The data on this sheet is related only to the specific material designated herein. Gougeon Brothers, Inc. assumes no legal responsibility for use or reliance upon these data.