

Fishing Boat Product Range





Complete Plumbing Systems from Whale



Decades of experience in manual and electric water systems

Long history of product quality and customer service
Innovative designs



Electric Pump Range

Freshwater Universal

Washdown





Product Code	UF0815B	UF1215B	UF1815	WD1815
Application	Freshwater	Freshwater	Freshwater	Washdown
Open Flow Rate per Min	2.2 Gals	3.2 Gals	4.8 Gals	4.8 Gal
Voltage	12V d.c.	12V d.c.	12V d.c.	12V d.c.

- Universal mounting arrangement fits any existing installation
- Smooth constant flow and can run dry without damage
- Strainer included.

Washdown includes:

- Easy to use cleaning system with targeted high pressure flow
- Trigger handset with adjustable jet and lockable lever.



Gulper® Grouper

Fishbox, Livewell and Baitwell Waste Pumps

- Diaphragm pump: No impeller to clog or burn
- Non-choke valves
- · Can run dry without damage
- Up to 6.75 US gals per minute at open flow
- Multi-directional head position
- Low amp draw

Product Code	BP4572	BP4574
Open Flow Rate per Min	6.75 Gals	6.75 Gals
Voltage	12V d.c.	24V d.c.
Dry Running Current	5 Amps	2.5 Amps







Electric Bilge Pump Range

Orca Range


- · Compact and powerful pump
- · Simple installation and maintenance
- Large filter base ensure maximum surface area exposure
- · Low amp draw ensures longer life



Product Code	BE0500	BE0950	BE1450	BE1454
Open Flow Rate at 13.6V d.c.	500 GPH	950 GPH	1300 GPH	
Flow Rate at 1m (3ft) head	450 GPH	850 GPH	1100 GPH	

Supersub Smart Range

- Low profile automatic bilge pump designed for narrow bilge spaces
- No separate bilge switch required
- Low, narrow design for confined spaces
 - Quick and easy to install
- Unaffected by wave motion







Product Code	SS5212	SS1212	SS1224	
Open Flow Rate at 13.6V. d.c	650 GPH	1050 GPH	1050 GPH	
Flow Rate at 1m (3ft) head	550 GPH	750 GPH	750 GPH	
Voltage	12V d.c.	12V d.c.	24V d.c.	



Faucet Range



Compact Faucet Range

Faucet Range ideal for Installation where space Is limited



- · Spout neatly swivels and folds down
- High quality ceramic valves







Product Code	TB4110	TB4112	TB4170	TB4180	TB4172
Model	Single Faucet Cold only with Valve	Mixer Faucet	Washdown Spigot	Pull Out Galley Mixer	Trigger Handset with Elbow
Finish	Chrome				Chrome and White

RT Compact Range

- · Modern, compact design
- · Simple to install
- 2.1 m (7ft) hose length
- Stainless Steel cover












Gulper® Grouper Fishbox Discharge Pump

BP4572 (12V d.c.), BP4574 (24V d.c.), BP4672 (12 V d.c.), BP4674 (24 V d.c.)

Fishbox Evacuation Pump



Service Kits

AK1557 with Set of Serviceable Parts for Gulper® Toilet Pump

Qty Containing

1 Diaphragm (Santoprene®)

4 Inlet/outlet valves

AS1562 Clamping Ring Kit



AK1557



AS1562